


DRAPER® Tools

100 YEAR ANNIVERSARY 1919-2019

TOOL CATALOGUE
ANNIVERSARY EDITION


DRAPER Tools
100
YEAR ANNIVERSARY
1919-2019


B DRAPER & SON
MACHINERY & TOOLS
KINGSTON on THAMES
Phone 2144.
B. DRAPER & SON
HOLESALE FACTOR
MACHINERY & TOOLS
DRAPERS
TOOLS
MACHINERY
DRAPER
THE NAME FOR QUALITY TOOLS SINCE 1919
B. DRAPER & SON · KINGSTON
B.DRAPER & SO
CATALOGUE
DRAPER Tools
for TOOLS
BOOK

SB3

SPECIAL EDITION
CENTENARY CATALOGUE

Welcome to this special edition tool catalogue, celebrating 100 years of quality and service from Draper Tools. Although we have grown a lot over the last century, we still like to think of ourselves as a no-nonsense, customer-focused tool supplier, serving the automotive, engineering and construction industries.

We are proud to have reached this important milestone in our company history and would like to take this opportunity to thank everyone who has helped us get here.

Here's to the next 100 years!



ABOUT US

Established in 1919, Draper Tools is British company that is still family owned and run today. We are proud of our long history and our reputation for supplying quality hand and power tools for a range of professional trades and serious enthusiasts.

CHOOSING DRAPER TOOLS

Hundreds of thousands of people worldwide put their trust in our products, so you are in good company when you choose Draper Tools. Our complete range now includes over 11,000 products – most of these can be seen in this catalogue, with the full range available online at **drapertools.com**.

You'll find Draper Tools products available to buy online and through a huge range of stockists in the United Kingdom, Republic of Ireland and many other countries around the world. For product prices and to find your most convenient stockist visit **drapertools.com/stockist**.

OUR COMMITMENT TO YOU

We like to think we offer more than just tools, because when you choose the Draper brand, you also get complete peace of mind.

Lifetime* WARRANTY

With a lifetime* warranty on hand tools and a reputation for quality and service, you can be confident choosing Draper Tools.

LIFETIME* WARRANTY applies to hand tools. Please always refer to the full terms and conditions regarding warranty at the back of this catalogue.



SECTION FINDER

SOCKETRY SPANNERS & WORKSHOP STORAGE
VEHICLE SERVICE TOOLS
WORKSHOP EQUIPMENT
ELORA
COMPRESSORS, AIR TOOLS & FITTINGS
WELDING & CUTTING MACHINES
HEATING & COOLING
WORKSHOP& ENGINEERING MACHINES
WOODWORKING MACHINES
PRESSURE WASHERS, WATER PUMPS & GENERATORS
HANDHELD POWER TOOLS
POWER TOOL ACCESSORIES
STORAGE, HANDLING & ACCESS EQUIPMENT
HAND TOOLS & ENGINEERING TOOLS
KNIPEX
BUILDING TOOLS
PERSONAL PROTECTIVE EQUIPMENT (PPE)
LIGHTING
HARDWARE CLEANING & SECURITY
LANDSCAPING & GARDENING TOOLS

STOCK No. AND ALPHABETICAL INDEXES

For precise product location, use the unique-to-product five figure Stock No. index on pages 885-918 or the alphabetical index on pages 919-930

RANGE & BRAND

We are committed to bringing you the latest products, technology and exciting features. That's why we are constantly reviewing and expanding our range, which now features over 11,000 quality products. Inside this catalogue you'll find hundreds of brand-new tools and essentials, just look out for the **NEW** symbol.



THE BRANDS

Draper Expert is 'Made For The Trade' a range that has the features to meet and exceed the expectations of the most demanding user.



Draper is our core range of quality tools.



Power and Air Tools

Heaters

Hand Saws

Wipes and cleaning products

COMMITTED TO QUALITY

We are extremely proud of our commitment to quality. Our Quality Assurance team work hard to ensure that our products always meet the highest standards.

HIGH STANDARDS

We invest a lot in quality control and set ourselves high standards, here are just a few of the ways we achieve this:

- State of the art test equipment on site including: ROHS XRF Material Analysis, Digital Hardness Testers and Torque Testing.
- All of these and many other rigorous tests are carried out on site in the UK and at our Far East Quality Assurance facility.
- This guarantees compliance to British, European and International standards as applicable.
- Draper Tools operates Quality and Environmental Management systems which are accredited to ISO9001 and ISO14001 respectively.

We take pride in our work, just like you do. Our quality is guaranteed so you can always choose Draper Tools with confidence.



DAVE
Draper QA
Technical Manager



PAUL
Draper QA
Quality Manager

LOOK OUT FOR OUR EXPERTS

Look out for hints and tips from our experts; Dave and Paul. They feature throughout the catalogue to explain the quality, features and standards which make Draper products the better choice.





Lifetime* WARRANTY

ALL HAND TOOLS IN THIS CATALOGUE COME WITH A LIFETIME* WARRANTY

*Please refer to the full terms and conditions regarding warranty at the back of this catalogue.

KEEP IN TOUCH

There are many ways to connect with us.

OUR COMPANY WEBSITE

drapertools.com

The very latest products and company news can all be found here.

To find your nearest Draper Tools stockist visit: **drapertools.com/stockist**



VIRTUAL SHOWROOM

drapertools.com/virtual-showroom

Here you can take a virtual tour of our product showroom without even leaving your seat.



PRODUCT HELPLINE: +44 (0) 23 8049 4344

If you need any help or advice on a Draper Tools product, give our friendly team a call.

To find a stockist visit our website or talk to our sales team about where to buy Draper Tools products:
+44 (0) 23 8049 4333



SALES & SERVICING

AFTER SALES SUPPORT

We offer a full parts backup and service facilities. Servicing is carried out in our workshops. Spare parts are held for a number of years after products become no longer available.



PROMOTIONS

GREAT OFFERS ON GREAT TOOLS

Our promotions are available in hard copy from your nearest Draper stockist or to view online visit: **drapertools.com/promotions**



DOWNLOAD THE APP

AVAILABLE ON ALL MAJOR APP STORES

View a digital edition of this catalogue and all current promotions. Simply visit the app store to download.



VIDEOS

drapertools.com/drapertv

The place to see our newest products in action and check out our handy ‘how to’ videos.



SOCIAL MEDIA

Join us on social media for some fun as well as the latest news, competitions and our regular #ThrowbackThursday posts.

JOIN OUR CLUB

DRAPERTOOLS.COM/CLUB-MEMBER

Get access to exclusive member competitions and be the first to hear about our latest news and launches.



AWARD WINNING PRODUCTS

We're confident that all our products offer quality and durability – but don't just take our word for it. Our products regularly receive great reviews and important independent awards from top magazines.





"EASILY THE BEST CLEANERS"

★ ★ ★ ★ ★

Draper Tuff Texture Hard Graft Heavy Duty wipes.

Stock No. 84712

"THIS IS A VERY IMPRESSIVE DRILL AT A KEEN PRICE"

Storm Force® 20v Cordless Hammer Drill With Two Li-ion Batteries

Stock No. 89523







"THE ONLY WRENCH HEAD ON TEST ABLE TO REACH MANIFOLD NUTS IN SITU WITHOUT AN EXTENSION BAR"

1/2" Square Drive 'Push Through' Torque Wrench

Stock No. 83317

To see all our product awards visit:
drapertools.com/awards

SB12

IN STORE AND ONLINE

Find us in stores nationwide, look out for our eye-catching displays and packaging in a store near you.





ON THE ROAD

Our fleet of demonstration vans travel the country offering you the chance to see our latest tools in action. Keep an eye out for our vans at your local Draper stockist.



NEW PRODUCT HIGHLIGHTS

Our range of products is continually expanding and evolving to meet your needs.

As a company we're well-known for our quality hand and power tools but did you know we are also a leading supplier of specialist, high-end, workshop equipment? Here are just a few of our new product highlights.

HYDRAULIC MID RISE SCISSOR LIFT (3000KG)

This Expert Quality machine is designed for lifting vehicles with the purpose of performing services, repairs and inspections. Fitted with an powerful aluminium motor providing enough force to lift 3000kg. The platform extensions are useful for larger vehicles and the hydraulic pressure presets enable easy control when lifting.

PAGE 208





SEMI AUTOMATIC TYRE CHANGER WITH ASSIST ARM

This Expert Quality semi-automatic tyre changer is capable of removing and replacing tyres on wheels up to 26". Fitted with an assist arm (also known as a third arm) to aid the user when changing low profile and run flat tyres. The fully motorised turntable, pneumatically operated clamping jaws, powerful pneumatic bead breaker and tilt column enables the changing of low profile and run flat tyres quickly and easily.
The self-centering four-jaw chuck, controlled by two clamping cylinders, always ensures wheel rims are correctly clamped. Alloy rims are treated particularly gently as the mounting head is provided with plastic protectors. The bead breaker is attached with a large anti-skid rubber pad, which preserves the tyres and rims.

Supplied with the following accessories: tyre lever, filter regulator lubricator to connect your compressed air supply, alloy rim protectors, head tongue protectors and inflation gun and air hose. The machine is operated from a standard 13amp 3 pin plug

PAGE 205

NEW FOR THIS CATALOGUE

D20 20 VOLT CORDLESS POWER TOOLS



D20 BRUSHLESS MOTOR TECHNOLOGY

The new Draper D20 range of cordless power tools is a range that packs a punch.

A varied and wide range, offering something for everyone, with selected tools incorporating the latest state-of-the-art brushless motors, and the whole range powered by a 20V Lithium-ion battery available in four sizes.

The D20 cordless power tool range, cutting edge technology engineered for industry.



MULTI-TOOL BATTERY SYSTEM

PAGES 386-393



D20



30-50 TONNE PNEUMATIC JACKS

A new range of Expert Quality Pneumatic Jacks. 5 in the range including long chassis low profile and High Lift jacks available. Fitted with a “Slow Down” valve and a “Self-Return” switch for increased safety and easy use. Fitted with industrial quality seals prolonging the life of the jack, a safety overload valve and twin rubber coated wheels for a quieter and smoother operation, whilst also preventing damage to garage floors and improving manoeuvrability.

PAGES 212-213



NEW RANGE OF TIMING TOOLS

A totally new range of timing tools, all British made and supported with detailed application guides.

*WE'VE GOT KITS FOR THOUSANDS OF ENGINES ALL AVAILABLE WITH NEXT DAY DELIVERY**

The full range of kits can be found in the latest Timing Tool catalogue, or try our easy to use online tool finder, it makes finding the right kit as **easy as 1-2-3...** visit:

drapertools.com/timingtools


PAGES 144-145

MORE NEW PRODUCT HIGHLIGHTS

AIR TOOLS

A new range of Draper quality Air Tools. Manufactured from lightweight aluminium, with low noise and vibration.

PAGES 279-296





TOOL CHESTS AND ROLLER CABINETS

A new series of Tool Chests and Roller Cabinets is available from both the Draper and Draper Expert ranges. All drawers are fitted with ball-bearing runners and aluminium trim, our roller cabinets are complete with rubber castors. Draper Expert tool chests are fitted with pneumatic lids as standard. Available in many configurations.

PAGES 114-133



LANDSCAPING & GARDENING RANGE

We offer one of the most comprehensive ranges available when it comes to hand and power tools for landscaping and gardening. We now have more landscaping and gardening products than ever before – see the complete range in **Section 20** of this catalogue.

LANDSCAPING & GARDENING TOOLS

QUICK SECTION FINDER

SECTION INDEX

1 SOCKETRY, SPANNERS & WORKSHOP STORAGE

21-23 1/4" Sq. Dr. Expert Socket Sets
24 1/4" Sq. Dr. Draper Socket Sets
25-26 3/8" Sq. Dr. Expert Socket Sets
27 3/8" Sq. Dr. Draper Socket Sets
28-30 1/2" Sq. Dr. Expert Socket Sets
31 1/2" Sq. Dr. Draper Socket Sets
32 3/4" Sq. Dr. Expert Socket Sets
33 3/4" Sq. Dr. Expert Socket Sets
34 1" Sq. Dr. Socket Sets
35-37 Mixed Sq. Dr. Socket Sets
38-39 VDE Socketry
40 'Go Through' Socket Sets
41 Multi-Drive® Socket Sets
42-43 Socket and Ratchet Sets
44 1/4" Sq. Dr. Socket Sets
45 3/8" Sq. Dr. Socket Sets
46 1/2" Sq. Dr. Socket Sets
47 1/4" Sq. Dr. Rail Socket Sets
48 3/8" Sq. Dr. Rail Socket Sets
49 1/2" Sq. Dr. Rail Socket Sets
50-52 Sockets
53 Spark Plug Sockets
54-55 Hex Bits
56-57 Ratchets
58-59 Socket Converters Trays and Universal Joints
59-61 Extension Bars
62 Sliding 'T' Bars
63 Flexible Handles
64-71 Impact Socketry
72 Automotive Socketry
73-81 Spanners
82 Wrenches
83 Insert Bits
84-91 Draper TX-Star®
92 Spline and Ribe®
93 Security Bits
94-97 Torque Wrenches
98-113 EVA Modular Tool Control System
114-133 Workshop Tool Chests and Roller Cabinets

2 VEHICLE SERVICE TOOLS

136-139 Diagnostics
140 Vehicle Electronics
141-143 Automotive Socketry
146-157 Engine and Transmission
158-159 Fuel System Tools
160-162 Cooling
163-167 Steering and Suspension
168-173 Brakes
174-179 Tyres and Wheels
180-185 Bodywork and Windscreen
185 Motorcycle Tools
186-189 Breakdown and Recovery
190-201 Consumables and Accessories

3 WORKSHOP EQUIPMENT

204-207 Wheel Service
208-225 Lifting & Support
226-229 Presses & Pullers
230-232 Workshop Pumps
233-241 Draining & Parts Cleaning
242-244 Lubrication
245 Funnels
246-251 Battery Care

4 ELORA

253-256 Socket Sets
257-264 Socketry
265-269 Spanners
270 Stainless Steel Hand Tools
271 General Hand Tools

5 COMPRESSORS, AIR TOOLS & FITTINGS

274-278 Compressors
279-280 Impact Wrenches
281-282 Air Ratchets
283 Air Drills
284 Air Drills, Screwdrivers & Belt Sander
285-286 Air Sanders
287 Air Cut Off & Grinders
288 Air Die Grinders
289 Air Die Grinder & Polisher
290 Air Hammers & Needle Scaler
291 Air Shears, Saw & Riveters
292 Air Nailers
293 Air Staplers
294-296 Air Tool Kits
297 Air Blowers
298-299 Air Sprayers
300 Air Caulking Guns
301 Air Inflators
302-303 Air Hoses
304-309 Air Line Fittings

6 WELDING & CUTTING MACHINES

312-313 Arc Welding
314-315 Mig Welding
316-317 Tig Welding
318 Induction Heaters and Plasma Cutter
319 Stud Welding
320-324 Welding Accessories

7 HEATING & COOLING

326-328 Diesel/Kerosene Space Heaters
329-331 Propane Space Heaters
332 Electric Heaters
333-335 Fans
335 Air Conditioner and Dehumidifier

8 WORKSHOP ENGINEERING MACHINES

337 Milling/Drilling and Linisher
338-339 Floor Standing Drills
340-341 Bench Drills
342 Lathe and Bandsaws
343 Bandsaws
344 Chopsaws and Roller Stands
345-347 Grinders

9 WOODWORKING MACHINES

350-352 Sanders
353 Morticers
354-359 Saws
360 Thicknesser and Spindle Moulder
361-362 Lathes
363-365 Extraction
366-369 Vacuums

10 PRESSURE WASHERS, WATER PUMPS & GENERATORS

372-374 Pressure Washers
375-380 Water Pumps
381 Water Pump Accessories
382-383 Generators

11 HANDHELD POWER TOOLS

386-393 D20 20V Cordless
394-399 20V Stormforce Interchange
400-401 10.8V Stormforce Interchange
402-403 Drills
404 Breakers
405 Wall Chaser and Mixers
406-407 Grinders & Polishers
408-410 Saws & Jigsaws
411 Planers, Router & Jointer
412-413 Sanders
414-415 Multi-Tools
416-417 Decorating and Staplers

12 POWER TOOL ACCESSORIES

420-425 Drill Bits
426-427 SDS+ bits and Accessories
428 Power Tool Accessories
429-432 Bit Sets
433 Hole Saws
434 Hole Saw Pilot Drill
435 Hole Saws
436 Auger Bits
437 Flat Wood Bits
438 T.C.T Saw Blades
439 Diamond Blades
440 Jigsaw Blades
441 Jigsaw Blades and Chisel set
442 Woodworking Accessories
443 Router Bits
444 Cutting and Grinding Discs
445 Grinding Wheels and Wire Brushes
446 Wire Brushes, Backing Pads and Grinding Points
447 Polishing Accessories
448 Sanding Discs
449-450 Sanding Belts and Sheets
451 Abrasives and Chucks
452 Power Tool Accessories
453 Oscillating Blades
454 Electrical Accessories
455 Extension Reels
456 230V 16A Accessories
457-458 110V Accessories

13 STORAGE, HANDLING & ACCESS

462-470 Expert Storage Chests and Cabinets
471-481 Draper Storage Chests and Cabinets
482 Magnetic Holders
483 Contractors Storage Boxes
484-487 Tool Boxes
488 Storage Totes and Trolleys
489-491 Organisers
492 Lockers/Cabinets
493-494 Shelving
495-499 Tool Bags, Rolls, Belts & Pouches
500-502 Sack Trucks
503 Trestles
504-505 Workbenches
505-508 Ladders and Platforms
509-521 Tool Kits

14 HAND TOOLS & ENGINEERING TOOLS

524-526 Draper Expert Ergo Plus® Pliers
527-528 VDE Heavy Duty Pliers
529-530 Heavy Duty Soft Grip Pliers
531 General Duty Soft Grip Pliers
532 General Duty Pliers
533 Waterpump Pliers
534-535 Mini Pliers
536 Circlip Pliers
537-538 Pliers & Cutters
539 Bolt Cutters and Cutters
540-541 Cutters and Strippers
541-543 Crimpers
544 Shears
545 Pincers and Punches
546-547 Riveters
549-550 Ergo Plus® Interchangeable VDE Screwdrivers
551 Ergo Plus® VDE Screwdrivers
552-553 960 Series VDE Screwdrivers
554 952 Series VDE Screwdrivers
555-556 995 Series Screwdrivers
557 996 Series Screwdrivers
558-559 870 Series Screwdrivers
560-561 970 Series Screwdrivers

14 HAND TOOLS & ENGINEERING TOOLS (CONTINUED)

562-563 939 Series Screwdrivers
564-565 976 Series Screwdrivers
566 975 Series Screwdrivers
567-569 865 Series Screwdrivers
570-571 186 Series Screwdrivers
572-573 Screwdrivers
574-575 Screwdrivers and Bit Sets
576-577 Screwdriver Sets
578-582 Insert bits
583-587 Hexagon Keys
588-589 Staplers
590-593 Knives and Knife Blades
593 Cutters and Multi-Tools
594-598 Hammers
599-600 Bolsters
601-603 Chisels and Punches
604-606 Measuring Tapes
607 Rules and Gauges
609-612 Precision Engineering
613-616 Threading
617 Adhesives
618-621 Files
622-625 Vices and Clamps
626-632 Woodworking
633-639 Saws
639 Mitre Boxes
640-641 Hacksaws
642-644 Tiling
645-655 Painting and Decorating
656-661 Plumbing
662-665 Electrical
666-668 Multimeters
669-671 Testers
672 Scissors
673-674 Hobby Tools
675-676 Bicycle Tools

15 KNIPEX

678-680 VDE 8 Range
681-682 VDE Range
683-684 VDE 'S' Range
685-689 Pliers and Cutters
690-691 Bolt Cutters
692 Shears and Cutters
693 Cutting Nippers
694-696 General Range
697-698 Electronic Range
699 Anti-static Range
700-701 Circlip Pliers
701-704 Waterpump Pliers
704-705 Miscellaneous Tools

16 BUILDING TOOLS

707-711 Hammers
712-713 Bolsters
714-715 Trowels
716 Plastering
717-736 Contractors Tools
737-740 Levels

17 PERSONAL PROTECTIVE EQUIPMENT (PPE)

742 Protective Clothing
743-746 Gloves
747-748 Protective Footwear
749-750 Eye Protection
751-752 Face Masks
753 Head and Ear Protection
754 Ear Protection and Harnesses
755 Knee Protection
756 Aprons/Back Support
757 First aid
758 Safe Storage
759-762 Safety Signs
763 Fire Fighting Equipment

18 LIGHTING

766-767 Torches
768 Head Lamps
769 Bicycle Lights
770 Worklights
771 Batteries
772 Rechargeable Spotlights
773-775 Inspection Lamps
775 Beacons
776-778 Worklights

19 HARDWARE CLEANING & SECURITY

781 Fixings
782-784 Castors
784-785 Wheels
786 Aerosols
787-788 Tapes
789 General Hardware
790-791 Wire Brushes
792-793 Brushes
793-797 Cleaning
798 Sprayers
799-804 Security

20 LANDSCAPING & GARDENING TOOLS

806-808 Heritage Garden tools
809-819 Garden Hand tools
820 Young Gardner tools
821-823 Secateurs
823 Garden Scissors and Knives
824-825 Garden Shears
825-827 Loppers
827-828 Garden Saws
829 Axes
830-834 Landscaping and Fencing
835-836 Gardening PPE and Sundries
837-843 Lawn Maintenance
844-846 Gardening Sundries
847-856 Watering and Spraying
857-859 Lawn Mowers
860 Lawn Rakes
860-861 Hedge Trimmers
862-864 Chainsaws & Equipment
865-866 Brush Cutters and Line Trimmers
867 Cordless Power Tools
868 Garden Blowers/Vacuums
869 Garden Cultivators/Tillers
870 Garden Power Tools & Accessories
871 Cable Reels
872-874 Pressure Washers
875-881 Water Pumps
882 Water Pump Accessories
883 Outdoor


SECTION FINDER

SOCKETRY SPANNERS & WORKSHOP STORAGE
VEHICLE SERVICE TOOLS
WORKSHOP EQUIPMENT
ELORA
COMPRESSORS, AIR TOOLS & FITTINGS
WELDING & CUTTING MACHINES
HEATING & COOLING
WORKSHOP& ENGINEERING MACHINES
WOODWORKING MACHINES
PRESSURE WASHERS, WATER PUMPS & GENERATORS
HANDHELD POWER TOOLS
POWER TOOL ACCESSORIES
STORAGE, HANDLING & ACCESS EQUIPMENT
HAND TOOLS & ENGINEERING TOOLS
KNIPEX
BUILDING TOOLS
PERSONAL PROTECTIVE EQUIPMENT (PPE)
LIGHTING
HARDWARE CLEANING & SECURITY
LANDSCAPING & GARDENING TOOLS

STOCK No. AND ALPHABETICAL INDEXES

For precise product location, use the unique-to-product five figure Stock No. index on pages 885-918 or the alphabetical index on pages 919-930

section 1



SOCKETRY, SPANNERS & WORKSHOP STORAGE

21-23	1/4" Sq. Dr. Expert Socket Sets
24	1/4" Sq. Dr. Draper Socket Sets
25-26	3/8" Sq. Dr. Expert Socket Sets
27	3/8" Sq. Dr. Draper Socket Sets
28-30	1/2" Sq. Dr. Expert Socket Sets
31	1/2" Sq. Dr. Draper Socket Sets
32	3/4" Sq. Dr. Expert Socket Sets
33	3/4" Sq. Dr. Expert Socket Sets
34	1" Sq. Dr. Socket Sets
35-37	Mixed Sq. Dr. Socket Sets
38-39	VDE Socketry
40	'Go Through' Socket Sets
41	Multi-Drive® Socket Sets
42-43	Socket and Ratchet Sets
44	1/4" Sq. Dr. Socket Sets
45	3/8" Sq. Dr. Socket Sets
46	1/2" Sq. Dr. Socket Sets
47	1/4" Sq. Dr. Rail Socket Sets
48	3/8" Sq. Dr. Rail Socket Sets
49	1/2" Sq. Dr. Rail Socket Sets
50-52	Sockets
53	Spark Plug Sockets
54-55	Hex Bits
56-57	Ratchets
58-59	Socket Converters Trays and Universal Joints
59-61	Extension Bars
62	Sliding 'T' Bars
63	Flexible Handles
64-71	Impact Socketry
72	Automotive Socketry
73-81	Spanners
82	Wrenches
83	Insert Bits
84-91	Draper TX-Star®
92	Spline and Ribe®
93	Security Bits
94-97	Torque Wrenches
98-113	EVA Modular Tool Control System
114-133	Workshop Tool Chests and Roller Cabinets

A SOCKETRY RANGE WITH 3 DIFFERENT FINISHES







Lifetime* WARRANTY

No matter the finish or size, all our sockets and accessories are manufactured to and exceed DIN standards. We're so confident in the build quality, we provide a lifetime warranty.

LIFETIME* WARRANTY applies to hand tools. Please always refer to the full terms and conditions regarding warranty at the back of this catalogue.



1 B26M/MC/SG

1/4" Sq. Dr. METRIC SOCKET SET IN METRIC CASE (26 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, six point sockets made from chrome vanadium steel that's hardened, tempered and micro satin finish for added corrosion protection. Supplied with a 72 tooth reversible soft grip ratchet and accessories. Each socket has a knurled ring for extra grip. Packed in a steel carrying case with EVA foam inserts.

Contents: • 13 sockets size: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm • 7 deep sockets size: 5, 6, 7, 8, 10, 11, 13mm • 72 tooth reversible ratchet with soft grip handle and quick release button • 2 wobble extension bars size: 50 and 100mm • sliding 'T' bar • universal joint • spinner handle

Stock No.
16468



2 B26M/MC/B

1/4" Sq. Dr. METRIC SOCKET SET IN METRIC CASE (26 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, six point sockets made from chrome vanadium steel that's hardened and tempered with a polished finish. Each socket has a knurled ring for extra grip. Supplied with a 72 tooth reversible ratchet and accessories. Packed in a steel carrying case with EVA foam inserts.

Contents: • 13 sockets size: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 and 14mm • 7 deep sockets size: 5, 6, 7, 8, 10, 11 and 13mm • 1/4" 72 tooth reversible ratchet with quick release button • 2 wobble extension bars size: 50 and 100mm • sliding 'T' bar • universal joint • spinner handle

Stock No.
16476



3 B32M/MC/SG

1/4" Sq. Dr. METRIC SOCKET SET IN METRIC CASE (32 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, six point sockets made from chrome vanadium steel that's hardened and tempered with a micro satin finish. Supplied with a 72 tooth reversible soft grip ratchet and accessories. Each socket has a knurled ring for extra grip. Packed in a steel carrying case with EVA foam insert.

Contents: • 12 sockets and 12 deep sockets sizes: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm • 72 tooth reversible ratchet with soft grip handle and quick release button • 3 wobble extension bars size: 50, 100, 150mm • 150mm flexible extension bar • sliding 'T' bar • universal joint • spinner handle.

Stock No.
16469



1 B20M/SG

1/4" Sq. Dr. METRIC SOCKET SET (20 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, six point sockets made from chrome vanadium steel that's hardened and tempered with a micro satin finish. Each socket has a knurled ring for extra grip. Supplied with a 72 tooth reversible soft grip ratchet and accessories. Packed in plastic storage case.

Contents: • 13 sockets size: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm • 72 tooth reversible ratchet with soft grip handle and quick release button • 3 wobble extension bars sizes: 50, 75 and 150mm • sliding 'T' bar • universal joint • flexible handle

Stock No.
16442



2 B25MN/SG

1/4" Sq. Dr. METRIC SOCKET SET (25 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, six point sockets made from chrome vanadium steel that's hardened and tempered with a micro satin finish. Each socket has a knurled ring for extra grip. Supplied with a 72 tooth reversible soft grip ratchet and accessories. Packed in tough plastic storage case.

Contents: • 12 sockets size: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm • 7 deep sockets: 5, 6, 7, 8, 10, 11 and 13mm • 72 tooth reversible ratchet with soft grip handle and quick release button • 2 wobble extension bars sizes: 50 and 150mm • sliding 'T' bar • universal joint • spinner handle

Stock No.
16443



3 B30MN/SG


1/4" Sq. Dr. METRIC SOCKET SET (30 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, six point sockets made from chrome vanadium steel that's hardened and tempered with a micro satin finish. Each socket has a knurled ring for extra grip. Supplied with a 72 tooth reversible soft grip ratchet and accessories. Packed in tough plastic storage case.

Contents: • 13 sockets size: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 and 14mm • 10 deep sockets: 5, 6, 7, 8, 9, 10, 11, 12, 13 and 14mm • 72 tooth reversible ratchet with soft grip handle and quick release button • 3 wobble extension bars sizes: 50, 100 and 150mm • sliding 'T' bar • universal joint • spinner handle

Stock No.
16444



4 B40AMN/SG


1/4" Sq. Dr. COMBINED MM/AF SOCKET SET (40 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, six point sockets made from chrome vanadium steel that's hardened and tempered with a micro satin finish. Each socket has a knurled ring for extra grip. Supplied with a 72 tooth reversible soft grip ratchet and accessories. Packed in tough plastic storage case.

Contents: • 12 metric sockets: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm • 9 imperial sockets: 1/4, 3/16, 7/32, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2" • 72 tooth reversible ratchet with soft grip handle and quick release button • spinner handle • 3 wobble extension bars 50, 100, 150mm • sliding T bar • universal joint • 1/4" Sq Dr to 1/4" hex bit adaptor • screwdriver bits 4 x plain slot insert bits size 3, 4, 5.5, 6.5mm, 2 x cross slot insert bits size #1, #2, 2 x PZ type insert bits size #1, #2 and 3 x Draper TX-STAR® insert bits size T15, T20, T25

Stock No.
16445



1 B40AMN/B

1/4" Sq. Dr. COMBINED MM/AF SOCKET SET (40 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, 6 point sockets made from chrome vanadium steel that's hardened and tempered with a polished finish. Each socket has a knurled ring for extra grip. Supplied with a 72 tooth reversible ratchet and accessories. Packed in tough plastic storage case.

Contents: • 12 metric sockets size: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm • 9 imperial sockets size: 1/4, 3/16, 7/32, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2" AF • 72 tooth reversible ratchet with quick release button • 3 wobble extension bars size: 50, 100, 150mm • sliding 'T' bar • universal joint • spinner handle • bit holder 1/4" sq. drive x 1/4" hex • 4 plain slot insert bits size: 3, 4, 5.5, 6.5mm • 2 cross slot insert bits No. 1, 2 • 2 PZ TYPE insert bits No.1, 2 • 3 Draper TX-STAR® insert bits T15, T20, T25

Stock No.
16464



2 B44MN/SG


1/4" Sq. Dr. METRIC SOCKET SET (44 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, six point sockets made from chrome vanadium steel that's hardened and tempered with a micro satin finish. Each socket has a knurled ring for extra grip. Supplied with a 72 tooth reversible soft grip ratchet and accessories. Packed in tough plastic storage case.

Contents: • 10 sockets sizes 4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm • 6 deep sockets sizes 6, 8, 10, 11, 12, 13mm • 72 tooth reversible ratchet with soft grip handle and quick release button • spinner handle • 2 wobble extension bars 50 and 150mm • sliding T bar • universal joint • 1/4" Sq. Dr to 1/4" hex bit adaptor • 3 x plain slot socket bits 3, 5, 5.5mm • 3 x PZ Type socket bits #1, 2, 3 • 3 x cross slot socket bits #1, 2, 3 • 5 x hex socket bits 3, 4, 5, 6, 8mm • 7 x Draper TX-STAR® socket bits T10, T15, T20, T30, T35, T40, T45

Stock No.
16446



3 B75AMN/SG

1/4" Sq. Dr. MM/AF COMBINED SOCKET SET (75 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, six point sockets made from chrome vanadium steel that's hardened and tempered with a micro satin finish. Each socket has a knurled ring for extra grip. Supplied with a 72 tooth reversible soft grip ratchet and accessories. Packed in tough plastic storage case with soft grip handle

Contents: • 12 metric sockets sizes 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm • 10 metric deep sockets sizes 4, 5, 5.5, 6, 7, 8, 9, 10, 11 and 13mm • 9 imperial sockets sizes 3/16, 7/32, 1/4" 9/32, 5/16, 11/32, 3/8, 7/16 and 1/2" • 6 imperial deep sockets sizes 3/16, 1/4, 5/16, 3/8, 7/16 and 1/2" • 72 tooth reversible ratchet with soft grip handle and quick release button • spinner handle • 3 wobble extension bars 50, 100, 150mm • 150mm flexible extension bar • sliding T bar • universal joint • 1/4" sq dr to 1/4" hex bit adaptor • flexible handle • screwdriver bits 4 x plain slot 3, 4, 5.5, 6.5mm, 3 x cross slot No.1, 2, 3, 3 x PZ Type No.1, 2 and 3, 9 x Draper TX-STAR® T7, T8, T9, T10, T15, T20, T25, T27, T30, 6 x metric hex bits 3, 4, 5, 6, 7, 8mm, 3 x imperial hex bits 1/8, 3/16, 1/4"

Stock No.
16448

1/4" SQ.DRIVE 6 point



1 BD38M/MT

1/4" Sq. Dr. METRIC SOCKET SET IN METAL CASE (38 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Six point sockets made from chrome vanadium steel that's hardened and tempered with a satin finish. Supplied with a 72 tooth reversible soft grip ratchet and accessories. Packed in a steel carrying case.

Contents: • 13 sockets size 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm • 72 tooth reversible ratchet with soft grip handle and quick release button • 2 extension bars 50 and 150mm • sliding 'T' bar • universal joint • 3 x plain slot socket bits 4, 5.5, 6.5mm • 3 x PZ Type socket bits #1, 2, 3 • 7 x Draper TX-STAR® socket bits T10, T15, T20, T25, T27, T30, T40 • 7 x hex socket bits 2.5, 3, 4, 5, 6, 7, 8mm

Stock No.
16366

1/4" SQ.DRIVE 6 point



2 BD45M/MT

1/4" Sq. Dr. METRIC SOCKET SET IN METAL CASE (45 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Six point sockets made from chrome vanadium steel that's hardened and tempered with a satin finish. Supplied with a 72 tooth reversible soft grip ratchet and accessories. Packed in a steel carrying case.

Contents: • 13 sockets size 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm • 7 deep sockets size 5, 6, 7, 8, 10, 11, 13mm • 72 tooth reversible ratchet with soft grip handle and quick release button • 2 extension bars 50, 100mm • sliding 'T' bar • universal joint • 1/4" sq dr to 1/4" hex bit adaptor • 2 x plain slot bits 3, 5mm • 3 x cross slot bits No.1, 2, 3 • 3 x PZ Type bits No.1, 2, 3 • 6 x Draper TX-STAR® bits T10, T15, T20, T25, T30, T40 • 4 x hex bits 3, 4, 5, 6mm

Stock No.
16365

1/4" SQ.DRIVE 6 point



3 BD25M

1/4" Sq. Dr. METRIC SOCKET SET (25 PIECE)


Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Six point sockets made from chrome vanadium steel that's hardened and tempered with a satin finish. Supplied with a 72 tooth reversible soft grip ratchet and accessories. Packed in a plastic storage case.

Contents: • 12 sockets 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm • 72 tooth reversible ratchet with soft grip handle and quick release button • extension bar 100mm • 1/4" sq dr to 1/4" hex bit adaptor • 2 x cross slot bits No.1, 2 • 2 x hex bits 5, 6 • 6 x Draper TX-STAR® bits T10, T15, T20, T25, T30, T40

Stock No.
16354

1/4" SQ.DRIVE 6 point



4 BD47M

1/4" Sq. Dr. METRIC SOCKET SET (47 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Six point sockets made from chrome vanadium steel that's hardened and tempered with a satin finish. Supplied with a 72 tooth reversible soft grip ratchet and accessories. Packed in a plastic storage case.

Contents: • 13 sockets 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm • 8 deep sockets 6, 7, 8, 9, 10, 11, 12, 13mm • 72 tooth reversible soft grip ratchet with soft grip handle and quick release button • spinner handle • universal joint • extension bar 100, 150mm • 1/4" sq dr to 1/4" hex bit adaptor • 3 x plain slot bits 4, 5.5, 8mm • 3 x cross slot bits #1, 2, 3 • 6 x hex bits 2, 3, 4, 5, 6, 8mm • 8 x Draper TX-STAR® bits T8, T10, T15, T20, T25, T27, T30, T40


Stock No.
16355

WHY CHOOSE DRAPER EXPERT HI-TORQ® SOCKETS?

All our Socket Sets, Sockets and Accessories are designed to be used by professional technicians in a multitude of different industries including automotive repair, agricultural machinery repair and a variety of engineering and industrial environments. All are manufactured and tested to the highest standards, guaranteeing reliability and performance. The text below explains some of the superior characteristics of these products...


Draper Expert HI-TORQ® 6 point

The specially engineered, six point wide-rib driving faces allow this style of socket to fit onto and securely grip even badly damaged fixings, making sure the sockets will work when others cannot. It will also help prevent any further damage, by only gripping the sides, not the corners of the fixings.



Draper Expert HI-TORQ® 12 point

Our 12 point sockets drive on the flats of the fixings - NOT the corners, allowing high torque to be applied without damaging the corners of the fixings. The double hexagon 12 point design makes it easy to locate the socket onto the fixing.



3/8" SQ.DRIVE | Draper Expert HI-TORQ® 6 point | DRAPER Expert



1 D27M/MC/SG

3/8" Sq. Dr. METRIC SOCKET SET IN METAL CASE (27 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, six point sockets made from chrome vanadium steel that's hardened and tempered with a micro satin finish. Supplied with a 72 tooth reversible soft grip ratchet and accessories. Each socket has a knurled ring for extra grip. Packed in a steel carrying case with EVA foam inserts.

Contents: • 17 sockets size 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 24mm • 3 spark plug sockets size 10, 12, 14mm • 72 tooth reversible ratchet with soft grip handle and quick release button • 3 wobble extension bars size 75, 150, 250mm • *'T' bar head 1/2" (F) x 3/8" (M) converter • universal joint • 3/8" sq dr x 1/4" hex adaptor. *'T' bar head/converter when used with extension bar forms a sliding 'T' bar.

Stock No.
16470

3/8" SQ.DRIVE | Draper Expert HI-TORQ® 6 point | DRAPER Expert



2 D40M/MC/SG

3/8" Sq. Dr. COMBINED MM/AF SOCKET SET IN METAL CASE (40 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, six point sockets made from chrome vanadium steel that's hardened and tempered with a micro satin finish. Supplied with a 72 tooth reversible soft grip ratchet and accessories. Each socket has a knurled ring for extra grip. Packed in a steel carrying case with EVA foam insert.

Contents: • 17 metric sockets size 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22mm; 11 imperial sockets size 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4",13/16, 7/8" • 3 spark plug sockets size 10, 12, 14mm • 72 tooth reversible ratchet with soft grip handle and quick release button • 3 wobble extension bars size 75, 150 and 250mm • *'T' bar head converters 1/2" (F) x 3/8" (M) • 3 adaptors 3/8" (F) x 1/4" (M), 3/8" (F) x 1/2" (M) 1/2" (F) x 3/8" (M) • universal joint. *'T' bar head/converter when used with wobble extension bar forms a sliding 'T' bar.

Stock No.
16472

MIXED SOCKET SETS AND DRAPER EXPERT MULTI-DRIVE SETS

A comprehensive range of mixed socket sets and specially designed 12 point multi-drive socket sets can be found on pages 35-41



Draper Expert Multi Drive®



1 D36MN/SG

3/8" Sq. Dr. METRIC SOCKET SET (36 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, six point sockets made from chrome vanadium steel that's hardened and tempered with a micro satin finish. Each socket has a knurled ring for extra grip. Supplied with a 72 tooth reversible soft grip ratchet and accessories. Packed in a tough plastic storage case with soft grip handle.

Contents: • 15 sockets size 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22mm • 12 deep sockets size 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22mm • 3 spark plug sockets size 10, 12, 14mm • 72 tooth reversible ratchet with soft grip handle and quick release button • 3 wobble extension bars size 75, 150, 250mm • sliding T bar • universal joint

Stock No.
16449





2 D41AMN/B

3/8" Sq. Dr. COMBINED MM/AF SOCKET SET (41 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, twelve point sockets made from chrome vanadium steel that's hardened and tempered with a polished finish. Each socket has a knurled ring for extra grip. Supplied with a 72 tooth reversible ratchet and accessories. Packed in a tough plastic storage case with soft grip handle.

Contents: • 17 metric sockets size 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22mm • 4 metric deep sockets size 8, 10, 12, 13mm • 9 imperial sockets size 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4" AF • 3 spark plug sockets size 10, 12, 14mm • 72 tooth reversible ratchet with "quick release" button • 3 wobble extension bars size 75, 150, 250mm • sliding 'T' bar • flexible handle • universal joint • spinner handle

Stock No.
16465



3 D42MN/SG


3/8" Sq. Dr. METRIC SOCKET SET (42 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, six point sockets made from chrome vanadium steel that's hardened and tempered with a micro satin finish. Each socket has a knurled ring for extra grip. Supplied with a 72 tooth reversible soft grip ratchet and accessories. Packed in a tough plastic storage case with soft grip handle.

Contents: • 19 sockets 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24mm • 15 deep sockets 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22mm • 3 spark plug sockets 10, 12, 14mm • 72 tooth reversible ratchet with soft grip handle and "quick release" button • 2 wobble extension bars 75, 150mm • universal joint • 1/2" (F)-3/8"(M) adaptor

Stock No.
16451



3/8" SQ.DRIVE 6 point



1 DD37M/MT

3/8" Sq. Dr. METRIC SOCKET SET IN METAL CASE (37 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Six point sockets made from chrome vanadium steel that's hardened and tempered with a satin finish. Supplied with a 72 tooth reversible soft grip ratchet and accessories. Packed in a steel carrying case.

Contents: • 18 sockets size 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24mm • 11 deep sockets size 8, 9, 10, 11, 12, 13, 14, 16, 17, 19, 22mm • 3 spark plug sockets size 10, 12, 14mm • 72 tooth reversible ratchet with soft grip handle and "quick release" button • 2 extension bars 75, 150mm • *'T' bar head 1/2"(F) x 3/8"(M) • universal joint. *'T' bar head/convertor when used with extension bar forms a sliding 'T' bar

Stock No.
16367

NEW 3/8" SQ.DRIVE 6 point



2 DD34M

3/8" Sq. Dr. METRIC SOCKET SET (34 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Six point sockets made from chrome vanadium steel that's hardened and tempered with a satin finish. Supplied with a 72 tooth reversible soft grip ratchet and accessories. Packed in a plastic storage case.

Contents: • 12 metric sockets size 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 22mm • 2 spark plug sockets size 16, 21mm • 72 tooth reversible ratchet with soft grip handle with "quick release" button • 2 extension bars size 75, 150mm • universal joint • 3/8" x 1/4" bit holder • 1/4" x 1/4" bit holder • plain slot screwdriver bits 4, 5.5, 7mm • PH type screwdriver bits No.1, No.2, No.3, No.4 • Hex screwdriver bits 3, 4, 5, 6, 7, 8 mm

Stock No.
89558

3/8" SQ.DRIVE 6 point



3 DD39AM

3/8" Sq. Dr. COMBINED MM/AF SOCKET SET (39 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Six point sockets made from chrome vanadium steel that's hardened and tempered with a satin finish. Supplied with a 72 tooth reversible soft grip ratchet and accessories. Packed in a plastic storage case.

Contents: • 17 metric sockets size 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22mm • 3 metric deep sockets size 10, 12, 13mm • 9 imperial sockets size 1/4, 3/8, 5/16, 7/16" 11/16, 1/2, 9/16, 5/8, 3/4" • 3 spark plug sockets size 10, 12, 14mm • 72 tooth reversible ratchet with soft grip handle and "quick release" button • 3 extension bars size 75, 150, 300mm • universal joint • *'T' bar head 1/2"(F) x 3/8"(M) • 200mm flexible handle. *'T' bar head/convertor when used with extension bar forms a sliding 'T' bar

Stock No.
16361

4 DD18M

3/8" Sq. Dr. METRIC SOCKET SET (18 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Six point sockets made from chrome vanadium steel that's hardened and tempered with a satin finish. Supplied with a 72 tooth reversible soft grip ratchet and accessories. Packed in a plastic storage case.

Contents: • 14 sockets size 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22mm • 72 tooth reversible ratchet with soft grip handle and "quick release" button • 2 extension bars size 75, 150mm • universal joint

Stock No.
16359

3/8" SQ.DRIVE 6 point



1/2" SQ.DRIVE 6 point DRAPER Expert



1 H28M/MC/SG

1/2" Sq. Dr. METRIC SOCKET SET IN METAL CASE (28 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, six point sockets made from chrome vanadium steel that's hardened and tempered with a micro satin finish. Supplied with a 72 tooth reversible soft grip ratchet and accessories. Each socket has a knurled ring for extra grip. Packed in a steel carrying case with EVA foam inserts.

Contents: • 20 sockets size 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32mm • 2 spark plug sockets size 10, 14mm • 72 tooth reversible ratchet with soft grip handle and "quick release" button • 3 wobble extension bars size 75, 125, 250mm • *'T' bar head 1/2"(M) x 3/8"(F) • universal joint. *'T' bar head/converter when used with wobble extension bar forms a sliding 'T' bar

Stock No.
16473



1/2" SQ.DRIVE 6 point DRAPER Expert



2 H40M/MC/SG

1/2" Sq. Dr. COMBINED MM/AF SOCKET SET IN METAL CASE (40 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, six point sockets made from chrome vanadium steel that's hardened and tempered with a micro satin finish. Supplied with a 72 tooth reversible soft grip ratchet and accessories. Each socket has a knurled ring for extra grip. Packed in a steel carrying case with EVA foam insert.

Contents: • 21 metric sockets size 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 25, 26, 27, 28, 30, 32mm; 10 imperial sockets size 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1" • 3 spark plug sockets size 10, 12, 14mm • 72 tooth reversible ratchet with soft grip handle and "quick release" button • 3 wobble extension bars size 75, 150, 250mm • sliding 'T' bar • universal joint

Stock No.
16474

1/2" SQ.DRIVE 12 point DRAPER Expert



3 H40M/MC

1/2" Sq. Dr. COMBINED MM/AF SOCKET SET IN METAL CASE (40 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, twelve point sockets made from chrome vanadium steel that's hardened and tempered with a polished finish. Each socket has a knurled ring for extra grip. Supplied with a 72 tooth reversible ratchet and accessories. Packed in a steel carrying case with EVA foam insert.

Contents: • 21 metric sockets size 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 25, 26, 27, 28, 30, 32mm • 10 imperial sockets size 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1" • 3 spark plug sockets size 10, 12, 14mm • 72 tooth reversible ratchet with "quick release" button • 3 wobble extension bars size 75, 150, 250mm • sliding 'T' bar adaptor • universal joint

Stock No.
16478

MIXED SOCKET SETS AND DRAPER EXPERT MULTI-DRIVE SETS

A comprehensive range of mixed socket sets and specially designed 12 point multi-drive sockets sets can be found on pages 35-41



Draper Expert Multi Drive

1/2" SQ.DRIVE 6 point DRAPER Expert



1 H30MN/SG

1/2" Sq. Dr. METRIC SOCKET SET (30 PIECE)


Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, six point sockets made from chrome vanadium steel that's hardened and tempered with a micro satin finish. Each socket has a knurled ring for extra grip. Supplied with a 72 tooth reversible soft grip ratchet and accessories. Packed in a tough plastic storage case with soft grip handle.

Contents: • 23 sockets size 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 30, 32mm • 3 spark plug sockets size 10, 12, 14mm • 72 tooth reversible ratchet with soft grip handle and "quick release" button • wobble extension bar size 125mm • sliding 'T' bar • universal joint

Stock No.
16452

1/2" SQ.DRIVE 12 point DRAPER Expert



2 H30MN/B

1/2" Sq. Dr. METRIC SOCKET SET (30 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, twelve point sockets made from chrome vanadium steel that's hardened and tempered with a polished finish. Each socket has a knurled ring for extra grip. Supplied with a 72 tooth reversible ratchet and accessories. Packed in a tough plastic storage case with soft grip handle.

Contents: • 23 sockets size 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 30, 32mm • 3 spark plug sockets size 10, 12, 14mm • 72 tooth reversible ratchet with "quick release" button • wobble extension bar 125mm • sliding 'T' bar • universal joint

Stock No.
16466



3 H41AM/SG

1/2" Sq. Dr. COMBINED MM/AF SOCKET SET (41 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, six point sockets made from chrome vanadium steel that's hardened and tempered with a micro satin finish. Each socket has a knurled ring for extra grip. Supplied with a 72 tooth reversible soft grip ratchet and accessories. Packed in a tough plastic storage case with soft grip handle.


Contents: • 22 metric sockets size 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 25, 26, 27, 28, 30, 32mm • 10 imperial sockets size 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 5/16, 1" AF • 3 spark plug sockets size 10, 12, 14mm • 72 tooth reversible ratchet with soft grip handle and "quick release" button • 3 wobble extension bars size 75, 125, 250mm • sliding 'T' bar • universal joint

Stock No.
16453

1/2" SQ.DRIVE 6 point DRAPER Expert



1/2" SQ.DRIVE 12 point DRAPER Expert



1 H41AM/B

1/2" Sq. Dr. MM/AF COMBINED SOCKET SET (41 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, twelve point sockets made from chrome vanadium steel that's hardened and tempered with a polished finish. Each socket has a knurled ring for extra grip. Supplied with a 72 tooth reversible ratchet and accessories. Packed in a tough plastic storage case with soft grip handle.

Contents: • 22 metric sockets size 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 25, 26, 27, 28, 30, 32mm • 10 imperial sockets size 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1"AF • 3 spark plug sockets size 10, 12, 14mm • 72 tooth ratchet with "quick release" button • 3 wobble extension bars size 75, 125 and 250mm • sliding 'T' bar • universal joint

Stock No.
16467

1/2" SQ.DRIVE 6 point DRAPER Expert



2 H48MN/SG

1/2" Sq. Dr. METRIC SOCKET SET (48 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, six point sockets made from chrome vanadium steel that's hardened and tempered with a micro satin finish. Each socket has a knurled ring for extra grip. Supplied with a 72 tooth reversible soft grip ratchet and accessories. Packed in a tough plastic storage case with soft grip handle.

Contents: • 22 sockets size 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 26, 27, 28, 30, 32mm • 17 deep sockets size 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24mm • 3 spark plug sockets size 10, 12, 14mm • 72 tooth reversible ratchet with soft grip handle and "quick release" button • 3 wobble extension bars 75, 125 and 250mm • *'T' bar head 1/2" (F) x 3/8" (M) converter • universal joint. *'T' bar head/converter when used with extension bar forms a sliding 'T' bar

*'T' head/convertor when used with extension bar forms a sliding 'T' bar

Stock No.
16454

1/2" SQ.DRIVE 6 point DRAPER Expert



3 H63AMN/SG

1/2" Sq. Dr. MM/AF COMBINED SOCKET SET (63 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, six point sockets made from chrome vanadium steel that's hardened and tempered with a micro satin finish. Each socket has a knurled ring for extra grip. Supplied with a 72 tooth reversible soft grip ratchet and accessories. Packed in a tough plastic storage case with soft grip handle.

Contents: • 22 metric sockets size 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 25, 26, 27, 28, 30, 32mm • 11 metric deep sockets size 10, 11, 12, 13, 14, 16, 17, 18, 19, 20, 22mm • 14 imperial sockets size 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1.1/16, 1.1/8, 1.3/16" AF • 6 imperial deep sockets size 7/16, 1/2, 9/16, 5/8, 11/16, 3/4" AF • 3 spark plug sockets size 10, 12, 14mm • 72 tooth reversible ratchet with soft grip handle and "quick release" button • 3 wobble extension bars size 75, 125, 250mm • sliding 'T' bar • flexible handle • universal joint

Stock No.
16456

1/2" SQ.DRIVE 6 point



1 HD26M/MT

1/2" Sq. Dr. METRIC SOCKET SET IN METAL CASE (26 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Six point sockets made from chrome vanadium steel that's hardened and tempered with a satin finish. Supplied with a 72 tooth reversible soft grip ratchet and accessories. Packed in a steel carrying case.

Contents: • 17 sockets size 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32mm • 3 spark plug sockets size 10, 12, 14mm • 72 tooth reversible ratchet with soft grip handle and "quick release" button • 3 extension bars 75, 125 and 250mm • *'T' bar adaptor 1/2" (F) x 3/8" (M) • universal joint. *'T' bar head/converter when used with extension bar forms a sliding 'T' bar

Stock No.
16368

1/2" SQ.DRIVE 6 point



2 HD24M

1/2" Sq. Dr. METRIC SOCKET SET (24 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Six point sockets made from chrome vanadium steel that's hardened and tempered with a satin finish. Supplied with a 72 tooth reversible soft grip ratchet and accessories. Packed in a plastic storage case.

Contents: • 16 sockets size 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm • 3 spark plug sockets size 10, 12, 14mm • 72 tooth reversible ratchet with soft grip handle and "quick release" button • 2 extension bars size 125, 250mm • *'T' bar adaptor 1/2" (F) x 3/8" (M) • universal joint. *'T' bar head/converter when used with extension bar forms a sliding 'T' bar

Stock No.
16362

1/2" SQ.DRIVE 6 point



3 HD33AM

1/2" Sq. Dr. COMBINED MM/AF SOCKET SET (33 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Six point sockets made from chrome vanadium steel that's hardened and tempered with a satin finish. Supplied with a 72 tooth reversible soft grip ratchet and accessories. Packed in a plastic storage case.

Contents: • 17 metric sockets size 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 24, 27, 30, 32mm • 3 metric deep sockets size 16, 18, 21mm • 7 x imperial sockets size 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4" AF • 3 spark plug sockets size 10, 12, 14mm • 72 tooth reversible ratchet with soft grip handle and "quick release" button • 3 extension bars size 75, 150, 250mm • *'T' bar adaptor 1/2" (F) x 3/8" (M) • universal joint. *'T' bar head/converter when used with extension bar forms a sliding 'T' bar

Stock No.
16363

NEW 1/2" SQ.DRIVE 6 point



4 HD41AM

1/2" Sq. Dr. COMBINED MM/AF SOCKET SET (41 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Six point sockets made from chrome vanadium steel that's hardened and tempered with a micro satin finish. Supplied with a 72 tooth reversible soft grip ratchet and accessories. Packed in a tough plastic storage case.

Contents: • 16 metric sockets size 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 25, 26, 27, 28, 30, 32mm • 10 imperial sockets size 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 5/16, 1" AF • 3 spark plug sockets size 10, 12, 14mm • 72 tooth reversible ratchet with soft grip handle and "quick release" button • 3 extension bars size 75, 125, 250mm • sliding 'T' bar • universal joint

Stock No.
82136

PROFESSIONAL QUALITY SOCKET SETS IDEAL FOR THE AUTOMOTIVE AND ENGINEERING WORKSHOP

- Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications
- Chrome vanadium steel, hardened, tempered and chrome plated for corrosion protection
- Featuring Draper Expert Hi-Torq® sockets for superior grip



COMPLETE WITH EXTENDING RATCHET | 3/4" SQ.DRIVE | 6 point | DRAPER Expert



1 MC17M/B

3/4" Sq. Dr. METRIC SOCKET SET IN METAL CASE (17 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, six point sockets made from chrome vanadium steel that's hardened and tempered with a polished finish. Supplied with an extending reversible ratchet. Each socket has a knurled ring for extra grip. Packed in a steel carrying case.

Contents: • 12 sockets size 19, 22, 24, 27, 30, 32, 36, 38, 41, 46, 50, 55mm • extending reversible ratchet • 2 extension bars 200, 410mm • flexible handle • universal joint

Stock No.
16486

3/4" SQ.DRIVE | 12 point | DRAPER Expert



2 T26AMN/B

3/4" Sq. Dr. COMBINED MM/AF SOCKET SET (26 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, twelve point sockets made from chrome vanadium steel that's hardened and tempered with a polished finish. Supplied with a reversible ratchet and accessories. Packed in a tough plastic storage case with soft grip handle.

Contents: • 11 metric sockets size 22, 24, 26, 27, 30, 32, 33, 36, 38, 41, 46mm • 10 imperial sockets size 15/16, 1.1/8, 1.3/16, 1.1/4, 1.5/16, 1.3/8, 1.7/16, 1.1/2, 1.5/8, 1.3/4" AF • reversible ratchet • 3 extension bars size 100, 200, 400mm • sliding 'T' bar

Stock No.
16484

"DAVE SAYS" QUALITY MAKES THE DIFFERENCE

HEAVY DUTY 3/4" AND 1" SQUARE DRIVE SOCKETRY...

The Draper range of 3/4" and 1" drive socketry is ideal for use in the agricultural industry or for use in the servicing of HGV's or PSV's.







3/4" SQ.DRIVE | 12 point



1 TD15M

3/4" Sq. Dr. METRIC SOCKET SET IN METAL CASE (15 PIECE)

Socket set manufactured from carbon steel hardened and tempered with a polished finish. Packed in metal carrying case.

Contents: • 12 sockets 22, 24, 26, 27, 28, 30, 32, 33, 36, 38, 41, 46mm • reversible ratchet • extension bar 200mm • sliding 'T' bar

Stock No.
16440

3/4" SQ.DRIVE | 12 point



2 SD26AMA/C

3/4" Sq. Dr. COMBINED MM/AF SOCKET SET (26 PIECE)

Socket set, manufactured from carbon steel that's hardened and tempered with a polished finish. Packed in plastic storage case.

Contents:

• 11 metric sockets size 22, 24, 26, 27, 30, 32, 33, 36, 38, 41, 46mm • 10 imperial sockets size 15/16, 1.1/8, 1.3/16, 1.1/4, 1.5/16, 1.3/8, 1.7/16, 1.1/2, 1.5/8, 1.3/4" AF • reversible ratchet • 3 extension bars 100, 150, 200mm • sliding 'T' bar

Stock No.
48329

1" SQ.DRIVE | 6 point | DRAPER Expert | SUPPLIED ON PALLET



1 MC22M/B

1" Sq. Dr. METRIC SOCKET SET IN METAL CASE (22 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, six point sockets made from chrome vanadium steel that's hardened and tempered with a polished finish. Supplied with a reversible ratchet and accessories. Each socket has a knurled ring for extra grip. Packed in a steel carrying case.

Contents: • 17 sockets size 36, 38, 41, 46, 50, 54, 55, 58, 60, 63, 65, 67, 70, 71, 75, 77, 80mm • reversible ratchet head • 2 wobble extension bars size 200, 400mm • universal bar adaptor. Universal bar/adaptor when used together forms a sliding 'T' bar

Health and Safety information: This set weighs 43kg and requires two people to lift

Stock No.
16485



1" SQ.DRIVE | 12 point



2 T13MM/B

1" Sq. Dr. METRIC SOCKET SET IN METAL CASE (13 PIECE)

Twelve point sockets made from chrome vanadium steel that's hardened and tempered with a polished finish. Supplied with a reversible ratchet and accessories. Packed in a steel carrying case

Contents:

• 10 sockets size 36, 41, 46, 50, 55, 60, 65, 70, 75, 80mm • reversible ratchet • extension bar 400mm • sliding 'T' bar

Stock No.
16441

3/8" SQ.DRIVE 1/2" SQ.DRIVE 6 point DRAPER Expert

1 TK50M/MC/SG

3/8" and 1/2" Sq. Dr. METRIC SOCKET SET IN METAL CASE (50 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, six point sockets made from chrome vanadium steel that's hardened and tempered with a micro satin finish. Supplied with a 72 tooth reversible soft grip ratchet and accessories. Each socket has a knurled ring for extra grip. Packed in a steel carrying case with EVA foam insert.

Contents:

3/8" square drive • 9 sockets size 10, 11, 12, 13, 14, 15, 16, 17, 18mm • 9 deep sockets size 10, 11, 12, 13, 14, 15, 16, 17, 18mm • 72 tooth reversible ratchet with soft grip handle and "quick release" button • 2 wobble extension bars 75, 250mm • universal joint

1/2" square drive • 12 sockets size 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 30, 32mm • 8 deep sockets size 19, 21, 22, 24, 27, 28, 30, 32mm • 2 spark plug sockets size 10, 14mm • 72 tooth reversible ratchet with soft grip handle and "quick release" button • 2 wobble extension bars 125, 250mm • universal joint • 2 x *'T' bar head adaptors 1/2" (F) x 3/8" (M) and 3/8" (F) x 1/2" (M). *'T' bar head/converter when used with extension bar forms a sliding 'T' bar

Stock No.
16475



1/4" SQ.DRIVE 3/8" SQ.DRIVE 6 point DRAPER Expert

2 TK65MN/SG

1/4" and 3/8" Sq. Dr. METRIC SOCKET SET (65 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications


Expert Quality, six point sockets made from chrome vanadium steel that's hardened and tempered with a micro satin finish. Each socket has a knurled ring for extra grip. Supplied with a 72 tooth reversible soft grip ratchet and accessories. Packed in a tough plastic storage case with soft grip handle.

Contents:

1/4" square drive • 12 sockets size 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm • 12 deep sockets size 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm • 72 tooth reversible ratchet with soft grip handle and "quick release" button • spinner handle • 2 wobble extension bars 50, 100mm • 1/4" (F) x 3/8" (M) adaptor • universal joint

3/8" square drive • 15 sockets size 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24mm • 11 deep sockets size 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22mm • 3 spark plug sockets size 10, 12, 14mm • 72 tooth reversible ratchet with soft grip handle and "quick release" button • 2 wobble extension bars 75, 150mm • *'T' bar adaptor 1/2" (F) x 3/8" (M) • 3/8" (M) - 1/4" adaptor • universal joint. *'T' bar head/converter when used with extension bar forms a sliding 'T' bar

Stock No.
16457



1/4" SQ.DRIVE 3/8" SQ.DRIVE 6 point DRAPER Expert

3 TK114N/SG

1/4" and 3/8" Sq. Dr. COMBINED MM/AF TOOL KIT (114 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, six point sockets made from chrome vanadium steel that's hardened and tempered with a micro satin finish. Each socket has a knurled ring for extra grip. Supplied with a 72 tooth reversible soft grip ratchet and accessories. Packed in a tough plastic storage case with soft grip handle.


Contents:

1/4" square drive • 12 metric sockets size 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm • 10 metric deep sockets size 4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm • 10 imperial sockets size 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2" AF • 72 tooth reversible ratchet with soft grip handle and "quick release" button • 3 wobble extension bars 50, 100, 150mm • spinner handle • universal joint • bit holder 1/4" (F) sq. drive x 1/4" (F) hexagon

3/8" square drive • 14 metric sockets size 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 22mm • 13 metric deep sockets size 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22mm • 8 imperial deep sockets size 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16" AF • 2 spark plug sockets size 10, 14mm • 72 tooth reversible ratchet with soft grip handle and "quick release" button • wobble extension bar 150mm • universal joint • socket converter 3/8" (F) x 1/4" (M) sq. dr.

Bits and Tools • 3 plain slot insert bits size 4, 5.5, 6.5mm • 3 cross slot insert bits size No.1, No.2, No.3 • 3 PZ TYPE insert bits size No.1, No.2, No.3 • 7 hexagonal insert bits size 3, 4, 5, 6, 7, 8, 10mm • 8 Draper TX-STAR® insert bits T8, T10, T15, T20, T25, T27, T30, T40 • 10 combination spanners size 8, 9, 10, 11, 12, 13, 14, 15, 17, 19mm

Stock No.
16459



1 TK42MN/SG

1/4" and 1/2" Sq. Dr. METRIC SOCKET SET (42 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, six point sockets made from chrome vanadium steel that's hardened and tempered with a micro satin finish. Each socket has a knurled ring for extra grip. Supplied with a 72 tooth reversible soft grip ratchet and accessories. Packed in a tough plastic storage case with soft grip handle. Contents:

1/4" square drive 12 sockets size 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm • 72 tooth reversible ratchet with soft grip handle and "quick release" button • 2 wobble extension bars 50, 100mm • spinner handle • universal joint

1/2" square drive 16 sockets size 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 26, 27, 28, 30, 32mm • 3 x spark plug sockets size 10, 12, 14mm • 72 tooth reversible ratchet with soft grip handle and "quick release" button • 2 wobble extension bars 125, 250mm • universal joint • 3/8" (M) x 1/2" (F) drive adaptor • *'T' bar adaptor 1/2" (M) x 3/8" (F). *'T' bar head/converter when used with extension bar forms a sliding 'T' bar

Stock No.
16458

DRAPER Expert

6 point

1/4" SQ.DRIVE 1/2" SQ.DRIVE



2 STK149N/SG

1/4", 3/8" and 1/2" Sq. Dr. METRIC SOCKET SET (149 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, six point sockets made from chrome vanadium steel that's hardened and tempered with a micro satin finish. Each socket has a knurled ring for extra grip. Supplied with a 72 tooth reversible soft grip ratchet and accessories. Packed in a tough plastic storage case with soft grip handle. Contents:

1/4" square drive 13 sockets size 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm • 7 deep sockets size 6, 7, 8, 9, 10, 11, 12mm • 5 E-sockets size E4, E5, E6, E7, E8 • 72 tooth reversible ratchet with soft grip handle and "quick release" button • universal joint • spinner handle • 2 wobble extension bars 50, 100mm • sliding T-bar • 30 socket bits 4 plain slot bits 4, 5, 6, 7mm, 3 cross slot bits #1, 2, 3, 3 PZ Type bits #1, 2, 3, 8 Torq bits T8, T9, T10, T15, T20, T25, T27, T30, 8 Tamperproof Torq socket bits T8, T9, T10, T15, T20, T25, T27, T30, 4 hex socket bits 3, 4, 5, 6mm

3/8" square drive 10 sockets size 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm • 6 deep sockets size 10, 11, 12, 13, 14, 15mm • 5 E-Sockets size E10, E11, E12, E14, E16 • 72 tooth reversible ratchet with soft grip handle and "quick release" button • universal joint • wobble extension bar 150mm • square drive coupler • spark plug socket 10mm


1/2" square drive 17 sockets size 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32mm • 5 deep sockets size 16, 17, 18, 19, 22mm • 3 E-sockets size E18, E20, E24 • 72 tooth reversible ratchet with soft grip handle and "quick release" button • universal joint • 2 wobble extension bars 125, 250mm • square drive coupler • 2 spark plug sockets 12, 14mm • 3-way adaptor • 3 plain slot bits 8, 10, 12mm • 2 cross slot bits No. 3, No. 4 • 2 PZ Type bits No. 3, No. 4 • 6 Draper TX-STAR® bits T30, T40, T45, T50, T55, T60 • 8 Draper TX-STAR® tamperproof bits T30, T40, T45, T50, T55, T60 • 4 hex bits 7, 8, 10, 12, 14mm • 5 hex keys 1.5, 2, 2.5, 3, 4mm

Stock No.
16461

DRAPER Expert

6 point

1/4" SQ.DRIVE 3/8" SQ.DRIVE 1/2" SQ.DRIVE



3 TK150N/SG

1/4", 3/8" and 1/2" Sq. Dr. COMBINED MM/AF TOOL KIT (150 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, six point sockets made from chrome vanadium steel that's hardened and tempered with a micro satin finish. Each socket has a knurled ring for extra grip. Supplied with a 72 tooth reversible soft grip ratchet and accessories. Packed in a tough plastic storage case with soft grip handle. Contents:

1/4" square drive 12 sockets size 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm • 10 deep sockets size 4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm • 10 imperial sockets size 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2" • 72 tooth reversible ratchet with soft grip handle and "quick release" button • universal joint • 1/4" sq drive (F) x 1/4" hex (F) adaptor • spinner handle

3/8" square drive 17 socket size 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22mm • 15 deep sockets size 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22mm • 11 imperial sockets size 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16" 7/8" • 3 wobble extension bars 75mm, 150mm, 250mm • 72 tooth reversible ratchet with soft grip handle and "quick release" button • universal joint • 3/8" (F) x 1/4" (M) adaptor

1/2" square drive 17 sockets size 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32mm • 8 imperial sockets size 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 3/16, 7/8" • 2 spark plug sockets size 10mm, 14mm • 2 wobble extension bars 125, 250mm • 72 tooth reversible ratchet with soft grip handle and "quick release" button • universal joint


Bits and Tools 10 combination spanners 8, 9, 10, 11, 12, 13, 14, 15, 17, 19mm • 24 insert bits plain slot 4, 5.5, 6.5mm, cross slot No.1, No.2, No.3, PZ type insert bits No.1, No.2, No.3, hex insert bits 3, 4, 5, 6, 7, 8, 10mm, Draper TX-STAR® insert bits T8, T10, T15, T20, T25, T27, T30, T40

Stock No.
16460

DRAPER Expert

6 point

1/4" SQ.DRIVE 3/8" SQ.DRIVE 1/2" SQ.DRIVE



1/4" SQ.DRIVE 3/8" SQ.DRIVE 1/2" SQ.DRIVE 6 point DRAPER Expert

1 TK214MN/SG

1/4", 3/8" and 1/2" Sq. Dr. METRIC TOOL KIT (214 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, six point sockets made from chrome vanadium steel that's hardened and tempered with a micro satin finish. Each socket has a knurled ring for extra grip. Supplied with a 72 tooth reversible soft grip ratchet and accessories. Packed in a tough plastic storage case with soft grip handle.

Contents:


1/4" square drive • 13 sockets size 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm • 7 deep sockets size 4, 5, 6, 7, 8, 9, 10mm • 5 E sockets size E4, E5, E6, E7, E8 • 72 tooth reversible ratchet with soft grip handle and "quick release" button • spinner handle • sliding T bar • 2 wobble extension bars 50, 100mm • universal joint 1/4" sq dr x 1/4" hex adaptor

3/8" square drive • 15 sockets size 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22mm • 6 deep sockets size 10, 11, 12, 13, 14, 15mm • 6 E sockets size E7, E8, E10, E12, E14, E16 • 72 tooth reversible ratchet with soft grip handle and "quick release" button • wobble extension bar 125mm; universal joint • 3/8" sq dr 1/2" male adaptor • 3/8" sq dr x 8mm hex adaptor

1/2" square drive • 12 sockets size 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32mm • 6 deep sockets size 16, 17, 18, 19, 22, 24mm • 3 E sockets size E20, E22, E24 • 2 spark plug sockets 10, 14mm • 72 tooth reversible ratchet with soft grip handle and "quick release" button • 2 wobble extension bars 125, 250mm • universal joint • 1/2" sq dr x 8mm hex adaptor

Bits and Tools • 12 combination spanners 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm • 10 hex keys 1.27(x2), 1.5(x2), 2(x2) 2.5, 3, 4, 5mm • 100 assorted screwdriver bits

Stock No.
16462





1/4" SQ.DRIVE 3/8" SQ.DRIVE 1/2" SQ.DRIVE 6 point

2 TKD75M

1/4", 3/8" and 1/2" Sq. Dr. METRIC TOOL KIT (75 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Six point sockets made from chrome vanadium steel that's hardened and tempered with a satin finish. Supplied with a 72 tooth reversible soft grip ratchet and accessories. Packed in a plastic storage case.

Contents:

1/4" square drive • 8 sockets size 4, 4.5, 5, 5.5, 6, 7, 8, 9mm • 72 tooth reversible ratchet with soft grip handle and "quick release" button • 2 extension bars 50, 100mm • spinner handle • universal joint • bit holder 1/4" sq dr x 1/4" hex • 1/4" sq dr x 1/4" hex adaptor

3/8" square drive • 10 sockets size 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm • 72 tooth reversible ratchet with soft grip handle and "quick release" button • extension bar 150mm • universal joint • socket converter 3/8" (F) x 1/4" (M) sq dr

1/2" square drive • 9 sockets size 20, 21, 22, 23, 24, 26, 27, 30, 32mm • 3 x spark plug sockets size 16, 18, 21mm • 3 spark plug sockets 10, 12, 14mm • 72 tooth reversible ratchet with soft grip handle and "quick release" button • 2 extension bars 125, 250mm • universal joint • socket converter 3/8" (F) x 1/4" (M) sq dr

Bits and Tools • 3 plain slot insert bits 4.5, 6, 7 • 3 cross slot insert bit No.1, No.2, no.3 • 3 PZ TYPE insert bits No.1, No.2, No.3 • 7 hexagonal insert bits 2, 3, 4, 5, 6, 7, 8mm • 7 Draper TX-STAR® insert bits T10, T15, T20, T25, T27, T30, T40 • 8 combination spanners 8, 10, 11, 12, 13, 14, 17, 19mm • *'T' bar adaptor 1/2" (F) x 3/8" (M). *'T' bar head/converter when used with extension bar forms a sliding 'T' bar

Stock No.
16364



FULLY INSULATED, 1000V SAFE VDE APPROVED SOCKETRY

The products on these pages are all fully insulated and designed to protect against the inherent risks associated with high voltage and amperage batteries in the ever-increasing hybrid and electric vehicle sector, also ideally suited for electrical installations.

All are manufactured from chrome vanadium steel to DIN Standard and each component has been tested to 10,000V for safe 1000V AC and 1500V DC live working, before being individually certified to EN 60900.



1/4" SQ.DRIVE 6 point DRAPER Expert



1 B18VDE

1/4" Sq. Dr. VDE APPROVED FULLY INSULATED METRIC SOCKET SET (18 PIECE)

Manufactured to DIN Standard and individually certified to EN 60900

Expert Quality, chrome vanadium steel hardened, tempered and chrome plated. Each component has been tested to 10,000V for safe 1000V AC or 1500V DC live working. Packed in tough plastic storage case.

Contents: • 13 fully insulated sockets: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm • fully insulated reversible ratchet with "quick release" button • fully insulated extension bars size: 50, 75, 100, 150mm.

Stock No.
31037

3/8" SQ.DRIVE 6 point DRAPER Expert



2 D19VDE

3/8" Sq. Dr. VDE APPROVED FULLY INSULATED METRIC SOCKET SET (19 PIECE)

Manufactured to DIN Standard and individually certified to EN 60900

Expert Quality, chrome vanadium steel hardened, tempered and chrome plated. Each component has been tested to 10,000V for safe 1000V AC or 1500V DC live working. Packed in tough plastic storage case.

Contents: • 15 fully insulated sockets size: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20mm • fully insulated reversible ratchet with quick release button • fully insulated extension bars size: 75, 150, 250mm.

Stock No.
31057

1/2" SQ.DRIVE 6 point DRAPER Expert



3 H24VDE

1/2" Sq. Dr. VDE APPROVED FULLY INSULATED METRIC SOCKET SET (24 PIECE)

Manufactured to DIN Standard and individually certified to EN 60900

Expert Quality, chrome vanadium steel hardened, tempered and chrome plated. Each component has been tested to 10,000V for safe 1000V AC or 1500V DC live working. Packed in tough plastic storage case.

Contents: • 20 fully insulated sockets size: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 27, 29, 30, 32mm. • fully insulated reversible ratchet with quick release button • fully insulated extension bars size: 75, 125, 250mm.

Stock No.
31070

TESTED TO 10,000V AND CERTIFIED TO EN-60900

High power hybrid and electric vehicles offer an ever-increasing risk of electrocution; reduce that risk with these fully insulated VDE sockets and accessories. All are manufactured from chrome vanadium steel to DIN Standard and each component has been tested to 10,000V for safe 1000V AC and 1500V DC live working, before being individually certified to EN 60900.





1 B6VDE-MM

1/4" SQ. DR. METRIC VDE SOCKETS

Manufactured to DIN Standard and individually certified to EN 60900

Expert Quality, 6 point sockets manufactured from chrome vanadium steel hardened, tempered and chrome plated. Tested to 10,000V for safe 1000V AC or 1500V DC live working. Sold loose.

Stock No.	Size
31143	4.0mm
31156	4.5mm
31164	5.0mm
31237	5.5mm
31258	6.0mm
31325	7.0mm
31435	8.0mm
31469	9.0mm
31473	10mm
31485	11mm
31490	12mm
31491	13mm
31492	14mm



2 D6VDE-MM

3/8" SQ. DR. METRIC VDE SOCKETS

Manufactured to DIN Standard and individually certified to EN 60900

Expert Quality, 6 point sockets manufactured from chrome vanadium steel hardened, tempered and chrome plated. Tested to 10,000V for safe 1000V AC or 1500V DC live working. Sold loose.

Stock No.	Size
31494	6.0mm
31500	7.0mm
31515	8.0mm
31556	9.0mm
31558	10mm
31571	11mm
31615	12mm
31660	13mm
31697	14mm
31698	15mm
31714	16mm
31720	17mm
31724	18mm
31740	19mm
31748	20mm



3 H6VDE-MM/B

1/2" SQ. DR. METRIC VDE SOCKETS

Manufactured to DIN Standard and individually certified to EN 60900

Expert Quality, 6 point sockets manufactured from chrome vanadium steel hardened, tempered and chrome plated. Tested to 10,000V for safe 1000V AC or 1500V DC live working. Sold loose.

Stock No.	Size
31756	10mm
31784	11mm
31785	12mm
31788	13mm
31789	14mm
31835	15mm
31843	16mm
31864	17mm
31869	18mm
31880	19mm
31882	20mm
31941	21mm
31951	22mm
31953	23mm
31954	24mm
31961	25mm
31964	27mm
31988	29mm
32000	30mm
32017	32mm



4

VDE SOFT GRIP RATCHETS

Manufactured to DIN Standard and individually certified to EN 60900

Expert Quality, ratchet with extended drive spindle allowing the insulation sleeve on accessories to be correctly insulated when attached to the ratchet. Tested to 10,000V for safe 1000V AC or 1500V DC live working.

Stock No.	Part No.	Sq. Dr.	Length
31091	B60VDE	1/4"	250mm
31132	D60VDE	3/8"	250mm
31137	H60VDE	1/2"	250mm



5

VDE EXTENSION BARS

Manufactured to DIN Standard and individually certified to EN 60900


Expert Quality, with spring ball bearing for socket retention. Tested to 10,000V for safe 1000V AC or 1500V DC live working. Sold loose.

Stock No.	Part No.	Sq. Dr.	Length
32042	B-EXT-VDE	1/4"	50mm
32048	B-EXT-VDE	1/4"	75mm
32078	B-EXT-VDE	1/4"	100mm
32079	B-EXT-VDE	1/4"	150mm
32098	D-EXT-VDE	3/8"	75mm
32102	D-EXT-VDE	3/8"	150mm
53209	D-EXT-VDE	3/8"	250mm
32103	H-EXT-VDE/B	1/2"	75mm
32142	H-EXT-VDE/B	1/2"	125mm
32144	H-EXT-VDE/B	1/2"	250mm

DRAPER EXPERT 'GO THROUGH' SOCKETRY

YOUTUBE.COM/ DRAPERTOOLSTV

The hollow socket design enables the edge driven sockets to turn making them ideal for long fixings.





DRAPER Expert
1/4" SQ.DRIVE
3/8" SQ.DRIVE



DRAPER Expert
1/4" SQ.DRIVE
3/8" SQ.DRIVE

1 VTX20-19MM/B

'GO THROUGH' METRIC SOCKET SET (19 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, socket set manufactured from chrome vanadium steel hardened and tempered with a polished finish. The unique hollow socket technology of the Draper Expert 'Go Through' ratchet and sockets is ideal for long fixings. The sockets are edge driven. This allows a fixing to pass through the head and avoid the depth restriction of conventional sockets and ratchets. Packed in tough plastic storage case with soft grip handle Contents:

- 13 'Go Through' sockets size 10, 11, 12, 13, 14, 15. 16, 17, 18, 19, 20, 21, 22mm • reversible fine tooth ratchet • 3 extension bars 38, 75, 150mm • 2 socket converters 20mm x 1/4" sq dr, 20mm x 3/8" sq dr

Stock No.
16482

2 VTX71AM/B

'GO THROUGH' COMBINED MM/AF SOCKET SET (71 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, socket set containing both Draper Expert 'Go Through' and conventional sockets. Manufactured from chrome vanadium steel hardened and tempered with a polished finish. The unique hollow socket technology of the Draper Expert 'Go Through' ratchet and sockets is ideal for long fixings. The sockets are edge driven. This allows a fixing to pass through the head and avoid the depth restriction of conventional sockets and ratchets. Packed in tough plastic storage case with soft grip handle.

Contents: • 10 'Go Through' metric sockets size 10, 11, 12, 13, 14, 15. 16, 17, 18, 19mm • 7 'Go Through' imperial sockets size 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4" AF • reversible fine tooth ratchet; 'Go Through' extension bar 75mm • 2 socket converters 20mm x 1/4" sq dr and 20mm x 3/8" sq dr.

1/4" square drive • 9 x 6 point sockets size 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10mm • 9 x 6 point sockets size 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16" AF • wobble extension bar 100mm • adaptor 1/4" (M) x 1/4" sq dr

3/8" square drive • 10 x 12 point sockets size 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm • 8 x 12 point sockets size 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16" AF • spark plug socket 10mm • wobble extension bar 150mm

Screwdriver and Bits • Screwdriver with 1/4" hexagon holder • 3 plain slot insert bits 4, 5.5, 6mm • 3 cross slot insert bits No.1, No.2 and No.3 • 3 hexagonal insert bits 3, 4, 5mm

Stock No.
16483

3 VTX-20RDR/B

'GO THROUGH' RATCHET

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, 'Go Through' ratchet. The slim profile design with hollow ratchet head allows fixings to pass through. Manufactured from chrome vanadium steel hardened, and tempered with a 48 tooth ratcheting gear mechanism fitted with a forward/reverse selector.

Stock No.
46335

NEW DRAPER Expert



DRAPER EXPERT MULTI-DRIVE

These specially designed 12 point multi-drive sockets can be used on hexagon, Draper TX-STAR, metric and AF, square, Spline and 12 point fixings, making them ideal for maintenance teams who need a multi-purpose socket set.





1/4" SQ.DRIVE | Draper Expert Multi Drive | DRAPER Expert



1 B43MDSN/B

1/4" Sq. Dr. METRIC DRAPER EXPERT MULTI-DRIVE® SOCKET SET (43 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, Multi-Drive® sockets, made from chrome vanadium steel that's hardened and tempered with a micro satin finish. Supplied with a 72 tooth reversible soft grip ratchet and accessories. All sockets enable use with hexagon, bi-hexagon (metric and AF) and Draper TX-STAR fixings. Sockets have knurled ring for extra grip. Packed in tough plastic storage case with soft grip handle.

Contents: • 13 sockets size 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm • 72 tooth reversible ratchet with soft grip handle and "quick release" button • 2 wobble extension bars 50, 100mm • flexible extension bar 150mm • sliding 'T' bar • universal joint • spinner handle • bit holder 1/4" sq dr (F) x 1/4" (F) hex • 3 plain slot insert bits 3, 4.5, 7mm • 3 cross slot insert bits #1, 2, 3 • 3 PZ TYPE insert bits #1, 2, 3 • 7 Draper TX-STAR® insert bits T8, T10, T15, T20, T25, T30, T40 • 6 hexagonal bits 3, 4, 5, 6, 7, 8mm

Stock No.
16479

3/8" SQ.DRIVE | Draper Expert Multi Drive | DRAPER Expert



2 D42MDSN/B

3/8" Sq. Dr. METRIC DRAPER EXPERT MULTI-DRIVE® SOCKET SET (42 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, Multi-Drive® sockets, made from chrome vanadium steel that's hardened and tempered with a micro satin finish. Supplied with a 72 tooth reversible soft grip ratchet and accessories. All sockets enable use with hexagon, bi-hexagon (metric and AF) and Draper TX-STAR fixings. Sockets have knurled ring for extra grip. Packed in tough plastic storage case with soft grip handle.

Contents: • 15 sockets size 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16,17, 18, 19, 20mm • 11 deep sockets size 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm • 2 spark plug sockets size 10, 14mm • 72 tooth reversible ratchet with soft grip handle and "quick release" button • 3 wobble extension bars 75, 150, 250mm • universal joint • hexagon bit adaptor 3/8" sq dr (F) x 5/16" (F) hex • 4 Draper TX-STAR® insert bits T20, T25, T30, T40 • 4 hex insert bits 4, 5, 6, 8mm

Stock No.
16480

1/2" SQ.DRIVE | Draper Expert Multi Drive | DRAPER Expert



3 H60MDSN/B

1/2" Sq. Dr. METRIC DRAPER EXPERT MULTI-DRIVE® SOCKET SET (60 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, Multi-Drive® sockets, made from chrome vanadium steel that's hardened and tempered with a micro satin finish. Supplied with a 72 tooth reversible soft grip ratchet and accessories. All sockets enable use with hexagon, bi-hexagon (metric and AF) and Draper TX-STAR fixings. Sockets have knurled ring for extra grip. Packed in tough plastic storage case with soft grip handle.

Contents: • 18 sockets size 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32mm • 8 deep sockets size 10, 11, 12, 13, 14, 17, 19, 22mm • 2 spark plug sockets size 10, 14mm • 72 tooth reversible ratchet with soft grip handle and "quick release" button • 3 wobble extension bars 75, 125, 250mm • universal joint • socket converter 3/8" (F) x 1/2" (M) sq dr • bit holder 1/2" sq dr x 5/16" hex • 3 plain slot insert bits 7, 10, 12mm • 4 cross slot insert bits #1, 2, 3, 4 • 4 PZ TYPE insert bits #1, 2, 3, 4 • 7 Draper TX-STAR® insert bits T20, T25, T30, T40, T45, T50, T55 • 7 hex insert bits 5, 6, 7, 8, 9, 10, 12mm

Stock No.
16481

6 point
1/4" SQ.DRIVE



1 BD12M/PR

1/4" Sq. Dr. METRIC SOCKET AND RATCHET SET (12 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Manufactured from chrome vanadium steel hardened and tempered with a satin finish. Supplied with 72 tooth reversible soft grip ratchet and 75mm extension bar. Supplied on a socket rack for easy storage and transportation. Display packed.

Contents:

- 10 sockets size 4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm
- 72 tooth reversible ratchet with soft grip handle and "quick release" button
- 75mm extension bar

Stock No.
16369

6 point
3/8" SQ.DRIVE



3 DD12M/PR

3/8" Sq. Dr. METRIC SOCKET AND RATCHET SET (12 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications


Manufactured from chrome vanadium steel hardened and tempered with a satin finish. Supplied with 72 tooth reversible soft grip ratchet and 100mm extension bar.

Contents:

- 10 sockets size 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
- 72 tooth reversible ratchet with soft grip handle and "quick release" button
- 100mm extension bar

Stock No.
16371

6 point
1/4" SQ.DRIVE



2 BD27M/PR

1/4" Sq. Dr. METRIC SOCKET AND RATCHET SET (27 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications


Manufactured from chrome vanadium steel hardened and tempered with a satin finish. Supplied with 72 tooth reversible soft grip ratchet, 12 sockets and 14 screwdriver bit sockets. Supplied on a socket rack for easy storage and transportation. Display packed.

Contents:

- 12 sockets size 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm • 3 plain slot screwdriver socket bits 4, 5.5, 7mm • 3 cross slot screwdriver socket bits #1, 2, 3 • 5 Draper TX-STAR® screwdriver socket bits T10, T15, T20, T25, T30 • 3 hex screwdriver socket bits 4, 5, 6mm • 72 tooth reversible ratchet with soft grip handle and "quick release" button

Stock No.
16370

6 point
3/8" SQ.DRIVE



4 DD22AM/PR

3/8" Sq. Dr. COMBINED MM/AF SOCKET AND RATCHET SET (22 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Manufactured from chrome vanadium steel hardened and tempered with a satin finish. Supplied with 72 tooth reversible soft grip ratchet and 100mm extension bar.

Contents:

- 11 metric sockets size 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22mm
- 9 imperial sockets size 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 7/8" AF
- 72 tooth reversible ratchet with soft grip handle and "quick release" button
- 100mm extension bar

Stock No.
16373

6 point 1/2" SQ.DRIVE



1 HD12M/PR

1/2" Sq. Dr. METRIC SOCKET AND RATCHET SET (12 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Manufactured from chrome vanadium steel hardened and tempered with a satin finish. Supplied with 72 tooth reversible soft grip ratchet and 100mm extension bar. Display packed on a plastic hanging rack which can be used to store the sockets in a tool box.

Contents:

- Sockets: 10, 13, 14, 15, 16, 17, 18, 19, 21, 24mm
- 72 tooth reversible ratchet with soft grip handle and quick release button
- 125mm extension bar

Stock No.
16374

6 point 1/2" SQ.DRIVE



2 HD19M/PR

1/2" Sq. Dr. METRIC SOCKET AND RATCHET SET (19 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Manufactured from chrome vanadium steel hardened and tempered with a satin finish. Supplied with 72 tooth reversible soft grip ratchet and a 125mm extension bar. Display packed on a plastic hanging rack which can be used to store the sockets in a tool box.

Contents: • Sockets: 8, 9, 10, 11, 12, 13, 14, 15, 17, 18, 19, 20, 21, 24, 27, 30, 32mm • 72 tooth reversible ratchet with soft grip handle and quick release button • 125mm extension bar

Stock No.
16375

6 point 1/2" SQ.DRIVE



3 HD20AM/PR

1/2" Sq. Dr. COMBINED MM/AF SOCKET AND RATCHET SET (20 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Manufactured from chrome vanadium steel hardened and tempered with a satin finish. Supplied with 72 tooth reversible soft grip ratchet and 125mm extension bar. Display packed on a plastic hanging rack which can be used to store the sockets in a tool box.

Contents: • 9 metric sockets: 10, 11, 13, 14, 15, 17, 19, 21, 22mm • 9 imperial sockets: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8" AF • 72 tooth reversible ratchet with soft grip handle and "quick release" button • 125mm extension bar

Stock No.
16376

6 point 1/2" SQ.DRIVE



4 HD20AMD/PR

1/2" Sq. Dr. COMBINED MM/AF DEEP SOCKET AND RATCHET SET (20 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Manufactured from chrome vanadium steel hardened and tempered with a satin finish. Supplied with 72 tooth reversible soft grip ratchet and 125mm extension bar. Display packed on a plastic hanging rack which can be used to store the sockets in a tool box.

Contents: • Metric sockets: 10, 11, 13, 14, 15, 17, 19, 21, 22mm • Imperial sockets: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8" • 72 tooth reversible ratchet with soft grip handle and quick release button • 125mm extension bar

Stock No.
16377



1 B10M/6PT/E

1/4" Sq. Dr. METRIC SOCKET SET (10 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, 6 point sockets manufactured from chrome vanadium steel hardened and tempered with a micro satin finish. Each socket has a knurled ring for extra grip. Packed on a plastic hanging rail that can also be used to store the sockets in a tool box.

Contents: 5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm

Stock No.
50067



3 B10M/6PT/C/E

1/4" Sq. Dr. METRIC COLOURED SOCKET SET (10 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, 6 point sockets manufactured from chrome vanadium steel hardened and tempered with coloured finish. Each size socket has a unique colour helping identify the socket and a knurled ring for extra grip. Packed on a plastic hanging rail that can also be used to store the sockets in a tool box.

Contents: 5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm

Stock No.
50151



5 B10M/MDS/E

1/4" Sq. Dr. METRIC MULTI-DRIVE® SOCKET SET (10 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, Multi-Drive® sockets manufactured from chrome vanadium steel hardened and tempered with a micro satin finish. Each socket has a knurled ring for extra grip. Draper Expert Multi-Drive® sockets allow them to be used with metric and imperial hexagon, bi-hexagon, spline and Draper TX-STAR fixings. Packed on a plastic hanging rail that can also be used to store the sockets in a tool box.

Contents: 5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm

Stock No.
50022



2 B10MD/6PT/E

1/4" Sq. Dr. METRIC DEEP SOCKET SET (10 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, 6 point sockets manufactured from chrome vanadium steel hardened and tempered with a micro satin finish. Packed on a plastic hanging rail that can also be used to store the sockets in a tool box.

Contents: 4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm

Stock No.
50114



4 B10MD/6PT/C/E

1/4" Sq. Dr. METRIC COLOURED DEEP SOCKET SET (10 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, 6 point sockets manufactured from chrome vanadium steel hardened and tempered with coloured finish. Each size socket has a unique colour helping identify the socket and a knurled ring for extra grip. Packed on a plastic hanging rail that can also be used to store the sockets in a tool box.

Contents: 4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm

Stock No.
50158



6 B10MD/MDS/E

1/4" Sq. Dr. METRIC MULTI-DRIVE® DEEP SOCKET SET (10 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, Multi-Drive® sockets manufactured from chrome vanadium steel hardened and tempered with a micro satin finish. Each socket has a knurled ring for extra grip. Draper Expert Multi-Drive® sockets allow them to be used with metric and imperial hexagon, bi-hexagon, spline and Draper TX-STAR fixings. Packed on a plastic hanging rail that can also be used to store the sockets in a tool box.

Contents: 4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm

Stock No.
50048

DRAPER Expert
6 point
3/8" SQ.DRIVE



1 D9M/6PT/E

3/8" Sq. Dr. SOCKET SET (12 PIECE)


Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, 6 point sockets manufactured from chrome vanadium steel hardened and tempered with a micro satin finish. Each socket has a knurled ring for extra grip. Packed on a plastic hanging rail that can also be used to store the sockets in a tool box.

Contents: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

Stock No.
50188

DRAPER Expert
6 point
3/8" SQ.DRIVE



3 D9M/6PT/C/E

3/8" Sq. Dr. COLOURED SOCKET SET (12 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, 6 point sockets manufactured from chrome vanadium steel hardened and tempered with coloured finish. Each size socket has a unique colour helping identify the socket and a knurled ring for extra grip. Packed on a plastic hanging rail that can also be used to store the sockets in a tool box.

Contents: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

Stock No.
50195

DRAPER Expert
Multi
3/8" SQ.DRIVE



5 D9M/MDS/E

3/8" Sq. Dr. DRAPER EXPERT MULTI-DRIVE® SOCKET SET (12 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, Multi-Drive® sockets manufactured from chrome vanadium steel hardened and tempered with a micro satin finish. Each socket has a knurled ring for extra grip. Draper Expert Multi-Drive® sockets allow them to be used with metric and imperial hexagon, bi-hexagon, spline and Draper TX-STAR fixings. Packed on a plastic hanging rail that can also be used to store the sockets in a tool box.

Contents: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

Stock No.
50160

DRAPER Expert
6 point
3/8" SQ.DRIVE



2 D9MD/6PT/E

3/8" Sq. Dr. DEEP SOCKET SET (12 PIECE)


Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, 6 point sockets manufactured from chrome vanadium steel hardened and tempered with a micro satin finish. Each socket has a knurled ring for extra grip. Packed on a plastic hanging rail that can also be used to store the sockets in a tool box.

Contents: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

Stock No.
50193

DRAPER Expert
6 point
3/8" SQ.DRIVE



4 D9MD/6PT/C/E

3/8" Sq. Dr. COLOURED DEEP SOCKET SET (12 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, 6 point sockets manufactured from chrome vanadium steel hardened and tempered with coloured finish. Each size socket has a unique colour helping identify the socket and a knurled ring for extra grip. Packed on a plastic hanging rail that can also be used to store the sockets in a tool box.

Contents: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

Stock No.
50197

DRAPER Expert
Multi
3/8" SQ.DRIVE



6 D9MD/MDS/E


3/8" Sq. Dr. DRAPER EXPERT MULTI-DRIVE® DEEP SOCKET SET (12 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, Multi-Drive® sockets manufactured from chrome vanadium steel hardened and tempered with a micro satin finish. Each socket has a knurled ring for extra grip. Draper Expert Multi-Drive® sockets allow them to be used with metric and imperial hexagon, bi-hexagon, spline and Draper TX-STAR fixings. Packed on a plastic hanging rail that can also be used to store the sockets in a tool box.

Contents: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

Stock No.
50176



1 H10M/6PT/E


1/2" Sq. Dr. METRIC SOCKET SET (10 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, 6 point sockets manufactured from chrome vanadium steel hardened and tempered with a micro satin finish. Each socket has a knurled ring for extra grip. Packed on a plastic hanging rail that can also be used to store the sockets in a tool box.

Contents: 9, 10, 11, 12, 13, 14, 15, 17, 18, 19mm

Stock No.
50236



3 H10M/6PT/C/E

1/2" Sq. Dr. METRIC COLOURED SOCKET SET (10 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, 6 point sockets manufactured from chrome vanadium steel hardened and tempered with coloured finish. Each socket has a knurled ring for extra grip and a unique colour helping identify the socket. Packed on a plastic hanging rail that can also be used to store the sockets in a tool box.

Contents: 9, 10, 11, 12, 13, 14, 15, 17, 18, 19mm

Stock No.
50493



5 H10M/MDS/E

1/2" Sq. Dr. MULTI-DRIVE® SOCKET SET (10 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, Draper Expert Multi-Drive® sockets manufactured from chrome vanadium steel hardened and tempered with a micro satin finish. Each socket has a knurled ring for extra grip. Draper Expert Multi-Drive® sockets allow them to be used with hexagon, bi-hexagon and Draper TX-STAR fixings. Packed on a plastic hanging rail that can also be used to store the sockets in a tool box.

Contents: 9, 10, 11, 12, 13, 14, 15, 17, 18, 19mm

Stock No.
50201



2 H6M/6PT/E

1/2" Sq. Dr. METRIC DEEP SOCKET SET (6 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, 6 point sockets manufactured from chrome vanadium steel hardened and tempered with a micro satin finish. Each socket has a knurled ring for extra grip. Packed on a plastic hanging rail that can also be used to store the sockets in a tool box.

Contents: 13, 14, 15, 16, 17, 18mm

Stock No.
50424



4 H6M/6PT/C/E

1/2" Sq. Dr. METRIC COLOURED DEEP SOCKET SET (6 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, 6 point sockets manufactured from chrome vanadium steel hardened and tempered with coloured finish. Each socket has a knurled ring for extra grip and a unique colour helping identify the socket. Packed on a plastic hanging rail that can also be used to store the sockets in a tool box.

Contents: 13, 14, 15, 16, 17, 18mm

Stock No.
50541



6 H6MD/MDS/E

1/2" Sq. Dr. DRAPER EXPERT MULTI-DRIVE® DEEP SOCKET SET (6 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, Draper Expert Multi-Drive® sockets manufactured from chrome vanadium steel hardened and tempered with a micro satin finish. Each socket has a knurled ring for extra grip. Draper Expert Multi-Drive® sockets allow them to be used with hexagon, bi-hexagon and Draper TX-STAR fixings. Packed on a plastic hanging rail that can also be used to store the sockets in a tool box.

Contents: 13, 14, 15, 16, 17, 18mm

Stock No.
50213



1 B13M/SR

1/4" Sq. Dr. METRIC SOCKETS ON METAL RAIL (13 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, 6 point sockets manufactured from chrome vanadium steel, hardened and tempered with a micro satin finish. Each socket has a knurled ring for extra grip. Supplied on a metal socket rail for secure storage. Display packed.

Contents: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm

Stock No.
16487



2 B13MD/SR

1/4" Sq. Dr. METRIC DEEP SOCKETS ON METAL RAIL (13 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, 6 point sockets manufactured from chrome vanadium steel, hardened and tempered with a micro satin finish. Each socket has a knurled ring for extra grip. Supplied on a metal socket rail for secure storage. Display packed.

Contents: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm

Stock No.
16490



3 B11A/SR

1/4" Sq. Dr. IMPERIAL SOCKETS ON METAL RAIL (11 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, 6 point sockets manufactured from chrome vanadium steel, hardened and tempered with a micro satin finish. Each socket has a knurled ring for extra grip. Supplied on a metal socket rail for secure storage. Display packed.

Contents: 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16"

Stock No.
16488



4 B11AD/SR

1/4" Sq. Dr. IMPERIAL DEEP SOCKETS ON METAL RAIL (11 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, 6 point sockets manufactured from chrome vanadium steel, hardened and tempered with a micro satin finish. Each socket has a knurled ring for extra grip. Supplied on a metal socket rail for secure storage. Display packed.

Contents: 5/32, 3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16"

Stock No.
16491



5 BD10MM

1/4" Sq. Dr. METRIC SOCKETS ON METAL RAIL (10 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

6 point sockets manufactured from chrome vanadium steel, hardened and tempered with a satin finish. Each socket has a knurled ring for extra grip. Supplied on a metal socket rail for secure storage. Display packed.

Contents: 4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm.

Stock No.
16398



6 BD10MMD

1/4" Sq. Dr. METRIC DEEP SOCKETS ON METAL RAIL (10 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

6 pint deep sockets manufactured from chrome vanadium steel, hardened and tempered with a satin finish. Each socket has a knurled ring for extra grip. Supplied on a metal socket rail for secure storage. Display packed.

Contents: 4, 5, 6, 7, 8, 9, 10, 11, 12, 13mm.

Stock No.
16399



1 D15M/SR

3/8" Sq. Dr. METRIC SOCKET SET ON METAL RAIL (15 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, 6 point sockets manufactured from chrome vanadium steel, hardened and tempered with a micro satin finish. Each socket has a knurled ring for extra grip. Display packed.

Contents: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22mm

Stock No.
16492



2 D15MD/SR

3/8" Sq. Dr. METRIC DEEP SOCKET SET ON METAL RAIL (15 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, 6 point sockets manufactured from chrome vanadium steel, hardened and tempered with a micro satin finish. Each socket has a knurled ring for extra grip. Display packed.

Contents: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22mm

Stock No.
16494



3 D11A/SR

3/8" Sq. Dr. IMPERIAL SOCKET SET ON METAL RAIL (11 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, 6 point sockets manufactured from chrome vanadium steel, hardened and tempered with a micro satin finish. Each socket has a knurled ring for extra grip. Display packed.

Contents: 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16"

Stock No.
16493



4 D11AD/SR

3/8" Sq. Dr. IMPERIAL DEEP SOCKET SET ON METAL RAIL (11 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, 6 point sockets manufactured from chrome vanadium steel, hardened and tempered with a micro satin finish. Each socket has a knurled ring for extra grip. Display packed.

Contents: 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16"

Stock No.
16495



5 DD10MM

3/8" Sq. Dr. METRIC SOCKETS ON METAL RAIL (10 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Manufactured from chrome vanadium steel, hardened and tempered with a satin finish. Each socket has a knurled ring for extra grip. Supplied on a metal socket rail for secure storage. Display packed.

Contents: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

Stock No.
16400



6 DD10MMD

3/8" Sq. Dr. METRIC DEEP SOCKETS ON METAL RAIL (10 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Manufactured from chrome vanadium steel, hardened and tempered with a satin finish. Each socket has a knurled ring for extra grip. Supplied on a metal socket rail for secure storage. Display packed.

Contents: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

Stock No.
16401



1 H15M/SR

1/2" Sq. Dr. METRIC SOCKETS ON METAL RAIL (15 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, manufactured from chrome vanadium steel hardened and tempered with a micro satin finish. Each socket has a knurled ring for extra grip. Supplied on a metal socket rail for secure storage. Display packed.

Contents: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24mm

Stock No.
16496



2 H15MD/SR

1/2" Sq. Dr. METRIC DEEP SOCKETS ON METAL RAIL (15 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, manufactured from chrome vanadium steel hardened and tempered with a micro satin finish. Each socket has a knurled ring for extra grip. Supplied on a metal socket rail for secure storage. Display packed.

Contents: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24mm

Stock No.
16499



3 H13A/SR

1/2" Sq. Dr. IMPERIAL SOCKETS ON A METAL RAIL (13 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, manufactured from chrome vanadium steel hardened and tempered with a micro satin finish. Each socket has a knurled ring for extra grip. Supplied on a metal socket rail for secure storage. Display packed.

Contents: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16" 7/18, 15/16, 1, 1.1/16, 1.1/8"

Stock No.
16498



4 H13AD/SR

1/2" Sq. Dr. IMPERIAL DEEP SOCKETS ON A METAL RAIL (13 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, manufactured from chrome vanadium steel hardened and tempered with a micro satin finish. Each socket has a knurled ring for extra grip. Supplied on a metal socket rail for secure storage. Display packed.

Contents: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16" 7/18, 15/16, 1, 1.1/16, 1.1/8"

Stock No.
16500



5 HD12MM

1/2" Sq. Dr. METRIC SOCKETS ON METAL RAIL (12 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Manufactured from chrome vanadium steel, hardened and tempered with a satin finish. Each socket has a knurled ring for extra grip. Supplied on a metal socket rail for secure storage. Display packed.

Contents: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 24mm

Stock No.
16402



6 HD12MMD

1/2" Sq. Dr. METRIC DEEP SOCKETS ON METAL RAIL (12 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Manufactured from chrome vanadium steel, hardened and tempered with a satin finish. Each socket has a knurled ring for extra grip. Supplied on a metal socket rail for secure storage. Display packed.

Contents: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 24mm

Stock No.
16403



7 H23M/C

1/2" SQ. DR. METRIC LOOSE POLISHED CHROME SOCKETS (23 PIECE)

Expert Quality, manufactured from hardened and tempered chrome vanadium steel with a polished finish. Each socket has a knurled ring for extra grip. Sold loose.

Contents: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 30, 32mm

Stock No.
34561



8 H23M/MS

1/2" SQ. DR. METRIC LOOSE MICRO SATIN CHROME SOCKETS (23 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, manufactured from hardened and tempered chrome vanadium steel, with a micro satin finish. Each socket has a knurled ring for extra grip. Sold loose.

Contents: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 30, 32mm

Stock No.
34566



1 B-MM/MS

1/4" Sq. Dr. METRIC SOCKETS (MICRO SATIN CHROME)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications ***Expert Quality***, 6 point sockets manufactured from chrome vanadium steel hardened and tempered with a micro satin finish. Each socket has a knurled ring for extra grip. Display packed.

Stock No	Size
16508	5mm
16509	5.5mm
16510	6mm
16511	7mm
16513	8mm
82143	9mm
16514	10mm
82144	11mm
16515	12mm
16516	13mm



2 B-AF/MS

1/4" Sq. Dr. IMPERIAL SOCKETS (MICRO SATIN CHROME)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, 6 point sockets manufactured from chrome vanadium steel hardened and tempered with a polished finish. Each socket has a knurled ring for extra grip. Display packed.

Stock No.	Size
16517	3/16"
16518	7/32"
16519	1/4"
16521	9/32"
16522	5/16"
16523	11/32"
16524	3/8"
16525	7/16"
16526	1/2"



3 BT-MM/MS

1/4" Sq. Dr. METRIC DEEP SOCKETS (MICRO SATIN CHROME)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications, ***Expert Quality***, 6 point deep sockets manufactured from chrome vanadium steel hardened and tempered with a micro satin finish. Each socket has a knurled ring for extra grip. Display packed.

Stock No.	Size
16527	7mm
16528	8mm
82139	9mm
16529	10mm
82140	11mm
82142	12mm
16530	13mm



4 B-MM/B

1/4" Sq. Dr. METRIC SOCKETS (POLISHED CHROME)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, 6 point sockets manufactured from chrome vanadium steel that's hardened and tempered with a polished finish. Each socket has a knurled ring for extra grip. Display packed.

Stock No	Size
32427	5mm
32449	5.5mm
32453	6mm
32487	7mm
32536	8mm
32562	10mm
32569	12mm
32633	13mm



5 B-AF

1/4" Sq. Dr. IMPERIAL SOCKETS (POLISHED CHROME)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, 6 point sockets manufactured from chrome vanadium steel that's hardened and tempered with a polished finish. Each socket has a knurled ring for extra grip. Sold loose.

Stock No.	Size
48345	3/16"
48371	7/32"
48444	1/4"
48567	9/32"
48670	5/16"
48671	11/32"
48914	3/8"
48942	7/16"
49010	1/2"



6 BT-MM/B

1/4" Sq. Dr. METRIC DEEP SOCKETS (POLISHED CHROME)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, 6 point deep sockets manufactured from chrome vanadium steel that's hardened and tempered with a polished finish. Each socket has a knurled ring for extra grip. Display packed.

Stock No.	Size
32661	7mm
32675	8mm
32761	10mm
32762	13mm



7 D-MM/MS

3/8" Sq. Dr. METRIC SOCKETS (MICRO SATIN CHROME)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, 6 point socket manufactured from chrome vanadium steel hardened, and tempered with a micro satin finish. Each socket has a knurled ring for extra grip. Display packed.

Stock No.	Size
16531	6.0mm
16532	7.0mm
16533	8.0mm
16534	9.0mm
16535	10mm
16536	11mm
16537	12mm
16539	13mm
16540	14mm
16541	15mm
16542	16mm
16543	17mm
16544	18mm
16545	19mm
16547	22mm
17546	24mm

PRODUCT LOCATOR

A wide selection of Ratchets can be found on pages 56-57





8 D-AF/MS

3/8" Sq. Dr. IMPERIAL SOCKETS (MICRO SATIN CHROME)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, 6 point sockets manufactured from chrome vanadium steel hardened, and tempered with a micro satin finish. Each socket has a knurled ring for extra grip. Display packed.

Stock No.	Size
16548	1/4"
16549	5/16"
16550	3/8"
16551	7/16"
16552	1/2"
16571	9/16"
16572	5/8"
16573	11/16"
16574	3/4"
16575	13/16"
16576	7/8"
16577	1"

3/8" SQ.DRIVE 6 point DRAPER Expert



1 DT-MM/MS

3/8" Sq. Dr. METRIC DEEP SOCKETS (MICRO SATIN CHROME)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, 6 point sockets manufactured from chrome vanadium steel hardened, and tempered with a micro satin finish. Each socket has a knurled ring for extra grip. Display packed.

Stock No.	Size
16578	8mm
17543	9mm
16579	10mm
17544	11mm
16580	12mm
16581	13mm
16582	14mm
16583	15mm
16584	16mm
16585	17mm
17545	18mm
16586	19mm
16587	20mm

3/8" SQ.DRIVE 12 point DRAPER Expert



2 D-MM/B

3/8" Sq. Dr. METRIC SOCKETS (POLISHED CHROME)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, 12 point sockets manufactured from chrome vanadium steel that's hardened and tempered with a polished finish. Each socket has a knurled ring for extra grip. Display packed.

Stock No.	Size
32766	6mm
32767	7mm
32768	8mm
32769	9mm
32770	10mm
32771	11mm
32772	12mm
32776	13mm
32777	14mm
32778	15mm
32780	16mm
32781	17mm
32786	18mm
32797	19mm
32800	22mm

3/8" SQ.DRIVE 12 point DRAPER Expert



3 D-AF

3/8" Sq. Dr. IMPERIAL SOCKETS (POLISHED CHROME)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, 12 point sockets manufactured from chrome vanadium steel that's hardened and tempered with a polished finish. Each socket has a knurled ring for extra grip. Display packed.

Stock No.	Size
49015	1/4"
49016	5/16"
49017	3/8"
49018	7/16"
49387	1/2"
49457	9/16"
49459	5/8"
49480	11/16"
49481	3/4"
49482	13/16"
49483	7/8"
49484	1"

3/8" SQ.DRIVE 12 point DRAPER Expert



4 DT-MM/B

3/8" Sq. Dr. METRIC DEEP SOCKETS (POLISHED CHROME)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, 12 point deep sockets manufactured from chrome vanadium steel that's hardened and tempered with a polished finish. Each socket has a knurled ring for extra grip. Display packed.

Stock No.	Size
32818	8mm
32819	10mm
32822	12mm
32823	13mm
32955	14mm
32965	15mm
32990	16mm
33013	17mm
33036	19mm

1/2" SQ.DRIVE 6 point DRAPER Expert



5 H-MM/MS

1/2" Sq. Dr. METRIC SOCKETS (MICRO SATIN CHROME)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, 6 point sockets manufactured from chrome vanadium steel hardened, and tempered with a micro satin finish. Each socket has a knurled ring for extra grip. Display packed.

Stock No.	Size
16595	8.0mm
16597	9.0mm
16598	10mm
16600	11mm
16601	12mm
16602	13mm
16604	14mm
16605	15mm
16606	16mm
16607	17mm
16608	18mm
16609	19mm
16610	20mm
16612	21mm
16613	22mm
16614	23mm
16615	24mm
16616	25mm
16617	26mm
16618	27mm
16619	28mm
16620	30mm
16622	32mm
16623	36mm

1/2" SQ.DRIVE 6 point DRAPER Expert



6 H-AF/MS

1/2" Sq. Dr. IMPERIAL SOCKETS (MICRO SATIN CHROME)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, 6 point sockets manufactured from chrome vanadium steel hardened, and tempered with a micro satin finish. Each socket has a knurled ring for extra grip. Display packed.

Stock No.	Size
16624	3/8"
16625	7/16"
16626	1/2"
16627	9/16"
16628	5/8"
16630	11/16"
16631	3/4"
16632	7/8"
16633	15/16"
16634	1"
16635	1.1/16"
16636	1.1/8"
16638	1.3/16"
16639	1.1/4"
16640	1.5/16"

1/2" SQ.DRIVE 6 point DRAPER Expert



1 HT-MM/MS

1/2" Sq. Dr. METRIC DEEP SOCKETS (MICRO SATIN CHROME)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, 6 point sockets manufactured from chrome vanadium steel hardened, and tempered with a micro satin finish. Each socket has a knurled ring for extra grip. Display packed.

Stock No.	Size
16642	10mm
16643	12mm
16646	13mm
16647	14mm
16648	16mm
16649	17mm
16650	18mm
16651	19mm
16652	20mm
16654	22mm
16655	24mm
16656	26mm
16657	27mm
16659	30mm
16660	32mm

1/2" SQ.DRIVE 12 point DRAPER Expert



3 H-AF/B

1/2" Sq. Dr. IMPERIAL SOCKETS (POLISHED CHROME)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, 12 point sockets manufactured from chrome vanadium steel that's hardened and tempered with a polished finish. Each socket has a knurled ring for extra grip. Display packed.

Stock No.	Size
33599	3/8"
33600	7/16"
33608	1/2"
33609	9/16"
33641	5/8"
33644	11/16"
33660	3/4"
33661	7/8"
33724	15/16"
33725	1"
33726	1.1/16"
33727	1.1/8"
33728	1.3/16"
33729	1.1/4"



1/2" SQ.DRIVE 12 point DRAPER Expert



2 H-MM/B

1/2" Sq. Dr. METRIC SOCKETS (POLISHED CHROME)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, 12 point sockets manufactured from chrome vanadium steel that's hardened and tempered with a polished finish. Each socket has a knurled ring for extra grip. Display packed.

Stock No.	Size
33038	8mm
33089	9mm
33093	10mm
33095	11mm
33097	12mm
33105	13mm
33125	14mm
33136	15mm
33160	16mm
33167	17mm
33202	18mm
33231	19mm
33289	20mm
33290	21mm
33368	22mm
33370	23mm
33372	24mm
33418	25mm
33441	26mm
33442	27mm
33518	28mm
33586	30mm
33593	32mm
33594	36mm

1/2" SQ.DRIVE 12 point DRAPER Expert



4 HT-MM/B

1/2" Sq. Dr. METRIC DEEP SOCKETS (POLISHED CHROME)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, 12 point deep sockets manufactured from chrome vanadium steel that's hardened and tempered with a polished finish. Each socket has a knurled ring for extra grip. Display packed.

Stock No.	Size
33730	10mm
33731	12mm
33732	13mm
33733	14mm
33734	16mm
33735	17mm
33741	18mm
33772	19mm
33787	20mm
33788	22mm
33802	24mm
33838	26mm
33841	27mm
33858	30mm
33865	32mm

3/4" SQ.DRIVE 12 point DRAPER Expert



5 T-MM/B

3/4" Sq. Dr. METRIC SOCKETS (POLISHED CHROME)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, 12 point sockets manufactured from chrome vanadium steel hardened and tempered with a polished finish. Sold loose.

Stock No.	Size
16690	19mm
16691	22mm
16692	24mm
16694	26mm
16696	27mm
16697	28mm
16698	30mm
16699	32mm
16700	33mm
16701	36mm
16703	38mm
16704	41mm
16705	42mm
16706	46mm
16707	50mm
16708	55mm



1 DT-PLUG/MS

3/8" Sq. Dr. SPARK PLUG SOCKETS (MICRO SATIN CHROME)

Expert Quality, 6 point deep sockets with a rubber insert for plug protection and retention. Manufactured from chrome vanadium steel hardened and tempered with a micro satin finish. Socket length 65mm. Each socket has a knurled ring for extra grip. Display packed.

Stock No.	Thread Size	Socket Size
16775	10mm	16mm
16776	12mm	18mm
16777	14mm	21mm



2 DT-PLUG/B

3/8" Sq. Dr. SPARK PLUG SOCKETS (POLISHED CHROME)

Expert Quality, 6 point deep sockets with a rubber insert for plug protection and retention. Manufactured from chrome vanadium steel hardened and tempered with a polished finish. Socket length 65mm. Each socket has a knurled ring for extra grip. Display packed.

Stock No.	Thread Size	Socket Size
16772	10mm	16mm
16773	12mm	18mm
16774	14mm	21mm



3 HT-PLUG/MS

1/2" Sq. Dr. SPARK PLUG SOCKETS (MICRO SATIN CHROME)

Expert Quality, 6 point deep sockets with a rubber insert for plug protection and retention. Manufactured from chrome vanadium steel hardened and tempered with a micro satin finish. Socket length 65mm. Each socket has a knurled ring for extra grip. Display packed.

Stock No.	Thread Size	Socket Size
16781	10mm	16mm
16782	12mm	18mm
16783	14mm	21mm



4 HT-PLUG/B

1/2" Sq. Dr. SPARK PLUG SOCKETS (POLISHED CHROME)

Expert Quality, 6 point deep sockets with a rubber insert for plug protection and retention. Manufactured from chrome vanadium steel hardened and tempered with a polished finish. Socket length 65mm. Each socket has a knurled ring for extra grip. Display packed.

Stock No.	Thread Size	Socket Size
16778	10mm	16mm
16779	12mm	18mm
16780	14mm	21mm



5 HT-PLUG/3

SET OF 1/2" Sq. Dr. SPARK PLUG SOCKETS (POLISHED CHROME) (3 PIECE)

Expert Quality, 6 point deep sockets forged from chrome vanadium steel hardened and tempered with a polished finish. Each socket has a knurled ring for extra grip. Fitted with rubber insert for spark plug insulator protection and retention. Display packed. Contents:

- 1 x 10mm thread (16mm socket)
- 1 x 12mm thread (18mm socket)
- 1 x 14mm thread (21mm socket)

Stock No.
16784



6

3/8" Sq. Dr. MAGNETIC SPARK PLUG SOCKETS (250mm)

Expert Quality 250mm spark plug sockets ideal for deep-seated spark plugs. Each 3/8" square drive socket is attached with a magnetic end for easy and safe retrieval of spark plugs. The 12 point sockets are forged from chrome vanadium steel, hardened, tempered and chrome plated. Suitable for a range of models including Citroën, Peugeot, Renault, BMW and Mini.

Stock No.	Part No.	Thread Size	Socket Size
01063	SP250X14	8mm	14mm
01064	SP250X16	10mm	16mm
01065	SP250X18	12mm	18mm

7 SPTW

3/8" Sq. Dr. 8mm THREAD (14mm SOCKET) THIN WALL SPARK PLUG SOCKET



8mm thread (14mm socket) thin wall 12 point spark plug socket with rubber insert for plug protection and retention. Suitable for use with most Citroën vehicles, Peugeot 207, 307, Renault 1.2 16v, BMW, BMW Mini and Mercedes with limited clearance. Chrome vanadium steel hardened, tempered, chrome plated and polished for corrosion protection. Socket length 65mm. Display packed.

Stock No.	Thread Size	Socket Size
22272	8mm	14mm



8 408

1/2" Sq. Dr. HEAVY DUTY STUD EXTRACTOR

Expert Quality, spindle and body manufactured from quality carbon steel, chrome plated and polished. Gear is made from chrome molybdenum steel with chemically blacked finish. Display packed.

Stock No.	Capacity
14156	6-19mm




9 SES

1/2" Sq. Dr. STUD EXTRACTOR SET (4 PIECE)

Roller type with 1/2" square drive or 21mm hexagon on end of socket. Unscrews both left and right hand threads. Manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Spare extractors are available separately. Packed in metal case in display sleeve.

Contents: 6, 8, 10 and 12mm

Stock No.	Description
55641	Stud Set
58708	6mm Stud Extractor
58709	8mm Stud Extractor
58710	10mm Stud Extractor
58711	12mm Stud Extractor





1

BIT HOLDING SOCKETS

Expert Quality, insert bit holders with spring clip and ball bearing for secure bit retention. Forged from chrome vanadium steel hardened and tempered with a micro satin finish. Display packed.

Stock No.	Part No.	Sq. Dr.	Bit Size
85125	B-BHA	1/4"	1/4"
16809	D-BH/B	3/8"	1/4"
16810	H-BH/B	1/2"	5/16"
16811	H-BH/C	1/2"	10mm



2 D-HEX/B

3/8" Sq. Dr. METRIC HEXAGONAL SOCKET BITS (48mm)

Expert Quality, sockets fitted with hexagonal bits, with an overall length of 48mm. All sockets manufactured from hardened and tempered chrome vanadium steel with sand blasted bits of S2 silicon steel. Each socket has a knurled ring for extra grip. Display packed.

Stock No.	Length
16282	4mm
16283	5mm
16284	6mm



3 D-HEX/8/55

3/8" Sq. Dr. HEXAGONAL SOCKET BIT SET (8 PIECE)

Expert Quality, 8 sockets fitted with hexagonal bits. All sockets manufactured from hardened and tempered chrome vanadium steel with sand blasted bits of S2 silicon steel. Each socket has a knurled ring for extra grip. Supplied on a steel socket retaining rail. Display packed.

Contents: H3, H4, H5, H6, H7, H8, H10, H12

Stock No.	Length
16285	48mm



4 D-HEX/8/100

3/8" Sq. Dr. HEXAGONAL SOCKET BIT SET (8 PIECE)

Expert Quality, 8 sockets fitted with hexagonal bits. All sockets manufactured from hardened and tempered chrome vanadium steel with sand blasted bits of S2 silicon steel. Each socket has a knurled ring for extra grip. Supplied on a steel socket retaining rail. Display packed.

Contents: H3, H4, H5, H6, H7, H8, H10, H12

Stock No.	Length
16286	100mm



5 D-HEX-BALL/B

3/8" Sq. Dr. METRIC BALL END HEXAGONAL SOCKET BITS

Expert Quality, socket fitted with a hexagonal bit, with an overall length of 70mm. All sockets manufactured from hardened and tempered chrome vanadium steel with sand blasted bits of S2 silicon steel. Each socket has a knurled ring for extra grip. Display packed.

Stock No.	Size
16288	5mm
16289	6mm
16290	7mm
16291	8mm
16292	9mm
16293	10mm
16294	11mm
16295	12mm




6 D-HEX-B/7/55

3/8" Sq. Dr. HEXAGONAL SOCKET BIT SETS (7 PIECE)

Expert Quality, 7 sockets fitted with ball end hexagonal bits. All sockets manufactured from hardened and tempered chrome vanadium steel with sand blasted bits of S2 silicon steel. Each socket has a knurled ring for extra grip. Supplied on a steel socket retaining rail. Display packed.

Contents: H3, H4, H5, H6, H7, H8, H10

Stock No.	Length
16296	48mm



1 D-HEX-B/7/150

3/8" Sq. Dr. HEXAGONAL SOCKET BIT SETS (7 PIECE)

Expert Quality, 7 sockets fitted with ball end hexagonal bits. All sockets manufactured from hardened and tempered chrome vanadium steel with sand blasted bits of S2 silicon steel. Each socket has a knurled ring for extra grip. Supplied a plastic storage case.
Contents: H3, H4, H5, H6, H7, H8, H10

Stock No.	Length
16297	150mm



2 D-HEX/8/150

3/8" Sq. Dr. HEXAGONAL SOCKET BIT SETS (8 PIECE)

Expert Quality, 8 sockets fitted with hexagonal bits. All sockets manufactured from hardened and tempered chrome vanadium steel with sand blasted bits of S2 silicon steel. Each socket has a knurled ring for extra grip. Supplied in a plastic storage case. Display packed.
Contents: H3, H4, H5, H6, H7, H8, H10, H12

Stock No.	Length
16287	150mm





3 H-HEX/B

1/2" Sq. Dr. METRIC HEXAGONAL SOCKET BITS

Expert Quality, socket fitted with a hexagonal bit, with an overall length of 55mm. All sockets manufactured from hardened and tempered chrome vanadium steel with sand blasted bits of S2 silicon steel. Each socket has a knurled ring for extra grip. Display packed.

Stock No.	Size
16298	6mm
16300	7mm
16302	8mm
16303	10mm
16304	12mm
16305	19mm




4 H-HEX/9/55

1/2" Sq. Dr. METRIC HEXAGONAL SOCKET BIT SETS (9 PIECE)

Expert Quality, 9 sockets fitted with hex insert bits. All sockets manufactured from hardened and tempered chrome vanadium steel with sand blasted bits of S2 silicon steel. Each socket has a knurled ring for extra grip. Supplied on a steel socket retaining rail. Display packed.
Contents: H6, H7, H8, H9, H10, H12, H14, H17, H19

Stock No.	Length
16307	55mm



5 H-HEX/9/100

1/2" Sq. Dr. METRIC HEXAGONAL SOCKET BIT SETS (9 PIECE)

Expert Quality, 9 sockets fitted with insert bits. All sockets manufactured from hardened and tempered chrome vanadium steel with sand blasted bits of S2 silicon steel. Each socket has a knurled ring for extra grip. Supplied on a steel socket retaining rail. Display packed.
Contents: H6, H7, H8, H9, H10, H12, H14, H17, H19

Stock No.	Length
16308	100mm



6 B50/MS

1/4" Sq. Dr. SPINNER HANDLE (MICRO SATIN CHROME)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, manufactured from hardened and tempered chrome vanadium steel with a micro satin finish. Fitted with a spring-loaded ball bearing for secure socket holding. Handle end has male 1/4" square drive for use with 1/4" square drive female accessories. Display packed.

Stock No.	Length
34515	150mm



7 B50/B

1/4" Sq. Dr. SPINNER HANDLE (POLISHED CHROME)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, blade manufactured from hardened and tempered chrome vanadium steel, with polished finish. Fitted with a spring-loaded ball bearing for secure socket holding. Handle end has male 1/4" square drive for use with 1/4" square drive female accessories. Display packed.

Stock No.	Length
34511	150mm



1

60 TOOTH MICRO HEAD REVERSIBLE SOFT GRIP RATCHET

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, Micro head, 60 tooth reversible ratchet with soft grip handle and quick release button. Chrome vanadium steel head and shaft with micro satin finish. Display packed.

Stock No.	Part No.	Sq. Dr.
26514	B60MH/SG	1/4"
26515	D60MH/SG	3/8"
26516	H60MH/SG	1/2"



2

60 TOOTH MICRO HEAD REVERSIBLE RATCHET

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, Micro head, 60 tooth reversible ratchet with solid handle and quick release button. Chrome vanadium steel head and shaft with polished finish. Display packed.

Stock No.	Part No.	Sq. Dr.
26517	B60MH	1/4"
26522	D60MH	3/8"
26566	H60MH	1/2"



3

60 TOOTH SEALED HEAD REVERSIBLE SOFT GRIP RATCHETS

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, 60 tooth sealed head reversible ratchet with soft grip handle and quick release button. Chrome vanadium steel head and shaft with micro satin finish. Display packed.

Stock No.	Part No.	Sq. Dr.
26704	B44P/SG	1/4"
26710	D64P/SG	3/8"
26722	H68P/SG	1/2"



4

60 TOOTH SEALED HEAD REVERSIBLE RATCHETS

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, Sealed head, 60 tooth reversible ratchet with solid handle. Chrome vanadium steel head and shaft with polished finish. Display packed.

Stock No.	Part No.	Sq. Dr.
43718	B44P/B	1/4"
43722	D64P/B	3/8"
43741	H68P/B	1/2"



5

72 TOOTH SOFT GRIP REVERSIBLE RATCHETS

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, 72 tooth reversible ratchet with soft grip handle and quick release button. Chrome vanadium steel head and shaft with micro satin finish. Display packed.

Stock No.	Part No.	Sq. Dr.
26502	B72C/SG	1/4"
26503	D72C/SG	3/8"
26504	H72C/SG	1/2"



6

72 TOOTH REVERSIBLE RATCHETS

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, 72 tooth reversible ratchet with solid handle and quick release button. Chrome vanadium steel head and shaft with polished finish. Display packed.

Stock No.	Part No.	Sq. Dr.
26505	B72C	1/4"
26506	D72C	3/8"
26507	H72C	1/2"

7

48 TOOTH EXTRA LONG REVERSIBLE SOFT GRIP RATCHETS

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, 48 tooth reversible ratchet with soft grip handle and quick release button. Chrome vanadium steel head and shaft with micro satin finish. Display packed.

Stock No.	Part No.	Sq. Dr.	Length
26590	D64C-XL/B	3/8"	300mm
26591	H64C-XL/B	1/2"	387mm



EXTRA LONG



1

72 TOOTH FLEXIBLE HEAD EXTENDING REVERSIBLE RATCHETS

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, manufactured from hardened and tempered chrome vanadium steel. The reversible ratchets flexible head and quick release button has a smooth 72 tooth mechanism and a polished finish. Soft grip handle for user comfort. Display packed.

Stock No.	Part No.	Extends Between	Sq. Dr.
26810	DER72/FH	280-380mm	3/8"
26817	HER72/FH	370-510mm	1/2"



2

72 TOOTH EXTENDING REVERSIBLE RATCHETS

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, manufactured from hardened and tempered chrome vanadium steel. The reversible ratchet head and quick release button has a smooth 72 tooth mechanism and a polished finish. Soft grip handle for user comfort. Display packed.

Stock No.	Part No.	Extends Between	Sq. Dr.
26779	DER72	250-350mm	3/8"
26800	HER72	345-485mm	1/2"

NEW



3 VTX-20RDR/B

'GO THROUGH' RATCHET

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, the slim profile design with hollow ratchet head allows fixings to pass through. Manufactured from chrome vanadium steel hardened, and tempered with a 48 tooth ratcheting gear and forward/reverse selector. Carton packed.

Stock No.
46335




4

72 TOOTH REVERSIBLE SOFT GRIP RATCHETS

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Forged from chrome vanadium steel hardened, tempered and satin finish. 72 tooth ratchet with lever forward/reverse selector and quick release mechanism. Spring-loaded ball bearing for secure socket holding. Soft grip handle for user comfort. Display Packed.

Stock No.	Part No.	Sq. Dr
16427	BD72	1/4"
16428	DD72	3/8"
16429	HD72	1/2"



5

72 TOOTH REVERSIBLE RATCHETS

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Forged from chrome vanadium steel hardened, tempered and satin finish. 72 tooth ratchet with lever forward/reverse selector and quick release mechanism. Spring-loaded ball bearing for secure socket holding. Display Packed.

Stock No.	Part No.	Sq. Dr.
26723	BD72/B	1/4"
26724	DD72/B	3/8"
26733	HD72/B	1/2"



6

ROUND HEAD REVERSIBLE RATCHETS

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Manufactured from chrome vanadium steel hardened and tempered, with a polished finish. 45 tooth ratchet with forward/reverse selector. Spring-loaded ball bearing enables secure socket holding. Display packed.

Stock No.	Part No.	Sq. Dr.	Length
50670	B51B	1/4"	140mm
50679	D63B	3/8"	200mm
50687	H75B	1/2"	250mm



7 T15/B

3/4" Sq. Dr. EXTENDING REVERSIBLE RATCHET

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, manufactured from chrome vanadium steel hardened, and tempered. 48 tooth ratchet with push button to allow handle to extend from 515 (minimum) to 815mm (maximum). Forward/reverse selector with spring-loaded ball bearing for secure socket holding. Carton packed.

Stock No.	Extends Between
16822	515-790mm



8 T10A/B

3/4" Sq. Dr. ROUNDHEAD REVERSIBLE RATCHET

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, manufactured from chrome vanadium steel hardened and tempered with a polished finish. 43 tooth ratchet, 500mm long with forward/reverse selector. Handle with knurled grip. Spring-loaded ball bearing for secure socket holding. Sold loose.

Stock No.	Length
16821	500mm

1/4" SQ.DRIVE 3/8" SQ.DRIVE 1/2" SQ.DRIVE DRAPER Expert



1 SOCKET CONVERTERS (POLISHED CHROME)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, manufactured from chrome vanadium steel hardened and tempered with a polished finish. Spring-loaded ball bearing delivers secure socket holding. Display packed.

Stock No.	Part No.	Size
16802	D67D/B	1/4" (F) x 3/8" (M)
16803	D67A/B	3/8" (F) x 1/4" (M)
16804	D67C/B	3/8" (F) x 1/2" (M)
16805	D67B/B	1/2" (F) x 3/8" (M)
16807	T18A/B	1/2" (F) x 3/4" (M)
16808	T19A/B	3/4" (F) x 1/2" (M)

DRAPER Expert 1/4" SQ.DRIVE 3/8" SQ.DRIVE 1/2" SQ.DRIVE



2 D67ABC/B SOCKET CONVERTER SET (POLISHED CHROME) (3 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, manufactured from chrome vanadium steel hardened and tempered with a polished finish. Display Packed. Sizes: one each of 3/8" (F) x 1/4" (M), 1/2" (F) x 3/8" (M) and 3/8" (F) x 1/2" (M)

Stock No.
16806



3/8" SQ.DRIVE DRAPER Expert



3 D9M/BNR/B 3/8" Sq. Dr. NUT AND BOLT REMOVER SET (9 PIECE)

Expert Quality, for the removal of damaged, painted over, rounded off and rusted bolts. Special flutes lock on to the workpiece for easy removal. Manufactured from chrome molybdenum steel hardened and tempered with satin chrome finish. Display packed.

Contents: 8, 10, 11, 12, 13, 14, 15, 17 and 18mm

Stock No.
41482

1/4" SQ.DRIVE 3/8" SQ.DRIVE 1/2" SQ.DRIVE DRAPER Expert



4 UNIVERSAL JOINTS (SATIN CHROME)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, manufactured from chrome vanadium steel hardened and tempered with a micro satin finish. Head swings through 90° in both directions. Spring-loaded ball bearing for secure socket holding. Display packed.

Stock No.	Part No.	Sq. Dr.	Length
16792	B53/MS	1/4"	34mm
16794	D76/MS	3/8"	34mm
16796	H6/MS	1/2"	34mm

1/4" SQ.DRIVE 3/8" SQ.DRIVE 1/2" SQ.DRIVE DRAPER Expert



5 UNIVERSAL JOINTS (POLISHED CHROME)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, manufactured from chrome vanadium steel hardened and tempered with a polished finish. Head swings through 90° in both directions. Spring-loaded ball bearing for secure socket holding. Display packed.

Stock No.	Part No.	Sq. Dr.	Length
16791	B53/B	1/4"	34mm
16793	D76/B	3/8"	34mm
16795	H6/B	1/2"	34mm
16818	T19/B	3/4"	109mm

6 SOCKET RETAINING BARS

Socket retaining bars which can be wall mounted or used loose. Manufactured from carbon steel hardened and tempered with a polished finish. Clips made from nickel plated spring steel. Display packed.

Stock No.	Title	Size	Attach Method
50548	SR14/18B	1/4"	18
50579	SR38/16B	3/8"	16
50583	SR12/14B	1/2"	14


7 ST80B 1/4", 3/8", 1/2" Sq. Dr. SOCKET RETAINING BAR CARRIER

1/4", 3/8" and 1/2" square drive socket carrier made from pressed steel plate with fold down carrying handle. 430mm long socket retaining bars manufactured from carbon steel hardened and tempered with a polished finish. Display carton. Contents:

- 1 bar for 20 x 1/4" square drive sockets
- 1 bar for 20 x 3/8" square drive sockets
- 1 bar for 20 x 1/2" square drive sockets
- 1 bar for 10 x 3/8" and 10 x 1/2" square drive sockets

Stock No.	Carrier Size
29760	430 x 150mm

1/4" SQ.DRIVE 3/8" SQ.DRIVE 1/2" SQ.DRIVE




1/4" SQ.DRIVE 3/8" SQ.DRIVE 1/2" SQ.DRIVE

1

MAGNETIC SOCKET TRAYS

Made from high-impact ABS plastic fitted with a strong magnet that secures the sockets in place. Perfect for stock control and mobile mechanics. Display packed.

Stock No.	Part No.	Sq. Dr.	Holds
30854	ST26	1/4"	26 Sockets
30905	ST28	3/8"	28 Sockets
30948	ST22	1/2"	22 Sockets



1/4" SQ.DRIVE 3/8" SQ.DRIVE 1/2" SQ.DRIVE



1/4" SQ.DRIVE DRAPER Expert

2 B-WEXT/MS

1/4" Sq. Dr. WOBBLE EXTENSION BARS (MICRO SATIN CHROME)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, with wobble end, manufactured from chrome vanadium steel hardened and tempered with a micro satin finish. Each ext. bar has a knurled ring for extra grip. Machined wobble end allows sockets to be driven at up to 15° to the vertical. Attached with a spring-loaded ball bearing for secure socket holding. Display packed.

Stock No.	Length
16720	50mm
16721	75mm
16722	100mm
16723	150mm



1/4" SQ.DRIVE DRAPER Expert

3 B-WEXT

1/4" Sq. Dr. WOBBLE EXTENSION BARS (POLISHED CHROME)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, with wobble end, manufactured from chrome vanadium steel hardened and tempered with a polished finish. Each ext. bar has a knurled ring for extra grip. Machined wobble end allows sockets to be driven at up to 15° to the vertical. Attached with a spring-loaded ball bearing for secure socket holding. Display packed.

Stock No.	Length
16716	50mm
16717	75mm
16718	100mm
16719	150mm



1/4" SQ.DRIVE DRAPER Expert

4 B-EXT/B

1/4" Sq. Dr. EXTENSION BARS (POLISHED CHROME)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, manufactured from chrome vanadium steel hardened and tempered with a polished finish. Each ext. bar has a knurled ring for extra grip. Attached with a spring-loaded ball bearing for secure socket holding. Display packed.

Stock No.	Length
16711	50mm
16712	75mm
16713	100mm
16714	150mm



1/4" SQ.DRIVE DRAPER Expert

5 B-WEXT/4

1/4" Sq. Dr. WOBBLE EXTENSION BAR SET (SATIN CHROME) (4 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, with wobble end, manufactured from chrome vanadium steel hardened and tempered with a micro satin finish. Each ext. bar has a knurled ring for extra grip. Attached with a spring-loaded ball bearing for secure socket holding machined wobble end allows sockets to be driven at up to 15° to the vertical. Display packed.

Contents: 50, 100, 150, 250mm.

Stock No.
16766



1/4" SQ.DRIVE DRAPER Expert

6 B-EXT/B/4

1/4" Sq. Dr. EXTENSION BAR SET (POLISHED CHROME) (4 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, manufactured from chrome vanadium steel hardened and tempered with a polished finish. Each ext. bar has a knurled ring for extra grip. Spring-loaded ball bearing for secure socket holding. Display packed.

Contents: 50, 100, 150, 250mm

Stock No.
16765

7 BD-EXT/3

1/4" Sq. Dr. EXTENSION BAR SET (SATIN CHROME) (3 PIECE)


1/4" SQ.DRIVE

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Manufactured from chrome vanadium steel hardened and tempered with a satin finish. Each ext. bar has a knurled ring for extra grip. Display Packed.

Contents: 50, 75, and 100mm long

Stock No.
16424





1 D-WEXT/MS

3/8" Sq. Dr. WOBBLE EXTENSION BARS (MICRO SATIN CHROME)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, with wobble end, manufactured from chrome vanadium steel hardened and tempered with a micro satin finish. Each ext. bar has a knurled ring for extra grip. Machined wobble end allows sockets to be driven at up to 15° to the vertical. Attached with a spring-loaded ball bearing for secure socket holding. Display packed.

Stock No.	Length
16742	50mm
16743	75mm
16744	150mm
16745	200mm
16746	250mm
16747	300mm
16748	450mm



2 D-WEXT

3/8" Sq. Dr. WOBBLE EXTENSION BARS (POLISHED CHROME)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, with wobble end, manufactured from chrome vanadium steel hardened and tempered with a polished finish. Each ext. bar has a knurled ring for extra grip. Machined wobble end allows sockets to be driven at up to 15° to the vertical. Attached with a spring-loaded ball bearing for secure socket holding. Display packed.

Stock No.	Length
16734	50mm
16735	75mm
16737	150mm
16738	200mm
16739	250mm
16740	300mm
16741	450mm



3 D-EXT/B

3/8" Sq. Dr. EXTENSION BARS (POLISHED CHROME)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, manufactured from chrome vanadium steel hardened and tempered with a polished finish. Each ext. bar has a knurled ring for extra grip. Attached with a spring-loaded ball bearing for secure socket holding. Display packed.

Stock No.	Length
16724	50mm
16725	75mm
16726	150mm
16727	200mm
16731	250mm
16732	300mm
16733	450mm



4 D-WEXT/5

3/8" Sq. Dr. WOBBLE EXTENSION BAR SET (MICRO SATIN CHROME) (5 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, with wobble end, manufactured from chrome vanadium steel hardened and tempered with a micro satin finish. Each ext. bar has a knurled ring for extra grip. Machined wobble end allows sockets to be driven at up to 15° to the vertical. Attached with a spring-loaded ball bearing for secure socket holding. Display Packed.

Contents: 45, 75, 150, 250, 450mm

Stock No.
16768



5 D-EXT/B/5

3/8" Sq. Dr. EXTENSION BAR SET (POLISHED CHROME) (5 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, manufactured from chrome vanadium steel hardened and tempered, with a polished finish. Each ext. bar has a knurled ring for extra grip. Attached with a spring-loaded ball bearing for secure socket holding. Display Packed.

Contents: 45, 75, 150, 250, 450mm

Stock No.
16767



6 DD-EXT/3

3/8" Sq. Dr. EXTENSION BAR SET (SATIN CHROME) (3 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Manufactured from chrome vanadium steel hardened and tempered with a satin finish. Display Packed.

Contents: 75, 125 and 200mm long

Stock No.
16425



1 H-WEXT/MS

1/2" Sq. Dr. WOBBLE EXTENSION BARS (MICRO SATIN CHROME)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, with wobble end, manufactured from chrome vanadium steel hardened and tempered with a micro satin finish. Each ext. bar has a knurled ring for extra grip. Machined wobble end allows sockets to be driven at up to 15° to the vertical. Attached with a spring-loaded ball bearing for secure socket holding. Display packed.

Stock No.	Length
16759	50mm
16761	75mm
16762	125mm
16763	250mm
16764	500mm



2 H-WEXT

1/2" Sq. Dr. WOBBLE EXTENSION BARS (POLISHED CHROME)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, manufactured from chrome vanadium steel hardened and tempered with a polished finish. Each ext. bar has a knurled ring for extra grip. Machined wobble end allows sockets to be driven at up to 15° to the vertical. Attached with a spring-loaded ball bearing for secure socket holding. Display packed.

Stock No.	Length
16754	50mm
16755	75mm
16756	125mm
16757	250mm
16758	500mm



3 H-EXT/B

1/2" Sq. Dr. EXTENSION BARS (POLISHED CHROME)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, manufactured from chrome vanadium steel hardened and tempered with a polished finish. Each ext. bar has a knurled ring for extra grip. Attached with a spring-loaded ball bearing for secure socket retention. Display packed.

Stock No.	Length
16749	50mm
16750	75mm
16751	125mm
16752	250mm
16753	500mm



4 H-WEXT/4

1/2" Sq. Dr. WOBBLE EXTENSION BAR SET (MICRO SATIN CHROME) (4 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, with wobble end, manufactured from chrome vanadium steel hardened and tempered with a micro satin finish. Each ext. bar has a knurled ring for extra grip. Machined wobble end allows sockets to be driven at up to 15° to the vertical. Attached with a spring-loaded ball bearing for secure socket holding. Display Packed.

Contents: 50, 125, 250 and 500mm

Stock No.
16770



5 H-EXT/B/4

1/2" Sq. Dr. EXTENSION BAR SET, POLISHED CHROME (4 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, manufactured from chrome vanadium steel hardened and tempered, with a polished finish. Each ext. bar has a knurled ring for extra grip. Attached with a spring-loaded ball bearing for secure socket holding. Display Packed.

Contents: 50, 125, 250 and 500mm

Stock No.
16769



6 HD-EXT/3

1/2" Sq. Dr. EXTENSION BAR SET (MICRO SATIN CHROME) (3 PIECE)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Manufactured from chrome vanadium steel hardened and tempered with a satin finish. Each ext. bar has a knurled ring for extra grip. Display Packed.

Contents: 75, 125 and 250mm long

Stock No.
16426



7 T4/B

3/4" Sq. Dr. EXTENSION BARS (POLISHED CHROME)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, manufactured from chrome vanadium steel hardened and tempered with a polished finish. Spring-loaded ball bearing for secure socket holding. Sold loose.

Stock No.	Length
16812	100mm
16813	200mm
16814	400mm





1

SLIDING T BARS (MICRO SATIN CHROME)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, manufactured from chrome vanadium steel hardened and tempered with a micro satin finish. Spring-loaded ball bearing for secure socket holding. Display packed.

Stock No.	Part No.	Length	Sq. Dr.
16786	B52/MS	105mm	1/4"
16788	D75/MS	165mm	3/8"
16790	H2/MS	250mm	1/2"



2

SLIDING T BARS (POLISHED CHROME)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, manufactured from chrome vanadium steel hardened and tempered with a polished finish. Spring-loaded ball bearing for secure socket holding. Display packed.

Stock No.	Part No.	Length	Sq. Dr.
16785	B52/B	105mm	1/4"
16787	D75/B	165mm	3/8"
16789	H2/B	250mm	1/2"


3 T14/B

3/4" Sq. Dr. SLIDING 'T' BAR (POLISHED CHROME)

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, manufactured from chrome vanadium steel hardened and tempered with a polished finish. Spring-loaded ball bearing for secure socket holding. Sold loose.

Stock No.	Length
16815	500mm





4 H8/B

1/2" Sq. Dr. OFFSET HANDLE

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, manufactured from chrome vanadium steel that's hardened and tempered with a polished finish. Head offset at 90°. Spring-loaded ball bearing for secure socket holding. Display packed.

Stock No.	Length
34496	250mm



1/4" SQ.DRIVE 3/8" SQ.DRIVE 1/2" SQ.DRIVE 3/4" SQ.DRIVE DRAPER Expert

1

FLEXIBLE HANDLES

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, manufactured from chrome vanadium steel hardened and tempered with a polished finish. Hinged joint head. Spring-loaded ball bearing for secure socket holding. Display packed.

Stock No.	Part No.	Sq. Dr.	Length
16797	B57/B	1/4"	150mm
16798	D74/B	3/8"	200mm
16799	H10/B	1/2"	250mm
16800	H15/B	1/2"	375mm
16801	H24/B	1/2"	600mm
16816	T12/B	3/4"	475mm
16817	T24/B	3/4"	600mm



1/2" SQ.DRIVE DRAPER Expert

2 H24EXT

1/2" Sq. Dr. EXTENDING FLEXIBLE HANDLE

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, head and shaft manufactured from chrome molybdenum steel hardened, tempered, chrome plated and polished for corrosion protection. Hinged joint head and knurled grip. Extending handle locks in any position between 400mm (minimum) and 600mm (maximum) and is carbon steel hardened, tempered and chrome plated. Spring-loaded ball bearing for secure socket holding. Packed in polythene bag.

Stock No.	Description
56774	Flexible Handle
56778	Repair Kit


"PAUL SAYS" QUALITY ASSURANCE MAKES THE DIFFERENCE

FLEXIBLE HANDLES...



Any claims for replacement of flexible handles must be returned WITH THE TOOL to Draper Tools for inspection, prior to replacement. Test figures show 98% are broken by abuse, and on test 99.9% of the returned flexible handles exceed the DIN test by three times.

ALSO These products must NOT be used with an extension bar of any length. If used in this way it can cause undue stress on the joint between the extension bar and flexible handle.





3

4

1/2" SQ.DRIVE DRAPER Expert

3

1/2" Sq. Dr. FLEXIBLE HANDLES

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, manufactured from chrome vanadium steel hardened, tempered, chrome plated and polished for corrosion protection. Specially designed chrome molybdenum hinged joint head for extra torque. Spring-loaded ball bearing for secure socket holding. Display packed.

Stock No.	Length
34334	640mm
34336	760mm
34337	1000mm
36053	Repair Kit

3/4" SQ.DRIVE DRAPER Expert

4 T24B

3/4" Sq. Dr. FLEXIBLE HANDLES

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, manufactured from chrome vanadium steel hardened, tempered, chrome plated and polished for corrosion protection. Specially designed chrome molybdenum hinged joint head for extra torque. Spring-loaded ball bearing for secure socket holding. Display packed.

Stock No.	Length
34335	640mm
34339	760mm
34341	1000mm
36054	600mm Repair Kit
36056	750-1000mm Repair Kit



1" SQ.DRIVE DRAPER Expert

5 T25B

1" Sq. Dr. FLEXIBLE HANDLES

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Expert Quality, manufactured from chrome vanadium steel hardened, tempered, chrome plated and polished for corrosion protection. Specially designed chrome molybdenum hinged joint head for extra torque. Spring-loaded ball bearing for secure socket holding. Display packed.

Stock No.	Length
34342	760mm
34343	1000mm
36057	Repair Kit

FLEXIBLE HANDLES

Many of our 1/2", 3/4" and 1" Sq. Dr. flexible handles feature a specially designed chrome molybdenum hinged joint head for extra torque.



6 point

DRAPER Expert

1/4" SQ.DRIVE



1 406-MM

1/4" Sq. Dr. DRAPER EXPERT HI-TORQ® METRIC IMPACT SOCKETS

Expert Quality, 6 point sockets forged from chrome molybdenum hardened, tempered and chemically blacked for corrosion protection. These sockets are for use with air, electric or manual impact wrenches. Display packed.

Stock No.	Size
05000	4mm
05003	4.5mm
05005	5mm
05008	5.5mm
05009	6mm
05011	7mm
05012	8mm
05013	9mm
05014	10mm
05016	11mm
05022	12mm
05056	13mm
05059	14mm
05062	15mm

6 point

DRAPER Expert

1/4" SQ.DRIVE



2 406D-MM

1/4" Sq. Dr. DRAPER EXPERT HI-TORQ® METRIC DEEP IMPACT SOCKETS

Expert Quality, 6 point sockets forged from chrome molybdenum hardened, tempered and chemically blacked for corrosion protection. These sockets are for use with air, electric or manual impact wrenches. Display packed.

Stock No.	Size
05063	4mm
05064	4.5mm
05065	5mm
05067	5.5mm
05184	6mm
05185	7mm
05186	8mm
05187	9mm
05188	10mm
05189	11mm
05190	12mm
05191	13mm
05192	14mm
05193	15mm

DRAPER Expert

1/4" SQ.DRIVE



3 807

1/4" Sq. Dr. IMPACT UNIVERSAL JOINT

Expert Quality, forged from chrome molybdenum steel hardened, tempered and chemically blacked for corrosion protection. Spring-loaded ball bearing for secure socket holding. Display packed.

Stock No.	Length
07019	38mm



4 809

1/4" Sq. Dr. IMPACT EXTENSION BARS

1/4" SQ.DRIVE

DRAPER Expert

Expert Quality, forged from chrome molybdenum steel hardened, tempered and chemically blacked for corrosion protection. Spring-loaded ball bearing for secure socket holding. Display packed.

Stock No.	Length
07012	50mm
07013	100mm
07014	150mm

NEW



5 MPTTS/3

NO.2 X 25MM PZ TYPE IMPACT BITS (25 PIECE)

Expert Quality, PZ2 x 25mm impact screwdriver bits. Manufactured from S2 steel which is correctly hardened and tempered with a small groove on the shaft and a phosphate finish. Supplied in a clear plastic storage case.

Stock No.
11677

NEW



6 IBPZ2/50

NO.2 X 50MM PZ TYPE IMPACT BITS (25 PIECE)

Expert Quality, PZ2 x 50mm impact screwdriver bits. Manufactured from S2 steel which is correctly hardened and tempered with a small groove on the shaft and a phosphate finish. Supplied in a clear plastic storage case. Display packed.

Stock No.
11674

NEW



7 IMBH26

IMPACT SCREWDRIVER BIT SET (26 PIECE)

Expert Quality 1/4" hex impact screwdriver bit set, manufactured from S2 steel, correctly hardened and tempered with a phosphate finish. Supplied in a plastic case with soft grip detail.

Contents: • 60mm Magnetic Bit Holder • 25mm Socket Adaptor • 7 x 25mm screwdriver bits; Plain Slot - 5, 6mm, Cross Slot - No.1, No.2, TX Star - T20, T25, Square - S1 • 11 x 50mm Screwdriver bits; Plain Slot - 6mm, Cross Slot - No.1, No.2, PZ Type - No.1, No.2, No.3, TX Star - T20, T25, Square - 2 x S1, S3 • 3 x 75mm screwdriver bits; Cross Slot - No.2, PZ Type - 2 x No.2 • 3 x Magnetic nutdrivers; 6,8,10mm

Stock No.
05732

NEW



8 IMBH32

IMPACT SCREWDRIVER BIT SET (32 PIECE)

Expert Quality 1/4" hex impact screwdriver bit set, manufactured from S2 steel, correctly hardened and tempered with a phosphate finish. Supplied in a plastic case with soft grip detail.

Contents:

- 60mm Magnetic Bit Holder
- 25mm Socket Adaptor
- 30 x 25mm screwdriver bits; Plain Slot - 3, 4, 5, 6mm, Cross Slot - 2 x No.1, 4 x No.2, 2 x No.3, PZ Type - 2 x No.1, 4 x No.2, 2 x No.3, Hex - 4, 5, 6mm, TX Star - T10, T15, T20, T25,T27, T30, T40

Stock No.
05724

1/4" SQ.DRIVE
3/8" SQ.DRIVE
1/2" SQ.DRIVE



1 BCS/3

SOCKET DRIVE ADAPTOR SET NEW

For use in conjunction with any 1/4" hexagon drive unit to drive 1/4", 3/8" and 1/2" square drive sockets. Comprises 1/4" square, 3/8" square and 1/2" square adaptors. Manufactured from chrome vanadium steel hardened, tempered and chrome plated. Each end incorporates a spring-loaded retaining ball for secure socket holding.

Stock No.
00005

DRAPER Expert
3/8" SQ.DRIVE
6 point



2 409-MMC

3/8" Sq. Dr. DRAPER EXPERT HI-TORQ® METRIC IMPACT SOCKETS

Expert Quality, 6 point sockets forged from chrome molybdenum hardened, tempered and chemically blacked for corrosion protection. These sockets are for use with air, electric or manual impact wrenches.

Stock No.	Size
06867	8mm
06868	9mm
06869	10mm
06870	11mm
06871	12mm
06873	13mm
06874	14mm
06875	15mm
06876	16mm
06877	17mm
06878	18mm
06879	19mm

6 point
DRAPER Expert
3/8" SQ.DRIVE



3 409D-MMC

3/8" Sq. Dr. DRAPER EXPERT HI-TORQ® METRIC DEEP IMPACT SOCKETS

Expert Quality, 6 point sockets forged from chrome molybdenum hardened, tempered and chemically blacked for corrosion protection. These sockets are for use with air, electric or manual impact wrenches.

Stock No.	Size
06881	8mm
06882	9mm
06883	10mm
06884	11mm
06885	12mm
06886	13mm
06887	14mm
06888	15mm
06889	16mm
06890	17mm
06891	18mm
06892	19mm



4 909

3/8" Sq. Dr. IMPACT EXTENSION BARS

3/8" SQ.DRIVE
DRAPER Expert

Expert Quality, forged from chrome molybdenum steel hardened, tempered and chemically blacked for corrosion protection. Spring-loaded ball bearing for secure socket holding. Display packed.

Stock No.	Length
07015	45mm
07016	75mm
07017	150mm
07018	250mm

3/8" SQ.DRIVE
DRAPER Expert



5 907

3/8" Sq. Dr. IMPACT UNIVERSAL JOINT

Expert Quality, forged from chrome molybdenum steel hardened, tempered and chemically blacked for corrosion protection. Spring-loaded ball bearing for secure socket holding. Display packed.

Stock No.	Length
07020	50mm

DRAPER Expert



6

IMPACT SOCKET CONVERTERS

Expert Quality, forged from chrome molybdenum steel hardened, tempered and chemically blacked for corrosion protection. Hole for ball retainer in the female end and a spring ball retainer in the male end. Display packed.

Stock No.	Part No.	Size
07021	806	1/4"(F) x 3/8"(M)
07022	904	3/8"(F) x 1/4"(M)
07023	905	3/8"(F) x 1/2"(M)
14099	307	1/2"(F) x 3/8"(M)

3/8" SQ.DRIVE
6 point NEW



7 409/8/MM

3/8" Sq. Dr. METRIC IMPACT SOCKET SET (8 PIECE)

Sockets forged from chrome molybdenum steel, hardened, tempered and chemically blacked for corrosion protection. Hole for accessory spring loaded ball. Packed in plastic storage case.

Contents: 8, 10, 11, 13, 14, 16, 17, 19mm

Stock No.
83089

3/8" SQ.DRIVE
6 point NEW



8 409D/8/MM

3/8" Sq. Dr. METRIC DEEP IMPACT SOCKET SET (8 PIECE)

Sockets forged from chrome molybdenum steel, hardened, tempered and chemically blacked for corrosion protection. Hole for accessory spring loaded ball. Packed in plastic storage case.

Contents: 8, 10, 11, 13, 14, 16, 17, 19mm

Stock No.
83090

1 410/10P

SET OF 1/2" Sq. Dr. DRAPER EXPERT HI-TORQ® METRIC IMPACT SOCKETS (10 PIECE)

Expert Quality, 6 point sockets forged from chrome vanadium steel hardened, tempered and chemically blacked for corrosion protection. Hole for accessory spring-loaded ball. For use with air, electric or manual impact wrenches. Display packed.
Contents: 10, 11, 12, 13, 14, 15, 17, 19, 21 and 22mm.

Stock No.	Rail Length
33667	319mm






2 410/10MMC

DEEP SOCKET

1/2" Sq. Dr. DRAPER EXPERT HI-TORQ® METRIC DEEP IMPACT SOCKET SET (10 PIECE)

Expert Quality, Draper Expert HI-TORQ® 6 point deep sockets 75mm long, forged from chrome vanadium steel hardened, tempered and chemically blacked for corrosion protection. Hole for receiving ball retainer. Packed in steel carrying case.
Contents: 10, 11, 12, 13, 14, 17, 19, 22, 24 and 27mm.

Stock No.
38369



3 410/10/MM

1/2" Sq. Dr. METRIC IMPACT SOCKET SET (10 PIECE)

Forged from chrome vanadium steel, hardened, tempered and chemically blacked for corrosion protection. Hole for accessory spring loaded ball. Packed in plastic storage case. Contents: 10, 12, 13, 14, 15, 17, 19, 22, 24, 27mm

Stock No.
83092



4 410D/11/MM

DEEP SOCKET

1/2" Sq. Dr. DRAPER EXPERT HI-TORQ® METRIC DEEP IMPACT SOCKET SET IN METAL CASE (11 PIECE)

Expert Quality, Draper Expert HI-TORQ® 6 point deep sockets 78mm long, forged from chrome vanadium steel hardened, tempered and chemically blacked for corrosion protection. Hole for accessory spring loaded ball. Packed in steel carrying case.
Contents: 15, 16, 17, 18, 19, 21, 22, 24, 27, 30 and 32mm.

Stock No.
37847



5 410D/10/MM

1/2" Sq. Dr. METRIC DEEP IMPACT SOCKET SET (10 PIECE)

Sockets forged from chrome vanadium steel hardened, tempered and chemically blacked for corrosion protection. Hole for accessory spring loaded ball. Packed in plastic storage case. Contents: 10, 12, 13, 14, 15, 17, 19, 22, 24, 27mm

Stock No.
83096



6 410/19/MM

1/2" Sq. Dr. DRAPER EXPERT HI-TORQ® METRIC IMPACT SOCKET SET (19 PIECE)

Expert Quality, 6 point sockets and accessories forged from chrome vanadium steel hardened, tempered and chemically blacked for corrosion protection. Hole for accessory spring loaded ball. For use with air, electric or manual impact wrenches. Packed in sturdy steel case. Contents: • 14 Draper Expert HI-TORQ® 6 point impact sockets size: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24 and 27mm • 3 extension bars size: 50, 150 and 250mm • universal joint • converter 1/2"(F) x 3/4"(M)

Stock No.
54651



7 ISAS/8

IMPACT SOCKET ADAPTOR SET (8 PIECE)

Sockets adaptors forged from chrome molybdenum steel hardened, tempered with black phosphate finish. Packed in blow mould case.
Contents: 3/8" (F) x 1/4" (M), 1/4" (F) x 3/8" (M), 3/8" (F) x 1/2" (M), 1/2" (F) x 3/8" (M), 1/2" (F) x 3/4" (M), 3/4" (F) x 1/2" (M), 3/4" (F) x 1" (M), 1" (F) x 3/4" (M)

Stock No.
83271



1 410MM

1/2" Sq. Dr. DRAPER EXPERT HI-TORQ® METRIC IMPACT SOCKETS (DISPLAY PACKED)

Expert Quality, 6 point sockets forged from chrome vanadium steel hardened, tempered and chemically blacked for corrosion protection. These sockets are for use with air, electric or manual impact wrenches. Display packed.

Stock No	Size
28420	10mm
28446	12mm
28454	13mm
28462	14mm
28470	15mm
28488	16mm
28496	17mm
13762	18mm
28503	19mm
28511	21mm
28529	22mm
28545	24mm
28561	27mm
31513	30mm



2 410D-MM

1/2" Sq. Dr. DRAPER EXPERT HI-TORQ® DEEP METRIC IMPACT SOCKETS (DISPLAY PACKED)

Expert Quality, deep 6 point sockets forged from chrome vanadium steel hardened, tempered and chemically blacked for corrosion protection. These sockets are for use with air, electric or manual impact wrenches. Overall lengths 78mm. Display packed.

Stock No.	Size
12737	10mm
12739	12mm
12740	13mm
12741	14mm
14101	15mm
12742	16mm
12743	17mm
14102	18mm
12744	19mm
14104	21mm
12745	22mm
12746	24mm
12748	27mm
30870	30mm
35519	32mm



3 409/32/MM

3/8" and 1/2" Sq. Dr. IMPACT SOCKET SET (32 PIECE)

Expert Quality, sockets forged from chrome molybdenum steel, hardened, tempered and chemically blacked for corrosion protection. Hole for accessory spring loaded ball. Packed in plastic storage case.

Contents:

9 x 3/8" sockets 8, 9, 10, 11, 12, 14, 15, 16, 17mm
10 x 1/2" sockets 13, 15, 17, 18, 19, 21, 22, 25, 27, 30mm
10 x 1/2" deep sockets 13, 15, 17, 18, 19, 21, 22, 24, 27, 30mm
1/2" (F) x 3/8" (M) adaptor
3/8" extension bar 75mm
1/2" extension bar 75mm

Stock No.
83098

4 410MMB

1/2" Sq. Dr. DRAPER EXPERT HI-TORQ® METRIC IMPACT SOCKETS (SOLD LOOSE)

Expert Quality, 6 point sockets forged from chrome vanadium steel hardened, tempered and chemically blacked for corrosion protection. These sockets are for use with air, electric or manual impact wrenches. Sold loose.

Stock No.	Size
26878	10mm
26880	12mm
26881	13mm
26882	14mm
26883	15mm
26884	16mm
26885	17mm
26886	18mm
26887	19mm
26889	21mm
26890	22mm
26892	24mm
26894	27mm
30869	30mm

5 410D-MMB

1/2" Sq. Dr. DRAPER EXPERT HI-TORQ® DEEP METRIC IMPACT SOCKETS (SOLD LOOSE)

Expert Quality, deep 6 point sockets forged from chrome vanadium steel hardened, tempered and chemically blacked for corrosion protection. These sockets are for use with air, electric or manual impact wrenches. Overall lengths 78mm. Sold loose.

Stock No.	Size
59872	10mm
59873	12mm
59874	13mm
59875	14mm
59876	15mm
59877	16mm
59878	17mm
59879	18mm
59880	19mm
59881	21mm
59882	22mm
59883	24mm
59884	27mm
59885	30mm
35518	32mm



6 608

1/2" Sq. Dr. IMPACT UNIVERSAL JOINT

Expert Quality, forged from chrome vanadium steel hardened, tempered and chemically blacked for corrosion protection. Spring-loaded ball bearing for secure socket holding. Display packed.

Stock No.	Length
75976	60mm



7

1/2" Sq. Dr. EXTENSION BARS

Expert Quality, forged from chrome vanadium steel hardened, tempered and chemically blacked for corrosion protection. Spring-loaded ball bearing for secure socket holding. Display packed.

Stock No.	Part No.	Length
72170	324	150mm
63116	327	250mm



8

IMPACT SOCKET CONVERTERS

Expert Quality, forged from chrome vanadium steel hardened, tempered and chemically blacked for corrosion protection. Groove and hole in the 1/2" female end to receive a ring and pin. It has a hole in the 3/4" male end to receive a pin. Display packed.

Stock No.	Part No	Size
14106	325	1/2"(F) x 3/4" (M)
14107	326	3/4"(F) x 1/2"(M)

NEW 3/4" SQ.DRIVE DRAPER Expert



1 419/8/MM

3/4" Sq. Dr. METRIC IMPACT SOCKET SET IN METAL CASE (8 PIECE)

Expert Quality, sockets forged from chrome vanadium steel hardened, tempered and chemically blacked for corrosion protection. Hole for accessory spring loaded ball. Packed in steel carrying case.

Contents: 26, 27, 29, 30, 32, 35, 36, 38mm

Stock No.
83272

DEEP SOCKET NEW 3/4" SQ.DRIVE DRAPER Expert



2 419D/8/MM

3/4" Sq. Dr. METRIC DEEP IMPACT SOCKET SET IN METAL CASE (8 PIECE)

Expert Quality, deep sockets forged from chrome vanadium steel hardened, tempered and chemically blacked for corrosion protection. Hole for accessory spring loaded ball. Packed in steel carrying case.

Contents: 26, 27, 29, 30, 32, 35, 36, 38mm

Stock No.
83279

NEW 3/4" SQ.DRIVE DRAPER Expert



3 419/12

3/4" Sq. Dr. COMBINED MM/AF IMPACT SOCKET SET IN METAL CASE (12 PIECE)

Expert Quality, sockets forged from chrome vanadium steel hardened, tempered and chemically blacked for corrosion protection. Hole for accessory spring loaded ball. Packed in steel carrying case.

Contents: 22, 24, 27, 30, 32, 33, 34, 36, 38mm 1", 1-1/2", 2-7/16"

Stock No.
83280

DEEP SOCKET NEW 3/4" SQ.DRIVE DRAPER Expert



4 419D/12

3/4" Sq. Dr. COMBINED MM/AF DEEP IMPACT SOCKET SET IN METAL CASE (12 PIECE)

Expert Quality, deep sockets forged from chrome vanadium steel hardened, tempered and chemically blacked for corrosion protection. Hole for accessory spring loaded ball. Packed in steel carrying case.

Contents: 22, 24, 27, 30, 32, 33, 34, 36, 38mm 1", 1-1/2", 2-7/16"

Stock No.
83281

DRAPER Expert | 3/4" SQ.DRIVE | 6 point



1 419-MM

3/4" Sq. Dr. DRAPER EXPERT HI-TORQ® METRIC IMPACT SOCKETS

Expert Quality, 6 point sockets forged from chrome molybdenum hardened, tempered and chemically blacked for corrosion protection. Supplied with pin and ring. These sockets are for use with air, electric or manual impact wrenches. Packed in polythene bag with barcode.

Stock No.	Size
04998	17mm
04999	18mm
28660	19mm
05001	20mm
05002	21mm
75968	22mm
05004	23mm
28694	24mm
05006	25mm
05007	26mm
28719	27mm
93241	28mm
05010	29mm
28735	30mm
28743	32mm
93259	33mm
93267	34mm
05015	35mm
28777	36mm
05017	37mm
05018	38mm
05019	39mm
05021	40mm
71833	41mm
05023	42mm
05024	43mm
05025	44mm
05027	45mm
05028	46mm
05029	47mm
05030	48mm
05031	49mm
05032	50mm
05033	51mm
05034	52mm
05035	54mm
05036	55mm
05037	56mm
05038	57mm
05039	58mm
05040	59mm
05041	60mm
05042	62mm
05043	65mm
05044	67mm
05045	70mm

DRAPER Expert | DEEP SOCKET | 6 point



2 419D-MM

3/4" Sq. Dr. DRAPER EXPERT HI-TORQ® METRIC DEEP IMPACT SOCKETS

Expert Quality, 6 point sockets forged from chrome molybdenum hardened, tempered and chemically blacked for corrosion protection. Supplied with pin and ring. These sockets are for use with air, electric or manual impact wrenches. Packed in polythene bag with barcode.

Stock No.	Size
05049	17mm
05050	18mm
05051	19mm
05052	20mm
05053	21mm
05054	22mm
05055	23mm
71883	24mm
05057	25mm
05058	26mm
71908	27mm
05060	28mm
05061	29mm
71916	30mm
71924	32mm
11899	33mm
27142	34mm
05066	35mm
71940	36mm
05068	37mm
05069	38mm
05070	39mm
05071	40mm
05072	41mm
05073	42mm
05074	43mm
05075	44mm
05076	45mm
05077	46mm
05078	47mm
05079	48mm
05080	49mm
05081	50mm
05082	51mm
05083	52mm
05084	54mm
05085	55mm
05086	57mm
05087	59mm
05088	60mm
05089	62mm
05090	65mm
05091	70mm

DRAPER Expert



4

IMPACT SOCKET CONVERTERS

Expert Quality, forged from chrome molybdenum steel hardened, tempered and chemically blacked for corrosion protection. Supplied with pin and ring. Sold Loose.

Stock No.	Part No.	Size
93481	811	3/4"(F) x 1"(M)
93499	812	1"(F) x 3/4"(M)

3/4" SQ.DRIVE | DRAPER Expert



5 601

3/4" Sq. Dr. UNIVERSAL JOINT

Expert Quality, forged from chrome molybdenum steel hardened, tempered and chemically blacked for corrosion protection. Supplied with pin and ring. Packed in polythene bag.

Stock No.	Length
05560	90mm

3/4" SQ.DRIVE | DRAPER Expert | NEW



6 609

3/4" Sq. Dr. IMPACT EXTENSION BARS

Expert Quality, forged extension bars hardened, tempered and chemically blacked for corrosion protection. Supplied with pin and ring. Sold loose.

Stock No.	Length
72188	150mm
12824	250mm
05554	330mm
05555	400mm



1" SQ.DRIVE | 3/4" SQ.DRIVE | 1/2" SQ.DRIVE | 3/8" SQ.DRIVE | 1/4" SQ.DRIVE | DRAPER Expert

3 ISAS/8

IMPACT SOCKET ADAPTOR SET (8 PIECE)

Expert Quality, sockets adaptors forged from chrome molybdenum steel hardened, tempered with black phosphate finish. Packed in blow mould case.

Contents: 3/8" (F) x 1/4" (M), 1/4" (F) x 3/8" (M), 3/8" (F) x 1/2" (M), 1/2" (F) x 3/8" (M), 1/2" (F) x 3/4" (M), 3/4" (F) x 1/2" (M), 3/4" (F) x 1" (M), 1" (F) x 3/4" (M)

Stock No.
83271

3/4" SQ.DRIVE



7 602

RING AND PIN KITS FOR 3/4" Sq. Dr. IMPACT SOCKETS

Sold in plastic bags.

Stock No.	Socket Size
07041	13-26mm
07042	27-29mm
07043	30-49mm
07044	50-70mm

NEW 1" SQ.DRIVE DRAPER Expert



1 425/10

1" Sq. Dr. COMBINED MM/AF IMPACT SOCKET SET IN METAL CASE (10 PIECE)

Expert Quality, sockets forged from chrome vanadium steel hardened, tempered and chemically blacked for corrosion protection. Hole for accessory spring loaded ball. Packed in steel carrying case.

Contents: 24, 27, 30, 32, 33, 34, 36, 38mm 1", 1-1/8"

Stock No.
83282

NEW 1" SQ.DRIVE DEEP SOCKET DRAPER Expert



2 425D/10

1" Sq. Dr. COMBINED MM/AF DEEP IMPACT SOCKET SET IN METAL CASE (10 PIECE)

Expert Quality, deep sockets forged from chrome vanadium steel hardened, tempered and chemically blacked for corrosion protection. Hole for accessory spring loaded ball. Packed in steel carrying case.

Contents: 24, 27, 30, 32, 33, 34, 36, 38mm 1", 1-1/8"

Stock No.
83283

1" SQ.DRIVE 6 point DRAPER Expert



3 425-MM

1" Sq. Dr. DRAPER EXPERT HI-TORQ® METRIC IMPACT SOCKETS

Expert Quality, 6 point sockets forged from chrome molybdenum hardened, tempered and chemically blacked for corrosion protection. Supplied with pin and ring. These sockets are for use with air, electric or manual impact wrenches. Packed in polythene bag with barcode.

Stock No.	Size
05098	17mm
05099	18mm
05100	19mm
05101	20mm
05102	21mm
05103	22mm
05104	23mm
05105	24mm
05106	25mm
05107	26mm
05108	27mm
05109	28mm
05110	29mm
05111	30mm
05112	32mm
05113	33mm
05114	34mm
05115	35mm
05116	36mm
05117	37mm
05118	38mm
05119	39mm
05120	40mm
05121	41mm
05122	42mm
05123	43mm
05124	46mm
05125	50mm
05126	55mm
05127	57mm
05128	58mm
05129	60mm
05130	65mm
05131	70mm

1" SQ.DRIVE 6 point DEEP SOCKET DRAPER Expert



4 425D-MM

1" Sq. Dr. DRAPER EXPERT HI-TORQ® METRIC DEEP IMPACT SOCKETS

Expert Quality, 6 point sockets forged from chrome molybdenum hardened, tempered and chemically blacked for corrosion protection. Supplied with pin and ring. These sockets are for use with air, electric or manual impact wrenches. Packed in polythene bag with barcode.

Stock No.	Size
05132	17mm
05133	18mm
05134	19mm
05135	20mm
05136	21mm
05137	22mm
05138	23mm
05139	24mm
05140	25mm
05141	26mm
05142	27mm
05143	28mm
05144	29mm
05145	30mm
05146	32mm
05147	33mm
05148	34mm
05149	35mm
05150	36mm
05151	38mm
05152	41mm
05153	43mm
05154	46mm
05155	50mm
05156	55mm
05157	60mm
05158	65mm
05159	70mm



1" SQ.DRIVE DRAPER Expert

5 709

1" Sq. Dr. IMPACT EXTENSION BARS

Expert Quality, forged extension bars hardened, tempered and chemically blacked for corrosion protection. Supplied with pin and ring. Sold loose.

Stock No.	Length
05556	150mm
05557	250mm
05558	330mm
05559	400mm



1" SQ.DRIVE DRAPER Expert

6 707

1" Sq. Dr. IMPACT UNIVERSAL JOINT

Expert Quality, forged from chrome molybdenum steel hardened, tempered and chemically blacked for corrosion protection. Supplied with pin and ring. Packed in polythene bag.

Stock No.	Length
05561	110mm

1" SQ.DRIVE



7 702

RING AND PIN KITS FOR 1" Sq. Dr. IMPACT SOCKETS

Sold in plastic bags.

Stock No.	Socket Size
07045	17-33mm
07046	34-70mm





1 LWNS4-B

1/2" Sq. Dr. LOCKING WHEEL NUT SET (4 PIECE)

Expert Quality, for the installation and removal of locking wheel nuts on most vehicles (except those fitted with rotating protector shrouds). Manufactured from molybdenum steel, hardened, tempered and chemically blacked for corrosion protection. Reduce tapered internal left hand coarse thread. For use with air and electric tools. Supplied with metal case. Display packed.

Contents: 38mm long x 17.0, 18.5, 21.5 and 26.0mm (open end)

Stock No.
34032



2 410/8/HEX/A

1/2" Sq. Dr. IMPACT HEXAGONAL SOCKET BIT SET (8 PIECE)

Expert Quality, sockets with integral hexagonal bit, forged from chrome molybdenum steel hardened, tempered with black phosphate finish. Groove and two holes for retaining ring and pin. Packed in blow mould case and display sleeve.

Contents: 5, 6, 8, 10, 12, 14, 17 and 19mm hexagonal bits x 78mm long.

Stock No.
26439



3 ISS6

1/2" Sq. Dr. IMPACT SPLINE BIT SET (6 PIECE)

Expert Quality, for the removal and adjustment of suspension components and steering hubs on VAG vehicles. Three standard size and three stubby socket bits (M14, M16 and M18) all forged from chrome molybdenum steel hardened, tempered and blackened. Supplied with display case.

Stock No.
28881



4 410/8/TX

1/2" Sq. Dr. IMPACT DRAPER TX-STAR® SOCKET BIT SET (8 PIECE)

Draper TX-STAR® products are compatible with †Torx fixing systems

Expert Quality, sockets with integral Draper TX-STAR® bit, forged from chrome molybdenum steel hardened and tempered with a black phosphate finish for corrosion protection. Groove and two holes for retaining ring and pin. Packed in blow mould case and display sleeve.

Contents: T30, T40, T45, T50, T55, T60, T70 and T80 Draper TX-STAR® bits x 78mm long

Stock No.
60474

NEW 1/2" SQ.DRIVE 6 point DRAPER Expert



1 AWNSS/7

1/2" Sq. Dr. WHEEL NUT SOCKETS FOR ALLOY WHEELS (7 PIECE)

Expert Quality, set of seven 6 point Draper Expert HI-TORQ® sockets sizes 17, 19, 21, 22, 23, 24 and 27mm. Manufactured from chrome molybdenum. Fitted with internal and external nylon sleeve preventing damage to wheels and nuts when in use. Supplied in plastic storage case.

Stock No.
82979

NEW 1/2" SQ.DRIVE 6 point DRAPER Expert



2 AWNSS/3/LR

1/2" Sq. Dr. LONG REACH WHEEL NUT SOCKETS FOR ALLOY WHEELS (3 PIECE)

Expert Quality, set of three 6 point Draper Expert HI-TORQ® sockets sizes 17, 19 and 21mm. Manufactured from chrome molybdenum. Fitted with internal and external nylon sleeve preventing damage to wheels and nuts when in use. Supplied in plastic storage case.

Stock No.
82981

NEW 1/2" SQ.DRIVE 6 point DRAPER Expert



3 AWNSS/4

1/2" Sq. Dr. WHEEL NUT SOCKETS FOR ALLOY WHEELS (4 PIECE)

Expert Quality, set of four 6 point Draper Expert HI-TORQ® sockets sizes 17, 19, 21 and 23mm. Manufactured from chrome molybdenum. Fitted with internal and external nylon sleeve preventing damage to wheels and nuts when in use. Supplied in plastic storage case.

Stock No.
82972

1/2" SQ.DRIVE 6 point DRAPER Expert



4 AWNSS/3A

1/2" Sq. Dr. DRAPER EXPERT HI-TORQ® WHEEL NUT SOCKETS FOR ALLOY WHEELS

Expert Quality, set of three 6 point Draper Expert HI-TORQ® sockets sizes 17, 19 and 21mm. Manufactured from chrome molybdenum. Fitted with internal and external nylon sleeve preventing damage to wheels and nuts when in use. Supplied in plastic storage case.

Stock No.
30630

DRAPER ALLOY WHEEL NUT SOCKETS

Manufactured from chrome molybdenum steel, with a nylon shielding sleeve that safeguards the wheel, while the internal insert protects the wheel nut.



1/2" SQ.DRIVE 6 point DRAPER Expert



5

1/2" Sq. Dr. DRAPER EXPERT HI-TORQ® WHEEL NUT SOCKETS FOR ALLOY WHEELS

Expert Quality, 6 point Draper Expert HI-TORQ® sockets. Manufactured from chrome molybdenum. Sleeved with nylon internally and externally preventing damage to wheels and nuts when used. Display packed.

Stock No.	Part No.	Size
30631	AWNS/17MM	17mm
30638	AWNS/19MM	19mm
30640	AWNS/21MM	21mm
30646	AWNS/22MM	22mm
83033	AWNS/23MM	23mm
83059	AWNS/24MM	24mm
83061	AWNS/27MM	27mm

DRAPER Expert 1/2" SQ.DRIVE



6 AWNS/17MMBENZ

17MM 1/2" SQ DR WHEEL NUT SOCKET FOR MERCEDES BENZ'S

Expert Quality, unique profile 17mm, 1/2" Sq. Dr. nut socket designed for use on Mercedes C Class (W204) and E Class (W211, W212, W207) cars. Manufactured from solid chrome molybdenum steel and powered by a half-inch square drive impact wrench or ratchet. The thin walled design and nylon sleeve help protect the wheel when being used. An essential item for changing wheels on Mercedes-Benz C-Class and E-Class vehicles.

Stock No.
16175

UNIQUE SHAPE; MERCEDES C & E CLASS WHEEL NUTS


Due to the unique wheel nut profile found on Mercedes C Class (W204) and E Class (W211, W212, W207) cars, a specialist socket is required when removing the wheels, just like the Draper 16175.



DOUBLE RATCHETING SPANNERS

Designed for fast working where you can't use a ring spanner. These spanners have the ratcheting ring end, but now with the addition of a unique and patented ratcheting mechanism in the open end - see illustration (right).

Simply place on fastener and rotate to "ratchet" the spanner. The sprung pin automatically retracts, then locks into place on the next flat - ready to tighten or loosen the fixing. The added benefit of these spanners is that there is a high quality ratcheting ring end so similar hard-to-get-at fixings can be loosened.





1 8328MM

DRAPER EXPERT HI-TORQ® METRIC DOUBLE RATCHETING COMBINATION SPANNERS

Expert Quality, unique ratcheting open-end design. Draper Expert HI-TORQ® ratchet ring end requiring only 5° movement to turn fastener. Both ratcheting facilities are especially useful in confined spaces. Forged from chrome vanadium steel, hardened, tempered, chrome plated and fully polished throughout. Display packed.

Stock No.	Size	Length
04960	8mm	130mm
04961	9mm	145mm
04962	10mm	150mm
04963	11mm	165mm
04964	12mm	170mm
04965	13mm	175mm
04966	14mm	185mm
04967	15mm	200mm
04969	16mm	205mm
04970	17mm	220mm
04971	18mm	230mm
04972	19mm	245mm



2 8328RMM

DRAPER EXPERT HI-TORQ® METRIC REVERSIBLE DOUBLE RATCHETING COMBINATION SPANNERS

Expert Quality, unique ratcheting open-end design. Draper Expert HI-TORQ® reversible ratchet ring end offset at 15° requiring only 5° movement to turn fastener. Both ratcheting facilities are especially useful in confined spaces. Forged from chrome vanadium steel, hardened, tempered, chrome plated and fully polished throughout. Display packed.

Stock No.	Size	Length
06839	8mm	130mm
06840	9mm	145mm
06841	10mm	150mm
06842	11mm	165mm
06843	12mm	170mm
06844	13mm	175mm
06845	14mm	185mm
06846	15mm	200mm
06847	16mm	205mm
06849	17mm	220mm
06850	18mm	230mm
06851	19mm	245mm



3 8328FMM

DRAPER EXPERT HI-TORQ® METRIC FLEXIBLE HEAD DOUBLE RATCHETING COMBINATION SPANNERS

Expert Quality, unique ratcheting open-end design. Draper Expert HI-TORQ® 180°, flexible head reversing ratchet ring end requiring only 5° movement to turn fastener. Both ratcheting facilities are especially useful in confined spaces. Forged from chrome vanadium steel, hardened, tempered, chrome plated and fully polished throughout. Display packed.

Stock No.	Size	Length
06852	8mm	130mm
06853	9mm	145mm
06854	10mm	150mm
06855	11mm	165mm
06857	12mm	170mm
06858	13mm	175mm
06859	14mm	185mm
06860	15mm	200mm
06861	16mm	205mm
06862	17mm	220mm
06863	18mm	230mm
06865	19mm	245mm



4 8328MM/8

DRAPER EXPERT HI-TORQ® METRIC DOUBLE RATCHETING COMBINATION SPANNER SET (8 PIECE)

Expert Quality, unique ratcheting open-end design. Draper Expert HI-TORQ® ratchet ring end requiring only 5° movement to turn fastener. Both ratcheting facilities are especially useful in confined spaces. Forged from chrome vanadium steel, hardened, tempered, chrome plated and fully polished throughout. Display packed.

Contents: 8, 10, 12, 13, 14, 15, 17 and 19mm

Stock No.
04619



5 8328RMM/8

DRAPER EXPERT HI-TORQ® METRIC REVERSIBLE DOUBLE RATCHETING COMBINATION SPANNER SET (8 PIECE)

Expert Quality, unique ratcheting open-end design. Draper Expert HI-TORQ® reversible ratchet ring end, requiring only 5° movement to turn fastener. Both ratcheting facilities are especially useful in confined spaces. Forged from chrome vanadium steel, hardened, tempered, chrome plated and fully polished throughout. Display packed.

Contents: 8, 10, 12, 13, 14, 15, 17 and 19mm

Stock No.
07033



6 8328FMM/8

DRAPER EXPERT HI-TORQ® METRIC FLEXIBLE HEAD DOUBLE RATCHETING COMBINATION SPANNER SET (8 PIECE)

Expert Quality, unique ratcheting open-end design. Draper Expert HI-TORQ® 180° flexible head reversing ratchet ring requiring only 5° movement to turn fastener. Both ratcheting facilities are especially useful in confined spaces. Forged from chrome vanadium steel, hardened, tempered, chrome plated and fully polished throughout. Display packed.

Contents: 8, 10, 12, 13, 14, 15, 17 and 19mm

Stock No.
07034



"DAVE SAYS" QUALITY MAKES THE DIFFERENCE

These versatile tools are extremely useful for working in confined spaces, for instance under the bonnet where space is tight, especially in today's hi-tech vehicle engines. The ratchet action requires just 5° movement to turn each fastener. Some sets are available with a reverse mechanism.

If space is even more at a premium, then the flexible head version is more than ideal. The head pivots through 180° to gain access to even tighter locations.







1 8230MM

DRAPER HI-TORQ® METRIC RATCHETING COMBINATION SPANNERS

Open end set at 15°. HI-TORQ® ring end manufactured with 72 teeth ratcheting mechanism. Forged from chrome vanadium steel, hardened, tempered, chrome plated. Display packed.

Stock No.	Size	Length
31002	5.5mm	114mm
31003	6mm	114mm
31004	7mm	114mm
31005	8mm	132mm
31006	9mm	132mm
31007	10mm	150mm
31008	11mm	168mm
31009	12mm	186mm
31010	13mm	186mm
31011	14mm	204mm
31012	15mm	204mm
31013	16mm	222mm
31014	17mm	222mm
31015	18mm	240mm
31018	19mm	240mm
31019	20mm	240mm
31020	21mm	249mm
31022	22mm	249mm
31023	24mm	271mm
31024	25mm	294mm
31025	27mm	294mm
31026	30mm	323mm
31027	32mm	390mm
31028	34mm	390mm



REVERSIBLE

2 8230RMMB

DRAPER HI-TORQ® METRIC RATCHETING COMBINATION SPANNERS

Open end set at 15°. Draper HI-TORQ® ratchet ring end offset at 15°. With forward/reverse direction changer on ring end - only 5° movement required to turn fastener, especially useful in confined spaces. Forged from chrome vanadium steel, hardened, tempered, chrome plated and fully polished throughout. Display packed.

Stock No.	Size	Length
51967	8mm	137mm
51968	9mm	143mm
51973	10mm	160mm
51977	11mm	165mm
51999	12mm	170mm
52001	13mm	178mm
52002	14mm	190mm
52003	15mm	200mm
52004	16mm	210mm
52005	17mm	220mm
52006	18mm	235mm
52008	19mm	245mm



FLEXIBLE HEAD

3 8230FMMB

DRAPER HI-TORQ® METRIC FLEXIBLE HEAD RATCHETING COMBINATION SPANNERS

The Draper HI-TORQ® flexible head allows movement through 180°. Only 5° movement required to turn fastener, especially useful in confined spaces. Forged from chrome vanadium steel, hardened, tempered, chrome plated and fully polished throughout. Display packed.

Stock No.	Size	Length
52009	8mm	140mm
52010	9mm	150mm
52011	10mm	160mm
52012	11mm	165mm
52013	12mm	170mm
52014	13mm	178mm
52016	14mm	190mm
52017	15mm	200mm
52018	16mm	210mm
52019	17mm	220mm
52020	18mm	235mm
52021	19mm	245mm
52022	21mm	284mm
52024	22mm	284mm
52025	24mm	324mm
52026	25mm	324mm
52027	30mm	324mm



4 8230MM/7

DRAPER HI-TORQ® METRIC RATCHETING COMBINATION SPANNER SET (7 PIECE)

Open end set at 15°. Only 5° movement required to turn fastener, especially useful in confined spaces. Forged from chrome vanadium steel, hardened, tempered, chrome plated and fully polished throughout. Display packed.

Contents: 8, 10, 12, 13, 14, 17 and 19mm

Stock No.
25397



REVERSIBLE

5 8230RMM/7

DRAPER HI-TORQ® REVERSIBLE RATCHETING COMBINATION SPANNER SET (7 PIECE)

Convenient to use reversible ratcheting spanners, is especially suited for use in confined spaces as only 5° movement is required. Manufactured from chrome vanadium steel with 15° offset head. Display packed.

Contents:

- 8, 10, 12, 13, 14, 17 and 19mm

Stock No.
51179



FLEXIBLE HEAD

6 8230FMM/7

DRAPER HI-TORQ® METRIC FLEXIBLE HEAD RATCHETING COMBINATION SPANNER SET (7 PIECE)

Open end set at 15°. The Draper HI-TORQ® flexible head allows movement through 180°. Only 5° movement required to turn fastener, especially useful in confined spaces. Forged from chrome vanadium steel, hardened, tempered, chrome plated and fully polished throughout. Display packed.

Contents: 8, 10, 12, 13, 14, 17 and 19mm

Stock No.
25396




DRAPER EXPERT HI-TORQ® SPANNERS

Chrome vanadium steel, hardened, tempered and chrome plated for corrosion protection
Featuring Draper Expert Hi-Torq® for superior grip (see below)



"DAVE SAYS" QUALITY MAKES THE DIFFERENCE

What is Draper Expert HI-TORQ? - "Draper Expert HI-TORQ" spanners grip on the flats of the fastener - not the corners. This gives more grip - therefore more torque can be transmitted to the nut or bolt. It also prevents damaging the corners by spreading the load on the flats not the corners.







ELECTROPLATED BLACK FINISH



ELECTROPLATED BLACK FINISH

1 8230MM/7/BK

METRIC 7 PCE. DRAPER HI-TORQ® RATCHETING COMBINATION SPANNER SET

Open end set at 15°. Only 5° movement required to turn fastener, especially useful in confined spaces. Manufactured from hardened and tempered chrome vanadium steel with electro plated black finish. Display packed.

Contents: 8, 10, 12, 13, 14, 17 and 19mm

Stock No.
51178

2 8230FMM/7/BK

FLEXIBLE HEAD RATCHETING METRIC COMBINATION SPANNER SET (7 PIECE)

Generally in accordance with DIN Specifications

7 piece metric spanner set, created with a flexi-head that allows 180° movement. Open end set at 15° and only 5° movement required to turn fastener, especially useful in confined spaces. Manufactured from hardened and tempered chrome vanadium steel, with an electro plated black finish.

Contents: 8, 10, 12, 13, 14, 17 and 19mm

Stock No.
15087



3 651/5/MM

RATCHET RING SPANNER SET (5 PIECE)

Reversible ratcheting ring head in each end. Display packed.

Contents: 6 x 8, 10 x 11, 13 x 14, 15 x 17 and 19 x 22mm.

Stock No.
31991



4 651

METRIC RATCHETING RING SPANNERS

Reversible ratcheting ring head in each end. Display packed.

Stock No.	Size	Length
31993	6 x 8mm	110mm
31994	10 x 11mm	135mm
31995	13 x 14mm	165mm
31996	15 x 17mm	200mm
31997	19 x 22mm	225mm



5 653/5/MM

OFFSET METRIC RATCHETING RING SPANNER SET (5 PIECE)

Reversible ratcheting ring head in each end. Working parts manufactured from chrome vanadium steel hardened and tempered, with plastic coated carbon steel body panels. Display packed.

Contents: 6 x 8, 10 x 12, 11 x 13, 14 x 17 and 19 x 21mm.

Stock No.
39226

EACH COLOUR CODED HANDLE REPRESENTS A DIFFERENT SIZE



1 8232/MM/C

HI-TORQ® METRIC COLOURED COMBINATION SPANNER SET (13 PIECE)

Generally in accordance with DIN Specifications

Expert Quality, HI-TORQ® ring end cranked at 15°. Open end set at 15°. Forged from chrome vanadium steel, hardened, tempered and coloured chrome plated. Each colour represents a different size. Supplied on wall mountable plastic storage rack. Display packed.

Contents: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17 and 19mm

Stock No.
23017



2 8224/12/MM

DRAPER EXPERT HI-TORQ® METRIC COMBINATION SPANNER SET (12 PIECE)

Generally in accordance with DIN3113 Specifications

Expert Quality, with Draper Expert HI-TORQ® deep offset pattern ring end. Open end set at 15°. Forged from chrome vanadium steel, hardened, tempered, chrome plated and fully polished throughout. Supplied on wall mountable plastic rack. Display packed.

Contents: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19 and 22mm

Stock No.
64605



3 8224MM

DRAPER EXPERT HI-TORQ® METRIC COMBINATION SPANNERS

Generally in accordance with DIN3113 Specifications

Expert Quality, with Draper Expert HI-TORQ® deep offset ring end cranked at 15°. Open end set at 15°. Long pattern forged from chrome vanadium steel, hardened, tempered, chrome plated and fully polished throughout. Display packed.

Stock No.	Size	Length
54279	6mm	100mm
54280	7mm	112mm
54281	8mm	148mm
54282	9mm	158mm
54283	10mm	147mm
54284	11mm	159mm
54285	12mm	165mm
54286	13mm	183mm
54287	14mm	185mm
54288	15mm	207mm
54289	16mm	219mm
54290	17mm	254mm
54291	18mm	243mm
54292	19mm	256mm
54293	20mm	268mm
54294	21mm	302mm
54295	22mm	292mm
55679	23mm	292mm
54297	24mm	338mm
55680	25mm	354mm
55681	26mm	349mm
54300	27mm	349mm
55682	28mm	349mm
55683	29mm	408mm
54302	30mm	424mm
54303	32mm	408mm



4 8224/8/MM

DRAPER EXPERT HI-TORQ® METRIC COMBINATION SPANNER SET (8 PIECE)

Generally in accordance with DIN3113 Specifications

Expert Quality, with Draper Expert HI-TORQ® deep offset pattern ring end. Open end set at 15°. Forged from chrome vanadium steel, hardened, tempered, chrome plated and fully polished throughout. Supplied on wall mountable plastic rack. Display packed.

Contents: 8, 9, 10, 11, 12, 13, 14 and 17mm

Stock No.
64604

NEW



5 8220/12/MM

DRAPER EXPERT HI-TORQ® METRIC COMBINATION SPANNER SET (12 PIECE)

Generally in accordance with DIN3113 Specifications

Expert Quality, forged from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Polished Draper HI-TORQ® ring end offset at 15°. Jaw offset at 15°. Display packed.

Contents: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18 and 19mm

Stock No.
47044



6 8222/8/AF

DRAPER EXPERT HI-TORQ® IMPERIAL COMBINATION SPANNER SET (8 PIECE)

Generally in accordance with DIN Specifications

Expert Quality, with Draper Expert HI-TORQ® ring end cranked at 15°. Open end set at 15°. Forged from hardened and tempered chrome vanadium steel. Supplied on wall mountable plastic storage rack. Display packed.

Contents: 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4

Stock No.
85939

7 8222/12/AF

DRAPER EXPERT HI-TORQ® IMPERIAL COMBINATION SPANNER SET (12 PIECE)

Generally in accordance with DIN Specifications

Expert Quality, with Draper Expert HI-TORQ® ring end cranked at 15°. Open end set at 15°. Forged from hardened and tempered chrome vanadium steel. Supplied on wall mountable plastic storage rack. Display packed.

Contents: 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8,15/16, 1"

Stock No.
85940





1 8220MM

DRAPER HI-TORQ® METRIC COMBINATION SPANNERS

Generally in accordance with DIN3113 Specifications

Expert Quality, forged from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Polished Draper HI-TORQ® ring end offset at 15°. Jaw offset at 15°. Display packed.

Stock No.	Size	Length
84737	6mm	115mm
84745	7mm	125mm
84753	8mm	130mm
84761	9mm	135mm
35352	10mm	140mm
35360	11mm	150mm
84779	12mm	160mm
35378	13mm	170mm
35386	14mm	190mm
35394	15mm	215mm
13183	16mm	205mm
35013	17mm	225mm
13184	18mm	240mm
84787	19mm	250mm
36924	20mm	260mm
36925	21mm	270mm
36926	22mm	285mm
56222	23mm	300mm
36927	24mm	310mm
36929	27mm	345mm
36930	30mm	375mm
36931	32mm	390mm



2 8220AF

DRAPER HI-TORQ® AF COMBINATION SPANNERS

Generally in accordance with DIN3113 Specifications

Expert Quality, forged from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Polished Draper HI-TORQ® ring end offset at 15°. Jaw offset at 15°. Display packed.

Stock No.	Size	Length
84646	1/4"	115mm
84654	5/16"	130mm
35287	3/8"	140mm
35295	7/16"	150mm
35302	1/2"	170mm
35310	9/16"	190mm
35328	5/8"	215mm
35336	11/16"	225mm
35344	3/4"	250mm
36932	7/8"	285mm
36933	15/16"	310mm
36934	1"	320mm
36935	1.1/16"	351mm
36937	1.1/8"	360mm
36938	1.1/4"	412mm



3 8220/11/MM

DRAPER HI-TORQ® METRIC COMBINATION SPANNER SET (11 PIECE)

Generally in accordance with DIN3113 Specifications

Expert Quality, forged from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Draper HI-TORQ® ring end offset at 15°. Jaw offset at 15°. Supplied in Tetron divided wallet with tie cord. Display packed.

Contents: 6, 7, 8, 9, 10, 11, 12, 13, 14, 17 and 19mm.

Stock No.
29545



4 8220/14/MM

DRAPER HI-TORQ® METRIC COMBINATION SPANNER SET (14 PIECE)

Generally in accordance with DIN3113 Specifications

Expert Quality, forged from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Draper HI-TORQ® ring end offset at 15°. Jaw offset at 15°. Supplied in Tetron divided wallet with tie cord. Display packed.

Contents: 8, 9, 10, 11, 12, 13, 14, 17, 19, 22, 24, 27, 30 and 32mm.

Stock No.
29547



6 8220/14/AF

DRAPER HI-TORQ® AF COMBINATION SPANNER SET (14 PIECE)

Generally in accordance with DIN3113 Specifications

Expert Quality, forged from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Draper HI-TORQ® ring end offset at 15°. Jaw offset at 15°. Supplied in Tetron divided wallet with tie cord. Display packed.

Contents: 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1.1/16, 1.1/8, 1.1/4" AF.

Stock No.
29548



5 8220/11/AF

DRAPER HI-TORQ® AF COMBINATION SPANNER SET (11 PIECE)

Generally in accordance with DIN3113 Specifications

Expert Quality, forged from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Draper HI-TORQ® ring end offset at 15°. Jaw offset at 15°.Supplied in Tetron divided wallet with tie cord. Display packed. Contents: 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16 and 7/8" AF

Stock No.
29546



7 8233/14/MM

DRAPER HI-TORQ® METRIC COMBINATION SPANNER SET (14 PIECE)

Generally in accordance with DIN3113 Specifications

Forged from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Draper HI-TORQ® ring end offset at 15°. Jaw offset at 15°. Supplied in vinyl divided wallet with tie cord. Display carton.

Contents: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 21, 22 and 24mm.

Stock No.
34236

NEW



8 BAW-FN

FLARE NUT SPANNER SET (6 PIECE)

150mm flare nut spanners made from chrome vanadium steel with a matt finish. Designed to fit over pipes and onto the nut. Can be used on hydraulic pipes, brake pipes etc. Supplied in a canvas wallet.

Contents;

6 x 8, 9 x 11, 10 x 12, 13 x 14, 14 x 17, 19 x 22mm

Stock No.
17759



1 7105MM

DRAPER EXPERT HI-TORQ® DEEP OFFSET METRIC RING SPANNERS

Generally in accordance with DIN 838 specifications

Expert Quality, with Draper Expert HI-TORQ® ring ends cranked at 15°, except Stock Nos. 55703 to 55708 which are bi-hexagon. Long pattern forged from chrome vanadium steel, hardened, tempered, chrome plated and fully polished throughout. Display packed on header card; 6 x 7-20 x 22mm. Polybag with barcode label; 21 x 23-55 x 60mm.

Stock No.	Size	Ring Type	Length
55684	6x7mm	HI-TORQ	161mm
55685	8x9mm	HI-TORQ	180mm
55687	10x11mm	HI-TORQ	193mm
55688	12x13mm	HI-TORQ	219mm
55690	14x15mm	HI-TORQ	239mm
55691	16x17mm	HI-TORQ	262mm
55692	17x19mm	HI-TORQ	290mm
55693	18x19mm	HI-TORQ	320mm
55694	20x22mm	HI-TORQ	320mm
55695	21x23mm	HI-TORQ	310mm
55696	22x24mm	HI-TORQ	325mm
55698	24x26mm	HI-TORQ	337mm
55699	24x27mm	HI-TORQ	337mm
55700	25x28mm	HI-TORQ	346mm
55701	27x30mm	HI-TORQ	360mm
55702	30x32mm	HI-TORQ	360mm
55703	32x36mm	Bi-hex.	412mm
55705	36x41mm	Bi-hex.	443mm
55706	41x46mm	Bi-hex.	483mm
55707	46x50mm	Bi-hex.	515mm
55708	55x60mm	Bi-hex.	560mm



3 7105/8/MM

DRAPER EXPERT HI-TORQ® DEEP OFFSET METRIC RING SPANNER SET (8 PIECE)


Generally in accordance with DIN 838 Specifications

Expert Quality, with Draper Expert HI-TORQ® ring end cranked at 15°. Long pattern forged from chrome vanadium steel, hardened, tempered, chrome plated and fully polished throughout. Supplied on wall mountable plastic rack. Display packed.

Contents: 6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19 and 20 x 22mm

Stock No.
64607





2 5055MM

METRIC OPEN END SPANNERS

Generally in accordance with DIN3113 Specifications

Expert Quality, forged from chrome vanadium steel hardened, tempered, chrome plated and fully polished. Open ends set at 15°.

* Display packed on header card.

† Sold loose in polybag with barcode label.

Stock No.	Size	Length
55709	6x7mm*	122mm
55710	8x9mm*	140mm
55711	8x10mm*	140mm
55713	10x11mm*	156mm
55714	12x13mm*	172mm
55715	13x17mm*	205mm
55716	14x15mm*	190mm
55717	16x17mm*	204mm
55718	17x19mm*	223mm
55719	18x19mm*	223mm
55721	19x22mm*	236mm
55722	20x22mm*	236mm
55723	21x23mm†	250mm
55724	22x24mm†	250mm
55725	24x26mm†	265mm
55726	24x27mm†	265mm
55727	25x28mm†	280mm
55728	27x30mm†	280mm
55729	27x32mm†	302mm
55730	30x32mm†	302mm
55731	32x36mm†	325mm



4 5055/8/MM


METRIC OPEN END SPANNER SET (8 PIECE)

Generally in accordance with DIN3110 Specifications

Expert Quality, forged from chrome vanadium steel hardened, tempered, chrome plated and fully polished. Open ends set at 15°. Supplied on wall mountable plastic rack. Display packed.

Contents: 6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19 and 20 x 22mm

Stock No.
64609




5 8226/7/MM

DRAPER HI-TORQ® METRIC STUBBY COMBINATION SPANNER SET (7 PIECE)

Ideal for use in confined working areas. Forged from carbon steel hardened, tempered, chrome plated and fully polished. Ring is Draper HI-TORQ. Display packed in storage tray.

Contents: 10, 12, 13, 14, 15, 17 and 19mm.

Stock No.
56398



6 7146/8/MM

METRIC OBSTRUCTION/IGNITION MINI SPANNER SET (8 PIECE)

Forged from carbon steel hardened, tempered, chrome plated with mirror polished jaws. These compact wrenches have both jaws offset at 15° which make them ideal for use in otherwise inaccessible positions in confined areas. Display packed.

Contents: 5.0, 5.5, 6.0, 7.0, 8.0, 9.0, 10.0 and 11.0mm.

Stock No.
19754



7 7202/10/MM

METRIC MIDGET COMBINATION SPANNER SET (10 PIECE)

Forged from carbon steel hardened, tempered, chrome plated and mirror polished. These compact wrenches have a 15° offset jaw which make them ideal for use in confined areas. Display packed.

Contents: 4.0, 4.5, 5.0, 5.5, 6.0, 7.0, 8.0, 9.0, 10.0 and 11.0mm.

Stock No.
19756





1 8220 MM

HEAVY DUTY LONG PATTERN METRIC COMBINATION SPANNERS

Generally in accordance with DIN3113 Specifications

Heavy duty long pattern, fully drop forged chrome vanadium steel hardened, tempered and chrome plated. Polished ring end offset at 15°. Jaw offset at 15°. Sold loose in polybags with barcode label.

Stock No.	Size	Length
36954	33mm	460mm
36955	34mm	460mm
36956	36mm	495mm
36957	41mm	530mm
36958	46mm	595mm
36959	50mm	625mm
14957	60mm	660mm
14959	65mm	710mm
14960	70mm	760mm
14961	75mm	810mm
14962	80mm	860mm
14963	85mm	860mm
14964	90mm	900mm
14965	95mm	900mm
14966	100mm	1050mm
14967	105mm	1050mm



2 8220/6/MMXL

HEAVY DUTY METRIC LONG PATTERN COMBINATION SPANNER SET (6 PIECE)

Heavy duty long pattern, fully drop forged chrome vanadium steel hardened, tempered and chrome plated. Polished rings and jaws. Supplied in heavy duty canvas wallet with tie cord.

Contents: 33, 34, 36, 41, 46 and 50mm.

Stock No.
31167



3 8235/32

4 DRAPER HI-TORQ® COMBINATION SPANNER SETS

Generally in accordance with DIN3113 Specifications

Four sets in one comprehensive package - two metric sets and two AF sets. Forged from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Polished Draper HI-TORQ® ring end offset at 15°. Jaw offset at 15°. Supplied in wall mountable plastic storage rack. Display packed.

Contents:

6 piece metric set: 10-15mm; 10 piece metric set: 6-18mm

6 piece AF set: 1/4-5/8"; 10 piece AF set: 1/4-3/4"

Stock No.
26697



4 8235/25/MM

DRAPER HI-TORQ® METRIC COMBINATION SPANNER SET (25 PIECE)

Generally in accordance with DIN3113 Specifications

Forged from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Polished Draper HI-TORQ® ring end offset at 15°. Jaw offset at 15°. Supplied in wall mountable plastic storage rack. Display packed.

Contents: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 30 and 32mm

Stock No.
26696



5 8235/6/MM

DRAPER HI-TORQ® METRIC COMBINATION SPANNER SET (6 PIECE)

Generally in accordance with DIN3113 Specifications

Forged from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Polished Draper HI-TORQ® ring end offset at 15°. Jaw offset at 15°. Supplied in wall mountable plastic storage rack. Display packed.

Contents: 34, 36, 38, 41,46 and 50mm

Stock No.
26695



1 8219/6/MM/B

METRIC COMBINATION SPANNER SET (6 PIECE)

Forged chrome vanadium steel hardened and tempered. Jaws offset at 15°. Display packed.

Contents: 10, 11, 12, 13, 14 and 17mm

Stock No.
80899



2 8219/6/AF/B

IMPERIAL COMBINATION SPANNER SET (6 PIECE)

Forged chrome vanadium steel hardened and tempered. Jaws offset at 15°. Display packed.

Contents: 3/8, 7/16, 1/2, 9/16, 5/8 and 3/4"

Stock No.
80900



3 5049/5/MM

METRIC OPEN END SPANNER SET (5 PIECE)

Forged chrome vanadium steel hardened and tempered. Jaws offset at 15°. Display packed.

Contents: 10 x 11, 12 x 13, 14 x 15, 16 x 17 and 18 x 19mm.

Stock No.
30768



4 5049/5/AF

AF OPEN END SPANNER SET (5 PIECE)

Forged chrome vanadium steel hardened and tempered. Jaws offset at 15°. Display packed.

Contents: 1/4 x 5/16, 3/8 x 7/16, 1/2 x 9/16, 19/32 x 11/16 and 5/8 x 3/4" AF

Stock No.
30767



5 7102/5/MM

CRANKED METRIC RING SPANNER SET (5 PIECE)

Forged from chrome vanadium steel hardened, tempered and chrome plated. Display packed.

Contents: 10 x 11,12 x 13, 14 x 15, 16 x 17 and 18 x 19mm.

Stock No.
35089





6 8236/4/MM

HALF MOON (OBSTRUCTION) RING SPANNER SET (4 PIECE)

Manufactured in accordance with DIN3113 Specifications

Forged from chrome vanadium steel hardened, tempered and satin chrome plated for corrosion protection. Draper HI-TORQ® ring ends. Designed for working in confined spaces. Supplied in wallet. Sold loose.

Contents: 11 x 13, 13 x 15, 14 x 17 and 19 x 22mm

Stock No.
07210



7 8237/5/MM

S-TYPE (OBSTRUCTION) RING SPANNER SET (5 PIECE)

Manufactured in accordance with DIN3113 Specifications

Forged from chrome vanadium steel hardened, tempered and satin chrome plated for corrosion protection. Designed for working in confined spaces. Supplied in wallet. Sold loose.

Contents: 10 x 11, 12 x 13, 14 x 15, 16 x 17 and 18 x 19mm

Stock No.
07211



1 D-CRF8

3/8" Sq. Dr. METRIC CROW FOOT SPANNER SET ON RAIL (8 PIECE)

Expert Quality, for use in confined areas. Manufactured from good quality carbon steel hardened and tempered with black phosphate finish. Supplied on rail for easy storage. Display packed.

Contents: 10, 12, 13, 14, 15, 17, 19 and 22mm

Stock No.
61034



2 SCAFS

7/16" WHITWORTH SCAFFOLDERS SPANNER

Chrome vanadium steel with knurling on handle for extra grip. Bi-hexagon socket head swings through 90° in both directions. Display packed.

Stock No.
05720



3 5225/6/MM


METRIC BOX SPANNER SET (6 PIECE)

Manufactured in accordance with BS2558 Specifications

Double ended, manufactured from high quality carbon steel, zinc plated for corrosion protection. Sets include tommy bars. Display packed.

Contents: 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17 and 18 x 19mm, with two tommy bars 100mm and 150mm long.

Stock No.
28967



4 THS/M

T-HANDLE METRIC SOCKET WRENCHES

Expert Quality, with sockets manufactured from chrome vanadium steel hardened and tempered with carbon steel PVC dipped handles. Display packed.

Stock No.	Size
72791	8mm
72792	10mm
72793	12mm
72794	13mm
72795	14mm
72796	17mm



5 865/NS

SOFT GRIP NUT SPINNERS

Chrome vanadium steel blades hardened, tempered with satin chrome plated finish. Each socket has a hex on the base providing extra grip when more torque is required. Fitted with soft grip handles with moulded inserts. Display packed.

Stock No.	Socket Size	Blade Length
63381	4mm	150mm
63409	5mm	150mm
63477	6mm	150mm
63498	7mm	150mm
63499	8mm	150mm
63502	9mm	150mm
63506	10mm	150mm
63507	11mm	150mm
63508	12mm	150mm
63509	13mm	150mm



6 865/NS/7

SOFT GRIP NUT SPINNER SET (7 PIECE)

Chrome vanadium steel blades hardened, tempered with satin chrome plated finish. Each socket has a hex on the base providing extra grip when more torque is required. Fitted with soft grip handles with moulded inserts. Display packed.

Contents: 5, 6, 7, 8, 9, 10, 13mm

Stock No.
63510



7 LPS

RATCHETING PODGER SPANNERS

Reversible ratcheting podger spanner, 310mm long. Manufactured from chrome vanadium steel applied with a satin chrome plating for corrosion resistance. Forged with a hole for secure attachment to a lanyard.

Stock No.	Size
41563	17mm
41568	19mm
41569	21mm



8 5894

SINGLE OPEN END METRIC SPANNERS

Forged from chrome vanadium steel with head angle set at 15°. Raised collar around jaw. Hardened, tempered and black phosphate finish. Especially suitable for use in areas where chemicals and chrome plate can give off poisonous fumes. Sold loose.

Stock No.	Size	Length
37517	8mm	93mm
37519	9mm	100mm
37520	10mm	106mm
37522	11mm	122mm
37523	12mm	125mm
37524	13mm	140mm
37525	14mm	140mm
37526	15mm	150mm
37527	16mm	157mm
37528	17mm	157mm
37529	18mm	170mm
37530	19mm	170mm
37531	22mm	194mm
37532	24mm	215mm
37533	27mm	239mm
37534	30mm	261mm
37535	32mm	273mm
37536	36mm	297mm
37537	41mm	377mm
37538	46mm	377mm
37539	50mm	410mm



9 120MM

METRIC RING SLOGGING SPANNERS

Based on DIN7444 Specifications

Flat pattern spanners with striking end. Forged from good quality carbon steel, hardened, tempered with black phosphate finish. Length +/- 5mm. Sold loose.

Stock No.	Size	Length
31419	30mm	188mm
31420	32mm	188mm
31421	36mm	198mm
31422	41mm	218mm
31423	46mm	228mm
31424	50mm	243mm
31425	55mm	258mm
31426	60mm	269mm
31427	65mm	289mm
31428	70mm	318mm
31431	75mm	318mm
31432	80mm	368mm
44199	85mm	368mm
44201	90mm	368mm
44203	95mm	410mm



1 AWSG

SOFT GRIP ADJUSTABLE WRENCHES

Expert Quality, crescent-type wrenches manufactured from chrome vanadium steel hardened and tempered with a black oxide finish. Soft grip handles for comfort with metric scale on fixed jaw. Display packed.

Stock No.	Length	Capacity
24893	150mm	19mm
24894	200mm	24mm
24896	250mm	30mm
24897	300mm	38mm



2 365

ADJUSTABLE WRENCHES

Expert Quality, crescent-type wrenches manufactured from chrome vanadium steel hardened and tempered with black phosphate finish, polished profile and jaws. Jaws offset at 22°. The 150, 200, 250 and 300mm sizes have a graduated scale on the fixed jaws. Suitable for use in areas where chemicals and chrome plate can give off poisonous fumes. Display packed.

Stock No.	Length	Capacity
52679	150mm	24mm
52680	200mm	29mm
52681	250mm	33mm
52682	300mm	38mm
52683	375mm	45mm
52684	450mm	57mm



3 370CP

ADJUSTABLE WRENCHES

Expert Quality, crescent-type wrenches manufactured from chrome vanadium steel hardened, tempered and chrome plated with mirror polished jaws offset at 22°. Display packed.

Stock No.	Length	Capacity
30047	150mm	19mm
30055	200mm	24mm
30063	250mm	30mm
30071	300mm	35mm
71552	375mm	45mm
71544	450mm	52mm
56771	600mm	62mm



4 380CD/SG

SOFT GRIP ADJUSTABLE WRENCHES

Crescent-type wrenches manufactured from carbon steel hardened, tempered with micro nickel finish. Metric scale on head. Soft grip handle for user comfort.
Display packed.

Stock No.	Length	Capacity
88601	150mm	19mm
88602	200mm	24mm
88603	250mm	35mm
88604	300mm	38mm





5 380CD/SG3

SOFT GRIP ADJUSTABLE WRENCH SET

Crescent-type wrenches manufactured from carbon steel hardened, tempered with micro nickel finish. Metric scale on head. Soft grip handle for user comfort.
Display packed.
Contents: 150, 200 and 250mm long

Stock No.
88598



6 320SG

200MM WIDE JAW ADJUSTABLE WRENCH

Manufactured from chrome vanadium steel hardened and tempered with a black phosphate finish and soft grip handle. Jaws offset at 22° with a graduated scale etched into the head.

Stock No.	Length	Capacity
16246	200mm	38mm



7 16

230mm ADJUSTABLE WRENCH

A general purpose wrench with wide jaw surfaces for secure grip. Chrome plated for corrosion protection.
Display packed.

Stock No.	Capacity
29907	60mm



8 HWC

ADJUSTABLE HOOK WRENCHES

Chrome vanadium steel hardened, tempered and chrome plated. Sold loose.

Stock No.	Length	Capacity
68856	165mm	19-51mm
68857	205mm	32-76mm
69099	290mm	51-121mm



1 MH61PRO/B

3/8, 1/2" Sq. Dr. MECHANIC'S SOCKET AND BIT SET (61 PIECE)

Expert Quality, comprises sockets, 10mm and 14mm insert bits. All are manufactured from the highest quality hardened and tempered steels. Packed in blow mould carrying case and display sleeve.

Contents:


- bit holder 10mm hexagon x 3/8" sq. drive
- bit holder 10mm hexagon x 1/2" sq. drive
- bit holder 14mm hexagon x 1/2" sq. drive
- 8 Draper TX-STAR® security bits: T20, T25, T27, T30, T40, T45, T50 and T55 x 30mm long
- 2 Draper TX-STAR® security bits: T60 and T70 x 50mm long
- 8 Draper TX-STAR® bits: T20, T25, T27, T30, T40, T45, T50 and T55 x 75mm long
- 2 Draper TX-STAR® bits: T60 and T70 x 78mm long
- 5 spline bits: 5, 6, 8, 10 and 12mm x 30mm long
- 4 spline bits: 6, 8, 10 and 12mm x 75mm long
- 7 hexagonal bits: 4, 5, 6, 7, 8, 10 and 12 x 30mm long
- 5 hexagonal bits: 5, 6, 7, 8 and 10mm x 75mm long
- 2 plain slot bits: 8 and 10mm x 30mm long
- 3 PZ TYPE bits: No.1, 2 and 3 x 30mm long
- 5 Draper TX-STAR® 1/4" sq .dr. sockets size: E4, E5, E6, E7 and E8
- 4 Draper TX-STAR® 3/8" sq. dr. sockets size: E10, E11, E12 and E14
- 3 Draper TX-STAR® 1/2" sq. dr. sockets size: E16, E18 and E20

Stock No.
63376

BITS & BIT SETS

Made from the highest quality hardened and tempered steel, which produces extremely reliable bits ideally suited for a range of jobs in professional environments like workshops or garages. Made For The Trade






2 MH40/SC/B

3/8, 1/2" Sq. Dr. MECHANIC'S BIT SET (40 PIECE)

Expert Quality, insert bits manufactured from S2 silicon steel, hardened and tempered with shot blasted finish. Bit holders made from chrome vanadium steel hardened, tempered and chrome plated. Spare bits are available. Packed in steel case and display carton. Contents:

- bit holder 10mm hexagon x 3/8" sq. drive • bit holder 10mm hexagon x 1/2" sq. drive • 7 Draper TX-STAR® bits: T20, T25, T30, T40, T45, T50 and T55 x 30mm long
- 7 Draper TX-STAR® bits: T20, T25, T30, T40, T45, T50 and T55 x 75mm long • 5 spline bits: 5, 6, 8, 10 and 12mm x 30mm long • 5 spline bits: 5, 6, 8, 10 and 12mm x 75mm long • 7 hexagonal bits: 4, 5, 6, 7, 8, 10 and 12 x 30mm long • 7 hexagonal bits: 4, 5, 6, 7, 8, 10 and 12mm x 75mm long

Stock No.
33322




4 YMH40/SC/B

SPARE 10mm HEX. INSERT BITS FOR MECHANIC'S BIT SETS

Expert Quality, 10mm insert bits for use with Mechanic's Bit Sets. Sold loose.

Stock No.	Bit Type	Size	Bit Length
33325	Hexagonal	4mm	30mm
33326	Hexagonal	5mm	30mm
33327	Hexagonal	6mm	30mm
33328	Hexagonal	7mm	30mm
33329	Hexagonal	8mm	30mm
33330	Hexagonal	10mm	30mm
33331	Hexagonal	12mm	30mm
33332	Hexagonal	4mm	75mm
33333	Hexagonal	5mm	75mm
33334	Hexagonal	6mm	75mm
33335	Hexagonal	7mm	75mm
33336	Hexagonal	8mm	75mm
33337	Hexagonal	10mm	75mm
33338	Hexagonal	12mm	75mm
33339	Spline	M5	30mm
33340	Spline	M6	30mm
33341	Spline	M8	30mm
33342	Spline	M10	30mm
33343	Spline	M12	30mm
33344	Spline	M5	75mm
33345	Spline	M6	75mm
33346	Spline	M8	75mm
33348	Spline	M10	75mm
33349	Spline	M12	75mm
33350	Draper TX-STAR®T20		30mm
33351	Draper TX-STAR®T25		30mm
33352	Draper TX-STAR®T30		30mm
33353	Draper TX-STAR®T40		30mm
33354	Draper TX-STAR®T45		30mm
33355	Draper TX-STAR®T50		30mm
33356	Draper TX-STAR®T55		30mm
81743	Draper TX-STAR®T70		30mm
33357	Draper TX-STAR®T20		75mm
33359	Draper TX-STAR®T25		75mm
33360	Draper TX-STAR®T30		75mm
33361	Draper TX-STAR®T40		75mm
33363	Draper TX-STAR®T45		75mm
33365	Draper TX-STAR®T50		75mm
33366	Draper TX-STAR®T55		75mm
33369	Bit Holder 3/8" sq. dr. 10mm hex.		



3 MH40/BMC/B

3/8, 1/2" Sq. Dr. MECHANIC'S BIT SET (40 PIECE)

Manufactured from hardened and tempered chrome vanadium steel with shot blasted finish. Spare bits are available. Packed in impact resistant plastic case. Display carton. Contents: • bit holder 10mm hexagon x 3/8" sq. drive • bit holder 10mm hexagon x 1/2" sq. drive

- 7 x 30mm and 7 x 75mm Draper TX-STAR® bits: T20, T25, T30, T40, T45, T50 and T55 • 5 x 30mm and 5 x 75mm spline bits: 5, 6, 8, 10 and 12mm • 7 x 30mm and 7 x 75mm hexagonal bits: 4, 5, 6, 7, 8, 10 and 12

Stock No.
33323



5

1/4" HEX. DRAPER TX-STAR® E SHANK INSERT BITS

Chrome vanadium steel hardened, tempered with shot blast finish. Supplied in 1 or 2's. Display packed.

Stock No.	Size	Bit Length	Bits per Pack
66338	T6	25mm	2
66421	T7	25mm	2
66426	T8	25mm	2
66427	T9	25mm	2
66428	T10	25mm	2
66429	T15	25mm	2
66430	T20	25mm	2
66431	T25	25mm	2
66434	T27	25mm	2
66435	T30	25mm	2
66437	T40	25mm	2
66481	T6	50mm	2
66483	T7	50mm	2
66484	T8	50mm	2
66485	T9	50mm	2
66486	T10	50mm	2
66487	T15	50mm	2
66488	T20	50mm	2
66489	T25	50mm	2
66490	T27	50mm	2
66491	T30	50mm	2
66624	T40	50mm	2
66827	T6	75mm	2
66829	T7	75mm	2
66830	T8	75mm	2
66843	T9	75mm	2
66845	T10	75mm	2
66847	T15	75mm	2
66848	T20	75mm	2
66849	T25	75mm	2
66851	T27	75mm	2
66852	T30	75mm	2
66853	T40	75mm	2
66905	T6	100mm	1
66906	T7	100mm	1
66907	T8	100mm	1
66908	T9	100mm	1
66911	T10	100mm	1
66913	T15	100mm	1
66929	T20	100mm	1
66938	T25	100mm	1
66940	T27	100mm	1
67006	T30	100mm	1
67014	T40	100mm	1



1 995TX

SOFT GRIP TX-STAR® SCREWDRIVERS

Expert Quality, SVCM+ blades which are hardened and satin chrome plated with sand blasted tips. Attached to a soft grip, oil and solvent resistant handle.

Stock No.	Blade Tip	Blade Length
35034	T6	75mm
35039	T7	75mm
35051	T8	75mm
35058	T9	75mm
35071	T10	75mm
35074	T15	100mm
35077	T20	100mm
35080	T25	100mm



2 995TXT

SOFT GRIP TX-STAR® SECURITY SCREWDRIVERS

Expert Quality, SVCM+ blades which are hardened and satin chrome plated with sand blasted tips. Attached to a soft grip, oil and solvent resistant handle.

Stock No.	Blade Tip	Blade Length
35137	T10	75mm
35141	T15	100mm
35143	T20	100mm
35145	T25	100mm
35147	T27	100mm
35148	T30	100mm
35150	T40	100mm



3 976

SOFT GRIP ENGINEER'S TX-STAR® SECURITY SCREWDRIVERS

Screwdrivers manufactured from chrome vanadium steel with a satin chrome plated finish and a magnetised tip. The screwdriver is fitted with a bi-material soft grip handle providing user comfort, even when used for prolonged periods. The handles have a hanging hole, which can be used to place a 'T' bar through when extra torque is required.

Stock No.	Blade Tip	Blade Length
63563	T10T	75mm
63564	T15T	100mm
63565	T20T	100mm
63566	T25T	100mm



4 865TX

SOFT GRIP DRAPER TX-STAR® SCREWDRIVERS

Draper TX-STAR products are compatible with †Torx fixing systems

Chrome vanadium steel blades hardened, tempered with satin chrome plated finish and sand blasted tips. Soft grip handle with moulded inserts. Display packed in individual storage hanger with barcode on reverse.

Stock No.	Blade Tip	Blade Length
34254	T6	75mm
34258	T7	75mm
34260	T8	75mm
34261	T9	75mm



5 865TXT

SOFT GRIP DRAPER TX-STAR® SECURITY SCREWDRIVERS

Draper TX-STAR products are compatible with †Torx fixing systems

Chrome vanadium steel blades hardened, tempered with satin chrome plated finish and sand blasted tips. Soft grip handle with moulded inserts. Display packed in individual storage hanger with barcode on reverse.

Stock No.	Blade Tip	Blade Length
34262	T10T	75mm
34264	T15T	100mm
34266	T20T	100mm
34267	T25T	100mm
34268	T27T	100mm
34269	T30T	115mm
34272	T40T	115mm



6 865/TX/7

SOFT GRIP TX-STAR® DRIVER AND BIT SET (7 PIECE)

Draper TX-STAR® products are compatible with †Torx fixing systems

Chrome plated blade with powerful 1/4" magnetic bit holder. Supplied with six 1/4" 25mm long bits manufactured from chrome vanadium steel hardened and tempered. Display packed.

Contents: T10, T15, T20, T25, T27 and T30

Stock No.	Blade Length
43613	100mm



7 865TXT/8

SOFT GRIP TX-STAR® and TX-STAR® SECURITY SCREWDRIVER SET (8 PIECE)

Draper TX-STAR® products are compatible with †Torx fixing systems

Chrome vanadium steel blades hardened, tempered with satin chrome plated finish and sand blasted tips. Soft grip handle with moulded inserts. Display packed.

Contents: T8, T10T, T15T, T20T, T25T, T27T, T30T and T40T

Stock No.
34251



8 865TXT/11

SOFT GRIP TX-STAR® and TX-STAR® SECURITY SCREWDRIVER SET (11 PIECE)

Draper TX-STAR® products are compatible with †Torx fixing systems

Chrome vanadium steel blades hardened, tempered with satin chrome plated finish and sand blasted tips. Soft grip handle with moulded inserts. Display packed.

Contents: T6, T7, T8, T9, T10T, T15T, T20T, T25T, T27T, T30T and T40T

Stock No.
34253





1 939TX

MECHANIC'S PATTERN DRAPER TX-STAR® DRIVERS

Draper TX-STAR® products are compatible with †Torx fixing systems

Expert Quality, satin chrome plated SVCM steel blades, hardened and tempered with sand blasted tip. Square matt black handles manufactured from high impact resistant plastic.

Stock No.	Blade Tip	Blade Length
19549	T6	75mm
19550	T7	75mm
19551	T8	75mm
19553	T9	75mm



2 939TXT

MECHANIC'S PATTERN DRAPER TX-STAR® SECURITY DRIVERS

Draper TX-STAR® products are compatible with †Torx fixing systems

Expert Quality, satin chrome plated SVCM steel blades, hardened and tempered with sand blasted tip. Square matt black handles manufactured from high impact resistant plastic.

Stock No.	Blade Tip	Blade Length
34114	T10T	75mm
34115	T15T	100mm
34116	T20T	100mm
34117	T25T	100mm
34118	T27T	100mm
34119	T30T	115mm
34120	T40T	115mm



3 939TXT/8

MECHANIC'S PATTERN DRAPER TX-STAR® SECURITY DRIVER SET (8 PIECE)

Draper TX-STAR® products are compatible with †Torx fixing systems

Expert Quality, satin chrome plated SVCM steel blades, hardened and tempered with sand blasted tip. Square matt black handles manufactured from high impact resistant plastic.

Contents: T8T, T10T, T15T, T20T, T25T, T27T, T30T and T40T

Stock No.
27017



4 TXT953/11

MECHANIC'S PATTERN DRAPER TX-STAR® SECURITY DRIVER SET (11 PIECE)

Draper TX-STAR® products are compatible with †Torx fixing systems

Expert Quality, satin chrome plated SVCM steel blades, hardened and tempered with sand blasted tip. Square matt black handles manufactured from high impact resistant plastic. Packed in plastic carrying case with transparent lid.

Contents: T6T, T7T, T8T, T9T, T10T, T15T, T20T, T25T, T27T, T30T and T40T

Stock No.
53515



5 970TX

DRAPER TX-STAR® DRIVERS

Draper TX-STAR® products are compatible with †Torx fixing systems

Expert Quality, screwdrivers with hardened SVCM satin chrome plated blades and sand blasted tips. The handle is manufactured from vulcanized 'soft grip' polymer which is colour coded for easy recognition.

Stock No.	Blade Tip	Blade Length
40046	T6	75mm
40047	T7	75mm
40048	T8	75mm
40049	T9	75mm
40050	T10	75mm
40051	T15	100mm
40052	T20	100mm
40053	T25	100mm




6 970TXT

DRAPER TX-STAR® SECURITY DRIVERS

Draper TX-STAR® products are compatible with †Torx fixing systems

Expert Quality, screwdrivers with hardened SVCM satin chrome plated blades and sand blasted tips. The handle is manufactured from vulcanized 'soft grip' polymer which is colour coded for easy recognition.

Stock No.	Blade Tip	Blade Length
10862	T10T	75mm
10863	T15T	100mm
10864	T20T	100mm
10865	T25T	100mm
10866	T27T	100mm
10867	T30T	100mm
10868	T40T	100mm




1 TTX/SG/B

T-HANDLE DRAPER TX-STAR® KEYS

Draper TX-STAR® products are compatible with †Torx fixing systems

Expert Quality, high leverage keys with conventional Draper TX-STAR® end on the long arm and Draper TX-STAR® security end on the short arm. Manufactured from CRV steel hardened and tempered with high impact-resistant polypropylene handles. Display packed.

Stock No.	Tip	Arm Length Long x Short
54514	T9	100 x 14mm
33897	T10	100 x 14mm
33898	T15	100 x 14mm
33899	T20	100 x 14mm
33900	T25	100 x 14mm
33901	T27	150 x 16mm
33902	T30	150 x 16mm
33903	T40	150 x 16mm
33904	T45	200 x 16mm
33905	T50	200 x 16mm



2 TTX/SG/8/B

SOFT GRIP 'T' HANDLE DRAPER TX-STAR® KEY SET (8 PIECE)


Draper TX-STAR® products are compatible with †Torx fixing systems

Expert Quality, high leverage key set with Draper TX-STAR® long arms and security Draper TX-STAR® end short arms. Manufactured from chrome vanadium steel hardened and tempered. Soft grip handles for extra comfort. Supplied with a wall mountable steel storage rack. Display carton.

Contents: T9, T10, T15, T20 and T25: long leg 100mm x short leg 13mm

T27, T30 and T40: long leg 135mm x short leg 15mm

Stock No.
33872



3 KH8TX/B

DRAPER TX-STAR® POCKET KEY SET (8 PIECE)

Draper TX-STAR® products are compatible with †Torx fixing systems

Manufactured from hardened and tempered chrome vanadium steel with a blacked protective finish. Supplied in pocket knife type holder. Display packed.

Contents: T9, T10, T15, T20, T25, T27, T30 and T40

Stock No.
33826



4 KMHK8-TXT/B

DRAPER TX-STAR® KEY SET (8 PIECE)

Draper TX-STAR® products are compatible with †Torx fixing systems

Expert Quality, manufactured from chrome vanadium steel hardened and tempered. Held in pocket-size plastic storage holder with non-slip grip. Display packed.

Contents: T9, T10, T15, T20, T25, T27, T30 and T40

Stock No.
33840



5 TXK

DRAPER TX-STAR® KEYS

Draper TX-STAR products are compatible with †Torx fixing systems

Manufactured from hardened and tempered chrome vanadium steel with chemically blacked protective finish and chamfered ends. Sold loose.

Stock No.	Size
33619	T10
33621	T15
33623	T20
33624	T25
33625	T27
33628	T30
33632	T40



6 TX8/6/B

DRAPER TX-STAR® KEY SET (6 PIECE)

Draper TX-STAR® products are compatible with †Torx fixing systems

Manufactured from S2 steel, hardened and tempered with a protective blackened finish. Packed in plastic holder on display card. Contents: T25, T30, T40, T45, T50 and T55.

Stock No.
33737



7 TX8TP/6/B

DRAPER TX-STAR® SECURITY KEY SET (6 PIECE)

Draper TX-STAR® products are compatible with †Torx fixing systems

Manufactured from S2 steel hardened and tempered with shot blast finish. Packed in plastic holder on display card.

Contents: T25, T30, T40, T45, T50 and T55

Stock No.
33739



8 TX8/7/B


DRAPER TX-STAR® KEY SET (7 PIECE)

Draper TX-STAR® products are compatible with †Torx fixing systems

Manufactured from S2 steel hardened and tempered with shot blast finish. Packed in plastic holder on display card.

Contents: T10, T15, T20, T25, T27, T30 and T40.

Stock No.
33738



9 TX8TP/7/B


DRAPER TX-STAR® SECURITY KEY SET (7 PIECE)

Draper TX-STAR® products are compatible with †Torx fixing systems

Manufactured from S2 steel hardened and tempered with shot blast finish. Packed in plastic holder on display card.

Contents: T10, T15, T20, T25, T27, T30 and T40.

Stock No.
33740



1 TX8/9/B

DRAPER TX-STAR® KEY SET (9 PIECE)

Draper TX-STAR® products are compatible with †Torx fixing systems

Manufactured from S2 steel hardened and tempered with shot blast finish. Packed in plastic holder on display card.

Contents: T10, T15, T20, T25, T27, T30, T40, T45 and T50.

Stock No.
33743



2 TX8L/9/B

EXTRA LONG DRAPER TX-STAR® KEY SET (9 PIECE)

Draper TX-STAR® products are compatible with †Torx fixing systems

Manufactured from S2 steel hardened and tempered with shot blast finish. Packed in plastic holder on display card.

Contents: T10, T15, T20, T25, T27, T30, T40, T45 and T50.

Stock No.
33748



3 TXKTP


DRAPER TX-STAR® SECURITY KEYS

Draper TX-STAR products are compatible with †Torx fixing systems

Manufactured from hardened and tempered chrome vanadium steel with chemically blacked protective finish and chamfered ends. Sold loose.

Stock No.	Size
33633	T10T
33634	T15T
33638	T20T
33639	T25T
33642	T27T
33647	T30T
33648	T40T

LOOSE VERSIONS OF THESE KEYS ARE AVAILABLE - CONTACT OUR SALES DESK ON +44 (0) 23 8049 4333




4 TXTB9

DRAPER TX-STAR® BALL END KEY SET (9 PIECE)

Draper TX-STAR® products are compatible with †Torx fixing systems

Keys with ball end on the long arm and conventional ends on short arm. The ball type hexagon tip allows the key to be used up to 15° angle from the screwhead recess. Chrome vanadium steel hardened and tempered with satin finish. Held in plastic storage holder with belt clip. Display packed. Contents: T10, T15, T20, T25, T27, T30, T40, T45 and T50.

Stock No.
73035



5 TXT9/C


DRAPER TX-STAR® SECURITY COLOURED KEY SET (9 PIECE)

Draper TX-STAR® security products are compatible with †Torx fixing systems

Expert Quality, blades manufactured from S2 steel hardened and tempered with a coloured satin finish. Each colour signifies a different size. Supplied in fold-out easy release holder. Display packed.

Contents: T10T, T15T, T20T, T25T, T27T, T30T, T40T, T45T and T50T

Stock No.
22204



6 TXL9/C

METRIC COLOURED LONG ARM DRAPER TX-STAR® KEY SET (9 PIECE)

Expert Quality, coloured, long arm, metric ball ended Draper TX-STAR® keys. Manufactured from chrome vanadium steel, hardened, tempered and chrome plated with a protective coloured rubber coating. Each colour signifies a different size. Supplied in fold-out easy release holder.

Contents: T10, T15, T20, T25, T27, T30, T40, T45, T50

Stock No.
66143




7 TX9/C

METRIC COLOURED SHORT ARM DRAPER TX-STAR® KEY SET (9 PIECE)

Expert Quality, coloured, short arm, metric ball ended Draper TX-STAR® keys. Manufactured from chrome vanadium steel, hardened, tempered and chrome plated with a protective coloured rubber coating. Each colour signifies a different size. Supplied in fold-out easy release holder. Contents: T10, T15, T20, T25, T27, T30, T40, T45, T50

Stock No.
66135





8 RIBE/7K/SET

RIBE® KEY SET (7 PIECE)

Expert Quality, manufactured from SNCM steel hardened and tempered with satin chrome finish. Held in plastic storage holder. Display packed.

Contents: M4, M5, M6, M7, M8, M9 and M10

Stock No.
73047





1 BD7TX/B

1/4" and 3/8" Sq. Dr. DRAPER TX-STAR® SOCKET SET (7 PIECE)

Draper TX-STAR® products are compatible with †Torx fixing systems

Expert Quality, manufactured from chrome vanadium steel that's hardened and tempered with a polished finish. With a hole in the drive end of the sockets for ball retention. Packed on socket retaining bar with hanging hole at each end. Display packed.

Contents:

• 1/4" sq. drive: E6, E7, E8 • 3/8" sq. drive: E10, E12, E14, E16

Stock No.	Rail Length
34412	150mm



2 H9TX/B

1/2" Sq. Dr. DRAPER TX-STAR® SOCKET SET (9 PIECE)

Draper TX-STAR® products are compatible with †Torx fixing systems

Expert Quality, manufactured from chrome vanadium steel, hardened and tempered with a polished finish. Supplied on a socket retaining bar.

Contents: • 1/2" sq. drive: E10, E11, E12, E14, E16, E18, E20, E22 and E24

Stock No.
34451



3 BDH14TX/B

1/4", 3/8" and 1/2" Sq. Dr. DRAPER TX-STAR® SOCKET SET (14 PIECE)

Draper TX-STAR® products are compatible with †Torx fixing systems

Expert Quality, manufactured from chrome vanadium steel, hardened and tempered with a polished finish. Supplied on a socket retaining bar.

Contents:

• 1/4" sq. drive: E4, E5, E6, E7 and E8 • 3/8" sq. drive: E10, E11, E12 and E14 • 1/2" sq. drive: E16, E18, E20, E22 and E24

Stock No.
34415



4 TS14/B

1/4" Sq. Dr. DRAPER TX-STAR® SOCKETS

Draper TX-STAR® products are compatible with †Torx fixing systems

Expert Quality, sockets manufactured from chrome vanadium steel, that's hardened and tempered with a polished finish. Display packed.

Stock No.	Size
34039	E4
34052	E5
34066	E6
34112	E7
34132	E8



5 TS38/B

3/8" Sq. Dr. DRAPER TX-STAR® SOCKETS

Draper TX-STAR® products are compatible with †Torx fixing systems

Expert Quality, manufactured from chrome vanadium steel hardened and tempered with a polished finish. Chamfered ends allow positive nut location. Display packed in individual storage hanger with barcode on reverse.

Stock No.	Size
34133	E10
34186	E11
34187	E12
34195	E14
34204	E16
34207	E18
34265	E20




6 TS12/B

1/2" Sq. Dr. DRAPER TX-STAR® SOCKETS

Draper TX-STAR® products are compatible with †Torx fixing systems

Expert Quality, sockets manufactured from chrome vanadium steel, that's hardened and tempered with a polished finish. Display packed.

Stock No.	Size
34270	E10
34274	E12
34285	E14
34327	E16
34340	E18
34345	E20
34372	E22
34402	E24



1 2406/B

1/4" Sq. Dr. DRAPER TX-STAR® BIT SET (7 PIECE)


Draper TX-STAR® products are compatible with †Torx fixing systems

Expert Quality, Draper TX-STAR® 1/4" bits manufactured from silicon steel hardened and tempered with shot blast finish. 1/4" square drive bit holder made from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Display packed.

Contents:

- bit holder 1/4" x 1/4" sq. drive
- 6 Draper TX-STAR® bits: T10, T15, T20, T25, T30 and T40 x 30mm long

Stock No.
83559



2 4404B

3/8" Sq. Dr. DRAPER TX-STAR® BIT SET (7 PIECE)

Draper TX-STAR® products are compatible with †Torx fixing systems

Expert Quality, Draper TX-STAR® 8mm bits manufactured from silicon steel hardened and tempered with shot blast finish. 3/8" square drive bit holder made from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Display packed.

Contents:

- Bit holder: 8mm x 3/8" sq. drive
- 6 Draper TX-STAR® bits: T20, T25, T30, T40, T45 and T50 x 30mm long

Stock No.
83561



3 3404/B

1/2" Sq. Dr. DRAPER TX-STAR® BIT SET (8 PIECE)

Draper TX-STAR® products are compatible with †Torx fixing systems

Expert Quality, Draper TX-STAR® 10mm bits manufactured from silicon steel hardened and tempered with shot blast finish. 1/2" square drive bit holder made from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Display packed.

Contents:

- bit holder 10mm x 1/2" sq. drive
- 6 Draper TX-STAR® bits: T20, T25, T30, T40, T45 and T50 x 30mm long
- 1 Draper TX-STAR® bit: T55 x 75mm long

Stock No.
83562



4 TX/20TTC/C

20 x ASSORTED DRAPER TX-STAR® 25MM LONG INSERT BITS IN PLASTIC STORAGE CASE

Draper TX-STAR® products are compatible with †Torx fixing systems

Draper TX-STAR® insert bits. 25mm long and manufactured from S2 steel. Supplied in clear plastic storage case. Display packed.

Contents per case:

- 20 Draper TX-STAR® bits: 5 x T20, 5 x T25 and 10 x T30

Stock No.
27696



5 TX30/20TTC/C

20 x DRAPER TX-STAR® 25MM LONG INSERT BITS IN PLASTIC STORAGE CASE

Draper TX-STAR® products are compatible with †Torx fixing systems

Draper TX-STAR® insert bits. 25mm long and manufactured from S2 steel. Supplied in clear plastic storage case. Display packed.

Contents per case:

- 20 x Draper TX-STAR® bits: T30

Stock No.
27694



6 D-TX/10/150

3/8" Sq. Dr. DRAPER TX-STAR® SOCKET BIT SET (10 PIECE)

Draper TX-STAR® products are compatible with †Torx fixing systems

Expert Quality, 10 Draper TX-STAR® socket bits, 150mm long. All sockets manufactured from hardened and tempered chrome vanadium steel with sand blasted bits of S2 silicon steel. Each socket has a knurled ring for extra grip. Supplied in a plastic storage case. Display packed.

Contents: T10, T15, T20, T25, T27, T30, T40, T45, T47, T50

Stock No.	Bit Length
16311	150mm



7 D-TX/10/55

3/8" Sq. Dr. DRAPER TX-STAR® SOCKET BIT SET (10 PIECE)

Draper TX-STAR® products are compatible with †Torx fixing systems

Expert Quality, 10 Draper TX-STAR® socket bits, 48mm long. All sockets manufactured from hardened and tempered chrome vanadium steel with sand blasted bits of S2 silicon steel. Each socket has a knurled ring for extra grip. Supplied on a steel socket retaining rail. Display packed.

Contents: T10, T15, T20, T25, T27, T30, T40, T45, T47, T50

Stock No.	Bit Length
16309	48mm



8 D-TX/10/100

3/8" Sq. Dr. DRAPER TX-STAR® SOCKET BIT SET (10 PIECE)

Draper TX-STAR® products are compatible with †Torx fixing systems

Expert Quality, 10 Draper TX-STAR® socket bits, 100mm long. All sockets manufactured from hardened and tempered chrome vanadium steel with sand blasted bits of S2 silicon steel. Each socket has a knurled ring for extra grip. Supplied on a steel socket retaining rail. Display packed.

Contents: T10, T15, T20, T25, T27, T30, T40, T45, T47, T50

Stock No.	Bit Length
16310	100mm



1 D-TXT/10/55

3/8" Sq. Dr. DRAPER TX-STAR® SECURITY SOCKET BIT SET (10 PIECE)

Draper TX-STAR® products are compatible with †Torx fixing systems

Expert Quality, 10 Draper TX-STAR® security socket bits, 48mm long. All sockets manufactured from hardened and tempered chrome vanadium steel with sand blasted bits of S2 silicon steel. Each socket has a knurled ring for extra grip. Supplied on a steel socket retaining rail. Display packed.

Contents: T10T, T15T, T20T, T25T, T27T, T30T, T40T, T45T, T47T, T50T

Stock No.	Bit Length
16332	48mm



2 D-TXT/10/100

3/8" Sq. Dr. DRAPER TX-STAR® SECURITY SOCKET BIT SET (10 PIECE)

Draper TX-STAR® products are compatible with †Torx fixing systems

Expert Quality, 10 Draper TX-STAR® security socket bits, 100mm long. All sockets manufactured from hardened and tempered chrome vanadium steel with sand blasted bits of S2 silicon steel. Each socket has a knurled ring for extra grip. Supplied on a steel socket retaining rail. Display packed.

Contents: T10T, T15T, T20T, T25T, T27T, T30T, T40T, T45T, T47T, T50T

Stock No.	Bit Length
16333	100mm



3 D-TXP/10/55

3/8" Sq. Dr. DRAPER TX-STAR® PLUS SOCKET BIT SET (10 PIECE)

Draper TX-STAR® products are compatible with †Torx fixing systems

Expert Quality, 10 Draper TX-STAR® Plus socket bits, 48mm long. All sockets manufactured from hardened and tempered chrome vanadium steel with sand blasted bits of S2 silicon steel. Each socket has a knurled ring for extra grip. Supplied on a steel socket retaining rail. Display packed.

Contents: TP10, TP15, TP20, TP25, TP27, TP30, TP40, TP45, TP47, TP50

Stock No.	Bit Length
16339	48mm



4 D-TXP/10/100

3/8" Sq. Dr. DRAPER TX-STAR® PLUS SOCKET BIT SET (10 PIECE)

Draper TX-STAR® products are compatible with †Torx fixing systems

Expert Quality, 10 Draper TX-STAR® Plus socket bits, 100mm long. All sockets manufactured from hardened and tempered chrome vanadium steel with sand blasted bits of S2 silicon steel. Each socket has a knurled ring for extra grip. Supplied on a steel socket retaining rail. Display packed.

Contents: TP10, TP15, TP20, TP25, TP27, TP30, TP40, TP45, TP47, TP50

Stock No.	Bit Length
16340	100mm



5 H-TX/B

1/2" Sq. Dr. DRAPER TX-STAR® SOCKET BITS

Draper TX-STAR® products are compatible with †Torx fixing systems

Expert Quality, socket with insert bit. Sockets manufactured from hardened and tempered chrome vanadium steel with a sand blasted bit of S2 silicon steel. Each socket has a knurled ring for extra grip. Display packed.

Stock No.	Size	Length
16312	T40	55mm
16313	T40	100mm
16315	T45	55mm
16316	T45	100mm
16317	T50	55mm
16318	T50	100mm
16319	T55	55mm
16320	T55	100mm
16321	T55	140mm
16323	T60	55mm
16324	T60	100mm
16325	T70	55mm
16327	T70	100mm



6 T-TX/4/100

1/2" Sq. Dr. DRAPER TX-STAR® SOCKET BIT SET (4 PIECE)

Draper TX-STAR® products are compatible with †Torx fixing systems

Expert Quality, 4 Draper TX-STAR® socket bits, 100mm long. All sockets manufactured from hardened and tempered chrome vanadium steel with sand blasted bits of S2 silicon steel. Each socket has a knurled ring for extra grip. Supplied on a steel socket retaining rail. Display packed.

Contents: T40, T45, T55, T70

Stock No.	Bit Length
16331	100mm



1 H-TX/9/100

1/2" Sq. Dr. DRAPER TX-STAR® SOCKET BIT SET (9 PIECE)

Expert Quality, 9 Draper TX-STAR® socket bits, 100mm long. All sockets manufactured from hardened and tempered chrome vanadium steel with sand blasted bits of S2 silicon steel. Each socket has a knurled ring for extra grip. Supplied on a steel socket retaining rail. Display packed.

Contents: T40, T45, T50, T55, T60, T70, T80, T90, T100

Stock No.	Bit Length
16329	100mm





2 H-TXT/7/55

1/2" Sq. Dr. DRAPER TX-STAR® SECURITY SOCKET BIT SET (7 PIECE)

Draper TX-STAR® products are compatible with †Torx fixing systems

Expert Quality, 7 Draper TX-STAR® security socket bits, 48mm long. All sockets manufactured from hardened and tempered chrome vanadium steel with sand blasted bits of S2 silicon steel. Each socket has a knurled ring for extra grip. Supplied on a steel socket retaining rail. Display packed.

Contents: T40T, T45T, T50T, T55T, T60T, T70T, T80T

Stock No.	Bit Length
16334	48mm



3 H-TXT/7/100

1/2" Sq. Dr. DRAPER TX-STAR® SECURITY SOCKET BIT SET (7 PIECE)

Expert Quality, 7 Draper TX-STAR® security socket bits, 100mm long. All sockets manufactured from hardened and tempered chrome vanadium steel with sand blasted bits of S2 silicon steel. Each socket has a knurled ring for extra grip. Supplied on a steel socket retaining rail. Display packed.

Contents: T40, T45, T50, T55, T60, T70, T80

Stock No.	Bit Length
16338	100mm



4 H-TXP/7/50

1/2" Sq. Dr. DRAPER TX-STAR® PLUS SOCKET BIT SET (7 PIECE)

Draper TX-STAR® products are compatible with †Torx fixing systems

Expert Quality, 7 Draper TX-STAR® Plus socket bits, 55mm long. All sockets manufactured from hardened and tempered chrome vanadium steel with sand blasted bits of S2 silicon steel. Each socket has a knurled ring for extra grip. Supplied on a steel socket retaining rail. Display packed.

Contents: TP40, TP45, TP50, TP55, TP60, TP70, TP80

Stock No.	Bit Length
16341	55mm



5 H-TXP/7/100

1/2" Sq. Dr. DRAPER TX-STAR® PLUS SOCKET BIT SET (7 PIECE)

Draper TX-STAR® products are compatible with †Torx fixing systems

Expert Quality, 7 Draper TX-STAR® Plus socket bits, 100mm long. All sockets manufactured from hardened and tempered chrome vanadium steel with sand blasted bits of S2 silicon steel. Each socket has a knurled ring for extra grip. Supplied on a steel socket retaining rail. Display packed.

Contents: TP40, TP45, TP50, TP55, TP60, TP70, TP80

Stock No.	Bit Length
16342	100mm



6 TX5T/7/B

1/4" Sq. Dr. FIVE LOBE DRAPER TX-STAR® SECURITY SOCKET BIT SET (7 PIECE)

Expert Quality, 7 five lobe Draper TX-STAR® socket bits, 37mm long. All sockets manufactured from hardened and tempered chrome vanadium steel with sand blasted bits of S2 silicon steel. Each socket has a knurled ring for extra grip. Supplied on a steel socket retaining rail. Display packed.

Contents: TX10, TX15, TX20, TX25, TX27, TX30, TX40

These bits are NOT compatible with conventional six sided Draper TX-STAR and Torx fixings.

Stock No.	Bit Length
16353	37mm



7 D-TX5T/7/55


3/8" Sq. Dr. FIVE LOBE DRAPER TX-STAR® SECURITY SOCKET BIT SET (7 PIECE)

Expert Quality, 7 five lobe Draper TX-STAR® security socket bits, 48mm long. All sockets manufactured from hardened and tempered chrome vanadium steel with sand blasted bits of S2 silicon steel. Each socket has a knurled ring for extra grip. Supplied on a steel socket retaining rail. Display packed.

Contents: TX10, TX15, TX20, TX25, TX27, TX30, TX40

These bits are NOT compatible with conventional six sided Draper TX-STAR and Torx fixings.

Stock No.	Bit Length
16343	48mm



1 MSB3/B


1/2" Sq. Dr. SPLINE BIT SET (3 PIECE)

Expert Quality, bits manufactured from SNCM-V steel hardened and tempered with shot blasted finish. 1/2" square drive bit holder from chrome vanadium steel hardened, tempered and chrome plated for corrosion resistance. Display packed.

Contents:

- bit holder 10mm x 1/2" sq. drive
- 1 bit: 8 x 30mm long
- 1 bit: 12 x 75mm long

Stock No.
83566



2 MSB5/B

1/2" Sq. Dr. SPLINE BIT SET (5 PIECE)

Expert Quality, bits manufactured from hardened and tempered S2 steel with a shot blasted finish. 1/2" square drive bit holder from chrome vanadium steel hardened and tempered with a micro satin finish. Display packed.

Contents:

- bit holder 10mm x 1/2" sq. drive
- 2 bits: 6 and 8mm x 30mm long
- 2 bits: 10 and 12mm x 75mm long

Stock No.
83567



3 D-SPLINE/5/100

3/8" Sq. Dr. SPLINE SOCKET BIT SET (5 PIECE)

Expert Quality, 5 spline socket bits, 100mm long. All sockets manufactured from hardened and tempered chrome vanadium steel with sand blasted bits of S2 silicon steel. Each socket has a knurled ring for extra grip. Supplied on a steel socket retaining rail. Display packed.

Contents: M5, M6, M8, M10, M12

Stock No.	Bit Length
16349	100mm



4 H-SPLINE/4/100

1/2" Sq. Dr. SPLINE SOCKET BIT SET (4 PIECE)

Expert Quality, 4 Spline socket bits, 100mm long. All sockets manufactured from hardened and tempered chrome vanadium steel with sand blasted bits of S2 silicon steel. Each socket has a knurled ring for extra grip. Supplied on a steel socket retaining rail. Display packed.

Contents: M6, M8, M10, M12

Stock No.	Bit Length
16350	100mm



5 D-RIBE/7/100

3/8" Sq. Dr. RIBE® SOCKET BIT SET (7 PIECE)

Expert Quality, 7 RIBE® socket bits, 100mm long. All sockets manufactured from hardened and tempered chrome vanadium steel with sand blasted bits of S2 silicon steel. Each socket has a knurled ring for extra grip. Supplied on a steel socket retaining rail. Display packed.

Contents: M4, M5, M6, M7, M8, M9, M10

Stock No.	Bit Length
16344	100mm



6 RIBE/7/SET/B

3/8" and 1/2" Sq. Dr. RIBE® SOCKET BIT SET (7 PIECE)

Expert Quality, 7 RIBE® socket bits, 100mm long. All sockets manufactured from hardened and tempered chrome vanadium steel with sand blasted bits of S2 silicon steel. Each socket has a knurled ring for extra grip. Supplied on a steel socket retaining rail. Display packed.

Contents:

- 3/8" bits: M6, M7, M8, M10
- 1/2" bits: M12, M13, M14

Stock No.	Bit Length
16346	100mm



7 H-RIBE/4/100

1/2", Sq. Dr. RIBE® SOCKET BIT SET (4 PIECE)

Expert Quality, 4 RIBE® socket bits, 100mm long. All sockets manufactured from hardened and tempered chrome vanadium steel with sand blasted bits of S2 silicon steel. Each socket has a knurled ring for extra grip. Supplied on a steel socket retaining rail. Display packed.

Contents: M10, M12, M13, M14

Stock No.	Bit Length
16345	100mm



8 RIBE/22/SET/B

3/8" and 1/2" Sq. Dr. RIBE® SOCKET AND BIT SET (22 PIECE)

Expert Quality, sockets manufactured from hardened and tempered chrome vanadium steel with sand blasted Ribe® bits of S2 silicon steel. Packed in blow mould case. Display packed.

Contents: • bit holder 10mm x 3/8" sq. drive • bit holder 10mm x 1/2" sq. drive •10 x Ribe® bits: M4, M5, M6, M7, M8, M9, M10, M12, M13, M14 x 30mm long • 10 x Ribe® bits: M4, M5, M6, M7, M8, M9, M10, M12, M13, M14 x 75mm long

Stock No.
16347



1 SEC33/B

SECURITY BIT SET (33 PIECE)

25mm 1/4" bits manufactured from chrome vanadium steel, hardened and tempered with a shot blast finish. Bit holder manufactured from zinc alloy steel with a chrome plated finish. Supplied in a storage case. Display packed.

Contents:

- Magnetic bit holder
- 3 x Torq bits: 6, 8 and 10
- 4 x spanner bits: No. 4, 6, 8 and 10
- 4 x tri-winged bits: No.1, 2, 3 and 4
- 6 x metric hexagonal security bits: 2, 2.5, 3, 4, 5 and 6mm
- 6 x imperial hexagonal security bits: 5/64, 3/32, 7/64, 1/8, 9/64, and 5/32"
- 9 Draper TX-STAR® security: T8T, T10T, T15T, T20T, T25T, T27T, T30T, T35T and T40T

Stock No.
82406



2 SEC43

SECURITY SCREWDRIVER BIT SET (43 PIECE)

25mm 1/4" bits manufactured from chrome vanadium steel, hardened and tempered with a shot blast finish. Bit holder manufactured from zinc alloy steel with a chrome plated finish. Supplied in a heavy duty plastic case with plastic inlay to hold bits securely. Display packed.

Contents:

- 1 x Magnetic Bit Holder
- 4 x Cross Slot - No.0, No.1, No.2 and No.3
- 6 x PZ type - No.0, No.1, No.2 (x 2) and No.3 (x 2)
- 3 x Torq - 6, 8 and 10
- 4 x Spanner - 4, 6, 8 and 10
- 4 x Tri-wing - 1, 2, 3 and 4mm
- 6 x Security Hex - 2, 2.5, 3, 4, 5 and 6mm
- 6 x Security Hex - 5/32, 9/64, 1/8, 7/64, 3/32 and 5/64
- 9 x Draper TX-STAR® security - T8T, T10T, T15T, T20T, T25T, T27T, T30T, T35T and T40T

Stock No.
82397



3 MBH45

SECURITY SCREWDRIVER BIT AND DRIVER SET (45 PIECE)

25mm 1/4" bits manufactured from chrome vanadium steel, hardened and tempered with a shot blast finish. Supplied with a 1/4" soft grip driver. Supplied in a heavy duty storage case with plastic inlay to hold bits securely. Display packed.

Contents:

- Magnetic soft grip driver
- 3 x Tri wing: 1, 2 and 3
- 4 x Spanner: 4, 6, 8 and 10
- 5 x Spline: M4, M5, M6, M8 and M10
- 4 x Square: S0, S1, S2 and S3
- 6 x Security hex (metric): 2, 2.5, 3, 4, 5 and 6mm
- 6 x Security hex (imperial): 5/32, 9/64, 1/8, 7/16, 3/32 and 5/64"
- 7 x Draper TX-STAR®: T5, T6, T7, T8, T10, T15 and T20
- 9 x Draper TX-STAR® security: T8T, T9T, T10T, T15T, T20T, T25T, T27T, T30T and T40T

Stock No.
82399



4 995TS-1

1-5NM TORQUE SCREWDRIVER KIT

Complies with ISO 6789 Standards

Expert Quality, adjustable torque screwdriver, which provides variable precision torque settings. The torque screwdriver is fitted to a comfortable ergonomic soft grip handle for ensuring the user gets an unsurpassed performance. Its extremely accurate +/- 6 % measurements are in accordance with the EN ISO 6789 standard. The simple to operate setting control and easy-to-read scale delivers an ingenious screwdriver essential for precise torque setting. Insert bits can be easily and rapidly changed and are stored in the blow moulded storage case for convenience. Display packed

Contents:

1 x Torque screwdriver
2 x Plain slotted bits 4mm and 5mm
2 x Cross slot bits No.1 and No.2
2 x PZ type bits No.1 and No.2
3 x Hex bits 4, 5 and 6mm
3 x Draper TX-STAR® bits T15, T20 and T25

Stock No.
75170





5 ATG/B

1/2" Sq. Dr. ANGULAR TORQUE GAUGE

Expert Quality, designed to be used with any 1/2" sq. drive torque wrench. Rotating index line allows operator to accurately tighten fixing to manufacturer's exact angular specification. Clearly printed in 2 degree increments, then 10 degree movements and numbered every 30 degrees around the full 360°. Supplied with fully adjustable reaction arm. Display packed.

Stock No.
34571



6 3000

1/2" Sq. Dr. POWERSET TORQUE WRENCH

Dual scale for forward/reverse operations. Wrench uses the deflection of the main spring beam to measure torque applied. The scale is graduated M/kg and lb-ft in two directions. Overall length 460mm. Display packed.

Stock No.	Range
34487	0-150lb-ft/0-21M/kg



3/8" SQ.DRIVE

1 3004A

3/8" Sq. Dr. TORQUE WRENCH 10-80Nm (DISPLAY PACKED)

Ratchet head is engraved with Nm and lb-in scales on the barrel of the wrench. The micrometer type sleeve allows accurate preset torque values to be set. When torque is reached the wrench produces an audible click and a slight release of tension. Range: 10-80Nm/88.5-708lb-in. Overall length 280mm. Calibration certificate included. Supplied in blow mould storage case. Display packed.

Stock No.
34570

2 3004AB

3/8" Sq. Dr. TORQUE WRENCH 10-80Nm (SOLD LOOSE)

Stock No.
54627



1/2" SQ.DRIVE



3/4" SQ.DRIVE

3 3001A

1/2" Sq. Dr. TORQUE WRENCH 30-210Nm

Ratchet head is engraved with Nm and lb-in scales on the barrel of the wrench. The micrometer type sleeve allows accurate preset torque values to be set. When torque is reached the wrench produces an audible click and a release of tension. Marked range: 30-210Nm/22.1-154.9lb-ft. Overall length 475mm. Supplied in blow mould storage case.

Stock No.	Description
30357	Torque Wrench
30752	Repair Kit

4 3005A

3/4" Sq. Dr. TORQUE WRENCH 65-450Nm

Ratchet head is engraved with Nm and lb-in scales on the barrel of the wrench with a micrometer type sleeve, allowing accurate preset torque values to be set. When torque is reached the wrench produces an audible click and a release of tension. Marked range: 65-450Nm/48-332 lb-ft. Overall length 840mm. Calibration certificate included. Supplied in blow mould storage case.

Stock No.
34964





1/4" SQ.DRIVE



3/8" SQ.DRIVE



1/2" SQ.DRIVE

5 BTW

1/4" Sq. Dr. TORQUE WRENCH 5-25Nm

Easy to use torque wrench. The click-type operation and micrometer adjustment allow the user to apply the correct torque when required. The torque value range is 5-25Nm. Supplied in a blow mould case.

Stock No.
78639

6 BTW

3/8" Sq. Dr. TORQUE WRENCH 20-110Nm

Easy to use torque wrench. The click-type operation and micrometer adjustment allow the user to apply the correct torque when required. The torque value range is 20-110Nm. Supplied in a blow mould case.

Stock No.
78641

7 BTW

1/2" Sq. Dr. TORQUE WRENCH 30-210Nm

Easy to use torque wrench. The click-type operation and micrometer adjustment allow the user to apply the correct torque when required. The torque value range is 30-210Nm. Supplied in a blow mould case.

Stock No.
78642



3/8" SQ.DRIVE

8 3004A/BK

3/8" Sq. Dr. TORQUE WRENCH 10 - 80Nm

Supplied with calibration certificate

Reversible ratchet head. The in-lb and Nm scale is engraved on the barrel of the wrench. The micrometer type sleeve allows accurate preset torque values to be set. When torque is reached the wrench produces an audible click and a release of tension. Marked range: 10 - 80Nm and 88.5-708in-lb. Supplied in blow mould storage case.

Stock No.
64534



1/2" SQ.DRIVE

9 3001A/BK

1/2" Sq. Dr. TORQUE WRENCH 30-210Nm

Supplied with calibration certificate

Reversible ratchet head. The in-lb and Nm scale is engraved on the barrel of the wrench. The micrometer type sleeve allows accurate preset torque values to be set. When torque is reached the wrench produces an audible click and a release of tension. Marked range: 30-210Nm/22.1-154.9 lb-ft. Supplied in blow mould storage case.

Stock No.
64535

PROFESSIONAL HIGH ACCURACY TORQUE WRENCHES

Manufactured and calibrated to IS06789-1992-12-01 Standard.





3/8" SQ.DRIVE

1 EPTW5-22

3/8" Sq. Dr. PRECISION TORQUE WRENCH 5-22Nm

Manufactured and calibrated to ISO6789-1992-12-01 Standard

Expert Quality, with reversible ratchet head and locking preset action. Torque values are viewed via a window in the handle. Range 5-22Nm, accuracy ±4%. Overall length 255mm. Full instruction manual and calibration certificate included with each torque wrench. Supplied in blow mould case.

Stock No.	Description
58130	Torque Wrench
58539	Repair Kit



1/2" SQ.DRIVE



1/2" SQ.DRIVE

2 EPTW30-100

1/2" Sq. Dr. PRECISION TORQUE WRENCH 30-100Nm


Manufactured and calibrated to ISO6789-1992-12-01 Standard

Expert Quality, with reversible ratchet head and locking preset action. Torque values are viewed via a window in the handle. Range 30-100Nm, accuracy ±4%. Overall length 420mm. Full instruction manual and calibration certificate included with each torque wrench. Supplied in blow mould case.

Stock No.	Description
58138	Torque Wrench
69663	Repair Kit



1/2" SQ.DRIVE



3/4" SQ.DRIVE

3 EPTW50-180

1/2" Sq. Dr. PRECISION TORQUE WRENCH 50-180Nm

Manufactured and calibrated to ISO6789-1992-12-01 Standard

Expert Quality, with reversible ratchet head and locking preset action. Torque values are viewed via a window in the handle. Range 50-180Nm, accuracy ±4%. Overall length 520mm. Full instruction manual and calibration certificate included with each torque wrench. Supplied in blow mould case.

Stock No.	Description
58139	Torque Wrench
58540	Repair Kit

4 EPTW70-230

1/2" Sq. Dr. PRECISION TORQUE WRENCH 70-230Nm

Manufactured and calibrated to ISO6789-1992-12-01 Standard

Expert Quality, with reversible ratchet head and locking preset action. Torque values are viewed via a window in the handle. Range 70-230Nm, accuracy ±4%. Overall length 665mm. Full instruction manual and calibration certificate included with each torque wrench. Supplied in blow mould case.

Stock No.	Description
58140	Torque Wrench
58540	Repair Kit

5 EPTW120-400

3/4" Sq. Dr. PRECISION TORQUE WRENCH 120-400Nm


Manufactured and calibrated to ISO6789-1992-12-01 Standard

Expert Quality, with reversible ratchet head and locking preset action. Torque values are viewed via a window in the handle. Range 120-400Nm, accuracy ±4%. Overall length 860mm. Full instruction manual and calibration certificate included with each torque wrench. Supplied in blow mould case.

Stock No.
64673

PROFESSIONAL HIGH ACCURACY ELECTRONIC TORQUE WRENCHES

Functions both clockwise and anti-clockwise. Electronic display shows Nm; ft-lb; in-lb and kg-cm with visual torque applied lights, together with over torque buzzer and nine selectable torque levels for speed of operation.



YOUTUBE.COM/
DRAPERTOOLSTV

ACCURACY ±4%

1 ETW6-30

1/4" Sq. Dr. ELECTRONIC PRECISION TORQUE WRENCH 6-30Nm

Manufactured and calibrated to ISO6789-1992-12-01 Standard

Expert Quality, functions both clockwise and anti-clockwise. Electronic display shows Nm; ft-lb; in-lb and kg-cm with visual torque applied lights, together with over torque buzzer. Nine selectable torque levels for speed of operation. Soft grip handle for user comfort. Range 6-30Nm, accuracy ±4%. Overall length 380mm. Full instruction manual and calibration certificate included with each torque wrench. Uses 2 x AA batteries (supplied). Packed in blow mould case.

Stock No.	Description
77991	Torque Wrench
61834	Batteries (4 x AA)



1/4" SQ.DRIVE

DRAPER Expert

2 ETW27-135

3/8" Sq. Dr. ELECTRONIC PRECISION TORQUE WRENCH 27-135Nm

Manufactured and calibrated to ISO6789-1992-12-01 Standard

Expert Quality, functions both clockwise and anti-clockwise. Electronic display shows Nm; ft-lb; in-lb and kg-cm with visual torque applied lights, together with over torque buzzer. Nine selectable torque levels for speed of operation. Soft grip handle for user comfort. Range 27-135Nm, accuracy ±4%. Overall length 415mm. Full instruction manual and calibration certificate included with each torque wrench. Uses 2 x AA batteries (supplied). Packed in blow mould case.

Stock No.	Description
77992	Torque Wrench
61834	Batteries (4 x AA)



3/8" SQ.DRIVE

DRAPER Expert



1/2" SQ.DRIVE

DRAPER Expert

3 ETW40-200

1/2" Sq. Dr. ELECTRONIC PRECISION TORQUE WRENCH 40-200Nm

Manufactured and calibrated to ISO6789-1992-12-01 Standard

Expert Quality, functions both clockwise and anti-clockwise. Electronic display shows Nm; ft-lb; in-lb and kg-cm with visual torque applied lights, together with over torque buzzer. Nine selectable torque levels for speed of operation. Soft grip handle for user comfort. Range 40-200Nm, accuracy ±4%. Overall length 525mm. Full instruction manual and calibration certificate included with each torque wrench. Uses 2 x AA batteries (supplied). Packed in blow mould case.

Stock No.	Description
77993	Torque Wrench
61834	Batteries (4 x AA)



RS232 INTERFACE - DOWNLOAD DATA TO PC

4 ETW68-340

1/2" Sq. Dr. ELECTRONIC PRECISION TORQUE WRENCH 68-340Nm WITH RS232 AND USB INTERFACE

Manufactured and calibrated to ISO6789-1992-12-01 Standard

Expert Quality, functions both clockwise and anti-clockwise. Electronic display shows Nm; ft-lb; in-lb and kg-cm with visual torque applied lights, together with over torque buzzer. Nine selectable torque levels for speed of operation. 250 data memory points with PC connectivity for data download - software included. Supplied with data connection cable with RS232 and USB connectors. Soft grip handle for user comfort. Range 68-340Nm, accuracy ±4%. Overall length 650mm. Full instruction manual and calibration certificate included with each torque wrench. Uses 2 x AA batteries (supplied). Packed in blow mould case.

Stock No.	Description
77990	Torque Wrench
61834	Batteries (4 x AA)

‘PUSH THROUGH’ TORQUE WRENCHES

‘Push Through’ torque wrenches are non-ratcheting, but do offer the main advantage of being able to measure clockwise and anticlockwise torque. This is vital when working on reverse thread fixings on hub nuts etc. Simply ‘Push Through’ the square drive to allow the direction to be reversed!





1 1/4" SQ.DRIVE 3/8" SQ.DRIVE



2 3/8" SQ.DRIVE 1/2" SQ.DRIVE



3 1/2" SQ.DRIVE

1 PTW

1/4 and 3/8" SQ DR ‘PUSH THROUGH’ TORQUE WRENCH (5-35NM)

Manufactured and calibrated to the DIN-ISO 6789

Expert Quality, double-sided, twin size push-through torque wrench. Enables users to operate the wrench with both 1/4" square drive and 3/8" square drive sockets. For clockwise and anticlockwise threads easy adjustment knob allows simple setting of the micrometer type mechanism. Each torque wrench is individually tested and calibrated to the DIN-ISO 6789 standard and supplied with a calibration certificate. Display packed.

Stock No.
72623

2 PTW

3/8 and 1/2" SQ DR ‘PUSH THROUGH’ TORQUE WRENCH (25-135NM)

Manufactured and calibrated to the DIN-ISO 6789

Expert Quality, double-sided, twin size push-through torque wrench. Enables users to operate the wrench with both 3/8" square drive and 1/2" square drive sockets. For clockwise and anticlockwise threads easy adjustment knob allows simple setting of the micrometer type mechanism. Each torque wrench is individually tested and calibrated to the DIN-ISO 6789 standard and supplied with a calibration certificate. Display packed.

Stock No.
72714

3 PTW

1/2" SQ DR ‘PUSH THROUGH’ TORQUE WRENCH 50-225NM

Manufactured and calibrated to the DIN-ISO 6789

Expert Quality, double-sided, push-through 1/2" square drive head allows the user to operate the wrench on both clockwise and anti-clockwise threads. For clockwise and anticlockwise threads easy adjustment knob allows simple setting of the micrometer type mechanism. Each torque wrench is individually tested and calibrated to the DIN-ISO 6789 standard and supplied with a calibration certificate. Display packed.

Stock No.	Description
83317	Torque Wrench
83439	Coupler

EVA FOAM INSERT TRAYS

Our biggest range of modular mix and match EVA Foam Insert Trays allows you to get the tools needed quickly and easily. Designed to fit into the Draper Expert and Draper Tool Chests and Cabinets (except 51690 & 51177) and other manufacturers similar storage units.

- High quality foam inserts designed to include tools for use in professional workshops.
- Each foam insert is made from 'Closed Cell' EVA foam, making them fully resistant to normal workshop fluids eg. oil, fuels, brake fluid etc.
- Precision cut by CNC machinery, each cavity is designed for a relevant product, ensuring a secure and perfect fit.
- When dirty, they can be cleaned by a normal workshop pressure cleaner.

PRODUCT LOCATOR


Socketry EVA (Page 99 - 100)


Impact Socketry EVA (page 101)


Spanners EVA (Page 102)



Mechanics EVA (Page 103 - 104)



Handtools EVA (Page 105 - 112)

KIT COMBINATIONS


Our modular design allows a combination of kits to fill a draw, simply remove the cutaway strips on the 1/4" drawer foam inserts as required to create these combinations.















* Roller cabinets only

Our 1/4 drawer trays can also be used in the 1/3 size drawers in our tool chests.


1/4 size EVA foam trays are designed to fit in 1/3 width drawers in our Draper tool chest range without removing the cutaway strips.


Using scissors remove the pre-machined cutaway strips on each side of the EVA foam tray.


It now fits neatly into the 1/3 width drawer in our Draper Expert tool chests.


With the cutaway strips removed 4 1/4" drawer EVA foam trays will fit full drawer combinations.

1/4" SQ.DRIVE 6 point DRAPER Expert



1 IT-EVA45

1/4" SOCKET SET IN 1/4 DRAWER EVA INSERT TRAY (32 PIECE)

Expert Quality, sockets are manufactured from chrome vanadium steel, which is correctly hardened and tempered with a micro satin chrome plated finish. Each socket has a knurled ring for extra grip. Supplied with 72 tooth reversible soft grip ratchet and accessories. Supplied complete in a two tone 1/4 drawer EVA insert tray made from closed cell foam. Suitable to be used in Draper and Draper Expert tool chests and other manufacturers similar tool chests.

Contents: • Sockets 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm • Deep sockets 4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14mm • 72 tooth reversible ratchet with soft grip and quick release button • Spinner handle • Sliding T bar 105mm • Universal joint • Extension bars 50, 100, 150mm

Stock No.	Dimensions W x D x H
63532	138 x 270 x 40mm

3/8" SQ.DRIVE 6 point DRAPER Expert



2 IT-EVA46

3/8" SOCKET SET IN 1/2 DRAWER EVA INSERT TRAY (35 PIECE)

Expert Quality, sockets are manufactured from chrome vanadium steel, which is correctly hardened and tempered with a micro satin chrome plated finish. Each socket has a knurled ring for extra grip. Supplied with 72 tooth reversible soft grip ratchet and accessories. Supplied complete in a two tone 1/2 drawer EVA insert tray made from closed cell foam. Suitable to be used in Draper and Draper Expert tool chests and other manufacturers similar tool chests.

Contents: • Sockets 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22mm • Deep sockets 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21mm • Spark plug sockets 10, 12, 14mm • 72 tooth reversible ratchet with soft grip and quick release button • Extension bars 75, 125mm • Universal joint

Stock No.	Dimensions W x D x H
63534	276 x 270 x 40mm

1/2" SQ.DRIVE 6 point DRAPER Expert



3 IT-EVA47

1/2" SOCKET SET IN 1/2 DRAWER EVA INSERT TRAY (33 PIECE)

Expert Quality, sockets are manufactured from chrome vanadium steel, which is correctly hardened and tempered with a micro satin chrome plated finish. Each socket has a knurled ring for extra grip. Supplied with 72 tooth reversible soft grip ratchet and accessories. Supplied complete in a two tone 1/2 drawer EVA insert tray made from closed cell foam. Suitable to be used in Draper and Draper Expert tool chests and other manufacturers similar tool chests.

Contents: • Sockets; 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30, 32mm • Deep sockets; 10, 12, 13, 14, 15, 16, 17, 19, 21mm • 72 tooth reversible ratchet with soft grip and quick release button • Extension bar 125mm • Spark plug sockets 10, 12, 14mm • Universal Joint

Stock No.	Dimensions W x D x H
63535	276 x 270 x 47mm



1/4" SQ.DRIVE 3/8" SQ.DRIVE 1/2" SQ.DRIVE 6 point


4 IT-EVA49

1/4", 3/8", AND 1/2" SOCKET SET IN FULL DRAWER EVA INSERT TRAY (84 PIECE)

Manufactured from chrome vanadium steel, which is correctly hardened and tempered with a satin chrome plated finish. Each socket has a knurled ring for extra grip. Supplied with 72 tooth reversible soft grip ratchet and accessories. Supplied complete in a two tone full drawer EVA insert tray made from closed cell foam. Suitable to be used in Draper and Draper Expert tool chests and other manufacturers similar tool chests.

Contents: • 1/4" Sockets; 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm • 1/4" Deep Sockets; 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm • 1/4, 3/8, 1/2" 72 tooth reversible ratchets with soft grip and quick release button • Spinner Handle • Universal Joints; 1/4, 3/8 and 1/2" Sq Drive • 3/8" Sockets; 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm • 3/8" Deep Sockets; 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm • 1/4" Extension Bars; 100, 150mm • 1/4" Sliding T-Bar • 3/8" Spark Plug Sockets; 10, 12, 14mm, • 3/8" Extension Bars; 75, 150mm • 1/2" Sockets; 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 26, 27, 30, 32mm • 1/2" Deep Sockets; 13, 14, 17, 18, 19, 21, 22mm • 1/2"Sq Drive Extension Bars; 75, 250mm, • 1/2"(F)-3/8"(M) Sliding T-Bar Adaptor (forms a sliding 'T' bar when used with an extension bar)

Stock No.	Dimensions W x D x H
63540	550 x 270 x 46mm



1/4" SQ.DRIVE
3/8" SQ.DRIVE
1/2" SQ.DRIVE


5 IT-EVA44

EXTENSION BAR, UNIVERSAL JOINTS AND SOCKET CONVERTOR SET IN 1/4 DRAWER EVA INSERT TRAY (16 PIECE)

Manufactured from chrome vanadium steel, which is correctly hardened and tempered with a satin chrome plated finish. Each extension bar has a knurled ring for extra grip. Supplied complete in a two tone 1/4 drawer EVA insert tray made from closed cell foam. Suitable to be used in Draper and Draper Expert tool chests and other manufacturers similar tool chests.

Contents: 1/4" Extension bars - 50, 75, 100mm 1/4" Universal Joint 1/4 (F) x 3/8" (M) Convertor 3/8" Extension bars - 75, 150, 200mm 3/8" Universal Joint 3/8" (F) x 1/4" (M) Convertor 3/8" (F) x 1/2" (M) Convertor 1/2" Extension bars - 75, 125, 250mm 1/2" Universal Joint 1/2 (F) x 3/8" (M) Convertor

Stock No.	Dimensions W x D x H
63530	138 x 270 x 38mm



DRAPER Expert
1/4" SQ.DRIVE
3/8" SQ.DRIVE
1/2" SQ.DRIVE
6 point

1 IT-EVA48

1/4", 3/8", AND 1/2" SOCKET SET IN FULL PLUS DRAWER EVA INSERT TRAY (96 PIECE)

Expert Quality, 6pt sockets manufactured from chrome vanadium steel, which is correctly hardened and tempered with a micro satin chrome plated finish. Each socket has a knurled ring for extra grip. Supplied with 72 tooth reversible soft grip ratchet and accessories. Supplied complete in a two tone full drawer EVA insert tray made from closed cell foam. Suitable to be used in Draper and Draper Expert roller cabinets and other manufacturers similar roller cabinets.

Contents: 1/4" sockets; 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm, 1/4" deep sockets; 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm, 1/4" extension bars; 50, 100, 150mm, 1/4" sliding T bar 1/4" coupler 1/4" (F) - 3/8" (M) adaptor Spinner Handle 3/8" sockets; 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm 3/8" deep sockets; 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm 3/8" extension bars; 75, 200mm, 3/8" spark plug sockets; 10, 12, 14mm 3/8"(F) - 1/4"(M) adaptor 3/8" (F) - 1/2" (M) adaptor 3/8"(F) - 1/2" (M) Sliding T-Bar Adaptor 1/2" sockets; 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 30, 32mm 1/2" deep sockets; 17, 18, 19, 21, 22, 24, 27, 30, 32mm 1/2" Sq. Dr. extension bars; 75, 250mm, 1/2" (F) - 3/8" (M) sliding T-bar adaptor (forms a sliding 'T' bar when used with an extension bar) 1/2" (F) - 3/8" (M) adaptor Universal Joints; 1/4, 3/8 and 1/2" Sq. Dr. Flexi Extension; 150mm 1/4, 3/8, 1/2" 72 tooth reversible ratchets with soft grip and quick release button

NOTE; This tray will only fit into a roller cabinet drawer.

Stock No.	Dimensions W x D x H
63537	560 x 390 x 50mm



DRAPER Expert
1/4" SQ.DRIVE
3/8" SQ.DRIVE
1/2" SQ.DRIVE
6 point
12 point

2 IT-EVA48B

1/4", 3/8", AND 1/2" SOCKET SET IN FULL PLUS DRAWER EVA INSERT TRAY (96 PIECE)

Expert Quality, 6pt (1/4") and 12pt (3/8" and 1/2") sockets manufactured from chrome vanadium steel, which is correctly hardened and tempered with a polished chrome plated finish. Each socket has a knurled ring for extra grip. Supplied with 72 tooth reversible soft grip ratchet and accessories. Supplied complete in a two tone full plus drawer EVA insert tray made from closed cell foam. Suitable to be used in Draper and Draper Expert roller cabinets and other manufacturers similar roller cabinets.

Contents: 1/4" sockets; 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm, 1/4" deep sockets; 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13mm, 1/4" extension bars; 50, 100, 150mm, Flexi Extension; 150mm 1/4" sliding T bar 1/4" coupler 1/4" (F) - 3/8" (M) adaptor Spinner Handle 3/8" sockets; 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm 3/8" deep sockets; 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm 3/8" extension bars; 75, 200mm, 3/8" spark plug sockets; 10, 12, 14mm 3/8"(F) - 1/4"(M) adaptor 3/8" (F) - 1/2" (M) adaptor 3/8"(F) - 1/2" (M) Sliding T-Bar Adaptor 1/2" sockets; 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 30, 32mm 1/2" deep sockets; 17, 18, 19, 21, 22, 24, 27, 30, 32mm 1/2" Sq. Dr. extension bars; 75, 250mm, 1/2" (F) - 3/8" (M) sliding T-bar adaptor (forms a sliding 'T' bar when used with an extension bar) 1/2" (F) - 3/8" (M) adaptor 1/4, 3/8, 1/2" 72 tooth reversible ratchets with quick release button. Universal Joints; 1/4, 3/8 and 1/2" Sq. Dr.

NOTE; This tray will only fit into a roller cabinet drawer.

Stock No.	Dimensions W x D x H
63539	560 x 390 x 50mm



1 IT-EVA20

1/2" SQ. DR. DEEP IMPACT SOCKET SET IN 1/4 DRAWER EVA INSERT TRAY (11 PIECE)

Expert Quality, each six point deep impact socket is manufactured from chrome vanadium steel, which is correctly hardened and tempered with a black phosphate chrome finish. Supplied complete in a two tone 1/4 drawer EVA insert tray made from closed cell foam. Suitable to be used in Draper and Draper Expert tool chests and other manufacturers similar tool chests.

Contents:

Impact sockets 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27mm

Stock No.	Dimensions W x D x H
63483	138 x 270 x 42mm



2 IT-EVA18

1/2" SQ. DR. IMPACT SOCKET SET IN 1/4 DRAWER EVA INSERT TRAY (15 PIECE)

Expert Quality, each six point socket is manufactured from chrome vanadium steel, which is correctly hardened and tempered with a black phosphate chrome finish. Supplied complete in a two tone 1/4 drawer EVA insert tray made from closed cell foam. Suitable to be used in Draper and Draper Expert tool chests and other manufacturers similar tool chests.

Contents:

Impact sockets 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27mm

Impact adaptor 3/8"(F) x 1/2" (M)

Stock No.	Dimensions W x D x H
63415	138 x 270 x 40mm



3 IT-EVA21

1/2" SQ. DR. IMPACT SOCKET SET IN 1/4 DRAWER EVA INSERT TRAY (20 PIECE)

Expert Quality, items are manufactured from chrome vanadium steel, which is correctly hardened and tempered with a black phosphate finish. Supplied complete in a two tone 1/4 drawer EVA insert tray made from closed cell foam. Suitable to be used in Draper and Draper Expert tool chests and other manufacturers similar tool chests.

Contents:

1/2" Sq. Dr. sockets 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24mm

1/2" Sq. Dr. deep sockets 17, 19, 21, 24mm

1/2" Extension bar 75mm

Stock No.	Dimensions W x D x H
63487	138 x 270 x 45mm



4 IT-EVA19

1/2" SQ. DR. IMPACT SOCKET SET IN 1/2 DRAWER EVA INSERT TRAY (16 PIECE)

Expert Quality, impact sockets are manufactured from chrome vanadium steel, which is correctly hardened and tempered with a black phosphate finish. The alloy wheel sockets are of thin wall chrome molybdenum steel construction with a nylon insert which protects the wheel when in use. Supplied complete in a two tone 1/2 drawer EVA insert tray made from closed cell foam. Suitable to be used in Draper and Draper Expert tool chests and other manufacturers similar tool chests.

Contents: 1/2" Sq. Dr. alloy wheel sockets 17, 19, 21, 22mm 1/2" Sq. Dr. locking wheel sockets 18.5, 21.5, 26mm 1/2" Extension bars - 75, 150, 250mm 3/8" (F) x 1/4" (M) adaptor 1/2" (F) x 3/8" (M) adaptor 1/2" (F) x 3/4" (M) adaptor 3/4" (F) x 1/2" (M) adaptor 1" (F) x 3/4" (M) adaptor

Stock No.	Dimensions W x D x H
63482	276 x 270 x 58mm



5 IT-EVA22

1/2" SQ. DR. IMPACT TX-STAR® AND HEX SOCKET SET IN 1/2 DRAWER EVA INSERT TRAY (28 PIECE)

Draper TX-STAR® products are compatible with †Torx fixing systems

Expert Quality, items manufactured from chrome molybdenum steel, which is correctly hardened and tempered with a black phosphate finish. Supplied complete in a two tone 1/2 drawer EVA insert tray made from closed cell foam. Suitable to be used in Draper and Draper Expert tool chests and other manufacturers similar tool chests.

Contents: 1/2" Sq. Dr. E Sockets E10, E11, E12, E14, E16, E18, E20, E22, E24 1/2" Sq. Dr. Draper TX-STAR® bits T20, T25, T27, T30, T40, T45, T50, T55, T60, T70 1/2" Sq. Dr. Hex Bits - H4, H5, H6, H8, H10, H12, H14, H17, H19,

Stock No.	Dimensions W x D x H
63490	276 x 270 x 55mm



1 IT-EVA39

COMBINATION SPANNER SET IN 1/4 DRAWER EVA INSERT TRAY (8 PIECE)

Expert Quality, Draper Expert HI-TORQ offset pattern ring end cranked at 15°, open end set at 15° forged from chrome vanadium steel which is correctly hardened, tempered and then fully polished. Supplied complete in a two tone 1/4 drawer EVA insert tray made from closed cell foam. Suitable to be used in Draper and Draper Expert tool chests and other manufacturers similar tool chests.

Contents:

Combination Spanners 8, 9, 10, 11, 12, 13, 14, 15mm

Stock No.	Dimensions W x D x H
63522	138x 270 x 40mm



2 IT-EVA38


COMBINATION SPANNER SET IN 1/2 DRAWER EVA INSERT TRAY (12 PIECE)

Expert Quality, Draper Expert HI-TORQ spanners manufactured from chrome vanadium steel which is correctly hardened, tempered and then fully polished. Supplied complete in a two tone 1/2 drawer EVA insert tray made from closed cell foam. Suitable to be used in Draper and Draper Expert tool chests and other manufacturers similar tool chests.

Contents:

Combination Spanners 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

Stock No.	Dimensions W x D x H
63521	276x 270 x 44mm



3 IT-EVA41


OPEN ENDED SPANNER SET IN 1/4 DRAWER EVA INSERT TRAY (8 PIECE)

Expert Quality, open ends set at 15° manufactured from chrome vanadium steel which is correctly hardened, tempered and then fully polished. Supplied complete in a two tone 1/4 drawer EVA insert tray made from closed cell foam. Suitable to be used in Draper and Draper Expert tool chests and other manufacturers similar tool chests.

Contents:

Open ended Spanners 6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19, 20 x 22mm

Stock No.	Dimensions W x D x H
63524	138 x 270 x 52mm



4 IT-EVA40


RING SPANNER SET IN 1/2 DRAWER EVA INSERT TRAY (8 PIECE)

Expert Quality, Draper Expert HI-TORQ ring ends cranked at 15° manufactured from chrome vanadium steel which is correctly hardened, tempered and then fully polished. Supplied complete in a two tone 1/2 drawer EVA insert tray made from closed cell foam. Suitable to be used in Draper and Draper Expert tool chests and other manufacturers similar tool chests.

Contents:

Open ended Spanners 6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19, 20 x 22mm

Stock No.	Dimensions W x D x H
63523	276 x 270 x 40mm



5 IT-EVA42

SPANNER SET IN FULL DRAWER EVA INSERT TRAY (28 PIECE)

Expert Quality, selection of ring and open ended spanners manufactured from chrome vanadium steel which is correctly hardened, tempered and then fully polished. Supplied complete in a two tone full drawer EVA insert tray made from closed cell foam. Suitable to be used in Draper and Draper Expert tool chests and other manufacturers similar tool chests.

Contents:

Combination Spanners 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm

Ring Spanners 6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19, 20 x 22mm

Open ended Spanners 6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19, 20 x 22mm

Stock No.	Dimensions W x D x H
63526	552 x 270 x 52mm






1 IT-EVA34

CALIPER WINDBACK KIT IN 1/2 DRAWER EVA INSERT TRAY (18 PIECE)

Expert Quality, left and right handed winders easily return the brake piston into their calipers providing clearance for replacement brake pads. Components manufactured from carbon steel, which is correctly hardened and tempered. Fits most vehicles. Supplied complete in a two tone 1/2 drawer EVA insert tray made from closed cell foam. Suitable to be used in Draper and Draper Expert tool chests and other manufacturers similar tool chests.

Contents: Right handed winder with twin drive pins & magnetic retainer Left handed winder with twin drive pins & magnetic retainer Universal caliper pressure plate 13 x right or left handed winder plates 3/8" sq. dr. twin pin winder Universal circular piston pressure plate

Stock No.	Dimensions W x D x H
63517	276 x 270 x 35mm



2 IT-EVA36

OIL SERVICE KIT IN FULL PLUS DRAWER EVA INSERT TRAY (101 PIECE)

Expert Quality, a comprehensive kit suitable for most common sizes of oil filters and drain plugs, as well as repairing damaged oil sump drain plug threads. Supplied complete in a two tone full plus drawer EVA insert tray made from closed cell foam. Suitable to be used in Draper and Draper Expert roller cabinets and other manufacturers similar roller cabinets.

Contents: Oil filter swivel jaw pliers 57-120mm Oil drain plug wrench 8-in-1 Oil filter chain wrench 4 x Oil drain plug thread repair kit M13, M15, M17, M20, (includes taps, sump bolts and washers) 15 x oil filter cap wrenches 19 x oil filter drain plugs

NOTE; This tray only fits roller cabinet drawers.

Stock No.	Dimensions W x D x H
63519	560 x 390 x 50mm







1 IT-EVA43

PUNCH AND IMPACT DRIVER KIT IN 1/4 DRAWER EVA INSERT TRAY (25 PIECE)

Expert Quality, a selection of popular cold chisels, centre and pin punches manufactured from chrome vanadium steel, which are correctly hardened and tempered. Includes a forward/reverse rotation impact driver. Supplied complete in a two tone 1/4 drawer EVA insert tray made from closed cell foam. Suitable to be used in Draper and Draper Expert tool chests and other manufacturers similar tool chests.

Contents: 1/2" Sq. Dr. impact driver, Plain slot bits 5, 6, 8, 10, 12mm Cross slot bits No.1, No.2, No.3, No.4mm Hex Bits 4, 5, 6, 8mm, Adaptor 1/2" Sq. Dr. 8mm Hex Centre punch 9.5 x 120mm, Taper pin punch 3 x 9.5 x 120mm, Cold chisel 12 x 9.5 x 130mm Utility chisel 5 x 9.5 x 130mm Parallel pin punches 2 x 8 x 115, 3 x 8 x 125, 4 x 9.5 x 150mm, 5 x 9.5 x 165, 6 x 12 x 180, 8 x 12 x 180mm

Stock No.	Dimensions W x D x H
63528	138 x 270 x 52mm

2 IT-EVA23

LONG REACH HOOK AND PICK SET IN 1/4 DRAWER EVA INSERT TRAY (6 PIECE)

Hook and pick set designed for the removal of 'O' rings, split pins, seals and bushes. Manufactured from chrome vanadium steel, which is correctly hardened and tempered with a black phosphate finish. Fitted with soft grip handles for added user comfort. Supplied complete in a two tone 1/4 drawer EVA insert tray made from closed cell foam. Suitable to be used in Draper and Draper Expert tool chests and other manufacturers similar tool chests.

Contents:
Straight pick
Half round pick
Right angle pick
Swan neck pick
45 to 90 degree pick
40 to 45 degree pick

Stock No.	Dimensions W x D x H
63494	138 x 270 x 32mm

3 IT-EVA24

SCRAPER AND REMOVER SET IN 1/4 DRAWER EVA INSERT TRAY (5 PIECE)

Scraper set suitable for a variety of applications in removing cotter pins, radiator hoses, flaking paint and gaskets. Manufactured from carbon steel, which is correctly hardened and tempered with a black phosphate finish. Fitted with plastic handles. Supplied complete in a two tone 1/4 drawer EVA insert tray made from closed cell foam. Suitable to be used in Draper and Draper Expert tool chests and other manufacturers similar tool chests.

Contents:
165mm Radiator Hose Remover
210mm Cotter Pin Puller
220mm Scratch Awl
230mm Multipurpose Scraper
260mm Multipurpose Scraper

Stock No.	Dimensions W x D x H
63497	138 x 270 x 32mm





4 IT-EVA25


SCRAPER, HOOK AND PICK SET IN 1/2 DRAWER EVA INSERT TRAY (9 PIECE)

Scraper, hook and pick set suitable for a variety of jobs in the automotive industry and the workshop. Scrapers manufactured from carbon steel, which is correctly hardened and tempered with a black phosphate finish and picks made from chrome vanadium steel. Fitted with plastic handles. Supplied complete in a two tone 1/2 drawer EVA insert tray made from closed cell foam. Suitable to be used in Draper and Draper Expert tool chests and other manufacturers similar tool chests.

Contents: Mini Awl Mini U Hook Mini L Hook Mini V Hook 165mm Radiator Hose Remover 210mm Cotter Pin Puller 220mm Scratch Awl 230mm Multipurpose Scraper 260mm Multipurpose Scraper

Stock No.	Dimensions W x D x H
63500	270 x 276 x 32mm

1000V SAFE



1 IT-EVA4

VDE APPROVED FULLY INSULATED PLIER SET IN 1/2 DRAWER EVA INSERT TRAY (4 PIECE)

Manufactured to DIN specification and individually certified to EN60900

Expert Quality, VDE pliers manufactured from drop forged chrome vanadium steel, which is correctly hardened and tempered with additionally induction hardened cutting edges with lacquered finish. Each plier has been tested to 10,000V AC or 1500V DC live line working. Fitted with fully insulated soft grip handles. Supplied complete in a two tone 1/2 drawer EVA insert tray made from closed cell foam. Suitable to be used in Draper and Draper Expert tool chests and other manufacturers similar tool chests.

Contents: 150mm wire stripping pliers 160mm side cutters 180mm combination pliers 200mm long nose plier

Stock No.	Dimensions W x D x H
63216	276 x 270 x 40mm



2 IT-EVA7

HEAVY DUTY PLIER SET IN 1/2 DRAWER EVA INSERT TRAY (4 PIECE)

Expert Quality, pliers manufactured from drop forged chrome vanadium steel, hardened and tempered with additionally induction hardened cutting edges. Fitted with heavy duty soft grip handles for added user comfort. The waterpump pliers feature multi position adjustments and 'no-nip' soft grip handles. Supplied complete in a two tone 1/2 drawer EVA insert tray made from closed cell foam. Suitable to be used in Draper and Draper Expert tool chests and other manufacturers similar tool chests.

Contents:

160mm side cutters
200mm long nose pliers
200mm combination pliers
250mm waterpump pliers

Stock No.	Dimensions W x D x H
63263	276 x 270 x 35mm



3 IT-EVA8

HEAVY DUTY PLIER SET IN FULL DRAWER EVA INSERT TRAY (11 PIECE)

Expert Quality, pliers manufactured from drop forged chrome vanadium steel, which is correctly hardened and tempered with additionally induction hardened cutting edges. Fitted with heavy duty soft grip handles for added user comfort. Circlip pliers manufactured from drop forged high carbon, chrome nickel steel, which is correctly hardened and tempered with capacities of 19-60mm and fitted with non-slip cushion-grip handles. The waterpump pliers feature multi position adjustments and 'no-nip' soft grip handles. Supplied complete in a two tone full drawer EVA insert tray made from closed cell foam. Suitable to be used in Draper and Draper Expert tool chests and other manufacturers similar tool chests.

Contents: Pliers: 150mm wire stripper pliers 160mm side cutters 200mm long nose pliers 200mm combination pliers 200mm radio pliers 200mm end cutting pliers 250mm waterpump pliers Circlip pliers: 170mm external bent (with spring) 170mm Internal bent 180mm external straight 180mm Internal straight

Stock No.	Dimensions W x D x H
63268	552 x 270 x 38mm





1 IT-EVA6

HEAVY DUTY PLIER SET IN 1/4 DRAWER EVA INSERT TRAY (3 PIECE)

Expert Quality, pliers manufactured from drop forged chrome vanadium steel, which is correctly hardened and tempered with additionally induction hardened cutting edges. Fitted with heavy duty soft grip handles for added user comfort. Supplied complete in a two tone 1/4 drawer EVA insert tray made from closed cell foam. Suitable to be used in Draper and Draper Expert tool chests and other manufacturers similar tool chests.

Contents: 160mm side cutters 160mm long nose pliers 200mm combination pliers

Stock No.	Dimensions W x D x H
63262	138 x 270 x 35mm

2 IT-EVA10

PLIER SET IN 1/2 DRAWER EVA INSERT TRAY (4 PIECE)

General duty pliers manufactured from carbon steel, while the 5 position curved jaw waterpump pliers are forged from chrome vanadium steel. All are correctly hardened and tempered with induction hardened cutting edges and fitted with soft grip handles for added user comfort. Supplied complete in a two tone 1/2 drawer EVA insert tray made from closed cell foam. Suitable to be used in Draper and Draper Expert tool chests and other manufacturers similar tool chests.

Contents: 160mm side cutters 200mm long nose pliers 200mm combination pliers 240mm waterpump pliers

Stock No.	Dimensions W x D x H
63309	276 x 270 x 30mm



3 IT-EVA11

PLIER SET IN FULL DRAWER EVA INSERT TRAY (10 PIECE)

General duty pliers. Self grip pliers and circlip pliers are all manufactured from carbon steel, while the 5 position curved jaw waterpump pliers are forged from chrome vanadium steel. All are correctly hardened and tempered with induction-hardened cutting edges and fitted with soft grip handles for added user comfort. Supplied complete in a two tone full drawer EVA insert tray made from closed cell foam. Suitable to be used in Draper and Draper Expert tool chests and other manufacturers similar tool chests.

Contents: 160mm side cutters 200mm long nose pliers 200mm combination pliers 240mm waterpump pliers 170mm external bent circlip pliers (with spring) 170mm internal bent circlip pliers (without spring) 180mm external straight circlip pliers (with spring) 180mm Internal straight circlip pliers (without spring) 190mm curved jaw self grip pliers 220mm curved jaw self grip pliers

Stock No.	Dimensions W x D x H
63313	552 x 270 x 30mm





1 IT-EVA9

PLIER SET IN 1/4 DRAWER EVA INSERT TRAY (3 PIECE)

General duty pliers manufactured from carbon steel correctly hardened and tempered with induction hardened cutting edges. Fitted with soft grip handles for added user comfort. Supplied complete in a two tone 1/4 drawer EVA insert tray made from closed cell foam. Suitable to be used in Draper and Draper Expert tool chests and other manufacturers similar tool chests.

Contents: 160mm Side Cutters 160mm Long Nose Pliers 180mm Combination Pliers

Stock No.	Dimensions W x D x H
63301	138 x 270 x 30mm



2 IT-EVA1

SELF GRIP PLIER SET IN 1/4 DRAWER EVA INSERT TRAY (2 PIECE)


Self grip pliers manufactured from carbon steel, which is hardened and tempered then applied with a nickel finish. Supplied complete in a two tone 1/4 drawer EVA insert tray made from closed cell foam. Suitable to be used in Draper and Draper Expert tool chests and other manufacturers similar tool chests.

Contents:

190mm Self grip curved jaw

220mm Self Grip curved jaw

Stock No.	Dimensions W x D x H
63191	138 x 270 x 30mm




3 IT-EVA5

CIRCLIP PLIER SET IN 1/4 DRAWER EVA INSERT TRAY (4 PIECE)

Circlip pliers manufactured from drop forged high carbon, chrome nickel steel, which is correctly hardened and tempered. With capacities of 19-60mm and fitted with non-slip cushion-grip handles. Supplied complete in a two tone 1/4 drawer EVA insert tray made from closed cell foam. Suitable to be used in Draper and Draper Expert tool chests and other manufacturers similar tool chests.

Contents: 170mm external bent 170mm Internal bent 180mm external straight 180mm Internal straight

Stock No.	Dimensions W x D x H
63218	138 x 270 x 36mm



4 IT-EVA2

INTERCHANGEABLE CIRCLIP PLIERS SET IN 1/4 DRAWER EVA INSERT TRAY (5 PIECE)

Circlip plier handles with interchangeable heads for use on internal and external circlips. Manufactured from carbon steel correctly hardened, tempered with a black finish. With an overall length of 160mm capable of 10-50mm and fitted with PVC dipped handles. Supplied complete in a two tone 1/4 drawer EVA insert tray made from closed cell foam. Suitable to be used in Draper and Draper Expert tool chests and other manufacturers similar tool chests.

Contents: Pair of spring loaded handles 2 sets straight jaws 90 degree jaws 45 degree jaws

Stock No.	Dimensions W x D x H
63196	138 x 270 x 38mm




5 IT-EVA3

PRECISION PLIER SET IN 1/4 DRAWER EVA INSERT TRAY (5 PIECE)

General duty precision pliers manufactured from carbon steel correctly hardened and tempered with induction hardened cutting edges. Fitted with soft grip handles for added user comfort. Supplied complete in a two tone 1/4 drawer EVA insert tray made from closed cell foam. Suitable to be used in Draper and Draper Expert tool chests and other manufacturers similar tool chests.

Contents: 115mm Flat Nose Pliers 125mm Long Nose Pliers 125mm Bent Nose Pliers 110mm Side Cutters 100mm End Cutters

Stock No.	Dimensions W x D x H
63215	138 x 270 x 32mm



1 IT-EVA12

VDE ERGO PLUS SCREWDRIVER SET IN 1/4 DRAWER EVA INSERT TRAY (10 PIECE)

Manufactured to DIN specification and individually certified to EN60900

Expert Quality, Ergo Plus VDE screwdriver set individually tested to 10,000V AC or 1500V DC live line working. Supplied with a fully insulated high torque handle and precision handle. Both handles accommodate the interchangeable blades deep into the handle. The screwdriver blades are manufactured from SVCM steel, which is hardened and tempered with black finish. Supplied complete in a two tone 1/4 drawer EVA insert tray made from closed cell foam. Suitable to be used in Draper and Draper Expert tool chests and other manufacturers similar tool chests.

Contents: 2 interchangeable handles Plain Slot blades 3, 4, 5.5, 6.5 x 100mm Cross Slot blades No. 1, No. 2 x 100mm PZ Type blades No. 1 x 75mm, No. 2 x 100mm

Stock No.	Dimensions W x D x H
63359	138 x 270 x 30mm




3 IT-EVA15

SOFT GRIP SCREWDRIVER SET IN 1/4 DRAWER EVA INSERT TRAY (5 PIECE)

Screwdrivers manufactured from chrome vanadium steel, which is correctly hardened and tempered with a satin chrome plated sand blasted finish. Fitted with soft grip handles for enhanced user comfort. Supplied complete in a two tone 1/4 drawer EVA insert tray made from closed cell foam. Suitable to be used in Draper and Draper Expert tool chests and other manufacturers similar tool chests.

Contents: Plain Slot Screwdrivers 3.2 x 75mm, 6.0 x 100mm and 8.0 x 150mm PZ Type Screwdrivers No. 1 x 75mm and No. 2 x 100mm

Stock No.	Dimensions W x D x H
63400	138 x 270 x 38mm



2 IT-EVA13

VDE SCREWDRIVER SET IN 1/2 DRAWER EVA INSERT TRAY (11 PIECE)

Manufactured to DIN specification and individually certified to EN60900

Expert Quality, VDE screwdriver set individually tested to 10,000V AC or 1500V DC live line working. The screwdriver blades are manufactured from chrome vanadium steel, which is hardened and tempered with black finish. Fully insulated ergonomic soft grip handles with deep set blade sheath for total safety. Supplied complete in a two tone 1/2 drawer EVA insert tray made from closed cell foam. Suitable to be used in Draper and Draper Expert tool chests and other manufacturers similar tool chests.

Contents: Plain Slot 2.5 x 75, 3 x 100, 4 x 125, 5.5 x 125, 6.5 x 150 Cross Slot No. 0, No. 1, No. 2, PZ Type No. 0, No. 1, No. 2

Stock No.	Dimensions W x D x H
63379	276 x 270 x 41mm



4 IT-EVA16

TX-STAR® SECURITY SOFT GRIP SCREWDRIVER SET IN 1/2 DRAWER EVA INSERT TRAY (11 PIECE)

Screwdrivers manufactured from chrome vanadium steel, which is correctly hardened and tempered with a satin chrome plated sand blasted finish. Fitted with soft grip handles for enhanced user comfort. Supplied complete in a two tone 1/2 drawer EVA insert tray made from closed cell foam. Suitable to be used in Draper and Draper Expert tool chests and other manufacturers similar tool chests.


Contents:


Screwdrivers: T6, T7, T8, T9, T10T, T15T, T20T, T25T, T27T, T30T, T40T

Stock No.	Dimensions W x D x H
63403	276 x 270 x 38mm

PRODUCT LOCATOR

Various sizes of EVA foam insert infill trays can be found on page 113, use these to organise other tools, screws, nuts, bolts etc. and organise the empty space in the drawers.





1 IT-EVA17

SOFT GRIP SCREWDRIVER SET IN FULL DRAWER EVA INSERT TRAY (27 PIECE)

Screwdrivers manufactured from chrome vanadium steel, which is correctly hardened and tempered with a satin chrome plated sand blasted finish. Fitted with soft grip handles for enhanced user comfort. Supplied complete in a two tone full drawer EVA insert tray made from closed cell foam. Suitable to be used in Draper and Draper Expert tool chests and other manufacturers similar tool chests.

Contents: Plain Slot Screwdrivers 3.2 x 75mm, 5 x 100mm, 6 x 38mm, 6 x 150mm and 8 x 150mm Cross Slot Screwdrivers No. 1 x 75mm, 2 x 100mm, 3 x 150mm PZ Type Screwdrivers No. 0 x 75mm, 1 x75mm, 2 x 38mm and 2 x 100mm Draper TX-STAR® Screwdrivers T7, T8, T9 Draper TX-STAR® Security Screwdrivers T10T, T15T, T20T, T25T, T27T, T30T and T40T Precision Screwdrivers Plain Slot Screwdrivers 2.5mm x 50mm and 3mm x 50mm Cross Slot Screwdriver No. 0 x 50mm, 00 x 50mm and 000 x 50mm

Stock No.	Dimensions W x D x H
63406	552 x 270 x 36mm



2 IT-EVA31

SCREWDRIVER INSERT BITS AND DRIVER IN 1/4 DRAWER EVA INSERT TRAY (40 PIECE)


Expert Quality, bits manufactured from S2 steel, all are correctly hardened and tempered with a satin chrome plated finish and colour coded ring. The driver is manufactured with a soft grip handle for added user comfort. Supplied complete in a two tone 1/4 drawer EVA insert tray made from closed cell foam. Suitable to be used in Draper and Draper Expert tool chests and other manufacturers similar tool chests.

Contents: Bit holder driver Quick release chuck

25mm bits Plain slot 3, 4, 5, 6, 7mm Cross slot No.0, No.1, No.2, No.3 Hex: H2, H3, H4, H5, H5.5, H6mm PZ Type No.0, No.1 x 2pc, No.2 x 2pc, No.3 Draper TX-STAR® T8, T10, T15, T20, T25, T30, T40

50mm bits Plain slot: 4, 5, 6mm Cross slot No.1, No.2, No.3 PZ Type No.0, No.1, No.2, No.3

Stock No.	Dimensions W x D x H
63514	138 x 270 x 42mm



3 IT-EVA14

EXTRA LONG PRECISION SCREWDRIVER SET IN 1/4 DRAWER EVA INSERT TRAY (8 PIECE)

Extra long precision screwdrivers, manufactured from chrome vanadium steel, which is correctly hardened and tempered fitted with soft grip handles for enhanced user comfort. Supplied complete in a two tone 1/4 drawer EVA insert tray made from closed cell foam. Suitable to be used in Draper and Draper Expert tool chests and other manufacturers similar tool chests.

Contents: Plain Slot Screwdrivers 2.5 x 75mm, 3 x 100mm and 4 x 150mm Cross Slot Screwdrivers No. 0 x 150mm, No. 00 x 100mm and No. 000 x 75mm Draper TX-STAR® Screwdrivers T8 x 75mm, T9 x 75mm

Stock No.	Dimensions W x D x H
63399	138 x 270 x 30mm



4 IT-EVA32

SCREWDRIVER INSERT BIT SET IN 1/4 DRAWER EVA INSERT TRAY (40 PIECE)

Screwdriver bits manufactured from S2 steel, which is correctly hardened and tempered with a satin chrome plated finish. Supplied complete in a two tone 1/4 drawer EVA insert tray made from closed cell foam. Suitable to be used in Draper and Draper Expert tool chests and other manufacturers similar tool chests.

Contents: 30mm long Hex 4, 5, 6, 7, 8, 10, 12mm 75mm long Hex 4, 5, 6, 7, 8, 10, 12mm 30mm long XZN Bits 5, 6, 8, 10, 12 75mm long XZN Bits 5, 6, 8, 10, 12 30mm long Draper TX-STAR®® T20, T25, T30, T40, T45, T50, T55 75mm long Draper TX-STAR®® T20, T25, T30, T40, T45, T50, T55 10mm hex Bit holders 3/8" and 1/2" Sq. Drive

Stock No.	Dimensions W x D x H
63515	138 x 270 x 30mm



1 IT-EVA26

'T' HANDLE BALL END HEXAGON KEY SET IN 3/4 DRAWER EVA INSERT TRAY (7 PIECE)

Expert Quality, hexagon key set with ball end on the long blade and a conventional end on the short blade. Manufactured from chrome vanadium steel, which is correctly hardened and tempered fitted with a chemically blacked finish. Soft grip handles for extra comfort. Supplied complete in a two tone 1/2 drawer EVA insert tray made from closed cell foam. Suitable to be used in Draper and Draper Expert tool chests and other manufacturers similar tool chests.

Contents: Hexagon Keys 2.0, 3.0, 4.0, 5.0, 6.0, 8.0, 10.0mm

Stock No.	Dimensions W x D x H
63503	414 x 270 x 32mm



2 IT-EVA27

'T' HANDLE DRAPER TX-STAR® KEY SET IN 3/4 DRAWER EVA INSERT TRAY (7 PIECE)

Expert Quality, TX-STAR® on the long blade and Draper TX-STAR® Security on the short blade. Manufactured from chrome vanadium steel, which is correctly hardened and tempered fitted with a chemically blacked finish. Soft grip handles for extra comfort. Supplied complete in a two tone 1/2 drawer EVA insert tray made from closed cell foam. Suitable to be used in Draper and Draper Expert tool chests and other manufacturers similar tool chests.

Contents: Draper TX-STAR® Keys T10, T15, T20, T25, T27, T30, T40

Stock No.	Dimensions W x D x H
63505	414 x 270 x 32mm



3 IT-EVA28


SCREWDRIVER INSERT BITS AND DRAPER TX-STAR® KEYS IN 1/2 DRAWER EVA INSERT TRAY (35 PIECE)

Expert Quality, socket bits, E sockets and Draper TX-STAR® key set. The sockets bits are manufactured from chrome vanadium steel and the bits are manufactured from S2 steel, all are correctly hardened and tempered with a satin chrome plated finish. The Draper TX-STAR® keys are manufactured from S2 Steel which is also correctly hardened and tempered with a satin chrome finish to prevent rust. Supplied complete in a two tone 1/2 drawer EVA insert tray made from closed cell foam. Suitable to be used in Draper and Draper Expert tool chests and other manufacturers similar tool chests.

Contents: 1/4" Sq. Dr. E sockets E4, E5, E6, E7, E8 3/8" Sq. Dr. E sockets bits E10, E15, E20, E25, E27, E30, E40 3/8" Sq. Dr. Draper TX-STAR® sockets bits T10, T15, T20, T25, T27, T30, T40 1/2" Sq. Dr. E sockets E16, E18, E20, E22, E24 1/2" Sq. Dr. Draper TX-STAR® sockets Bits T45, T50, T55, T60, T70 Draper TX-STAR® Keys T10, T15, T20, T25, T27, T30, T40, T45, T50

Stock No.	Dimensions W x D x H
63512	276 x 270 x 30mm





1 IT-EVA33

BIT SET IN FULL PLUS DRAWER EVA INSERT TRAY (167 PIECE)

Expert Quality, selection of bits for automotive and workshop use, manufactured from S2 steel, which is correctly hardened and tempered, with a satin chromed finish. Supplied complete in a two tone full plus drawer EVA insert tray made from closed cell foam. Suitable to be used in Draper and Draper Expert tool chests and other manufacturers similar tool chests.

Contents: adaptor 3/8" Sq Dr. x 10mm Hex. adaptor 1/2" Sq Dr. x 10mm Hex. 1/4" E sockets E4, E5, E6, E7, E8. 3/8" E sockets E10, E11, E12, E14. 1/2" E sockets E16, E18, E20, E22, E24. 1/4" Draper TX-STAR® socket bits T8, T9, T10, T15, T20, T25, T27, T30. 3/8" Draper TX-STAR® socket bits T40, T45, T47, T50, T55. 1/2" Draper TX-STAR® socket bits T60, T70. 1/4" hex socket bits H3, H4, H5, H6, H7, H8. 3/8" hex socket bits H9, H10, H12, H14mm. 1/2" hex socket bits H17, H19mm. 1/4" plain slot socket bits 3, 4, 4.5, 5, 5.5, 6, 6.5, 7mm. 1/4" cross slot socket bits No.0, No.1, No.2, No.3. 1/4" PZ Type socket bits No.0, No.1, No. 2, No.3. 13 x Long arm hex keys 1.3, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 8, 10mm. 9 x Long arm TX-STAR® keys: T10, T15, T20, T25, T27, T30, T40, T45, T50.

30mm bits Draper TX-STAR® T20, T25, T30, T40, T45, T47, T50, T55, T60, T70. Draper TX-STAR® security T20T, T25T, T30T, T40T, T45T, T47T, T50T, T55T, T60T, T70T. Hex 4, 5, 6, 7, 8, 10, 12, 14mm. Ribe M5, M6, M7, M8, M9, M10, M12, M13, M14. Spline M5, M6, M8, M10, M12, M14.

75mm bits Draper TX-STAR® T20, T25, T30, T40, T45, T47, T50, T55, T60, T70. Draper TX-STAR® security T20T, T25T, T30T, T40T, T45T, T47T, T50T, T55T, T60T, T70T. Hex: 4, 5, 6, 7, 8, 10, 12, 14mm. Ribe M5, M6, M7, M8, M9, M10, M12, M13, M14. Spline M5, M6, M8, M10, M12, M14.

Stock No.	Dimensions W x D x H
63516	560 x 390 x 30mm



2 IT-EVA29

HAND FILE SET IN 3/4 DRAWER EVA INSERT TRAY (13 PIECE)

Files manufactured from high carbon steel, which is correctly hardened and tempered. Fitted to soft grip handles for added user comfort. Supplied complete in a two tone 3/4 drawer EVA insert tray made from closed cell foam. Suitable to be used in Draper and Draper Expert tool chests and other manufacturers similar tool chests.

Contents:

5 x hand files, half round, flat, round, three square

2 x cabinet files flat rasp, half round rasp

6 x needle files flat, flat taper, half round, three square, square, round

Stock No.	Dimensions W x D x H
63513	414x 270 x 32mm







1 IT-EVA37

COMBINATION TAP AND DIE SET - METRIC AND BSP IN 1/4 DRAWER EVA FOAM INSERT TRAY (22 PIECE)

Expert Quality, manufactured from carbon steel. Taps and dies suitable for cleaning and cutting threads on mild steel and aluminium. Supplied complete in a two tone 1/4 drawer EVA insert tray made from closed cell foam, suitable to be used in Draper and Draper Expert tool chests and other manufacturers similar tool chests.

Contents: 7 metric dies size: 3 x 0.5, 4 x 0.7, 5 x 0.8, 6 x 1.0, 8 x 1.25, 10 x 1.5 and 12 x 1.75 - 1" O/D 2 BSP dies size: 1/8" and 1/4" BSP 2 BSP taps size: 1/8" and 1/4" BSP 7 metric plug taps (bottoming): sizes as dies tap wrench-American pattern 1/2" capacity die holder 1" O/D with guide screwpitch gauge screwdriver

Stock No.	Dimensions W x D x H
63520	138 x 270 x 40mm

2 IT-EVA50

TOOL KIT IN 1/4 DRAWER EVA INSERT TRAY (5 PIECE)

A selection of popular tools supplied complete in a two tone 1/4 drawer EVA insert tray made from closed cell foam. Suitable to be used in Draper and Draper Expert tool chests and other manufacturers similar tool chests.

Contents:

AA LED torch (batteries not supplied)
5m tape measure
18mm retractable segment knife
150mm adjustable wrench
190mm self grip curved jaw pliers

Stock No.	Dimensions W x D x H
63543	138 x 270 x 30mm



3 IT-EVA51

TOOL KIT IN FULL PLUS DRAWER EVA INSERT TRAY (36 PIECE)


A wide selection of tools. Supplied complete in a two tone full plus drawer EVA insert tray made from closed cell foam. Suitable to be used in Draper and Draper Expert tool chests and other manufacturers similar tool chests.

Contents: 225mm straight jaw self grip pliers 200mm adjustable wrench 18mm retractable segment knife 10 x snap off spare blades 5M measuring tape 300mm steel rule Magnetic pick up tool Scriber 8 x Hex keys 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 5.5, 6.0mm Auto centre punch 5 x punches cold chisel 12 x 9.5 x 130mm, cap chisel 5 x 9.5 x 130mm, pin punch 4 x 9.5 x 150mm, centre punch 4 x 9.5 x 120mm, tape punch 3 x 9.5 x 120mm, Half round file 2 x needle files 8" crimping tool 300mm hacksaw 2 x 9" stainless steel and brass wire brush

Stock No.	Dimensions W x D x H
63547	560 x 390 x 35mm

EVA INSERT INFILL TRAYS

Use these varying sizes of EVA foam insert infill trays to organise other tools, screws, nuts, bolts etc.



1 IT-EVA82

1/4 DRAWER EVA INSERT INFILL TRAY (3 PIECE)


Infill two tone 1/4 drawer EVA insert trays made from closed cell foam, ideal for filing space in tools chests and can also be used for 1/3 drawers in tool chests. Suitable to be used in Draper and Draper Expert tool chests and other manufacturers similar tool chests.

Contents:

2 trays with 2 equal sized pockets, 110 x 108 x 20mm

1 tray with 4 equal sized pockets, 46 x 110 x 20mm

Stock No.	Dimensions W x D x H
75047	138 x 270 x 30mm



2 IT-EVA83

FULL DRAWER EVA INSERT INFILL TRAY (3 PIECE)

Infill two tone full drawer EVA insert tray made from closed cell foam, ideal for filling space at the rear of drawers. Suitable to be used in Draper and Draper Expert tool chests and other manufacturers similar tool chests.

Contents:

2 trays with 3 equal sized pockets, 86 x 162 x 20mm

1 tray with 4 equal sized pockets, 86 x 108 x 20mm

Stock No.	Dimensions W x D x H
75048	552 x 118 x 30mm



NEW

1 TC4LC/72C

72" TOOL CHEST (4 DRAWER)

Expert Quality, four drawer locker top tool chest. Manufactured from thick sheet steel with a protective powder coated finish. Drawers are fitted with an aluminium trim, 3mm EVA foam linings, heavy duty auto retention ball bearing runners delivering a smoother operation and a secure locking system supplied with two keys. The reinforced lid is fitted with supportive gas struts and two soft grip handles. Each tool chest is also supplied with a 6mm EVA top mat. Carton packed on pallet. Configuration of drawers (L x W x H) • 2 drawers - 889 x 506 x 50mm • 1 drawer - 889 x 506 x 104mm • 1 drawer - 384 x 506 x 104mm • 1 Locker • Overall size - 1815 x 550 x 580mm

Stock No.	Dimensions L x W x H
14587	1815 x 550 x 580mm



NEW

2 RC11C/72C

72" ROLLER TOOL CABINET (11 DRAWER)

Expert Quality, eleven drawer professional roller cabinet attached with an additional pull out locker with internal storage. Fitted with spring loaded suspension fixed to braked and swivelling castors and soft grip handles for easy manoeuvrability. Manufactured from thick sheet steel with a protective powder coated finish. Drawers are fitted with an aluminium trim, 3mm EVA foam linings, heavy duty auto retention ball bearing runners delivering a smoother operation and a secure locking system supplied with two keys. Each tool cabinet is also supplied with a 10mm EVA top mat. Carton packed on pallet. Configuration of drawers (L x W x H) • 1 Drawer - 1344 x 506 x 131mm • 3 Drawers - 889 x 506 x 77mm • 2 Drawers - 889 x 506 x 104mm • 1 Drawer - 889 x 506 x 190mm • 2 Drawers - 397 x 506 x 77mm • 1 Drawer - 397 x 506 x 185mm • 1 Drawer - 397 x 506 x 298mm • 1 Pull out locker with internal storage • Overall size - 1830 x 560 x 1130mm

Stock No.	Dimensions L x W x H
14588	1830 x 560 x 1130mm

NEW



3 *TC4LC/TC11C/72

72" COMBINED ROLLER CABINET AND TOOL CHEST (15 DRAWER)

Expert Quality, fifteen drawer, professional combined roller cabinet and tool chest. Attached with an additional pull locker with internal storage. Fitted with spring loaded suspension fixed to braked and swivelling castors and soft grip handles for easy manoeuvrability. The reinforced lid is fitted with supportive gas struts and two soft grip handles. Manufactured from thick sheet steel with a protective powder coated finish. Drawers are fitted with an aluminium trim, 3mm EVA foam linings, heavy duty auto retention ball bearing runners and a secure locking system supplied with two keys. Each tool cabinet is supplied with a EVA top mat. Carton packed on pallet.

Configuration of drawers (L x W x H)


- 3 Drawers - 889 x 506 x 77mm
- 2 Drawers - 889 x 506 x 104mm
- 2 drawers - 889 x 506 x 50mm
- 2 Drawers - 397 x 506 x 77mm
- 1 Drawer - 1344 x 506 x 131mm
- 1 Drawer - 889 x 506 x 190mm
- 1 drawer - 889 x 506 x 104mm
- 1 Drawer - 397 x 506 x 298mm
- 1 Drawer - 397 x 506 x 185mm
- 1 drawer - 384 x 506 x 104mm
- 1 Pull out locker
- 1 Locker
- Overall size - 1830 x 560 x 1690mm

Stock No.	Dimensions L x W x H
11174	1830 x 560 x 1690mm

FEATURES OF 72" CABINETS AND TOOL CHESTS



Supplied with 2 keys



Fitted with heavy duty ball bearing runners



Castors fitted with shock absorbers



Lid fitted with pneumatic struts



Aluminium drawer trim



NEW

1 TC5C/56C

56" TOOL CHEST (5 DRAWER)

Expert Quality, five drawer top tool chest. Manufactured from thick sheet steel with a protective powder coated finish. Drawers are fitted with an aluminium trim, 3mm EVA foam linings, heavy duty auto retention ball bearing runners delivering a smoother operation and a secure locking system supplied with two keys. The reinforced lid is fitted with supportive gas struts and two soft grip handles. Each tool chest is also supplied with a 6mm EVA top mat. Carton packed on pallet. Configuration of drawers (L x W x H) • 2 drawers - 398 x 458 x 50mm • 1 drawer - 398 x 458 x 104mm • 2 drawers - 865 x 458 x 104mm • Overall size - 1410 x 500 x 580mm

Stock No.	Dimensions L x W x H
14585	1410 x 500 x 580mm



NEW

2 RC11C/56C

56" ROLLER TOOL CABINET (11 DRAWER)

Expert Quality, eleven drawer professional roller cabinet, fitted with fixed and braked swivelling castors and soft grip pulling handles for easy manoeuvrability. Manufactured from thick sheet steel with a protective powder coated finish. Drawers are fitted with an aluminium trim, 3mm EVA foam linings, heavy duty auto retention ball bearing runners delivering a smoother operation and a secure locking system supplied with two keys. Each tool cabinet is also supplied with a 10mm EVA top mat. Carton packed on pallet.

Configuration of drawers (L x W x H)

• 1 Full width drawer - 1323 x 458 x 131mm • 1 Drawer - 398 x 458 x 77mm
• 2 Drawer - 398 x 458 x 131mm • 1 Drawer - 398 x 458 x 298mm
• 3 Drawer - 873 x 458 x 77mm • 2 Drawer - 873 x 458 x 104mm
• 1 Drawer - 873 x 458 x 190mm • Overall size - 1422 x 510 x 1130mm

Stock No.	Dimensions L x W x H
14586	1422 x 560 x 1130mm

NEW



3 *TC5C/RC11C/56C

56" ROLLER TOOL CABINET AND TOOL CHEST (16 DRAWER)

Expert Quality, sixteen drawer, professional combined roller cabinet and tool chest. Attached with spring loaded suspension fixed to braked and swivelling castors and soft grip pulling handles for easy manoeuvrability. The reinforced lid is fitted with supportive gas struts and two soft grip handles. Manufactured from thick sheet steel with a protective powder coated finish. Drawers are fitted with an aluminium trim, 3mm EVA foam linings, heavy duty auto retention ball bearing runners delivering a smoother operation and a secure locking system with two keys. Each tool cabinet is also supplied with a EVA top mat. Carton packed on pallet.

Configuration of drawers (L x W x H)


• 3 Drawer - 873 x 458 x 77mm
• 2 Drawer - 398 x 458 x 131mm
• 2 drawers - 398 x 458 x 50mm
• 2 Drawer - 873 x 458 x 104mm
• 2 drawers - 865 x 458 x 104mm
• 1 Full width drawer - 1323 x 458 x 131mm
• 1 Drawer - 873 x 458 x 190mm
• 1 Drawer - 398 x 458 x 298mm
• 1 drawer - 398 x 458 x 104mm
• 1 Drawer - 398 x 458 x 77mm
• Overall size - 1422 x 510 x 1690mm

Stock No.	Dimensions L x W x H
11402	1422 x 510 x 1690mm

FEATURES OF 56" CABINETS AND TOOL CHESTS



Supplied with 2 keys



Fitted with heavy duty ball bearing runners



Castors fitted with shock absorbers



Lid fitted with pneumatic struts



Aluminium drawer trim

NEW DRAPER EXPERT 42" TOOL CHESTS AND ROLLER CABINETS

Featuring
- Ball bearing runners on all drawers
- Fitted with secure locks and supplied with 2 keys
- Rubber castors
- Lids attached with pneumatic struts
- Attractive aluminium drawer trims



Stock No.14444 TC7C/42C

Stock No.14494 TC4C/42C

Stock No.14527 TC4LC/42C

Stock No.14583 RC12C/42C


Stock No.14580 RC8C/42C

Stock No.14546 RC6LC/42C

FEATURES OF 42" CABINETS AND TOOL CHESTS



Supplied with 2 keys



Fitted with heavy duty ball bearing runners



Rubber castors



Lid fitted with pneumatic struts



Aluminium drawer trim

NEW



1 TC7C/42C

42" TOOL CHEST (7 DRAWER)

Expert Quality, seven drawer top tool chest. Manufactured from thick sheet steel with a protective powder coated finish. Drawers are fitted with an aluminium trim, 3mm EVA foam linings, heavy duty auto retention ball bearing runners delivering a smoother operation and a secure locking system supplied with two keys. The reinforced lid is fitted with supportive gas struts and two soft grip handles. Each tool chest is also supplied with a 6mm EVA top mat. Carton packed on pallet. Configuration of drawers (L x W x H) • 1 drawer - 352 x 408 x 158mm • 2 drawers - 352 x 408 x 50mm

• 2 drawers - 583 x 408 x 50mm • 2 drawers - 583 x 408 x 77mm

• Overall size - 1055 x 450 x 626mm

Stock No.	Dimensions L x W x H
14444	1055 x 450 x 626mm

NEW



2 RC6LC/42C

42" ROLLER TOOL CABINET WITH SIDE LOCKER (6 DRAWER)

Expert Quality, six drawer roller cabinet with an additional pull out locker with internal storage. Fitted with fixed and braked swivelling castors and soft grip handles for easy manoeuvrability. Manufactured from thick sheet steel with a protective powder coated finish. Drawers are fitted with an aluminium trim, 3mm EVA foam linings, heavy duty auto retention ball bearing runners delivering a smoother operation and a secure locking system supplied with two keys. Each tool cabinet is also supplied with a 6mm EVA top mat. Carton packed on pallet. Configuration of drawers (L x W x H). • 1 Full width drawer - 986 x 408 x 131mm • 1 Drawers - 591 x 408 x 320mm • 1 Drawer - 591 x 408 x 104mm • 3 Drawers - 591 x 408 x 77mm • 1 x Pull out locker with internal storage

• Overall size - 1067 x 460 x 1099mm

Stock No.	Dimensions L x W x H
14546	1067 x 460 x 1099mm

NEW



3 *TC7C/RC6LC/42C

42" COMBINED ROLLER CABINET AND TOOL CHEST (13 DRAWER)

Expert Quality, thirteen drawer, professional combined roller cabinet and tool chest. Attached with braked and swivelling castors and soft grip handles for easy manoeuvrability. The reinforced lid is fitted with supportive gas struts and two soft grip handles. Manufactured from thick sheet steel with a protective powder coated finish. Drawers are fitted with an aluminium trim, 3mm EVA foam linings, heavy duty auto retention ball bearing runners delivering a smoother operation and a secure locking system with two keys. Each tool cabinet is also supplied with a EVA top mat. Carton packed on pallet. Configuration of drawers (L x W x H)

• 3 Drawers - 591 x 408 x 77mm
• 2 drawers - 583 x 408 x 77mm
• 2 drawers - 583 x 408 x 50mm
• 2 drawers - 352 x 408 x 50mm
• 1 Full width drawer - 986 x 408 x 131mm
• 1 Drawers - 591 x 408 x 320mm
• 1 Drawer - 591 x 408 x 104mm
• 1 drawer - 352 x 408 x 158mm
• 1 x Pull out locker with internal storage
• Overall size - 1067 x 460 x 1725mm

Stock No.	Dimensions L x W x H
11505	1067 x 460 x 1725mm

NEW



1 TC4C/42C

42" TOOL CHEST (4 DRAWER)

Expert Quality, four drawer top tool chest. Manufactured from thick sheet steel with a protective powder coated finish. Drawers are fitted with an aluminium trim, 3mm EVA foam linings, heavy duty auto retention ball bearing runners delivering a smoother operation and a secure locking system supplied with two keys. The reinforced lid is fitted with supportive gas struts and two soft grip handles. Each tool chest is also supplied with a 6mm EVA top mat. Carton packed on pallet. Configuration of drawers (L x W x H) • 2 drawers - 978 x 408 x 50mm • 2 drawer - 978 x 408 x 77mm
• Overall size - 1055 x 450 x 626mm

Stock No.	Dimensions L x W x H
14494	1055 x 450 x 626mm

NEW



2 RC8C/42C

42" ROLLER TOOL CABINET (8 DRAWER)

Expert Quality, eight drawer roller cabinet, fitted with fixed and braked swivelling castors and soft grip handles for easy manoeuvrability. Manufactured from thick sheet steel with a protective powder coated finish. Drawers are fitted with an aluminium trim, 3mm EVA foam linings, heavy duty auto retention ball bearing runners delivering a smoother operation and a secure locking system supplied with two keys. Each tool cabinet is also supplied with a 6mm EVA top mat. Carton packed on pallet. Configuration of drawers (L x W x H)
• 1 Full width drawer - 986 x 408 x 131mm
• 1 Drawer - 591 x 408 x 104mm • 1 Drawer - 591 x 408 x 239mm
• 1 Drawer - 591 x 408 x 320mm • 1 Drawer - 352 x 408 x 131mm
• 1 Drawer - 352 x 408 x 320mm • 2 Drawer - 352 x 408 x 104mm
• Overall size - 1067 x 460 x 1099mm

Stock No.	Dimensions L x W x H
14580	1067 x 460 x 1099mm

NEW



3 *TC4C/RC8C/42

42" COMBINED ROLLER CABINET AND TOOL CHEST (12 DRAWER)

Expert Quality, twelve drawer, professional combined roller cabinet and tool chest. Attached with braked and swivelling castors and soft grip handles for easy manoeuvrability. The reinforced lid is fitted with supportive gas struts and two soft grip handles. Manufactured from thick sheet steel with a protective powder coated finish. Drawers are fitted with an aluminium trim, 3mm EVA foam linings, heavy duty auto retention ball bearing runners delivering a smoother operation and a secure locking system with two keys. Each tool cabinet is also supplied with a EVA top mat. Carton packed on pallet.
Configuration of drawers (L x W x H)
• 2 Drawer - 352 x 408 x 104mm
• 2 drawer - 978 x 408 x 77mm
• 2 drawers - 978 x 408 x 50mm
• 1 Full width drawer - 986 x 408 x 131mm
• 1 Drawer - 591 x 408 x 239mm
• 1 Drawer - 591 x 408 x 104mm
• 1 Drawer - 591 x 408 x 320mm
• 1 Drawer - 352 x 408 x 320mm
• 1 Drawer - 352 x 408 x 131mm
• Overall size - 1067 x 460 x 1725mm

Stock No.	Dimensions L x W x H
11506	1067 x 460 x 1725mm

NEW



1 TC4LC/42C

42" TOOL CHEST WITH SIDE LOCKER (4 DRAWER)

Expert Quality, four drawer roller cabinet, fitted with fixed and braked swivelling castors and soft grip handles for easy manoeuvrability. Manufactured from thick sheet steel with a protective powder coated finish. Drawers are fitted with an aluminium trim, 3mm EVA foam linings, heavy duty auto retention ball bearing runners delivering a smoother operation and a secure locking system supplied with two keys. Each tool cabinet is also supplied with a 6mm EVA top mat. Carton packed on pallet.

Configuration of drawers (L x W x H) • 2 Drawers - 583 x 408 x 50mm • 2 Drawer - 583 x 408 x 77mm • 1 Locker • Overall size - 1055 x 450 x 626mm

Stock No.	Dimensions L x W x H
14527	1055 x 450 x 626mm

NEW



2 RC12C/42C

42" ROLLER TOOL CABINET (12 DRAWER)

Expert Quality, twelve drawer roller cabinet, fitted with fixed and braked swivelling castors and soft grip handles for easy manoeuvrability. Manufactured from thick sheet steel with a protective powder coated finish. Drawers are fitted with an aluminium trim, 3mm EVA foam linings, heavy duty auto retention ball bearing runners delivering a smoother operation and a secure locking system supplied with two keys. Each tool cabinet is also supplied with a 6mm EVA top mat. Carton packed on pallet.

Configuration of drawers (L x W x H) • 1 Full width drawer - 986 x 408 x 131mm • 2 Drawer - 352 x 408 x 50 mm • 2 Drawer - 352 x 408 x 104mm • 1 Drawer - 352 x 408 x 347mm • 1 Drawer - 591 x 408 x 50mm • 2 Drawer - 591 x 408 x 77mm • 2 Drawer - 591 x 408 x 104mm • 1 Drawer - 591 x 408 x 239mm • Overall size - 1067 x 460 x 1099mm

Stock No.	Dimensions L x W x H
14583	1067 x 460 x 1099mm

NEW



3 *TC4LCRC12C/42C

42" COMBINED ROLLER CABINET AND TOOL CHEST (16 DRAWER)

Expert Quality, sixteen drawer, professional combined roller cabinet and tool chest. Attached with braked and swivelling castors and soft grip handles for easy manoeuvrability. The reinforced lid is fitted with supportive gas struts and two soft grip handles. Manufactured from thick sheet steel with a protective powder coated finish. Drawers are fitted with an aluminium trim, 3mm EVA foam linings, heavy duty auto retention ball bearing runners delivering a smoother operation and a secure locking system with two keys. Each tool cabinet is also supplied with a EVA top mat. Carton packed on pallet. Configuration of drawers (L x W x H)

- 4 Drawer - 591 x 408 x 77mm
- 2 Drawer - 591 x 408 x 104mm
- 2 Drawers - 583 x 408 x 50mm
- 2 Drawer - 352 x 408 x 104mm
- 2 Drawer - 352 x 408 x 50 mm
- 1 Full width drawer - 986 x 408 x 131mm
- 1 Drawer - 591 x 408 x 50mm
- 1 Drawer - 591 x 408 x 239mm
- 1 Drawer - 352 x 408 x 347mm
- 1 Locker
- Overall size - 1067 x 460 x 1725mm

Stock No.	Dimensions L x W x H
11509	1067 x 460 x 1725mm


NEW DRAPER EXPERT 26" TOOL CHESTS AND ROLLER CABINETS

Featuring
- Ball bearing runners on all drawers
- Fitted with secure locks and supplied with 2 keys
- Rubber castors
- Lids attached with pneumatic struts
- Attractive aluminium drawer trims



FEATURES OF 26" CABINETS AND TOOL CHESTS


Supplied with 2 keys


Fitted with heavy duty ball bearing runners


Rubber castors


Lid fitted with pneumatic struts


Aluminium drawer trim

NEW



1 TC4CC

26" TOOL CHEST (4 DRAWER)

Expert Quality, four drawer top tool chest. Manufactured from thick sheet steel with a protective powder coated finish. Drawers are fitted with an aluminium trim, 3mm EVA foam linings, heavy duty auto retention ball bearing runners delivering a smoother operation and a secure locking system supplied with two keys. The reinforced lid is fitted with supportive gas struts, a plastic document holder and two soft grip handles. Each tool chest is also supplied with a 6mm EVA top mat. Carton packed on pallet.

Configuration of drawers (L x W x H)

- 2 drawers - 583 x 408 x 50mm
- 2 drawers - 583 x 408 x 77mm
- Overall size - 660 x 450 x 626mm

Stock No.	Dimensions L x W x H
14213	660 x 450 x 626mm

NEW



2 TC6CC

26" TOOL CHEST (6 DRAWER)

Expert Quality, six drawer top tool chest. Manufactured from thick sheet steel with a protective powder coated finish. Drawers are fitted with an aluminium trim, 3mm EVA foam linings, heavy duty auto retention ball bearing runners delivering a smoother operation and a secure locking system supplied with two keys. The reinforced lid is fitted with supportive gas struts, a plastic document holder and two soft grip handles. Each tool chest is also supplied with a 6mm EVA top mat. Carton packed on pallet.

Configuration of drawers (L x W x H)

- 2 half width Drawers - 289 x 408 x 50mm
- 4 full width Drawers - 583 x 408 x 50mm
- Overall size - 660 x 450 x 626mm

Stock No.	Dimensions L x W x H
14214	660 x 450 x 626mm

NEW



3 TC8CC

26" TOOL CHEST (8 DRAWER)

Expert Quality, eight drawer top tool chest. Manufactured from thick sheet steel with a protective powder coated finish. Drawers are fitted with an aluminium trim, 3mm EVA foam linings, heavy duty auto retention ball bearing runners delivering a smoother operation and a secure locking system supplied with two keys. The reinforced lid is fitted with supportive gas struts, a plastic document holder and two soft grip handles. Each tool chest is also supplied with a 6mm EVA top mat. Carton packed on pallet.

Configuration of drawers (L x W x H)

- 2 Full width drawers - 583 x 408 x 50mm
- 6 Half width drawers - 289 x 408 x 50mm
- Overall size - 660 x 450 x 626mm

Stock No.	Dimensions L x W x H
14215	660 x 450 x 626mm

NEW



4 TC9CC

26" TOOL CHEST (9 DRAWER)

Expert Quality, nine drawer top tool chest. Manufactured from thick sheet steel with a protective powder coated finish. Drawers are fitted with an aluminium trim, 3mm EVA foam linings, heavy duty auto retention ball bearing runners delivering a smoother operation and a secure locking system supplied with two keys. The reinforced lid is fitted with supportive gas struts, a plastic document holder and two soft grip handles. Each tool chest is also supplied with a 6mm EVA top mat. Carton packed on pallet.

Configuration of drawers (L x W x H)

- 3 Full width drawers - 583 x 408 x 50mm
- 6 Half width drawers - 191 x 408 x 50mm
- Overall size - 660 x 450 x 626mm

Stock No.	Dimensions L x W x H
14217	660 x 450 x 626mm

SUPPLIED ON PALLET | DRAPER Expert | HEAVY DUTY BALL BEARINGS | NEW

1 RC5CC

26" ROLLER TOOL CABINET (5 DRAWER)



Expert Quality, five drawer roller cabinet, fitted with fixed and braked swivelling castors and attached with a side dump bin, side tool storage rack and soft grip pulling handles for easy manoeuvrability. Manufactured from thick sheet steel with a protective powder coated finish. Drawers are fitted with an aluminium trim, 3mm EVA foam linings, auto retention ball bearing runners delivering a smoother operation and a secure locking system supplied with two keys. Each tool cabinet is also supplied with a 6mm EVA top mat. Carton packed on pallet.

Configuration of drawers (L x W x H)

- 1 Full width drawers - 591 x 408 x 104mm
- 2 Full width drawers - 591 x 408 x 50mm
- 2 Full width drawers - 591 x 408 x 158mm
- Overall size - 672 x 460 x 820mm

Stock No.	Dimensions L x W x H
14252	672 x 460 x 820mm

SUPPLIED ON PALLET | DRAPER Expert | HEAVY DUTY BALL BEARINGS | NEW

2 RC6CC

26" ROLLER TOOL CABINET (6 DRAWER)



Expert Quality, six drawer roller cabinet, fitted with fixed and braked swivelling castors and attached with a side dump bin, side tool storage rack and soft grip pulling handles for easy manoeuvrability. Manufactured from thick sheet steel with a protective powder coated finish. Drawers are fitted with an aluminium trim, 3mm EVA foam linings, auto retention ball bearing runners delivering a smoother operation and a secure locking system supplied with two keys. Each tool cabinet is also supplied with a 6mm EVA top mat. Carton packed on pallet.

Configuration of drawers (L x W x H)

- 1 Full width drawers - 591 x 408 x 104mm
- 1 Full width drawers - 591 x 408 x 50mm
- 1 Full width drawers - 591 x 408 x 158mm
- 1 Full width drawers - 591 x 408 x 320 mm
- 2 Full width drawers - 591 x 408 x 77mm
- Overall size - 672 x 460 x 1084mm

Stock No.	Dimensions L x W x H
14427	672 x 460 x 1084mm

SUPPLIED ON PALLET | DRAPER Expert | HEAVY DUTY BALL BEARINGS | NEW

3 RC7CC

26" ROLLER TOOL CABINET (7 DRAWER)



Expert Quality, seven drawer roller cabinet, fitted with fixed and braked swivelling castors and attached with a side dump bin, side tool storage rack and soft grip pulling handles for easy manoeuvrability. Manufactured from thick sheet steel with a protective powder coated finish. Drawers are fitted with an aluminium trim, 3mm EVA foam linings, auto retention ball bearing runners delivering a smoother operation and a secure locking system supplied with two keys. Each tool cabinet is also supplied with a 6mm EVA top mat. Carton packed on pallet.

Configuration of drawers (L x W x H)

- 1 Full width drawers - 591 x 408 x 104mm
- 1 Full width drawers - 591 x 408 x 50 mm
- 1 Full width drawers - 591 x 408 x 320mm
- 4 Full width drawers - 591 x 408 x 77mm
- Overall size - 672 x 460 x 1084mm

Stock No.	Dimensions L x W x H
14443	672 x 460 x 1084mm

DRAPER Expert | HEAVY DUTY BALL BEARINGS | NEW



4 TC6CC/RC7CC

26" COMBINED ROLLER CABINET AND TOOL CHEST (13 DRAWER)

Expert Quality, thirteen drawer, professional combined roller cabinet and tool chest. Attached with braked and swiveling castors and fitted with a side dump bin, side tool storage rack and soft grip pulling handles for easy manoeuvrability. The reinforced lid is fitted with supportive gas struts and two soft grip handles. Manufactured from thick sheet steel with a protective powder coated finish. Drawers are fitted with an aluminium trim, 3mm EVA foam linings, auto retention ball bearing runners delivering a smoother operation and a secure locking system with two keys. Each tool cabinet is also supplied with a EVA top mat.
Carton packed on pallet.

Configuration of drawers (L x W x H)

- 4 Full width drawers - 591 x 408 x 77mm
- 4 Full width Drawers - 583 x 408 x 50mm
- 2 half width Drawers - 289 x 408 x 50mm
- 1 Full width drawers - 591 x 408 x 320mm
- 1 Full width drawers - 591 x 408 x 104mm
- 1 Full width drawers - 591 x 408 x 50 mm
- Overall size - 672 x 460 x 1710mm

SUPPLIED ON PALLET

Stock No.	Dimensions L x W x H
11523	672 x 460 x 1710mm



1 TC8D/40

40" TOOL CHEST (8 DRAWER)

NEW BALL-BEARING

8 drawer tool chest manufactured from sheet steel with a powder coated finish and aluminium effect trim. Drawers fitted with ball bearing runners for smoother operation. Each tool chest is fitted with heavy-duty carry handles and a secure integral locking system supplied with two keys.

Drawer configuration:

- 3 drawers: 570 x 370 x 74.5mm
- 3 drawers: 313 x 370 x 74.5mm
- 1 drawers: 570 x 370 x 153.5mm
- 1 drawers: 313 x 370 x 153.5mm

SUPPLIED ON PALLET

Stock No.	Dimensions L x W x H
15123	1051 x 405 x 552mm



NEW BALL-BEARING

2 RC11D/40

40" ROLLER CABINET (11 DRAWER)

SUPPLIED ON PALLET

11 drawer roller cabinet with pulling handle manufactured from sheet steel with a powder coated finish. Fitted with two fixed and two braked, heavy-duty swivelling castors. Drawers are fitted with ball bearing runners for smoother operation and a protective foam liner. Each roller cabinet is fitted with a secure integral locking system supplied with two keys. Carton packed. Drawer configuration: • 3 drawers: 570 x 410 x 74.5mm • 3 drawers: 313 x 410 x 74.5mm • 2 drawers: 570 x 410 x 153.5mm • 2 drawers: 313 x 410 x 153.5mm • 1 drawer: 937 x 410 x 122.5mm

Stock No.	Dimensions L x W x H
15222	1067 x 458 x 1002mm

NEW BALL-BEARING



3 *TC8D/RC11D/40

40" COMBINED ROLLER CABINET AND TOOL CHEST (19 DRAWER)

Nineteen drawer combined roller cabinet and tool chest. Attached with two fixed and two braked, heavy-duty swivelling castors a pulling handle and carry handles. Manufactured from sheet steel with a powder coated finish. Drawers are fitted with ball bearing runners for smoother operation and a protective foam liner. Each roller cabinet is fitted with a secure integral locking system supplied with two keys. Carton packed.

Drawer configuration:

- 3 drawers: 570 x 410 x 74.5mm
- 3 drawers: 570 x 370 x 74.5mm
- 3 drawers: 313 x 410 x 74.5mm
- 3 drawers: 313 x 370 x 74.5mm
- 2 drawers: 570 x 410 x 153.5mm
- 2 drawers: 313 x 410 x 153.5mm
- 1 drawer: 937 x 410 x 122.5mm
- 1 drawers: 570 x 370 x 153.5mm
- 1 drawers: 313 x 370 x 153.5mm
- Overall size - 672 x 460 x 1554mm

SUPPLIED ON PALLET

Stock No.	Dimensions L x W x H
17764	1067 x 458 x 1554mm

FEATURES OF 40" ROLLER CABINETS AND TOOL CHESTS



Supplied with 2 keys



Drawers fitted with ball bearing runners



Rubber castors



Hinged lid



Aluminium drawer trim


NEW DRAPER 26" TOOL CHESTS AND ROLLER CABINETS

Featuring

- Ball bearing runners on all drawers
- Fitted with secure locks and supplied with 2 keys
- Rubber castors
- Attractive aluminium drawer trims



FEATURES OF 26" CABINETS AND TOOL CHESTS




Supplied with 2 keys



Drawers fitted with ball bearing runners



Rubber castors



Hinged lid



Aluminium drawer trim

NEW BALL-BEARING EQUIPPED



1 TC4D

26" TOOL CHEST (4 DRAWER)

4 drawer tool chest manufactured from sheet steel with a powder coated finish and aluminium effect trim. Drawers are fitted with ball bearing runners for smoother operation and a protective foam liner. Each tool chest is fitted with heavy-duty carry handles and a secure integral locking system supplied with two keys. Carton packed. Drawer configuration:

- 3 drawers: 570 x 273 x 48mm
- 1 drawer: 570 x 274 x 74.5mm

Stock No.	Dimensions L x W x H
14589	660 x 307 x 377mm

NEW BALL-BEARING EQUIPPED



2 TC5D

26" TOOL CHEST (5 DRAWER)

5 drawer tool chest manufactured from sheet steel with a powder coated finish and aluminium effect trim. Drawers are fitted with ball bearing runners for smoother operation and a protective foam liner. Each tool chest is fitted with heavy-duty carry handles and a secure integral locking system supplied with two keys. Carton packed. Drawer configuration:

- 4 drawers: 570 x 273 x 48mm
- 1 drawer: 570 x 274 x 74.5mm

Stock No.	Dimensions L x W x H
14604	660 x 307 x 435mm

NEW BALL-BEARING EQUIPPED



3 TC6D

26" TOOL CHEST (6 DRAWER)

6 drawer tool chest manufactured from sheet steel with a powder coated finish and aluminium effect trim. Drawers are fitted with ball bearing runners for smoother operation and a protective foam liner. Each tool chest is fitted with heavy-duty carry handles and a secure integral locking system supplied with two keys. Carton packed. Drawer configuration:

- 3 drawers: 170.5 x 273 x 48mm
- 2 drawers: 570 x 273 x 48mm
- 1 drawer: 570 x 273 x 74.5mm

Stock No.	Dimensions L x W x H
14606	660 x 307 x 377mm

NEW BALL-BEARING EQUIPPED



4 TC8D

26" TOOL CHEST (8 DRAWER)

8 drawer tool chest manufactured from sheet steel with a powder coated finish and aluminium effect trim. Drawers are fitted with ball bearing runners for smoother operation and a protective foam liner. Each tool chest is fitted with heavy-duty carry handles and a secure integral locking system supplied with two keys. Carton packed. Drawer configuration:

- 6 drawers: 170 x 273 x 48mm
- 1 drawer: 570 x 273 x 48mm
- 1 drawer: 570 x 273 x 74.5mm

Stock No.	Dimensions L x W x H
14898	660 x 307 x 377mm

NEW BALL-BEARING EQUIPPED



5 TC9DA

26" TOOL CHEST (9 DRAWER)

9 drawer tool chest manufactured from sheet steel with a powder coated finish and aluminium effect trim. Drawers are fitted with ball bearing runners for smoother operation and a protective foam liner. Each tool chest is fitted with heavy-duty carry handles and a secure integral locking system supplied with two keys. Carton packed. Drawer configuration:

- 6 drawers: 170 x 273 x 48mm
- 2 drawer: 570 x 273 x 48mm
- 1 drawer: 570 x 273 x 74.5mm

Stock No.	Dimensions L x W x H
14910	660 x 307 x 435mm

NEW BALL-BEARING EQUIPPED



6 TC10D

26" TOOL CHEST (10 DRAWER)

10 drawer tool chest manufactured from sheet steel with a powder coated finish and aluminium effect trim. Drawers are fitted with ball bearing runners for smoother operation and a protective foam liner. Each tool chest is fitted with heavy-duty carry handles and a secure integral locking system supplied with two keys. Carton packed. Drawer configuration:

- 6 drawers: 171 x 410 x 50mm
- 2 drawers: 570 x 410 x 48mm
- 1 drawer: 171 x 410 x 155mm
- 1 drawer: 570 x 410 x 74.5mm

Stock No.	Dimensions L x W x H
14937	660 x 445 x 488mm



NEW BALL-BEARING EQUIPPED

1 TIC2D

26" INTERMEDIATE TOOL CHEST (2 DRAWER)

2 drawer intermediate tool chest manufactured from sheet steel with a powder coated finish and aluminium effect trim. Drawers are fitted with ball bearing runners for smoother operation and a protective foam liner. Each tool chest is fitted with heavy-duty carry handles and a secure integral locking system supplied with two keys. Carton packed.

Drawer configuration:

- 1 drawers: 570 x 273 x 74.5mm
- 1 drawer: 570 x 273 x 100.5mm

Stock No.	Dimensions L x W x H
14958	670 x 315 x 265mm





NEW BALL-BEARING EQUIPPED

2 TIC3D

26" INTERMEDIATE TOOL CHEST (3 DRAWER)

3 drawer intermediate tool chest manufactured from sheet steel with a powder coated finish and aluminium effect trim. Drawers are fitted with ball bearing runners for smoother operation and a protective foam liner. Each tool chest is fitted with heavy-duty carry handles and a secure integral locking system supplied with two keys. Carton packed.

Drawer configuration:

- 2 drawers: 570 x 410 x 48mm
- 1 drawer: 570 x 410 x 74.5mm

Stock No.	Dimensions L x W x H
14970	670 x 451 x 265mm



NEW BALL-BEARING EQUIPPED

3 RC5D

26" ROLLER CABINET (5 DRAWER)

5 drawer roller cabinet with pulling handle manufactured from sheet steel with a powder coated finish. Fitted with two fixed and two braked, heavy-duty swivelling castors. Drawers are fitted with ball bearing runners for smoother operation and a protective foam liner. Each roller cabinet is fitted with a secure integral locking system supplied with two keys. Carton packed. Drawer configuration:

- 3 drawers: 570 x 410 x 74.5mm
- 2 drawers: 570 x 410 x 153.5mm

Stock No.	Dimensions L x W x H
14978	680 x 458 x 772mm



NEW BALL-BEARING EQUIPPED

4 RC7D

26" ROLLER CABINET (7 DRAWER)

7 drawer roller cabinet with pulling handle manufactured from sheet steel with a powder coated finish. Fitted with two fixed and two braked, heavy-duty swivelling castors. Drawers are fitted with ball bearing runners for smoother operation and a protective foam liner. Each roller cabinet is fitted with a secure integral locking system supplied with two keys. Carton packed. Drawer configuration:

- 3 drawers: 570 x 410 x 74.5mm • 2 drawers: 570 x 410 x 100.5mm • 1 drawer: 570 x 410 x 48mm • 1 drawer: 570 x 410 x 153.5mm

Stock No.	Dimensions L x W x H
15040	680 x 458 x 945mm



NEW BALL-BEARING EQUIPPED

5 RC9D

26" ROLLER CABINET (9 DRAWER)

9 drawer roller cabinet with pulling handle manufactured from sheet steel with a powder coated finish. Fitted with two fixed and two braked, heavy-duty swivelling castors. Drawers are fitted with ball bearing runners for smoother operation and a protective foam liner. Each roller cabinet is fitted with a secure integral locking system supplied with two keys. Carton packed. Drawer configuration: • 5 drawers: 570 x 410 x 48.5mm • 3 drawers: 570 x 410 x 74.5mm • 1 drawer: 570 x 410 x 153.5mm

Stock No.	Dimensions L x W x H
15110	680 x 458 x 945mm

FEATURES OF 26" ROLLER CABINETS AND TOOL CHESTS



Supplied with 2 keys



Drawers fitted with ball bearing runners



Rubber castors



Hinged lid



Aluminium drawer trim



NEW BALL-BEARING

1 RC9D/TC6D

26" COMBINATION ROLLER CABINET AND TOOL CHEST (15 DRAWER)

Fifteen drawer combined roller cabinet and tool chest. Attached with braked and swivelling castors and pulling handles for easy manoeuvrability. Manufactured from sheet steel with a protective powder coated finish. Drawers are fitted with ball bearing runners delivering a smooth operation and a secure locking system with two keys. Carton packed on pallet.

Configuration of drawers (L x W x H)

- 5 drawers: 570 x 410 x 48.5mm
- 3 drawers: 570 x 410 x 74.5mm
- 3 drawers: 170.5 x 273 x 48mm
- 2 drawers: 570 x 273 x 48mm
- 1 drawer: 570 x 410 x 153.5mm
- 1 drawer: 570 x 273 x 74.5mm
- Overall size - 680 x 458 x 1322mm

Stock No.	Dimensions L x W x H
11533	680 x 458 x 1322mm



NEW BALL-BEARING

2 TC6D/TIC3D/RC7D

26" COMBINATION ROLLER CABINET AND TOOL CHEST (16 DRAWER)

Sixteen drawer combined roller cabinet and tool chest. Attached with braked and swivelling castors and pulling handles for easy manoeuvrability. Manufactured from sheet steel with a protective powder coated finish. Drawers are fitted with ball bearing runners delivering a smooth operation and a secure locking system with two keys. Carton packed on pallet.

Configuration of drawers (L x W x H)

- 3 drawers: 570 x 410 x 74.5mm
- 3 drawers: 170.5 x 273 x 48mm
- 2 drawers: 570 x 410 x 100.5mm
- 2 drawers: 570 x 410 x 48mm
- 2 drawers: 570 x 273 x 48mm
- 1 drawer: 570 x 410 x 153.5mm
- 1 drawer: 570 x 410 x 48mm
- 1 drawer: 570 x 410 x 74.5mm
- 1 drawer: 570 x 273 x 74.5mm
- Overall size - 680 x 458 x 1414mm

Stock No.	Dimensions L x W x H
11541	680 x 458 x 1414mm

FEATURES OF 26" ROLLER CABINETS AND TOOL CHESTS


Supplied with 2 keys


Drawers fitted with ball bearing runners


Rubber castors


Hinged lid


Aluminium drawer trim





BALL BEARING

1 TC6B

24" NARROW PATTERN TOOL CHEST (6 DRAWER)

Manufactured from sheet steel with painted finish. Drawers are fitted with anti slip mats and ball bearing runners for smooth operation and long life. Narrow pattern for stacking on roller cabinets. Locking systems supplied with two keys. Carton packed.

Configuration: • 3 third width drawers, 150 x 225 x 40mm • 2 full width drawers, 510 x 225 x 40mm • 1 full width drawer, 510 x 225 x 80mm

Stock No.	Dimensions L x W x H
51690	600 x 255 x 345mm



SUPPLIED ON PALLET

BALL BEARING

2 RCTC8B

24" COMBINED ROLLER CABINET AND TOOL CHEST (8 DRAWER)

Two-drawer roller cabinet with large lower storage space and six different sized drawer top tool chest, both manufactured from sheet steel with protective paint finish. Roller cabinet is fitted with swivel castors and heavy duty handles. All drawers have built-in ball bearing runners for smoother operation and longer life. Integral locking mechanism on the top chest with two keys supplied. Carton packed.

Stock No.	Dimensions L x W x H
51177	615 x 330 x 1000mm

FEATURES OF 24" ROLLER CABINETS AND TOOL CHESTS



Supplied with 2 keys



Heavy duty carry handles



Rubber castors



Lid fitted with pneumatic struts



Aluminium drawer trim

1 TC6D/B

26" TOOL CHEST (5 DRAWER)

5 drawer tool chest manufactured from sheet steel with a powder coated finish and aluminium effect trim. Drawers are fitted with ball bearing runners for smoother operation and a protective foam liner. Each tool chest is fitted with heavy-duty carry handles and a secure integral locking system supplied with two keys. Carton packed.

Drawer configuration:

- 4 drawers: 570 x 410 x 48mm
- 1 drawer: 570 x 410 x 74.5mm

Stock No.	Dimensions L x W x H
35746	660 x 445 x 430mm



NEW BALL-BEARING EQUIPPED

2 TIC3D

26" INTERMEDIATE TOOL CHEST (3 DRAWER)

3 drawer intermediate tool chest manufactured from sheet steel with a powder coated finish and aluminium effect trim. Drawers are fitted with ball bearing runners for smoother operation and a protective foam liner. Each tool chest is fitted with heavy-duty carry handles and a secure integral locking system supplied with two keys. Carton packed.

Drawer configuration:

- 2 drawers: 570 x 410 x 48mm
- 1 drawer: 570 x 410 x 74.5mm

Stock No.	Dimensions L x W x H
14970	670 x 451 x 265mm



NEW BALL-BEARING EQUIPPED

3 RC7D

26" ROLLER CABINET (7 DRAWER)

7 drawer roller cabinet with pulling handle manufactured from sheet steel with a powder coated finish. Fitted with two fixed and two braked, heavy-duty swivelling castors. Drawers are fitted with ball bearing runners for smoother operation and a protective foam liner. Each roller cabinet is fitted with a secure integral locking system supplied with two keys. Carton packed.

Drawer configuration:

- 3 drawers: 570 x 410 x 74.5mm
- 2 drawers: 570 x 410 x 100.5mm
- 1 drawer: 570 x 410 x 48mm
- 1 drawer: 570 x 410 x 153.5mm

Stock No.	Dimensions L x W x H
15040	680 x 458 x 945mm



NEW BALL-BEARING EQUIPPED



4 *CTCB

26" COMBINATION ROLLER CABINET AND TOOL CHEST (15 DRAWER)

Fifteen drawer combined roller cabinet and tool chest. Attached with braked and swivelling castors and pulling handle for easy manoeuvrability. Manufactured from sheet steel with a protective powder coated finish. Drawers are fitted with ball bearing runners delivering a smooth operation and a secure locking system with two keys. Carton packed on pallet.

Configuration of drawers (L x W x H)

- 4 drawers: 570 x 410 x 48mm
- 3 drawers: 570 x 410 x 74.5mm
- 2 drawers: 570 x 410 x 100.5mm
- 2 drawers: 570 x 400 x 48mm
- 1 drawer: 570 x 410 x 153.5mm
- 1 drawer: 570 x 400 x 74.5mm
- 1 drawer: 570 x 410 x 74.5mm
- 1 drawer: 570 x 410 x 48mm
- Overall size - 680 x 458 x 1472mm

SUPPLIED ON PALLET

Stock No.	Dimensions L x W x H
04593	680 x 458 x 1472mm

FEATURES OF 26" ROLLER CABINETS AND TOOL CHESTS


Supplied with 2 keys


Drawers fitted with ball bearing runners


Rubber castors


Hinged lid


Aluminium drawer trim

1 TC6D/BK

26" TOOL CHEST (5 DRAWER)

5 drawer tool chest manufactured from sheet steel with a powder coated finish and aluminium effect trim. Drawers are fitted with ball bearing runners for smoother operation and a protective foam liner. Each tool chest is fitted with heavy-duty carry handles and a secure integral locking system supplied with two keys. Carton packed.

Drawer configuration:

- 4 drawers: 570 x 410 x 48mm
- 1 drawer: 570 x 410 x 74.5mm

Stock No.	Dimensions L x W x H
35737	660 x 445 x 430mm



NEW BALL-BEARING

2 TIC3D/BK

26" INTERMEDIATE TOOL CHEST (3 DRAWER)

3 drawer intermediate tool chest manufactured from sheet steel with a powder coated finish and aluminium effect trim. Drawers are fitted with ball bearing runners for smoother operation and a protective foam liner. Each tool chest is fitted with heavy-duty carry handles and a secure integral locking system supplied with two keys. Carton packed.

Drawer configuration:

- 2 drawers: 570 x 410 x 48mm
- 1 drawer: 570 x 410 x 74.5mm

Stock No.	Dimensions L x W x H
35740	670 x 451 x 265mm



NEW BALL-BEARING

3 RC7D/BK

26" ROLLER CABINET (7 DRAWER)

7 drawer roller cabinet with pulling handle manufactured from sheet steel with a powder coated finish. Fitted with two fixed and two braked, heavy-duty swivelling castors. Drawers are fitted with ball bearing runners for smoother operation and a protective foam liner. Each roller cabinet is fitted with a secure integral locking system supplied with two keys. Carton packed.

Drawer configuration:

- 3 drawers: 570 x 410 x 74.5mm
- 2 drawers: 570 x 410 x 100.5mm
- 1 drawer: 570 x 410 x 48mm
- 1 drawer: 570 x 410 x 153.5mm

Stock No.	Dimensions L x W x H
35743	734 x 520 x 945mm



NEW BALL-BEARING



NEW

4 *CTCB

26" COMBINATION ROLLER CABINET AND TOOL CHEST (15 DRAWER)

Fifteen drawer combined roller cabinet and tool chest. Attached with braked and swivelling castors and pulling handle for easy manoeuvrability. Manufactured from sheet steel with a protective powder coated finish. Drawers are fitted with ball bearing runners delivering a smooth operation and a secure locking system with two keys. Carton packed on pallet.

Configuration of drawers (L x W x H)

- 4 drawers: 570 x 410 x 48mm
- 3 drawers: 570 x 410 x 74.5mm
- 2 drawers: 570 x 410 x 100.5mm
- 2 drawers: 570 x 400 x 48mm
- 1 drawer: 570 x 410 x 153.5mm
- 1 drawer: 570 x 400 x 74.5mm
- 1 drawer: 570 x 410 x 74.5mm
- 1 drawer: 570 x 410 x 48mm
- Overall size - 680 x 458 x 1472mm

SUPPLIED ON PALLET

Stock No.	Dimensions L x W x H
04594	680 x 458 x 1472mm

FEATURES OF 26" ROLLER CABINETS AND TOOL CHESTS


Supplied with 2 keys


Drawers fitted with ball bearing runners


Rubber castors


Hinged lid


Aluminium drawer trim

1 TC6D/G

26" TOOL CHEST (5 DRAWER)

5 drawer tool chest manufactured from sheet steel with a powder coated finish and aluminium effect trim. Drawers are fitted with ball bearing runners for smoother operation and a protective foam liner. Each tool chest is fitted with heavy-duty carry handles and a secure integral locking system supplied with two keys. Carton packed.

Drawer configuration:

- 4 drawers: 570 x 410 x 48mm
- 1 drawer: 570 x 410 x 74.5mm

Stock No.	Dimensions L x W x H
35739	660 x 445 x 430mm



NEW BALL-BEARING

2 TIC3D/G

26" INTERMEDIATE TOOL CHEST (3 DRAWER)

3 drawer intermediate tool chest manufactured from sheet steel with a powder coated finish and aluminium effect trim. Drawers are fitted with ball bearing runners for smoother operation and a protective foam liner. Each tool chest is fitted with heavy-duty carry handles and a secure integral locking system supplied with two keys. Carton packed.

Drawer configuration:

- 2 drawers: 570 x 410 x 48mm
- 1 drawer: 570 x 410 x 74.5mm

Stock No.	Dimensions L x W x H
35742	670 x 451 x 265mm



NEW BALL-BEARING

3 RC7D/G

26" ROLLER CABINET (7 DRAWER)

7 drawer roller cabinet with pulling handle manufactured from sheet steel with a powder coated finish. Fitted with two fixed and two braked, heavy-duty swivelling castors. Drawers are fitted with ball bearing runners for smoother operation and a protective foam liner. Each roller cabinet is fitted with a secure integral locking system supplied with two keys. Carton packed.

Drawer configuration:

- 3 drawers: 570 x 410 x 74.5mm
- 2 drawers: 570 x 410 x 100.5mm
- 1 drawer: 570 x 410 x 48mm
- 1 drawer: 570 x 410 x 153.5mm

Stock No.	Dimensions L x W x H
35745	734 x 520 x 945mm



NEW BALL-BEARING



4 *CTCG

26" COMBINATION ROLLER CABINET AND TOOL CHEST (15 DRAWER)

Fifteen drawer combined roller cabinet and tool chest. Attached with braked and swivelling castors and pulling handle for easy manoeuvrability. Manufactured from sheet steel with a protective powder coated finish. Drawers are fitted with ball bearing runners delivering a smooth operation and a secure locking system with two keys. Carton packed on pallet.


Configuration of drawers (L x W x H)

- 4 drawers: 570 x 410 x 48mm
- 3 drawers: 570 x 410 x 74.5mm
- 2 drawers: 570 x 410 x 100.5mm
- 2 drawers: 570 x 400 x 48mm
- 1 drawer: 570 x 410 x 153.5mm
- 1 drawer: 570 x 400 x 74.5mm
- 1 drawer: 570 x 410 x 74.5mm
- 1 drawer: 570 x 410 x 48mm
- Overall size - 680 x 458 x 1472mm

SUPPLIED ON PALLET

Stock No.	Dimensions L x W x H
04596	680 x 458 x 1472mm

FEATURES OF 26" ROLLER CABINETS AND TOOL CHESTS


Supplied with 2 keys


Drawers fitted with ball bearing runners


Rubber castors


Hinged lid


Aluminium drawer trim

1 TC6D/W

26" TOOL CHEST (5 DRAWER)

5 drawer tool chest manufactured from sheet steel with a powder coated finish and aluminium effect trim. Drawers are fitted with ball bearing runners for smoother operation and a protective foam liner. Each tool chest is fitted with heavy-duty carry handles and a secure integral locking system supplied with two keys. Carton packed.

Drawer configuration:

- 4 drawers: 570 x 410 x 48mm
- 1 drawer: 570 x 410 x 74.5mm

Stock No.	Dimensions L x W x H
35738	660 x 445 x 430mm



NEW BALL-BEARING

2 TIC3D/W

26" INTERMEDIATE TOOL CHEST (3 DRAWER)

3 drawer intermediate tool chest manufactured from sheet steel with a powder coated finish and aluminium effect trim. Drawers are fitted with ball bearing runners for smoother operation and a protective foam liner. Each tool chest is fitted with heavy-duty carry handles and a secure integral locking system supplied with two keys. Carton packed.

Drawer configuration:

- 2 drawers: 570 x 410 x 48mm
- 1 drawer: 570 x 410 x 74.5mm

Stock No.	Dimensions L x W x H
35741	670 x 451 x 265mm



NEW BALL-BEARING

3 RC7D/W

26" ROLLER CABINET (7 DRAWER)

7 drawer roller cabinet with pulling handle manufactured from sheet steel with a powder coated finish. Fitted with two fixed and two braked, heavy-duty swivelling castors. Drawers are fitted with ball bearing runners for smoother operation and a protective foam liner. Each roller cabinet is fitted with a secure integral locking system supplied with two keys. Carton packed.

Drawer configuration:

- 3 drawers: 570 x 410 x 74.5mm
- 2 drawers: 570 x 410 x 100.5mm
- 1 drawer: 570 x 410 x 48mm
- 1 drawer: 570 x 410 x 153.5mm

Stock No.	Dimensions L x W x H
35744	734 x 520 x 945mm



NEW BALL-BEARING



BALL-BEARING

NEW

4 *CTCW

26" COMBINATION ROLLER CABINET AND TOOL CHEST (15 DRAWER)

Fifteen drawer combined roller cabinet and tool chest. Attached with braked and swivelling castors and pulling handle for easy manoeuvrability. Manufactured from sheet steel with a protective powder coated finish. Drawers are fitted with ball bearing runners delivering a smooth operation and a secure locking system with two keys. Carton packed on pallet.

Configuration of drawers (L x W x H)

- 4 drawers: 570 x 410 x 48mm
- 3 drawers: 570 x 410 x 74.5mm
- 2 drawers: 570 x 410 x 100.5mm
- 2 drawers: 570 x 400 x 48mm
- 1 drawer: 570 x 410 x 153.5mm
- 1 drawer: 570 x 400 x 74.5mm
- 1 drawer: 570 x 410 x 74.5mm
- 1 drawer: 570 x 410 x 48mm
- Overall size - 680 x 458 x 1472mm

SUPPLIED ON PALLET

Stock No.	Dimensions L x W x H
04597	680 x 458 x 1472mm

FEATURES OF 26" ROLLER CABINETS AND TOOL CHESTS



Supplied with 2 keys



Drawers fitted with ball bearing runners



Rubber castors



Hinged lid



Aluminium drawer trim

NEW BALL-BEARING

SUPPLIED ON PALLET



1 RCTC6/B

24" COMBINED ROLLER CABINET AND TOOL CHEST (6 DRAWER)

6 drawer roller cabinet and tool chest manufactured from sheet steel with a powder coated finish and aluminium effect trim. Drawers are fitted with ball bearing runners for smoother operation. Fitted with heavy-duty handles, swivelling castors and a secure integral locking system supplied with two keys.

Drawer configuration:

- 3 drawers: 511 x 225 x 40mm
- 1 drawer: 511 x 225 x 84mm
- 2 drawers: 511 x 308 x 84mm

Stock No.	Dimensions L x W x H
19563	616 x 330 x 998mm

2 RCTC6/BK

24" COMBINED ROLLER CABINET AND TOOL CHEST (6 DRAWER)

6 drawer roller cabinet and tool chest manufactured from sheet steel with a powder coated finish and aluminium effect trim. Drawers are fitted with ball bearing runners for smoother operation. Fitted with heavy-duty handles, swivelling castors and a secure integral locking system supplied with two keys.

Drawer configuration:

- 3 drawers: 511 x 225 x 40mm
- 1 drawer: 511 x 225 x 84mm
- 2 drawers: 511 x 308 x 84mm

Stock No.	Dimensions L x W x H
19572	616 x 330 x 998mm

3 RCTC6/G

24" COMBINED ROLLER CABINET AND TOOL CHEST (6 DRAWER)

6 drawer roller cabinet and tool chest manufactured from sheet steel with a powder coated finish and aluminium effect trim. Drawers are fitted with ball bearing runners for smoother operation. Fitted with heavy-duty handles, swivelling castors and a secure integral locking system supplied with two keys.

Drawer configuration:

- 3 drawers: 511 x 225 x 40mm
- 1 drawer: 511 x 225 x 84mm
- 2 drawers: 511 x 308 x 84mm

Stock No.	Dimensions L x W x H
19566	616 x 330 x 998mm

4 RCTC6/W

24" COMBINED ROLLER CABINET AND TOOL CHEST (6 DRAWER)

6 drawer roller cabinet and tool chest manufactured from sheet steel with a powder coated finish and aluminium effect trim. Drawers are fitted with ball bearing runners for smoother operation. Fitted with heavy-duty handles, swivelling castors and a secure integral locking system supplied with two keys.

Drawer configuration:

- 3 drawers: 511 x 225 x 40mm
- 1 drawer: 511 x 225 x 84mm
- 2 drawers: 511 x 308 x 84mm

Stock No.	Dimensions L x W x H
19576	616 x 330 x 998mm

FEATURES OF 24" (6 DRAWER) COMBINED CABINETS AND TOOL CHESTS


Supplied with 2 keys


Drawers fitted with ball bearing runners


Rubber castors


Hinged lid


Aluminium drawer trim

section 2



VEHICLE SERVICE TOOLS

136-139 Diagnostics
140 Vehicle Electronics
141-143 Automotive Socketry
146-157 Engine and Transmission
158-159 Fuel System Tools
160-162 Cooling
163-167 Steering and Suspension
168-173 Brakes
174-179 Tyres and Wheels
180-185 Bodywork and Windscreen
185 Motorcycle Tools
186-189 Breakdown and Recovery
190-201 Consumables and Accessories

EVERYTHING A MECHANIC REQUIRES FOR VEHICLE SERVICING


DIAGNOSTICS



Pages 136-139

VEHICLE ELECTRONICS

Page 140




AUTOMOTIVE SOCKETRY

Pages 141-143



ENGINE & TRANSMISSION



Pages 146-157

FUEL SYSTEM TOOLS



Pages 158-159

COOLING

Pages 160-162



STEERING & SUSPENSION

Pages 163-167



BRAKES



Pages 168-173

TYRES & WHEELS



Pages 174-179


BODYWORK & WINDSCREEN

Pages 180-185



MOTORCYCLE TOOLS

Page 185



BREAKDOWN & RECOVERY



Pages 186-189

CONSUMABLES & ACCESSORIES




Pages 190-201

48 VEHICLE MANUFACTURERS DIAGNOSTIC/SERVICE TABLET

NEW





1 FCR-MOT

WIRELESS DIAGNOSTIC AND ELECTRONIC SERVICE TABLET

Expert Quality, for the interrogation of engine management systems and the display and clearing of diagnostic trouble codes (DTC's) in petrol, diesel and hybrid vehicles. Advanced diagnostic tool covering 48 vehicle manufactures and 10 service functions. Wirelessly communicates between vehicle and tablet, simply plug in the wireless EOBD II connector into a vehicle and the tablet will take over. Fully updatable via the internet for all the latest vehicle data. Fully EOBD II compliant and featuring a host of diagnostic attributes including oil resets, EPB, battery management system resets, steering angle sensor resets, ABS brake bleeding resets, diesel particular resets, injector programming, anti-theft matching, TPMS resetting, throttle matching, data record and replay. All data can be printed via a PC and featuring multilingual support. Supplied with carry case, ID Vehicle to VCI adaptors, USB power cable, 230V to USB plug and VCI WI-fi 16 pin connector.

Please visit our web site for the latest software for Stock No.12044.

Stock No.
12044



SUPPLIED COMPLETE WITH LEAD KIT

2 O20M/3C

3 CHANNEL 20MHZ OSCILLOSCOPE

Expert Quality, designed with the following capabilities, 3-channel, 20MHz digital oscilloscope, true 6000 count RMS digital multi-meter. Supplied with AC/DC power adaptor, alligator clips, BNC banana adaptor, inductive pick up, multi-meter test leads, oscilloscope probes, piercing probe, secondary pick up, USB cable and storage case with shoulder strap. Display packed.

Features: • 100mws/s real-time sampling rate, 20MHz real-time bandwidth • Automotive electrical measurements, 51 kinds of automotive standard reference waveform • Automatic tracking measurement on input to adjust the vertical amplitude/horizontal time-base, triggering the stall feature without user intervention • Large dynamic measurement range from 10mV to 500V • Large TFT LCD screen capable of displaying 4 measurement parameters • Two kinds of cursor measurement mode selection • Built-in re-chargeable battery • Continuous track record for up to 12 hours • Standard USB interface provides easy download with a computer connection for data analysis and test results archive

Stock No.
64573

NEW



3 FCR-701P

DIAGNOSTIC MULTI-SERVICE TOOL

Fault code reader and multi-service diagnostic tool for the interrogation of engine management systems and the display and clearing of diagnostic trouble codes (DTC's) in petrol, diesel and hybrid vehicles. The large colour screen is capable of displaying live data and f graphs, identifies VIN information, freeze frame data function, turns off malfunction indicator light (MIL), displays monitor and I/M readiness status, O2 sensor and evap system tests capabilities, permanent code retrieval (2010-18), on-board monitor test (Mode 6), reads fault code pending data, DTC code look up function, oil resets, ABS and SRS diagnostics, EPB resets, TPMS resets, BMS resets, SAS resets, DPF resets and multilingual support (English, French, Spanish, German). Supplied with: USB 2.0 cable, 16pin data link cable, SD card reader, carry pouch.

Please visit our web site for the latest software for Stock No.12056.

Stock No.
12056

NEW



4 FCR-701

FAULT CODE READER AND OIL RESET TOOL

Fault code reader and oil reset tool, providing full OBDII/EOBD diagnostic functions and protocols and the display and clearing of diagnostic trouble codes (DTC's) in petrol, diesel and hybrid vehicles. The large colour screen is capable of displaying live data and f graphs, identifies VIN information, freeze frame data function, turns off malfunction indicator light (MIL), displays monitor and I/M readiness status, O2 sensor and evap system tests capabilities, permanent code retrieval (2010-18), on-board monitor test (Mode 6), reads fault code pending data, DTC code look up function, oil resets, multilingual support (English, French, Spanish, German). Supplied with: USB 2.0 cable, 16pin data link cable, SD card reader, carry pouch.

Please visit our web site for the latest software for Stock No.12045.

Stock No.
12045





1 DP101

DIAGNOSTIC PROBE

Expert Quality, diagnostic circuit and component probe, used to reduce diagnostic times in vehicle electronic systems. Easy to use, just hook-up to the vehicle battery and you're able to determine if a circuit is positive, negative or open. Capable of continuity testing, conduct positive or negative battery current analysis, carry out instant ground tests and much more. Supplied with 2 x probe tips and approximately 6 metres of cable and stored in a high quality plastic storage case. Display packed.

Stock No.
16422

NEW



3 BDT/M

BATTERY DIAGNOSTIC TOOL

Battery diagnostic tool, providing quick and easy diagnostics on lead acid, AGM flat plate, AGM spiral, Gel and EFB batteries. Fitted with a large backlit LCD screen.

Stock No.
81164

NEW



4 FCR-100

FAULT CODE READER

For the interrogation of engine management systems and the display and clearing of diagnostic trouble codes (DTC's) in petrol, diesel and hybrid vehicles. Compatible with all EOBD petrol 2001 and diesel 2004 onwards and OBDII (US) 1996 onwards systems. Fitted with a large backlit LCD screen able to display I/M readiness, VIN recognition assisting with vehicle specific codes and is Mode 6 compatible.

Stock No.
81163

NEW



6 EGRVT

EGR VALVE ACTIVATOR/TESTER

Expert Quality, EGR valve activator/tester. Used to open the exhaust gas recirculation (EGR) valve when in situ. Can be held in the open position to aid cleaning carbon deposits, or switched from open/closed to check operation. Supplied with a range of connectors to suit most common vehicle valves. Operated by a 12V vehicle supply capable of a continuous open/close cycle every 90 seconds.

Stock No.
66248

TWO & THREE WIRE TEST LEADS



2 GPT/12-24V

GLOW PLUG TESTER 12-24V

Expert Quality, self-calibrating easy to use glow plug tester, suitable for both steel and ceramic glow plugs. Enables fast in-situ diagnosis of glow plug failure on 12V and 24V DC diesel engines. Fitted with both audible indicators and an LED indicator. These indicators coupled with the backlit LCD display provide easy to interpret and precise data. Fitted with a in-built reverse polarity protection device. Display packed.

Stock No.
74534



5 TBTG

TIMING BELT TENSION GAUGE

Expert Quality, used to measure and adjust the tension of timing belts. Fitted with a micro-computer providing exceptionally precise and accurate readings. The LED screen displays a variety of standards and manufacturers units and the visual and audible indicators assist the user whilst adjusting the belt. Tension limits can be set either manually or automatically and the tension limits, measurements and calibration parameters can be stored in the testers memory. NOTE: always check the vehicle manufacturers instruction manual for the correct tolerances. Supplied in robust plastic storage case. Display packed.

Stock No.
53352



7

RETRACTABLE TEST LEADS

Expert Quality, retractable test lead set that permits isolation of electrical circuits when diagnosing electrical faults etc. Each different coloured wire has soldered and crimped terminated ends attached with steel crocodile clips and protective sleeves. Simply wind back into the housing after use. Display packed.

Stock No.	Part No.	Length	Wires
64764	TLR2/10	10ft	2
64766	TLR2/30	30ft	2
64761	TLR3/10	10ft	3
64763	TLR3/20	20ft	3



1 DCM402

DIGITAL CLAMP METER (AUTO-RANGING)

- ***Expert Quality***
- Auto and manual ranging clamp meter capable of voltage, current, resistance, diode, continuity, capacitance, frequency, duty cycle and
- Temperature testing
- Maximum jaw-opening diameter of 36mm
- Backlit LCD screen, auto power off, linear bar graph functions and a useful inspection light
- Supplied with test leads, temp probe, case and 3 x AAA batteries

DC Voltage	600mV/6V/60V/600V
AC Voltage	6V/60V/600V
DC Amps	60A/600A
AC Amps	60A/600A
Resistance	600ohms/6kohms/60kohms /6Mohms/60Mohms
Capacitance	999nF/99.99nF/999.9nF/9.999µF/99.9µF /999.9µF/9.999mF/99.99mF
Frequency	100Hz/1000Hz/10kHz/100kHz /1MHz/10MHz
Temp	-50 to 300°C
Battery	3 x AAA (supplied)

Stock No.	Description
41967	Clamp Meter
42088	Probe Set
42093	Temperature Set
42101	Crocodile Clips
61833	Batteries (4 x AAA)



2 DMM300

AUTOMOTIVE DIGITAL MULTIMETER (AUTO AND MANUAL RANGING)

- Auto and manual ranging capable of voltage, current, resistance, diode and continuity testing
- Fitted with a backlit LCD screen, DWELL, Tach, MAX, auto power off, continuity buzzer and data hold features
- Supplied with test leads, case and 2 x AAA batteries

DC Voltage	200mV/2V/20V/200V/600V
AC Voltage	200mV/2V/20V/200V/600V
DC Amps	2A/10A
AC Amps	2A/10A
Resistance	200ohms/2kohms/20kohms/ 200kohms/2Mohms/20Mohms
DWELL	4CYL/6CYL/8CYL
TACH	4CYL/6CYL/8CYL
Battery	2 x AAA (supplied)

Stock No.	Description
41821	Multimeter
42044	Probe Set
42094	Inductive Clamp
42103	Zip Case
61833	Batteries (4 x AAA)



3 DMM301

AUTOMOTIVE DIGITAL MULTIMETER (AUTO AND MANUAL-RANGING)

- Auto and manual ranging multimeter capable of voltage, current, resistance, diode, temperature and continuity testing
- Fitted with a backlit LCD screen, DWELL, Tach, MAX, auto power off, continuity buzzer and data hold features
- Supplied with test leads, temp probe, inductive clamp, case and 2 x AAA batteries

DC Voltage	600mV/6V/60V/600V
AC Voltage	6V/60V/600V
DC Amps	6mA/600mA/6A/10A
AC Amps	6mA/600mA/6A/10A
Resistance	600ohms/6kohms/60kohms/ 600kohms/6Mohms/60Mohms
Capacitance	40nF/400nF/4µF/40µF/400µF/4000µF
Frequency	9.999Hz - 9.999MHz
Temp	-20 to 1000°C
DWELL	4CYL, 5CYL, 6CYL, 8CYL
TACH	RPM4 120-20000, RPM2 60-20000
Battery	2 x AAA (supplied)

Stock No.	Description
41822	Multimeter
42044	Probe Set
42091	Temperature Set
42095	Crocodile Clips
42094	Inductive Clamp
42103	Zip Case
61833	Batteries (4 x AAA)



4 ETLS28

AUTOMOTIVE DIAGNOSTIC TEST LEAD KIT (28 PIECE)

Expert Quality, useful automotive diagnostic kit providing fast and accurate circuit testing and trouble shooting. Used in conjunction with multimeters or Oscilloscopes. Supplied in plastic storage case.

Stock No.
54371



5 PWS20-10

20-10 AWG WIRE STRIPPERS

Expert Quality, pocket-sized for cutting and stripping cable and wire. Incorporates pliers in the jaws together with open/close lock keeps jaws closed when not in use. Spring-loaded jaws for one-handed operation. Supplied with two replacement chrome molybdenum stripping blades. Display packed.

Stock No.	Part No.	Wire Stripping Range
26320	PWS20-10	20-10 AWG
26319	PWS30-20	30-20 AWG



6 WPG1

WIRE PIERCING GUIDE CLIP

Expert Quality, quickly guides the point of a test probe to the centre of all 12V automotive wires. Three wire gauge size guides. Display packed.

Stock No.
43286



1 IT12:1B

INFRARED THERMOMETER

Easy to use 12:1 ratio infra-red thermometer. Compact and portable tool enabling professionals to diagnose heating/cooling problems and monitor the temperature of electrical motors, electrical panels, automotive exhausts and radiators etc; without contact. Manufactured with enhanced optics for delivering supreme accuracy between the temperature range -50 to 550°C (-58 to 1022F), a maximum temperature alarm and a laser positional guide. Display packed.

Stock No.
15101



2 DMM18

AUTOMOTIVE TACHOMETER

- *Expert Quality*
- Measures two stroke, four stroke and distributor less ignition systems (DIS)
- 1 to 8 cylinder • x10 reading • Data holding facility
- Large 2000 count LCD • Low battery indicator
- Auto power off

R/min4	600-2000 (x10r/min)
R/min2	300-3200 (x10r/min)
Battery (supplied)	1 x 9V PP3 type
Size (W x H x D)	76 x 155 x 47mm
Weight:	210g

Stock No.	Description
79005	Tachometer
61837	Battery (PP3)



3 KFT

VEHICLE KEY FOB TESTER

Expert Quality, detects radio and infrared wavelengths from vehicle key fobs and remote controls helping diagnose potential faults on the emitters. Operates between 418MHz and 434MHz. Carton packed.

Stock No.	Description
24446	Tester
61837	Battery (PP3)

NEW



4 1179/B

H.T. TESTER SET (4 PIECE)

High tension testers suitable for quick checking of petrol H.T systems. Each tester contains a flash tube indicating whether H.T voltage is present. Capable of individual or multiple cylinder fault finding. Compatible with all petrol cylinder types. Not suitable for deep recessed spark plugs.

Stock No.
80727



5 INL6/KIT

INJECTOR NOID LIGHT KIT (6 PIECE)

Expert Quality, quick, efficient and economic way to fault find on the following electronic fuel (EFI) systems: GM PFI, GM TBI, GM SCPI, Ford TBI, GEO TBI and Bosch PFI. Packed in blow mould case. Display carton.

Stock No.
57798



6 RP1

220mm AUTOMOTIVE RELAY PULLER

Used to release and refit vehicle electrical relays. The thin tips and offset handles provide easier access than a traditional plier. Forged handles with PVC dipped grips. Display packed.

Stock No.
51765



7 TL3

PISTOL-GRIP XENON TIMING LIGHT

Suitable for checking ignition timing on automotive, agricultural and marine engines (12V DC). Features include xenon bulb and inductive pick-up. Impact-resistant housing with on/off trigger. Display packed.

NB: Not for use with motorcycles, low power, or positive earth vehicles.

Stock No.
52616



8 SMS

12V SOCKET MEMORY SAVER

A 12V socket memory saver for vehicles WITHOUT an EOBD 16 pin socket. Fitted with a surge protector and LED indicators to maintain an uninterrupted power supply to the vehicle's ECU unit for security coded radios, on board digital clocks and other settings within the ECU's memory. The memory saver plugs into a conventional cigarette lighter and is powered by the vehicle's 12V battery. Supplied with 2.5M cable and crocodile clips. Carton packed.

Stock No.
22277



9 EMS

EOBD MEMORY SAVER

Allows removal of vehicle batteries without losing memories or settings for ICE systems, digital clocks, trip computers from the ECU (engine control unit). Uses 16 pin plug with reverse polarity protection. Supplied with 2.7M (approx.) of cable with crocodile clips for attachment to slave battery and in-line fuse. Display packed.

Stock No.
22231

NEW



1 1176-B

BATTERY AND ALTERNATOR ANALYSER

Simple to use battery and alternator analyser. Checks both the battery and alternator status. Fitted with a convenient magnetic strip on the reverse of the tester, allowing the user to attach the tester appropriately when testing the battery/alternator. Compatible with all 12V DC systems. Supplied with a 900mm 'Red Positive' insulated test lead fitted with a test probe and a 900mm 'Black Negative' insulated test lead fitted with a crocodile test clip.

Warning: For testing DC circuits on vehicles within the voltage range only. Not suitable for testing mains supply AC circuits.

Stock No.
41026

NEW

2 CTDK

6-48V AUTOMOTIVE DIGITAL CIRCUIT TESTER KIT (5 PIECE)

Expert Quality circuit tester kit, with easy to read LCD digital display. Compatible with most vehicles including; cars, motorcycles, commercial vehicles, trailers, boats and agricultural machinery. Suitable for testing on 6/12/24/48 DC systems. The interchangeable connectors provide a 'Plug and Play' feature. The comprehensive accessories include insulated probes and a heavy duty insulated earth clip making the kit ideal for most testing applications. Supplied in a heavy duty plastic storage case.

Contents:

- Digital circuit tester
- Heavy-duty crocodile clip
- Short probe
- Long probe
- Wire piercing probe

Stock No.
48325





NEW

3 CTD1

6-48V AUTOMOTIVE DIGITAL CIRCUIT TESTER

Expert Quality circuit tester with easy to read LCD digital display. Compatible with most vehicles including; cars, motorcycles, commercial vehicles, trailers, boats and agricultural machinery. Suitable for testing on 6/12/24/48 DC systems. Display packed.

Stock No.
48216



4 1170B

6-24V AUTOMOTIVE CIRCUIT TESTER

Expert Quality, tester with solid brass body housing a test light. Insulation piercing contact point with protective screw cap. Testing range 6-24V DC Supplied with 650mm of insulated cable with crocodile clip. Display packed.

Warning: For testing DC circuits on vehicles within the voltage range only. Not suitable for testing mains supply AC circuits.

Stock No.
32667



5 1175

6-24V AUTOMOTIVE CIRCUIT TESTER

Expert Quality, circuit tester with 1.5M of heavy duty cable and earth (crocodile) clip. Insulated contact point to prevent accidental shorting. Testing range 6-24V DC. Display packed.

Warning: For testing DC circuits on vehicles within the voltage range only. Not suitable for testing mains supply AC circuits.

Stock No.
36583



NEW

6 1181-B

6-24V HEAVY DUTY AUTOMOTIVE CIRCUIT TESTER

Automotive circuit tester with 180mm long insulated blade. Fitted with a 3.6M (approx) recoil lead and heavy duty earth (crocodile) clip. Testing range 6-24V DC. Display packed.

Warning: For testing DC circuits on vehicles within the voltage range only. Not suitable for testing mains supply AC circuits.

Stock No.
54818



7 1169B

AUTOMOTIVE CIRCUIT TESTER 6-24V DC

Circuit tester with transparent plastic handle housing neon light. Testing range 6-24V DC. Supplied with 750mm of insulated cable with crocodile clip.

Warning: For testing DC circuits on vehicles within the voltage range only. Not suitable for testing mains supply AC circuits.

Stock No.	Blade Tip
72228	3mm



8 VT2

AC/DC VOLTAGE TESTER

Expert Quality, twin LED indicators identify voltage between 12-600V. Suitable for testing a host of wiring around the home or workplace, vehicle circuitry and electronic equipment etc. Probes fitted to 825mm of VDE approved cable. Display packed.

Stock No.
51957

SPECIALIST AUTOMOTIVE SOCKETS

The Draper Expert Quality Range of automotive socketry covers most automotive vehicle applications as shown in the tables below. Contact the Draper Sales Desk on +44 (0)23 8049 4333 if your particular vehicle application is not shown.





SPECIALIST AUTOMOTIVE SOCKETS

Expert Quality, selection of automotive sockets suitable for a variety of maintenance tasks on vehicles. While every effort has been made to ensure the information is correct always refer to the user manual or a Haynes manual for confirmation of the socket required.

	Stock No.	Part No.	Size	Sq. Drive	Description	Usage
1	55540	DT-OXY	22mm	3/8"	Oxygen Sensor Socket	GM, Mitsubishi, Nissan, VW
2	39046	HTD-MM	22mm	1/2"	Diesel Injector Socket	GM, Mitsubishi, Nissan, VW
3	16216	HTD-MM	27mm	1/2"	Diesel Injector Socket	Ford, Mercedes, Nissan, Opel, Peugeot, Toyota, Volvo, VW/Audi
4	21833	HTD-MM	28mm	1/2"	Diesel Injector Socket	Scania, Volvo
5	22192	HTD-MM	30mm	1/2"	Hub Nut Socket	Audi, Fiat, Ford, GM, PSA, Renault, VW
6	35521	HTD-MM	32mm	1/2"	Hub Nut Socket	Audi, Fiat, Ford, GM, PSA, Renault, VW
7	39047	HTD-MM	35mm	1/2"	Hub Nut Socket	Citroën, Peugeot
8	26916	HTD-AF	1.1/2"(38mm)	1/2"	Hub Nut Socket	Rover
9	71883	419D-MM	24mm	3/4"	Hub Nut Impact Socket	Ford, Mercedes
10	71392	410D-MM	26mm	1/2"	Hub Nut Impact Socket	VW Group
11	71908	419D-MM	27mm	3/4"	Hub Nut Impact Socket	DAF, Fiat Iveco, Renault, Volvo, VW
12	05060	419D-MM	28mm	3/4"	Hub Nut Impact Socket	ERF, Leyland
13	71393	410D-MM	30mm	1/2"	Hub Nut Impact Socket	Audi, VW
14	71916	419D-MM	30mm	3/4"	Hub Nut Impact Socket	Bedford, Scammel
15	71924	419D-MM	32mm	3/4"	Hub Nut Impact Socket	Mercedes
16	11899	411D-MM	33mm	3/4"	Hub Nut Impact Socket	Bedford, Leyland, Scammel, Volvo
17	71940	419D-MM	36mm	3/4"	Hub Nut Impact Socket	Alfa Romeo, Fiat, GM, Lancia, PSA, SAAB, VW, Volvo
18	26669	TTD-MM	41mm	3/4"	Hub Nut Socket	Alfa Romeo, Citroën, Fiat, Ford
19	05027	419MM	45mm	3/4"	Hub Nut Impact Socket	BMW
20	36639	DSSA	45mm	3/4"	Drive Shaft Socket	Audi
21	05028	419-MM	46mm	3/4"	Hub Nut Impact Socket	BMW
22	33319	411D-MM	50mm	3/4"	Hub Nut Impact Socket	Ford
23	39048	TTD-MM	56mm	3/4"	Hub Nut Socket	Ford
24	39049	TTD-MM	65mm	3/4"	Hub Nut Socket	Ford

COMMERCIAL VEHICLE HUB NUT SOCKETS

3/4" SQ.DRIVE



1 CVS1

BPW 6.5-9.0 TONNE AXLE NUT SOCKET (3/4" SQ. DR.)

Expert Quality, 3/4" square drive impact socket with 65 x 40mm cut outs. Used to remove BPW axle nuts.

Stock No.
16187

3/4" SQ.DRIVE



4 CVS4

98MM IVECO AXLE HUB NUT SOCKET (3/4" SQ. DR.)

Expert Quality, 98mm, 6 point impact socket. Used to remove axle nuts on Iveco commercial vehicles.

Stock No.
16191

3/4" SQ.DRIVE



7 CVS11

80MM SCANIA FRONT HUB NUT SOCKET (3/4" SQ. DR.)

Expert Quality, 3/4" square drive, 80mm, 8 point impact socket. Used to remove axle nuts on Scania commercial vehicles.

Stock No.
16198

3/4" SQ.DRIVE



2 CVS2

12 TONNE AXLE LOCK NUT SOCKET (3/4" SQ. DR.)

Expert Quality, 3/4" square drive impact socket with 80 x 49.5mm cut outs. Used to remove BPW axle nuts.

Stock No.
16188



5 CVS5

95MM MERCEDES BENZ AXLE HUB NUT SOCKET (H36 DR.)

Expert Quality, H36 drive, 95mm 12 point impact socket for use on Mercedes trailer axle nuts.

Stock No.
16192

3/4" SQ.DRIVE



8 CVS12

100MM SCANIA REAR HUB NUT SOCKET (3/4" SQ. DR.)

Expert Quality, 3/4" square drive 100mm, 8 point impact socket used to remove rear hub nuts on Scania commercial vehicles.

Stock No.
16199

3/4" SQ.DRIVE



3 CVS3

SCANIA (420) AXLE HUB NUT SOCKET (3/4" SQ. DR.)

Expert Quality, 8 tooth, 3/4" square drive impact socket. Used to remove axle nuts on Scania (420) axle systems.

Stock No.
16189



6 CVS6

110MM IVECO AXLE HUB NUT SOCKET (H36 DR.)

Expert Quality, H36 drive, 110mm 12 point impact socket for use on Iveco Evotech-cursor axle nut.

Stock No.
16193

3/4" SQ.DRIVE



9 CVS13

80-95MM AXLE LOCK NUT SOCKET (3/4" SQ. DR.)

Expert Quality, 3/4" square drive, 80-95mm, 6 tooth impact socket used to remove grooved axle lock nuts on Mercedes Atego, Vario 814 and MAN rear axles.

Stock No.
16200



3/4" SQ.DRIVE


DRAPER Expert

1 CVS14

105-125MM AXLE LOCK NUT SOCKET (3/4" SQ. DR.)

Expert Quality, 3/4" square drive 105-125mm, 6 tooth impact socket used to remove grooved axle lock nut on Mercedes Actros rear axle HL/HL8 (Hypoid) axles.

Stock No.
16201



1" SQ.DRIVE


DRAPER Expert

2 CVS8

85MM IMPACT SOCKET (1" SQ. DR.)

Expert Quality, 1" square drive 85mm impact socket.

Stock No.
16195



1" SQ.DRIVE


DRAPER Expert

3 CVS9

95MM IMPACT SOCKET (1" SQ. DR.)

Expert Quality, 1" square drive 95mm impact socket.

Stock No.
16196



1" SQ.DRIVE


DRAPER Expert

4 CVS10

105MM IMPACT SOCKET (1" SQ. DR.)

Expert Quality, 1" square drive impact socket.

Stock No.
16197



1" SQ.DRIVE

DRAPER Expert

5 CVS7

115MM IMPACT SOCKET (1" SQ. DR.)

Expert Quality, 1" square drive 115mm impact socket.

Stock No.
16194



NEW

DRAPER Expert 1" SQ.DRIVE

6 TMK5

TORQUE MULTIPLIER KIT (5 PIECE)

Expert Quality, torque multiplier, designed for the removal and installation of highly torqued wheel nuts on commercial vehicles and trucks. Extremely beneficial when an air impact wrench is not accessible. Kit comes complete with two chrome molybdenum 1" square drive, 32mm, 33mm sockets and an extension bar for deep dished wheels. The gear ratio of the torque multiplier is 1:56 producing a maximum output of 3200Nm. Supplied in a convenient plastic storage case.

Stock No.
83635



DRAPER Expert 1/2" SQ.DRIVE 3/8" SQ.DRIVE

7 LSS7

3/8, 1/2" Sq. Dr. 'LAMBDA' OR OXYGEN SENSOR SOCKET SET (7 PIECE)

Expert Quality, for removal, inspection or replacement of heated and non-heated oxygen sensors fitted to the following vehicle marques; Audi, BMW, Citroën, Mercedes, Peugeot, Renault, Skoda, GM (Vauxhall/Opel) and Volkswagen. Cut-away sections allow some sockets to fit over wiring harnesses. Sockets have black phosphate finish. Display packed in blow moulded case.

Contents:

3/8" Square Drive

- 3/8" x 80mm deep socket with 7.7mm wide long groove
- 3/8" x 90mm deep socket with 20.5mm wide long groove
- Offset square drive socket with 8.6mm wide full length groove
- 1.1/16" x 74mm deep socket

1/2" Square Drive

- Offset square drive deep socket 22 x 49.5mm with 11mm wide full length groove
- 27 x 85mm deep socket with large side viewing window
- 29 x 90mm deep socket with 8.2mm wide long groove

Stock No.
89765

NEW RANGE OF TIMING TOOLS

WE'VE GOT KITS FOR THOUSANDS OF ENGINES
ALL AVAILABLE WITH NEXT DAY DELIVERY*

A totally new range of timing tools, all British made and supported with detailed application guides.


The full range of kits can be found in the latest Timing Tool catalogue, or try our easy to use tool finder, it makes finding the right kit as EASY AS 1-2-3...

BRITISH MADE




*Next day delivery on orders placed by 3pm, UK mainland only, (deliveries to the Scottish Highlands and some outlying areas may be subject to further restrictions).


EASY AS 1-2-3...




OUR EASY TO USE TOOL FINDER. ALL YOU NEED IS THE REG NUMBER AND WE'LL DO THE REST!

drapertools.com/timingtools







1 ENTER REG

2 SELECT TOOL

3 FIND STOCKIST

NEW

FOR COMMERCIAL VEHICLES



1 CTED1-E

COMMERCIAL VEHICLE DIESEL COMPRESSION TEST KIT (13 PIECE)

Expert Quality, compatible with direct and indirect fuel injection systems. The dual reading pressure gauge 0-1000psi/0-70BAR is fitted with a heavy duty rubber protector. An anti-kink coil is attached to both ends of the flexible hose increasing durability. Fitted with a spring-loaded pressure relief valve and integrated Schrader one-way valve system. Supplied in a plastic storage case.

Contents:

- 63mm Diameter gauge
- 380mm Flexible hose
- Threaded dummy glow plug
- Right angled hose adaptor
- Clamping brackets
- 3 x Dummy glow plugs
- 5 x Adaptor sleeves
- Assorted sealing washers

Stock No.
35877



NEW

2 CTED2-E

PETROL AND DIESEL MASTER ENGINE COMPRESSION TEST KIT (37 PIECE)

Expert Quality, comprehensive kit compatible with most motorcycles, cars, light commercial vehicles and marine engines. The large dual reading pressure gauge 0-600psi/0-40BAR is fitted with a heavy duty rubber protector. Anti-kink coil attached to either end of the flexible hose to increase durability. Fitted with a spring-loaded pressure relief valve and integrated Schrader one-way valve system. Supplied in a plastic storage case. Contents:

- 78mm Diameter gauge • 380mm Flexible hose
- 260mm Extension hose - 14mm thread
- Universal Brass adaptor with sleeves
- Right angled hose adaptor • Non-threaded glow plug
- 3 x Petrol Brass adaptors - 10, 12 & 18mm thread
- 3 x Clamping brackets • 4 x Large dummy glow plugs
- 5 x Adaptor sleeves • 22 x Dummy glow plugs
- Assorted sealing washers

Stock No.
35886



NEW

3 CTED2

DIESEL COMPRESSION TEST KIT (12 PIECE)

Compatible with direct and indirect fuel injection systems. The dual reading pressure gauge 0-1000psi/0-70BAR is fitted with a heavy duty rubber protector. Anti-kink coil attached to either end of the flexible hose to increase durability. Fitted with a spring-loaded pressure relief valve and integrated Schrader one-way valve system. Supplied in a plastic storage case.

Contents:

- 63mm Diameter gauge
- 380mm Flexible hose
- Clamping bracket
- Right angled hose adaptor
- 2 x Non-threaded dummy glow plugs
- 7 x Dummy glow plugs
- Assorted sealing washers

Stock No.
35878

NEW



4 CTEP3-E

DIGITAL PETROL COMPRESSION TEST KIT (8 PIECE)

Expert Quality, compatible with direct and indirect petrol engines which use 10, 12, 14 and 18mm spark plug threads. Attached with a digital LCD display gauge with a choice of three pressure settings 0-300psi/0-20BAR/0-2000kPa and fitted with a heavy duty rubber protector. The braided stainless hose withstands high pressures whilst improving durability. Fitted with a spring-loaded pressure relief valve and integrated Schrader one-way valve system. Supplied in a plastic storage case.

Contents:

- 63mm Diameter gauge
- 420mm Flexible stainless steel hose • Straight connector
- Angled connector • 4 x Adaptors • Assorted rubber seals

Stock No.
35885

NEW



5 CTEP1

PETROL COMPRESSION TESTER

Compatible with direct and indirect petrol engines which use 14 and 18mm spark plug threads. The dual reading pressure gauge 0-300psi/0-20BAR is fitted with a heavy duty rubber protector. Fitted with a spring-loaded pressure relief valve and integrated Schrader one-way valve system. Supplied in a plastic storage case.

Contents:

- 63mm Diameter gauge
- 280mm Flexible hose
- Adaptor

Stock No.
35880

NEW



6 CTEOP

OIL PRESSURE TEST KIT (12 PIECE)

Accurately tests oil pump pressure, whilst also testing switch and warning indicators. The dual reading pressure gauge 0-150psi/0-10BAR is fitted with a heavy duty rubber protector. Anti-kink coil attached to either end of the flexible hose to increase durability. Fitted with a spring-loaded pressure relief valve and integrated Schrader one-way valve system. Supplied in a plastic storage case.

Contents:

- 63mm Diameter gauge • 1400mm Flexible hose
- Right angled hose adaptor • 10 x Pressure adaptors
- Assorted rubber seals

Stock No.
35879

COMPRESSION TESTER ADAPTORS



NEW

1 CTECL

CYLINDER LEAKAGE KIT (7 PIECE)

Compatible with direct and indirect petrol engines that use 10, 12, 14 and 18mm spark plug threads. Accurately detects common engine faults such as worn piston rings, worn valves, cracked cylinder heads and blown head gaskets. Twin gauges indicate both cylinder pressure 0-100psi/0-7BAR and percentage of cylinder leakage. Both gauges are fitted with heavy duty rubber protectors. Supplied in a plastic storage case.

Contents:

- Twin 63mm diameter gauges
- 600mm Flexible hose
- 1/4" BSP air coupler
- 3 x Adaptors

Stock No.
35884

NEW



2 LRA-B

LONG REACH ADAPTOR (200mm)

Used in conjunction with petrol compression testers enabling the compression tester to be connected when spark plugs are deeply recessed inside the cylinder head. Examples of recessed spark plugs can be found in but not exclusive to Nissan, BMW, Ford, Vauxhall, Saab, Renault and Honda engines.

Contents:

Long reach adaptor length - 200mm with external thread sizes - 14 x 1.25mm and 18 x 1.50mm, internal thread size - 14 x 1.25mm

Adaptor extension length - 65mm with external thread sizes - 10 x 1.00mm and 12 x 1.25mm, internal thread size - 14 x 1.25mm

Stock No.
94269

NEW



3 SRA

SHORT REACH ADAPTOR (65mm)

Expert Quality, brass adaptor with an internal thread size of 14 x 1.25mm and external thread sizes of 10 x 1.00mm and 12 x 1.25mm.

Converts conventional petrol compression testers to be compatible with M10 and M12 threaded spark plugs, commonly found on BMW's, MINI's, Alfa Romeo's and Jaguar vehicles.

Adaptor extension length - 65mm with external thread sizes - 10 x 1.00mm and 12 x 1.25mm, internal thread size - 14 x 1.25mm

Stock No.
02150

GLOW PLUG ADAPTORS

NEW



4 CTEAK1

GLOW PLUG ADAPTOR KIT (4 PIECE)

Glow plug adaptor kit. For use with most Mercedes, BMW, VAG and Rover vehicles. For use in conjunction with the following Draper compression kits; Stock No's 35877, 35878 and 35886.

Contents: • 4 x Glow Plug Adaptors

Stock No.
35887

NEW



5 CTEAK2

GLOW PLUG ADAPTOR KIT (5 PIECE)

Glow plug adaptor kit. For use with most Peugeot, Citroen, Ford and Mazda vehicles. For use in conjunction with the following Draper compression kits; Stock No's 35877, 35878 and 35886.

Contents: • 5 x Glow Plug Adaptors

Stock No.
35888

NEW

6 CTEAK2

GLOW PLUG ADAPTOR KIT (5 PIECE)

Glow plug adaptor kit. For use with most Peugeot, Citroen, Ford and Mazda vehicles. For use in conjunction with the following Draper compression kits; Stock No's 35877, 35878 and 35886.

Contents: • 5 x Glow Plug Adaptors

Stock No.
35889



NEW

1 CTEVG4-E

VACUUM PRESSURE TEST KIT (22 PIECE)

Expert Quality, compatible with most vehicles. Kit includes comprehensive equipment for bleeding brake and clutch units. Also suitable for fault finding common issues with; air conditioning, fuel, transmission, turbo waste gates, valve stem oil seals, ignition and emissions. Dual reading pressure gauge 0-60psi/0-4BAR. Easily dismantled for cleaning. Supplied in a plastic storage case.

Contents:

- 63mm Gauge & pump • 32mm Suction cup
- Tapered hose adaptor • Gun cone
- 2 x 120ml Reservoir • 3 x Bleed nipple adaptors
- 5 x Extension tubes • 8 x Hose end cones

Stock No.
35883



NEW

2 CTEVG

VACUUM AND PRESSURE TEST KIT (5 PIECE)

Compatible with all petrol engines. Suitable for fault finding, including air leaks, incorrect valve timing, low turbo boost pressure, engine misfires, low engine compression, advanced/retarded ignition, air/fuel ratio, balancing carburettors and fuel economy. The dual reading pressure gauge 0-10psi/0-0.7BAR is fitted with a heavy duty rubber protector. Supplied in a plastic storage case.

Contents;

- 63mm Diameter gauge
- 400mm Flexible hose
- Stepped adaptor
- Straight adaptor
- T-piece adaptor

Stock No.
35881



NEW

3 CTEVG2

VACUUM TESTING KIT (19 PIECE)

Compatible with most vehicles and includes a comprehensive kit for bleeding brake and clutch units. Also suitable for fault finding common issues including; air conditioning, fuel, transmission, turbo waste gates, valve stem oil seals, ignition and emissions. Dual reading pressure gauge 0-760mmHg/0-30inHg. Easily dismantled for cleaning. Supplied in a plastic storage case.

Contents:

- 50mm Gauge & pump • 120ml Reservoir
- Transfer cap • 32mm Suction cup
- Stepped adaptor • Tapered hose adaptor
- 3 x Bleed nipple adaptors • 4 x Extension tubes
- 6 Hose end cones

Stock No.
35891



NEW

4 CTEVG3


VACUUM PUMP KIT (6 PIECE)

Compatible with most vehicles and suitable for fault finding common issues with; air conditioning, fuel, transmission, brake systems, turbo waste gates, valve stem oil seals, ignition and emissions. Dual reading pressure gauge 0-760mmHg/0-30inHg. Display packed.

Contents:

- 50mm Gauge & pump
- 510mm Flexible hose
- Tapered hose adaptor
- 1 x Hose End Cone
- 1 x Straight Adaptor
- 1 x T-Piece Adaptor

Stock No.
35892



5 ETK55

VAG CAMSHAFT/HEAD REBUILD KIT

Expert Quality, essential tool to ensure correct assembly and alignment during cylinder head work on Volkswagen Audi Group vehicles.

VAG Engine: 1.2L, 1.6L, 2.0L, 2.7L, 3.0L, 4.0L, 4.2L and **Porsche** 3.0 TDI common rail engines.

Always refer to the vehicle manufacturer for the correct use of this kit

Stock No.
16183

1 VSC7

132mm MULTI-WAY VALVE SPRING COMPRESSOR

Expert Quality, variable assembly design allows use of this tool on most cylinder heads including motorcycles, small plant machinery and marine engines. Includes five valve cups, pressure winding handle and accessories. Throat depth 110mm. Packed in blow mould case with display sleeve.

Stock No.
30832





2 CLT-GM3

GM (VAUXHALL/OPEL) CAMSHAFT LOCKING TOOL

For locking single camshafts on GM (Vauxhall/Opel) Ecotec 1.4 and 1.6L 16 valve petrol engines when undertaking maintenance. Display packed.

Stock No.
61277



3 CLT-GM2

GM (VAUXHALL/OPEL) TWIN CAM LOCKING TOOL

For locking twin camshafts on GM (Vauxhall/Opel) Ecotec 1.8, 2.0 and 2.2L 16 valve petrol engines when undertaking maintenance. Display packed.

Stock No.
61276



4 CLT-K16

ROVER GROUP CAMSHAFT LOCKING TOOL

Locks camshaft when changing cam belts etc. For use with Rover Group Metro 1.4 (100 Series) GTa, GTi May 1990 on; Rover 214 16 valve Si, SLi, GSi Oct. 1989 on; Rover 414 16 valve Si, SLi, GSi March 1990 on. Manufactured from anodized aluminium. Display packed.

Stock No.
52306



5 VSC9

60-155mm VALVE SPRING COMPRESSOR

Expert Quality, with plastic coated locking handle. When locked on keeps valve springs positively compressed during maintenance work. Throat depth 160mm. Display packed.

Stock No.
02339



7 VSC10

68-130mm VALVE SPRING COMPRESSOR

Expert Quality, with plastic coated locking handle. When locked on keeps valve springs positively compressed during maintenance work. Throat depth 160mm. Display packed.

Stock No.
02342



6 VSC6

35-142MM VALVE SPRING COMPRESSOR

Expert Quality, with plastic coated locking handle. When locked on keeps valve springs positively compressed during maintenance work.
Throat depth 150mm. Display packed.

Stock No.
02325




8 VSC11

55-175mm UNIVERSAL VALVE SPRING COMPRESSOR

Expert Quality, plastic coated locking handles to keep valve springs positively compressed during work. Suitable for use on most engines due to double-ended valve cup. Unique double action lever cams action provide choice of operation either above or below valve. Throat depth 165mm. Display packed.

Stock No.
02713



1 9902

240mm VALVE GRINDER

Recycled PVC shaft with 19mm and 22mm diameter rubber suction ends. Display packed.

Stock No.
10409



2 9902/P

VALVE GRINDING KIT

Recycled PVC shaft 240mm long with 19mm and 22mm diameter rubber suction ends and pots of genuine carborundum fine and coarse paste. Display packed.

Stock No.
72891



3 PRC

PISTON RING COMPRESSORS

Spring steel with steel adjusting key. Display packed.

Stock No.	Capacity	Depth
51844	45-75mm	50mm
51845	60-100mm	75mm
51846	75-140mm	75mm
51847	70-150mm	100mm

4 CH25/57

25-57mm CYLINDER HONE

For use on small bore cylinders i.e. motor cycles etc. with capacities between 25 and 57mm. The flexible drive shaft allows easy alignment whilst working, with the honing pressure adjustable to suit the particular application. Suitable for use with an electric or air drill, the maximum working speed is 2400r/min. Overall length 210mm. Supplied with 220 grit stone set, which are also available separately - Stock No. 56247. Display packed.

Stock No.	Description
56244	Cylinder Hone
56247	Stone Set 220 grit

5 CH51/177

51-177mm CYLINDER HONE

For use on cylinders with capacities between 51 and 177mm i.e cars, vans, trucks, marine and industrial applications. The flexible drive shaft allows easy alignment whilst working, with the honing pressure adjustable to suit the particular application. Suitable for use with an electric or air drill, the maximum working speed is 2400r/min. Supplied with 180 grit stone set, which is also available separately as are other grades. Overall length 300mm. Display packed.

Stock No.	Description
56246	Cylinder Hone
56248	Stone Set - 280 grit
56249	Stone Set - 180 grit
56250	Stone Set - 120 grit





FLEXIBLE HEADS ALLOW EASY ALIGNMENT WHILST WORKING







6 CHS2

CYLINDER HEAD STAND KIT (2 PIECE)

Securely supports cylinder heads for most forms of service and repair applications. Heavy duty mild steel with zinc plated finish. Display packed.

Stock No.
89767



7 STETH1

MECHANIC'S STETHOSCOPE

Suitable for detecting faults in engines, bearings and other moving parts. Supplied with two probes 290mm long. Display packed.

Stock No.
54503

NEW

3/8" SQ.DRIVE



1

3/8" Sq. Dr. MAGNETIC SPARK PLUG SOCKETS (250mm)

250mm spark plug sockets ideal for deep-seated spark plugs. Each 3/8" square drive socket is attached with a magnetic end for easy and safe retrieval of spark plugs. The 12 point sockets are forged from chrome vanadium steel, hardened, tempered and chrome plated. Suitable for a range of models including Citroën, Peugeot, Renault, BMW and Mini.

Stock No.	Part No.	Thread Size	Socket Size
01063	SP250X14	8mm	14mm
01064	SP250X16	10mm	16mm
01065	SP250X18	12mm	18mm



2 1402

SPARK PLUG WRENCHES

Swivel wrenches with plastic coated T handle. Socket forged steel hardened, tempered and chrome plated with rubber insert for spark plug insulator protection and retention. Display packed.

Stock No.	Plug Size
13867	10mm
13868	14mm



3 1401

LONG REACH SPARK PLUG WRENCHES (300mm)

A tubular carbon steel zinc plated wrench, designed for use with spark plugs which are deep set into engine blocks. Socket end has rubber insert for spark plug insulator protection and retention. Supplied with integral tommy bar. Display packed.

Stock No.	Plug Size
12242	10mm
12243	14mm



5 SPC10-12MM

10-12mm SPARK PLUG CHASER

Expert Quality, covering two common sizes 10mm and 12mm spark plugs threads. Driven by a 21mm spark plug socket, will clean carbon and corrosion clogged spark plug threads. Can also be used to repair minor thread damage. Display packed.

Stock No.
51767



6 SPC14-18MM

14-18mm SPARK PLUG CHASER

Expert Quality, covering two common sizes 14mm and 18mm spark plugs threads. Driven by a 21mm spark plug socket, will clean carbon and corrosion clogged spark plug threads. Can also be used to repair minor thread damage. Display packed.

Stock No.
51766



7 4862

SPARK PLUG CLEANING BRUSH

Compact brush with dense brass fill in wooden stock. Ideal for electrical terminals and spark plug cleaning. Display packed.

Stock No.
13157




8 BNB

175mm BRASS AND NYLON WIRE BRUSH

Double sided brush with three rows of brass wire and nylon fill. Plastic handle has inbuilt scraper on tip. Ideal for electrical terminals and spark plug cleaning. Display packed.

Stock No.
26318



9 22TF

METRIC THREAD RESTORING FILE

For restoring and cleaning internal or external threads. Thread pitch: 080-100, 175-200, 125-150 and 250-300. Packed in clear plastic tube.

Stock No.
68703



4 BBS

WIRE BRUSH SET (20 PIECE)

Suitable for a variety of uses including internal/external thread cleaning, cleaning drilled holes and cleaning small bore holes etc. Set comprises six nylon brushes, six stainless steel brushes, six brass brushes, soft grip magnetic handle and a 150mm magnetic extension. Supplied with canvas fold up case. Display packed.

Contents: • 6 x nylon, brass and steel brushes: 9, 11, 13, 15, 17, 19mm dia. • 150mm extension

Stock No.
22232



1 600CB

20 BLADE METRIC FEELER GAUGE SET

100mm long taper blades, hardened and polished for long accurate life. Each blade is marked with its size and folds into a polished steel case with thumbscrew. Display packed.

Blade sizes:

20 metric blades size: 0.05, 0.10, 0.15, 0.20, 0.25, 0.30, 0.35, 0.40, 0.45, 0.50, 0.55, 0.60, 0.65, 0.70, 0.75, 0.80, 0.85, 0.90, 0.95 and 1.0mm.

Stock No.
51701



2 26FB

26 BLADE IMPERIAL FEELER GAUGE SET

100mm long taper blades, hardened and polished for long accurate life. Each blade is marked with its size and folds into a polished steel case with thumbscrew. Display packed.

Blade sizes: 26 imperial blades size: 0.0015, 0.002, 0.0025, 0.003, 0.004, 0.005, 0.006, 0.007, 0.008, 0.009, 0.010, 0.011, 0.012, 0.013, 0.014, 0.015, 0.016, 0.017, 0.018, 0.019, 0.020, 0.021, 0.022, 0.023. 0.024 and 0.025".

Stock No.
51713



3 4620B

32 BLADE COMBINATION FEELER GAUGE SET

Combination gauge 32 dual marked 100mm blades, hardened and polished for long accurate life. Each blade is marked with its size and folds into a plated steel case with thumbscrew. Display packed.

Blade sizes:

Metric - mm

0.03, 0.04, 0.05, 0.06, 0.07, 0.08, 0.09, 0.10, 0.13, 0.15, 0.18, 0.20, 0.23, 0.25, 0.28, 0.30, 0.33, 0.35, 0.38, 0.40, 0.45, 0.50, 0.55, 0.60, 0.63, 0.65, 0.70, 0.75, 0.80, 0.85, 0.90 and 1.00.

Imperial - inch

0.001, 0.0015, 0.002, 0.0025, 0.0028, 0.003, 0.0035, 0.004, 0.005, 0.006, 0.007, 0.008, 0.009, 0.010, 0.011, 0.012, 0.013, 0.014, 0.015, 0.016, 0.018, 0.020, 0.022, 0.024, 0.025, 0.026, 0.028, 0.030, 0.032, 0.034, 0.035 and 0.040".

Stock No.
51720



4 4617B

10 BLADE METRIC FEELER GAUGE SET

100mm long taper blades. Each blade is marked with its size and folds into a plated steel case with thumbscrew. Display packed.

Blade sizes:

Metric: 0.05, 0.10, 0.15, 0.20, 0.30, 0.40, 0.50, 0.60, 0.70, and 0.80mm

Stock No.
36169



5 4616B

10 BLADE IMPERIAL FEELER GAUGE SET

100mm long taper blades. Each blade is marked with its size and folds into a plated steel case with thumbscrew. Display packed.

Blade sizes:

Imperial: 0.0015, 0.002, 0.003, 0.004, 0.006, 0.008, 0.010, 0.012, 0.015, 0.025"

Stock No.
36174



6 4618B

18 BLADE COMBINATION FEELER GAUGE SET

Combination gauge with eight metric and ten imperial 75mm long blades hardened and polished for long accurate life. Each blade is marked with its size and folds into a plated steel case with thumbscrew. Display packed.

Blade sizes:

8 metric blades size: 0.05, 0.10, 0.15, 0.20, 0.25, 0.30, 0.40 and 0.50mm

10 imperial blades size: 0.0015, 0.002, 0.003, 0.004, 0.006, 0.008, 0.010, 0.012, 0.015 and 0.025".

Stock No.
51731



7 FG26/LRB

26 BLADE EXTRA LONG COMBINATION FEELER GAUGE SET

Combination gauge with 26 dual marked 150mm long blades, hardened and polished for long accurate life. Each blade is marked with its size and folds into a plated steel case with thumbscrew. Display packed.

Blade sizes:

Metric - mm

0.03, 0.04, 0.05, 0.06, 0.07, 0.08, 0.09, 0.10, 0.13, 0.15, 0.18, 0.20, 0.23, 0.25, 0.28, 0.30, 0.33, 0.35, 0.38, 0.40, 0.45, 0.50, 0.60, 0.63, 0.65 and 0.70mm.

Imperial - inch

0.0012, 0.0015, 0.002, 0.0025, 0.0028, 0.003, 0.0035, 0.004, 0.005, 0.006, 0.007, 0.008, 0.009, 0.010, 0.011, 0.012, 0.013, 0.014, 0.015, 0.016, 0.018, 0.020, 0.024, 0.025, 0.026, and 0.028".

Stock No.
51727

FEELER GAUGES AND TAPPET SET

51729 offset gauge for easy access through tappet covers or reaching under cam to valve bucket.





8 VTG12B

12 BLADE COMBINATION TAPPET GAUGE SET

Combination gauge for the setting of valve tappets on motorcycles, mowers, cars, vans, etc. The dual marked blades are 95mm long and offset to give improved access to the engine and are hardened and polished for long accurate life. Each blade is marked with its size and folds into a polished steel case with thumbscrew. Display packed.

Metric - mm

0.203, 0.254, 0.305, 0.330, 0.356, 0.381, 0.406, 0.457, 0.483, 0.508, 0.635 and 0.660mm.

Imperial - inch

0.008, 0.010, 0.012, 0.013, 0.014, 0.015, 0.016, 0.018, 0.019, 0.020, 0.025, and 0.026".

Stock No.
51729



1 178A

GASKET SCRAPER

Manufactured from carbon steel hardened, tempered and satin chrome finish with shot blast scraper end. For cleaning cylinder heads, removing old sealants and carbon, etc. Display packed.

Stock No.
36923



2 ORP2

O RING AND SEAL PULLER

Universal seal puller for use on rubber 'O' rings, oil and grease seals. Particularly useful on commercial vehicle applications. Display packed.

Stock No.	Length
37439	325mm



3 SSS3

STAINLESS STEEL SCRAPER SET (3 PIECE)

Expert Quality, 1.5mm thick stainless steel blades with lacquered wood handles. Display packed in wallet.

Contents: scrapers 10 x 165mm; 15 x 170mm and 22 x 175mm long

Stock No.
30824



4 5SR SET

SCRAPER AND REMOVER SET (5 PIECE)

Suitable for a variety of applications including removing cotter pins, radiator hoses, flaking paint and gaskets. Blades hardened and tempered carbon steel. Display packed.

Contents:

- 2 Multi-purpose scrapers - 210 and 275mm
- Scratch awl - 200mm
- Cotter pin puller - 225mm
- Radiator hose remover - 175mm

Stock No.
35100




5 MPH SETB

MINI HOOK AND PICK SET (4 PIECE)

Designed to ease the removal of 'O' rings, split pins, seals and bushes in various automotive and engineering applications. Made from chrome vanadium with impact resistant handles. Display packed.

Contents: Awl, Clevis - pin remover, 'L' and 'V' hooks

Stock No.
51763



LONG REACH 240MM BLADES

6 LPH SET

LONG REACH HOOK AND PICK SET (6 PIECE)

Designed to ease the removal of 'O' rings, split pins, seals and bushes in various automotive and engineering applications. The stainless steel 240mm blades are hardened and tempered. Display packed.

Contents: Straight, Half round, Right angle, Swan neck, 45° to 95° tip and 40° to 45° tip

Stock No.
51764

PRODUCT LOCATOR

Draper liquid Instant Gasket D574, Flexible Gasket Paste D515 and Temperature Resistant Flexible Gasket Paste D518, are shown on page 193.



7 PB/SET/SG3

SOFT GRIP PRY BAR SET (3 PIECE)

Chemically blacked finish blades with striking caps and impact-resistant soft grip handles. Display packed.

Contents: 300, 450 and 600mm long

Stock No.
88636

8 PB/SET

PRY BAR SET (4 PIECE)

Chemically blacked finish blades with PVC handles. Display packed.

Contents: 200, 300, 450 and 600mm long

Stock No.
35396



1

NUT SPLITTERS

For the safe removal of corroded or damaged nuts without damaging bolt threads. Forged medium carbon steel frame with enclosed head and chrome plated finish. Threaded splitting pin with ground cutter manufactured from chrome molybdenum steel, hardened and tempered. Display packed.

Stock No.	Part No.	Capacity	Length
10913	NC912	9-12mm	80mm
10915	NC1216	12-16mm	105mm
10916	NC1622	16-22mm	130mm



2 NC922

NUT SPLITTER SET (3 PIECE)

For the safe removal of corroded or damaged nuts without damaging bolt threads. Drop forged steel body hardened and tempered with plated finish. Threaded splitting pin manufactured from chrome molybdenum steel hardened and tempered with chemically blacked finish. Capacities: 9 - 12mm, 12 - 16mm and 16 - 22mm. Display packed.

Capacities 9 - 12mm, 12 - 16mm and 16 - 22mm

Stock No.
55108



NEW



3 MPTCH

MAGNETIC CUP HOLDER

Magnetic cup holder, suitable for use with cups, cans, water bottles and aerosol cans. Made from ABS plastic, fitted with a powerful magnet for attaching to tool cabinets, metal storage units or any other ferrous metal surface. Size - 90mm diameter x 120mm.

Stock No.
11702



4 MPT13

MAGNETIC HOLDER FOR GLOVE/TISSUE BOXES

For storage of standard size boxes of latex gloves or tissues up to 145mm wide. Holder has rubber protected magnetic back for affixing to vertical metal objects such as tool boxes etc. Optional hanging holes for fixing in permanent locations. Display packed.

Stock No.
78665



NEW

5 MPTSC

MAGNETIC STORAGE HOLDER

Magnetic holder ideal for storing spray cans and workshop equipment. Capable of holding two aerosol spray cans and five screwdrivers with a combined weight capacity of 0.87kg. Made from powder coated steel fitted with powerful magnets suitable for attaching to tool cabinets, metal storage units or any other ferrous metal surface. Size 100 x 210 x 126mm.

Stock No.
11807



NEW

6 MPTTS/3

MAGNETIC TOOL TRAY SET (3 PIECE)

Magnetic tool tray set, made from powder coated steel fitted with powerful magnets suitable for attaching to tool cabinets, metal storage units or any other ferrous metal surface. Each magnet has a protective cover helping prevent scratching to the metal surfaces. Sizes 150 x 110 x 120mm with a load capacity 0.6kgs, 210 x 110 x 120mm with a load capacity 0.77kgs, 270 x 110 x 120mm with a load capacity 1.0kgs.

Stock No.
11755



NEW



7 MPTH/10

MAGNETIC HOOK SET (10 PIECE)

Magnetic hook set ideal for holding various items up to a weight of 3.5kgs, Made from carbon steel with a powerful magnet for attaching to tool cabinets, metal storage units or any other ferrous metal surface.

Stock No.
11960



NEW



8 MPTSC

MAGNETIC TOOL HOLDER

Magnetic tool holder ideal for and organizing wrenches, sockets, fasteners and workshop equipment. The powerful magnets make it suitable for attaching to tool cabinets, metal storage units or any other ferrous metal surface. Size 300 x 50 x 14mm.

Stock No.
11786





9 MPT12B

MAGNETIC HOLDER

For attaching to the side of metal objects using powerful magnets. 50mm diameter. Hook and loop straps for holding different sized tools. Display packed.

Stock No.
50984

NEW



1 MPT7B

MAGNETIC PARTS TRAY

Stainless steel, magnetic parts tray. Manufactured from high grade steel and fitted with 4 strong magnets on the base.

Stock No.	Dimensions
01096	295 x 280 x 40mm



2 MPT4B

STAINLESS STEEL MAGNETIC PARTS TRAY

Useful when working with nuts, bolts, screws, etc. Tray has magnetic base for attaching to metal objects such as tool boxes etc. Magnetism transfers to inner surface of tray to retain small metal parts, nuts, bolts, etc. Display packed.

Stock No.	Dimensions
33007	360 x 160mm

NEW



3 MPT6B

MAGNETIC PARTS TRAY

Stainless steel, magnetic parts tray. Manufactured from high grade steel and fitted with 2 strong magnets on the base.

Stock No.	Dimensions
01095	136 x 237 x 28mm

NEW



4 MPT5B

150MM MAGNETIC PARTS BOWL

150mm diameter, stainless steel, magnetic parts bowl. Manufactured from high grade steel and fitted with a strong magnet on the base.

Stock No.
01093



5 MPT/2/B

LARGE MAGNETIC PARTS TRAY

For storage of nuts, bolts, screws, etc. whilst working. Tray has magnetic base for affixing to metal objects such as tool chests etc. Magnetism transfers to inner surface of tray to retain small metal parts, nuts, bolts, etc. Sold loose.

Stock No.	Dimensions
34184	230 x 140mm



6 MPT/B

145MM MAGNETIC PARTS BOWL

For storage of nuts, bolts, screws, etc. whilst working. Bowl has rubber covered magnetic base for affixing to metal objects such as tool boxes etc. Magnetism transfers to inner surface of bowl to retain small metal parts, nuts, bolts, etc.
Sold loose.


Stock No.
34183

CLOSE UP OF MAGNETIC PICK-UP HEADS FOR ITEM Nos. 1-4

The illustrations below can help you select which type of magnetic pick-up head is suitable for your application.


Stock No. 52305


Stock No. 66198


Stock No. 22213


Stock No. 10195

1 5361

560mm FLEXIBLE MAGNETIC PICK-UP TOOL

Expert Quality, chrome plated flexible shaft with plastic handle and removable protective cap over magnet. Display packed.

Stock No.
52305

2 5362

540mm HIGH POWER FLEXIBLE MAGNETIC PICK-UP TOOL

Expert Quality, chrome plated flexible shaft with plastic handle. Will lift approximately 1.5kg. Display packed.

Stock No.
66198

3 5360A

95-470mm TELESCOPIC MAGNETIC PICK-UP TOOL

A fully extendable pick up tool with magnetic end. Ideal for the retrieval of nuts, screws and objects lost in remote places. Display packed.

Stock No.
22213

4 5355

610mm MAGNETIC PICK-UP TOOL

Fully flexible plated stem with plastic grip and powerful magnetic end. Display packed.

Stock No.
10195

5 5350

610mm PICK-UP TOOL

Fully flexible plated stem with claw action pick-up end, controlled from spring-loaded grip. Display packed.

Stock No.
39669

6 M301

370mm FIXED SHAFT INSPECTION MIRROR

Fully flexible head with mirror 55mm diameter to give good visibility in concealed areas. Plated finish with plastic grip. Display packed.


Stock No.
10263

7 M302

470mm FLEXIBLE SHAFT INSPECTION MIRROR

Fully flexible shaft and fixed head with mirror 55mm diameter to give good visibility in concealed areas. Plated finish with plastic grip. Display packed.

Stock No.
11954




8 MPM/4

TELESCOPIC PICK UP TOOL AND MIRROR SET (4 PIECE)

Handle with 500mm extendable shaft. Screw-in end allows magnet or mirror to be attached. Two attachments with 50mm and 30mm diameter mirrors and 50mm long magnet. Packed in plastic storage case and display packed.

Stock No.
44001

NEW



1 DSGCT

DSG CLUTCH TOOL KIT

Expert Quality, a dedicated tool kit required for DSG clutch removal and installation. Designed for the correct and safe removal/refitting of twin plate clutches used in VAG 6/7 speed gearboxes as featured in VW GOLF (2004 onwards), VW TOUAREG (6 speed) and AUDI A3 (2004 onwards). Supplied in plastic storage case containing the equivalent to OEM tools; T10323 - Clutch Support Device, T10373 - Puller, T10374 Gauge Block and T10376 - Thrust Piece.

Stock No.
74314



2 CAK/38A

SELF-ADJUSTING CLUTCH KIT (38 PIECE)

Expert Quality, necessary for pre-tensioning self-adjusting clutches prior to removal/installation preventing clutch damage and premature wear. Ideal for self-adjusting clutches on BMW, Fiat, GM Vauxhall/Opel, Mercedes Benz, Renault, Volvo and VW/Audi. Packed in blow mould storage carrying case with display sleeve. Display packed.

Stock No.
38600



3 CAK6-PRO

HGV CLUTCH ALIGNING KIT (6 PIECE)

Expert Quality, for fast accurate alignment of the flywheel pilot hole with clutch drive plate when assembling to vehicles. Supplied with four precision manufactured steel bushes and two expanding mandrels. Suitable for most HGV vehicles. Supplied in robust impact resistant plastic case. Display packed.

Contents:

- 36-44mm diameter expanding mandrel
- 44-52mm diameter expanding mandrel
- 20mm diameter screw-in location pin
- 25mm diameter screw-in location pin
- 27mm diameter screw-in location pin
- 30mm diameter screw-in location pin

Stock No.
41803




4 NCAKA

UNIVERSAL CLUTCH ALIGNING KIT (17 PIECE)

For fast accurate alignment of flywheel pilot hole and clutch drive plate when assembling to car. Precision manufactured steel bushes with chemically blacked finish. Suitable for use on most cars and light commercial vehicles. Display packed in handy storage case.

Stock No.
39223



5 CAK11-PRO

UNIVERSAL CLUTCH ALIGNING KIT (11 PIECE)

Expert Quality, for fast accurate alignment of flywheel pilot hole with clutch drive plate when assembling to vehicles. Supplied with eight precision manufactured steel bushes and three expanding mandrels. Suitable for most cars and light commercial vehicles. Display packed in storage case. Contents: • 3 expanding mandrels size: 15-19mm dia.; 20-26mm dia. and 23-36mm dia.

• Centring bushes: 12, 14, 15, 16, 17, 18, 19 and 20mm

Stock No.
23238




6 CAK/38A/BMW

BMW MANDRELS FOR SELF-ADJUSTING CLUTCH KIT (4 PIECE)

Expert Quality, essential time saving tools specifically designed for use with Draper self adjusting clutch kit (Stock No. 38600). For use on BMW clutches fitted with a centrally mounted removable locking plate, which can only be removed once the clutch cover is fitted.

Stock No.
53086



7 CAKT


CLUTCH MATE® - THE UNIVERSAL CLUTCH ALIGNING ASSEMBLY TOOL

This revolutionary tool makes quick work of accurately aligning the clutch and pressure plate before fitting. Fits most vehicles up to 5 tons except vehicles with double plate clutches. Body manufactured from ABS with a brass screw and supplied with three collets. A full instruction leaflet is included with each tool. Display packed.

Stock No.
52329

CLUTCH MATE® UNIVERSAL CLUTCH ALIGNMENT TOOL

On the bench, put the pressure plate over the clutch, push the Clutch Mate into the pressure plate and through the clutch, tighten the Clutch Mate to centre and join the two parts, and the assembly is ready to install.





1 IRT

INJECTOR REMOVER TOOL

Expert Quality, unique tool which allows the vibration and impact delivered by an air chisel/hammer, such as the Draper Tools Stock No. 57676 to be used to extract components. The use of the air chisel/hammer for extraction utilises the high impact and vibration levels inherent in such tools. When combined with the appropriate adaptor this tool can be used to extract a wide range of diesel injectors. Suitable for use with Draper Tools Stock No. 57676 and other manufacturers similar air chisels/hammers. Display packed.

Stock No.	Description
73897	Injector Remover Tool
73960	M25 Adaptor
73973	M20 Adaptor
74019	M27 Adaptor
74029	M12 Adaptor
74035	M14 Adaptor
74051	Bosch Double Pull
74231	Offline Driver



3 N141/A

FLYWHEEL PULLER

For use on Rover Group vehicles fitted with transverse 1100/1300cc power units with either diaphragm or verto clutches. Comprising drop forged carbon steel plate and bolts. Display packed.

Stock No.
19862





4 DISC6

DIESEL INJECTOR SEAT CUTTER SET (6 PIECE)

Expert Quality, for cleaning and re-cutting of diesel injector seats in cylinder head. Display packed in blow mould case with EVA foam insert.

Contents: • T bar handle assembly • pilot guide • 4 reamers to suit most popular vehicles/injector makes

Stock No.
30823



2 DIP3

DIESEL INJECTOR PULLER

Expert Quality, for the removal of seized diesel injectors on Mercedes-Benz CDi 611, 612 and 613 engines and other manufacturers similar engines. Packed in blow mould case with display sleeve.

Contents: • 1.8kg slide hammer with 460mm shaft • Puller adaptor with M16 thread • Puller claw to grip injector

Stock No.
31231



5 DTK-FORD

FORD DIESEL ENGINE INJECTION TIMING KIT (7 PIECE)

Expert Quality, for use on Ford 1.6 and 1.8 diesel injection engines. Kit is manufactured from mild steel and chemically blacked. Display packed in handy plastic case.

Stock No.
52576



1 COPP/VW

VW COIL-ON-PLUG PULLER

Expert Quality, for hooking under the ignition coil pack for easy removal. Suitable for use on VW Polo/Golf 1.4L, Caddy 1.4L, Beetle 1.4L, Passat, Touran 1.6L, Phaeton, Transporter, Lupo 4 cylinder and AZD engines. Display packed.

Stock No.
23254





2 ARFR

ADBLUE® REFRACTOMETER KIT

- ***Expert Quality***
- Precision refractometer suitable for measuring Urea concentration in Adblue® diesel exhaust fluid and will also measure anti-freeze strength
- Focusable eyepiece and Automatic Temperature Corrected (ATC) prism ensures accuracy
- Designed for use with standard ethylene glycol and propylene anti-freeze
- Refractometer measuring range; Urea 0 to 40% antifreeze: 0 to - 50°C;
- Supplied with calibration screwdriver, calibration fluid, pipette, cleaning cloth and storage case

Urea measuring range	0 to 40%
Anti-freeze measuring range	0 to -50°C

Stock No.
23193

TWO PIECE DIESEL FUEL FILTER TOOL

YOUTUBE.COM/ DRAPERTOOLSTV




3 DFFT

DIESEL FUEL FILTER TOOL (TWO PIECE)

Expert Quality, two piece diesel fuel filter tool kit used to hold the plastic filter housing in place allowing the top to be removed to access the filter paper. Suitable for the following vehicles:

- Chevrolet Captiva 2.0 VCDi 2007
- Chevrolet Epica 2.0 VCDi 2008
- Citroën Relay 2.0,2.2,2.8,3.0 Hdi 2002
- Fiat 500 1.3 JTD 2007
- Fiat Doblo 1.3 JTD 2004-2010
- Fiat Ducato 2.0,2.2,2.3,2.8,3.0 JTD 2002
- Fiat Idea 1.3,1.9 JTD 2004
- Fiat Multipla 1.9 JTD 2002-2010
- Fiat Panda 1.3 JTD 2004
- Fiat Punto 1.3,1.9 JTD 2001-2010
- Fiat Sedici 1.9,2.0 JTD 2006
- Peugeot Boxer 2.0,2.2,2.8,3.0 Hdi 2002
- Saab 93 1.9 TiD 2004-2006
- Suzuki Splash 1.3 DDis 2008
- Suzuki Swift 1.3 DDis 2005
- Suzuki SX4 1.3 DDis 2006
- Vauxhall Agila 1.3 CDTi 2008
- Vauxhall Astra 1.3,1.9 CDTi 2004-2010
- Vauxhall Corsa 1.3 CDTi 2003-2006
- Vauxhall Combo 1.3 CDTi 2004
- Vauxhall Meriva 1.3 CDTi 2005-2010
- Vauxhall Signum 1.9 CDTi 2004-2008
- Vauxhall Tigra 1.3 CDTi 2004-2009
- Vauxhall Vectra 1.9 CDTi 2004-2008
- Vauxhall Zafira 1.9 CDTi 2005



Stock No.
43619

NEW



4 DFT

FUEL FILTER SPANNER (FORD TRANSIT)

Expert Quality, distinctive spanner, designed for use with the unique fuel filter on Ford Transit 2.2 TDCI vehicles from 2012 onwards.

Stock No.
75009







1 CGDK

COMBUSTION GAS LEAK DETECTOR KIT

Expert Quality, block or combustion leak tester for determining if CO^2 is present in a vehicle's cooling system. CO^2 in the cooling system can indicate a head gasket leak, cracked block or a warped head, etc. Simple to operate by adding blue detector fluid to the tester and placing tester onto the radiator; air is drawn through the liquid which will change colour to yellow if CO^2 is present. Can be used in conjunction with a cone adaptor or an adaptor within the Draper Radiator Pressure Test Kit (Stock Nos. 14455 and 23420). Supplied with detector fluid. Display packed.

Stock No.	Part No.	Description
23257	CGDK	Leak Detector
23304	CGDK-RF	250ml C/Leak Fluid

2 RPT33

RADIATOR AND CAP PRESSURE TEST KIT (33 PIECE)

Expert Quality, for pressure testing radiators of most popular vehicles. Will also pressure test radiator caps for leakage. 33 colour coded adaptors allow direct connection to radiator or expansion tank. Hand pump with gauge graduated with BAR and PSI allows simple and easy controlled pressurization via a quick coupling system. Pressure release pin allows system to be depressurized prior to detachment. Supplied in carrying case with display sleeve.

Stock No.
23420

3 RPT1

RADIATOR PRESSURE TEST KIT (20 PIECE)

Expert Quality, for pressure testing radiators of most popular vehicles. 20 custom adaptors allow direct connection to radiator or expansion tank. Hand pump with gauge allows simple and easy controlled system pressurization via a quick coupling system. Pressure release pin allows system to be depressurized prior to detachment. Supplied in carrying case with display sleeve.

Stock No.
14455



4 CAV1

UNIVERSAL COOLING SYSTEM VACUUM PURGE AND REFILL KIT

Expert Quality, dramatically reduces cooling system refill time by preventing air-locks thus avoiding time-consuming cooling system bleeding. Plugs into air line then attaches to the cooling system to create a vacuum. Filler hose is then connected allowing pre-mixed coolant to flow easily into the system. Supplied with gauge, 1.3M of clear hose, four adaptors and hose end filler. Packed in carrying case.

Stock No.
09544



NEW



1 AFT-2B

ANTI-FREEZE TESTER

For testing methanol and ethylene glycol. With green and white scales. Green scale should be used when the engine is hot and white scale should be used when the engine is cold. Testing range: - Methanol - -40°C -12°C, Ethylene Glycol -34°C -12°C. Manufactured with a glass tube, PVC bulb and spout.

Stock No.	Range
01053	-5 to -40°C

NEW



2 AFT-4B

ANTI-FREEZE TESTER (DISC TYPE)

For testing ethylene glycol coolant (anti-freeze) density. The six floating discs enable accurate reading in both celsius and fahrenheit.

Stock No.	Range
35807	-7 to -37 °C/+25 - 34°F



36 MM


3 FHW36

36mm THERMO-VISCOUS FAN NUT WRENCH

Manufactured from pressed steel hardened, tempered and chrome plated with PVC dipped handle. For the removal of thermo-viscous fans fitted to Ford and GM (Vauxhall/Opel) vehicles. Display packed.

NB: Only for use on fixings of thermo-viscous fans on Ford and G.M. (Vauxhall/Opel) vehicles. NOT for general usage.

Stock No.	Length
52582	270mm



YOUTUBE.COM/ DRAPERTOOLSTV

DRAPER Expert



4 RFR

ANTI-FREEZE, BATTERY AND SCREENWASH REFRACTOMETER KIT

- ***Expert Quality***
- Precision refractometer used for measuring anti-freeze strength, battery fluid and screen wash strength
- Designed to work with the new anti-freeze technology such as G11, G12 & G13
- Refractometer measuring range; antifreeze: 0 to - 50°; battery fluid gravity: 1.10 - 1.40; screenwash: 0 to - 40°
- Automatic temperature compensation (ATC) ensures accurate and dependable results
- Supplied with calibration screwdriver, calibration fluid, pipette and cleaning cloth

Anti-freeze measuring range	0 to -50°C
Battery fluid gravity measuring range	1.10 - 1.40
Screenwash measuring range	0 to -40°C

Stock No.
10645



32 MM



5 FHW32

32mm THERMO-VISCOUS FAN NUT WRENCH

Manufactured from pressed steel hardened, tempered and chrome plated with PVC dipped handle. For the removal of thermo-viscous fan hubs fitted to Ford and BMW vehicles. Display packed.

NB: Only for use on fixings of thermo-viscous fans on Ford and BMW vehicles. NOT for general usage.

Stock No.	Length
52581	270mm

YOUTUBE.COM/ DRAPERTOOLSTV

DRAPER Expert



6 RHCP1

230mm FLEXIBLE RATCHET HOSE CLAMP PLIERS

Expert Quality, for the removal and replacement of metal or plastic spring-loaded self-tightening hose clamps. Ideal for working in confined engine bays. Flexible long reach mechanism allows the pliers to release and lock hose clamps in the opened position. Fitted with 700mm long cable. For clamp diameters from 18mm to 54mm (approx.). Display packed.

Stock No.
89793





1 HCP2

180mm CLIC AND CLIC-R HOSE CLAMP TOOL

Used to release and refit reusable hose clips. For releasing and refitting clic and clic-R type metal hose clips fitted to most engines. Spring loaded forged handles with PVC dipped grips. Display packed.

Stock No.
89791



2 HCP1/DA

MULTI DIRECTIONAL HOSE CLAMP PLIERS

Spring loaded pliers for gripping hose clamps. Perfect when removing or replacing radiator pipes on cars and commercial vehicles. The notched jaws clasp on two sides. Designed for standard hose clamps and VAG Group fuel line/ventilation pipe clamps. Manufactured from hardened steel with soft grip handles. Display packed.

Stock No.	Capacity
38371	75mm



3 HCP

PLASTIC HOSE CLAMP PLIERS

Expert Quality, single-handed hose clamp pliers with locking mechanism. Manufactured from reinforced nylon with parallel closing smooth rounded 90° jaws designed to avoid clamp creep. Compared to conventional straight pliers the 90° jaws provide less deformation to clamped pipe preventing accidental damage. Display packed.

Stock No.	Overall Size	Hose Capacity
38384	155mm	0-15mm
38385	165mm	0-22mm
38386	220mm	0-40mm



4 HC102

6-25mm RUBBER HOSE AND PIPE CUTTER

Plier-action cutter with diecast zinc alloy body. Fitted with reversible hardened and tempered replaceable steel blade. Length 190mm. Display packed.

Stock No.	Description
54463	Pipe Cutter
54485	Cutting Blade

HOSE CLIP DRIVERS



NEW

5

HOSE CLIP DRIVERS

Flexi-shaft hose clip drivers fitted with a 8mm diameter spring steel flexible shaft. Attached with 1/4" square drive male end and a bi-material soft grip handle providing user comfort even when used for prolonged periods. Supplied with a 7mm socket.

Stock No.	Part No.	Length
84149	976-HCD150	150mm
84155	976-HCD500	500mm



6 HCD/A

HOSE CLIP DRIVER

Expert Quality, for use on hose clips. Spring steel flexible shaft with 6mm and 7mm (reversible socket) hexagon adaptor to undo radiator hose clips. Polymer vulcanized 'soft grip' rubber handles, providing excellent grip which helps deliver higher torque. Display packed.

Stock No.	Blade Length
75305	150mm

7

HOSE CLAMP SETS

Makes hose clamps of users required length. Two widths of banding available, 8 and 12mm. Each set is supplied with a 3M length of banding and eight tensioning clamps. Display packed.

Stock No.	Part No.	Banding Width
55591	HC8MM	8mm
55592	HC12MM	12mm



GENERATION 2 WHEEL BEARING KIT

SUPPLIED ON PALLET



1 SSK18

GENERATION 2 WHEEL BEARING KIT

Expert Quality, Gen 2 kit, designed to correctly distribute the pressing forces through the outer bearing brace, alleviating the potential for bearing failure whilst also allowing for the suspension leg to remain in-situ when fitting the new bearings. Included in the kit is a selection of specialist tools enabling a wide range of Gen 2 bearings to be replaced. Supplied in a plastic storage case. Display packed.

Contents: Sizes and Vehicles • 62mm - Audi A2 VW Lupo (Front) • 66mm - Skoda Fabia, VW Fox (Front), Polo • 72mm - Audi A1 and A2, Seat Cordoba, Ibiza, Skoda Fabia, Roomster, Polo Front), VW Fox with PAS (Front) • 78mm - Ford Focus II, C-Max, Volvo C30, C70, S40, V50 (Front), Mazda 3 • 82mm - Ford Mondeo, Galaxy, S-Max, Land Rover Freelander 2, Volvo S80, V70, XC60, XC70 • 85mm - VW Multivan, Touareg, Transporter (Front & Rear)

Stock No.
16423



YOUTUBE.COM/ DRAPERTOOLSTV

2 SSK14

FORD & VOLVO TRAILING ARM BUSH TOOL

Expert Quality, used to remove and install the trailing arm bush. Eliminates the requirement of detaching the mounting plates, repositioning the bolts or disconnecting the brake lines. Fits Ford (Mondeo 2007>2013, Galaxy 2006>2010, S-Max 2006>2013) and Volvo (S60 II 2010>2013, V70 III 2007>2013). Display packed.

Stock No.
73845



3 SSK1

WHEEL BEARING SERVICE KIT (19 PIECE)

Expert Quality, perfect for fast and simple removal or installation of front hub bearings. The comprehensive kit eliminates the need to disassemble the steering knuckle and strut assembly saving time and money. Suitable for most front wheel drive vehicles. Supplied in heavy duty carry case. Display packed

Contents:

3 x Hub screws M12 x 1.5mm

3 x Hub Screw M14 x 1.5mm

1 x Force Screw

12 x Drift rings- 55.5, 59, 62, 65, 66, 71.5, 73, 76, 78, 84, 86 and 91mm.

Stock No.
64599



4 SSK5

REAR AXLE BUSH KIT - VAG

Expert Quality, perfect for fast and simple removal or installation of the rear axle bush. Specifically designed for use on Audi A3, VW Bora and VW Golf mark IV. Supplied in carry-case. Display packed.

Stock No.
64615

IMPORTANT! THESE PRODUCTS ARE NOT TO BE USED WITH AIR TOOLS




1 SSK6

REAR TRAILING ARM BUSH KIT - VAUXHALL

Expert Quality, perfect for fast and simple removal or installation of the upper and lower rear trailing arm bush on Vauxhalls. Specifically designed for use on Vauxhall Vectra's (1995-2002). Supplied in carry-case. Display packed.

Stock No.
64622




2 SSK16

CV JOINT REMOVAL TOOL

Expert Quality, universal tool, compatible with most vehicles. Allows for quick, easy and damage free removal of CV joints from drive shafts. Display packed.

Stock No.
85644



3 N150

BALL JOINT SEPARATOR

Expert Quality, forged carbon steel body, plated finish with steel bolt. Adjustable jaw opening 19-21mm, maximum opening capacity 50mm. Display packed.

Stock No.
63770



4 N160

2 STAGE BALL JOINT SEPARATOR

Expert Quality, two stage design for use on most cars and light commercial vehicles. The off set lever provides excellent performance giving a maximum opening capacity 56mm. Manufactured from drop forged carbon steel. Display packed.

Stock No.
28882



5 N139

BALL JOINT PULLER

Forged body with hardened thrust bolt. Direct action puller with a jaw capacity of 19mm. Suitable for use on most cars and some light commercial vehicles. Display packed.

Stock No.	Price each
13913	



6 N140

BALL JOINT SEPARATOR

Forged carbon steel body, plated finish with steel bolt. Jaw opening 19mm, maximum opening capacity 38mm. Length 140mm. Display packed.

Stock No.	Price each
13914	



7 N148

FORK TYPE BALL JOINT SEPARATOR

Forged carbon steel body with plated finish. Jaw opening 19mm and throat depth 70mm. Display packed.

Stock No.	Length
38859	400mm



8 N143

FORK TYPE BALL JOINT SEPARATOR


Forged carbon steel body with plated finish, with jaw opening 19mm and throat depth 70mm. Display packed.

Stock No.	Length
14159	200mm


HYDRAULIC SPRING COMPRESSOR




Safety device preventing users from operating the compressor when the safety cage is open



Adjustable upper fixing jaw provides stronger grip



Interchangeable vice and jaws for use on most popular struts.



Lower adjustable base supports the bottom of the strut.



THIS MACHINE CAN BE USED ON AWKWARD MERCEDES STRUTS

SUPPLIED ON PALLET

1 SC100

HYDRAULIC SPRING COMPRESSOR

- ***Expert Quality***
- Exclusive to Draper in the UK/Eire • 5000Kg coil spring capacity
- Machine can be used on awkward Mercedes struts, including Mercedes C class W203 pre 2007, C class W204 2008-14, W205 2015-18 and Mercedes E class W207/C207 2009-18 and Mercedes ML 163 – 1997-2005, whilst also the difficult VW Touareg struts, without the need of purchasing expensive additional adaptors
- Totally adjustable to accommodate all popular spring/damper suspension combinations • Safely provides access to vehicle suspension struts
- Fits a wide range of spring configurations and diameters • Entirely mobile, so can be moved to the job as required
- Designed for professional workshops • All-steel construction • Hand operated hydraulic pump • Heavy duty, full safety cage
- Hydraulic operation allows use without the need for electric power or airlines • Full safety cage to protect user
- High quality clamps and yokes delivering a secure grip • Supplied with three interchangeable yokes

Supplied with:

1 x Fixing Jaw 30-70mm, 1 x Yoke 75- 110mm, 1 x Yoke 110- 140mm, 1 x Yoke 140- 190mm

Coil spring capacity	5000Kg
Dimensions	520 x 690 x 1320mm
Upper base travel	226mm
Lower base travel	240mm
Weight	115kg

Stock No.
56191

COIL SPRING COMPRESSORS

Dismantling coil springs needs to be approached with respect, the power of these springs is daunting, and you must use the right tool for the job.

This set (Stock No. 60981) will easily and safely compress Macpherson as well as conical springs and medium size motorcycle springs.

Safety overload system ensures protection for user while yoke protectors stop the springs from being damaged.





1 N1200B

TELESCOPIC INTERNAL SPRING COMPRESSOR KIT

Expert Quality, telescopic spring compressor with a non-slip, three pronged arm that allows the user to remove and replace the coil spring on wishbone suspension without dismantling the axle, saving time and money. Also suitable for use on multi-link, independent suspensions. For use on FIAT, HYUNDAI, MAZDA, MERCEDES-BENZ, MITSUBISHI, NISSAN, PEUGEOT, ROVER, SAAB, TOYOTA, VOLVO, VW. Packed in blow mould plastic carrying case. Display packed.

Contents:

- Yoke Plates: 1 set of 90-150mm and 1 set of 70-130mm
- Drive: 19mm Hex

Stock No.
60982



2 N1000B

COIL SPRING COMPRESSOR KIT

Expert Quality, suitable for both Macpherson Strut Coil Springs and conical springs. Interchangeable jaws allow the kit to be used on AUDI, BMW, FORD, HONDA, MITSUBISHI, NISSAN, PORSCHE, SAAB, SUBARU, TOYOTA, VAUXHALL, VOLVO and VW. Safety overload system ensures protection for user while yoke protectors stop the springs from being damaged. Packed in blow mould plastic carrying case with display sleeve. Display packed.

Contents:

- Main body with 21mm hex. dr. and safety overload pin
- 2 x jaws (65-115mm dia.)
- 2 x jaws (88-160mm dia.)
- 2 x jaws (126-212mm dia.)
- 1 x extension bracket with hex key

Stock No.
60981



NEW

3 N145-B

COIL SPRING COMPRESSOR SET (2 PIECE)


Hardened and tempered coil spring compressors. The 'Wrap-Over' claw design delivers an increased safety jaw capacity of 95-235mm, Hex size 21mm with a Hex drive of 1/2" and an M16 threaded bar that's applied with a chemically blacked finish.

Stock No.
85214

"DAVE SAYS" QUALITY MAKES THE DIFFERENCE



Stock No. 68614 comes as a set of three, giving an evenly distributed applied force on the spring. To prevent slipping, the castings are deliberately rough cast to grip the spring and safety hooks are fitted for further safety.



4 N144

COIL SPRING COMPRESSOR SET (2 PIECE)

Hooks manufactured from tension ductile iron with galvanized finish. 16mm diameter carbon steel screws. Maximum opening 190mm. Display packed.

Stock No.	Length
14173	250mm




5 N152

COIL SPRING COMPRESSOR SET (2 PIECE)

Wrap round claws with polished chrome finish. Lead screw manufactured from carbon steel hardened and tempered. Jaw design makes them suitable for use in confined areas. Maximum opening 220mm. Display carton.

Stock No.
68615



1/2" SQ.DRIVE

6 N151

COIL SPRING COMPRESSOR SET (3 PIECE)

Cast steel claws with safety hooks to prevent accidental release. Lead screw manufactured from carbon steel hardened and tempered with 1/2" square drive facility. Maximum opening 224mm. Display carton.

Stock No.
68614



1 CVBK3


CV BOOT SERVICE KIT (3 PIECE)

Expert Quality, for the correct cutting, tensioning and clamping of the CV joint band. Display packed.

Contents:

- 200mm precision CV boot band cutters for use on CV bands up to 6mm wide
- 225mm CV band cutting tool
- 240mm CV pliers for tightening ear-type CV bands. Reinforced 1/2" sq. dr. recesses in handle for the use of a breaker bar/ torque wrench where specific torque is required

Stock No.
30784





5 CVBT-A

CV BOOT TOOL

This tool allows the user to renew the CV boot of a vehicle without dismantling the CV joint. Manufactured from nylon with a 19mm hexagon bar fitted to the base. Display packed.

Stock No.	Tool Length
36702	315mm



2 LAL

SUSPENSION ARM LEVER

Expert Quality, for use on suspension arm and hub work maintenance. Soft grip handle with adjustable hook allows easy use on either side of the vehicle. Adjustable fulcrum gives maximum leverage with minimum effort. Display packed.

Stock No.	Length
23251	1170mm



3 TRAT

TRACK ROD ADJUSTING TOOL

Expert Quality, for loosening and adjusting stubborn track rods. The solid forged steel head and jaws allow more torque for less effort while the large surface area of the serrated jaws help prevent damage to the track rod. For use on 14-23mm diameter track rods. Overall length 385mm. Carton packed.

Stock No.
23236



4 TRRT-A

TRACK ROD REMOVAL TOOLS

Expert Quality, for the easy removal and installation of track rod knuckles. Driving end of 1/2" sq. dr. (inner) and 27mm hex. (outer). 360mm hollow internal sleeve length/400mm overall length. Handle knurled for extra grip. Display packed.

Stock No.	Capacity
27818	28-35mm
27814	35-45mm



YOUTUBE.COM/ DRAPERTOOLSTV

6 TRRT-4PC

TRACK ROD REMOVAL TOOL KIT (4 PIECE)

Expert Quality, kit designed for easy removal and installation of ball joints on track rods. Knurled handle provides extra grip and three interchangeable heads offer complete versatility. Supplied with robust impact resistant plastic carrying box. Display packed.

Contents:

- Track rod arm length 350mm
- Interchangeable head sizes 30-35, 35-40 and 40-45mm

Stock No.
42397




1 CWBT39B

BRAKE PISTON WIND BACK TOOL KIT (39 PIECE)

Expert Quality, the comprehensive kit is designed to provide quick and efficient brake servicing on most vehicles. Supplied with both left and right-handed winders enabling the return of the brake piston into the caliper delivering clearance for the new brake pads. Includes pin punches, brake keys, pentagon bit and sockets. Packed in blow mould storage carrying case with display sleeve.

Stock No.
83717



2 CWBT18B

BRAKE PISTON WIND BACK TOOL KIT (18 PIECE)

Expert Quality, for professional and DIY mechanics, left and right handed winders allow easy return of the brake piston into the caliper providing clearance for replacement brake pads. Fits most vehicles. Packed in blow mould storage carrying case with display sleeve.

Stock No.
83716



3 372

BRAKE PISTON WIND BACK TOOL KIT (8 PIECE)

Expert Quality, right handed winder allows the easy return of the brake piston into the caliper to provide clearance for new brake pads. Fits most vehicles. Packed in blow mould storage carrying case with display sleeve. Display packed.

Stock No.
33606





4 CWBT

UNIVERSAL 2 PIN BRAKE PISTON WIND-BACK TOOL

Expert Quality, universal brake piston windback tool. Covers a wide range of vehicle brake pistons. Easily operated by rotating the top section, this adjusts the pins to the required spacing which are then locked into place by a hex key. 3/8" Sq. Dr. Display packed.

Stock No.
43615



PISTON WIND BACK TOOLS

Stock No.	Item No.	For Vehicles	Pin Centres	Pin Width
38191	1	R50, R52, R53 pre 2007 BMW-Mini	19mm	5mm
38193	2	Renault Clio	31mm	4mm
38194	3	Ford Mondeo and Galaxy	12mm Hex	-
38195	4	Nissan Vehicles, Vauxhall Astra	32mm	6mm
38202	5	Ford, Honda, Nissan, Renault	20mm	5mm
38185	6	Ford, Subaru	29mm	10mm
38187	7	Citroen, Renault	43mm	6mm
33320	8	VAG	-	-
38198	9	Renault Modus	20mm	4mm
38199	10	Ford, Lancia, Renault, Rover, VAG	20mm	4mm
38200	11	BMW, Ford, Lancia, Proton, Renault, Rover, Saab, VAG, Vauxhall	20mm	4mm
38201	12	Peugeot 206 CC/HDI/GTI	23mm	6mm



Double sided spigot




1 CWBT-KIT

BRAKE CALIPER WIND BACK TOOL (RIGHT-HAND THREAD)

Expert Quality, for the quick and efficient winding of brake pistons with right-handed threads. Can be used on Alfa Romeo, Audi, Citroën, Fiat, Ford, Honda, Jaguar, Mazda, Mitsubishi, Nissan, Peugeot, Renault, Rover, Saab, Seat, Subaru, Toyota, Volkswagen and Volvo vehicles. Display packed. Includes a two sided adaptor:
Side 1: 22mm centres/6mm diameter pins (approx.)
Side 2: 32.5mm centres/6mm diameter pins (approx.)

Stock No.
74289



2 CWBT-LH

BRAKE CALIPER WIND BACK TOOL (LEFT-HAND THREAD)

3/8" SQ.DRIVE

Expert Quality, for quick and efficient winding of brake pistons with left-handed threads. To be used with CWBT adaptor range, 3/8" drive. Display packed.

Stock No.
74352



3 CWBT-RH


BRAKE CALIPER WIND BACK TOOL (RIGHT-HAND THREAD)

3/8" SQ.DRIVE

Expert Quality, for quick and efficient winding of brake pistons with right-handed threads. To be used with CWBT adaptor range, 3/8" drive. Display packed.

Stock No.
74533

DRIVE TYPES HIGHLIGHTED





3/8" SQ.DRIVE

4 CWT1

3/8" Sq. Dr. REAR BRAKE CALIPER WIND BACK CUBE

Suitable for most rear brake calipers. Allows the caliper piston to be wound back for the fitting of new brake pads. Five key patterns, chemically blacked finish. Display packed.

NB: Not for use with calipers where pressure is required to rewind

Stock No.
52334



5 179

ABS BRAKE SERVICING TOOL

Expert Quality, to wind back the brake pistons on ABS brakes. Suitable for most Ford and Rover vehicles fitted with ABS. Display packed.

Stock No.
22349



6 CWT-VAG

VAG LOW PROFILE REAR BRAKE CALIPER WIND BACK TOOL

Expert Quality, for quick and efficient winding of the brake pistons in low profile rear calipers on Audi and VW vehicles. Display packed.

Stock No.
26314

BRAKE CALIPER WIND BACK TOOLS



1/2" SQ.DRIVE



7 CWT2A

1/2" Sq. Dr. PISTON RETRACTION TOOL

Expert Quality, ensures parallel piston retraction avoiding damage to the piston seals. For use on opposed fixed and single piston sliding calipers without wind-back mechanisms. Display packed.

Stock No.
38205

"DAVE SAYS" QUALITY MAKES THE DIFFERENCE



YOUTUBE.COM/ DRAPERTOOLSTV

These great brake pipe flaring tools (Item Nos. 1, 2, 4 & 5) are designed for use in the professional workshop. The forming dies and punches are machined to a high degree of accuracy, ensuring consistent and repeatable pipe flares with excellent fluid seals - absolutely essential for brakes.




1 BPF/PRO/TURRET

BRAKE PIPE FLARING TURRET KIT

Expert Quality, for SAE convex, DIN convex and SAE double flaring on brake pipes. Performs single and double flares with ease. Mounts in a bench vice for secure accurate use. Rotating turret selector for ease of use when choosing the relevant punch in creating flares. Supplied with three sets of interchangeable forming blocks for rapid set up. Display packed in blow mould case.

Stock No.
23310



2 BPF/PRO/SLIDER

BRAKE PIPE FLARING SLIDER KIT

Expert Quality, for SAE convex, DIN convex, 37° double and SAE double flaring on brake pipes. Performs single and double flares with ease. Mounts in a bench vice for secure accurate use. Supplied with three sliding forming blocks for rapid set up. Display packed in blow mould case.

Stock No.
23311



3 BPF205

BRAKE PIPE FITTINGS KIT (205 PIECE)

Expert Quality, a comprehensive selection of brake pipe fittings. Supplied in storage box. Display packed.

Contents:
10 x 3/8" x 24UNF female 3/16" pipe SAE form
30 x 10mm x 1mm female 3/16" pipe DIN form
10 x 3/8" x 24UNF male 3/16" pipe SAE form
100 x 10mm x 1mm male 3/16" pipe DIN form
5 x 10mm x 1mm long male 3/16" pipe DIN form
18 x 10mm x 1mm short 3/16" pipe DIN form
5 x 10mm x 1.25mm male long 3/16" pipe DIN form
5 x 10mm x 1.25mm male short 3/16" pipe DIN form
5 x 3/8" x 20 BSF male 3/16" pipe SAE form morris
5 x 7/16" x 20 UNF male 1/4" pipe SAE form
6 x 12mm x 1mm male 1/4" pipe DIN form
6 x 12mm x 1mm male 3/16" pipe DIN form

Stock No.
54367



4 BPF/HAND/SAE

3/16" SAE HAND-HELD BRAKE PIPE FLARING TOOL

Expert Quality, easy to use hand held tool for quick accurate automotive pipe flaring. Ideal for use with pipes attached to the vehicle. Display packed.

Stock No.
23312



5 BPF/HAND/DIN

4.75mm DIN HAND-HELD BRAKE PIPE FLARING TOOL

Expert Quality, easy to use hand held tool for quick accurate automotive pipe flaring. Ideal for use with pipes attached to the vehicle. Display packed.

Stock No.
23313



6 BPS

BRAKE PIPE STRAIGHTENER

Expert Quality, uniquely designed and easy to use brake pipe straightener producing excellent results every time. The brake pipe straightener is supplied with 3/16", 1/4" and 5/16" formers, which are simply attached to the ends of the forming tube and then pulled along a coiled tube of brake pipe to straighten it. Display packed.

Stock No.
54370

BRAKE PIPE FLARING TOOL KIT



7 BPF/KITB

BRAKE PIPE FLARING TOOL KIT (7 PIECE)

For single or double lap flares in soft copper and aluminium pipe. Suitable for 3/16, 1/4, 5/16, 3/8 and 1/2" O/D pipes. Pipe clamp, 45° spreader and five dies. Packed in handy plastic case. Display packed.

Stock No.	Description
51762	Tool Kit
82702	Spare die 3/16"
82703	Spare die 1/4"
50813	Spare die 3/8"
50814	Spare die 1/2"
51880	Spare die 5/16"

NEW



1 BAW-FN

FLARE NUT SPANNERS

150mm flare nut spanners made from chrome vanadium steel with a matt finish. Designed to fit over pipes and onto the nut. Can be used on hydraulic pipes, brake pipes etc. Display packed

Stock No.	Size
16136	6 x 8mm
16137	9 x 11mm
16139	10 x 12mm
16161	13 x 14mm
16356	14 x 17mm
17275	19 x 22mm

NEW



2 BAW-FN

FLARE NUT SPANNER SET (6 PIECE)

150mm flare nut spanners made from chrome vanadium steel with a matt finish. Designed to fit over pipes and onto the nut. Can be used on hydraulic pipes, brake pipes etc. Supplied in a canvas wallet. Contents; 6 x 8, 9 x 11, 10 x 12, 13 x 14, 14 x 17, 19 x 22mm

Stock No.
17759



3 BAW-FN

10 x 11mm FLARE NUT WRENCH

Designed for use on compression nuts fitted on petrol, diesel injection pipes and hydraulic gas or refrigeration systems. Manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Display packed.

Stock No.
31967



4 BAW

BRAKE ADJUSTING WRENCH

Forged from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Length 175mm. Display packed.

Stock No.	Size
07200	1/4 x 5/16" AF sq.



5 BSCP

BRAKE SPRING COMPRESSION PLIERS

Unique offset design for removal of most 'top hat' brake shoe retaining springs and pins. Offset jaws enable easy access to spring cap located behind wheel hubs. Display packed.

Stock No.
22489



6 BHSH

BRAKE AND HEADLIGHT SPRING HOOK

Ideal for removal and installation of hard to reach brake and headlight springs. Manufactured from heat treated alloy steel and chemically blacked for corrosion protection. Display packed.

Stock No.
24317



7 394

HYDRAULIC BRAKE HOSE CLAMP

Designed as a single-handed snap action tool for clamping off hydraulic hoses when working on braking systems. Manufactured from 90 ton tensile steel, fully heat treated with plastic coated handles. Display packed.

Stock No.
11534



8 BPTG8

BRAKE LINING THICKNESS GUIDE

Expert Quality, for quickly checking remaining life of brake linings. Offset blade is inserted between brake disc and brake pad. Three blade colours signify wear; red for replace now, yellow for replace soon and green for OK . Marked in metric with imperial equivalents.
Display packed. Contents: red 2 and 3mm; yellow 4, 5 and 6mm; green 8, 10 and 12mm

Stock No.
30819



9 TC16

3-22mm MINI TUBING CUTTER

Adjustable, for small bore tubing or in-situ applications where space is limited. Diecast aluminium body, hardened steel blade, two flare groove rollers and deburring reamer in adjusting knob. Display packed.

Stock No.	Description
10579	Cutter
26933	Cutting Wheel



10 BPR7A

7mm BRAKE PAD KEY WITH HANDLE

Expert Quality, chrome vanadium steel key hardened and tempered with a chemically blacked finish. Suitable for various brake pad replacement applications on BMW, Ford and VW/Audi vehicles. Handle length: 140mm. Display packed.

Stock No.
68425



11 BPR8A

8mm BRAKE PAD KEY WITH HANDLE

Expert Quality, chrome vanadium steel key hardened and tempered with a chemically blacked finish. Suitable for disc brake caliper retaining bolts on most BMW models, and GM (Vauxhall/Opel) models. Handle length 140mm. Display packed.

Stock No.
68424



12 BBK1

BRAKE BLEEDING KIT

A kit designed for one person bleeding of brakes. The one way valve incorporated in the 600mm long silicon tube prevents air returning into the brake system whilst brake bleeding. Display packed.

Stock No.
37316



COMPATIBLE WITH

1. Dot 3,
2. Dot 4,
3. Dot 5.1,
4. AC Delco Dot 3
5. Pennzoil Dot 3
6. Prestone Dot 3
7. Motorcraft Dot 3
8. Toyota Dot 3.



1 BFTP1

BRAKE FLUID TESTER

NEW

Expert Quality, easy to use brake fluid tester. Just select the brand of the brake fluid to be tested, then simply immerse the tester probe in the brake fluid for 1 second. The LEDs fitted to the tester then display a relevant coloured LED, indicating the water content. Equipped with an LED light at the probes, helping to illuminate dark brake reservoirs. Compatible with Dot 3, Dot 4, Dot 5.1, AC Delco Dot 3, Pennzoil Dot 3, Prestone Dot 3, Motorcraft Dot 3 and Toyota Dot 3. Fitted with 1 AAA battery (supplied).

Stock No.
80872



2 BFE1

PNEUMATIC BRAKE FLUID EXTRACTOR

- ***Expert Quality***
- One person operation
- For use on brake fluid from hydraulic systems - especially those with complex ABS systems using a compressed air supply
- Supplied with 1.5M of metal sprung suction tube and 3 extraction straws

Reservoir capacity	5L
Air inlet size	1/4" BSP
Suction tube pressure	0.8MPa
Weight (empty)	2.9kg

Stock No.
77056



3 BBK3A

PNEUMATIC UNIVERSAL BRAKE BLEEDING KIT

- ***Expert Quality***
- One person operation
- Enables fluid to be drawn from the bleed nipple
- Permits bleeding or full replacement of system on cars, vans, trucks and motor bikes
- Supplied with reservoir top-up kit

Reservoir capacity	0.75L
Air inlet size	1/4" BSP
Air supply	70-120psi (4.8-8.3bar)
Weight (empty)	1.235kg

Stock No.
71205

PNEUMATIC BRAKE BLEEDER KIT



4 BBAK

BRAKE BLEEDER ADAPTOR KIT

Expert Quality, single person operated brake bleeder for a range of popular vehicles with ABS systems and for vehicles unable to brake bleed by the suction method. Can also bleed hydraulic clutches. Used in conjunction with pneumatic brake bleeders like the Draper 28833. Supplied with convenient carrying/storage case.

Stock No.
28836





5 PBBK

PNEUMATIC BRAKE BLEEDER KIT

Expert Quality, for use on vehicles unable to have brakes bled by the suction method and ABS systems. The pre-chargeable low-pressure 20psi portable tank ensures connectivity to most vehicles with a standard European reservoir connector. Supplied with bleed bottle, adaptors and 5L stainless steel reservoir, reducing the risk of running the system dry during the bleeding process. Used in conjunction with Brake Bleeder Adaptor Kit, Stock No. 28836 (sold separately). Carton packed.

Stock No.
28833



6 UBCA

UNIVERSAL BRAKE CAP ADAPTOR

Expert Quality, the unique stepped cap fits the brake-fluid reservoirs on most cars and light commercial vehicles. Supplied with quick connector and used in conjunction with Pneumatic Brake Bleeder Stock No. 28833. Display packed.

Stock No.
28837



1 BBK2

UNIVERSAL CLUTCH AND BRAKE BLEEDING KIT (7 PIECE)

Expert Quality universal clutch and brake bleeding kit. A comprehensive 6 piece spanner set suitable for most brake and clutch hydraulic units. Colour coded bleed nipples provide easy identification. The bleed nipples are fitted with a 6-point socket, helping to prevent slipping and rounding. Supplied with a silicon hose and the integrated one-way valve prevents air returning into the system. Supplied in a heavy duty storage case.

Contents: • 6 x colour coded spanners (7-12mm)
• 1200mm (Approx) hose

Stock No.
00041

2 MPBB

PUMP ACTION BRAKE BLEEDER

Expert Quality, pump action manual brake bleeder ideal for one person operation on vehicles unable to be bled using suction methods. Fitted with pressure gauge, release valve, spring loaded hose coupling and supplied with 1M (approx) of flexible hose. 2L clean brake fluid capacity, ideal for busy workshop environments. Carton packed.



Stock No.
22495

NEW

3 MFE9L

MANUAL FLUID EXTRACTOR (9L)

- Easily extracts fluids from inaccessible areas
- Engine oil can be extracted by inserting the suction probes into the dipstick hole
- Used with non-corrosive fluids such as; engine oil, gear oil, coolant, water, PAS fluid etc.
- Fitted with a quick release air pressure adaptor
- Supplied with 3 nylon suction probes



Reservoir capacity	9L
Dimensions	250 x 320 x 620mm
Weight (empty)	4kg

Stock No.
81315

4 RPS

650cc ALUMINIUM REFILLABLE PRESSURE SPRAYER

Expert Quality, screw-top refillable canister suitable for most workshop applications. Fitted with automatic safety release valve pre-set at 90 Psi (6.3Bar) and dual action extra long folding nozzle for difficult access areas. Pressurized via standard Schrader valve.



Stock No.
28820



5 OE1

PNEUMATIC OIL EXTRACTION/BRAKE BLEEDING KIT

- ***Expert Quality*** • One person operation
- Extracts engine oils from motor vehicles, motor bikes, marine engines, generators etc. without the removal of the oil drain plug • Supplied with 1.4M of anti-kink hose, 4 x siphon hoses and brake bleeding hose/connector

Reservoir capacity	10L
Air inlet size	1/4" BSP
Air supply	70-110psi (5-8bar)
Av. air consumption	180L/min
Oil extraction rate	2.5L/min
Vacuum	500mm HG (max.)
Weight (empty)	2.8kg

Stock No.
73291



"DAVE SAYS" QUALITY MAKES THE DIFFERENCE

Corrosive chemicals can cause deterioration to the Fluoropolymer Elastomer Rubber (FPM) seals used in stock No's 82457 and 82456. Damage of this nature is not covered by normal warranty. To alleviate potential problems we recommend regular washing through with clean water and ensure disposal of chemical waste always follows manufacturer's and local authority guidelines.



6 EWS-10-FPM/B

10L FPM PUMP SPRAYER

Expert Quality, floor standing sprayer with Fluoropolymer Elastomer Rubber (FPM) seals and gaskets. These seals make FPM sprayers ideal for use with chemicals, solvents, fuel, scale removers, waterproofing agents, anti-mould solutions, oils, lubricants and the only choice for brake cleaning fluid. The 10 litre bottle capacity has an actual working capacity of 8.0 litres the other 2.0 litres is the air reserve which enables the pressurisation of the canister. Manufactured from translucent high density polyethylene and fitted with a high performance pump, adjustable spray pattern tip and a safety pressure release valve. The base skirt ensures stability in use while the carry handle and shoulder strap provide portability. For maximum usage ensure chemicals are rinsed out completely and not left for long periods in the sprayer.

Stock No.
82457



7 EWS-2FPM/B

2.5L FPM PUMP SPRAYER

Expert Quality, hand held sprayer with Fluoropolymer Elastomer Rubber (FPM) seals & gaskets, which make FPM sprayers ideal for use with chemicals, solvents, fuel, scale removers, waterproofing agents, anti-mould solutions, oils, lubricants and the only choice for brake cleaning fluid. The 2.5 litre bottle capacity has an actual working capacity of 2.0 litres the other 0.5 litres is the air reserve which enables the pressurisation of the canister. Manufactured from translucent high density polyethylene and fitted with a high performance pump, adjustable spray pattern tip and a safety pressure release valve. For maximum usage ensure chemicals are rinsed out completely and not left for long periods in the sprayer.

Stock No.
82456



NEW

1 DAC403

DIGITAL GUAGE AIR LINE INFLATOR WITH TWIN CONNECTORS

• ***Expert Quality*** • Digital air line gauge • Highly accurate industrial quality • Suitable for use on garage forecourts and tyre fitting bays • Fitted with a large LCD backlit screen with multi-pressure unit and twin connectors • Supplied with calibration certificate and two AAA batteries.

Pressure range	0.3-17.2 bar/4-250psi/ 30-1723kPA
Reading Accuracy	0.01bar, 1kPa, 0.1psi
Max inlet pressure	18bar, 260psi, 1800kPa
Inflation flow(@13BAR)	500l/min, 18CFM
Supply inlet	1/4" BSP taper (F)
Hose length	0.53m (21")

Stock No.	Description
74839	Airline
61833	Batteries (4 x AAA)



2 ALG44

HI-FLO AIR LINE INFLATOR WITH LOCK-ON CONNECTOR

Manufactured and certified to Directive 86/217/EEC

• ***Expert Quality*** • Improved MK4 version airline inflator • Industrial quality suitable for use on garage forecourts and tyre fitting bays • Fitted with lock-on connector, 20% larger viewing window, hardier yet lighter body and increased accuracy • Supplied with calibration certificate

Pressure range	0-9.6bar/0-138psi
Air supply pressure	min.6.9bar/100psi max.13.8bar/200psi
Operating Temp range	10 to 60 degree C
Storage temp range	30 to 80 degree C
Supply inlet	1/4" BSP taper (F)
Hose length	0.5M (approx.)

Stock No.	Description
16230	Gauge
30770	Sp. Hose & Connector
30773	Sp. Connector



3 ALG43

HI-FLO AIR LINE INFLATOR WITH TWIN OPEN ENDED CONNECTOR

Manufactured and certified to Directive 86/217/EEC

• ***Expert Quality*** • Improved MK4 version airline inflator • Industrial quality suitable for use on garage forecourts and tyre fitting bays • Fitted with a twin open ended connectors, 20% larger viewing window, hardier yet lighter body and increased accuracy • Supplied with calibration certificate

Pressure range	0-9.6bar/0-138psi
Air supply pressure	min.6.9bar/100psi max.13.8bar/200psi
Operating Temp range	10 to 60 degree C
Storage temp range	30 to 80 degree C
Supply inlet	1/4" BSP taper (F)
Hose length	0.5M (approx.)

Stock No.	Description
16234	Gauge
30769	Sp. Hose & Connector
30771	Sp. Connector



4 TI AIRFORCE

PCL AIRFORCE ANALOGUE TYRE INFLATOR

Manufactured and certified to Directive 86/217/EEC

• ***Expert Quality*** • Analogue tyre inflator with clip-on connector suitable for use in transport depots and tyre fitting bays where speed and accuracy are paramount • Lightweight and shockproof bourbon tube/beryllium construction together with the direct valve mechanism provide user comfort and excellent rates of inflation/deflation • The pressure is checked by a robust ceramic sensor allowing precise measurement with tolerances well above the industry standard 86/217/EEC • Reads in psi/bar

Inflation flow	910L/min@13bar
Inflation range	0-12bar/174psi
Inlet pressure (max.)	15bar/218psi
Supply inlet	1/4" BSP taper (F)
Hose length	1.8M

Stock No.	Description
42599	Inflator
03258	Sp. Hose Connector



5 4290B

AIR LINE INFLATOR WITH OPEN ENDED CLIP ON CONNECTOR

• Inflator with single open-ended clip on connector
• Allows fast and simple tyre inflation

Pressure range	10-160psi
Max air supply pressure	17.2bar/250psi
Supply inlet	1/4" BSP taper (F)
Hose length	0.4M (approx.)

Stock No.
36633



6 4290

AIR LINE INFLATOR WITH TWIN OPEN ENDED PUSH ON CONNECTOR

• Inflator with twin open-ended push on connectors
• Allows fast and simple tyre inflation

Pressure range	10-160psi
Max air supply pressure	17.2bar/250psi
Supply inlet	1/4" BSP taper (F)
Hose length	0.6M (approx.)

Stock No.
36632




7 4288B

PISTOL-GRIP AIR INFLATOR

Pistol-grip with dial. Suitable for use with motor vehicles, cycles, dinghies, etc. Clip-on connector. Maximum inflation pressure 8 BAR (115psi). Dial reads 0-12bar and 0-170psi (for guidance only). Display packed.

The pressure dial on this model is for guidance only and should be checked with a tyre pressure gauge to BS EN12645

Stock No.
10604



8 4288

PISTOL-GRIP AIR INFLATOR

Pistol-grip with dial. Suitable for use with motor vehicles, cycles, dinghies, etc. Clip-on connector. Dial reads 0-10bar and 0-140psi. Carton packed.

The pressure dial on this model is for guidance only and should be checked with a tyre pressure gauge to BS EN12645:1999

Stock No.
27871

1 DA12/151

12V CORDLESS AIR COMPRESSOR

- 12v cordless air compressor
- Supplied with a 150mm air hose and 2 inflation nozzles
- Digital display provides PSI, KPA and BAR settings
- Automatic stop feature • Li-ion battery, charger, 12v DC plug in power pack
- Supplied complete with integral 18 LED torch for use in emergency situations and a cloth storage bag for safe storage

Power	12 Volt 120watt
Max pressure	150PSI
Battery type	Li-ion
Battery capacity	1500mAh
Pressure accuracy	-1/+1.5PSI
Cable length	3.5m

Stock No.
20582





digital pressure screen



2 DA12/150

PORTABLE AIR COMPRESSOR (12V)

- 12V DC • Direct driven
- Crocodile clips connect directly to vehicle batteries
- Designed for portable field use • Anti-settling base panel
- Supplied with On/Off pressure regulator, pressure gauge, crocodile clips, euro connector and 3 piece nozzle adaptors

Air displacement	160L/min
Max. Current	45 Amp
Maximum pressure	150psi
Cylinder Diameter	60mm
Hose Length	5m

Stock No.
66155

NEW



3 DA12/250B

12V MINI ANALOGUE AIR COMPRESSOR

Multi-functional compressor with flash light/torch beam and pressure dial (guide only). For inflating tyres, dinghies and sports equipment. Powered by cigarette lighter socket. Supplied with 12V DC car cigarette lighter plug on 3M long (approx.) lead, two inflating adaptor nozzles, one needle valve adaptor and hose clip-on tyre adaptor. Display carton.

The pressure dial on this model is for guidance only and should be checked with a tyre pressure gauge to BS EN12645:1999

Stock No.
80999



4 FP-1

FOOT PUMP

Heavy-duty foot pump with 450mm (approx) delivery hose, "Lock On" connector for tyres and three accessory nozzles. Foot pump locks closed for safe keeping when not in use. Pressure dial marked 0-100 psi and 0-7 bar.

The pressure dial on this model is for guidance only and should be checked with a tyre pressure gauge to BS EN12645:1999

Stock No.
22267



5 4430

FOOT PUMP

450mm (approx) delivery hose with Lock On" connector for tyres and football inflator adaptor. Pressure dial marked 0-100 psi and 0-7kg/cm^2 (0-7 bar). Display carton.

The pressure dial on this model is for guidance only and should be checked with a tyre pressure gauge to BS EN12645:1999

Stock No.
14172



6 4435

DOUBLE CYLINDER FOOT PUMP

High performance, suitable for applications where a high volume of air or fast pumping action is required. Pressure dial is marked 0-100 psi and 0-7 bar. Robust all-metal design with 4mm thick steel base. Supplied with 600mm (approx.) delivery hose with "Lock On" connector for tyres etc. and three accessory nozzles. Display carton.

The pressure dial on this model is for guidance only and should be checked with a tyre pressure gauge to BS EN12645:1999

Stock No.
25996

NEW



1 DTG-B

DIGITAL TYRE PRESSURE READER

Self-calibrating tyre pressure reader with auto shut off feature. Fitted with an LCD display capable of displaying PSI, BAR, KPA between the ranges 2-100psi (±1%), 0.15-7.00bar and 15-700KPA. Powered by 2 x 3V AG13 batteries (supplied).

Stock No.
01071





2 TPG100A

TYRE PRESSURE GAUGE

Hand-held dual reading gauge with flexible 250mm long hose. Swivel angled tyre connection and air release valve. Large easy-to-read scale graduated 5-100psi in increments of two psi and 0.5-6bar in increments of 0.1 bar. Display packed.

Stock No.
69924



3 TPG101

TYRE PRESSURE GAUGE

Hand-held dual reading gauge with straight push-on valve chuck. Scale graduated 0-60psi in increments of two psi and 0-4bar in increments of 0.1 bar. Available in the following randomly supplied colours; purple, red, blue, yellow and black. Display packed.

Stock No.
69923



4 TVRT

TYRE VALVE REPAIR TOOL

Cleans internal and external valve stem threads and removes valve cores.
Display packed.

Stock No.
51548



5 TVTS1

TYRE VALVE TORQUE DRIVER

Expert Quality, allows replacement of Schrader valve cores to the correct torque. Important on vehicles with Tyre Pressure Monitoring Systems (TPMS). Max torque 0.45Nm. Display packed.

Stock No.	Length
46795	150mm



6 TPGE

TYRE PRESSURE GAUGE

Graduated 6-50 psi in increments of one psi. In line feature allows access to awkwardly positioned tyre valves. Gauge has valve remover and pocket clip.
Display packed.

Stock No.
51536



7 TPGS

TYRE PRESSURE GAUGE

Side entry pencil type, graduated 6-50 psi in increments of one psi. Gauge has a valve remover and pocket clip.
Display packed.

Stock No.
51541




8 TSK3

TYRE SERVICE KIT (3 PIECE)

Kit comprising of Tyre Tread Depth Gauge, Tyre Pressure Gauge and Tyre Valve Repair Tool. Display packed.

Stock No.
51550

ACCEPTED IN THE UK BY THE DEPARTMENT OF TRANSPORT FOR MOT TESTING



9 TG92

TYRE TREAD DEPTH GAUGE

Complies with EC Directive 89/459/EEC

Expert Quality, gives fast and easy-to-read measurement of tyre tread depth from 1-26mm in one millimetre graduations on sliding barrel. Includes a 1.6mm graduation to comply with MoT minimum tyre tread depth requirement. Accepted in the UK by the Department of Transport for MOT Testing. Plated steel body with pocket clip. Display packed.

Stock No.
27298



10 TG2

DIGITAL TYRE TREAD DEPTH GAUGE WITH STAINLESS STEEL BODY

Expert Quality, metric and imperial calibration with conversion between the two. Zero setting control allows for comparative measurement. Clear LCD for easy reading. Measuring range 0-25mm/0-1"; resolution 0.01mm/0.0005"; accuracy ±0.05mm/0.0001". Supplied with SR44 battery. Display packed.

Stock No.	Description
39591	Tyre Tread Depth Gauge
55361	Spare SR44 Battery



11 TG1

DIGITAL TYRE TREAD DEPTH GAUGE WITH PLASTIC BODY

Metric and imperial calibration with conversion between the two. Zero setting control allows for comparative measurement. Clear LCD for easy reading. Measuring range 0-25mm/0-1"; resolution 0.01mm/0.0005"; accuracy ±0.1mm/0.0001". Supplied with SR44 battery. Display packed.

Stock No.	Description
39590	Tyre Tread Depth Gauge
55361	Spare SR44 Battery





1 TL

450mm TYRE LEVERS

Pair of tyre levers hot forged from EN8 steel hardened, tempered and zinc plated. Carded pair of 2. Display packed.

Stock No.
31495




2 WWP1

250mm WHEEL BALANCE WEIGHT PLIERS

For fitting, removing and cutting vehicle wheel weights. Drop forged carbon steel hardened, tempered, heat treated and plated finish for corrosion protection. PVC dipped handles. Display packed.

Stock No.
56748



3 PW5A

FOUR WAY WHEEL NUT WRENCH

Heavy duty forged four way wheel nut wrench 17 x 19 x 21 x 22mm. Enamelled finish for corrosion protection. Arm length: 380mm. Sold loose.

Stock No.
36005



4 S21

WHEEL NUT WRENCH

Heavy duty forged wrench with long, high leverage handle incorporating a 3/4" AF-19mm (dual size) socket and hub cap remover. Enamelled finish for corrosion protection. Sold loose.

Stock No.
07054



1/2" SQ.DRIVE

5 WM17/19

EXTENDING WHEEL NUT WRENCH

Supplied with two 1/2" sq. drive reversible sockets size 17 x 19 and 21 x 22mm, manufactured from chrome vanadium steel. Handle extends to 525mm which helps to increase torque on difficult wheel nuts. Display packed.

Stock No.
19152



1 LWNK-AUDI

AUDI LOCKING WHEEL NUT SET (22 PIECE)

Expert Quality, 22 piece set of AUDI locking wheel nut keys, essential for removing wheel lock nuts without damaging the nuts or wheels. Fits most popular vehicles. Packed in blow mould case with display sleeve.

Stock No.
15128



2 LWNK-BMW

BMW LOCKING WHEEL NUT SET (22 PIECE)

Expert Quality, 22 piece set of BMW locking wheel nut, essential for removing wheel lock nuts without damaging the nuts or wheels. Fits most popular vehicles. Packed in blow mould case with display sleeve.

Stock No.
15127



3 LWNK-MASTER

LOCKING WHEEL NUT MASTER SET (16 PIECE)

Expert Quality, 16 piece set of locking wheel nut keys, essential for removing wheel lock nuts without damaging the nuts or wheels. Fits most popular vehicles. Packed in blow mould case with display sleeve.

Stock No.
15126

WHEEL NUT AND BOLT REMOVAL SETS

An invaluable collection of sets and kits purpose made for the removal of damaged, painted over, rounded off and rusted bolts. See the "Dave Says" (right) for further information on our double-ended impact sockets (Item No. 6, Stock No. 09539).

"DAVE SAYS" QUALITY MAKES THE DIFFERENCE



SPECIAL FLUTE DESIGN

Stock No. 09539 is the ideal Impact Socket Set for the tyre bay. Our double ended design has the "standard" socket on one end, but just flip it over for the "emergency remover" end for removing damaged, rounded or "security" wheel nuts when the adaptor has been lost by the vehicle owner!



1/2" SQ.DRIVE



4 409/4/BNR

1/2" Sq. Dr. WHEEL NUT AND BOLT REMOVER SET (4 PIECE)

Expert Quality, for the removal of damaged, painted over, rounded off and rusted bolts. Special flutes lock on to the workpiece for easy removal. Manufactured from chrome molybdenum steel hardened and tempered with chemically blacked finish. Packed in blow mould case with display sleeve.

Contents: 17, 19, 21 and 22mm

Stock No.
05726

1/2" SQ.DRIVE



5 LWNS4-B

1/2" Sq. Dr. LOCKING WHEEL NUT SET (4 PIECE)

Expert Quality, for the installation and removal of locking wheel nuts on most vehicles (except those fitted with rotating protector shrouds). Manufactured from molybdenum steel, hardened, tempered and chemically blacked for corrosion protection. Reduce tapered internal left hand coarse thread. For use with air and electric tools. Supplied with metal case. Display packed.

Contents: 38mm long x 17.0, 18.5, 21.5 and 26.0mm (open end)

Stock No.
34032

1/2" SQ.DRIVE



6 LWN/DS4

1/2" Sq. Dr. WHEEL NUT DOUBLE IMPACT SOCKET KIT (4 PIECE)

Expert Quality, three double-ended impact sockets size 17, 19 and 21mm. One end is hexagon 6pt and the other a reverse conical gripper thread for the removal of locking wheel nuts. Supplied with a 1/2" sq. dr. 75mm impact extension bar. Packed in a nylon wallet with hook and loop closure in display carton.

Stock No.
09539

NEW 1/2" SQ.DRIVE 6 point DRAPER Expert



1 AWNSS/7

1/2" Sq. Dr. WHEEL NUT SOCKETS FOR ALLOY WHEELS (7 PIECE)

Expert Quality, set of seven 6 point Draper Expert HI-TORQ® sockets sizes 17, 19, 21, 22, 23, 24 and 27mm. Manufactured from chrome molybdenum. Fitted with internal and external nylon sleeve preventing damage to wheels and nuts when in use. Supplied in plastic storage case.

Stock No.
82979

NEW 1/2" SQ.DRIVE 6 point DRAPER Expert



3 AWNSS/4

1/2" Sq. Dr. WHEEL NUT SOCKETS FOR ALLOY WHEELS (4 PIECE)

Expert Quality, set of four 6 point Draper Expert HI-TORQ® sockets sizes 17, 19, 21 and 23mm. Manufactured from chrome molybdenum. Fitted with internal and external nylon sleeve preventing damage to wheels and nuts when in use. Supplied in plastic storage case.

Stock No.
82972

NEW 1/2" SQ.DRIVE 6 point DRAPER Expert



2 AWNSS/3/LR

1/2" Sq. Dr. LONG REACH WHEEL NUT SOCKETS FOR ALLOY WHEELS (3 PIECE)

Expert Quality, set of three 6 point Draper Expert HI-TORQ® sockets sizes 17, 19 and 21mm. Manufactured from chrome molybdenum. Fitted with internal and external nylon sleeve preventing damage to wheels and nuts when in use. Supplied in plastic storage case.

Stock No.
82981

1/2" SQ.DRIVE 6 point DRAPER Expert



4 AWNSS/3A

1/2" Sq. Dr. DRAPER EXPERT HI-TORQ® WHEEL NUT SOCKETS FOR ALLOY WHEELS

Expert Quality, set of three 6 point Draper Expert HI-TORQ® sockets sizes 17, 19 and 21mm. Manufactured from chrome molybdenum. Fitted with internal and external nylon sleeve preventing damage to wheels and nuts when in use. Supplied in plastic storage case.

Stock No.
30630

DRAPER Expert 1/2" SQ.DRIVE



5 AWNS/17MMBENZ

17MM 1/2" SQ DR WHEEL NUT SOCKET FOR MERCEDES BENZ'S

Expert Quality, unique profile 17mm, 1/2" Sq. Dr. nut socket designed for use on Mercedes C Class (W204) and E Class (W211, W212, W207) cars. Manufactured from solid chrome molybdenum steel and powered by a half-inch square drive impact wrench or ratchet. The thin walled design and nylon sleeve help protect the wheel when being used. An essential item for changing wheels on Mercedes-Benz C-Class and E-Class vehicles.

Stock No.
16175

UNIQUE SHAPE; MERCEDES C & E CLASS WHEEL NUTS

Due to the unique wheel nut profile found on Mercedes C Class (W204) and E Class (W211, W212, W207) cars, a specialist socket is required when removing the wheels, just like the Draper 16175.



DRAPER Expert



6

1/2" Sq. Dr. DRAPER EXPERT HI-TORQ® WHEEL NUT SOCKETS FOR ALLOY WHEELS

Expert Quality, 6 point Draper Expert HI-TORQ® sockets. Manufactured from chrome molybdenum. Sleeved with nylon internally and externally preventing damage to wheels and nuts when used. Display packed.

Stock No.	Part No.	Size
30631	AWNS/17MM	17mm
30638	AWNS/19MM	19mm
30640	AWNS/21MM	21mm
30646	AWNS/22MM	22mm
83033	AWNS/23MM	23mm
83059	AWNS/24MM	24mm
83061	AWNS/27MM	27mm

LIQUID COOLED INDUCTION HEATER



1 IHT-30

LIQUID COOLED INDUCTION HEATER (3.5kW)

- *Expert Quality*
- High powered, 3.5kW liquid cooled induction heater, ideal for industrial applications
- Multi-functions, 3 heating modes, computer controlled
- Fan assisted cooling technology enables continuous use
- Adjustable input and output power for use in low amperage environments
- Dynamic power adjustments deliver maximum efficiency and speed
- Fully adjustable and controllable for maximum versatility
- Universal remote-control program allows linking to external analogue and digital production processes

Input power	3.5kW
Operating frequency	20 - 60kHz
Voltage supply	230V 50/60Hz
Max current	16A
Output power	3kW (16A supply)
Liquid tank	1.5L
Dimensions	430 x 200 x 200mm
Weight	14.6kg approx

Stock No.	Description
76171	Induction Heater
01062	Coolant (5L)
12039	Focus Coil-Straight With Extender
12040	Focus Coil-Inclined
12041	Focus Coil-Side
12042	Focus Coil-Straight
12043	Coil Reducer

DRAPER Expert

YOUTUBE.COM/ DRAPERTOOLSTV

NEW



2 IHT-15

INDUCTION HEATER KIT (1.75kW)

- *Expert Quality*
- Easy to use induction heater, operated by simply installing the appropriate coil type and place over or around the ferrous metal you wish to heat
- Each kit is supplied with a hardwearing carry case and four different shaped coils, delivering flexibility of use
- Compared against braziers or welding/heating techniques, induction heaters are far safer and economic, as they don't use a naked flame and you save on gas bottle hire

Contents:

1 x 19mm Direct coil, 1 x 26mm Direct coil, 1 x Flex coil, 1 x Pad coil

Input Voltage	230V, 50/60Hz
Input Current	7.5A
Power	1.75kW
Load Factor	50%@1.5kVA and 100%@1.0kVA
Weight	4.5kg
Dimensions	200 x 140 x 75mm

Stock No.	Description
80808	Induction Heating Kit
80903	Spare Flex Coil
80906	Spare Pad Coil
83161	Spare 15mm Direct Coil
83167	Spare 15mm Side Coil
80901	Spare 19mm Direct Coil
83173	Spare 19mm Side Coil
83162	Spare 20mm Direct Coil
83168	Spare 20mm Side Coil
83163	Spare 23mm Direct Coil
83169	Spare 23mm Side Coil
80902	Spare 26mm Direct Coil
83174	Spare 26mm Side Coil
83164	Spare 32mm Direct Coil
83170	Spare 32mm Side Coil
83165	Spare 38mm Direct Coil
83171	Spare 38mm Side Coil
83166	Spare 45mm Direct Coil
83172	Spare 45mm Side Coil


DRAPER Expert

YOUTUBE.COM/ DRAPERTOOLSTV





NEW





1 PBS-7


PANEL BEATING SET (7 PIECE)

Expert Quality, 7 piece panel beating set containing tools made from drop forged, high carbon steel with ground heads and cheeks, fitted to hickory shafts. Supplied in a high quality plastic storage case.

1 x Standard bumping hammer, 1 x Cross chisel shrinking hammer, 1 x Light shrinking hammer, 1 x Utility dolly, 1 x Curved dolly, 1 x Heel dolly, 1 x Thin toe dolly

Stock No.
81905

NEW



3 RLB100

PDR REFLECTION LINE BOARD

Expert Quality reflection line board. Fitted with a suction cup and adjustable stem allowing it to be positioned at nearly any angle. The reflection board mirrors onto the vehicle panel enabling the exact position of dents to be easily identified and repaired. Perfect for use with PDR tools like the Draper 74316 kit.

Stock No.
74317

NEW





2 PDRK33

PDR (PAINTLESS DENT REPAIR) KIT (33 PIECE)

Expert Quality, PDR (Paintless Dent Repair) kit, its simple operation enables users to quickly repairs dents whilst not damaging the original paint work. Supplied with a host of different size bars suitable for use on a variety of dent on vehicle panels.

Contents:

Lever hooks, 45° and 90° flat nose bars, flat bar, 45° flat bar, curved rounded nose hook bar, panel bag, window wedge, plastic punch, screw-on plastic rounded tips, door jam.

Stock No.
74316

NEW




4 DBH


RUBBER DEAD BLOW HAMMERS WITH FIBREGLASS SHAFTS

Dead blow hammers ideal when the need for knocking off wheels that have seized to hubs arises. Designed to minimize damage to the struck surface whilst also delivering minimal elastic rebound helping avoid accidental damage to surrounding areas. Fitted with a fibreglass shaft and soft grip handle for added user comfort.

Stock No.	Weight
74320	(900g/32oz)
74319	(1.8kg/64oz)
74318	(3.6kg/128oz)

BODY PANEL REPAIR STAND






5 PBWB1

BODY PANEL REPAIR STAND

Manufactured with a light and durable steel frame with foam protective covers and fitted with non-skid feet. Easily secured at the desired height by two locking chains. Maximum weight load 220kg. Display packed.

Stock No.
16180





1 BR4/KITB

4 TONNE HYDRAULIC BODY REPAIR KIT

Expert Quality, for use in garages or bodywork workshops.
Contents:
• 4 x Extension Bars 435, 210, 140 and 80mm
• Serrated Cap • Hydraulic Spreading Wedge
• Rubber Head 60mm diameter • Flat Serrated Base
• Ram Toe • Plunger Toe • Cleft Head • "V" Base
• Double End Male Snap Connector
• Hydraulic Push Ram - length 330mm.
Packed in robust plastic case.

Stock No.
16252





2 BR10/KITB

10 TONNE HYDRAULIC BODY REPAIR KIT

Expert Quality, for use in garages or bodywork workshops.
Contents: • 4 x Extension Bars 590, 345, 245 and 145mm • Serrated Cap
• Hydraulic Spreading Wedge • Rubber Head 73mm diameter
• Flat Serrated Base • Ram Toe • Plunger Toe • Cleft Head • "V" Base
• Double End Male Snap Connector • Hydraulic Push Ram - length 330mm Packed in robust plastic case.

Stock No.
16253



3 SH/KIT

SLIDE HAMMER KIT

Packed in blow mould storage carrying case with display sleeve.
Contents: • 2.3kg slide hammer with 470mm shaft
• M16 x 1.5 threaded end for attachments • large flat hook • small flat hook • large round hook • small round hook
• screwholder • self-tapping screw • tapered screw • adaptor

Stock No.
52321



4 BHSH

BRAKE AND HEADLIGHT SPRING HOOK

Ideal for removal and installation of hard to reach brake and headlight springs. Manufactured from heat treated alloy steel and chemically blacked for corrosion protection. Display packed.

Stock No.
24317



MOT HAMMER

5 CAT247

CORROSION ASSESSMENT TOOL

Expert Quality, combination tapping hammer, blunt scraper and short lever for checking corrosion levels in bodywork, panels and chassis. Suitable for use in MOT bays. Display packed.

Stock No.	Length
69721	140mm



6 PTG1250

ULTRASONIC PAINT THICKNESS GAUGE

Expert Quality, vehicle paint thickness gauge, useful for professional bodyshop technicians, car sales personnel and for use during vehicle assessments. Uses ultrasonic technology to quickly and accurately read the thickness of paint providing evidence of accident repair. Supplied with storage case. Requires 2 x AA batteries (sold separately). Display packed.

Stock No.	Description
43620	Gauge
61834	Batteries (4 x AA)



7 BFASB

BODY FILLER APPLICATOR SET (4 PIECE)

Sprung steel with plastic header grips. Ideal for use on vehicles and around the home. Display packed.
Contents: 50, 80 100 and 120mm wide applicators

Stock No.
46449





1 ITK-2

TRIM REMOVAL KIT (12 PIECE)

Expert Quality, for the removal and manipulation of interior trims i.e. door panels, dashboard fascias, trim strips and other similar applications in the automotive, marine and aviation industries. Comprises 12 special non-marking nylon tools that fulfil specific requirements, all in a heavy duty canvas compartment tool roll with hook and loop fixing. Display carton.

Stock No.
22492

2 ATP

AUTOMOTIVE TRIM REMOVAL PLIERS

Expert Quality, spring-loaded pliers fitted with bump stops and wide 32mm head that helps eliminate pinpoint pressure and damage when removing automotive trim. Manufactured from heat-treated carbon steel. The Ideal tool for removing delicate trims. Display packed.

Stock No.
28819



3 176

DOOR PANEL REMOVAL TOOL

For break-free door panel clip removal. Display packed.

Stock No.
19193



4 HRPAF

HOG RING PLIERS

Expert Quality, for use with hog rings used in vehicle interiors, upholstery and fencing applications. Automatic feed for one hand operation. Soft grip handles for user comfort. Supplied with 100 hog rings. Display packed.

Stock No.	Description
26317	Pliers
28320	Hog Rings (300pcs)



5 RRTK18

CAR RADIO REMOVAL KIT (18 PIECE)

Expert Quality, selection of keys to allow the removal of car radios by garages, emergency services and specialist car audio installers. Contained in plastic wallet for security. Display packed. Contents:

- pair of cylindrical keys for VW/Audi/Ford vehicles and Blaupunkt/Grundig radios
- BMW pentagon key • set of four keys for VW/Audi/Mercedes vehicles and Becker radios
- pair of keys for Porsche/Mercedes vehicles and Becker radios • pair of VW keys
- BMW/Vauxhall 2mm hexagon key • 2 x Becker pressed steel keys
- pair of Skoda keys • pair of Blaupunkt wide spaced cylindrical keys

These kits should only be sold to breakdown services and specialist car audio installers

Stock No.
89792



6 WRT

BONDED WINDSCREEN REMOVAL TOOL

For the removal of bonded windscreens fitted to motor vehicles. The blade cuts the adhesive caulking compound around the windscreen using the specially hardened carbon steel blade. Body length 163mm. Supplied with 25mm blade. Spare blades available - see entry below. Sold loose.

Stock No.	Description
35098	Removal Tool
65537	Spare Blade - 19mm
38016	Spare Blade - 25mm
65538	Spare Blade - 31mm
75609	Spare Blade - 39.5mm



7 WS2

WINDOW SCRAPER

Expert Quality, stainless steel with resin handle. For removal of stubborn adhesives etc. Particularly useful for bonded windscreens. Supplied with one double-sided blade 38mm wide. Spare blades in pack of 12 available - Stock No.65545. Display packed.

Stock No.	Description
65543	Scraper
41936	Spare Blades (5)



8 SSPB

PLASTIC BLADE SAFETY SCRAPER

Plastic scraper, manufactured with a thermoplastic blade making it ideal for use on automotive panels, glass and other surfaces prone to scratching or gouging from traditional steel blades. Supplied with the plastic safety blade installed and two standard metal blades in the handle. Display packed.

Stock No.
82678

PRODUCT INFORMATION

WARNING - Knives or other articles with a blade or sharp point must not be sold to persons underage.
It's the law! (Offensive Weapons Act 1996 and the Violent Crime Act 2006).



1 WST5

PAIR OF HANDLES FOR WINDSCREEN BOND CUTTING WIRE

Suitable for use with windscreen bond cutting wire Stock Nos. 65547 and 65548 or other manufacturers similar bond cutting wire. Manufactured from reinforced resin with soft grip handle and 'quick release' wire clamp. Display packed.

Stock No.
69730



2

22.5M STAINLESS STEEL WINDSCREEN BOND CUTTING WIRE

For cutting the adhesive caulking compound around bonded windscreens. Available as either standard or braided wire. Sold loose.

Stock No.	Part No.	Wire Description
65547	WST2	Square 0.5/0.6mm
65548	WST12	Braided 0.8mm



3 SCDP1

SUCTION CUP/DENT PULLER

Thick rubber pad with plastic handles. Maximum capacity 20kg. safe working load 10kg. Display carton.

Stock No.	Diameter
69187	118mm



4 SUC2

TWIN SUCTION LIFTER

Expert Quality, for the easy lifting of smooth flat surface materials, i.e. glass, marble etc. Suction cups 123mm diameter. Maximum lift 50kg; safe working load (S.W.L.) 25kg. Manufactured from high density aluminium alloy. Display packed.

Stock No.
69723



5 SCDP2

TWIN SUCTION LIFTER

For the easy lifting of smooth flat surface materials, i.e. glass, marble etc. Manufactured from tough plastic with rubber suction cups. Suction cups 118mm diameter. Maximum lift 40kg; safe working load (S.W.L.) 20kg. Display packed.

Stock No.
71172



6 SUC3

TRIPLE SUCTION LIFTER

Expert Quality, for the easy lifting of smooth flat surface materials, i.e. glass, marble etc. Suction cups 123mm diameter. Maximum lift 75kg; safe working load (S.W.L.) 37.5kg. Manufactured from high density aluminium alloy. Display packed.

Stock No.
69724



7 SCDP3

TRIPLE SUCTION LIFTER

For the easy lifting of smooth flat surface materials, i.e. glass, marble etc. Manufactured from tough plastic with rubber suction cups. Suction cups 118mm diameter. Maximum lift 60kg; safe working load (S.W.L.) 30kg. Display carton.

Stock No.
43846



8 SCDP4

QUAD SUCTION LIFTER

For the easy lifting of smooth flat surface materials, i.e. glass, marble etc. Manufactured from tough plastic with rubber suction cups. Suction cups 118mm diameter. Maximum lift 80kg; safe working load (S.W.L.) 40kg. Display carton.

Stock No.
43847



9 WST6

WINDSCREEN WIPER ARM REMOVAL TOOL

For the safe and efficient removal of windscreen wiper arms. Avoids damage to vehicle bodywork or wiper assembly. Zinc plated for corrosion protection. Display packed.

Stock No.
71462



10 WNT

VEHICLE WASHER JET CLEANING TOOL

Knurled body with pocket clip, needle point one end and scriber point on the other. For cleaning and repositioning of vehicle washer jets. Supplied with end caps to prevent personal injury when not in use. Display packed.

Stock No.	Length
03322	95mm



1 WC-01

HEAVY DUTY CAR FRONT WING COVER

Protects a vehicles bodywork from scratches and spillages whilst undergoing routine maintenance. Fixes to wing with built-in magnetic strips. Half moon cut-out for wheel arch exposure. Wipe clean outer with polypropylene inner. Display packed.

Stock No.	Size
22592	820 x 640mm



2 SC-03

SIDE AIRBAG COMPATIBLE HEAVY DUTY FRONT SEAT COVER

Suitable for car and van single seats fitted with side airbags. Protects from mud, oil, grease, sweets and other sticky substances. Washable with polypropylene inner and straps to secure cover to seat. Aperture for side airbags. Display packed.

Stock No.	Size
22597	1380 x 650mm



3 SC-02

SIDE AIRBAG COMPATIBLE POLYESTER FRONT SEAT COVER

Suitable for car and van single seats fitted with side airbags. Protects from mud, oil, grease, sweets and other sticky substances. Washable polyester with straps to secure cover to seat. Aperture for side airbags. Display packed.

Stock No.	Size
22596	1300 x 660mm

MOTORCYCLE TOOLS



4 CBRK3

MOTORCYCLE CHAIN SPLITTER AND RIVETER KIT

Expert Quality, for splitting chains from No.25 cam chains through to No.520 motorcycle final drive chains. Please note, to successfully press the rivet from heavy duty 520 drive chains, the rivet head must be ground off first. Display packed in blow mould storage case. Contents:

- Main press body, clamp and pressure screw handle
- Sliding 'T' bar • Two press plates • Two press anvils
- 2.2, 2.9 and 3.8mm press pins • Rivet tip spreader
- Upper and lower guides for 2.2 mm press pin
- Spring for press pins

Stock No.
31318



5 CCK

MOTORCYCLE CHAIN CLEANING KIT

For cleaning of motorcycle chains whilst in-situ. Comprises bottle for holding cleaning fluid, plastic tube, Y piece adaptor and chain bath with cleaning brushes. Easy set up; bath is clamped over chain and the bottle connected to bath via plastic tubes and chain cleaned. Waste fluid is then drained away. Display carton.

Stock No.
30834



6 MBPP1

240mm MOTORCYCLE BRAKE PISTON PLIERS

Expert Quality, for the removal of seized pistons without damaging outer piston surface. Knurled clamp blocks allow secure grip of inner piston face. Self-locking mechanism ensures tight grip on piston during removal. Display packed.

Stock No.	Capacity Diameter
30838	19-36mm



7 MCSK4

MOTORCYCLE SPINDLE KEY

Expert Quality, for the removal of hollow wheel spindles. Hexagon sizes on tool: 17, 19, 22, 24mm with internal 3/8" square drive in the 19mm hex end. Display packed.

Stock No.
30831



8 CWB/MC

MOTORCYCLE BRAKE PISTON TOOL

Expert Quality, for the simple and controlled retraction of hydraulic brake pistons when replacing front or rear brake pads. Dual thickness pad fingers for ease of access. Display packed.

Stock No.
30826



9 MODP

MOTORCYCLE OIL DRAIN PAN

Slimline design to allow easy access for use with motorcycles and oil changes for small engines. High density polyethylene, resistant to most chemicals and solvents. Ribbed surface to aid drainage. Sold loose.

Stock No.
04265



1 RPP

1000KG POWER PULLER

Manufactured to GS Specifications

- For pulling heavy objects such as cars, boats, logs, etc.
- Two steel gears with twin locking pawl

Pulling capacity	1000kg
Cable diameter	5mm
Cable length	10M
Overall size	634 x 87 x 125mm
Weight	4kg

Stock No.	Description
51934	Puller
52220	Cable Assembly



2 WRP1

WIRE ROPE PULLER

- *Expert Quality* • Adaptable drumless winch designed for pulling
- Pulling capacity 1600kg • Complete with handle and 20M of wire rope with hook

Pulling capacity	2400kg
Cable diameter	11mm
Cable length	20M
Overall size	545 x 284 x 97mm
Weight	27kg

Stock No.	Description
71208	Wire Rope Puller
71353	20M Wire Rope with hook



3 RW/12V-1134KGS

1134kg 12V RECOVERY WINCH

- *Expert Quality*,
- For mounting on vehicles or trailer beds
- All steel fabrication
- 700W high power DC motor
- Fitted with gear-train for smooth and quiet operation and longer working life
- Remote controlled enables power to be controlled from a safe distance
- Wire rope fed through 4-way roller

Pulling capacity	1134kg
Cable diameter	5mm
Cable length	14M
Overall size	423 x 312 x 212mm
Weight	10.74kg

Stock No.
24441



4 RW/12V-1814KGS

1814kg 12V RECOVERY WINCH

- *Expert Quality*,
- For mounting on vehicles or trailer beds
- All steel fabrication
- 1200W high power DC motor
- Fitted with gear-train for smooth and quiet operation and longer working life
- Remote controlled enables power to be controlled from a safe distance
- Wire rope fed through 4-way roller

Pulling capacity	1814kg
Cable diameter	5.5mm
Cable length	15M
Overall size	406 x 294 x 186mm
Weight	11.15kg

Stock No.
24443




5 SB/1

RECOVERY WINCH SAFETY BLANKET

Expert Quality, a safety must for all electric and hand operated winches. If the winch cable snaps the safety blanket absorbs the tension energy from the cable. Made from heavy duty vinyl with storage pockets for shackles and reflective area for nighttime visibility. Carton packed.

Stock No.
24445







6 SS1000/2

FOLDING STEEL SHOVEL

Carbon steel serrated blade with tubular steel handle. Powder coated to prevent corrosion. Handle is tightened by integral collet - so no need for additional tools. Supplied with vinyl pouch for storage. Display packed.

Stock No.	Min. Length	Max. Length
51002	245mm	580mm



1 TR2500A

4.27M CONCERTINA TOW ROPE

Manufactured in accordance with BSAU 187

Sixteen strand polyethylene with safety hooks and lock which are zinc plated forged S45C carbon steel. Display packed.

Stock No.
67256



2

3.7M TOW ROPES

Manufactured to BS AU 187

High visibility polypropylene with 'On Tow' sign and warning flag. Hooped one end and a zinc plated safety hook on the other. Display packed.

Stock No.	Part No.	Colour	Capacity
63410	TR2000	Yellow	2000kg
65297	TR4000	Red	4000kg



3 FTB3

RIGID TOWING BRACE

Manufactured to GS/TUV Specifications

Maximum rated load 2000kg. Length between hooks - 1800mm. Supplied in storage bag with ON TOW sign. Display carton.

Stock No.
88621



4 PP12VB/HD

12V HEAVY DUTY PORTABLE POWER PACK (900A)

- For petrol vehicles up to 3000cc and diesel vehicles up to 2400cc • On/off power switch
- Voltmeter with battery charge
- Anti-surge protection reverse polarity indicators
- Heavy duty booster cables with insulated jaws
- Enables running of 12V/DC accessories to a maximum current of 15A

Starting current	400A
Peak current	900A
Battery	17Ah (sealed lead)

Stock No.
40133



5 JS3200

12V HEAVY DUTY PORTABLE POWER PACK (1600-3200A)

- LED battery condition and charge indicators
- Test button • Rotating clamp holsters
- Heavy duty booster cables with insulated jaws
- 12V DC power output socket

Starting current	1600A
Peak current	3200A
Battery	38Ah (sealed lead)
Dimensions	340 x 395 x 180mm
Weight	14.5kg

Stock No.
82361

FITTED WITH A INTERNAL BATTERY BACKUP FEATURE AND SUPER-QUICK RECHARGE TIME



6 CJS800

CAPACITOR JUMP STARTER (12V)

- Super quick recharge time
- Internal backup Li-ion battery
- Starts vehicle engines up to 6L Petrol and 3L Diesel
- Internal battery, recharges capacitors
- LCD digital display • 3 function torch
- 12V DC and USB input
- Non-slip protective rubber case

NEW

Starting current	700A
Peak current	700A
Battery	6Ah (LI-ion)
Dimensions	220 x 120 x 50mm
Weight	1.3kg

Stock No.
82957



7 LJS120

LITHIUM JUMP STARTER/CHARGER (400A)

• ***Expert Quality*** • Compact and powerful jump-starter/charger • Starts vehicle engines up to 4.2L Petrol and 2L Diesel • 2 USB ports for charging accessories • Fitted with a work lamp with three settings; constant, SOS and flashing • An ideal backup power source for emergency situations • Supplied with a padded carry case, smart jump leads, 4 in 1 multi purpose USB lead and 230V and 12V charging adaptors

Starting current	250A
Peak current	500A
Battery	9.6Ah (LI-ion)
Dimensions	30 x 78 x 174mm
Weight	0.46kg

Stock No.
15066



8 LJS136

LITHIUM JUMP STARTER/CHARGER (500A)

• ***Expert Quality*** • Compact and powerful jump-starter/charger • Starts vehicle engines up to 46L Petrol and 2L Diesel • USB port for charging accessories • Able to switch between 12V, 16V and 19V • Fitted with a work lamp with three settings; constant, SOS and flashing • An ideal backup power source for emergency situations • Supplied with a padded carry case, smart jump leads, 4 in 1 multi purpose USB lead, set of 8 laptop adaptors with cable and 230V and 12V charging adaptors

Starting current	250A
Peak current	500A
Battery	12Ah (LI-ion)
Dimensions	37 x 80 x 165mm
Weight	0.46kg

Stock No.
15067



"DAVE SAYS" QUALITY MAKES THE DIFFERENCE

Our Copper Coated Aluminium (CCA) booster cables are unlike other products in the market, our CCA cables are designed on an "Amp for Amp" basis to ensure they work correctly under load. Lower quality "gauge for gauge" cables offer a higher electrical resistance under load and can damage sensitive vehicle electronics.



1 JL25

HEAVY DUTY BATTERY BOOSTER CABLES

Manufactured to BSAU 237a

Expert Quality, suitable for 12V and 24V cars and light commercial vehicles. Heavy duty full copper cable (25mm²) and fitted with heavy duty fully insulated clamps. Display packed in resealable PVC bag.

Stock No.	Length
51875	3M
54600	5M



2 JL16

3M HEAVY DUTY BATTERY BOOSTER CABLES

Manufactured to BSAU 237a

Expert Quality, suitable for 12V and 24V cars and light commercial vehicles. Heavy duty full copper cable (16mm²) and fitted with heavy duty fully insulated clamps. Display packed in resealable PVC bag.

Stock No.
51874



3 JLSP

5M ANTI-SURGE PROTECTED HEAVY DUTY BATTERY BOOSTER CABLES

Suitable for 12V and 24V cars and light commercial vehicles. Heavy duty copper coated cable (25mm²) fitted with inline anti surge protection and heavy duty insulated clamps. Display packed in zip storage bag.

Stock No.
23264



4 JL10

2M BATTERY BOOSTER CABLES

Suitable for 12V cars and light commercial vehicles. 10mm² full copper cable fitted with fully insulated clamps. Display packed.

Stock No.
51945



5

CCA BATTERY BOOSTER CABLES

High quality copper coated aluminium cables with fully insulated clamps, for: 8mm² (up to 1.2L petrol vehicles); 10mm² (up to 1.5L petrol vehicles);16mm² (up to 2.5L petrol/1.5L diesel vehicles); 25mm² (up to 5.5L petrol/3.0L diesel. Display packed in PVC zip up storage bag.

Stock No.	Part No.	Cable Length	Cable Dia
06071	ELJL8	1.8M	8mm²
06072	ELJL10	2.5M	10mm²
06073	ELJL16	3.0M	16mm²
06001	ELJL25	3.5M	25mm²



6 ELMCJL

2M MOTORCYCLE BATTERY BOOSTER CABLES

Suitable for 12V motorcycles up to 1000cc. Full copper cable 3.6mm². Fitted with fully insulated compact clips. Display packed in resealable PVC bag.

Stock No.
06074



7 EHC

EMERGENCY HAMMER/CUTTER

For emergency use in the home, office, car and other travel. Shatters automotive and domestic glass. Cuts through automotive seat belts. Hardened carbon steel hammer striking point with tough ABS plastic contoured handle for user comfort. Supplied with mounting rack and fixings. Display packed.

Stock No.	Length
61229	185mm



8 WT1B

VEHICLE WARNING TRIANGLE

To European Standard ECE R27 and tested to E1 Specifications

Folding design with stand and rubber feet. Manufactured from ABS plastic. Supplied in plastic carrying case. Display carton.

Stock No.
24342



9 PWB

WATER CONTAINERS WITH TAPS

Manufactured from high quality translucent virgin HDPE plastic. Suitable for storing and dispensing water. Supplied with integral 360° swivelling tap and easy flow screw vent. Sold loose.

Stock No.	Capacity
23246	9.5L
23247	25L

NEW



1

GREEN STEEL FUEL CANS

Robust fuel cans ideal for storing and transferring flammable liquids. Fitted with a bayonet cap closure device, ensuring can is leak-proof in any position while also delivering a smooth and steady pouring flow.

Stock No.	Part No.	Description
54437	SFC5L-GREEN/B	5L
07610	SFC10L-GREEN/C	10L
07218	SFC20L-GREEN/C	20L
07826	SFC-SP-GREEN/C	Spare Spout

NEW



2

BLACK STEEL FUEL CANS

Robust fuel cans are ideal for storing and transferring flammable liquids. Fitted with a bayonet cap closure device, ensuring can is leak-proof in any position while also delivering a smooth and steady pouring flow.

Stock No.	Stock No.	Description
54447	SFC5L-BLACK/B	5L
07664	SFC10L-BLACK/C	10L
07257	SFC20L-BLACK/C	20L
07875	SFC-SP-BLACK/C	Spare Spout

NEW



3

RED STEEL FUEL CANS

Robust fuel cans are ideal for storing and transferring flammable liquids. Fitted with a bayonet cap closure device, ensuring can is leak-proof in any position while also delivering a smooth and steady pouring flow.

Stock No.	Stock No.	Description
07741	SFC10L-RED/C	10L
07568	SFC20L-RED/C	20L
08115	SFC-SP-RED/C	Spare Spout



4 PFC-10-GREEN

10L GREEN PLASTIC FUEL CAN

Manufactured and tested in accordance to the latest PCR regulations

High quality HDPE plastic with screw-on rigid plastic pouring hose and tethered plastic screw cap. Sold loose.

Stock No.
82694



5 PFC-10-BLACK

10L BLACK PLASTIC FUEL CAN

Manufactured and tested in accordance with the latest PCR regulations

High quality HDPE plastic with screw-on rigid plastic pouring hose and tethered plastic screw cap. Sold loose.

Stock No.
82693





6 PFC-GREEN/A

5L GREEN PLASTIC FUEL CAN

Manufactured and tested in accordance with SI1982/630 Regulations

High quality HDPE plastic with screw-on rigid plastic pouring hose and deep gasket sealed and tethered plastic screw cap. Sold loose.

Stock No.
82690



7 PFC-BLACK/A

5L BLACK PLASTIC FUEL CAN

Manufactured and tested in accordance with SI1982/630 Regulations

High quality HDPE plastic with screw-on rigid plastic pouring hose and deep gasket sealed and tethered plastic screw cap. Sold loose.

Stock No.
82689



8 PFC-RED/A

5L RED PLASTIC FUEL CAN

Manufactured and tested in accordance with SI1982/630 Regulations

High quality HDPE plastic with screw-on rigid plastic pouring hose and deep gasket sealed and tethered plastic screw cap. Sold loose.

Stock No.
82692

DRAPER HARD GRAFT™

1 HGW-HD90

TUB OF 90 TUFF TEXTURE HEAVY DUTY DRAPER 'HARD GRAFT' WIPES

Impregnated with an advanced hi-tech cleaning formula providing an industrial-strength cleaning wipe capable of scrubbing a range of hard to remove substances. The dual sided dermatologically tested fabric has both a rough and smooth side, that easily wipe a host of substances including glues, sealants, paints and oils etc. Each sheet is sized 210 x 245mm and designed for cleaning surfaces and tools. Suitable for all trades including construction, decorators, electricians, engineers, farmers, maintenance, mechanics, painters, plumbers, printers and welders etc. Display packed.

Stock No.
84712







2 HGW-100

TUB OF 100 MULTI PURPOSE DRAPER 'HARD GRAFT' WIPES

Impregnated with an advanced hi-tech cleaning formula providing an industrial-strength cleaning wipe capable of cleaning a range of hard to remove substances. The dermatologically tested fabric easily cleans a host of substances including glues, sealants, paints and oils etc. Each sheet is sized 200 x 220mm and designed for cleaning surfaces and tools. Suitable for all trades including construction, decorators, electricians, engineers, farmers, maintenance, mechanics, painters, plumbers, printers and welders etc. Display packed.

Stock No.
84711





ECO SOLVENT -ENVIRONMENTALLY FRIENDLY



3

DRAPER 'HARD GRAFT' BRAKE AND CLUTCH CLEANER

Highly effective cleaner for brake discs, callipers, drums and cylinders. Leaves surfaces dry, clean and contaminant free. Non-corrosive and usable with air and standard pump spray units. The non-toxic, non-flammable and solvent free formulation provides a safe substance for both you and the environment, offering regulation free transportation and storage. These qualities surpass traditional solvents in speed and efficacy and because they're drain friendly require no waste management regulations. Display packed.

Stock No.	Part No.	Description
65000	HGBCC-500ML	500ml
65002	HGBCC-5L	5L

ECO SOLVENT -ENVIRONMENTALLY FRIENDLY



4

DRAPER 'HARD GRAFT' PARTS WASHING FLUID

Highly effective cleaner and degreaser for engines and all types of mechanical moving parts. Also ideal as a cleaner and soaking agent. The non-toxic, non-flammable and solvent free formulation provides a safe substance for both you and the environment. These inherent solvent qualities are not only the match but surpass traditional solvents in speed and efficacy and because they're drain friendly they require no waste management regulations. Their non-flammable formulation enables easy and regulation free transportation and storage and user concerns are allayed as they're made from non-hazardous substances. Display packed.

Stock No.	Part No.	Description
64993	HGPWF-1L	1L
64997	HGPWF-5L	5L
73803	HGPWF-25L	25L



1 GLATHD-50L

HEAVYWEIGHT LATEX GLOVES (BOX OF 50)

Manufactured to EN374 Parts 1, 2 and 3 and EN420 Specifications

Expert Quality, non-sterile, powder free latex single use gloves with extended cuffs for extra protection. Made from 100% natural latex, providing comfort, fit and grip. Ideal for the automotive industry where abrasion is ordinarily an issue. Perfect for tyre-fitting. Textured surface provides grip in wet & oily situations, yet these gloves still allow excellent dexterity, essential when handling small parts.

Allergy advice: This product contains natural rubber latex, which may cause allergic reactions.

Order number of boxes required

Stock No.	Size
63763	L/9



2 NGRHD-50L

HEAVYWEIGHT NITRILE GLOVES (BOX OF 50)

Manufactured to EN374 Parts 1, 2 and 3 and EN420 and EN455 Parts 1, 2, 3 and 4 Specifications

Expert Quality, non-sterile, powder free nitrile single use gloves. Thicker and heavier than standard nitrile gloves and with a textured surface. Ideal for heavy-duty tasks whilst providing enhanced grip and dexterity. Latex and powder-free.

Order number of boxes required

Stock No.	Size
63764	L/9



3 GLAT-100L

LATEX GLOVES (BOX OF 100)

Manufactured to EN455 Parts 1, 2, 3 and 4 and EN374 Parts 1, 2 and 3 and EN420 Specifications and Tested in accordance with EN1186

Non-sterile, powder free latex single use gloves. Made from 100% natural latex, providing comfort, fit and grip. They're highly resistant to biohazards plus common cleaning materials.

Allergy advice: This product contains natural rubber latex, which may cause allergic reactions.

Order number of boxes required

Stock No.	Size
63762	L/9



4 NGBLK-100L

WORKSHOP NITRILE GLOVES (BOX OF 100)

Manufactured to EN455 Parts 1, 2, 3 and 4 and EN374 Parts 1, 2 and 3 and EN420 Specifications and Tested in accordance with EN1186

Non-sterile, powder free, nitrile single use glove. Manufactured with full palm and finger texture, aiding work in wet or oily conditions and provides greater puncture resistance than latex or vinyl gloves. Resistant to hydrocarbons found in antifreeze, paint & thinners, petrol, oil etc.

Order number of boxes required

Stock No.
63760







4.5.4.3



5 CRG

LEVEL 5 CUT RESISTANT GLOVES

Manufactured to BS EN388 Specifications 4.5.4.3

Expert Quality, anti-cut gloves with an elasticised cut resistant fibre knit. The knit provides superior flexibility, breathability and comfort when compared against leather. Essential gloves for operating cutting or abrasion machinery and handling glass. Display packed.

Stock No.	Size
82612	L/9
82614	XL/10





6 HVMGA

HIGH VISIBILITY MECHANIC'S GLOVES

Expert Quality, leather palm and reinforced thumb join. Oil and grease resistant. Latex coated panels to fingertip and palm for extra grip. High visibility back with reflective strips on knuckles and fingers. Elasticated cuffs. Display packed.

Stock No.	Size
27618	L/9
27619	XL/10



2.1.2.1



7 FLWG

FINGERLESS GLOVES

Manufactured to BS EN388 Specifications 2.1.2.1

Ideal for precision work, these fingerless work gloves are made from synthetic leather with a neoprene and spandex back. The EVA foam padding to the palm delivers added user comfort. Fitted with neoprene cuffs with hook & loop wrist strap fastening. Display packed.

Stock No.	Size
14972	L/9
14973	XL/10



2.1.2.1



8 HDLTG

HEAVY DUTY LATEX THERMAL GLOVES

Manufactured to BS EN388 Specifications 2.1.2.1

Seamless gloves with natural latex rubber coated palms and elasticated cuffs. Their good abrasion and tear resistance make them ideal for fabrication and assembly work. Display packed.

Stock No.	Size
82595	XL/10

PROFESSIONAL AUTOMOTIVE ADHESIVES

YOUTUBE.COM/ DRAPERTOOLSTV





To assist in identifying the right adhesive, we've created easy to classify symbols. These are in the form of a circle and a droplet. The circle represents a thicker more viscous product while the droplet indicates that it has a thinner viscosity.





1 DTL222

D222 THREAD LOCK

Ideal for low-strength thread locking on adjusting screws, countersunk head screws and set screws. Very good on low strength metals which could break during disassembly. Low strength break away - 6Nm. Display packed.

Stock No.	Pack Size
24657	50ml



2 DNL243

D243 NUT LOCK

Medium strength (16Nm break away) oil tolerant design for direct application onto parts where a light oily film exists or where surrounding parts contamination is a problem. Display packed.

Stock No.	Pack Size
24660	50ml



3 DSL270

D270 STUD LOCK

High strength (40Nm break away) general purpose adhesive for permanent threaded assemblies. Secures studs up to 13mm, sealing against leakage and corrosion. Chemical resistant while also resisting fuels, lubricants and most industrial liquids and gases. Display packed.

Stock No.	Pack Size
24659	50ml



4 DHS542

D542 HYDRAULIC SEAL

D542 for metal threaded fittings especially useful on hydraulic pipes. Used on low, medium and high-pressure lines and cures to form a tough high-pressure seal. Ideal for valves, threaded couplings and adaptors. Display packed.

Stock No.	Pack Size
33321	50ml



5 DBF641

D641 BEARING FIT

Single part anaerobic securing compound, designed for fitting cylindrical metal assemblies and cures when confined between the parts. Will secure all types and sizes of bearings, shafts and cylindrical parts. Display packed.

Stock No.	Pack Size
24662	50ml



6 DBSR638

D638 BUSH AND SLEEVE RETAINER

Designed to give high strength retention under cyclic loading. Retains full strength and won't suffer fatigue under load stress. Suited for structural components such as cylindrical parts under load, keys, splines, and structural tubing. Display packed.

Stock No.	Pack Size
24667	50ml



1 DMG574

D574 MULTI GASKET

Instant gasket material which forms in place, making almost any size and shape, replacing paper, cork etc. Once applied the assembled parts are usually suitable for immediate low pressure (6 bar) service and once cured can resist 350 bar pressure depending on gap size. Display packed.

Stock No.	Pack Size
24661	50ml



2 DFG515

D515 FLEXIBLE GASKET

Easily applied flexible gasket paste, which forms a tough purple temperature resistant gasket. Its high viscosity and fast curing enables the paste to seal almost any size and shape creating an instant low pressure seal while removing the need for traditional paper or cork gaskets. Display packed.

Stock No.	Pack Size
31908	50ml



3 DFG518

D518 FLEXIBLE GASKET

Easily applied flexible gasket paste ideal for aluminium flanges forming a tough red, temperature resistant gasket. Its high viscosity and fast curing enables the paste to seal almost any size and shape creating an instant low pressure seal while removing the need for traditional paper or cork gaskets. Display packed.

Stock No.	Pack Size
31909	50ml



4 DBAS572

D572 BRAKE AND AIR LINE SEAL

Designed for sealing metal pipes and fittings. Product cures due to the absence of air between close fitting metal surfaces. Prevents loosening and leakage from shock and vibration. Good chemical/solvent resistance to ethanol, motor oil, unleaded petrol and brake fluid. Unique adhesion allows for re-alignment up to 60 hours after application. Display packed.

Stock No.	Pack Size
24665	50ml



5 DLPTFE

50ml LIQUID PTFE

Provides instant seals and cures rapidly. When fully cured it's capable of sealing metal threaded joints up to 350 bar. Perfect for use on metal threads within cold - hot water, gas and compressed air systems. Display packed

Stock No.	Pack Size
38916	50ml



6 DPW3294

D3294 PLASTIC WELD

A toughened structural adhesive formulated for bonding differing substrates as well as unprepared metals, ceramics, wood, concrete and standard thermoset plastics. The final adhesive bond is designed to be load bearing and resistant to weathering, humidity and temperature variations. Display packed.

Stock No.	Pack Size
24668	28ml



7 DEPR2012

D2012 EPOXY STRUCTURAL ADHESIVE

Two part, cold curing epoxy resin adhesive. Suitable for bonding a wide range of surfaces including steel, aluminium, and galvanised iron. Reacts within five minutes to give a tough resilient bond. Display packed.

Stock No.	Pack Size
24663	28ml



8 DFTRP

FUEL TANK REPAIR PUTTY

Specialist epoxy putty, ideal for patching holes in fuel tanks, radiators, pipes etc. When mixing, the putty turns a unified colour signifying it's ready for use. Hardens and cures in extreme conditions. Bonds to metal, fibreglass, wood, concrete and glass. Display packed.

Stock No.
31033



9 DMVB/CA MV

SUPER GLUE

Medium viscosity cyanoacrylate adhesive designed for quick strong bonding of metals, plastic, wood, ceramics, rubber, leather, card, glass etc. Requires a clean surface on which to bond. Display packed.

Stock No.	Pack Size
24669	20g

HYDRAULIC OIL




1 HOAW22

AW22 HYDRAULIC OIL

AW22 Hydraulic oil for use with jacks, engine cranes, motorcycle lifts, bench and floor presses and any other hydraulic equipment that specifies this grade of oil. Display packed.

Stock No.	Size
34053	1L
34054	5L





2 O-RING/419

O-RING ASSORTMENT (419 PIECE)

An assortment O-rings, size range 3mm I.D. x 1.5mm section to 50mm I.D. x 3.5mm section. Packed in blow mould storage case with display sleeve.

Stock No.
56345



3 O-RING/225

O-RING ASSORTMENT (225 PIECE)

Assortment of O-rings in plastic storage case. Display carton.

Stock No.
56377



YOUTUBE.COM/ DRAPERTOOLSTV

4 BPF205

BRAKE PIPE FITTINGS KIT (205 PIECE)

Expert Quality, a comprehensive selection of brake pipe fittings. Supplied in storage box. Display packed.
Contents:
10 x 3/8" x 24UNF female 3/16" pipe SAE form
30 x 10mm x 1mm female 3/16" pipe DIN form
10 x 3/8" x 24UNF male 3/16" pipe SAE form
100 x 10mm x 1mm male 3/16" pipe DIN form
5 x 10mm x 1mm long male 3/16" pipe DIN form
18 x 10mm x 1mm short 3/16" pipe DIN form
5 x 10mm x 1.25mm male long 3/16" pipe DIN form
5 x 10mm x 1.25mm male short 3/16" pipe DIN form
5 x 3/8" x 20 BSF male 3/16" pipe SAE form morris
5 x 7/16" x 20 UNF male 1/4" pipe SAE form
6 x 12mm x 1mm male 1/4" pipe DIN form
6 x 12mm x 1mm male 3/16" pipe DIN form

Stock No.
54367



1 FUSE/MINI 100

MINI AUTOMOTIVE PLUG-IN FUSE ASSORTMENT (100 PIECE)

Assortment of mini automotive fuses in plastic storage case. Assortment includes fuses of ratings: 3A, 5A, 7.5A, 10A, 15A, 20A, 25A and 30A. Display carton.

Stock No.
24311



4 SPRING/200

COMPRESSION AND EXTENSION SPRING ASSORTMENT (200 PIECE)

Assortment of plated compression and extension springs in plastic storage case. Display packed.

Stock No.
56380



7 HAIRP/150

R-CLIP ASSORTMENT (150 PIECE)

Assortment of R-clips in plastic storage case. Display packed.

Stock No.
56376



2 FUSE/120

STANDARD AUTOMOTIVE PLUG-IN FUSE ASSORTMENT (120 PIECE)

Assortment of standard automotive fuses in plastic storage case. 20 each off (approx.) fuses of ratings: 5A, 10A, 15A, 20A, 25A and 30A. Display carton.

Stock No.
56381



5 ROLL/120

ROLL PIN ASSORTMENT (120 PIECE)

Popular imperial sized roll pins in plastic storage case. Display carton.

Stock No.
63943



8 CIRCLIP/285

INTERNAL AND EXTERNAL CIRCLIP ASSORTMENT (285 PIECE)

Assortment of internal and external circlips in plastic storage case. Display carton.

Stock No.
56379



3 HST95

HEAT SHRINK TUBE ASSORTMENT (95 PIECE)

An assortment of 95 (approx.) heat shrink tubes for sealing automotive electrical connections. To be used in conjunction with hot air guns. Supplied in plastic organiser with see-through lid. Display packed.

Stock No.
72878



6 COTTER/555

SPLIT PIN ASSORTMENT (555 PIECE)

Assortment of zinc plated split pins in plastic storage case. Display carton.

Stock No.
56375



9 E-CLIP/300

E-CLIP ASSORTMENT (300 PIECE)

Assortment of 300 (approx.) popular metric sized E-Clips in plastic storage case. Display carton.

Stock No.
63941

PRODUCT LOCATOR

Our expanded range of aerosols can be found in Section 19 - Hardware.







1 MR-DS
400ml Mr D's MOISTURE DISPERSANT

Dual purpose moisture and penetrating oil, suitable for dispersing moisture from electrical systems and as a general lubricating and penetrating oil. Sold loose.

Available in singles - order multiples of 12 to get a free countertop display

Stock No.
41921





2 ARE-BCL/A
400ml BRAKE AND CLUTCH CLEANER

Ideal for cleaning all parts of modern brake and clutch systems. Eliminates brake squeal and clutch slip caused by contamination and glazing. CFC free. Sold loose.

Available in singles - order multiples of 12 to get a free countertop display

Stock No.
41925






3 ARE-CCL/A
400ml CARBURETTOR AND INJECTOR CLEANER

Ideal for cleaning carburettors, injectors and brake parts. Helps prevent stalling and rough idling. CFC free. Sold loose.

Available in singles - order multiples of 12 to get a free countertop display

Stock No.
41922





4 ARE-DEG
400ml DEGREASER

Ideal for use in vehicle engines to remove grease and dirt from metal surfaces. CFC free. Sold loose.


Available in singles - order multiples of 12 to get a free countertop display

Stock No.
76108

5
DRAPER 'HARD GRAFT' BRAKE AND CLUTCH CLEANER

Highly effective cleaner for brake discs, callipers, drums and cylinders. Leaves surfaces dry, clean and contaminant free. Non-corrosive and usable with air and standard pump spray units. The non-toxic, non-flammable and solvent free formulation provides a safe substance for both you, the environment offering regulation free transportation and storage. These qualities surpass traditional solvents in speed and efficacy and because they're drain friendly require no waste management regulations. Display packed.





Stock No.	Part No.	Description
65000	HGBCC-500ML	500ml
65002	HGBCC-5L	5L





6 TP-MASKPRO
50M HEAVY DUTY MASKING TAPE

Heavy duty, low tack, easy tear and re-positional heavy duty masking tape. Ideal for professional usage. Can be used for low bake masking applications. Clean peel up to 12 hours after usage. Display packed.


Stock No.	Width
63478	25mm
63479	50mm



7 TP-MASK
50M MASKING TAPE

Easy tear and re-positional. Ideal for decorating, drilling or spraying. Clean peel up to 3 hours after usage. Display packed.

Stock No.	Width
63481	25mm
63480	50mm





1 TWB3M

FLOW THROUGH TELESCOPIC WASHING BRUSH

For cleaning vehicles, boats, paintwork, conservatories etc. Has on/off water control feature and snap-on hose connector. Display packed.

Stock No.	Min. Length	Max. Length
85068	1260mm	3000mm

2 WB2

TELESCOPIC SQUEEGEE AND SPONGE

200mm neoprene rubber blade on one side and foam sponge on other. Twist and lock handle. Hanging display card.

Stock No.	Min. Length	Max. Length
73860	460mm	725mm



3 WB-DG.

300mm SILICONE SQUEEGEE

For wiping surplus liquids from scratch resistant surfaces such as windows etc. Silicone rubber blade and soft grip handle. Display packed.

Stock No.
76482




4 WB

300mm SQUEEGEE

For wiping surplus liquids from scratch resistant surfaces such as windows etc. Neoprene rubber blade and additional serrated edge. Display packed.

Stock No.
69207



6 CWMTN/B

2 in 1 MICROFIBRE CAR WASH MITT

Double sided tight fitting mitt. Its chenille microfibre side aids the removal of dirt and grime while the mesh side enables easy removal of stubborn marks without scratching the surface. Packed on hanging card.

Stock No.
15041

NEW



7 GWCWG/2B

8 PATTERN SPRAY GUN

Eight pattern gun with trigger grip handle and reservoir to hold liquid soap or pesticide/fertiliser. Reservoir holds 100ml/3.1/2 oz of liquid with control button to alter mix. Ideal for fertilising gardens or washing cars. Nozzle can be adjusted to give eight patterns: shower, mist, cone, rinse, stream, flat, centre and jet.

Stock No.
82131



5 VPS8/B

VEHICLE PRESSURE SPRAYER (10L)

A lightweight pump action sprayer with an 8L working capacity, capable of continual spraying. Ideally suited for spraying a variety of liquids. Fitted with a comfortable shoulder strap. Supplied with a 370mm long fibreglass lance with adjustable pattern nozzle and vehicle cleaning brush.

Stock No.
63109



8 SJ

SYNTHETIC SPONGE

Tough foam, ideal for washing down walls prior to painting or decorating, or for washing vehicles. Shrink wrapped with label.

Stock No.	Dimensions L x W
40418	220 x 120 x 65mm



9 VV7

CHAMOIS LEATHERS

For cleaning windows, car paintwork and other similar surfaces. Natural oil-dressed chamois leather. Display header card.

Stock No.	Size
44252	Large - 2.5 sq.ft.

NEW



10 C7RS

MICROFIBRE CLOTHS (PACK OF 2)

Provides excellent cleaning results without the need of chemicals. Can be washed and re-used up to 500 times. Ideal for a host of industries and around the home. Display packed.

Stock No.	Dimensions
51080	400 x 400mm



1 TDS/B

4M x 25mm TIE DOWN STRAP

Quality polyester webbing with cam locking buckle. S.W.L. 60kg (breaking strain 120kg) per strap. Display carton.

Stock No.	S.W.L.
60961	60Kg



2 RTDS

RATCHETING TIE DOWN STRAPS

Quality polyester webbing with two 'S' hooks. Display carton.

Stock No.	Length	Width	S.W.L.
60957	4.5M	25mm	750kg
60958	5.4M	50mm	1000kg



3 TDS/B

RATCHETING TIE DOWN STRAP SETS (2 PIECE)

Quality polyester webbing with two 'S' hooks. S.W.L. 125kg (breaking strain 250kg) per strap. Display carton.

Stock No.	Length	Width	S.W.L.
60962	2.5M	25mm	125kg
60963	5.0M	25mm	125kg



4

RATCHET TIE DOWN STRAPS


Quality polyester webbing with two 'J' steel hooks. Display packed.

Stock No.	Length	Width	S.W.L.
16261	3M	25mm	250kg
16262	3M	30mm	400kg
60950	5M	50mm	2500kg
16263	6M	38mm	750kg
60918	6M	35mm	1000kg
60921	8M	35mm	1000kg
16264	8M	50mm	1300kg
16266	8M	50mm	1700kg
60952	8M	50mm	2500kg
60954	8M	75mm	5000kg
60943	10M	35mm	1000kg
60953	10M	50mm	2500kg
60955	10M	75mm	5000kg
60956	12M	75mm	5000kg

"PAUL SAYS" QUALITY ASSURANCE MAKES THE DIFFERENCE



Our Tie Down Straps show the S.W.L (safe working load) which is the load the straps can safely take. The breaking strain (or proof load) is that which will break the strap and must not be exceeded. Therefore to gauge usage always use the S.W.L.



5 RTDS25B2/B

RATCHETING TIE DOWN STRAP SET (2 PIECE)

Quality polyester webbing with two 'S' hooks. S.W.L. 250kg (breaking strain 500kg) per strap. Display carton.

Stock No.	Length	Width	S.W.L.
60964	3.5M	25mm	250kg




8 RTDSB/4

RATCHETING TIE DOWN STRAP SET (4 PIECE)

Quality polyester webbing with two 'J' hooks. S.W.L. 375kg (breaking strain 750kg). Display carton.

Stock No.	Length	Width	S.W.L.
60960	4.5M	25mm	375kg



6 RTDS/B

RATCHETING TIE DOWN STRAP SETS (2 PIECE)

Quality polyester webbing for binding loads together. Stock Nos. 60966-S.W.L. 250kg (breaking strain 500kg) per strap, 60968-S.W.L. 400kg (breaking strain 800kg). Display carton.

Stock No.	Length	Width	S.W.L.
60966	4.5M	25mm	250kg
60968	4.5M	25mm	400kg



9 CRTDS

RATCHETING VEHICLE TIE DOWN STRAPS

Quality polyester webbing with two 'J' hooks and strapping to secure around a vehicles wheel when on a trailer. Stock Nos. 60970-S.W.L. 2250kg (breaking strain 4500kg); 60969-S.W.L. 2500kg (breaking strain 5000kg). Display carton.

Stock No.	Length	Width	S.W.L.
60970	3.0M	50mm	2250kg
60969	3.0M	50mm	2500kg



7 RTDS25B4/B

RATCHETING TIE DOWN STRAP SET (4 PIECE)

Quality polyester webbing with two 'S' hooks. S.W.L. 250kg (breaking strain 500kg). Display carton.

Stock No.	Length	Width	S.W.L.
60965	5M	25mm	250kg

PRODUCT LOCATOR

More lifting and support products are shown in Section 3.



1 BCHD80

800mm HEAVY DUTY ELASTIC STRAPS

Manufactured to GS/TUV and BSAU 258

Powerful elastic straps manufactured from virgin rubber with extra strength hooks for holding awkward loads. Lashing capacity 40kg. Display packed two straps per pack.

Stock No.
89200



2 TCS/12

TARPAULIN ELASTIC STRAPS (12 PIECE)

Manufactured to GS/TUV

Powerful straps manufactured from rubber with removable adjustable locking hooks enabling the rubber cord to be thread through tarpaulin and reattached at the desired point. Display packed.

Contents:

- 4 straps length 310mm (approx.) unstretched
- 4 straps length 440mm (approx.) unstretched
- 4 straps length 600mm (approx.) unstretched

Stock No.
63575



3

ELASTIC STRAPS

Manufactured to GS/TUV and BSAU 258

Powerful elastic straps manufactured from virgin rubber with plastic coated steel hooks. Lashing capacity 20kg. Display packed two straps per pack.

Stock No.	Part No.	Length
63525	BCHD450	450mm
63527	BCHD600	600mm
63529	BCHD800	800mm




4 BCADJ100

200-1000mm ADJUSTABLE LENGTH ELASTIC STRAPS

Manufactured to GS/TUV and BSAU 258

Powerful elastic straps manufactured from virgin rubber with adjustable length locking hooks. Lashing capacity 27kg. Display packed two straps per pack.

Stock No.
89201



5 BCNET/B

12 HOOK BUNGEE CARGO NET

A practical bungee cargo net for keeping vehicle loads safe and secure whilst in transit. The 75cm by 75cm-elasticated rubber net comes complete with 12 plastic hooks.

Stock No.
15085



6 DAB8/B

8 ASSORTED ELASTIC STRAPS

Manufactured to GSA92-820-100R

Powerful elastic bungees with steel hooks. Packed in plastic storage tube.

Contents:

- 4 straps length 250mm (approx.) unstretched
- 2 straps length 600mm (approx.) unstretched
- 2 straps length 800mm (approx.) unstretched

Minimum order 9 or multiples thereof

Stock No.
82768



7 DAB10/C

10 ASSORTED ELASTIC STRAPS

Manufactured to GS/TUV Approved Standards

Powerful elastic straps manufactured from virgin rubber with steel hooks. Display packed.

Contents:

- 4 straps length 250mm (approx.) unstretched
- 2 straps length 600mm (approx.) unstretched
- 2 straps length 750mm (approx.) unstretched
- 2 straps length 800mm (approx.) unstretched

Stock No.
63545



8 AB20/C

20 ASSORTED ELASTIC STRAPS

Manufactured to GS/TUV Approved Standards

Powerful elastic straps manufactured from virgin rubber with steel hooks. Display packed in plastic tube with screw-on lid.

Contents:

- 4 straps length 250mm (approx.) unstretched
- 4 straps length 450mm (approx.) unstretched
- 4 straps length 500mm (approx.) unstretched
- 4 straps length 600mm (approx.) unstretched
- 4 straps length 750mm (approx.) unstretched

Stock No.
63574

1 AA2

12V DC 3 WAY EXTENSION LEAD WITH USB PORT

In-car 12V plug with three sockets and USB port. Maximum load 8A. Supplied with 2M lead. Display packed.

Stock No.
12076





2 IN1000

12V 1000W DC-AC INVERTER

• Converts 12V DC to 230V AC • Reverse polarity protection • 1000W continuous power (2000W peak power) • USB port for charging phones, MP3 players etc • Designed to be hard wired into 12V supply • Ideal for use in caravans, boats, HGVs etc. for appliances that use mains voltage • Two standard three pin plug sockets, on/off switch with LED power indicator, cooling fan and overload shutdown/alarm • Base fixing facility for permanent use

Input voltage	12V DC
Output wattage	1000W continuous power
Max wattage	2000W (peak power)
Output voltage	230V AC
Wave form	modified sine

Stock No.
23245



3 IN400/USB

12V 400W DC-AC INVERTER

- Takes 12V DC from a vehicle's battery and converts it to 230V AC
- For appliances that have 3 pin UK-type plugs
- Fitted with a USB port for charging mobile devices
- Ideal for use in caravans, boats, HGVs etc
- Fitted with an overload alarm and reverse polarity protection

Input voltage	12V DC
Output wattage	400W continuous power
Max wattage	800W (peak power)
Output voltage	230V AC
Wave form	modified sine

Stock No.
28815



4 IN200/USB

12V 200W DC-AC INVERTER

- Takes 12V DC from a vehicle's battery and converts it to 230V AC
- For appliances that have 3 pin UK-type plugs
- Fitted with a USB port for charging mobile devices
- Ideal for use in caravans, boats, HGVs etc
- Fitted with an overload alarm and reverse polarity protection

Input voltage	12V DC
Output wattage	200W continuous power
Max wattage	400W (peak power)
Output voltage	230V AC
Wave form	modified sine

Stock No.
28814





NEW

5 WS-1-B

ADJUSTABLE WORK STOOL

Comfortable and durable work seat, fitted with five large castor wheels, easy to clean oil-resistant vinyl foam seat, easily adjusted hydraulic seat height and built in storage tray on the base. Maximum weight capacity of 150kg.

Stock No.
54229





NEW

6 WS-2

WORK STOOL

Comfortable work seat with high density foam. Covered with an easy clean, oil-resistant vinyl seat cover. Fitted with four 60mm castors improving manoeuvrability, and the built in storage tray in the seat base provides a convenient storage solution. Maximum weight capacity of 100kg.

Stock No.
54243

1 CC4

MECHANIC'S CREEPERS

One piece PVC construction with six multi directional castors for easy movement. Moulded back and foam head rest for added user comfort. Maximum carrying weight 120kg. Carton packed.

Stock No.	Overall Length
81906	1010mm

NEW



2 CC4

MECHANIC'S CREEPER

Rigid PVC construction with six multi directional castors for easy movement. Moulded back for user comfort with tool trays and foam head rest. Maximum carrying weight 150kg (23.5 stone). Carton packed.

Stock No.	Overall Length
43976	1010mm



3 CC1B

MECHANIC'S CREEPER

Rigid PVC construction with four multi directional castors for easy movement. Moulded back for user comfort. Maximum carrying weight 110kg (17.3 stone). Display packed.

Stock No.	Overall Length
60979	1000mm



MECHANIC'S CREEPER/SEAT

A really handy mechanics creeper which quickly and easily converts into a seat. The powder coated steel frame and tough PVC covering make this ideal for use in the professional workshop.





4 CC2

MECHANIC'S CREEPER/SEAT

Creeper that easily converts to seat form. Heavy duty powder coated steel frame with adjustable head rest. Padded PVC covered seat and head rest. Seven swivel action castors for easy movement around the workshop. Converts to seat by pulling lifting strap. Display carton.

Stock No.	Overall Length
56224	1200mm

NEW



5

MECHANIC'S FOAM MATS

High quality closed-cell EVA foam fully oil and water-resistant.

Stock No.	Part No.	Size
01033	MM1-B	220 x 336mm
01032	MM2-B	980 x 380mm

section 3



WORKSHOP EQUIPMENT

204-207	Wheel Service	233-241	Draining & Parts Cleaning
208-225	Lifting & Support	242-244	Lubrication
226-229	Presses & Pullers	245	Funnels
230-232	Workshop Pumps	246-251	Battery Care

HEAVY DUTY WORKSHOP EQUIPMENT

WHEEL SERVICE

Pages 204-207



LIFTING & SUPPORT

Pages 208-225



PRESSES & PULLERS

Pages 226-229



WORKSHOP PUMPS

Pages 230-232



DRAINING & PARTS CLEANING

Pages 233-241



LUBRICATION & FUNNELS

Pages 242-245



BATTERY CARE

Pages 246-251




WA100 DIGITAL 3-D FOUR WHEEL ALIGNER


When customers bring steering issues to mechanics, it can be challenging for the mechanic to see which components are damaged or misaligned. The Draper WA100 3-D Four Wheel Aligner provides a solution, it measures all critical chassis information and checks against vehicle manufacturers data. When compared against traditional two-wheel alignment (tracking) systems our 3-D four wheel aligner achieves far superior results.

FOR FURTHER DETAILS, INCLUDING DIMENSIONS, CONTACT installation@drapertools.com







Negative Camber




Negative Caster




Toe in




Positive & Negative Thrust Angle



Positive Camber



Positive Caster



Toe out

1 WA100

DIGITAL 4 WHEEL ALIGNER

- ***Expert Quality***
- Simple to operate, guides technicians through the measuring process
- Provides advanced readings and diagnostic information
- Increased accuracy to a multitude of suspension and steering issues
- Ensures cars operate with maximum efficiency, comfort and safety
- Combines accuracy with user-friendly qualities
- Automatically compares the latest technical specifications
- Real-time advanced readings and accurate diagnostic information
- Hi-tech imaging technology
- Live alignment readings and diagnostic data
- Unlimited free data updates and software maintenance
- Connected to the cloud via Wi-Fi
- 24" LCD display
- 500 mega pixel real-time cameras
- On-board printer
- Hi-tech target plates with clamps

Contents:
4 x Target plates and clamps
4 x Tyre stopper
4 x Securing bolts
2 x Turn tables and rubber blocks
Printer
Wireless keyboard
Wireless mouse
Brake pedal holder
Steering wheel holder

DRAPER Expert

NEW

SUPPLIED ON PALLET

Rim diameter range	13" - 24"
Power supply	230V
Track width	<268cm
Wheel base	<546cm


Stock No.
01798

Full installation is required, please ask your distributor for details or contact installation@drapertools.com
Please ensure you have adequate facilities to unload. Deliveries may incur a carriage cost, please ask for details when ordering.


THIRD ARM MACHINE

When removing large diameter, ultra low profile or run flat tyres on expensive alloy wheels, technicians run the risk of damaging the rims. Help remove some of the risk with a third arm tyre changer. It's simple to use with 4 easy steps to remove and reinstall.







1 Pneumatic pressure roller easily pushes the bead into the wheel well.



2 Pressure block maintains the tyre bead in the wheel-well for safe removal.



3 Pneumatic lift disc easily removes tyres



4 Pressure block and pressure roller ensure safe fitting of tyres.

1 TC200

SEMI AUTOMATIC TYRE CHANGER WITH ASSIST ARM

- ***Expert Quality***
- Semi automatic tyre changer capable of removing and replacing tyres on wheel 5" to 26"
- Fitted with assist arm for low profile tyres and run flat tyres
- Fitted with a fully motorised turntable, pneumatically operated clamping jaws and tilt column and a powerful pneumatic bead breaker
- The self centring four jaw chuck is controlled by two clamping cylinders ensuring the rim is always correctly clamped
- Alloy rims are treated especially gently as the mounting head is provided with plastic protectors
- The bead breaker is provided with a large anti-skid rubber pad to preserve tyres and rims
- The machine is operated by a standard 13amp 3 pin plug enabling self installation
- Supplied with the following accessories: tyre lever, filter unit, alloy rim protectors, head tongue protectors and inflation gun and air hose

Full self-assembly and self-installation is required or warranty maybe invalid. An installation service is available at an additional cost, for further details contact installation@drapertools.com
Please ensure you have adequate facilities to unload.

DRAPER Expert

NEW

SUPPLIED ON PALLET

Motor	1.1KW
Power supply	230V
Bead breaker force	2100kg
Pneumatic supply	90 - 115psi (6-8BAR)
Suitable for use on wheel width	3" to 18"
For rim dia. (internal locking)	13" to 26"
For rim dia. (external locking)	12" to 25"
Max wheel diameter	45"
Dimensions	1900 x 1950 x 1650mm
Weight	350kg

Stock No.
78612

1 TC100

SEMI AUTOMATIC TYRE CHANGER

- *Expert Quality*
- Semi automatic tyre changer capable of removing and replacing tyres on wheel up to 24"
- Fitted with a fully motorised turntable, pneumatically operated clamping jaws and powerful pneumatic bead breaker
- The self centring four jaw chuck is controlled by two clamping cylinders ensuring the rim is always correctly clamped
- Alloy rims are treated especially gently as the mounting head is provided with plastic protectors
- The bead breaker is provided with a large anti-skid rubber pad to preserve tyres and rims
- The machine is operated by a standard 13amp 3 pin plug enabling self installation
- The mounting arm swings to the side so the machine can be installed directly near a wall, perfect for those with limited working space
- Supplied with the following accessories: tyre lever, filter unit, alloy rim protectors, head tongue protectors and inflation gun and air hose

Full self-assembly and self-installation is required or warranty maybe invalid. An installation service is available at an additional cost, for further details contact installation@drapertools.com
Please ensure you have adequate facilities to unload.



YOUTUBE.COM/ DRAPERTOOLSTV

DRAPER Expert

SUPPLIED ON PALLET



Motor	0.75KW
Power supply	230V
Bead breaker force	2100kg
Pneumatic supply	90-115psi (6-8BAR)
Suitable for use on wheel width	3" to 14"
For rim dia. (internal locking)	13" to 23"
For rim dia. (external locking)	11" to 21"
Max tyre outside diameter	40" (1000mm)
Dimensions	1740mm x 950mm x 760mm
Weight	180kg

Stock No.
81645

YOUTUBE.COM/ DRAPERTOOLSTV

DRAPER Expert

SUPPLIED ON PALLET



2 WB100

SEMI AUTOMATIC WHEEL BALANCER

- *Expert Quality*
- Semi automatic, user friendly, motorised wheel balancer
- Supplied with calibration weight for easy set up, enabling the balancing of wheels up to 24" in diameter, 65kg in weight and with an accuracy of 1 gram
- Suitable for passenger and LGV wheel/tyre combinations
- Fitted with a standard 13 amp plug for easy installation and assembly
- Supplied with the following accessories: 4 x centering cones, centering shaft, wheel weight pliers, hub nut and rim width calipers

Full self-assembly and self-installation is required or warranty maybe invalid. An installation service is available at an additional cost, for further details contact installation@drapertools.com
Please ensure you have adequate facilities to unload.

Balance speed	200RPM
Power supply	230V
Balance accuracy	1 Gram
Cycle Time	8-10 seconds
Max tyre diameter	43"
Max tyre width	35"
Rim capacity	10" - 24"
Rim width capacity	1.5" - 20"
Max weight capacity	65kg
Dimensions (guard open)	13208mm x 1016mm x 1651mm
Dimensions (guard closed)	13208mm x 965mm x 1270mm
Weight	65kg

Stock No.
81646





1 MTC100

MANUAL TYRE CHANGER

Ultra portable and ideal for use on site or at home, a must have kit for professional and DIY mechanics. Suitable for most open centred wheels. The kit includes a bead breaker and tyre iron. Great care must be taken when used on alloy wheels as Draper Tools can not accept responsibility for use on unsuitable wheels. Display packed.

Stock No.
16395



2 TL

TYRE LEVERS (450mm)

Pair of tyre levers hot forged from EN8 steel hardened, tempered and zinc plated. Carded pair of 2. Display packed.

Stock No.
31495



3 WWP1

WHEEL BALANCE WEIGHT PLIERS (250mm)

For fitting, removing and cutting vehicle wheel weights. Drop forged carbon steel hardened, tempered, heat treated and plated finish for corrosion protection. PVC dipped handles. Display packed.

Stock No.
56748



4 TVTS1

TYRE VALVE TORQUE DRIVER

Expert Quality, allows replacement of Schrader valve cores to the correct torque. Important on vehicles with Tyre Pressure Monitoring Systems (TPMS). Max torque 0.45Nm. Display packed.

Stock No.	Length
46795	150mm



IDEAL FOR TYRE SOAP

5 4858

PARTS CLEANING BRUSH (260mm)

Plastic handle with bristle head. Display packed.

Stock No.	Head Dia.
38860	25mm



6 DAC403 **NEW**

DIGITAL GUAGE AIR LINE INFLATOR WITH TWIN CONNECTORS

Compliant with BS EN12645

- ***Expert Quality***
- Digital air line gauge
- Highly accurate industrial quality
- Suitable for use on garage forecourts and tyre fitting bays
- Fitted with a large LCD backlit screen with multi-pressure unit and twin connectors
- Supplied with calibration certificate and two AAA batteries.

Pressure range	0.3-17.2 bar/4-250psi /30-1723kPA
Reading Accuracy	0.01bar, 1kPa, 0.1psi
Max inlet pressure	18bar, 260psi, 1800kPa
Inflation flow(@13BAR)	500l/min, 18CFM
Supply inlet	1/4" BSP taper (F)
Hose length	0.53m (21")

Stock No.	Description
74839	Airline
61833	Batteries (4 x AAA)



7 ALG43

HI-FLO AIR LINE INFLATOR WITH TWIN OPEN ENDED CONNECTOR

Manufactured and certified to Directive 86/217/EEC

- ***Expert Quality***,
- Improved MK4 version airline inflator
- Industrial quality suitable for use on garage forecourts and tyre fitting bays
- Fitted with a twin open ended connectors, 20% larger viewing window, hardier yet lighter body and increased accuracy
- Supplied with calibration certificate

Pressure range	0-9.6bar/0-138psi
Air supply pressure	min.6.9bar/100psi max.13.8bar/200psi
Operating Temp range	10 to 60 degree C
Storage temp range	30 to 80 degree C
Supply inlet	1/4" BSP taper (F)
Hose length	0.5M (approx.)

Stock No.	Description
16234	Gauge
30769	Sp. Hose & Connector
30771	Sp. Connector



8 ALG44

HI-FLO AIR LINE INFLATOR WITH LOCK-ON CONNECTOR

Manufactured and certified to Directive 86/217/EEC

- ***Expert Quality***,
- Improved MK4 version airline inflator
- Industrial quality suitable for use on garage forecourts and tyre fitting bays
- Fitted with lock-on connector, 20% larger viewing window, hardier yet lighter body and increased accuracy
- Supplied with calibration certificate

Pressure range	0-9.6bar/0-138psi
Air supply pressure	min.6.9bar/100psi max.13.8bar/200psi
Operating Temp range	10 to 60 degree C
Storage temp range	30 to 80 degree C
Supply inlet	1/4" BSP taper (F)
Hose length	0.5M (approx.)

Stock No.	Description
16230	Gauge
30770	Sp. Hose & Connector
30773	Sp. Connector

HYDRAULIC MID RISE SCISSOR LIFT

NEW

SUPPLIED ON PALLET



1 SL100

HYDRAULIC MID RISE SCISSOR LIFT (3000Kg)

- *Expert Quality*
- Designed for lifting vehicles with the purpose of performing tyre changing, services, repairs and inspections
- Fitted with a powerful aluminium motor • Delivers enough force to lift 3000kg
- Platform extensions are useful for larger vehicles • Hydraulic pressure presets enable easy control when lifting

Full self-assembly and self-installation is required or warranty maybe invalid. An installation service is available at an additional cost, for further details contact installation@drapertools.com Please ensure you have adequate facilities to unload.

Rated Voltage	230V~50Hz
Rated Amps	16A
Rated input	2.2KW
Air supply	6-8bar (90-115psi)
Lifting time	30seconds (approx.)
Lift capacity	3000kg
Lift height	105-1000mm
Weight	451kg

Stock No.
01807





NEW

SUPPLIED ON PALLET

2 VL100

HYDRAULIC VEHICLE LIFT (1.5 TONNE)

- *Expert Quality*,
- Professional and easy to use vehicle lift
- Lifts a maximum height of 785mm
- Capable of raising the vehicle either by the wheel or the sill
- Pneumatic pump powers the hydraulic lifting ram
- Fitted with heavy duty castors and a manual safety lock bar
- Supplied with two adaptors

Rated load	1500kg
Maximum lift range	785mm
Working air pressure	90-145psi (6.2-9.9bar)
Locking spacing	80mm
Locking positions	5
Overall size	(H)1260 x (W)710 x (L)940mm
Weight	102kg

Stock No.
78610

MOTORCYCLE/ATV/MACHINERY LIFT



1 MCL4

PNEUMATIC/HYDRAULIC MOTORCYCLE/ATV/ SMALL GARDEN MACHINERY LIFT (680kg)

Manufactured to EN1494 Specification

- Large lift that supports motorcycles plus all terrain vehicles (ATV), mini tractors and other similar-sized vehicles which can be accommodated by using the supplied additional side platforms for extra width
- All steel construction with heavy duty foot operated hydraulic pump or pneumatic pump-up system with controller and ram assembly
- Safety table lock device to prevent accidental lowering
- Removable front wheel clamp and rear panel to facilitate rear wheel changes (motorcycles only)
- Base assembly fitted with transport wheels and lock downs to prevent lift from moving whilst in use
- Table surface is stippled for safety and grip whilst loading motorcycles
- Working table size: 1950 x 1220mm including side extension plates (L x W)
- Three working heights: 550, 720, 840mm
- Maximum height: 885mm
- Operating air pressure: 90psi (6.2bar)/Air inlet: 1/4"BSP

Operating air pressure	90psi (6.2bar)
Air inlet	1/4" BSP
Capacity	680kg (1500lbs)
Lifting range	200-885mm
Working height stops	550; 720; 840mm
Maximum height	885mm
Closed height	200mm
Table as motorcycle lift (L x W)	1950 x 680mm
Table for ATV use (L x W)	1950 x 1220mm
Motorcycle loading ramp (L x W)	850 x 150mm
Weight	260kg

Stock No.
37190

2 MCL3

PNEUMATIC/HYDRAULIC MOTORCYCLE LIFT (450kg)


Manufactured to EN1494 Specification

- All steel construction operates on either heavy duty foot operated hydraulic pump or pneumatic pump system with controller and ram assembly
- Safety table lock device to prevent accidental lowering
- Adjustable front wheel clamp and wheel stop bar
- Removable rear panel to facilitate rear wheel changes
- Base assembly fitted with transport wheels and lock downs to prevent lift from moving whilst in use
- Table surface is stippled for safety and grip whilst loading motorcycles
- Working table size: 2200 x 680mm (L x W)
- Two working heights: 540/730mm
- Maximum height: 815mm
- Operating air pressure: 90psi (6.2bar)/Air inlet: 1/4"BSP

Operating air pressure	90psi (6.2bar)
Air inlet	1/4"BSP
Capacity	450kg (1000lbs)
Lifting range	180-815mm
Working height 1	540mm
Working height 2	730mm
Maximum height	815mm
Closed height	180mm
Working table (L x W)	2200 x 680mm
Loading ramp (L x W)	600 x 550mm
Rear wheel removal panel (LxW)	690 x 245mm
Weight	141kg

Stock No.
37188






The products marked with this logo can only be delivered in a crate. Please ensure you have adequate facilities to unload.



DELIVERIES OUTSIDE OF THE UK MAINLAND, NORTHERN IRELAND, THE NORTH OF SCOTLAND AND THE REPUBLIC OF IRELAND MAY INCUR A CARRIAGE COST. PLEASE ASK FOR DETAILS BEFORE ORDERING.





VIEW OUR RANGE OF LIFTING AND SUPPORT EQUIPMENT ON YOUTUBE.COM/DRAPERTOOLSTV

1 MCL2

HYDRAULIC MOTORCYCLE LIFT (450kg)

Manufactured to EN1494 Specification

- Manufactured to EN1494-2000 Specifications
- All steel construction with heavy duty foot operated hydraulic pump and ram assembly
- Safety table lock device to prevent accidental lowering
- Adjustable front wheel clamp and wheel stop bar
- Removable rear panel to facilitate rear wheel changes
- Base assembly fitted with transport wheels and lock downs to prevent lift from moving whilst in use
- Table surface is stippled for safety and grip whilst loading motorcycles
- Working table size: 2200 x 680mm (L x W)
- Two working heights: 550/740mm
- Maximum height: 815mm

Capacity	450kg (1000lbs)
Lifting range	180-815mm
Working height 1	550mm
Working height 2	740mm
Maximum height	815mm
Closed height	180mm
Working table (L x W)	2200 x 680mm
Loading ramp (L x W)	600 x 550mm
Rear wheel removal panel (LxW)	690 x 245mm
Weight	138kg

Stock No.
37157





2 MCL1

HYDRAULIC MOTORCYCLE LIFT (360kg)

Manufactured to EN1494 Specification

- Manufactured to EN1494-2000 Specifications
- All steel construction with heavy duty foot operated hydraulic pump and ram assembly
- Safety table lock device to prevent accidental lowering
- Adjustable front wheel clamp and wheel stop bar
- Removable rear panel to facilitate rear wheel changes
- Base assembly fitted with transport wheels and lock downs to prevent lift from moving whilst in use
- Table surface is stippled for safety and grip whilst loading motorcycles
- Working table size: 1900 x 530mm (L x W)
- Lowest working height: 420mm
- Maximum working height: 610mm

Capacity	360kg (800lbs)
Lifting range	180-680mm
Lowest working height	420mm
Maximum working height	610mm
Closed height	180mm
Working table (L x W)	1900 x 530mm
Loading ramp (L x W)	420 x 530mm
Rear wheel removal panel (LxW)	660 x 215mm
Weight	104kg

Stock No.
37058

MOTORCYCLE/ATV MACHINERY LIFT

3 MC/ATV2

HYDRAULIC MOTORCYCLE/ ATV/SMALL GARDEN MACHINERY LIFT (680kg)

- Foot operated lifting mechanism • Bottle jack style power unit
- Rubber support arms to help prevent damage
- Suitable for lifting bikes, quads and all terrain vehicles
- Lock preventing inadvertent lowering • Brake assisted castors

Minimum height	125mm
Maximum height	350mm
Platform size	335 x 330mm
Base size	870 x 425mm

Stock No.
04996





1 MCPL1

MOTORCYCLE SCISSOR PLATFORM STAND (450kg)

- Scissor support stand suitable for use on the floor or on a motorcycle lift
- Rubber mat on platform prevents damage to underside of machine
- Fitted with ball bearing rollers for smooth lifting and lowering

Minimum lifting height	84mm
Maximum lifting height	356mm
Platform size	380 x 230mm

Stock No.
04991



2 MCPL2

MOTORCYCLE FRAME SCISSOR LIFT

- Suitable for use either on a motorcycle lift or floor
- Two sliding "U" shaped supports
- 1/2" square drive input

Minimum height	90mm
Maximum height	405mm
Platform size	450 x 150mm

Stock No.
04992



3 MCPL4

QUICK LIFT TRIALS BIKE STAND (160kg)

- Simple foot lifting mechanism
- Rubber mat preventing damage to underside of vehicle.

Minimum height	300mm
Maximum height	385mm
Platform size	300 x 205mm

Stock No.
04995

SUPPLIED ON PALLET



4 MCPL3

OFF ROAD MOTORCYCLE SCISSOR LIFT (135kg)

- Steel scissor-type construction with foot-operated hydraulic lifting mechanism
- Platform cut-out allows easier access dor draining gearboxes etc.
- Rubber mat on platform prevents damage to underside of machine
- Three locking height positions: position 1-475mm; position 2-640mm; position 3 - 760mm; position 4 - 870mm

Lifting height position 1	475mm
Lifting height position 2	640mm
Lifting height position 3	760mm
Lifting height position 4	870mm
Platform size	408 x 345mm

Stock No.
04994



PRODUCT LOCATOR

More specialist motorcycle service tools are shown in Section 2, page 185.



PNEUMATIC JACKS

Professional jacks suitable for commercial vehicles, agricultural machinery and heavy plant machinery. The supreme build quality is qualified by the materials used, for example, all are fitted with heavy duty industrial seals and have chrome plated cylinders for an improved service life. Each pneumatic jack is supplied with extensions to increase the lift height and reduce the gap between the jacking point and the saddle.





1 PJ50

PNEUMATIC JACK (50 TONNE)

Manufactured to EN1494 Specification

- *Expert Quality*
- Twin stage pneumatic jack
- Ergonomic handle grips
- 'Slow Down' valve
- 'Self Return' switch
- Twin PP and rubber wheels
- Industrial seals
- Supplied with 1/4" BSP inlet and 45mm/75mm extensions

Capacity stage 1	50 Tonne (50,000kg)
Capacity stage 2	25 Tonne (25,000kg)
Minimum height	215mm
Maximum height stage 1	450mm (inc extensions)
Maximum height stage 2	564mm (inc extensions)
Lift height stage 1	115mm
Lift height stage 2	114mm
Operating air pressure	9 – 12BAR (130 – 174psi)
Air consumption	11.5cfm
Air inlet	1/4" BSP
Wheel diameter	165mm
Wheel width	42.5mm
Saddle diameter	70mm
Extensions	45mm and 75mm
Handle length	1380mm
Chassis size	805 x 200 x 215mm
Nett weight	73kg

Stock No.
02081



2 PJ40LC

PNEUMATIC LONG CHASSIS LOW PROFILE JACK (40 TONNE)

Manufactured to EN1494 Specification

- *Expert Quality*
- Three stage pneumatic jack
- Extra low profile, 125mm entry height • Long chassis, 2210mm reach
- 'Slow Down' valve • 'Self Return' switch
- Twin PP and rubber wheels
- Industrial seals • Supplied with 1/4" BSP inlet and 45mm/75mm extensions

Capacity stage 1	40 Tonne (40,000kg)
Capacity stage 2	20 Tonne (20,000kg)
Capacity stage 3	10 Tonne (10,000kg)
Minimum height	125mm
Maximum height stage 1	302mm (inc extensions)
Maximum height stage 2	347mm (inc extensions)
Maximum height stage 3	396mm (inc extensions)
Lift height stage 1	57mm
Lift height stage 2	45mm
Lift height stage 3	49mm
Operating air pressure	9 – 12BAR (130 – 174psi)
Air consumption	11.5cfm
Air inlet	1/4" BSP
Wheel diameter	125mm
Wheel width	47.5mm
Saddle diameter	70mm
Extensions	45mm and 75mm
Handle length	1380mm
Chassis size	830 x 179 x 125mm
Nett weight	44kg

Stock No.
02080

50-30 TONNE PNEUMATIC JACKS



1 PJ40SC

PNEUMATIC JACK (40 TONNE)

Manufactured to EN1494 Specification

- *Expert Quality*
- Compact twin stage pneumatic jack
- Ergonomic handle grips
- 'Slow Down' valve
- 'Self-Return' switch
- Twin PP and rubber wheels
- Industrial seals
- Supplied with 1/4" BSP inlet and 45mm/75mm extensions

Capacity stage 1	40 Tonne (40,000kg)
Capacity stage 2	20 Tonne (20,000kg)
Minimum height	150mm
Maximum height stage 1	343mm (inc extensions)
Maximum height stage 2	409mm (inc extensions)
Lift height stage 1	73mm
Lift height stage 2	66mm
Operating air pressure	9 – 12BAR (130 – 174psi)
Air consumption	11.5cfm
Air inlet	1/4" BSP
Wheel diameter	165mm)
Wheel width	42.5mm
Saddle diameter	70mm
Extensions	45mm and 75mm
Handle length	1300mm
Chassis size	480 x 186 x 150mm
Nett weight	40kg

Stock No.
02079

2 PJ30HL

PNEUMATIC HIGH LIFT JACK (30 TONNE)

Manufactured to EN1494 Specification

- *Expert Quality*
- Single stage high lift pneumatic jack
- Agriculturally focused
- Ergonomic handle grips
- 'Slow Down' valve
- 'Self Return' switch
- Twin PP and rubber wheels
- Industrial seals
- Supplied with 1/4" BSP inlet and 45mm/100mm extensions

Capacity	30 Tonne (30,000kg)
Minimum height	360mm
Maximum height	772mm (inc extensions)
Lift height	267mm
Operating air pressure	9 – 12BAR (130 – 174psi)
Air consumption	11.5cfm
Air inlet	1/4" BSP
Wheel diameter	200mm
Wheel width	55.5mm
Saddle diameter	83.6mm
Extensions	45mm and 100mm
Handle length	1380mm
Chassis size	840 x 215 x 360mm
Nett weight	87kg

Stock No.
02078

3 PJ30P

PNEUMATIC JACK (30 TONNE)

Manufactured to EN1494 Specification

- *Expert Quality*
- Twin stage pneumatic jack
- Ergonomic handle grips
- 'Slow Down' valve
- 'Self Return' switch
- Twin PP and rubber wheels
- Industrial seals
- Supplied with 1/4" BSP inlet and 45mm/75mm extensions

Capacity stage 1	30 Tonne (30,000kg)
Capacity stage 2	15 Tonne (15,000kg)
Minimum height	150mm
Maximum height stage 1	343mm (inc extensions)
Maximum height stage 2	409mm (inc extensions)
Lift height stage 1	73mm
Lift height stage 2	66mm
Operating air pressure	9 – 12BAR (130 – 174psi)
Air consumption	10.5cfm
Air inlet	1/4" BSP
Wheel diameter	165mm
Wheel width	42.5mm
Saddle diameter	70mm
Extensions	45mm and 75mm
Handle length	1200mm
Chassis size	430 x 176 x 150mm
Nett weight	30kg

Stock No.
03724



1 TJ10LR

LONG CHASSIS TROLLEY JACK (10 TONNE)

Manufactured to EN1494 Specification

- Heavy-duty chassis • 'quick-lift' foot pedal • Large saddle aids positioning
- Handle can be locked in three positions • T-shaped handle
- Release valve prevents accidental lowering
- Rear swivelling castors with toe plate increases manoeuvrability
- Safety valve prevents the jack from overloading • One piece handle

Capacity	10 Tonne (10,000kg)
Minimum height	170mm
Maximum height	570mm
Saddle diameter	130mm
Handle length	1220mm
Chassis size	1535 x 480 x 355mm
Nett weight	125kg

Stock No.
03494



2 TJ5LR

LONG CHASSIS TROLLEY JACK (5 TONNE)

Manufactured to EN1494 Specification

- Heavy-duty chassis • 'quick-lift' foot pedal • Large saddle aids positioning
- Locking facility allows the handle to be locked in three positions
- T-shaped handle • Release valve prevents accidental lowering
- Rear swivelling castors with toe plate increases manoeuvrability
- Safety valve prevents the jack from overloading • One piece handle

Capacity	5 Tonne (5,000kg)
Minimum height	160mm
Maximum height	560mm
Saddle diameter	130mm
Handle length	1220mm
Chassis size	1410 x 364 x 330mm
Nett weight	85kg

Stock No.
03467



3 TJ3LR

LONG CHASSIS 'TROLLEY JACK (3 TONNE)

Manufactured to EN1494 Specification

- Heavy-duty chassis • 'quick-lift' foot pedal • Large saddle aids positioning
- Locking facility allows the handle to be locked in three positions
- T-shaped handle with an incorporated release valve prevents accidental lowering
- Rear swivelling castors with toe plate increases manoeuvrability
- Safety valve prevents the jack from overloading • One piece handle

Capacity	3 Tonne (3,000kg)
Minimum height	140mm
Maximum height	620mm
Saddle diameter	130mm
Handle length	1220mm
Chassis size	1390 x 350 x 315mm
Nett weight	68kg

Stock No.
03463



4 TJ2LR

LONG CHASSIS TROLLEY JACK (2 TONNE)

Manufactured to EN1494 Specification

- High-Lift • Heavy-duty chassis • 'quick-lift' foot pedal • Large saddle aids positioning
- T-shaped handle with an incorporated release valve prevents accidental lowering
- Rear swivelling castors increases manoeuvrability
- Safety valve prevents the jack from overloading • One piece handle

Capacity	2 Tonne (2,000kg)
Minimum height	140mm
Maximum height	800mm
Saddle diameter	117mm
Handle length	1020mm
Chassis size	1355 x 385 x 270mm
Nett weight	58kg

Stock No.
03461



Twin piston and universal joint



Low profile 95mm entry

NEW

DRAPER Expert

QUICK LIFT

SUPPLIED ON PALLET

3 tonne



1 TJ3-E

PROFESSIONAL GARAGE TROLLEY JACK (3 TONNE)

Manufactured to EN1494 Specification

- *Expert Quality*
- Low entry professional jack • Powerful twin piston 'quick-lift' feature
- Heavy-duty laser cut chassis • 'Quick-Lift' foot pedal • Large saddle
- Integrated rubber saddle pad • T-shaped handle with two speed action
- Lowering control system (LCS) • Nylon wheels • Built in parts tray
- Supplied with a two piece handle and EVA foam bumper to protect vehicle panels

Capacity	3 Tonne (3,000kg)
Minimum Height	95mm
Maximum Height	500mm
Saddle Diameter	110mm
Handle Length	1,100mm
Chassis size	720 x 353 x 174mm
Weight	40.5kg

Stock No.
01106



Twin piston and universal joint

QUICK LIFT

SUPPLIED ON PALLET

3 tonne



2 TJ3HD/C

TWIN PISTON TROLLEY JACK (3 TONNE)

Manufactured to EN1494 Specification

- Heavy-duty chassis • Powerful twin piston
- 'quick-lift' feature • Large saddle • Rubber saddle pad
- Hard wearing Nylon wheel kit (available separately)
- Safety valve prevents the jack from overloading
- Supplied with a two piece handle and EVA foam bumper

Capacity	3 Tonne (3,000kg)
Minimum Height	133mm
Maximum Height	465mm
Saddle Diameter	110mm
Handle Length	1,150mm
Chassis Length	690mm
Nett Weight	30.7kg

Stock No.	Description
16407	Jack
16406	Nylon Wheel Kit

3 tonne

SUPPLIED ON PALLET



3 TJ3HD/QL/B

'QUICK LIFT' TROLLEY JACK (3 TONNE)

Manufactured to EN1494 Specification

- Heavy-duty chassis • Large steel castors
- 'quick-lift' foot pedal • Extra-large saddle
- Safety valve prevents the jack from overloading
- Supplied with a cog-type release mechanism and a two piece handle

Capacity	3 Tonne (3,000kg)
Minimum Height	135mm
Maximum Height	505mm
Saddle Diameter	130mm
Handle Length	1,000mm
Chassis Length	720mm
Nett Weight	36.7kg

Stock No.
30612



RED

OR BLUE!

3 tonne

SUPPLIED ON PALLET



4

GARAGE TROLLEY JACKS (3 TONNE)

Manufactured to EN1494 Specification

- Heavy-duty chassis • Large steel castors • Extra-large saddle
- Safety valve prevents the jack from overloading
- Supplied with a cog-type release mechanism and a two piece handle

Capacity	3 Tonne (3,000kg)
Minimum Height	135mm
Maximum Height	520mm
Saddle Diameter	130mm
Handle Length	1,000mm
Chassis Length	720mm
Nett Weight	40kg

Stock No.	Part No.	Colour
53089	TJ3HD/B	Blue
60977	TJ3HD/BR	Red

1 TJ25-LE

LOW PROFILE TROLLEY JACK (2 .5 TONNE)

Manufactured to EN1494 Specification

• Low entry jack • Ideal for reduced clearance height • Heavy-duty chassis • Steel castors
• Large saddle • Integrated rubber saddle pad • Safety valve prevents the jack from overloading
• Supplied with a cog-type release mechanism and a two piece handle



Capacity	2.5 Tonne (2,500kg)
Minimum Height	88mm
Maximum Height	445mm
Saddle Diameter	110mm
Handle Length	1,000mm
Chassis Length	580mm
Nett Weight	34.5kg

Stock No.
01811



Twin piston



Low profile 75mm entry

2 TJ2-E

PROFESSIONAL GARAGE TROLLEY JACK (2 TONNE)

Manufactured to EN1494 Specification

• ***Expert Quality*** • Low entry professional jack • Powerful twin piston 'quick-lift' feature
• Heavy-duty laser cut chassis • 'Quick-Lift' foot pedal • Large saddle • Integrated rubber saddle pad
• T-shaped handle with two speed action • Lowering control system (LCS) • Nylon wheels • Built in parts tray
• Supplied with a two piece handle and EVA foam bumper to protect vehicle panels



Capacity	2 Tonne (2,000kg)
Minimum Height	75mm
Maximum Height	500mm
Saddle Diameter	100mm
Handle Length	1,100mm
Overall size	440 x 200 x 140mm
Nett Weight	36kg

Stock No.
01105



GREY OR BLUE!



3 TJ2-PRO-C

PROFESSIONAL GARAGE TROLLEY JACKS (2 TONNE)

Manufactured to EN1494 Specification

• ***Expert Quality*** • Low entry professional jack • Ideal for reduced clearance vehicles • Heavy-duty chassis • Powerful twin piston
• 'Quick-lift' feature • Knurled handle • Large saddle • Integrated rubber saddle pad • Safety valve prevents the jack from overloading
• Supplied with a two piece handle and EVA foam bumper to protect vehicle panels

Capacity	2 Tonne (2,000kg)
Minimum Height	72mm
Maximum Height	500mm
Saddle Diameter	110mm
Handle Length	1,150mm
Chassis Length	680mm
Nett Weight	32kg

Stock No.	Part No.	Colour
31481	TJ2-PRO-C	Grey
61829	TJ2-PRO-C-BLUE	Blue



1 TJAS250

ALUMINIUM AND STEEL TROLLEY JACK (2.5 TONNE)

Manufactured to EN1494 Specification

- Low entry • Professional jack ideal for reduced clearance vehicles • Powerful twin piston
- 'Quick-lift' feature • Knurled handle • Heavy-duty Aluminium and Steel chassis
- Large saddle • Integrated rubber saddle pad • Supplied with a two piece handle and EVA foam bumper

Capacity	2.5 Tonne (2,500kg)
Minimum Height	102mm
Maximum Height	465mm
Saddle Diameter	120mm
Handle Length	1,150mm
Chassis Length	726mm
Nett Weight	28.5kg

Stock No.
31479



2 TJA125

ALUMINIUM TROLLEY JACK (1.25 TONNE)

Manufactured to EN1494 Specification


- Low entry professional jack
- Ideal for reduced clearance vehicles
- 'Quick-lift' feature • Heavy-duty Aluminium chassis
- Large saddle • Integrated rubber saddle pad
- Supplied with a two piece handle and EVA foam bumper to protect vehicle panels

Capacity	1.25 Tonne (1,250kg)
Minimum Height	85mm
Maximum Height	370mm
Saddle Diameter	100mm
Handle Length	930mm
Chassis Length	620mm
Nett Weight	13kg

Stock No.
31242



Three stage locking system



3 TJ2LD-SL


SAFETY LOCK TROLLEY JACK (2 TONNE)

Manufactured to EN1494 Specification

- Heavy-duty, short chassis jack
- Features a unique three stage locking system
- Portable and compact design for easy storage • Large saddle
- Rear swivelling steel castors • Safety valve prevents the jack from overloading
- Supplied with a one piece handle • Axle stands to be used

Capacity	2 Tonne (2,000kg)
Minimum Height	140mm
Maximum Height	390mm
Lock Height Stage 1	235mm
Lock Height Stage 2	295mm
Lock Height Stage 3	340mm
Saddle Diameter	47mm
Handle Length	520mm
Chassis Length	535mm
Nett Weight	13.2kg

Stock No.
02093



4 TJ2LD

TROLLEY JACK (2 TONNE)

Manufactured to EN1494 Specification

- Heavy-duty, short chassis jack
- Portable and compact design
- Large saddle • Rear swivelling steel castors
- Safety valve prevents the jack from overloading
- Supplied with a one piece handle

Capacity	2 Tonne (2,000kg)
Minimum Height	130mm
Maximum Height	330mm
Saddle Diameter	47mm
Handle Length	425mm
Chassis Length	440mm
Nett Weight	8.3kg

Stock No.
27634



5 TJ2LD/LE

LOW ENTRY TROLLEY JACK (2 TONNE)

Manufactured to EN1494 Specification

- Low entry short chassis jack
- Ideal for reduced clearance vehicles
- Portable and compact design for easy storage
- Steel chassis
- Rear swivelling steel castors
- Safety valve prevents the jack from overloading
- Supplied with a one piece handle
- Manufactured to EN1494 Specification

Capacity	2 Tonne (2,000kg)
Minimum Height	85mm
Maximum Height	380mm
Saddle Diameter	47mm
Handle Length	500mm
Chassis Length	560mm
Nett Weight	13kg

Stock No.
02082



6 HOAW22

AW22 HYDRAULIC OIL

AW22 Hydraulic oil for use with jacks, engine cranes, motorcycle lifts bench and floor presses and any other hydraulic equipment that specifies this grade of oil. Display packed.

Stock No.	Size
34053	1L
34054	5L

NEW



1

HYDRAULIC BOTTLE JACKS

Manufactured to EN1494 Specification

High quality, fitted with overload protection. Wide base for improved stability and cross sectioned saddle delivers better grip. Fitted with an adjustable height ram saddle. Supplied with two-piece handle. Tested and certified to the current EN1494 standard.

Stock No.	Part No.	Capacity Tonnes	Lifting Range	Screw Extension
13064	BJ2-B	2T	148-278mm	50mm
13066	BJ4-B	4T	180-340mm	50mm
13069	BJ6-B	6T	200-385mm	60mm
13070	BJ8-B	8T	200-385mm	60mm
13072	BJ10-B	10T	200-385mm	60mm
13073	BJ12-B	12T	210-395mm	60mm
13074	BJ16	16T	225-425mm	60mm
13103	BJ20-B	20T	235-440mm	60mm
13104	BJ32-B	32T	255-405mm	N/A
13105	BJ50-B	50T	300-480mm	N/A

NEW



2

HIGH LIFT HYDRAULIC BOTTLE JACKS

Manufactured to EN1494 Specification

High quality 2-stage ram, fitted with overload protection. The wide base delivers improved stability and the cross sectioned saddle achieves better grip. Fitted with an adjustable height ram saddle. Supplied with two-piece handle. Tested and certified to the current EN1494 standard.

Stock No.	Part No.	Capacity Tonnes	Lifting Range	Screw Extension
13107	BJ4HL-B	4T	185-405mm	60mm
13117	BJ10HL-B	10T	225-560mm	60mm
13126	BJ12HL-C	12T	230-575mm	60mm



3

SCISSOR JACKS

Manufactured to EN1494 Specification

Supplied with winding handle. Display carton.

Stock No.	Part No.	Capacity Tonnes	Lifting Range
53093	SJ1	1.0T	180-350mm
69252	SJ1500-B	1.5T	230-390mm

DRAPER Expert

SUPPLIED ON PALLET



4 AS6000

PAIR OF AXLE STANDS (6 TONNE)

- *Expert Quality*
- Carbon steel hardened and tempered with hardened steel pins

Minimum height	535mm
Maximum height	870mm
Capacity (max. per stand)	6000kg (S.W.L)
Capacity (per pair)	12000kg (S.W.L)

Stock No.
54722

DRAPER Expert



5 AS2000

PAIR OF AXLE STANDS (2 TONNE)

- *Expert Quality*
- Carbon steel hardened and tempered with hardened steel pins

Minimum height	310mm
Maximum height	520mm
Capacity (max. per stand)	2000kg (S.W.L)
Capacity (per pair)	4000kg (S.W.L)

Stock No.
54721

NEW



6 AS2000F

PAIR OF FOLDING AXLE STANDS (2 TONNE)

- Hardened steel pin for increased safety
- Large feet and extra wide base for increased stability
- Stands can be folded for storage purposes

Minimum height	277mm
Maximum height	365mm
Capacity (max. per stand)	2000kg (S.W.L)
Capacity (per pair)	4000kg (S.W.L)
Base	230 x 230 x 230mm

Stock No.
55319

QUICK RISE PNEUMATIC RATCHETING STANDS

SUPPLIED ON PALLET

NEW



1 ARAS10-PRO

PAIR OF PNEUMATIC RISE RATCHETING AXLE STANDS (10 TONNE)

- *Expert Quality*
- Fitted with an internal gas strut
- Pneumatic auto rising feature
- Easily operated by activating a lever
- Internal air driven post raises saddle
- The extra wide base for increased stability
- Fitted with a locking pin for keeping the saddle lowered when not in use

Minimum height	505mm
Maximum height	770mm
Capacity (max. per stand)	10000kg (S.W.L.)
Capacity (per pair)	20000kg (S.W.L.)
Base size	372 x 327mm

Stock No.
01815

NEW



2 ARAS05-PRO

PAIR OF PNEUMATIC RISE RATCHETING AXLE STANDS (5 TONNE)

- *Expert Quality*
- Fitted with an internal gas strut
- Pneumatic auto rising feature
- Easily operated by activating a lever
- Internal air driven post raises saddle
- The extra wide base for increased stability
- Fitted with a locking pin for keeping the saddle lowered when not in use

Minimum height	400mm
Maximum height	620mm
Capacity (max. per stand)	5000kg (S.W.L.)
Capacity (per pair)	10000kg (S.W.L.)
Base size	280 x 345mm

Stock No.
01814

NEW



3 ARAS03-PRO

PAIR OF PNEUMATIC RISE RATCHETING AXLE STANDS (3 TONNE)

- *Expert Quality*
- Fitted with an internal gas strut
- Pneumatic auto rising feature
- Easily operated by activating a lever
- Internal air driven post raises saddle
- The extra wide base for increased stability
- Fitted with a locking pin for keeping the saddle lowered when not in use

Minimum height	340mm
Maximum height	510mm
Capacity (max. per stand)	3000kg (S.W.L.)
Capacity (per pair)	6000kg (S.W.L.)
Base size	220 x 188mm

Stock No.
01813



4 AS6000R

PAIR OF RATCHETING AXLE STANDS (6 TONNE)

- Ratchet-type action
- Large saddle (29 x 107mm)

Minimum height	400mm
Maximum height	630mm
Capacity (max. per stand)	6000kg (S.W.L.)
Capacity (per pair)	12000kg (S.W.L.)

Stock No.
30883



5 AS3000R

PAIR OF RATCHETING AXLE STANDS (3 TONNE)

- Ratchet-type action
- Large saddle (34 x 90mm)

Minimum height	288mm
Maximum height	435mm
Capacity (max. per stand)	3000kg (S.W.L.)
Capacity (per pair)	6000kg (S.W.L.)

Stock No.
30881




6 AS2000RA

PAIR OF RATCHETING AXLE STANDS (2 TONNE)

- Ratchet-type action
- Large saddle (36 x 85mm)

Minimum height	277mm
Maximum height	435mm
Capacity (max. per stand)	2000kg (S.W.L.)
Capacity (per pair)	4000kg (S.W.L.)

Stock No.
30878



1

HGV WHEEL CHOCK

Conforms to DIN 76051-D53Z and complies with ADR regulations

Expert Quality, for stabilizing HGVs whilst parked. Manufactured from anti-slip, non-sparking, highly visible weatherproof heavy duty HDPE plastic. Sold loose as single chock.

Stock No.	Part No.	Chock Size	For HGV Wheel Dia.
12271	WC250	250mm	over 920mm




2 RWC

RUBBER WHEEL CHOCKS

Pair of chocks to prevent vehicles moving whilst working with trolley jacks, scissor jacks, bottle jacks, axle stands or on a slope. Display carton.

Stock No.	Size
54500	147 x 86 x 84mm




3 WD2

PAIR OF WHEEL DOLLIES

Expert Quality, each fitted with four heavy duty white non-marking castors. Robust steel manufacture enables up to 454kg weight to be carried on each dolly. Designed to locate underneath vehicle wheels allowing precise and easy movement within confined spaces. Carton packed.

Stock No.	Dimensions L x W x H
23253	600 x 360 x 100mm






4 CRS2

PAIR OFCAR RAMPS (2 TONNE)

For repairs and maintenance. Suitable for most standard cars. Ramp height 200mm; tyre/wheel width 180mm. Extensions are available to lower the angle for low ground clearance vehicles Stock No 23306. Sold loose.

Stock No.	Part No.	Description
23216	CRS2	Ramps
23306	CRE	Extensions




5 CRS25

PAIR OF TONNE CAR RAMPS (2.5 TONNE)

For repairs and maintenance. Suitable for most standard cars. Platform height 200mm; platform width 205mm approx. Extensions are available to lower the angle for low ground clearance vehicles Stock No 23306. Sold loose.

Stock No.	Part No.	Description
23302	CRS25	Ramps
23306	CRE	Extensions



6 CRE

CAR RAMP EXTENSIONS

By reducing the angle of incline these car ramp extensions allow cars with low ground clearance access onto Draper Car Ramps (Stock Nos. 23216 and 23302). Sold loose.

Stock No.
23306



NEW

SUPPLIED ON PALLET



1 TJ1000-E

VERTICAL TRANSMISSION JACK (1000kg)

Manufactured to EN1494 Specification

- ***Expert Quality*** • Telescopic twin stage ram • Low entry height • Safety overload valve • Twin foot pedals for hands free operation • Attached with chain straps and adjustable supporting struts • Extra-large castors and side mounted handle • Fully adjustable saddle with forward, backward and side-to-side tilt feature

Capacity	1,000kg
Minimum height	875mm
Maximum height stage 1	1,240mm
Maximum height stage 2	1,910mm
Castor diameter	75mm
Base size	710 x 700mm
Saddle type	Adjustable
Chain length	1,030mm
Weight	79.5kg

Stock No.
19788

NEW

SUPPLIED ON PALLET



2 TJ600-E

VERTICAL TRANSMISSION JACK (600kg)

Manufactured to EN1494 Specification

- ***Expert Quality*** • Hydraulic vertical transmission jack with a telescopic ram • Reversible saddle • Safety over load valve • Foot pedal for hands free operation
- Extra-large castors and side mounted handle

Capacity	600kg
Minimum height	1,230mm
Maximum height	2,055mm
Castor diameter	75mm
Base size	515 x 470mm
Saddle type	Reversible
Weight	29kg

Stock No.
19787

NEW

SUPPLIED ON PALLET



3 TJ500

VERTICAL TRANSMISSION JACK (500kg)

Manufactured to EN1494 Specification

- Hydraulic vertical transmission jack with a telescopic ram
- Safety overload valve
- Foot pedal for hands free operation
- Fixed saddle

Capacity	500kg
Minimum Height	1,070mm
Maximum Height	1,840mm
Castor diameter	75mm
Base Size	600 x 535mm
Saddle Type	Fixed
Weight	24kg

Stock No.
19773



NEW

SUPPLIED ON PALLET

4 TJ1/T

TRANSMISSION JACK (1000kg)

- Lifts and lowers gearboxes and differential
- Low profile enables easier positioning and the adjustable mounting saddle assists when removing the gearbox and realignment during replacement
- Supplied with two chains and a pulling hook

Capacity	1000kg
Maximum saddle range	205-660mm
Saddle tilt (forward)	45 degree (approx)
Dimensions	850 x 490 x 305mm
Weight	54kg

Stock No.
78611



5 TJ200T

FLOOR TRANSMISSION JACK (150kg)

Manufactured to EN1570 Specifications

- For lifting and lowering gearboxes and differential units
- Driven by 1/2" sq dr adaptor
- Scissor-type design enables precise movement for users to manoeuvre and fit transmission assemblies

Capacity	150kg
Minimum height	170mm
Maximum height	570mm
Base width	420mm
Base length	410mm
Weight	17kg

Stock No.
53095

NEW



6 AS-680

AUTOMOTIVE UNDER VEHICLE SUPPORT STAND (680kg)

- Designed for under car components such as exhausts, sub frames, axles, differentials and prop-shafts etc
- Raising and lowering is controlled by the bearing mounted spin handle
- Removable base for easier storage

Capacity	680kg
Minimum Height	1360mm
Maximum Height	2032mm
Base Size	300mm
Weight	13.5kg

Stock No.
85629



1 EC2001

FOLDING ENGINE CRANE (2 TONNE)

- Foldable engine crane with single piston hydraulic pump
- Four pre-set positions for lifting

Capacity	2 tonne (2000kg)
4 x Lifting positions	500; 1000; 1500; 2000kg
Frame height	1500mm
Frame length	1760mm
Frame width	1220mm
Dist. between front wheels	1020mm
Dist. between rear wheels	660mm
Weight (approx.)	75kg

Stock No.
02611



SUPPLIED ON PALLET



2 EC1001

FOLDING ENGINE CRANE (1 TONNE)

- Foldable engine crane with single piston hydraulic pump
- Four pre-set positions for lifting

Capacity	1 tonne (1000kg)
4 x Lifting positions	250; 500; 750; 1000kg
Frame height	1500mm
Frame length	1450mm
Frame width	1220mm
Dist. between front wheels	800mm
Dist. between rear wheels	540mm
Weight (approx.)	66kg

Stock No.
02610



SUPPLIED ON PALLET

PATENTED DOUBLE ACTION PUMP FOR FASTER LIFTING





1 ES450

ENGINE/ TRANSMISSION STAND (450kg)

- Accepts a wide variety of engines and transmissions
- The swivelling head (360°) gives accessibility to all parts of the engine

Width Front	400mm
Rear	800mm
Overall length	800mm
Height	910mm
Weight	21kg

Stock No.
53092



2 ES300

UNIVERSAL ENGINE/GEARBOX SUPPORT (300kg)

- Allows work to be carried out on front wheel drive/ transmission/drive shafts with engine suspended in-situ
- Adjustable extension arms with locking feature

Maximum extended width	1550mm (approx.)
Minimum width	1100mm (approx.)
Screw depth	300mm

Stock No.
53094



3 ES500

UNIVERSAL ENGINE/GEARBOX SUPPORT (500kg)

- Enables work to be carried out whilst engine is suspended in situ
- Rubber protected gutter supports
- Support centre can be adjusted along full length of beam

Maximum extended width	1550mm (approx.)
Minimum width	1100mm (approx.)
Screw depth	300mm

Stock No.
61033



CHAIN LEVER HOISTS, BEAM CLAMPS AND CHAIN BLOCKS

A collection perfectly suited for the professional workshop.



NEW

NEW



1 CHAIN LEVER HOISTS

Expert Quality, ideal for the workshop or factory use. The lever chain hoist has a totally enclosed pinion gear mechanism and load braking with double pawls. The free chain feature allows slack in the chain to be taken up prior to ratcheting. High quality welded chain with safety latches on the load hooks.


Stock No.	Part No.	Safe Working Load	Test Load	Lift Height	Hook Aperture	Hoist Weight
82475	LH750C	750kg	1125kg	1.5M	32mm	7kg
82599	LH1500C	1500kg	2250kg	1.5M	36mm	11kg
82613	LH3000C	3000kg	4500kg	1.5M	46mm	19kg

2 CHAIN HOISTS (CHAIN BLOCKS)

Tested and Certified to BS EN 13157

Expert Quality, ideal for the workshop or factory use. The chain hoist has a triple spur geared shaft and pinion with load braking and double pawls. The compact gear housing allows use in areas of limited clearance. High quality welded chain with safety latches on the load hooks.

Stock No.	Part No.	Safe Working Load	Test Load	Lift Height	Hook Aperture	Hoist Weight
82441	CH500C	500kg	750kg	3M	28mm	8.5kg
82446	CH1000C	1000kg	1500kg	3M	32mm	10.5kg
82458	CH2000C	2000kg	3000kg	3M	36mm	16kg
82461	CH3000C	3000kg	4500kg	3M	46mm	25kg
82466	CH5000C	5000kg	7500kg	3M	46mm	39kg



3 BEAM CLAMPS

Expert Quality, for semi-permanent attachment to steel RSJ's to act as lifting point for chain blocks, hoists and lifting tackle. Can also be used for the lifting and transfer of steel beams and as a pulling clamp. Test certificate included. Carton packed.

Stock No.	Part No.	Tonnage	Girder Beam Width	Overall Width	Clamp Depth	Steel Plate Thickness
48344	BC1000	1 Tonne	75-260mm	180-360mm	Clamp Depth	5mm
48346	BC2000	2 Tonnes	75-260mm	180-360mm	Clamp Depth	6mm
48347	BC3000	3 Tonnes	80-354mm	235-490mm	Clamp Depth	8mm
48348	BC5000	5 Tonnes	80-354mm	235-490mm	Clamp Depth	10mm

1

LOAD SLINGS (1 TONNE)

Manufactured to BS EN1492 1+A1

Expert Quality, polyester webbing, 50mm wide, with reinforced lifting eyes. Colour coded to European standards to identify capacity. The safe working load (SWL) is rated at 1000kg for a load at one end (straight configuration) and 2000kg for a load between the loop eyes ('U' configuration). Shrink wrapped for security. Display packed.

Stock No.	Part No.	Length
61258	LS1125C	1M
61259	LS1225C	2M
61263	LS1325C	3M
61264	LS1425C	4M
61265	LS1525C	5M

DRAPER Expert

1 TONNE



2

LOAD SLINGS (2 TONNE)

Manufactured to BS EN1492

Expert Quality, polyester webbing, 60mm wide, with reinforced lifting eyes. Colour coded to European standards to identify capacity. The safe working load (SWL) is rated at 2000kg for a load at one end (straight configuration) and 4000kg for a load between the loop eyes ('U' configuration). Shrink wrapped for security. Display packed.

Stock No.	Part No.	Length
61266	LS2150C	1M
61290	LS2250C	2M
61298	LS2350C	3M
61301	LS2450C	4M
61307	LS2550C	5M

DRAPER Expert

2 TONNE



3

LOAD SLINGS (3 TONNE)


Manufactured to BS EN1492

Expert Quality, polyester webbing, 90mm wide, with reinforced lifting eyes. Colour coded to European standards to identify capacity. The safe working load (SWL) is rated at 3000kg for a load at one end (straight configuration) and 6000kg for a load between the loop eyes ('U' configuration). Shrink wrapped for security. Display packed.

Stock No.	Part No.	Length
61310	LS3175C	1M
61312	LS3275C	2M
61315	LS3375C	3M
61317	LS3475C	4M
61323	LS3575C	5M

DRAPER Expert

3 TONNE



4

LOAD SLINGS (4 TONNE)

Manufactured to BS EN1492

Expert Quality, polyester webbing, 120mm wide, with reinforced lifting eyes. Colour coded to European standards to identify capacity. The safe working load (SWL) is rated at 4000kg for a load at one end (straight configuration) and 8000kg for a load between the loop eyes ('U' configuration). Shrink wrapped for security. Display packed.

Stock No.	Part No.	Length
61337	LS4290C	2M
61347	LS4390C	3M
61355	LS4490C	4M
61363	LS4590C	5M

DRAPER Expert

4 TONNE



5

LOAD SLINGS (5 TONNE)


Manufactured to BS EN1492

Expert Quality, polyester webbing, 150mm wide, with reinforced lifting eyes. Colour coded to European standards to identify capacity. The safe working load (SWL) is rated at 5000kg for a load at one end (straight configuration) and 10,000kg for a load between the loop eyes ('U' configuration). Shrink wrapped for security. Display packed.

Stock No.	Part No.	Length
61371	LS52100C	2M
61389	LS53100C	3M
61396	LS54100C	4M
61397	LS55100C	5M

DRAPER Expert

5 TONNE



50 TONNE FLOOR PRESS

NEW



1 PFP/50

PNEUMATIC/HYDRAULIC FLOOR PRESS (50 TONNE)

- *Expert Quality*
- Pneumatic and manual hydraulic 50T floor press
- Sliding ram cylinder
- Supplied with pin set and two reversible flat V blocks for working on cylindrical work pieces
- Fitted with two stage working table and an adjustment and built in pin set storage
- Two stage table height adjustment
- Rack and pinion adjustable table

SUPPLIED ON PALLET

Capacity	50 tonnes
Overall Height	1900mm
Overall Width	930mm
Table depth	200mm
Table width	750mm
Min height ram to table	80mm
Max height ram to table	780mm
Ram stroke	215mm

Stock No.
35582

FEATURES

1 Manual operation



2 Pneumatic operation



3 Supplied with pins



4 Rack and pinion table



5 Sliding ram cylinder



6 Large accurate gauge



SUPPLIED ON PALLET



1 HFP/30B

HYDRAULIC FLOOR PRESS (30 TONNE)

- For use in the garage and workshop
- High pressure pump, sliding head press, supplied with a pair of V blocks
- Eye level pressure gauge for controlled application of pressure

Ram stroke	160mm
Height - ram to table	1070mm (max.)
Height - ram to table	75mm (min.)
Table aperture	120mm
Working table width	460mm
Overall height	1825mm
Weight	130kg

Stock No.
10599

SUPPLIED ON PALLET



2 HFP/20B

HYDRAULIC FLOOR PRESS (20 TONNE)

- For use in the garage and workshop
- High pressure pump, sliding head press, supplied with a pair of V blocks
- Eye level pressure gauge for controlled application of pressure

Ram stroke	150mm
Height - ram to table	910mm (max.)
Height - ram to table	45mm (min.)
Table aperture	105mm
Working table width	455mm
Overall height	1670mm
Weight	84kg

Stock No.
10598

SUPPLIED ON PALLET



3 HFP/10B

HYDRAULIC FLOOR PRESS (10 TONNE)

- For use in the garage and workshop
- High pressure pump, sliding head press, supplied with a pair of V blocks
- Eye level pressure gauge for controlled application of pressure

Ram stroke	130mm
Height - ram to table	985mm (max.)
Height - ram to table	85mm (min.)
Table aperture	82mm
Working table width	395mm
Overall height	1650mm
Weight	58kg

Stock No.
10583

SUPPLIED ON PALLET



4 HBP/10B

HYDRAULIC BENCH PRESS (10 TONNE)

- For use in the garage and workshop
- High pressure pump, sliding head press, supplied with a pair of V blocks
- Eye level pressure gauge for controlled application of pressure

Ram stroke	130mm
Height - ram to table	310mm (max.)
Height - ram to table	145mm (min.)
Table aperture	110mm
Working table width	380mm
Overall height	1020mm
Weight	44kg

Stock No.
10582



5 UPB

UNIVERSAL PRESS BLOCK

Universal Press Support. Providing an adjustable and stable support base, ideal for removing bearings and bushes and for vehicle hubs and other complicated shapes. The threaded holes enable the support bars to be screwed into multiple positions and the added block supplies additional support when required. Manufactured with an aluminium base plate and hardened steel bars. Display packed.

Stock No.
85656



1 N130

TWIN LEG REVERSIBLE PULLERS

Puller with two reversible legs for external and internal pulling of gears, bearings, etc. Legs are forged carbon steel and have long and short reach facility. Yoke and thrust bolt are manufactured from carbon steel. Screw has a rolled thread with chemically blacked finish. Display packed.

Stock No.	Max. Reach	Max. Spread
13906	65mm	75mm
13907	102mm	110mm
43923	165mm	160mm



2 N133

TRIPLE LEG REVERSIBLE PULLERS

Puller with three reversible legs for external and internal pulling of gears, bearings, etc. Legs are forged carbon steel and have long and short reach facility. Yoke and thrust bolt are manufactured from carbon steel. Screw has a rolled thread with chemically blacked finish. Display packed.

Stock No.	Max. Reach	Max. Spread
13908	65mm	75mm
13909	102mm	110mm
43949	165mm	160mm



3

TWIN/TRIPLE REVERSIBLE PULLERS

Puller with a two and three leg option for external and internal pulling of gears, bearings, etc. Legs are forged carbon steel and have long and short reach facility. Yoke and thrust bolt are manufactured from carbon steel. Screw has a rolled thread with chemically blacked finish. Supplied with twin and triple yoke that will take either two or three legs. Display packed.

Stock No.	Max. Reach	Max. Spread
25994	78mm	100mm
56177	150mm	100mm

SUSPENSION BUSH TOOLS

Our full range of suspension bush tools, including a Generation 2 Wheel Bearing Kit (stock No. 16423) can be found in Section 2 on pages 163-164.





4 BRK

BLIND BEARING REMOVAL KIT (9 PIECE)

Expert Quality, for pulling bearings from a blind hole in an engine or transmission case. Saves time and frustration in pulling bearings that are accessible from only one side and cannot be pushed out. Comprises a slide hammer 390mm long and eight expandable split collets size: 8, 10, 12, 15, 17, 20, 25 and 30mm diameter. Packed in blow mould case with display sleeve.

Stock No.
04470



5 IBP1

SMALL INSERT BEARING PULLER KIT

Expert Quality, allows the removal of bearings where normal pullers are unable to be used. It locks into the bearing race itself. Manufactured from hardened and tempered steels chemically blacked for corrosion protection. Suitable for use with ISO bearing sizes: 6004-6010; 6201-6206 and 6300-6302. Packed in blow moulded case with display sleeve. Contents:

- Puller yoke with centre screw and twin arms
- 2 x leg extensions
- Centre screw thread cap
- 6 x ball ended threaded puller adaptors

Stock No.
43137



6 IBP2

LARGE INSERT BEARING PULLER KIT

Expert Quality, allows the removal of bearings where normal pullers are unable to be used. It locks into the bearing race itself. Manufactured from hardened and tempered steels chemically blacked for corrosion protection. Suitable for use with ISO bearing sizes: 6207-6011; 6305-6308 and 6403-6405. Packed in blow moulded case with display sleeve. Contents:

- Puller yoke with centre screw and twin arms
- 2 x threaded leg extensions
- 6 x ball ended threaded puller adaptors

Stock No.
43136



1 BPK27

BEARING, SEAL AND BUSH INSERTION/EXTRACTION KIT (27 PIECE)

Expert Quality, for the accurate and controlled insertion/removal of normal bearings, silent bearings, hydraulic bearings, rubber bearings, bearing bushes, shaft seals etc. Comprises 22 adaptor rings and five fine thread puller bars with thrust bearing hex. nut ends. Packed in blow mould carrying case and display sleeve.

Contents: 1 x 34mm x 44mm adaptor ring, 1 x 36mm x 46mm adaptor ring, 1 x 38mm x 48mm adaptor ring, 1 x 40mm x 50mm adaptor ring, 1 x 42mm x 52mm adaptor ring, 1 x 44mm x 54mm adaptor ring, 1 x 46mm x 56mm adaptor ring, 1 x 48mm x 58mm adaptor ring, 1 x 50mm x 60mm adaptor ring, 1 x 52mm x 62mm adaptor ring, 1 x 54mm x 64mm adaptor ring, 1 x 56mm x 66mm adaptor ring, 1 x 58mm x 68mm adaptor ring, 1 x 60mm x 70mm adaptor ring, 1 x 62mm x 72mm adaptor ring, 1 x 64mm x 74mm adaptor ring, 1 x 66mm x 76mm adaptor ring, 1 x 68mm x 78mm adaptor ring, 1 x 70mm x 80mm adaptor ring, 1 x 72mm x 82mm adaptor ring, 1 x 75mm x 85mm adaptor ring, 1 x 80mm x 90mm adaptor ring, 1 x M10 pulling spindle, 1 x M12 pulling spindle, 1 x M14 pulling spindle, 1 x M16 pulling spindle, 1 x M18 pulling spindle

Stock No.	Description
59123	Extraction Kit
81034	M10 Threaded Rod & Bearing
81036	M12 Threaded Rod & Bearing
81037	M14 Threaded Rod & Bearing
81038	M16 Threaded Rod & Bearing



2 HPK

HYDRAULIC PULLER KIT (10 TONNE)

Expert Quality, six position multi-function puller with adjustable two or three leg function. Allows bearings, gears, etc. to be removed with minimal effort by use of the hydraulic puller. Supplied with instruction manual. Packed in blow mould carrying case with display sleeve.

Contents:

- hydraulic pump • 3 puller legs • 6 nuts and washers
- 6 link plates • 2/3 leg puller yoke • nose adaptor
- Min/Max Reach 0 - 150mm • Min/Max Spread 100 - 240mm

Stock No.
50094



3 AFWPS18


ALTERNATOR PULLEY TOOL KIT (18 PIECE)

Expert Quality, for removing alternators and freewheels. Comprehensive kit can be used on popular european car marques either on or off the engine. Packed in blow mould case with display sleeve.

Contents:

- T40 • T50 • M8 spline • M10 spline • H8
- H10 • M10 spline bit
- T50 1/2" Sq. Dr. with free moving spline collar with 17mm hex: length 115mm (approx)
- M10 spline 1/2" Sq. Dr. with free moving spline collar with 17mm hex: length 115mm (approx)
- M10 spline 1/2" Sq. Dr. length 140mm (approx)
- M10 spline 3/8" Sq. Dr. with free moving spline collar with 12mm Hex: length 80mm (approx)
- 28mm stepdown to 19mm hollow Hex bolt adapter
- 28mm stepdown to 22mm hollow Hex bolt adapter
- 4 pin hollow adapter 15mm Hex
- 22mm Hex hollow adapter
- Spline hollow adapter with 15mm Hex
- Spline hollow adapter with 22mm Hex
- 1/2" Sq. Dr. with 10mm Hex

Stock No.
31921



4 AFWPS13

ALTERNATOR PULLEY TOOL KIT (13 PIECE)

Expert Quality, for removing alternators and freewheels. Comprehensive kit can be used on popular European car marques either on or off the engine. Packed in blow mould case with display sleeve.

Contents: • M10 spline - 1/2" Sq. Dr

- T50 Draper TX-STAR® - 1/2" Sq. Dr for Bosch alternators
- M10 hex • M8 hex • M8 spline • M10 spline
- T40 Draper TX-STAR® • T50 Draper TX-STAR®
- 1/2" Sq. Dr. to 10mm female hex adaptor
- 2 x pulley connectors • Four prong connector • Hex slider

Stock No.
31913



5 BSD/SET/B

BEARING AND SEAL DRIVER KIT (11 PIECE)

For the installation of bearings and seals. Helps avoid damage to bearing and seal faces. Packed in blow mould case and display sleeve.

- Contents:
- 9 x aluminium drive flanges size: 40, 44, 50, 59, 63, 65, 72, 76 and 81mm
- 14mm bore spacer
- aluminium mandrel drive

Stock No.
30888





6 N142A

UNIVERSAL HUB PULLER

Plated ductile body casting with hardened screw for use on wheel hubs on cars and light vans, suitable for 4 stud configuration with centres between 100-115mm. Display packed.

Stock No.
78588





1 FP1

DIESEL FUEL/FLUID TRANSFER PUMP

- ***Expert Quality***
- Designed for the transfer of diesel fuel, paraffin and liquids with high flashpoints (not petrol)
- Powered by a 12V or 24V lead acid battery (sold separately)
- Pumps 30L/min using 12V battery, 37L/min using 24V battery
- 4M hose (approx.) with delivery gun

Motor (12V)	192W 16A:1400r/min
Motor (24V)	624W 26A:2200r/min
Flow rate (12V)	30L/min
Flow rate (24V)	37L/min
Weight	10kg

Stock No.
65673



2 BWP13

DIESEL FUEL/WATER TRANSFER PUMP

- Designed for the transfer of diesel fuel and water
- Self-priming pump, powered by a 12V lead acid battery (sold separately)
- Pumps 20L per minute
- Supplied with 3M (approx.) of PVC hose (25mm O/D), hose joining tube, crocodile clips and lead

Motor	80W 16A
Motor speed (no load)	4300r/min
Flow rate	20L/min
Weight	0.6kg

Stock No.
19222



3 DPT

DIESEL PRIMING PUMP

Expert Quality, for priming diesel fuel lines, filters and pumps. Comprises hand bulb with one way valve and in-line fuel connectors. Polythene bag with header card.

Stock No.
43986




4 FHP/1L

1L MULTI-PURPOSE PUMP

Spring loaded push button action pump with metal hose end, ideal for precise topping up of difficult-to-access points on vehicles, garden and forestry machinery and in the workshop. Drain-off hole for storing dispensing tube to avoid leakage after use. Suitable for topping up engine oils, transmission fluids, brake fluids and general purpose cleaners. 10cc per stroke. Display packed.

Stock No.
23242




1 A5/G

500CC OIL SUCTION GUN

For use on vehicles and machinery such as gearboxes, axles, etc. Supplied with flexible delivery tube 10mm bore. Display carton.

Stock No.
47812



2 SP2

SIPHON PUMP (1.8M)

Manufactured from plastic, suitable for transferring inert liquids. The pump has as in-line squeeze bulb giving an enhanced distance capacity. Display packed.

Stock No.
18140



3 SP4

FUEL SIPHON PUMP

Hand-operated siphon pump suitable for transferring diesel, petrol, water and other inert liquids. Siphon bulb with one-way valve and barbed connectors on each end suitable for 3/8" I/D plastic flexible pipe. Two 900mm long flexible plastic transparent pipes suitable and approved for use with petroleum-based fluids nominally 3/8" I/D x 2mm wall thickness with one metal spring clip each end. Polythene bag with header.

Stock No.
43904

NEW



4 JHAS

JIGGLE HOSE (1700MM)

Easy to use, anti-static jiggle siphon hose. Fitted with a copper valve, which enables the hose to siphon fluid using a jiggle action. Just move the hose vertically to action the flow process. Suitable for use with most fluids including; water, petrol and diesel etc.

Stock No.
01072

5 FTP100

FLUID TRANSFER PUMP

Expert Quality, self-priming, manual fluid transfer pump. Designed to work with engine oils, coolants, transmission fluid, brake fluid, power steering fluid, diesel, water, antifreeze etc. (NOT petrol). Its simple and easy to use operation delivers 100ml per stroke. Manufactured with a removable neoprene rubber end cap and high quality brass cylinder body and plunger. Supplied with 1,000mm x 6mm (1/4") I.D. translucent plastic suction hose and 600mm x 12mm (1/2") discharge hose.

Stock No.
16152





NEW

6 FTP100

DUAL PURPOSE AIR AND FLUID TRANSFER PUMP

Dual-purpose air pump and fluid transfer pump, fitted with a leak-free quick-link feature. Suitable for transferring liquids such as; water, oil, petrol, diesel and antifreeze. Can also be used as an air pump for inflating; bicycle tyres, air beds, inflatable toys and balls. Supplied with pump, air pump hose, retaining clip, lock-on connector, needle valve adaptor, inflating adaptor, 2 x 1300mm fluid transfer hoses and a 400mm air pump hose.

Stock No.
01082



7 SP1

SIPHON PUMP

Manufactured from plastic, the pump is a useful item for transferring a wide variety of inert liquids. Inlet pipe 390mm long; outlet pipe 400mm long. Display packed.

Stock No.
43650





ROTARY, LEVER, BARREL AND DRUM PUMPS

This selection will cover pumping of most liquids used in automotive workshops, such as oil, diesel, Adblue®, antifreeze, detergents, soaps, windscreen wash or lubricants.



1 RP-2

HIGH FLOW ROTARY HAND PUMP

High output, geared rotary pump suitable for low viscosity and non-corrosive fluids such as diesel, oil and anti-freeze from 205L drums. 1L of liquid dispensed per handle revolution. Constructed from cast aluminium and plated steel. Packed in two cartons.

Stock No.
22265

2 RP-1

ROTARY HAND PUMP

Polypropylene rotary pump designed for transferring AdBlue®, antifreeze, organic acids, organic alcohol, detergents, and other water soluble inorganic chemicals. Supplied with 50mm screw-in bung adaptor and a three piece polypropylene suction tube to fit most 50-205L drums. Carton packed.

Stock No.
22264

PRODUCT LOCATOR

A wide selection of funnels are shown on page 245.



3 PLP

PLASTIC LEVER PUMP

Lever pump fitted with Viton® seals with anti-siphon valve. Capable of delivering a maximum flow of 500ml per stroke. Designed for use with AdBlue®, non-aggressive liquids eg: detergents, soaps, anti-freeze, windscreen wash, hydraulic oils, lubricants, herbicides and pesticides. Supplied with two-piece detachable suction tube for use with 50-205L barrels, detachable flexible corrugated discharge hose 2M long x 19mm dia. (approx) and 50mm screw bung. Packed in polythene bag with label.

Not suitable for fuel transfer, thinners, solvents or any flammable liquids

Stock No.	Description
13381	Lever Pump
36180	AdBlue® Adaptor

4 BP/L

LEVER ACTION BARREL PUMP

For use with steel barrels capacity 100 to 205L maximum. Aluminium diecast head and bung nut with zinc plated curved discharge spout 19.5mm diameter and lever handle. The telescopic suction tube (supplied) attaches to base of pump to reach bottom of barrel. Display carton.

NB: For use with petroleum-based liquids only

Stock No.
47808

5 WBSDP

SIPHON DRUM PUMP

Simple pump action siphon transfers liquids to lower levels than the pump's installation height. Capable of delivering a maximum flow of 22L per minute, it is designed for use with water-based liquids eg: soaps, anti-freeze, waxes and detergents etc while also being suitable for use with AdBlue® and other diesel exhaust fluid (DEF) additives. Supplied with rigid suction tube for use with 50-205L barrels, detachable flexible corrugated discharge hose 2M long x 19mm dia. and 50mm screw bung. Packed in polythene bag with label.

Not suitable for use with concentrated acids, acetone, benzene or any flammable liquids

Stock No.
13420

6 NCDP1

CHEMICAL DRUM PUMP

Self-priming vertical lift pump for use with a variety of liquids including thinners, acetone, anti-freeze, detergents, glycerine, weed killer, water and mild acids. Plunger rod is stainless steel with PTFE seals. Delivers approximately 400ml of liquid per full stroke. Supplied with polypropylene bung adaptor for use with 55-205L drums. Polythene bag with label.

This pump should not be used for the following liquids: bleach, petrol, diesel and strong acid.

Stock No.
43967


Stock No. 29119


Stock No. 29130


Stock No. 29147


Stock No. 29186


Stock No. 29129


Stock No. 29183


Stock No. 29104


Stock No. 29155


Stock No. 22490


Stock No. 29133


Stock No. 29187


Stock No. 29117


Stock No. 29159


Stock No. 29163


Stock No. 29171

OIL FILTER SOCKETS

Expert Quality, selection of aluminium oil filter sockets, suitable for most vehicle manufacturers. Display packed.

Stock No.	Size	Flats	Vehicles	Sq Dr.
29119	63-64mm	14F	TOYOTA	1/2"
29130	64.5mm	14F	TOYOTA	3/8"
29147	67mm	14F	FORD, MAZDA	1/2"
29186	74mm	14F	AUDI, BMW, GM, ROVER, VW	1/2"
29129	74mm	14F	MERCEDES	1/2"
29183	74mm	14F	MERCEDES	1/2"
59104	76mm	14F	AUDI, BMW, MAZDA, MERCEDES, PORSHE, RANGE ROVER, VW	3/8"
29155	79mm	15F	HONDA, ISUZU, MAZDA MITSUBISHI, SUBARU, TOYOTA	3/8"
22490	80mm	14F	TOYOTA	3/8"
29133	84mm	14F	DODGE, JEEP, MERCEDES	3/8"
29187	84mm	18F	CITROËN, PEUGEOT, RENAULT	1/2"
29117	87mm	16F	VOLVO	1/2"
29159	92mm	15F	NISSAN, SUBURU	3/8"
29163	94.5mm	15F	NISSAN, TOYOTA	3/8"
29171	100.5mm	15F	MAZDA, MITSUBISHI	3/8"



3/8" SQ.DRIVE



1 OFCW

3/8" Sq. Dr. OIL FILTER CAP SOCKETS

Expert Quality, chrome vanadium steel hardened and tempered and chrome plated for corrosion protection. For use with popular paper cartridge filter systems. Display packed.

Stock No.	Size
13425	27mm
13430	32mm
13449	36mm
13450	38mm



1/2" SQ.DRIVE

1 OFCW-SET

1/2" Sq. Dr. OIL FILTER CAP SOCKET SET (6 PIECE)

Expert Quality, aluminium sockets used to remove the plastic oil filter housing when replacing paper cartridge filters commonly fitted to Opel/Vauxhall, Mercedes, BMW and VW vehicles. Supplied in blow mould storage case.

Stock No.
22491



3/8" SQ.DRIVE

2 OFCS/SET15

3/8" Sq. Dr. OIL FILTER CUP SOCKET SET (15 PIECE)

Expert Quality, comprehensive set suitable for most common sizes of oil filters fitted to a variety of popular American, European and Far Eastern car marques. Comprises 14 different diameter sockets and 1/2" (F) x 3/8" (M) adaptor. Packed in blow mould case with display sleeve.

Stock No.
40105



3/8" SQ.DRIVE

3 ABFS46MM

46mm 3/8" Sq. Dr ADBLUE® FILTER SOCKET

Expert Quality, used for removal and refitting AdBlue® filter housings on Mercedes-Benz BlueTEC commercial vehicles engines. For use with 3/8" drive wrenches and manufactured from the toughest chrome vanadium steel finished with a phosphate coating. Display packed

Stock No.
31912

4 SPRK120

OIL SUMP PLUG REPAIR KIT (120 PIECE)

Expert Quality, comprehensive kit for simple & effective repair of damaged oil sump drain plug threads. Comprises six different-sized taps along with sump bolts and washers. Packed in blow mould case with display sleeve and EVA foam insert. Display packed.

Stock No.	Description
36631	Repair Kit
85525	Tap M13 x 1.25 (pack of 1)
85526	Tap M13 x 1.50 (pack of 1)
85527	Tap M15 x 1.50 (pack of 1)
85528	Tap M17 x 1.50 (pack of 1)
85529	Tap M20 x 1.50 (pack of 1)
85530	Tap M22 x 1.50 (pack of 1)
85531	Bolt M13 x 1.25 (pack of 5)
85532	Bolt M13 x 1.50 (pack of 5)
85533	Bolt M15 x 1.50 (pack of 5)
85534	Bolt M17 x 1.50 (pack of 5)
85535	Bolt M20 x 1.50 (pack of 5)
85536	Bolt M22 x 1.50 (pack of 5)
85537	Washer M13 (pack of 5)
85538	Washer M15 (pack of 5)
85539	Washer M17 (pack of 5)
85540	Washer M20 (pack of 5)
85541	Washer M22 (pack of 5)






5 1

MULTI-PURPOSE DRAIN PLUG WRENCH (210mm)

Nine different tapered sizes for the removal of female drain plugs fitted in many automotive applications. Sold loose.

Stock No.
07179

3/8" SQ.DRIVE



6 DDPK/SET

3/8" Sq. Dr. DRAIN PLUG KEY SET (10 PIECE)

Chrome vanadium steel hardened and tempered. For use with 3/8" square drive accessories. Display packed.

Contents: 8mm/5/16" hexagon, 11mm square, 17mm hexagon, 8mm square, 3/8" square, 12mm hexagon, 14mm hexagon, 10mm hexagon, 200mm socket retaining bar and 200mm sliding 'T' bar.

Stock No.
38329



7 DPK/SET

DRAIN PLUG KEY SET (5 PIECE)

Chrome vanadium steel hardened and tempered with a satin chrome plated finish. Double-ended key sizes. Display packed in plastic case.

Contents: 5/8" - 9mm hexagon, 3/8" - 11mm square, 10 - 12mm hexagon, 8 - 13mm square and 14 - 17mm hexagon.

Stock No.
56627



DRAIN PLUG KEYS

Stock No.	Description	
63476	**1/2" Sq. Dr. Audi/VW Drain Plug Key** ***Expert Quality***, for use on the tamperproof plug on transmission/gearboxes of VW/ Audi vehicles. Display packed.	
38321	**8mm - 5/16" Hexagon 3/8" Sq. Dr. Drain Plug Key** ***Expert Quality***, chrome vanadium steel hardened and tempered. Display packed. **Vehicle Applications:** BMW: Back Axle; Ford CVH: Gearbox; GM (Vauxhall/Opel): Back Axle & Gearbox	
38322	**11mm Square 3/8" Sq. Dr. Drain Plug Key** ***Expert Quality***, chrome vanadium steel hardened and tempered. Display packed. **Vehicle Applications:** Ford (except CVH): Back Axle & Gearbox	
38323	**17mm Hexagon 3/8" Sq. Dr. Drain Plug Key** ***Expert Quality***, chrome vanadium steel hardened and tempered. Display packed. **Vehicle Applications:** {Audi: Gearbox; Rover Group (Austin): Gearbox BMW: Gearbox; Volkswagen: Gearbox	
38324	**8mm Square 3/8" Sq. Dr. Drain Plug Key** ***Expert Quality***, chrome vanadium steel hardened and tempered. Display packed. **Vehicle Applications:** {Citroën: Gearbox & Sump; Peugeot: Back Axle, Gearbox & Sump Renault: Sump; Talbot: Gearbox & Sump; Volvo: Sump	
38325	**3/8" Square 3/8" Sq. Dr. Drain Plug Key** ***Expert Quality***, chrome vanadium steel hardened and tempered. Display packed. **Vehicle Applications:** {Honda: Gearbox & Sump; Mazda: Back Axle & Gearbox Renault: Gearbox & Sump; Saab: Gearbox Volvo: Back Axle & Sump	
38326	**12mm Hexagon 3/8" Sq. Dr. Drain Plug Key** ***Expert Quality***, chrome vanadium steel hardened and tempered. Display packed. **Vehicle Applications:** {Fiat: Sump; Lancia: Gearbox & Sump Peugeot/Talbot: Back Axle, Gearbox & Sump	
38327	**14mm Hexagon 3/8" Sq. Dr. Drain Plug Key** ***Expert Quality***, chrome vanadium steel hardened and tempered. Display packed. **Vehicle Applications:** Lancia: Gearbox & Sump; Mercedes: Back Axle ,Gearbox & Sump	
38328	**10mm Hexagon 3/8" Sq. Dr. Drain Plug Key** ***Expert Quality***, chrome vanadium steel hardened and tempered. Display packed. **Vehicle Applications:** Ford Sierra: Back Axle	
53085	**3/8 Square Drive Drain Plug Key for VAG group cars** ***Expert Quality***, **Vehicle Applications:** Sump plugs - VW, Audi, Skoda, Seat 1.2,1.4,1.8,2.0 TFSI Cam plugs - VW, Audi, Skoda, Seat 1.6,2.0 TDI	



1 OFW 100

OIL FILTER WRENCH (100mm)

A quality wrench manufactured from heavy gauge pressed steel hardened, tempered and matt chrome plated finish. The automatic action clamping ring has a serrated inner surface for secure grip. Fits most oil filters. Display packed.

Stock No.
10784



2 9004

SELF GRIP OIL FILTER AND MULTI-PURPOSE WRENCH (53-118mm)

Adjustable opening with quick release lever. Drop forged chrome vanadium steel jaws hardened and tempered with a nickel plated finish. Display packed.

Stock No.
61247



3 OFW57-120

OIL/FUEL FILTER PLIERS/WRENCH (57-120mm)

Expert Quality, slip joint allows easy adjustment and swivel gripping jaws adjust to 45° and 90° positions to access oil filters in awkward positions. Ribbed jaw design ensures solid grip on filters during removal.

Display packed.

Stock No.
30822



1/2" SQ.DRIVE

4 OFW

OIL FILTER WRENCH

Expert Quality, for use on Ford Duratorq (DW12C and DW10C) diesel engines. The inlet system on the DW12C and DW10C engines obstruct oil filter access making this wrench an invaluable time saving tool. The oil filter housing is removed using the 27mm bi-hex spanner end driven by a 1/2" Sq. Dr. Display packed.

Stock No.
31251

1/2" SQ.DRIVE



5 OFW4

THREE LEG OIL FILTER WRENCH (50 - 100mm)

Ideal for use on car and commercial vehicle oil filters. As the wrench is tightened the legs clamp around the filter for easy removal. 1/2" square drive.

Stock No.
16179



6 OFW3

THREE LEG OIL FILTER WRENCH (75-120mm)

Expert Quality, ideal for use on car and commercial vehicle oil filters. As wrench is tightened the serrated legs clamp around the filter for easy removal. 1/2" square drive with 1/2" sq. dr./ 19mm - 3/4" AF spanner adaptor. Display packed.

Stock No.
37871



7 CWHD2

CHAIN WRENCH (60-160mm)

Expert Quality, swivel head design with 14mm hexagonal shaft allowing socket or spanner use for additional torque. 06B heavy duty duplex chain for safety and security with double locking system. Display packed.

Stock No.
30825



8 233


OIL FILTER WRENCH (100mm)

Gives a positive grip on oil filter during removal. Plastic covered steel leverage handle. Display packed.

Stock No.
77584

1/2" SQ.DRIVE

24mm



9 255

OIL FILTER WRENCH (130mm)

Chain with tightening nut which can be operated with a 1/2" square drive or 24mm wrench. Display packed.

Stock No.
77592



10 SWR2

SOFT GRIP STRAP WRENCH SET (2 PIECE)

- Flexible rubber strap fits any shape
- For loosening oil filters, plastic pipe joints and other similar applications
- Can even be used on over tightened lids of food jars

Specification - large wrench:	
Capacity	160mm (approx.)
Handle length	105mm
Strap length	570mm
Strap width	20mm
Specification - small wrench:	
Capacity	110mm (approx.)
Handle length	80mm
Strap length	490mm
Strap width	10mm

Stock No.
43863



3/8" SQ.DRIVE

1/2" SQ.DRIVE

11 OFW 300

OIL FILTER STRAP WRENCH (280mm)

Heavy duty webbing strap 1000mm x 38mm with 3/8" x 1/2" square drive/21mm x 13/16" AF cam for tightening. Cam has plated finish for corrosion protection. Display packed.

Stock No.
56137



1/2" SQ.DRIVE

12 256

OIL FILTER STRAP WRENCH (120mm)

Manufactured from carbon steel, zinc plated, with nylon webbing strap. Can be operated with 1/2" square drive or 21mm wrench. Display packed.

Stock No.
13771



1 OP16

15L METAL DRIP TRAY/DRAIN PAN

Strong metal drip tray/drain pan for fluid changes and cleaning vehicle components. Ideally suited for professional garages and workshops. Sold loose.

Stock No.	Capacity	Dimensions
28816	15L	459 x 380 x 85mm

NEW



2

DRIP TRAYS

Manufactured from ABS plastic and resistant to most chemicals and solvents. Used to collect oils, coolants and water-based fluids, ideal for use under vehicles or generators to collect drips.

Stock No.	Part No.	Capacity	Size
89525	DT610	17L	610 x 610 x 50mm
89526	DT795	16.5L	795 x 485 x 50mm
89527	DT1055	22L	1055 x 485 x 50mm



3

16L FLUID DRAIN PANS

Manufactured from high-density polyethylene with UV stabilizer resistant to most chemicals and solvents. The black drain pan is used to collect oils; the green to collect water-based fluids to prevent cross contamination. Anti-splash lip, large handles and enclosed spout helps reduce spillages. Diameter 450mm. Sold loose.

Stock No.	Part No.	Colour
23258	OP16/B	Black
23259	OP16/G	Green





4 OP6

6L DRIP TRAY/DRAIN PAN

6-litre draining pan, suitable for vehicle fluid changes. Manufactured from strong and durable plastic with moulded handle grips and a pouring spout for easier emptying of fluids into a dedicated recycling container. Ideally suited for both the DIY user and professional mechanic.

Stock No.
15086



5 OD-8

8L PORTABLE OIL DRAINER

Concave drain surface, large emptying spout with secure screw cap prevents any loss while transporting. Strong durable plastic with two moulded handles in the front of the unit and one in the rear. Sold loose with display label.

Stock No.	Dimensions L x W x H
22493	600 x 330 x 110mm



1 OE2

MANUAL OR PNEUMATIC OIL EXTRACTOR

- ***Expert Quality*** • Ideal for one person operation
- For the extraction of engine oils from motor vehicles, motor bikes, marine engines, gearboxes, generators etc. without the removal of the oil drain plug
- Easily operated by using hand pump action or compressed air supply • Supplied with 1.5M of suction tube and three extraction straws

Reservoir capacity	10L
Air inlet size	1/4" BSP
Suction tube pressure	0.8MPa
Weight	4kg

Stock No.
77057




2 AFE/D

PNEUMATIC FLUID EXTRACTOR/DISPENSER

Expert Quality, single person operation. For the extraction and refilling of gearbox/engine oils from motor vehicles, motor bikes, marine engines, generators etc. 6L container with trigger operation for easy use fitted with screw valve for easy dispensing/extraction of fluids. Working pressure 0-30psi air supply required with 1/4" air inlet. Supplied with 1.2M of flexible rubber hose. Display carton.

Stock No.
23248





3

GRAVITY/SUCTION OIL DRAINERS

Expert Quality, air operated waste oil drainer with gravity fed reservoir. Fitted with a suction pump for the extraction of oil via the dipstick and a 400mm, 10L collection bowl. Discharge is by air pressure. Fitted with safety valve, 18L steel telescopic collection pan, oil reservoir level indicator and small working tray. Heavy duty castors for easier manoeuvrability around the workshop with chrome plated pull-along handle.

Stock No.	Part No.	Max. Cap.	Max. Height
66240	OD65A	65L	1610mm
66241	OD90A	90L	1610mm






4 OD30

30L TELESCOPIC OIL DRAINER

For use in the workshop for the collection of old or contaminated oil during an oil change. The Oil Drainer is wheeled under the sump plug of the vehicle when on an inspection ramp, the plug is removed and the oil flows by gravity into the plastic reservoir via a filtered funnel 430mm diameter. Screw cap for reservoir. Height adjusts from 1200 to 1520mm. Display carton.

Stock No.
23612

ULTRASONIC CLEANING TANKS



"DAVE SAYS" QUALITY MAKES THE DIFFERENCE

Ultrasonic cleaning is based on the cavitation effect caused by high frequency ultrasonic wave vibration in fluid.

Microscopic bubbles are formed and they implode violently causing the cavitation, creating an intense scrubbing action on the surface of the item being cleaned.



YOUTUBE.COM/ DRAPERTOOLSTV





1 UCT27L

27L ULTRASONIC CLEANING TANK

- *Expert Quality*
- Ultrasonic cleaning is based on the effect caused by high frequency wave vibrations in fluid
- Fluid agitation provides an effective scrubbing action on the surface of the items being cleaned
- Extremely effective at removing dirt and grime on watch parts, jewellery (NOT gemstones), coins, PCB boards and electrical components, engine-vehicle and mechanical parts, etc
- Manufactured from stainless steel fitted with a drain tap
- Supplied with a stainless steel basket and BS approved 3 pin plug and cable

Tank Size	500 x 300 x 150mm
Overall Size	550 x 330 x 360mm
Ultrasonic Power	500W
Heating Power	500W
Time Setting	1-99 mins
Temperature Setting	0-80° C

Stock No.
60987

2 UCT9L

9L ULTRASONIC CLEANING TANK

- *Expert Quality*
- Ultrasonic cleaning is based on the effect caused by high frequency wave vibrations in fluid
- Fluid agitation provides an effective scrubbing action on the surface of the items being cleaned
- Extremely effective at removing dirt and grime on watch parts, jewellery (NOT gemstones), coins, PCB boards and electrical components, engine-vehicle and mechanical parts, etc
- Manufactured from stainless steel fitted with a drain tap
- Supplied with a stainless steel basket and BS approved 3 pin plug and cable

Tank Size	300 x 240 x 150mm
Overall Size	330 x 270 x 310mm
Ultrasonic Power	200W
Heating Power	300W
Time Setting	1-99 mins
Temperature Setting	0-80° C

Stock No.
60985

3 UCT3L

3L ULTRASONIC CLEANING TANK

- *Expert Quality*
- Ultrasonic cleaning is based on the effect caused by high frequency wave vibrations in fluid
- Fluid agitation provides an effective scrubbing action on the surface of the items being cleaned
- Extremely effective at removing dirt and grime on watch parts, jewellery (NOT gemstones), coins, PCB boards and electrical components, engine-vehicle and mechanical parts, etc
- Manufactured from stainless steel
- Supplied with a stainless steel basket and BS approved 3 pin plug and cable

Tank Size	240 x 140 x 100mm
Overall Size	270 x 170 x 240mm
Ultrasonic Power	100W
Heating Power	100W
Time Setting	1-99 mins
Temperature Setting	0-80° C

Stock No.
60983

SUPPLIED ON PALLET



DRAPER Expert NEW

1 SBC150

SHOT BLASTING CABINET

• ***Expert Quality*** • Bench mounted • Tightly sealed unit • Ideal for finishing and cleaning
• Fitted with toughened glass viewing windows and heavy-duty gauntlets • Low voltage internal light • Quickly remove rust, paint and other unwanted debris from hard surfaces

Air delivery	40-80 PSI
Max operating pressure	125 PSI
Dimensions	695 x 580 x 625 mm

Stock No.
01803



SUPPLIED ON PALLET



DRAPER Expert NEW

2 SBC220

SHOT BLASTING CABINET

• ***Expert Quality*** • Free standing
• Tightly sealed unit • Ideal for finishing and cleaning
• Fitted with toughened glass viewing windows and heavy-duty gauntlets
• Low voltage internal light
• Quickly remove rust, paint and other unwanted debris from hard surfaces

Air delivery	40-80 PSI
Max operating pressure	125 PSI
Dimensions	1500 x 830 x 630mm

Stock No.
01805

SUPPLIED ON PALLET



DRAPER Expert NEW

3 SBC350

SHOT BLASTING CABINET

• ***Expert Quality*** • Free standing
• Tightly sealed unit • Ideal for finishing and cleaning
• Fitted with toughened glass viewing windows and heavy-duty gauntlets
• Low voltage internal light
• Quickly remove rust, paint and other unwanted debris from hard surfaces

Air delivery	40-80 PSI
Max operating pressure	125 PSI
Dimensions	1500 x 980 x 720mm

Stock No.
01806



1 DPW3

230V PORTABLE PARTS WASHER

- For the degreasing of component parts prior to assembly
- Polyethylene construction with lid
- Tank capacity 9L
- Overall dimensions 470 x 340 x 250mm
- Not suitable for use with solvent based cleaning fluids
- Fitted with 2M cable (approx.) and approved plug

Working tank capacity	9L
Overall dimensions	610 x 420 x 260mm
Internal dimensions	520 x 350 x 75mm
Weight	5kg

Stock No.
22494



2 DPW2

230V BENCH-MOUNTED PARTS WASHER

- For the degreasing of component parts prior to assembly
- Sturdy steel construction, enamelled finish with lid
- Tank capacity 12L
- Overall dimensions 470 x 340 x 250mm
- Not suitable for use with solvent based cleaning fluids
- Fitted with cable and approved plug

Pump output (per hour)	227L
Motor	25W
Working tank capacity	12L
Overall dimensions	470 x 340 x 250mm
Internal dimensions	400 x 230 x 230mm
Weight	7.3kg

Stock No.
37826



3 DPW1

230V FLOOR STANDING PARTS WASHER

- For the degreasing of component parts prior to assembly
- Sturdy steel construction, enamelled finish with "fire drop" lid
- Tank capacity 54.5L
- Overall dimensions 800 x 550 x 890mm
- Dimensions: Tank-internal 725 x 790 x 270mm
- Not suitable for use with solvent based cleaning fluids
- Fitted with cable and approved plug

Pump output (per hour)	227L
Motor	25W
Working tank capacity	54.5L
Overall dimensions	800 x 550 x 890mm
Internal dimensions	725 x 490 x 270mm
Weight	32kg

Stock No.
37825



4 MPT15

MAGNETIC STAINLESS STEEL MESH PARTS WASHER BOWL

For holding nuts, bolts, screws, etc. whilst cleaning. Bowl has rubber covered magnetic base for affixing to metal objects such as vehicle bodywork, tool boxes etc. Magnetism transfers to inner surface of bowl to retain small metal parts, nuts, bolts, etc. Stainless steel mesh construction allows use in water-based cleaning tanks for small parts washing/degreasing. Display packed.

Stock No.	Diameter
31317	270mm



5 4857B

ENGINE CLEANING BRUSH

Large bristle head with plastic cap and 'easy grip' plastic coated wire handle. Display packed.

Stock No.	Head Dia.
41389	23mm



6 4858

260mm PARTS CLEANING BRUSH

Plastic handle with bristle head. Display packed.

Stock No.	Head Dia.
38860	25mm

7

'HARD GRAFT' PARTS WASHING FLUID

Highly effective cleaner and degreaser for engines and all types of mechanical moving parts. Also ideal as a cleaner and soaking agent. The non-toxic, non-flammable and solvent free formulation provides a safe substance for both you and the environment. These inherent solvent qualities are not only the match but surpass traditional solvents in speed and efficacy and because they're drain friendly they require no waste management regulations. Their non-flammable formulation enables easy and regulation free transportation and storage and user concerns are allayed as they're made from non-hazardous substances.

Stock No.	Part No.	Description
64993	HGPWF-1L	1L
64997	HGPWF-5L	5L
73803	HGPWF-25L	25L



18V CORDLESS GREASE GUN

High power, professional, cordless grease gun, ideal for performing routine lubrication applications where power and speed are required. Delivers an impressive 70g per minute flow rate, an ideal tool for on the go lubrication applications.



1 CGG18/B

18V CORDLESS GREASE GUN

Expert Quality, designed to work with a standard 400g grease cartridge either bulk or manual filled. The high-pressure cordless grease gun is supplied with two 18V Ni-MH battery packs and a quick charge one hour charger. Manufactured with a chromed steel canister, rubber reinforced delivery tube and a high pressure grease nipple providing an impressive 8,000 PSI output, which delivers a constant 70g per minute flow rate. Includes a shoulder strap for ease of carrying, useful when manoeuvring around work sites. Display packed

Stock No.
83378



2 AGF-P

POLYCARBONATE AUTOMATIC GREASE FEEDERS

Expert Quality, 1/8" BSPT thread automatic grease feeder used for applying the optimum amount of grease at a constant discharge of 1-2 PSI. The transparent polycarbonate body offers easy refilling, which is achieved by using a standard grease gun. Suitable for use with NLGI 0 to NLGI 4 specification grease, within an operating temperature range of -23 deg C to 121 deg C (-10 to +250 deg F). For use on stationary, non vibrating machinery where no shock loads would be expected. Able to be mounted in any position, including horizontal, vertical or upside down ensuring constant lubrication. Supplied with three springs for adjusting the feed rate, ideal for different viscosities and operating temperatures: BLUE - light spring, SILVER - medium spring and RED - heavy spring. Display packed.

Stock No.	Capacity
82129	28g (1oz)
82130	56g (2oz)
82151	170g (6oz)



3 AGF-RFK

REMOTE REFILL KIT FOR AUTOMATIC GREASE FEEDERS

Expert Quality, remote access refill kit for automatic grease feeders. Provides users with the ability to easily refill automatic grease feeders, which would otherwise be difficult or unsafe to access directly. Display packed.

Contents: 3m (10ft) of 6.35 OD x 4.35mm ID transparent polyurethane flexible tube 2 x brass olives, 2 x brass end connectors, 2 x steel adaptors, 1 x brass grease nipple

Stock No.
82125



4 GP-HV

HIGH VOLUME HAND GREASE PUMP

Expert Quality, high grease output, four times more efficient per stroke (4g) at 27MPa (4000psi). Heavy duty cast iron pump head. Supplied with drum cover, 2M of 1/4" I.D. high pressure rubber hose fitted with high quality steel connector and grease coupler, 10kg capacity steel grease bucket. Suitable for use with grease up to NLGI 3. Carton packed.

Stock No.
43960




5 GP-HP

HIGH PRESSURE HAND GREASE PUMP

Expert Quality, grease is delivered at 1.2g per stroke at 24MPa (3500psi). Pump head manufactured from cast aluminium with solid steel pumping chamber. Supplied with drum cover, 1.2M of flexible hose fitted with four jaw coupler. Suitable for use with NLGI 2 grease and UK 12.5kg grease pails. Carton packed.

Stock No.
43958



6 A10/EXP/F

TWIN HANDLE LEVER ACTION GREASE GUN

Expert Quality, lever action grease gun intended for use with small threaded 500gram and 600gram screw-on type grease cartridges. Precision machined from high strength, die-cast aluminium, which achieves a longer service life, whilst developing 7,500psi/517BAR output pressure at an impressive 0.8gr per stroke. Fitted with a conical rubber thread insert ensuring an airtight grease cartridge fit and a professional 4-jaw connector with ball check system. Supplied with 300mm flexible grease delivery tube.

Stock No.
16157



1 A1/EXP/G

PROFESSIONAL PISTOL-TYPE GREASE GUN

Expert Quality, with diecast head and port for air bleeder/bulk loader for single handed operation. Supplied with coupler and 230mm high pressure hose to DIN1283. Suitable for 400g cartridge or bulk fill. Safe working pressure 40MPa (5800 psi). Display carton.

Stock No.
47811



2 A1/G

500CC HEAVY DUTY PISTOL TYPE GREASE GUN

Heavy duty diecast head with port for air bleeder/bulk loader for single handed operation. Coupler and rigid extension tube. Suitable for 400g cartridge or bulk fill. Safe working pressure 34MPa (5000 psi). Display carton.

Stock No.
47813



3 A2/G

130CC PISTOL-TYPE GREASE GUN

Zinc plated body with spring primed piston and air release valve complete with delivery tube and hydraulic connector. Safe working pressure 24MPa (4350 psi). Threaded 1/8" BSPT. Display carton.

Stock No.
47810



4 A4/G

500CC HEAVY DUTY LEVER GREASE GUN

For bulk loading with stiff, medium or heavy grease for agricultural, automotive or industrial applications. Heavy duty spring, plunger assembly and air release valve. Complete with delivery tube and hydraulic connector. Side lever action. Suitable for 400g cartridge, suction and bulk loading. Safe working pressure 62Mpa (9000 psi). Threaded 1/8" BSPT. Display carton.

Stock No.
47809



5 A3/G

500CC LEVER GREASE GUN

Heavy duty spring and plunger assembly, complete with delivery tube and hydraulic connector. Side lever action. Suitable for 400g grease cartridge loading. Safe working pressure 40MPa (6000 psi). Threaded 1/8" BSPT. Display carton.

Stock No.
47814



6 A7/G

500CC GREASE GUN

Lever action gun for use with standard 400g grease gun cartridges and bulk. Supplied with delivery tube, connector with 1/8" BSPT thread and pressure relief valve. Safe working pressure 55MPa (8000psi). Display carton.

Stock No.
47807



7 A5/G

500CC OIL SUCTION GUN

For use on vehicles and machinery such as gearboxes, axles, etc. Supplied with flexible delivery tube 10mm bore. Display carton.

Stock No.
47812



8 A6

100CC MINI DOUBLE ACTION GREASE GUN

Useful tool for greasing garden machinery, recreational and automotive vehicles. Display packed.

Stock No.	Length
34400	220mm

PRODUCT LOCATOR

Air Grease Guns are available, see page 300 in section 5 for further details.



9 GGU

GREASE NIPPLE UNBLOCKER

Expert Quality, designed to be tapped with a hammer, which forces either paraffin or a light viscosity oil through the tool into the grease nipple, enabling the penetration of the clogged grease fitting. Manufactured from heavy-duty steel with a built-in hand guard and a flexible hose attachment for reaching fittings in difficult areas. Can be used with the flexible connection attached or straight onto a grease nipple. Supplied with two spare plunger seals.

Stock No.
16155





1 GG9

QUICK RELEASE GREASE CONNECTOR

Expert Quality, grease gun connector fitted with a sliding sleeve, easily operated by a thumb lever. This simple yet highly effective mechanism allows for one-handed locked on operation. Designed for use with any type of grease gun up to a maximum pressure of 8,000PSI (550BAR) including manual, pneumatic, cordless and industrial. Works with all styles of head profile grease nipples in metric and SAE. Fitted with 1/8" BSPT female thread.

Stock No.
16156



2 GG8

RIGID DELIVERY TUBE (170mm)

Cranked high pressure zinc plated tube. Complete with hydraulic connector. Suitable for certain Draper Grease Guns. Safe working pressure 400bar/5800psi. Thread 1/8 BSPT. Display packed.

Stock No.
57817



3 GG5

FLEXIBLE DELIVERY TUBE (300mm)

High pressure reinforced rubber tube, threaded 1/8" BSPT at both ends. Safe working pressure 400bar/5800psi. Display packed.

Stock No.
57841




4 GG6

FLEXIBLE DELIVERY TUBE (300mm)

High pressure thermoplastic tube, threaded 1/8" BSPT at both ends. Safe working pressure 240bar/3500psi. Display packed.

Stock No.
12750



5 GNA-M

70 ASSORTED METRIC GREASE NIPPLES

Manufactured from EN-1A steel with profiles to BS, SAE, DIN. JIS and IS. Heat treated to SAE J534 and hardened. Yellow zinc plated to ASTM B117 specification. Display packed in plastic storage box.

Stock No.
43962



6 GNA-BSPT

50 ASSORTED BSPT GREASE NIPPLES

Manufactured from EN-1A steel with profiles to BS, SAE, DIN. JIS and IS. Heat treated to SAE J534 and hardened. Yellow zinc plated to ASTM B117 specification. Display packed in plastic storage box.

Stock No.
43961



7 GG10

HYDRAULIC CONNECTOR

Heavy duty four jaw connector with brass body, threaded 1/8" BSPT. Safe working pressure 400bar/5800psi. Display packed.

Stock No.
12771



8 GG2

HYDRAULIC CONNECTOR

Four jaw plated steel connector, threaded 1/8" BSPT. Safe working pressure 680bar/9800psi. Display packed.

Stock No.
57859



9 GG7

HOOK-ON CONNECTOR

Heavy duty hook or slide-on connector with plated steel body, threaded 1/8" BSP. Safe working pressure 80bar/1150psi. Sold loose.

Stock No.
57875





10 PO1

PRECISION LUBRICATOR

Polished aluminium with steel pocket clip. Designed for pinpoint lubrication to small and awkward areas. 40mm length applicator needle with brass flow control button for fine control. Display packed.

Stock No.	Length
43982	145mm



11 027

FORCE FEED OIL CANS

Oil cans supplied with fitted flexible spout and a loose interchangeable rigid spout. Sold loose.

Stock No.	Capacity
21716	125ml
21717	200ml
21718	300ml
21719	500ml
21720	700ml



12 OMJ

MEASURING JUGS

High density polyethylene. Resistant to diesel/petrol, oils and most acids. Flexible spout with carrying handle and screw top lid. Metric and US imperial graduations on jug body. Sold loose.

Stock No.	Capacity
43963	1L
43964	3L
43965	5L
38362	6L
83999	8L

1 FF3

FOLDABLE FUNNEL

Malleable funnel made from flexible aluminium with a nitrile rubber coating. Designed to be easily cleaned by most common degreasers or cleaners. Bends and forms to create a leak-proof channel for draining or filling, eliminating the use of cardboard, plastic jugs and other messy solutions, while preventing oils/fluids accidently spilling onto the engine, gearbox and neighbouring parts. Perfect for small engine repair, servicing, automotive work, changing the oil in air compressors, draining and pouring fluids or granular material, creating all kinds of funnels and making improvised pans. Retains shape and can be used time and time again, whilst being resistant to antifreeze, petrol, diesel, transmission oil, engine oil and brake fluid etc.

Stock No.
04954

NEW







2 TF47

TRACTOR FUNNEL

Expert Quality, versatile polyethylene oil and fuel funnel for heavy duty garage and agricultural use. A 280mm x 190mm mouth with a 4.7L capacity. Features tapered spout and a mesh filter that prevents debris from entering the funnel outlet.

Stock No.
16153



3 SF1

OIL FUNNEL

Holds square and rectangular oil bottles. Aids efficient emptying. Sold loose.

Stock No.
46598



4 SF2

OIL FUNNEL WITH TUBE

Holds square and rectangular oil bottles. Barbs on outlet assist positioning. Supplied with secondary removable screw thread hose to ease top-up or to refill transmission gearbox assemblies etc. Sold loose.

Stock No.
26327



5 F-HD

FUNNELS

Expert Quality, translucent polypropylene with dust cover, anti-spill/splash lip and wire mesh filter in base to prevent the ingress of foreign matter. Barrel connector only supplied with 230mm/3L funnel. Sold loose.

Stock No.	Size	Capacity
24774	175mm	1.7L
24771	230mm	3.0L





6 FS4

PLASTIC FUNNEL SET (4 PIECE)

Four different sized tough plastic funnels. Sold loose. Contents: 50, 75, 100 and 115mm diameter

Stock No.
43853

NEW



7 FD45D

ANGLED FUNNEL

Polyethylene funnel resistant to antifreeze, petrol, diesel and oils with a removable offset spout. Double 45-degree angle for less accessible areas. Supplied with a handle and removable gauze filter.

Stock No.
85654



8 FF1

PVC FLEXIBLE FUNNEL

PVC with detachable flexible neck. Supplied with removable gauze filter. Aperture size of funnel mouth 140mm. Sold loose.

Stock No.
56141



9 FF2

FUNNEL (THREE PIECE)

PVC with two-piece neck for straight or angled filling. Supplied with removable gauze filter. Aperture size 125 x 210mm. Packed in polybag.

Stock No.
69674







1 BC1113D

6/12/24V BATTERY CHARGER WITH DESULPHATION FACILITY

- ***Expert Quality*** • Fully automatic • Polarity protected • Thermal overload protection
- Suitable for charging lead acid, lead acid maintenance free, lead AGM, lead calcium and GEL batteries

Charging output	6/12/24V
Input-single phase	230V - 13A
Charging steps	3
Charging current	11A (12V)
Charging current average	7A (EN60335)
Dimensions	290 x 175 x 120mm
Weight	5.35kg

Stock No.	Description
07265	Charger
07606	Spare 15A Fuse

2 BC2213D

6/12/24V BATTERY CHARGER WITH DESULPHATION FACILITY

- ***Expert Quality*** • Fully automatic • Polarity protected • Thermal overload protection
- Suitable for charging lead acid, lead acid maintenance free, lead AGM, lead calcium and GEL batteries

Charging output	6/12/24V
Input-single phase	230V - 13A
Charging steps	3
Charging current	22A (12V)
Charging current average	15A (EN60335)
Dimensions	290 x 175 x 120mm
Weight	6.35kg

Stock No.	Description
07266	Charger
45018	Spare 30A Fuse

BATTERY CHARGER FEATURE LOGOS...

A handy guide to allow you to see at-a-glance some of the features that come supplied with our battery chargers - just look out for the logos next to the chargers.

- Thermal Overload Protection
- Copper Windings
- Carrying Handle
- Polarity Inversion Protected
- Requires 16A supply and plug
- Wheel Kit
- Remote Starter
- Ammeter
- Fast Charge
- Battery Timer



1 BC14B

12V/24V 12A BATTERY CHARGER

- ***Expert Quality*** • Polarity protected
- 2 charging steps • 1 fast charging step
- Thermal overload protection

Charging output	12/24V
Input: single phase	230V - 13A
Charging current effective	12A (RMS)
Charging current (average)	9A (EN60335)
Dimensions	200 x 190 x 270mm
Weight	4.6kg

Stock No.	Description
05597	Charger
05601	20A Fuse



2 BC30B

12V/24V 20A BATTERY CHARGER

- ***Expert Quality*** • Polarity protected
- 2 charging steps • 1 fast charging step
- Thermal overload protection

Charging output	12/24V
Input: single phase	230V - 13A
Charging current effective	30A (RMS)
Charging current (average)	20A (EN60335)
Dimensions	200 x 190 x 270mm
Weight	7.4kg

Stock No.	Description
05583	Charger
05591	Spare 40A Fuse





3 BCS150B

12V 135A BATTERY STARTER/CHARGER

- ***Expert Quality*** • Polarity protected
- 2 charging steps • 1 fast charging step
- Thermal overload protection
- 20A - 200Ah rechargeable battery range

Charging output	12V
Input: single phase	230V - 16A
Charging current effective	18A (RMS)
Charging current (average)	12A (EN60335)
Cranking current effective	135A (RMS)
Cranking current (average)	100A (EN60335)
Dimensions	200 x 190 x 270mm
Weight	6kg

Stock No.	Description
05582	Charger
40576	Spare 50A Fuse



4 BCS230B

12V/24V 230A BATTERY STARTER/CHARGER

- ***Expert Quality*** • Polarity protected
- Thermal overload protection
- 0.5/3.0kW power input • Easy-to-read ammeter

Charging output	12/24V
Input: single phase	230V - 16A
Charging current effective	20A (RMS)
Charging current (average)	13A (EN60335)
Cranking current effective	230A (RMS)
Cranking current (average)	150A (EN60335)
Dimensions	340 x 300 x 160mm
Weight	10kg

Stock No.	Description
24561	Charger
07709	Spare 80A Fuse



5 BCS300B

12/24V 300A BATTERY STARTER/CHARGER

- ***Expert Quality*** • Polarity protected
- Thermal overload protection
- Easy-to-read ammeter • Short circuit protection
- Charging current regulation

Charging output	12/24V
Input: single phase	230V - 16A
Charging current effective	50A (RMS)
Charging current (average)	35A (EN60335)
Cranking current effective	300A (RMS)
Cranking current (average)	270A (EN60335)
Dimensions	340 x 300 x 160mm
Weight	11.8kg

Stock No.	Description
24391	Charger
40592	Spare 100A Fuse



1 BCS350T

12V/24V 300A BATTERY STARTER/CHARGER

- *Expert Quality*
- Charges lead acid, lead acid maintenance free, lead AGM, lead calcium and GEL batteries
- Polarity protected • Thermal overload protection
- Easy-to-read ammeter • Transport handles and wheels

Charging output	12/24V
Input: single phase	230V - 16A
Charging current effective	35A (RMS)
Charging current (average)	20A (EN60335)
Cranking current effective	300A (RMS)
Cranking current (average)	220A (EN60335)
Power input	1-5kW
Fuse	1 x 50A
Dimensions	400 x 300 x 640mm
Weight	19kg

Stock No.	Description
40180	Starter/Charger
40576	Spare 50A Fuse



2 BCS400T

12/24V 400A BATTERY STARTER/CHARGER

- *Expert Quality*
- Charges lead acid, lead acid maintenance free, lead AGM, lead calcium and GEL batteries
- Polarity protected • Thermal overload protection
- Easy-to-read ammeter • Transport handles and wheels

Charging output	12/24V
Input: single phase	230V - 16A
Charging current effective	40A (RMS)
Charging current (average)	26A (EN60335)
Cranking current effective	400A (RMS)
Cranking current (average)	270A (EN60335)
Dimensions	400 x 300 x 640mm
Weight	18kg

Stock No.	Description
07263	Charger
07709	Spare 80A Fuse
40576	Spare 50A Fuse



5 BCSD300T

12/24V 260A BATTERY STARTER/CHARGER

- Charges lead acid, lead acid maintenance free, lead AGM, lead calcium and GEL batteries
- Polarity protected • Thermal overload protection
- Easy-to-read ammeter
- Transport handles and wheels

Charging output	12/24V
Input: single phase	230V - 16A
Charging current effective	60A (RMS)
Charging current (average)	40A (EN60335)
Cranking current effective	260A (RMS)
Cranking current (average)	160A (EN60335)
Dimensions	245 x 340 x 588mm
Weight	15.5kg

Stock No.	Description
11966	Starter/Charger
12164	Spare 50A Fuse



3 BCS600T

12V/24V 500A BATTERY STARTER/CHARGER

- *Expert Quality*
- Charges lead acid, lead acid maintenance free, lead AGM, lead calcium and GEL batteries
- Polarity protected • Thermal overload protection
- Easy-to-read ammeter • Transport handles and wheels

Charging output	12/24V
Input: single phase	230V - 16A
Charging current effective	75A (RMS)
Charging current (average)	50A (EN60335)
Cranking current effective	500A (RMS)
Cranking current (average)	330A (EN60335)
Dimensions	450 x 320 x 700mm
Weight	26kg

Stock No.	Description
40181	Starter/Charger
40592	Spare 100A Fuse



4 BCS800T

12/24V 700A BATTERY STARTER/CHARGER

- *Expert Quality*
- Charges lead acid, lead acid maintenance free, lead AGM, lead calcium and GEL batteries
- Polarity protected • Thermal overload protection
- Easy-to-read ammeter • Transport handles and wheels

Charging output	12/24V
Input: single phase	230V - 16A
Charging current effective	105A (RMS)
Charging current (average)	70A (EN60335)
Cranking current effective	700A (RMS)
Cranking current (average)	460A (EN60335)
Dimensions	470 x 320 x 750mm
Weight	28kg

Stock No.	Description
52030	Charger
40592	Spare 100A Fuse



6 BCSD400T

12/24V 360A BATTERY STARTER/CHARGER

- Charges lead acid, lead acid maintenance free, lead AGM, lead calcium and GEL batteries
- Polarity protected • Thermal overload protection
- Easy-to-read ammeter
- Transport handles and wheels

Charging output	12/24V
Input: single phase	230V - 16A
Charging current effective	75A (RMS)
Charging current (average)	50A (EN60335)
Cranking current effective	360A (RMS)
Cranking current (average)	280A (EN60335)
Dimensions	350 x 260 x 615mm
Weight	23kg

Stock No.	Description
11967	Starter/Charger
12195	Spare 110A Fuse



1 BCD12

12/24V 11A BATTERY CHARGER

- For home use
- Suitable for conventional lead acid batteries up to 200Ah
- Integral carrying handle, insulated copper leads and battery clips
- Convenient front cable storage
- Overall size: 260 x 230 x 197mm

Charging output	12/24V
Input-single phase	230V AC
Charging current effective	13A (RMS)
Charging current (average)	11A (EN60335)
Cranking current effective	N/A
Cranking current (average)	N/A
Dimensions	260 x 230 x 197mm
Weight	6.4kg

Stock No.	Description
11953	Charger
12104	Spare 30A Fuse



2 BCD30

12/24V 15A BATTERY CHARGER

- For workshop and home use
- Suitable for conventional lead acid batteries up to 250Ah
- Integral carrying handle, insulated copper leads and battery clips
- Convenient front cable storage
- Overall size: 285 x 280 x 200mm

Charging output	12/24V
Input-single phase	230V AC
Charging current effective	17A (RMS)
Charging current (average)	16A (EN60335)
Cranking current effective	N/A
Cranking current (average)	N/A
Dimensions	285 x 280 x 200mm
Weight	8.5kg

Stock No.	Description
11961	Charger
12123	Spare 30A Fuse



3 BCD60

12/24V 23A BATTERY CHARGER

- For workshop and home use
- Suitable for conventional lead acid batteries up to 320Ah
- Integral carrying handle, insulated copper leads and battery clips
- Convenient front cable storage
- Overall size: 305 x 290 x 215mm

Charging output	12/24V
Input-single phase	230V AC
Charging current effective	29A (RMS)
Charging current (average)	24A (EN60335)
Cranking current effective	N/A
Cranking current (average)	N/A
Dimensions	305 x 290 x 215mm
Weight	9.5kg

Stock No.	Description
11964	Charger
12142	Spare 40A Fuse

SELECTING THE CORRECT CHARGER

Not all chargers are able to charge every battery. An important factor when choosing a charger is the AH (Amperes-Hours) charging potential, which indicates the AH range the charger operates within.

The chart on the right is a quick and easy way of finding the correct charger for your battery.
For example, if you know your car battery is 100AH, just find a charger that can charge above 100AH.



4 BCSD130

12/24V 120A BATTERY STARTER/CHARGER

- For workshop and home use
- Suitable for conventional lead acid batteries up to 400Ah
- Integral carrying handle, insulated copper leads and battery clips
- Convenient front cable storage
- Overall size: 293 x 260 x 210mm

Charging output	12/24V
Input-single phase	230V AC
Charging current effective	22A (RMS)
Charging current (average)	20A (EN60335)
Cranking current effective	125A (RMS)
Cranking current (average)	120A (EN60335)
Dimensions	293 x 260 x 210mm
Weight	7.7kg

Stock No.	Description
25354	Charger
26011	Spare 50A Fuse



5 BCSD190

12/24V 180A BATTERY STARTER/CHARGER

- For workshop and home use
- Suitable for conventional lead acid batteries up to 700Ah
- Integral carrying handle, insulated copper leads and battery clips
- Convenient front cable storage
- Overall size: 293 x 260 x 210mm

Charging output	12/24V
Input-single phase	230V AC
Charging current effective	41A (RMS)
Charging current (average)	37A (EN60335)
Cranking current effective	183A (RMS)
Cranking current (average)	180A (EN60335)
Dimensions	293 x 260 x 210mm
Weight	8.75kg

Stock No.	Description
25355	Charger
26011	Spare 50A Fuse

SELECT THE CORRECT CHARGER

Battery Min. Ah Rating	Battery Max. Ah Rating	Stock No.
8	120	07265
10	45	20486
10	300	38254
15	55	20487
15	260	07266
15	500	24391
20	200	05582
20	200	05597
20	300	24561
20	300	05583
20	400	25354
30	120	20493
35	500	07263
35	800	52030
36	600	40181
36	600	40180
40	180	33861
40	700	25355
40	700	11966
50	800	11967
55	110	20492
60	200	11953
92	250	11961
120	320	11964



"DAVE SAYS" QUALITY MAKES THE DIFFERENCE

LEAD ACID BATTERY CHARACTERISTICS

If stored unused, they will self discharge 1-5% in a day - so within several months you could lose a substantial amount of the battery's power. This doesn't take into account the ambient temperature of the battery. The colder the temperature the less power the battery can deliver, while the battery's life is considerably reduced with heat - either in use or during charging.



1 BCD5

6/12V 4.2A BATTERY CHARGER

- For workshop and home use
- Suitable for conventional lead acid batteries up to 45Ah
- Supplied with insulated copper leads and battery clips

Charging output	6V/12V
Rated input	100W
Rated charging current at 6V	4.2A
Rated charging current at 12V	4.2A
Dimensions	240 x 210 x 140mm
Weight	2.5kg

Stock No.
20486



2 BCD6

6/12V 5.6A BATTERY CHARGER

- For workshop and home use
- Suitable for conventional lead acid batteries up to 55Ah
- Integral carrying handle, insulated copper leads and battery clips
- Overall size: 240 x 210 x 140mm

Charging output	6/12V
Input-single phase	230V AC
Rated input	130W
Charging voltage	6/12V
Rated charging current	5.6A (6/12V)
Dimensions	230 x 175 x 140mm
Weight	3kg

Stock No.
20487



3 BCD9

6/12V 8.4A BATTERY CHARGER

- For workshop and home use
- Suitable for conventional lead acid batteries up to 85Ah
- Supplied with insulated copper leads and battery clips

Charging output	6/12V
Rated input	210W
Rated charging current at 6V	8.4A
Rated charging current at 12V	8.4A
Dimensions	258 x 145 x 250mm
Weight	4.2kg

Stock No.
20492

INTELLIGENT BATTERY CHARGER





4 BCIB

6/12V INTELLIGENT BATTERY CHARGER

- For workshop and home use • Fully automatic
- Continuous adjustment for unsupervised charging • Polarity inversion
- Thermal overload protection • Suitable for wet, AGM and gel batteries between 40Ah and 160Ah
- Microprocessor controlled • Supplied with insulated copper leads and battery clips

Charging output	6/12V
Charging current effective	8A (RMS)
Charging current (average)	6A (EN60335)
Dimensions	184 x 112 x 86mm
Weight	1kg

Stock No.
33861



5 BCD11

12/24V 10.3A BATTERY CHARGER

- For workshop and home use
- Suitable for conventional lead acid batteries up to 50Ah (24V) or 100Ah (12V)
- Supplied with insulated copper leads and battery clips

Charging output	12/24V
Rated input	180W
Rated charging current at 12V	10A
Rated charging current at 24V	5A
Dimensions	258 x 145 x 250mm
Weight	5kg

Stock No.
20493

FITTED WITH AN INTERNAL BATTERY BACKUP FEATURE AND SUPER QUICK RECHARGE TIME



1 CJS800

CAPACITOR JUMP STARTER (12V)

- Super quick recharge time
- Internal backup Li-ion battery
- Starts vehicle engines up to 6L Petrol and 3L Diesel
- Internal battery, recharges capacitors
- LCD digital display
- 3 function torch
- 12V DC and USB input
- Non-slip protective rubber case

NEW

Starting current	700A
Peak current	700A
Battery	6Ah (LI-ion)
Dimensions	220 x 120 x 50mm
Weight	1.3kg

Stock No.
82957



2 LJS120

LITHIUM JUMP STARTER/CHARGER (400A)

- *Expert Quality*
- Compact and powerful jump-starter/charger
- Starts vehicle engines up to 4.2L Petrol and 2L Diesel
- 2 USB ports for charging accessories
- Fitted with a work lamp with three settings; constant, SOS and flashing
- An ideal backup power source for emergency situations
- Supplied with a padded carry case, smart jump leads, 4 in 1 multi purpose USB lead and 230V and 12V charging adaptors

Starting current	250A
Peak current	500A
Battery	9.6Ah (LI-ion)
Dimensions	30 x 78 x 174mm
Weight	0.46kg

Stock No.
15066



3 LJS136

LITHIUM JUMP STARTER/CHARGER (500A)

- *Expert Quality*
- Compact and powerful jump-starter/charger
- Starts vehicle engines up to 46L Petrol and 2L Diesel
- USB port for charging accessories
- Able to switch between 12V, 16V and 19V
- Fitted with a work lamp with three settings; constant, SOS and flashing
- An ideal backup power source for emergency situations
- Supplied with a padded carry case, smart jump leads, 4 in 1 multi purpose USB lead, set of 8 laptop adaptors with cable and 230V and 12V charging adaptors

Starting current	250A
Peak current	500A
Battery	12Ah (LI-ion)
Dimensions	37 x 80 x 165mm
Weight	0.46kg

Stock No.
15067



4 IBC1

6/12V 6A INTELLIGENT BATTERY CHARGER

- Senses the batteries condition and adjusts the charging parameters accordingly
- Microprocessor controlled, enters float mode when the battery is fully charged
- Protects against over-charging and damage
- Insulated copper leads and battery clips

Charging output	6/12V
Input-single phase	230V AC
Charge voltage	12V
Charging current	6A
Nominal capacity	10-300Ah
Dimensions	145 x 100 x 60mm
Weight	672g

Stock No.
38254



5 BLT100

100A BATTERY LOAD TESTER

Suitable for testing 6 and 12V lead acid batteries, charging and starting circuits found on most motorcycles, cars, light commercial vehicles, tractors, boats etc. Tests: state of charge, cranking ability, charging system output and starter motor. Tests up to 100A. Display carton.

Stock No.
53090

NEW



6 BH-2B

BATTERY HYDROMETER

Precision battery hydrometer for testing the solution content in each cell. Graduations: - 0.005 g/ml; Red: - Ranges from 1.100 - 1.205. indicating the battery is discharged. White: - Ranges from 1.205 - 1.260. indicating that the battery requires attention. Green: - Ranges from 1.60 - 1.300. indicating the battery is fully charged. Calibrating should be carried out at 20 Deg C. Care must always be taken when removing battery cell caps and when testing. Manufactured with a glass tube, PVC bulb and spout.

Stock No.	Range
01054	1.10 - 1.30g/ml


7 BTCT

BATTERY TERMINAL CRIMPING TOOL

Essential when replacing or repairing automotive/marine battery cables, this tool provides secure crimping when used in conjunction with a hammer or vice. Manufactured from laminated and hardened steel. Display packed.

Stock No.
64335





section 4



ELORA

253-256 Socket Sets
257-264 Socketry
265-269 Spanners
270 Stainless Steel Hand Tools
271 General Hand Tools

PROFESSIONAL SOCKETRY & SPANNERS MADE IN GERMANY

All Elora products are hot dropped forged incorporating strict production control resulting in top quality tools. This means that in the Elora factory, wrenches, ratchets, socket parts and many other products are forged under Elora's control to its own exacting high standards. The major proportion of the Elora range is made from one-piece forgings. Hardening takes place in a continuous automatic hardening furnace followed by tempering in oil. This strictly controlled process gives clean and precisely hardened products.

NATIONAL AND INTERNATIONAL STANDARDS

The following terms will be seen in the Catalogue showing the relevant standard the particular tool has been manufactured to.

DIN - "Deutsche Industrie Norm"
The German equivalent of a British Standards Institute specification. Many Elora products, particularly sockets and socket accessories are manufactured to exceed the coveted DIN Standard by up to 50%. Other products to the DIN Standard include wrenches, waterpump and circlip pliers.

VDE - "Verein Deutscher Elektrotechniker"
The internationally recognized German manufacturing and safety testing organisation.

ISO - "Die Internationale Organisation für Normung"
The International Organisation for Standardisation is a worldwide federation of national standard bodies who prepare International Standards through ISO technical committees. Many Elora products, particularly sockets and accessories have been approved by this organisation.

DON'T FORGET!

The entire Elora range is available on special order. Contact your local representative for full details or our sales desk on +44 (0)23 8049 4333

EXCLUSIVE
TO DRAPER TOOLS IN THE UK

DRAPERTOOLS.COM/DRAPERTV

ELORA QUALITY CONTROL



Elora has accreditation to BS EN ISO9001. This means a quality system for design, development, production and administration of tools is in place within the company.

1/4" SQ.DRIVE



1 1440MU

1/4" Sq. Dr. METRIC SOCKET SET (31 PIECE)

Manufactured to DIN 3120/ISO 1174, DIN 3122/ISO 3315, DIN 3123/ISO 3316 and DIN 3124/ISO 2725 Specifications

Professional Quality, manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Packed in heavy gauge steel storage case with plastic insert.

Contents

- 13 hexagon sockets size: 4.0, 4.5, 5.0, 5.5, 6.0, 7.0, 8.0, 9.0, 10.0, 11.0, 12.0, 13.0 and 14.0mm
- 3 screwdriver sockets plain slot size: 4, 5.5 and 6.5mm
- 3 screwdriver sockets cross slot: No.1, 2 and 3
- 5 screwdriver sockets hexagon size: 3, 4, 5, 6 and 8mm
- reversible ratchet with Quatrolit® soft grip handle
- 3 extension bars size: 50mm, 100mm and 150mm
- sliding 'T' bar • universal joint • spinner handle

Stock No.
25931

3/8" SQ.DRIVE



2 870 JMU

3/8" Sq. Dr. METRIC SOCKET SET (18 PIECE)

Manufactured to DIN 3120/ISO 1174, DIN 3122/ISO 3315, DIN 3123/ISO 3316 and DIN 3124/ISO 2725 Specifications

Professional Quality, manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Packed in heavy gauge steel storage case with plastic insert.

Contents:

- 4 hexagon sockets size: 6, 7, 8 and 9mm
- 11 bi-hexagon sockets size: 10, 11, 13, 14, 15, 16, 17, 18, 19, 21 and 22mm
- reversible ratchet with Quatrolit® soft grip handle
- extension bar 150mm
- sliding 'T' bar

Stock No.
25932





1 770-LINDMU

1/2" Sq. Dr. METRIC SOCKET SET (19 PIECE)

Manufactured to DIN 3120/ISO 1174, DIN 3122/ ISO 3315, DIN 3123/ISO 3316 and DIN 3124/ISO 2725 Specifications

Professional Quality, manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Packed in heavy gauge steel storage case with plastic insert. Contents:

- 14 bi-hexagon sockets size: 10, 11, 12, 13, 14, 15, 16, 17, 19, 22, 24, 27, 30 and 32mm
- reversible ratchet with Quatrolit® soft grip handle
- 2 extension bars size: 125mm and 250mm
- sliding 'T' bar • universal joint

Stock No.
15356

1/2" SQ.DRIVE



2 770-OKLAU

1/2" Sq. Dr. IMPERIAL SOCKET SET (23 PIECE)

Manufactured to DIN 3120/ISO 1174, DIN 3122/ ISO 3315, DIN 3123/ISO 3316 and DIN 3124/ISO 2725 Specifications

Professional Quality, manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Packed in heavy gauge steel storage case with plastic insert. Contents:

- 18 bi-hexagon sockets size: 3/8, 7/16, 1/2, 9/16, 19/32, 5/8, 11/16, 3/4, 25/32, 13/16, 7/8, 15/16, 31/32, 1, 1.1/16, 1.1/8, 1.3/16 and 1.1/4" AF
- reversible ratchet with Quatrolit® soft grip handle
- 2 extension bars size: 125mm and 250mm
- sliding 'T' bar • universal joint

Stock No.
50649

1/2" SQ.DRIVE



3 770-OKLMU

1/2" Sq. Dr. METRIC SOCKET SET (25 PIECE)

Manufactured to DIN 3120/ISO 1174, DIN 3122/ ISO 3315, DIN 3123/ISO 3316 and DIN 3124/ISO 2725 Specifications

Professional Quality, manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Packed in heavy gauge steel storage case with plastic insert. Contents:

- 20 bi-hexagon sockets size: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 30 and 32mm
- reversible ratchet with Quatrolit® soft grip handle
- 2 extension bars size: 125mm and 250mm
- sliding 'T' bar • universal joint

Stock No.
50648

1/2" SQ.DRIVE



1 770-OKLAMU

1/2" Sq. Dr. MM/AF COMBINED SOCKET SET (27 PIECE)

Manufactured to DIN 3120/ISO 1174, DIN 3122/ ISO 3315, DIN 3123/ISO 3316 and DIN 3124/ISO 2725 Specifications

Professional Quality, manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Packed in heavy gauge steel storage case with plastic insert. Contents:

- 11 bi-hexagon sockets size: 10, 11, 13, 14, 17, 19, 22, 24, 27, 30 and 32mm
- 11 bi-hexagon sockets size: 7/16, 1/2, 9/16, 19/32, 5/8, 11/16, 3/4, 25/32, 7/8, 15/16 and 1" AF
- reversible ratchet with Quatrolit® soft grip handle
- 2 extension bars size: 125mm and 250mm
- sliding 'T' bar • universal joint

Stock No.
50650

1/2" SQ.DRIVE



2 770-LSSMF

1/2" Sq. Dr. MM/AF/WW COMBINED SOCKET SET (58 PIECE)

Manufactured to DIN 3120/ISO 1174, DIN 3122/ ISO 3315, DIN 3123/ISO 3316 and DIN 3124/ISO 2725 Specifications

Professional Quality, manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Packed in heavy gauge steel storage case with foam insert. Contents:

- 21 bi-hexagon sockets size: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 30 and 32mm
- 18 bi-hexagon sockets size: 3/8, 7/16, 1/2, 9/16, 19/32, 5/8, 11/16, 3/4, 25/32, 13/16, 7/8, 15/16, 31/32, 1, 1.1/16, 1.1/8, 1.3/16 and 1.1/4" AF
- 6 bi-hexagon sockets size: 3/16, 1/4, 5/16, 3/8, 7/16 and 1/2" WW
- 2 spark plug sockets for 10 and 14mm plugs
- reversible ratchet with Quatrolit® soft grip handle
- 3 extension bars size: 75mm, 125mm and 250mm
- sliding 'T' bar • flexible handle • universal joint
- speed brace • offset handle
- converter 1/2" (F) x 3/8" (M) • drag link socket 19 x 3mm

Stock No.
15372

1/2" SQ.DRIVE



3/4" SQ. DR. SOCKET SETS

3 770-S10-MZ

3/4" Sq. Dr. METRIC SOCKET SET (13 PIECE)

Manufactured to DIN 3120/ISO 1174, DIN 3122/ ISO 3315, DIN 3123/ISO 3316 and DIN 3124/ISO 2725 Specifications

Professional Quality, manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Packed in heavy gauge steel storage case.

Contents:

- 10 bi-hexagon sockets size: 22, 24, 27, 30, 32, 36, 38, 41, 46 and 50mm
- reversible ratchet with push through coupler
- extension bar 400mm
- sliding 'T' bar

Stock No.
00385

3/4" SQ.DRIVE



ELORA EXACTING HIGH STANDARDS

1 770-S10AZ

3/4" Sq. Dr. AF SOCKET SET (15 PIECE)

Manufactured to DIN 3120/ISO 1174, DIN 3122/ ISO 3315, DIN 3123/ISO 3316 and DIN 3124/ISO 2725 Specifications

Professional Quality, manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Packed in heavy gauge steel storage case. Contents:

- 12 bi-hexagon sockets size: 7/8, 15/16, 1, 1.1/16, 1.1/8, 1.1/4, 1.5/16, 1.7/16, 1.1/2, 1.5/8, 1.13/16 and 2" AF
- reversible ratchet with push through coupler
- extension bar 400mm • sliding 'T' bar

Stock No.
00369



3/4" SQ.DRIVE



2 770-S22 MAU

3/4" Sq. Dr. MM/AF COMBINED SOCKET SET (31 PIECE)

Manufactured to DIN 3120/ISO 1174, DIN 3122/ ISO 3315, DIN 3123/ISO 3316 and DIN 3124/ISO 2725 Specifications

Professional Quality, manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Packed in heavy gauge steel storage case. Contents:

- 11 bi-hexagon sockets size: 19, 22, 24, 27, 30, 32, 36, 38, 41, 46 and 50mm
- 11 bi-hexagon sockets size: 3/4, 7/8, 15/16, 1, 1.1/16, 1.1/4, 1.7/16, 1.1/2, 1.5/8, 1.13/16 and 2" AF
- reversible ratchet
- 3 extension bars size: 100mm, 200mm and 400mm
- sliding 'T' bar • flexible handle • universal joint
- 2 converters: 3/4" (F) x 1/2" (M) and 3/4" (F) x 1" (M)

Stock No.
00335

3/4" SQ.DRIVE



1" SQ. DR. SOCKET SETS

3 780-10M

1" Sq. Dr. METRIC SOCKET SET (14 PIECE)

Manufactured to DIN 3120/ISO 1174, DIN 3122/ ISO 3315, DIN 3123/ISO 3316 and DIN 3124/ISO 2725 Specifications

Professional Quality, manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Packed in heavy gauge steel storage case.

Contents:

- 10 bi-hexagon sockets size: 36, 41, 46, 50, 55, 60, 65, 70, 75 and 80mm
- reversible ratchet
- 2 extension bars size: 200mm and 400mm
- sliding 'T' bar

Stock No.
53037

1" SQ.DRIVE





1/4" SQ.DRIVE

1 1455

1/4" Sq. Dr. METRIC HEXAGON SOCKETS

Manufactured to DIN 3124/ISO 2725 and DIN 3120/ISO 1174 Specifications

Professional Quality, sockets manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Chamfered end allows easy nut location and entry. Hole for driving accessory spring-loaded ball bearing. Sold loose.

Stock No.	Size
11091	4.0mm
11092	4.5mm
11093	5.0mm
11094	5.5mm
11095	6.0mm
11096	7.0mm
11097	8.0mm
11098	9.0mm
11099	10.0mm
11100	11.0mm
11101	12.0mm
11102	13.0mm
11103	14.0mm



1/4" SQ.DRIVE

2 1455-T

1/4" Sq. Dr. METRIC DEEP SOCKETS

Manufactured to DIN 3124/ISO 2725 and DIN 3120/ISO 1174 Specifications

Professional Quality, sockets manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Chamfered end allows easy nut location and entry. Hole for driving accessory spring-loaded ball bearing. Overall length 50mm. Sold loose.

Stock No.	Size
58721	4.0mm
58722	4.5mm
58723	5.0mm
58724	5.5mm
58726	6.0mm
58727	7.0mm
58728	8.0mm
58729	9.0mm
58730	10.0mm
58731	11.0mm
58732	12.0mm
58733	13.0mm
58734	14.0mm

1/4" SQ.DRIVE



3 1455-IN

HEXAGON SCREWDRIVER SOCKETS

Manufactured to DIN 3120/ ISO 1174 and DIN 7422 Specifications

Professional Quality, 1/4" square drive screwdriver sockets manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Black point tip with hole for driving accessory spring-loaded ball bearing. Sold loose.

Stock No.	Size
11124	3mm
11125	4mm
11126	5mm
11127	6mm
11128	8mm



1/4" SQ.DRIVE

4 1450-2ZI

1/4" Sq. Dr. RATCHET

Manufactured to DIN 3124 Form D/ISO 2725 Specifications

Professional Quality, manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Push through pattern for forward/reverse action. Spring-loaded ball bearing for secure socket holding. Sold loose.

Stock No.	Length
15162	145mm



1/4" SQ.DRIVE

5 1450-1D

1/4" Sq. Dr. RATCHET

Manufactured to DIN 3122 Form D/ISO 3315 Specifications

Professional Quality, manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Quatrolit® soft grip handle for user comfort. Features 3/8" female coupler on top of ratchet head to take additional socket accessories. 20 tooth ratchet with quick changeover lever for forward/ reverse operations. Spring-loaded ball bearing for secure socket holding. Sold loose.

Stock No.	Length
11080	145mm

1/4" SQ.DRIVE



6 1450

1/4" Sq. Dr. EXTENSION BARS

Manufactured to DIN 3123 Form B/ISO 3316 Specifications

Professional Quality, manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Spring-loaded ball bearing for secure socket holding. Sold loose.

Stock No.	Length
11084	50mm
11085	100mm
11086	150mm

ELORA EXACTING HIGH STANDARDS



1/4" SQ.DRIVE

7 1450-6

1/4" Sq. Dr. 125mm FLEXIBLE EXTENSION BAR

Professional Quality, manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Allows access to awkwardly positioned sockets etc. Spring-loaded ball bearing for secure socket holding. Not designed for initial loosening or final tightening. Sold loose.

Stock No.
11087



1/4" SQ.DRIVE

8 1450-4

1/4" Sq. Dr. SLIDING 'T' BAR

Manufactured to DIN 3122 Form A/ISO 3315 Specifications

Professional Quality, manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Spring-loaded ball bearing for secure socket holding. Sold loose.

Stock No.	Length
11083	115mm



1/4" SQ.DRIVE

9 1450-3

1/4" Sq. Dr. SPINNER HANDLE

Manufactured to DIN 3123 Form E Specifications

Professional Quality, manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Spring-loaded ball bearing for secure socket holding. With Quatrolit® soft grip handle. Sold loose.

Stock No.	Length
11082	150mm



10

SOCKET CONVERTERS

Manufactured to DIN 3123 Form A/ISO 3316 Specifications

Professional Quality, manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Enables different sized accessories to be used with different sized square drive sockets. Spring-loaded ball bearing for secure socket holding. Sold loose.

Stock No.	Part No.	Size
11090	1450-15	1/4" (F) x 3/8" (M)
00252	870-10	3/8" (F) x 1/4" (M)



3/8" SQ.DRIVE

1 871-M

3/8" Sq. Dr. METRIC HEXAGON SOCKETS

Manufactured to DIN 3124/ISO 2725 and DIN 3120/ISO 1174 Specifications

Professional Quality, sockets manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Chamfered end allows positive nut location and entry. Hole for driving accessory spring-loaded ball bearing. Sold loose.

Stock No.	Size
25820	6mm
25838	7mm
25846	8mm
25854	9mm
15224	10mm
15227	12mm
15228	13mm
15229	14mm
15231	15mm
15233	16mm
15234	17mm
15235	18mm



3/8" SQ.DRIVE

2 870-M

3/8" Sq. Dr. METRIC BI-HEXAGON SOCKETS

Manufactured to DIN 3124/ISO 2725 and DIN 3120/ISO 1174 Specifications

Professional Quality, sockets manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Chamfered end allows positive nut location and entry. Hole for driving accessory spring-loaded ball bearing. Sold loose.

Stock No.	Size
25862	10mm
25870	11mm
25888	12mm
25896	13mm
25903	14mm
25911	15mm
25929	16mm
25937	17mm
25945	18mm
25953	19mm
25961	20mm
25979	21mm



3/8" SQ.DRIVE

3 870-1D

3/8" Sq. Dr. RATCHET

Manufactured to DIN 3122 Form D/ISO 3315 Specifications

Professional Quality, manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Quatrolit® soft grip handle for user comfort. Features female coupler on top of ratchet to take additional socket accessories. 24 tooth ratchet, 200mm long, with quick changeover lever for forward/reverse operations. Spring-loaded ball bearing for secure socket holding. Sold loose.

Stock No.	Description
25935	Ratchet
00145	Repair Kit



3/8" SQ.DRIVE

4 870-1ZI

3/8" Sq. Dr. PUSH THROUGH RATCHET

Manufactured to DIN 3122 Form C/ISO 3315 Specifications

Professional Quality, manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. 24 tooth push through pattern, 200mm long, for forward/reverse action. Impact resistant hand grip. Spring-loaded ball bearing for secure socket holding. Sold loose.

Stock No.	Description
00137	Reversible Ratchet
00153	Repair Kit
00161	Ratchet Coupler



3/8" SQ.DRIVE

5 870

3/8" Sq. Dr. EXTENSION BARS

Manufactured to DIN 3123 Form B/ISO 3316 Specifications

Professional Quality, manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Spring-loaded ball bearing for secure socket holding. Sold loose.

Stock No.	Length
00187	75mm
00195	150mm
00202	200mm
00210	300mm



3/8" SQ.DRIVE

6 870-7

3/8" Sq. Dr. FLEXIBLE HANDLE

Manufactured to DIN 3122 Form F/ISO 3315 Specifications

Professional Quality, manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Hinged joint head and positive stops at 0° and 90° Impact resistant plastic hand grip. Length 250mm. Spring-loaded ball bearing for secure socket holding. Sold loose.

Stock No.	Description
00228	F/Handle
80140	Repair Kit



3/8" SQ.DRIVE

7 870-8

3/8" Sq. Dr. SLIDING 'T' BAR

Manufactured to DIN 3122 Form A/ISO 3315 Specifications

Professional Quality, manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Spring-loaded ball bearing for secure socket holding. Sold loose.

Stock No.	Length
00286	200mm



3/8" SQ.DRIVE

8 870-12

3/8" Sq. Dr. SPINNER HANDLE

Manufactured to DIN 3122 Form E/ISO 3315 Specifications

Professional Quality, manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Spring-loaded ball bearing for secure socket holding. With Quatrolit® soft grip handle. Sold loose.

Stock No.	Length
00244	180mm



3/8" SQ.DRIVE

9 870-2

3/8" Sq. Dr. SPEED BRACE

Manufactured to DIN 3122 Form B/ISO 3315 Specifications

Professional Quality, manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Impact resistant plastic hand grip. Spring-loaded ball bearing for secure socket holding. Sold loose.

Stock No.	Length
00179	345mm



3/8" SQ.DRIVE

10 870-9

3/8" Sq. Dr. UNIVERSAL JOINT

Manufactured to DIN 3123 Form C/ISO 3316 Specifications

Professional Quality, manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Head swings through 90° in both directions. Spring-loaded ball bearing for secure socket holding. Sold loose.

Stock No.	Length
00236	55mm



11

SOCKET CONVERTERS

Manufactured to DIN 3123 Form A/ISO 3316 Specifications

Professional Quality, manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Spring-loaded ball bearing for secure socket holding. Sold loose.

Stock No.	Part No.	Size
11090	1450-15	1/4" (F) x 3/8" (M)
00252	870-10	3/8" (F) x 1/4"(M)
25549	770-L14	3/8" (F) x 1/2" (M)
25531	770-L13	1/2" (F) x 3/8" (M)



3/8" SQ.DRIVE

12 870-11

3/8" Sq. Dr. PLAIN SLOT SCREWDRIVER SOCKET

Professional Quality, manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Screwdriver type bit for slotted nuts used on steering gear of certain vehicles and machines. Sold loose.

Stock No.	Size
00260	16 x 3mm



1 771-LM

1/2" Sq. Dr. METRIC HEXAGON SOCKETS

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Professional Quality, sockets manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Chamfered end allows positive nut location and entry. Hole for driving accessory spring-loaded ball bearing. Sold loose.

Stock No.	Size
15294	5mm
15295	6mm
15296	7mm
15297	8mm
15298	9mm
15299	10mm
15300	11mm
15301	12mm
15302	13mm
15303	14mm
15304	15mm
15305	16mm
15306	17mm
15307	18mm
15308	19mm
15309	20mm
15310	21mm
15311	22mm
15312	23mm
15313	24mm
15314	25mm
15315	26mm
15316	27mm
15317	28mm
15318	29mm
15320	30mm
15321	32mm
15322	33mm
15323	34mm
24781	36mm



3 770-LM

1/2" Sq. Dr. METRIC BI-HEXAGON SOCKETS

Manufactured to DIN 3124/ISO 2725 and DIN 3120/ISO 1174 Specifications

Professional Quality, sockets manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Chamfered end allows positive nut location and entry. Hole for driving accessory spring-loaded ball. Sold loose.

Stock No.	Size
24533	8mm
24541	9mm
24559	10mm
24567	11mm
24575	12mm
24583	13mm
24591	14mm
24608	15mm
24616	16mm
24624	17mm
24632	18mm
24640	19mm
24658	20mm
24666	21mm
24674	22mm
24682	23mm
24690	24mm
24707	25mm
24715	26mm
24723	27mm
24731	28mm
24749	29mm
24757	30mm
24765	32mm
24773	33mm
15289	34mm





2 770-LT

1/2" Sq. Dr. METRIC BI-HEXAGON DEEP SOCKETS

Manufactured to DIN 3124/ISO 2725 Specifications

Professional Quality, sockets manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Chamfered end allows positive nut location and entry. Hole for driving accessory spring-loaded ball. Overall length 80mm. Sold loose.

Stock No.	Size
11930	10mm
11931	11mm
11932	12mm
11933	13mm
11934	14mm
11935	17mm
25119	19mm
25135	21mm
11936	22mm
11937	24mm
11938	27mm
11939	30mm
11940	32mm



4 770-LA

1/2" Sq. Dr. AF BI-HEXAGON SOCKETS

Manufactured and tested generally in accordance with DIN3122 and ISO3315 Specifications

Professional Quality, sockets manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Chamfered end allows positive nut location and entry. Hole for driving accessory spring-loaded ball. Sold loose.

Stock No.	Size
24327	5/16"
24335	3/8"
24343	7/16"
24351	1/2"
24369	9/16"
24385	5/8"
24400	11/16"
24418	3/4"
24434	13/16"
24442	7/8"
24450	15/16"
24476	1"
24484	1.1/16"
24492	1.1/8"
24509	1.3/16"
24517	1.1/4"
24525	1.5/16"



5 770-LW

1/2" Sq. Dr. WHITWORTH BI-HEXAGON SOCKETS

Manufactured to DIN 3124/ISO 2725 and DIN 3120/ISO 1174 Specifications

Professional Quality, sockets manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Chamfered end allows positive nut location and entry. Hole for driving accessory spring-loaded ball. Sold loose.

Stock No.	Size
24799	1/8"
24806	3/16"
24814	1/4"
24822	5/16"
24830	3/8"
24848	7/16"
24856	1/2"
24864	9/16"
24872	5/8"
24880	11/16"
24898	3/4"

QUICK RELEASE SOFT GRIP RATCHET

1 770-L1K


1/2" Sq. Dr. FINE TOOTH QUICK RELEASE SOFT GRIP RATCHET

Manufactured to DIN 3122 Form D/ISO 3315 Specifications

Professional Quality, manufactured from chrome vanadium steel hardened and chrome plated for corrosion protection. Professional quality 72 fine tooth ratchet 270mm long, with forward/reverse selector. Features special safety locking device and "quick release" mechanism for secure socket holding and easy release of sockets and accessories. Quatrolit® soft grip handle for user comfort. Carton packed.

Stock No.	Description
25930	Ratchet
26026	Repair Kit

1/2" SQ.DRIVE



1/2" SQ.DRIVE



2 770-L1F

1/2" Sq. Dr. QUICK RELEASE SOFT GRIP RATCHET

Manufactured to DIN 3122 Form D/ISO 3315 Specifications

Professional Quality, manufactured from chrome vanadium steel hardened and chrome plated for corrosion protection. Close quarter 32 tooth ratchet 270mm long, with forward/reverse selector. Features special safety locking device and "quick release" mechanism for secure socket holding and easy release of sockets and accessories. Quatrolit® soft grip handle for user comfort. Carton packed.

Stock No.	Description
55536	Reversible Ratchet
69051	Repair Kit

1/2" SQ.DRIVE



3 770-L1D


1/2" Sq. Dr. SOFT GRIP RATCHET

Manufactured to DIN 3122 Form D/ISO 3315 Specifications

Professional Quality, manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Features female coupler on top of ratchet head to take additional socket accessories. Close quarter 32 tooth ratchet, 270mm long, with quick changeover lever for forward/reverse operations. Quatrolit® soft grip hand handle for user comfort. Spring-loaded ball bearing for secure socket holding. Sold loose.

Stock No.	Description
02715	Reversible Ratchet
02716	Repair Kit

1/2" SQ.DRIVE



4 770-L115F

1/2" Sq. Dr. QUICK RELEASE SOFT GRIP RATCHET

Manufactured to DIN 3122 Form D/ISO 3315 and DIN 3120/ISO 1174 Specifications

Professional Quality, manufactured from chrome vanadium steel hardened and chrome plated for corrosion protection. Close quarter 32 tooth ratchet 375mm long, with forward/reverse selector. Features special safety locking device and "quick release" mechanism for secure socket holding and easy release of sockets and accessories. Quatrolit® soft grip handle for user comfort. Sold loose.

Stock No.	Description
58747	Reversible Ratchet
69051	Repair Kit

1/2" SQ.DRIVE FLEXIBLE HEAD



5 770-L1GF

1/2" Sq. Dr. QUICK RELEASE SOFT GRIP RATCHET WITH FLEXIBLE HEAD

Manufactured to DIN 3122 Form D/ISO 3315 Specifications

Professional Quality, manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Features special safety locking device and "quick release" mechanism for secure socket holding and easy release of sockets and accessories. Close quarter 32 tooth ratchet 305mm long, with quick changeover lever for forward/reverse operations. Quatrolit® soft grip handle for user comfort. Spring-loaded ball bearing for secure socket holding. Sold loose.

Stock No.	Description
58750	Reversible Ratchet
69051	Repair Kit

1/2" SQ.DRIVE FLEXIBLE HEAD



6 770-L115GF

1/2" Sq. Dr. EXTRA LONG QUICK RELEASE SOFT GRIP RATCHET WITH FLEXIBLE HEAD

Manufactured to DIN 3122 Form D/ISO 3315 and DIN 3120/ISO 1174 Specifications

Professional Quality, manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Features special safety locking device and "quick release" mechanism for secure socket holding and easy release of sockets and accessories. Close quarter 32 tooth ratchet 430mm long, with quick changeover lever for forward/reverse operations. Quatrolit® soft grip handle for user comfort. Spring-loaded ball bearing for secure socket holding. Sold loose.

Stock No.	Description
58752	Reversible Ratchet
69051	Repair Kit

1/2" SQ.DRIVE



7 770-L1ZI

1/2" Sq. Dr. PUSH THROUGH SOFT GRIP RATCHET

Manufactured to DIN 3122 Form C/ISO 3315 Specifications

Professional Quality, manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. 12 tooth push through pattern, 200mm long, for forward/reverse action. Quatrolit® soft grip handle for user comfort. Spring-loaded ball bearing for secure socket holding. Sold loose.

Stock No.	Description
25408	Reversible Ratchet
25391	Repair Kit
25383	Coupler





"DAVE SAYS" QUALITY MAKES THE DIFFERENCE

FLEXIBLE HANDLES

Any claims for replacement of flexible handles must be returned WITH THE TOOL to Draper Tools for inspection, prior to replacement. Test figures show 98% are broken by abuse, and on test 99.9% of the returned flexible handles exceed the BS test by 3 times. ALSO, these products must not be used with an extension bar of any length. If used in this way it can cause undue stress on the joint between the extension bar and flexible handle.





1/2" SQ.DRIVE

1 770-INMTIN

1/2" Sq. Dr. METRIC HEXAGON SOCKET BIT SET (9 PIECE)

Professional Quality, sockets with insert bits. Each socket is manufactured from hardened and tempered chrome vanadium steel that's chrome plated for corrosion protection. The 22mm long bits are titanium coated for improved longevity. Packed in heavy gauge steel storage case for added durability.

Contents: 4, 5, 6, 8, 10, 12, 14, 17 and 19mm

Stock No.
66202

1/2" SQ.DRIVE

2

1/2" Sq. Dr. EXTENSION BARS

Manufactured to DIN 3123 Form D/ISO 3316 Specifications

Professional Quality, manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Spring-loaded ball bearing for secure socket holding. Sold loose.

Stock No.	Part No.	Length
25432	770-L4	75mm
25440	770-L5	125mm
25458	770-L6	250mm

1/2" SQ.DRIVE

3

1/2" Sq. Dr. FLEXIBLE HANDLES

Manufactured to DIN 3122 Form F/ISO 3315 Specifications

Professional Quality, manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Plastic impact-resistant hand grip. Spring-loaded ball bearing for secure socket holding. Hinged joint head and positive stops at 0° and 90°. Sold loose.

Stock No.	Part No.	Description
25490	770-L10A	Handle-400mm
25507	770-L10B	Handle-450mm
80295	Y770-L10A/B	Repair Kit (both)



1/2" SQ.DRIVE

4 770-L3

1/2" Sq. Dr. SLIDING 'T' BAR

Manufactured to DIN 3122 Form A/ISO 3315 Specifications

Professional Quality, manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Spring-loaded ball bearing for secure socket holding. Sold loose.

Stock No.	Length
25424	300mm



1/2" SQ.DRIVE

5 770-L7

1/2" Sq. Dr. UNIVERSAL JOINT

Manufactured to DIN 3123 Form C/ISO 3315 Specifications

Professional Quality, manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Head swings through 90° in both directions. Spring-loaded ball bearing for secure socket holding. Sold loose.

Stock No.	Length
25466	75mm



1/2" SQ.DRIVE

6 770-L8

1/2" Sq. Dr. OFFSET HANDLE

Manufactured to DIN 3122 Form G/ISO 3315 Specifications

Professional Quality, manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Spring-loaded ball bearing for secure socket holding. Sold loose.

Stock No.	Length
25474	190mm



7

SOCKET CONVERTERS

Manufactured to DIN 3123 Form A/ISO 3316 Specifications

Professional Quality, manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Spring-loaded ball bearing for secure socket holding. Sold loose.

Stock No.	Part No.	Size
11090	1450-15	1/4" (F) x 3/8" (M)
00252	870-10	3/8" (F) x 1/4"(M)
25549	770-L14	3/8" (F) x 1/2" (M)
25531	770-L13	1/2" (F) x 3/8" (M)



1/2" SQ.DRIVE

8 770-L2

1/2" Sq. Dr. SPEED BRACE

Manufactured to DIN 3122 Form B/ISO 3315 Specifications

Professional Quality, manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Impact resistant hand grip. Spring-loaded ball bearing for secure socket holding. Sold loose.

Stock No.	Length
25416	380mm

3/4" SQ.DRIVE



1 770-SM

3/4" Sq. Dr. METRIC BI-HEXAGON SOCKETS

Manufactured to DIN 3124/ISO 2725 and DIN 3120/ISO 1174 Specifications

Professional Quality, sockets manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Chamfered end allows positive nut location and entry. Hole for driving accessory with locking pin. Some socket sizes have knurled band for extra hand grip. Sold loose.

Stock No.	Size
00682	19mm
00690	21mm
00707	22mm
00715	23mm
00723	24mm
00731	25mm
00749	26mm
00757	27mm
00765	28mm
00773	32mm
00781	33mm
00799	36mm
00806	37mm
00814	38mm
00822	41mm
00830	42mm
00848	46mm
00856	47mm
00864	50mm
00872	52mm
00880	54mm
00898	55mm
00905	60mm

3/4" SQ.DRIVE



2 770-SA

3/4" Sq. Dr. AF BI-HEXAGON SOCKETS

Manufactured to DIN 3124/ISO 2725 and DIN 3120/ISO 1174 Specifications

Professional Quality, sockets manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Chamfered end allows positive nut location and entry. Hole for driving accessory with locking pin. Some socket sizes have knurled band for extra hand grip. Sold loose.

Stock No.	Size
00434	3/4"
00442	13/16"
00450	7/8"
00468	15/16"
00476	1"
00484	1.1/16"
00492	1.1/8"
00509	1.3/16"
00517	1.1/4"
00525	1.5/16"
00533	1.3/8"
00541	1.7/16"
00814	1.1/2"
00567	1.9/16"
00575	1.5/8"
00583	1.11/16"
00591	1.3/4"
00848	1.13/16"
00616	1.7/8"
00624	2"
00632	2.1/16"
00640	2.1/8"
00658	2.3/16"
00666	2.1/4"
00674	2.3/8"



3 770-S1U

3/4" SQ.DRIVE

3/4" Sq. Dr. RATCHET

Manufactured to DIN 3122 Form D/ISO 3315 Specifications

Professional Quality, manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Features 3/4" female coupler on top of ratchet head to take additional socket accessories. Close quarter 32 tooth ratchet, 500mm long, with quick changeover lever for forward/reverse operations with locking pin for secure socket holding. Sold loose.

Stock No.	Description
01028	Reversible Ratchet
01052	Repair Kit



4 770-S1ZI

3/4" SQ.DRIVE

3/4" Sq. Dr. PUSH THROUGH RATCHET

Manufactured to DIN 3122 Form C/ISO 3315 Specifications

Professional Quality, manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. 36 tooth push through pattern, 500mm long, for forward/reverse action. With locking pin for secure socket holding. Sold loose.

Stock No.	Description
01036	Reversible Ratchet
01060	Repair Kit
01044	Coupler



5

3/4" SQ.DRIVE

3/4" Sq. Dr. EXTENSION BARS

Manufactured to DIN 3123 Form B/ISO 3316 Specifications

Professional Quality, manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. With locking pin for secure socket holding. Sold loose.

Stock No.	Part No.	Length
01135	770-S15	100mm
01143	770-S4	200mm
01151	770-S5	400mm



6 770-S2

3/4" SQ.DRIVE

3/4" Sq. Dr. FLEXIBLE HANDLE

Manufactured to DIN 3122 Form F/ISO 3315 Specifications

Professional Quality, manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Hand grip. Hinged joint head and positive end stops at 0° and 90°. Overall length 500mm. With locking pin for secure socket holding. Sold loose.

Stock No.	Description
01119	F/Handle
80142	Repair Kit



7 770-S3

3/4" SQ.DRIVE

3/4" Sq. Dr. SLIDING 'T' BAR

Manufactured to DIN 3122 Form A/ISO 3315 Specifications

Professional Quality, manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. With locking pin for secure socket holding. Sold loose.

Stock No.	Length
01127	480mm

3/4" SQ.DRIVE



1 770-S6

3/4" Sq. Dr. UNIVERSAL JOINT

Manufactured to DIN 3123 Form C/ISO 3316 Specifications

Professional Quality, manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Head swings through 90° in both directions. With locking pin for secure socket holding. Sold loose.

Stock No.	Length
01169	100mm



2

SOCKET CONVERTERS

Manufactured to DIN 3123 Form A/ISO 3316 Specifications

Professional Quality, manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Enables different sized accessories to be used with different sized square drive sockets with locking pin for secure socket holding. Sold loose.

Stock No.	Part No.	Size
25515	770-L11	1/2" (F) x 3/4" (M)
25523	770-S9	3/4" (F) x 1/2" (M)
01185	770-S11	3/4" (F) x 1"(M)
67814	780-7	1" (F) x 3/4" (M)

3/4" SQ.DRIVE





3 770-SIN

3/4" Sq. Dr. HEXAGON SCREWDRIVER SOCKETS

Professional Quality, manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Hole for accessory locking pin. Sold loose.

Stock No.	Size
15551	14mm
15553	17mm
15554	19mm
15555	22mm


3/4" SQ. DR. INTERCHANGEABLE SOCKETRY



"DAVE SAYS" QUALITY MAKES THE DIFFERENCE

INTERCHANGEABLE SOCKET DRIVING ACCESSORIES

These items offer complete flexibility for the user. They comprise three 3/4" square drive socket driving accessories together with an interchangeable tommy bar, Stock No. 01101





500MM LONG

3/4" SQ.DRIVE

4 770-S7

3/4" Sq. Dr. 500mm TOMMY BAR HANDLE

Professional Quality, manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. The locking pin secures accessory holding. For use with Stock No. 01078 Ratchet Head, Stock No. 01086 Flexible Handle Head and Stock No. 01094 Sliding 'T' Bar Head. Sold loose

Stock No.
01101



3/4" SQ.DRIVE

5 770-S1K

3/4" Sq. Dr. RATCHET HEAD

Manufactured to DIN 3122 Form D/ISO 3315 Specifications

Professional Quality, manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Features 3/4 female coupler on top of ratchet head to take additional socket accessories. Close quarter 30 tooth ratchet, length 160mm, with quick changeover lever for forward/reverse operations. To be used in conjunction with Stock No. 01101 Tommy Bar, hole for Tommy Bar locking pin. Sold loose.

Stock No.	Description
01078	Reversible Ratchet Head
01052	Repair Kit



3/4" SQ.DRIVE

6 770-S8

3/4" Sq. Dr. FLEXIBLE HANDLE HEAD

Professional Quality, manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. With locking pin for secure accessory holding. To be used in conjunction with Stock No. 01101 Tommy Bar. Sold loose.

Stock No.	Length
01086	110mm



3/4" SQ.DRIVE

7 770-S13

3/4" Sq. Dr. SLIDING 'T' BAR HEAD

Professional Quality, manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. With locking pin for secure accessory holding. To be used in conjunction with Stock No. 01101 Tommy Bar. Sold loose.

Stock No.	Length
01094	65mm



1 780

1" Sq. Dr. METRIC BI-HEXAGON SOCKETS

Manufactured to DIN 3124/ISO 2725 and DIN 3120/ISO 1174 Specifications

Professional Quality, manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Chamfered end allows positive nut location and entry. Hole for driving accessory with locking pin. Sold loose.

Stock No.	Size
67492	36mm
67484	41mm
67476	46mm
67468	50mm
67450	55mm
67442	60mm
67434	65mm
67426	70mm
67418	75mm
67400	80mm



2 780

1" Sq. Dr. AF BI-HEXAGON SOCKETS

Manufactured to DIN 3124/ISO 2725 and DIN 3120/ISO 1174 Specifications

Professional Quality, sockets manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Chamfered end allows positive nut location and entry. Hole for driving accessory with locking pin. Sold loose.

Stock No.	Size
53045	1.7/16"
53053	1.1/2"
53061	1.5/8"
67335	2"
67351	2.3/16"
67377	2.3/8"
67385	2.9/16"
67393	2.5/8"
67533	2.3/4"
67517	3"
67509	3.1/8"



3

SOCKET CONVERTERS

Manufactured to DIN 3123/ISO 3316 Specifications

Professional Quality, manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Sold loose.

Stock No.	Part No.	Size
01185	770-S11	3/4" (F) x 1"(M)
67814	780-7	1" (F) x 3/4" (M)


4 780-2

1" Sq. Dr. SLIDING 'T' BAR

Manufactured to DIN 3122 Form A/ISO 3315 Specifications

Professional Quality, manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. With locking pin for secure socket holding. Sold loose.

Stock No.	Length
67773	640mm





5 780-1

1" Sq. Dr. RATCHET

Manufactured to DIN 3122 Form D/ISO 3315 Specifications

Professional Quality, manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Features coupler on top of ratchet head to take additional socket accessories. Close quarter 20 tooth ratchet with quick changeover lever for forward/reverse operations. With locking pin for secure socket holding. Sold loose.

Stock No.	Length
67799	660mm

6

1" Sq. Dr. EXTENSION BARS

Manufactured to DIN 3123 Form B/ISO 3316 Specifications

Professional Quality, manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. With locking pin for secure socket holding. Sold loose.

Stock No.	Part No.	Length
67830	780-3	200mm
67822	780-4	400mm

METRIC NEW



1 204

METRIC RATCHETING COMBINATION SPANNERS

Open end set at 15°. ELO-Drive ring end manufactured with 72 teeth ratcheting mechanism - only 5° movement required to turn fastener, especially useful in confined spaces. Forged from chrome vanadium steel, hardened, tempered and matt chrome plated.

Stock No.	Size	Length
58380	8mm	140mm
58388	9mm	150mm
58389	10mm	160mm
40087	11mm	165mm
58397	12mm	170mm
58410	13mm	180mm
58599	14mm	190mm
40090	15mm	200mm
40097	16mm	210mm
58600	17mm	225mm
58601	18mm	235mm
58698	19mm	245mm

AF NEW



2 204

AF RATCHETING COMBINATION SPANNERS

Open end set at 15°. ELO-Drive ring end manufactured with 72 teeth ratcheting mechanism - only 5° movement required to turn fastener, especially useful in confined spaces. Forged from chrome vanadium steel, hardened, tempered and matt chrome plated.

Stock No.	Size	Length
58700	5/16	140mm
58701	3/8	160mm
58702	7/16	165mm
58703	1/2	180mm
58712	9/16	190mm
58714	5/8	210mm
58930	11/16	225mm
58931	3/4	245mm
58699	13/16	245mm
58983	7/8	275mm
59084	15/16	290mm
59086	1"	235mm

METRIC



3 205 S8M

LONG METRIC COMBINATION SPANNER SET (8 PIECE)


Manufactured to DIN 3113 Form B/ISO 3318 Specifications

Professional Quality, forged from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Polished bi-hexagon ring and jaw offset at 15°. Carton packed.

Contents: 8, 9, 10, 11, 12, 13, 14 and 17mm.

Stock No.
13710

METRIC



4 205 S10M

LONG METRIC COMBINATION SPANNER SET (10 PIECE)

Manufactured to DIN 3113 Form B/ISO 3318 Specifications

Professional Quality, forged from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Polished bi-hexagon ring and jaw offset at 15°. Carton packed.

Contents: 8, 9, 10, 11, 12, 13, 14, 17, 19 and 22mm

Stock No.
03082

METRIC



5 205 S12M

LONG METRIC COMBINATION SPANNER SET (12 PIECE)


Manufactured to DIN 3113 Form B/ISO 3318 Specifications

Professional Quality, forged from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Polished bi-hexagon ring and jaw offset at 15°. Carton packed.

Contents: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19 and 22mm.

Stock No.
03090

METRIC



6 205 S14M

LONG METRIC COMBINATION SPANNER SET (14 PIECE)


Manufactured to DIN 3113 Form B/ISO 3318 Specifications

Professional Quality, forged from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Polished bi-hexagon ring and jaw offset at 15°. Carton packed.

Contents: 8, 9, 10, 11, 12, 13, 14, 17, 19, 22, 24, 27, 30 and 32mm.

Stock No.
03107

METRIC



7 205 S22M

LONG METRIC COMBINATION SPANNER SET (22 PIECE)

Manufactured to DIN 3113 Form B/ISO 3318 Specifications

Professional Quality, forged from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Polished bi-hexagon ring and jaw offset at 15°. Carton packed.

Contents: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 26, 27, 28, 30 and 32mm.

Stock No.
03115

AF



8 205 S10AF

LONG AF COMBINATION SPANNER SET (10 PIECE)


Manufactured to DIN 3113 Form B/ISO 3318 Specifications

Professional Quality, forged from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Polished bi-hexagon ring and jaw offset at 15°. Carton packed.

Contents: 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16 and 7/8".

Stock No.
03024

AF



9 205 S14AF

LONG AF COMBINATION SPANNER SET (14 PIECE)


Manufactured to DIN 3113 Form B/ISO 3318 Specifications

Professional Quality, forged from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Polished bi-hexagon ring and jaw offset at 15°. Carton packed.

Contents: 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 15/16, 1, 1.1/16 and 1.1/4".

Stock No.
03040

WHITWORTH



1 205 S6W

LONG WHITWORTH COMBINATION SPANNER SET (6 PIECE)

Manufactured to DIN 3113 Form B/ISO 3318 Specifications

Professional Quality, forged from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Polished bi-hexagon ring and jaw offset at 15°. Carton packed.

Contents: 3/16, 1/4, 5/16, 3/8, 7/16 and 1/2".

Stock No.
03131

WHITWORTH



2 205 S11W

LONG WHITWORTH COMBINATION SPANNER SET (11 PIECE)

Manufactured to DIN 3113 Form B/ISO 3318 Specifications

Professional Quality, forged from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Polished bi-hexagon ring and jaw offset at 15°. Carton packed.

Contents: 1/8, 3/16, 1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16 and 3/4".

Stock No.
03157

METRIC



3 205

LONG METRIC COMBINATION SPANNERS

Manufactured to DIN 3113 Form B/ISO 3318 Specifications

Professional Quality, forged from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Bi- hexagon ring (not 5.5mm which is hexagon) and jaw offset at 15°. Sold loose.

Stock No.	Size	Length
12925	5.5mm	125mm
03462	6mm	130mm
03470	7mm	130mm
03488	8mm	140mm
03496	9mm	150mm
03503	10mm	150mm
03511	11mm	160mm
03529	12mm	180mm
03537	13mm	180mm
03545	14mm	195mm
03553	15mm	215mm
03561	16mm	215mm
03579	17mm	235mm
03587	18mm	255mm
03595	19mm	255mm
03602	20mm	275mm
03610	21mm	275mm
03628	22mm	295mm
03636	23mm	320mm
03644	24mm	320mm
03652	25mm	345mm
03660	26mm	345mm
03678	27mm	370mm
03686	28mm	370mm
17250	29mm	395mm
03694	30mm	395mm
03701	32mm	420mm
17251	33mm	420mm
17252	34mm	420mm
03719	36mm	460mm
17253	38mm	460mm
03727	41mm	510mm
92316	46mm	520mm
92324	50mm	560mm
92332	55mm	620mm
92340	60mm	660mm
17255	65mm	750mm
17257	70mm	760mm
17259	75mm	810mm
17262	80mm	960mm

AF




4 205

LONG AF COMBINATION SPANNERS

Manufactured to DIN 3113 Form B/ISO 3318 Specifications

Professional Quality, forged from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Bi-hexagon ring and jaw offset at 15°. Sold loose.

Stock No.	Size	Length
03222	1/4"	130mm
03230	5/16"	140mm
17265	11/32"	150mm
03248	3/8"	150mm
03256	7/16"	160mm
03264	1/2"	180mm
03272	9/16"	195mm
03298	5/8"	215mm
03305	11/16"	235mm
03313	3/4"	255mm
03339	13/16"	275mm
03347	7/8"	295mm
03355	15/16"	320mm
03363	1"	345mm
03371	1.1/16"	370mm
03389	1.1/8"	370mm
03397	1.3/16"	395mm
03404	1.1/4"	420mm
03412	1.5/16"	420mm
03420	1.3/8"	460mm
03438	1.7/16"	460mm
17253	1.1/2"	460mm
03727	1.5/8"	510mm
17272	1.11/16"	510mm
92283	1.3/4"	520mm
92316	1/13/16"	520mm
92291	1.7/8"	520mm
92308	2"	560mm
17277	2.1/16"	560mm
17280	2.1/8"	620mm
17282	2.3/16"	620mm
17284	2.1/4"	660mm
17287	2.3/8"	660mm
17289	2.9/16"	750mm
17293	2.3/4"	760mm
17295	3"	810mm
17302	3.1/4"	960mm



The Elora range of spanners is supplied in varying sizes from midget to jumbo as these photographs illustrate.

WHITWORTH



5 205

LONG WHITWORTH COMBINATION SPANNERS

Manufactured to DIN 3113 Form B/ISO 3318 Specifications

Professional Quality, forged from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Bi-hexagon ring and jaw offset at 15°. Sold loose.

Stock No.	Size	Length
03735	1/8"	150mm
03743	3/16"	160mm
03751	1/4"	180mm
03769	5/16"	215mm
03777	3/8"	255mm
03785	7/16"	275mm
03793	1/2"	320mm
03800	9/16"	345mm
03818	5/8"	370mm
03826	11/16"	395mm
03834	3/4"	420mm
03850	7/8"	460mm
03868	15/16"	510mm
03876	1"	510mm



METRIC



1 202 S6M

MIDGET METRIC COMBINATION SPANNER SET (6 PIECE)

Professional Quality, manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Open ends offset at 15°. Hexagon or bi-hexagon ring. Ideal for applications where space is limited. Packed in storage display wallet.

Contents: 5.0*, 5.5, 6.0, 7.0, 8.0 and 10.0mm.

Stock No.
04212



METRIC



2 202

MIDGET METRIC COMBINATION SPANNERS

Professional Quality, manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Open ends set at 15°. Hexagon or bi-hexagon ring. Ideal for applications where space is limited. Sold loose.

Stock No.	Size	Length
04311	*4.0mm	80mm
04329	*4.5mm	80mm
04337	*5.0mm	80mm
04345	5.5mm	90mm
04353	6.0mm	90mm
04361	7.0mm	100mm
04379	8.0mm	100mm
04387	9.0mm	110mm
04395	10.0mm	110mm



BA



3 202-S4BA

MIDGET BA COMBINATION SPANNER SET (4 PIECE)

Professional Quality, manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Open ends set at 15°. Hexagon or bi-hexagon ring. Ideal for applications where space is limited. Packed in storage display wallet.

Contents: 0, 2, 4 and 6*.

Stock No.
04197

BA





4 202

MIDGET BA COMBINATION SPANNERS

Professional Quality, manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Open ends set at 15°. Hexagon or bi-hexagon ring. Ideal for applications where space is limited. Sold loose.

Stock No.	Size	Length
04220	0	110mm
04238	2	100mm
04246	4	90mm
04254	*6	80mm



ELORA **EXACTING HIGH STANDARDS**



METRIC

5 100


LONG METRIC OPEN END SPANNERS

Manufactured to DIN 3110/ISO 3318/ISO 1085 Specifications

Professional Quality, forged from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Jaws have accurate face openings and are offset at 15°. Sold loose.

Stock No.	Size	Length
01797	4 x 5mm	110mm
01804	5.5 x 7mm	130mm
01812	6 x 7mm	130mm
01820	7 x 8mm	145mm
01838	8 x 9mm	145mm
01846	8 x 10mm	145mm
01854	9 x 10mm	160mm
01862	9 x 11mm	160mm
01870	10 x 11mm	160mm
16906	11 x 13mm	175mm
01888	12 x 13mm	175mm
01896	12 x 14mm	175mm
01903	13 x 15mm	190mm
01911	13 x 14mm	190mm
01929	14 x 15mm	190mm
01937	13 x 17mm	205mm
01945	14 x 17mm	205mm
01953	16 x 17mm	205mm
01961	17 x 19mm	220mm
01979	18 x 19mm	220mm
01987	19 x 22mm	235mm
01995	20 x 22mm	235mm
02000	21 x 23mm	250mm
02018	22 x 24mm	250mm
02026	24 x 26mm	265mm
02034	24 x 27mm	265mm
02042	25 x 28mm	280mm
16922	27 x 30mm	280mm
02050	27 x 32mm	295mm
02068	30 x 32mm	295mm
02076	30 x 36mm	345mm
02092	32 x 36mm	345mm
02109	36 x 41mm	355mm
02117	41 x 46mm	400mm
02125	46 x 50mm	445mm

METRIC



6 100 S 12M

LONG METRIC OPEN END SPANNER SET (12 PIECE)


Manufactured to DIN 3110 ISO 3318 ISO 1085 Specifications

Professional Quality, forged from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Jaws have accurate face openings and are offset at 15°. Carton packed.

Contents: 6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19, 20 x 22, 21 x 23, 24 x 27, 25 x 28 and 30 x 32mm.

Stock No.
01276

AF



7 100 S8AF

LONG AF OPEN END SPANNER SET (8 PIECE)

Manufactured to DIN 3110 ISO 3318 ISO 1085 Specifications

Professional Quality, forged from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Jaws have accurate face openings and are offset at 15°. Carton packed.

Contents: 1/4 x 5/16, 5/16 x 3/8, 3/8 x 7/16, 1/2 x 9/16, 5/8 x 11/16, 3/4 x 7/8, 15/16 x 1 and 1.1/16 x 1.1/4".

Stock No.
01218



AF

1 100

LONG AF OPEN END SPANNERS

Manufactured to DIN 3110/ISO 3318/ISO 1085 Specifications

Professional Quality, forged from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Jaws have accurate face openings and are offset at 15°. Sold loose.

Stock No.	Size	Length
01375	1/4 x 5/16"	130mm
01383	5/16 x 3/8"	145mm
01391	3/8 x 7/16"	160mm
01408	7/16 x 1/2"	175mm
01416	1/2 x 9/16"	190mm
01424	9/16 x 5/8"	190mm
01466	5/8 x 11/16"	205mm
01482	11/16 x 3/4"	220mm
01557	13/16 x 7/8"	235mm
01581	15/16 x 1"	265mm
01606	1 x 1.1/8"	280mm
01622	1.1/16 x 1.1/4"	295mm
01630	1.1/4 x 1.3/8"	345mm
01648	1.1/4 x 1.7/16"	345mm
01664	1.5/16 x 1.1/2"	345mm
01771	1.13/16 x 2"	445mm
01789	1.7/8 x 2.1/16"	445mm



METRIC

2 156 S6M

MIDGET METRIC OPEN END SPANNER SET (6 PIECE)

Professional Quality, manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Jaws have accurate clean face openings and are offset at 15°. Ideal for applications where space is limited. Packed in storage display wallet.

Contents: 4.0 x 4.5, 5.0 x 5.5, 4.0 x 6.0, 6.0 x 7.0, 8.0 x 9.0 and 10.0 x 11.0mm.

Stock No.
05202



METRIC

3 156

MIDGET METRIC OPEN END SPANNERS

Professional Quality, manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Jaws have accurate clean face openings and are offset at 15°. Ideal for applications where space is limited. Sold loose.

Stock No.	Size	Length
17022	2.5 x 3.2mm	80mm
17024	3.0 x 3.5mm	80mm
05327	3.2 x 4.0mm	80mm
05335	3.5 x 4.5mm	80mm
05343	4.0 x 4.5mm	80mm
05351	4.0 x 5.0mm	80mm
05369	5.0 x 5.5mm	86mm
05377	4.0 x 6.0mm	86mm
17026	5.5 x 7.0mm	92mm
05385	6.0 x 7.0mm	92mm
17028	7.0 x 8.0mm	98mm
05393	8.0 x 9.0mm	98mm
17030	8.0 x 10.0mm	105mm
05400	10.0 x 11.0mm	105mm
17032	12.0 x 13.0mm	112mm



BA

4 156 S5BA

MIDGET BA OPEN END SPANNER SET (5 PIECE)

Professional Quality, manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Jaws have accurate clean face openings and are offset at 15°. Ideal for applications where space is limited. Packed in storage display wallet.

Contents: 0 x 1, 2 x 4, 3 x 5, 4 x 6 and 6 x 8 BA.

Stock No.
05210



HIGHEST QUALITY SPANNERS




BA

5 156

MIDGET BA OPEN END SPANNERS

Professional Quality, manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Jaws have accurate clean face openings and are offset at 15°. Ideal for applications where space is limited. Sold loose.

Stock No.	Size	Length
05442	2 x 4	98mm
05468	4 x 6	86mm
05476	6 x 8	80mm



METRIC


6 110

DEEP CRANK METRIC RING SPANNERS

Manufactured to DIN 838/ISO 3318 Specifications

Professional Quality, long series manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Ring ends are accurately broached with chamfered bi-hexagon profiles for easy nut location and are offset at 45°. Sold loose.

Stock No.	Size	Length
06052	5.5 x 7mm	175mm
06060	6 x 7mm	175mm
14514	7 x 8mm	190mm
06078	8 x 9mm	190mm
06086	8 x 10mm	190mm
14515	9 x 11mm	205mm
06119	10 x 11mm	205mm
06127	12 x 13mm	210mm
06151	13 x 14mm	230mm
06177	14 x 15mm	230mm
06200	16 x 17mm	255mm
06218	17 x 19mm	275mm
06226	18 x 19mm	275mm
06242	20 x 22mm	295mm
06250	21 x 23mm	310mm
06268	22 x 24mm	330mm
06276	24 x 26mm	330mm
06284	24 x 27mm	330mm
06292	25 x 28mm	355mm
14531	27 x 30mm	370mm
06317	30 x 32mm	380mm
06325	32 x 36mm	400mm
06333	36 x 41mm	455mm
06341	41 x 46mm	500mm
06359	46 x 50mm	520mm
06367	55 x 60mm	620mm



METRIC

7 110 S8M

DEEP CRANK METRIC RING SPANNER SET (8 PIECE)

Manufactured to DIN 838/ISO 3318 Specifications


Professional Quality, long series manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Ring ends are accurately broached with chamfered bi-hexagon profiles for easy nut location and are offset at 45°. With clip. Carton packed.

Contents: 6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19 and 20 x 22mm.

Stock No.
05567

ELORA EXACTING HIGH STANDARDS

AF



1 110

DEEP CRANK AF RING SPANNERS

Manufactured to DIN 838/ISO 3318 Specifications

Professional Quality, long series manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Ring ends are accurately broached with chamfered bi-hexagon profiles for easy nut location and are offset at 45°. Sold loose.

Stock No.	Size	Length
05666	1/4 x 5/16"	175mm
05674	5/16 x 3/8"	190mm
05682	3/8 x 7/16"	205mm
05690	7/16 x 1/2"	210mm
05707	1/2 x 9/16"	230mm
05715	9/16 x 5/8"	230mm
05731	5/8 x 11/16"	255mm
05749	5/8 x 3/4"	275mm
05757	11/16 x 3/4"	275mm
05822	13/16 x 7/8"	295mm
05830	7/8 x 15/16"	330mm
05856	15/16 x 1"	330mm
05872	1.1/16 x 1.1/8"	370mm
05880	1.1/16 x 1.1/4"	380mm
05905	1.1/4 x 1.7/16"	400mm
05955	1.7/16 x 1.5/8"	455mm
06010	1.13/16 x 2"	520mm

METRIC





2 113

MIDGET DEEP CRANK METRIC RING SPANNERS

Professional Quality, ideal for use in confined areas. Manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Ring ends are offset at 45°. Sold loose.

Stock No.	Size	Length
02589	4.0 x 4.5mm	75mm
02597	5.0 x 5.5mm	75mm
02604	6.0 x 7.0mm	86mm
02612	8.0 x 9.0mm	95mm
02620	10 x 11mm	105mm



HIGHEST QUALITY SPANNERS

AF



3 121

AF FLARE NUT SPANNERS

Manufactured to DIN 3118 Specifications

Professional Quality, manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Jaws set at 15°. For use on compression nuts fitted on petrol and diesel injection pipes, hydraulic gas or refrigeration systems. Sold loose.

Stock No.	Size	Length
10249	*7/16 x *1/2"	190mm
04452	9/16 x 5/8"	200mm
04460	5/8 x 3/4"	215mm
14573	3/4 x 7/8"	230mm

METRIC



4 157 S11M

METRIC IGNITION SPANNER SET (11 PIECE)

Professional Quality, single ended wrenches with screwdriver, feeler gauge and contact file. Supplied complete on key ring. Nickel plated steel. Sold loose.

Contents: 4.0, 4.5, 5.0, 5.5, 6.0, 6.5, 7.0 and 7.5mm wrenches, screwdriver, feeler gauge and contact file.

Stock No.
17038

METRIC FLARE NUT SPANNERS

METRIC



5 121

METRIC FLARE NUT SPANNERS

Manufactured to DIN 3118 Specifications

Professional Quality, manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Jaws set at 15°. For use on compression nuts fitted on petrol and diesel injection pipes, hydraulic gas or refrigeration systems. Sold loose.

Stock No.	Size	Length
04486	8 x 10mm	150mm
04494	9 x 11mm	150mm
14565	10 x 11mm	165mm
04501	10 x 12mm	165mm
14566	11 x 13mm	165mm
04519	13 x 14mm	190mm
04527	14 x 16mm	200mm
04535	14 x 17mm	200mm
04551	17 x 19mm	215mm
14568	19 x 22mm	230mm
14570	22 x 24mm	245mm
14571	24 x 27mm	260mm
14572	30 x 32mm	288mm



STAINLESS STEEL - SYNONYMOUS WITH QUALITY & DURABILITY

"DAVE SAYS" QUALITY MAKES THE DIFFERENCE



Due to the composition of stainless steel, it resists corrosion making it highly suited to fixings used within the food and drink industry, sanitary industries and hygiene critical sites such as hospitals. The finish remains bright in hostile environments, preserving both the visually appealing characteristics and the hygienic properties... provided it is treated correctly.

Whilst stainless steel fixings (bolts and screws) exhibit 'self healing' properties, the use of ferrous based tools with them should be discouraged as, inevitably, there will be some migration of tool particles to the fixing, which will rust on its surface, destroying the appearance as well as the cleanliness. Since ferrous tools are frequently chrome plated, there is also the likelihood of chrome plate debris entering foodstuffs through inappropriate use in food preparation.


Using tools, themselves made of stainless steel, avoids some of these issues.



Fixing contaminated after prolonged use with inappropriate ferrous spanner



Similar fixing under the same conditions but using stainless steel spanner





METRIC

1 200

LONG METRIC STAINLESS STEEL COMBINATION SPANNERS

Manufactured to DIN 3113 Form B/ISO 3318 Standard

Professional Quality, forged from stainless steel hardened, tempered. Bi-hexagon ring and jaw offset at 15°. These spanners are aimed at applications where cleanliness is paramount, specifically on stainless steel fittings where a ferrous based spanner would transfer material to the fixing, promoting the formation of rust. With no need to plate the spanner there is no danger of chrome plate flakes contaminating the work area. Sold loose.

Stock No.	Size	Length
44011	8mm	140mm
44012	10mm	150mm
44013	11mm	160mm
44014	13mm	180mm
44015	14mm	195mm
44016	17mm	235mm
44017	19mm	255mm
44018	22mm	295mm

ELORA EXACTING HIGH STANDARDS



METRIC

2 MS-8 STAINLESS

LONG METRIC STAINLESS STEEL COMBINATION SPANNER SET (8 PIECE)

Manufactured to DIN 3113 Form B/ISO 3318 Standard

Professional Quality, forged from stainless steel hardened, tempered. Bi-hexagon ring and jaw offset at 15°. These spanners are aimed at applications where cleanliness is paramount, specifically on stainless steel fittings where a ferrous based spanner would transfer material to the fixing, promoting the formation of rust. With no need to plate the spanner there is no danger of chrome plate flakes contaminating the work area. Display packed.

Contents: 8, 10, 11, 13, 14, 17, 19 and 22mm

Stock No.
44019

INDIVIDUAL REPLACEMENT SCREWDRIVERS ARE AVAILABLE



3 583 S5K-ST

STAINLESS STEEL ENGINEER'S SCREWDRIVER SET (5 PIECE)

Professional Quality, screwdrivers with patented Quatrolit® soft grip handles. Ergonomic shape for secure holding. Solvent-resistant handles with hang-hole. Blades manufactured from stainless steel hardened and tempered. Display packed in cardboard carton.

Contents:

- 3 plain slot size: 4.0 x 100mm, 5.5 x 125mm and 6.5 x 150mm
- 2 cross slot: No.1 and 2

Stock No.
49129



1 383-J

STRAIGHT TIP INTERNAL CIRCLIP PLIERS

Manufactured to DIN 5256/Form C Specifications

Professional Quality, manufactured from chrome vanadium steel with accurately ground tips. Each tool is hardened, tempered and chrome plated for added corrosion protection. Fitted with dipped handles.

Stock No.	Length	Size	Capacity
21285	140mm	J1	8-25mm
21286	180mm	J2	19-60mm
21287	220mm	J3	40-100mm



2 384-A

STRAIGHT TIP EXTERNAL CIRCLIP PLIERS

Manufactured to DIN 5254/Form A Specifications

Professional Quality, manufactured from chrome vanadium steel with accurately ground tips. Each tool is hardened, tempered and chrome plated for added corrosion protection. Fitted with dipped handles.

Stock No.	Length	Size	Capacity
21289	140mm	A0	3-10mm
21291	140mm	A1	10-25mm
21292	180mm	A2	19-60mm
21293	220mm	A3	40-100mm



3 383-J

90° TIP INTERNAL CIRCLIP PLIERS

Manufactured to DIN 5256/Form D Specifications

Professional Quality, manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Accurately ground tips.

Stock No.	Length	Size	Capacity
21294	130mm	J11	8-25mm
21295	170mm	J21	19-60mm
21296	210mm	J31	40-100mm



4 384-A

90° TIP EXTERNAL CIRCLIP PLIERS

Manufactured to DIN 5254/Form B Specifications

Professional Quality, manufactured from chrome vanadium steel with accurately ground tips. Each tool is hardened, tempered and chrome plated for added corrosion protection. Fitted with dipped handles.

Stock No.	Length	Size	Capacity
21298	130mm	A11	10-25mm
21299	170mm	A21	19-60mm
21300	210mm	A31	40-100mm



5 500

SELF GRIP PLIERS

Professional Quality, curved pattern jaw pliers with wire cutter, drop forged from chrome vanadium steel hardened, tempered and nickel plated. Jaws have serrated gripping surface and adjustable opening with quick action release lever. Sold loose.

Stock No.	Length
23775	180mm
23783	250mm



6 232

PISTON RING COMPRESSORS

Professional Quality, with fully adjustable band. Supplied with adjusting key. Sold loose.

Stock No.	Capacity	Depth
26662	40-75mm	50mm
26670	57-125mm	80mm



7 187

1M STRAP WRENCH

- Heavy duty strap, ideal for use on sanitary fittings, pipes, oil filters, etc.
- Capacity 280mm (approx,)
- Handle manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection

Capacity	280mm
Length of bar	280mm
Length of strap	1000mm
Width of strap	25mm

Stock No.	Part No.	Length
23759	187	Strap Wrench
23767	187E	Spare Strap



8 75

ADJUSTABLE PIPE WRENCHES

Professional Quality, manufactured from tool steel, hardened and tempered. The spring-loaded induction hardened jaws have wide faces serrated in opposite direction to ensure a secure grip. Polished head with blue lacquered handle. Sold loose.

Stock No.	Length	Capacity
23692	250mm	26mm
23709	300mm	30mm
23717	350mm	38mm
23725	450mm	52mm
23733	600mm	65mm



9 165

TYRE LEVERS

Professional Quality, forged from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Straight pattern with profiled shank. Sold loose.

Stock No.	Length
26513	400mm
26521	500mm

section 5



COMPRESSORS, AIR TOOLS & FITTINGS

274-278	Compressors
279-280	Impact Wrenches
281-282	Air Ratchets
283	Air Drills
284	Air Drills, Screwdrivers & Belt Sander
285-286	Air Sanders
287	Air Cut Off & Grinders
288	Air Die Grinders
289	Air Die Grinder & Polisher
290	Air Hammers & Needle Scaler
291	Air Shears, Saw & Riveters
292	Air Nailers
293	Air Staplers
294-296	Air Tool Kits
297	Air Blowers
298-299	Air Sprayers
300	Air Caulking Guns
301	Air Inflators
302-303	Air Hoses
304-309	Air Line Fittings

COMPRESSORS

Pages 274-278



IMPACT WRENCHES

Pages 279-280



AIR RATCHETS

Pages 281-282



AIR DRILLS, SCREWDRIVERS & SANDERS

Pages 283-286



AIR CUT OFF, GRINDERS, DIE GRINDER & POLISHERS

Pages 287-289



AIR HAMMERS & NEEDLE SCALER

Page 290



AIR SHEARS, SAW & RIVETERS

Page 291



AIR NAILERS & STAPLERS

Pages 292-293




AIR TOOL KITS

Pages 294-296



AIR BLOWERS

Page 297



AIR SPRAYERS

Pages 298-299



AIR CAULKING GUNS

Page 300



AIR INFLATORS

Page 301



AIR HOSES & LINE FITTINGS

Pages 302-309





1 DA270/841

415V 270L STATIONARY BELT-DRIVEN AIR COMPRESSOR (5.5kW)

- *Expert Quality* • Suitable for workshop use
- V-twin-cylinder cast iron pump • Twin outlet valve
- Thermal motor protection overload, on/off pressure switch, pressure regulator, pressure gauge and outlet tap

Tank Size	270L
Motor	5.5kw (7.5HP)
Air displacement	29.7cfm (840L/min)
Free air delivered (FAD)	23.9 cfm (677 L/min)
Input current	32A
Speed	1250rpm
Maximum pressure	145psi (10bar)
Dimensions	1500 x 500 x 1110mm
Weight	146.5kg

Stock No.
05638



2 DA200/300D

200L V-TWIN BELT-DRIVEN AIR COMPRESSOR (2.2kW)

- *Expert Quality* • Belt-driven • V-Twin-cylinder
- Twin outlet valve • Suitable for workshop use
- Thermal motor protection overload, on/off pressure switch, pressure gauge, quick euro coupling and tap outlet
- Wheels and transport handle

Tank Size	200L
Motor	2.2kw (3.0HP)
Air displacement	12.2cfm (345L/min)
Free air delivered (FAD)	7.2cfm (204L/min)
Input current	16A
Speed	1200rpm
Maximum pressure	145psi (10bar)
Dimensions	1550 x 500 x 1000mm
Weight	88kg

Stock No.
34383

NEW



3 DA200/369M

200L BELT-DRIVEN AIR COMPRESSOR (2.2kW)

- Belt-driven • Suitable for workshop use
- Thermal motor protection overload, on/off pressure switch, pressure gauge and twin outlet
- Wheels and transport handle • Quick euro coupling outlet

Tank Size	200L
Motor	2.2kw (3.0HP)
Air displacement	13.03 cfm (369L/Min)
Free air delivered (FAD)	8.44 cfm (239L/Min)
Input current	13A
Speed	1100rpm
Maximum pressure	145psi (10bar)
Dimensions	1580 x 480 x 950mm
Weight	113kg

Stock No.
55315

NEW



4 DA200/369S

200L STATIONARY BELT-DRIVEN AIR COMPRESSOR (2.2kW)

- Belt-driven • Suitable for workshop use
- Thermal motor protection overload, on/off pressure switch, pressure gauge and twin outlet
- Quick euro coupling outlet

Tank Size	200L
Motor	2.2kw (3.0HP)
Air displacement	13.03 cfm (369L/Min)
Free air delivered (FAD)	8.44 cfm (239L/Min)
Input current	13A
Speed	1100rpm
Maximum pressure	145psi (10bar)
Dimensions	1580 x 480 x 950mm
Weight	109kg

Stock No.
55313



1 DA150/365C

150L BELT-DRIVEN AIR COMPRESSOR (2.2kW)

- *Expert Quality*
- Belt-driven • Twin cylinders • Suitable for workshop use
- Thermal motor protection overload, on/off pressure switch, pressure gauge, quick euro coupling and tap outlet
- Wheels and transport handle

Tank Size	150L
Motor	2.2kw (3.0HP)
Air displacement	12.9cfm (365L/min)
Free air delivered (FAD)	8cfm (225L/min)
Input current	13A
Speed	1375rpm
Maximum pressure	145psi (10bar)
Dimensions	1330 x 500 x 890mm
Weight	110kg

Stock No.
22463



2 DA150/392B

150L STATIONARY BELT-DRIVEN AIR COMPRESSOR (2.2kW)

- *Expert Quality*
- Belt-driven • Twin cylinders • Suitable for workshop use
- Thermal motor protection overload, on/off pressure switch, pressure gauge and tap outlet

Tank Size	150L
Motor	2.2kw (3.0HP)
Air displacement	13.8cfm (390L/min)
Free air delivered (FAD)	9.3cfm (262L/min)
Input current	16A
Speed	1420rpm
Maximum pressure	145psi (10bar)
Dimensions	1370 x 400 x 800mm
Weight	75kg

Stock No.
69337

NEW



3 DA150/369M

150L BELT-DRIVEN AIR COMPRESSOR (2.2kW)

- Belt-driven • Suitable for workshop use
- Thermal motor protection overload, on/off pressure switch, pressure regulator and pressure gauge
- Rubber wheels and transport handle • Quick euro coupling outlet

Tank Size	150L
Motor	2.2kw (3.0HP)
Air displacement	13.03 cfm (369 L/Min)
Free air delivered (FAD)	8.44 cfm (239 L/Min)
Input current	13A
Speed	1100rpm
Maximum pressure	145psi (10bar)
Dimensions	1280 x 480 x 950mm
Weight	102kg

Stock No.
55305

NEW



4 DA150/369S

150L STATIONARY BELT-DRIVEN AIR COMPRESSOR (2.2kW)

- Belt-driven • Suitable for workshop use
- Thermal motor protection overload, on/off pressure switch, pressure regulator and pressure gauge
- Quick euro coupling outlet

Tank Size	150L
Motor	2.2kw (3.0HP)
Air displacement	13.03 cfm (369 L/Min)
Free air delivered (FAD)	8.44 cfm (239 L/Min)
Input current	13A
Speed	1100rpm
Maximum pressure	145psi (10bar)
Dimensions	1280 x 480 x 950mm
Weight	98kg

Stock No.
55304



1 DA100/330

100L BELT-DRIVEN AIR COMPRESSOR (2.2kW)

- Belt-driven • Suitable for workshop use
- Thermal motor protection overload, on/off pressure switch, pressure regulator and pressure gauge • Two quick euro coupling outlet • Wheels and transport handle

Tank Size	100L
Motor	2.2kw (3.0HP)
Air displacement	11.7fm (330L/min)
Free air delivered (FAD)	8.1cfm (230L/min)
Input current	13A
Speed	1100rpm
Maximum pressure	116psi (8bar)
Dimensions	1090 x 430 x 860mm
Weight	75kg

Stock No.
31254



2 DA100/412TV

100L V-TWIN AIR COMPRESSOR (2.2kW)

- Suitable for workshop and site use • V-twin-cylinder cast iron pump
- Thermal motor protection overload, on/off pressure switch, pressure regulator and pressure gauge • Two quick euro coupling outlet • Wheels and transport handle

Tank Size	100L
Motor	2.2kw (3.0HP)
Air displacement	14.6cfm (412L/min)
Free air delivered (FAD)	8.0cfm (227L/min)
Input current	13A
Speed	2850rpm
Maximum pressure	116psi (8bar)
Dimensions	770 x 380 x 740mm
Weight	43kg

Stock No.
65396

COMPRESSOR OIL



3

COMPRESSOR OIL

- Blended amber coloured oil using a high VI premium grade base oil and selective additives to provide long term protection and reliability for compressors
- Suitable for single and multi-stage compressors up to temperatures of 200°C

ISO VG Grade	46
Density at 15°C	0.871
Viscosity at 40°C	46.1
Viscosity at 100°C	7.0
Viscosity index	108

Stock No.	Part No.	Volume
34683	CO1000	1L
34684	CO5000	5L



4 DA50/290

50L BELT-DRIVEN AIR COMPRESSOR (2.2kW)

- Belt-driven • Suitable for workshop use
- Thermal motor protection overload, on/off pressure switch, pressure regulator and pressure gauge
- Two quick euro coupling outlet
- Wheels and transport handle

Tank Size	50L
Motor	2.2kw (3.0HP)
Air displacement	11.9fm (290L/min)
Free air delivered (FAD)	4.0cfm (116L/min)
Input current	13A
Speed	950rpm
Maximum pressure	116psi (8bar)
Dimensions	945 x 385 x 720mm
Weight	53.5kg

Stock No.
31253



5 DA50/412TV

50L AIR COMPRESSOR (2.2kW)

- Suitable for workshop and site use
- V-twin-cylinder cast iron pump
- Thermal motor protection overload, on/ off pressure switch, pressure regulator and pressure gauge
- Two quick euro coupling outlet
- Wheels and transport handle

Tank Size	50L
Motor	2.2kw (3.0HP)
Air displacement	14.6cfm (412L/min)
Free air delivered (FAD)	8.0cfm (227L/min)
Input current	13A
Speed	2850rpm
Maximum pressure	116psi (8bar)
Dimensions	770 x 380 x 740mm
Weight	43kg

Stock No.
29355



SUPPLIED ON PALLET

1 DA50/322TV

50L AIR COMPRESSOR (1.8kW)

- Suitable for workshop and site use
- V-twin-cylinder cast iron pump
- Thermal motor protection overload, on/off pressure switch, pressure regulator and pressure gauge
- Two quick euro coupling outlet
- Wheels and transport handle

Tank Size	50L
Motor	1.8kw (2.5HP)
Air displacement	11.4cfm (322L/min)
Free air delivered (FAD)	4.0cfm (110L/min)
Input current	13A
Speed	2850rpm
Maximum pressure	116psi (8bar)
Dimensions	770 x 360 x 740mm
Weight	36kg

Stock No.
81710



SUPPLIED ON PALLET

2 DA50/207

50L AIR COMPRESSOR (1.5kW)

- Suitable for workshop and site use
- Thermal motor protection overload, on/off pressure switch, pressure regulator and pressure gauge
- Quick euro coupling outlet
- Wheels and transport handle

Tank Size	50L
Motor	1.5kw (2.0HP)
Air displacement	7.3cfm (206L/min)
Free air delivered (FAD)	4.0cfm (113L/min)
Input current	13A
Speed	2850rpm
Maximum pressure	116psi (8bar)
Dimensions	765 x 325 x 705mm
Weight	33kg

Stock No.
24981





3 DA25/169

24L OIL-FREE AIR COMPRESSOR (1.1kW)

Air Receiver CE Approved

- Power and portability • Motor emits no fumes
- Long maintenance free life
- Pressure switch, pressure regulator and pressure gauge
- Quick euro coupling outlet
- Can be transported on its side
- Wheels and transport handle

Tank Size	24L
Motor	1.1kw (1.5HP)
Air displacement	6.0cfm (169L/min)
Free air delivered (FAD)	3.46cfm (98L/min)
Input current	13A
Speed	2850rpm
Maximum pressure	116psi (8bar)
Dimensions	600 x 250 x 600mm
Weight	23kg

Stock No.
24978



4 DA25/207

24L AIR COMPRESSOR (1.5kW)

- Power and portability
- Good volume output for general use
- Thermal motor protection overload, on/off pressure switch, pressure regulator and pressure gauge
- Quick euro coupling outlet
- Wheels and transport handle

Tank Size	24L
Motor	1.5kw (2.0HP)
Air displacement	7.3cfm (206L/min)
Free air delivered (FAD)	4.0cfm (113L/min)
Input current	13A
Speed	2850rpm
Maximum pressure	116psi (8bar)
Dimensions	580 x 250 x 560mm
Weight	24kg

Stock No.
24980



SUPPLIED ON PALLET

5 DA25/412TVT

24L AIR COMPRESSOR (2.2kW)

- Suitable for workshop and site use
- V-twin-cylinder cast iron pump
- Thermal motor protection overload, on/off pressure switch, pressure regulator and pressure gauge
- Quick euro coupling outlet
- Pneumatic tyres and transport handle

Tank Size	24L
Motor	2.2kw (3.0HP)
Air displacement	14.6cfm (412L/min)
Free air delivered (FAD)	8.0cfm (227L/min)
Input current	13A
Speed	2850rpm
Maximum pressure	116psi (8bar)
Dimensions	580 x 450 x 760mm
Weight	37kg

Stock No.
81711



1 DA8/118

8L AIR COMPRESSOR (0.75kW)

- Long maintenance free life
- On/off pressure switch, pressure regulator and pressure gauge
- Quick euro coupling outlet

Tank Size	8L
Motor	0.75kw (1.1HP)
Air displacement	4.2cfm (118L/min)
Free air delivered (FAD)	2.43cfm (69L/min)
Input current	13A
Speed	2850rpm
Maximum pressure	116psi (8bar)
Dimensions	510 x 250 x 50mm
Weight	17kg

Stock No.
24975



2 DA6/169

6L OIL-FREE AIR COMPRESSOR (1.1kW)

Air Receiver CE Approved

- Power and portability
- Motor emits no fumes
- Can be transported on its side
- Long maintenance free life
- Pressure switch, pressure regulator and pressure gauge
- Quick euro coupling outlet

Tank Size	6L
Motor	1.1kw (1.5HP)
Air displacement	6.0cfm (169L/min)
Free air delivered (FAD)	3.46cfm (98L/min)
Input current	13A
Speed	2850rpm
Maximum pressure	116psi (8bar)
Dimensions	485 x 275 x 550xmm
Weight	14kg

Stock No.
24974

NEW



3 DA6/181

6L OIL-FREE AIR COMPRESSOR (1.2kW)

- Telescopic handles and wheels
- Motor emits no fumes
- Long maintenance free life
- Fitted with a pressure switch, tank pressure gauge, air outlet gauge
- Quick euro coupling outlet
- Featuring a handy accessory storage draw
- Supplied complete with a 1.7m approved cable

Tank Size	6L
Motor	1.2kw (1.5HP)
Air displacement	6.5cfm (185L/min)
Free air delivered (FAD)	5.1cfm (145L/min)
Input current	13A
Speed	4000rpm
Maximum pressure	116psi (8bar)
Dimensions	410 x 310 x 540mm
Weight	11.5kg

Stock No.
02116

NEW



4 DA6/180

6L OIL-FREE AIR COMPRESSOR (1.2kW)

- Power and portability
- Motor emits no fumes
- Long maintenance free life
- Pressure switch, pressure regulator and pressure gauge
- Fitted with a pressure switch and air outlet gauge
- Quick euro coupling outlet
- Supplied complete with a 1.7m approved cable

Tank Size	6L
Motor	1.2kw (1.5HP)
Air displacement	6.5cfm (185L/min)
Free air delivered (FAD)	5.1cfm (145L/min)
Input current	13A
Speed	4000rpm
Maximum pressure	116psi (8bar)
Dimensions	320 x 278 x 330mm
Weight	7.7kg

Stock No.
02115



5 DA0/162

OIL-FREE AIR COMPRESSOR (1.1kW)

- Power and portability
- Motor emits no fumes
- Quick euro coupling outlet

Motor	1.1kw (1.5HP)
Air displacement	6.0cfm (162L/min)
Free air delivered (FAD)	3.46cfm (98L/min)
Input current	13A
Speed	2850rpm
Maximum pressure	116psi (8bar)
Dimensions	410 x 240 x 480mm
Weight	12kg

Stock No.
24973



6 DA12/150

PORTABLE AIR COMPRESSOR (12V)

- 12V DC
- Direct driven
- Crocodile clips connect directly to vehicle batteries
- Designed for portable field use
- Anti-settling base panel
- Supplied with On/Off pressure regulator, pressure gauge, crocodile clips, quick euro coupling outlet and 3 piece nozzle adaptors

Air displacement	160L/min
Max. Current	45 Amp
Maximum pressure	150psi
Cylinder Diameter	60mm
Hose Length	5m

Stock No.
66155

1" SQ. DR. IMPACT WRENCHES





1 5208PRO

1" Sq. Dr. TWIN HAMMER LONG NOSE AIR IMPACT WRENCH

• ***Expert Quality***
• Twin hammer • Three speed reversible motor
• Ergonomic soft grip handle • Low noise, low vibration • Composite body
• Reduces operator fatigue and the 'cold sink' effect

Ultimate torque	2441Nm (1800ft/lb)
Free speed	6,000 rpm
Operating air pressure	90psi (6.2bar)
Average air consumption	10cfm (285L/min)
Vibration level	11.32M/S^2
Min. hose size	1/2" (10mm)
Air inlet	1/2" BSP
Weight	7.2kg

Stock No.
22412

2 DAT-AIW1

1" Sq. Dr AIR IMPACT WRENCH

• Pinless hammer • 3-position power regulator in forward and reverse
• Made with heavy duty materials • Removable side handle provides excellent control
• Side exhaust • Ideal for high volume repair work on trucks and other heavy machinery

Ultimate torque	2,200Nm (1,620ft/lb)
Free speed	3,900 rpm
Operating air pressure	90psi (6.2bar)
Average air consumption	40cfm (1,132L/min)
Vibration level	7.029M/S^2
Min. hose size	1/2" (13mm)
Air inlet	1/2" BSP
Weight	12.70kg

Stock No.
84128

3/4" SQ. DR. IMPACT WRENCHES





3 5204PRO

3/4" Sq. Dr. COMPOSITE BODY AIR IMPACT WRENCH

• ***Expert Quality***
• Low noise, low vibration • Composite body
• Reduces operator fatigue and the 'cold sink' effect • Rotating air inlet

Ultimate torque	1627Nm (1200ft/lb)
Free speed	5,500 rpm
Operating air pressure	90psi (6.2bar)
Average air consumption	6cfm (170L/min)
Vibration level	10.2M/S^2
Min. hose size	1/2" (10mm)
Air inlet	3/8" BSP
Weight	3.4kg

Stock No.
48413

4 DAT-AIW34

3/4" Sq. Dr AIR IMPACT WRENCH

• Rocking dog air impact wrench • Adjustable 3-position power in forward position
• Full power in reverse • Ergonomic design with rubber protective grip • Handle exhaust

Ultimate torque	1000Nm (740ft/lb)
Free speed	7,000 rpm
Operating air pressure	90psi (6.2bar)
Average air consumption	6.5cfm (184L/min)
Vibration level	4.35M/S^2
Min. hose size	3/8" I/D
Air inlet	1/4" BSP
Weight	3.0kg

Stock No.
83964

1/2" SQ. DR. IMPACT WRENCHES



1 5201PRO

1/2" Sq. Dr. COMPOSITE BODY AIR IMPACT WRENCH

- *Expert Quality*
- Low noise, low vibration
- Composite body
- Reduces operator fatigue and the 'cold sink' effect
- Rotating air inlet

Ultimate torque	813Nm (600ft/lb)
Free speed	7,000 rpm
Operating air pressure	90psi (6.2bar)
Average air consumption	4.4cfm (125L/min)
Vibration level	2.8M/S^2
Min. hose size	3/8" (10mm)
Air inlet	1/4" BSP
Weight	2.2kg

Stock No.
41096



2 DAT-AIW12

1/2" Sq. Dr AIR IMPACT WRENCH

- Heavy duty hammer mechanism
- Adjustable 3-position power in forward position
- Full power in reverse
- Ergonomic design with rubber protective grip
- Handle exhaust

Ultimate torque	680Nm (500ft/lb)
Free speed	7,000 rpm
Operating air pressure	90psi (6.2bar)
Average air consumption	40cfm (1,132L/min)
Vibration level	4.35M/S^2
Min. hose size	3/8" I/D
Air inlet	1/4" BSP
Weight	2.59kg

Stock No.
83745



3 SFAI12

1/2" Sq. Dr AIR IMPACT WRENCH

- Low noise, low vibration
- Composite body
- Reduces operator fatigue and the 'cold sink' effect

Ultimate torque	340Nm (250ft/lb)
Free speed	7,500 rpm
Operating air pressure	90psi (6.2bar)
Average air consumption	4.0cfm (114L/min)
Vibration level	3.3M/S^2
Min. hose size	3/8" I/D
Air inlet	1/4" BSP
Weight	1.8kgs

Stock No.
65017

3/8" SQ. DR. IMPACT WRENCHES



4 5202PRO

3/8" Sq. Dr. COMPACT COMPOSITE BODY AIR IMPACT WRENCH

- *Expert Quality*
- Low noise, low vibration • Composite body
- Reduces operator fatigue and the 'cold sink' effect
- Rotating air inlet • Compact and lightweight

Ultimate torque	270Nm (200ft/lb)
Free speed	9,000 rpm
Operating air pressure	90psi (6.2bar)
Average air consumption	4cfm (113L/min)
Vibration level	3.9M/S^2
Min. hose size	3/8" (10mm)
Air inlet	1/4" BSP
Weight	1.2kg

Stock No.
43326



5 DAT-BAIW

3/8" Sq. Dr. BUTTERFLY TYPE AIR IMPACT WRENCH

- Single hammer butterfly air impact wrench • Lightweight aluminium housing
- Three speed reversible motor • Built-in regulator varies speed and power
- Swivel air inlet provides easy manoeuvring • Butterfly throttle for easy single hand operating
- Compact size helps with tight spaces • Side exhaust
- Ideal for transmission, body panel, exhaust system and small engine repair

Ultimate torque	102Nm (75ft/lb)
Free speed	10,000 rpm
Operating air pressure	90psi (6.2bar)
Average air consumption	6cfm (170L/min)
Vibration level	2.5M/S^2
Min. hose size	3/8" (10mm)
Air inlet	1/4" BSP
Weight	0.90kg

Stock No.
84120

1/2" SQ. DR. RATCHETS

1/2" SQ.DRIVE DRAPER Expert



1 5295PRO

1/2" Sq. Dr. SOFT GRIP AIR RATCHET

- *Expert Quality*
- Low noise, low vibration
- Forward/reverse
- Rotating air inlet
- Rubber boot around head minimises in use damage

Ultimate torque	68Nm (50ft/lb)
Free speed	200 rpm
Operating air pressure	90psi (6.2bar)
Average air consumption	4cfm (113L/min)
Vibration level	2.6M/S^2
Min. hose size	3/8" (10mm)
Air inlet	1/4" BSP
Weight	1.2kg

Stock No.
41099

1/2" SQ.DRIVE NEW



2 DAT-AIW12

1/2" Sq. Dr AIR RATCHET

- Twin ratchet paws
- Stubby yoke
- Teaser trigger
- 360 degree turnable exhaust deflector
- 4-speed
- Middle exhaust

Ultimate torque	85Nm (60ft/lb)
Free speed	160 rpm
Operating air pressure	90psi (6.2bar)
Average air consumption	4cfm (113L/min)
Vibration level	4.35M/S^2
Min. hose size	3/8" (10mm)
Air inlet	1/4" BSP
Weight	1.22kg

Stock No.
84122

1/2" SQ.DRIVE



3 SFAR12

1/2" Sq. Dr COMPOSITE AIR RATCHET

- Low noise, low vibration
- Forward/reverse
- Composite body
- Reduces operator fatigue and the 'cold sink' effect
- Rotating air inlet

Ultimate torque	90Nm (66ft/lb)
Free speed	160 rpm
Operating air pressure	90psi (6.2bar)
Average air consumption	5cfm (141L/min)
Vibration level	2.6M/S^2
Min. hose size	3/8" (10mm)
Air inlet	1/4" BSP
Weight	1.4kg

Stock No.
65034

3/8" SQ. DR. RATCHETS

3/8" SQ.DRIVE DRAPER Expert



4 5224PRO

3/8" Sq. Dr. SOFT GRIP AIR RATCHET

- *Expert Quality*
- Low noise, low vibration
- Forward/reverse
- Rotating air inlet
- Rubber boot around head minimises in use damage

Ultimate torque	68Nm (50ft/lb)
Free speed	200 rpm
Operating air pressure	90psi (6.2bar)
Average air consumption	4cfm (113L/min)
Vibration level	2.6M/S^2
Min. hose size	3/8" (10mm)
Air inlet	1/4" BSP
Weight	1.2kg

Stock No.
47568

3/8" SQ.DRIVE NEW



5 DAT-AR38

3/8" Sq. Dr AIR RATCHET

- Twin ratchet paws
- Stubby yoke
- Teaser trigger
- 360 degree turnable exhaust deflector
- 4-speed
- Middle exhaust

Ultimate torque	85Nm (60ft/lb)
Free speed	160 rpm
Operating air pressure	90psi (6.2bar)
Average air consumption	4cfm (113L/min)
Vibration level	4.35M/S^2
Min. hose size	3/8" (10mm)
Air inlet	1/4" BSP
Weight	1.22kg

Stock No.
84126

3/8" SQ.DRIVE



6 SFAR38

3/8" Sq. Dr COMPOSITE AIR RATCHET

- Low noise, low vibration
- Forward/reverse
- Composite body
- Reduces operator fatigue and the 'cold sink' effect
- Rotating air inlet

Ultimate torque	90Nm (66ft/lb)
Free speed	160 rpm
Operating air pressure	90psi (6.2bar)
Average air consumption	5cfm (141L/min)
Vibration level	2.6M/S^2
Min. hose size	3/8" (10mm)
Air inlet	1/4" BSP
Weight	1.4kg

Stock No.
65030

3/8" SQ. DR. STUBBY RATCHETS



1 5218PRO

3/8" Sq. Dr. STUBBY COMPOSITE BODY AIR RATCHET

- *Expert Quality*
- Low noise, low vibration
- Silenced motor outlet • Wobble anvil
- Composite body
- Reduces operator fatigue and the 'cold sink' effect
- Forward/reverse
- Rotating air inlet

Ultimate torque	41Nm (30ft/lb)
Free speed	350 rpm
Operating air pressure	90psi (6.2bar)
Average air consumption	4cfm (113L/min)
Vibration level	2.6M/S^2
Min. hose size	3/8" (10mm)
Air inlet	1/4" BSP
Weight	0.4kg

Stock No.
14210



2 SFMAR38

3/8" Sq. Dr STUBBY AIR RATCHET

- Low noise, low vibration
- Forward/reverse
- Rotating air inlet

Ultimate torque	27Nm (20ft/lb)
Free speed	200 rpm
Operating air pressure	90psi (6.2bar)
Average air consumption	4cfm (113L/min)
Vibration level	3.1M/S^2
Min. hose size	3/8" (10mm)
Air inlet	1/4" BSP
Weight	0.51kg

Stock No.
65019



1/4" SQ. DR. STUBBY RATCHETS



3 5219PRO

1/4" Sq. Dr. STUBBY COMPOSITE BODY AIR RATCHET

- *Expert Quality*
- Low noise, low vibration
- Silenced motor outlet
- Composite body
- Reduces operator fatigue and the 'cold sink' effect
- Forward/reverse
- Rotating air inlet

Ultimate torque	41Nm (30ft/lb)
Free speed	350 rpm
Operating air pressure	90psi (6.2bar)
Average air consumption	4cfm (113L/min)
Vibration level	2.6M/S^2
Min. hose size	3/8" (10mm)
Air inlet	1/4" BSP
Weight	0.4kg

Stock No.
14199



4 SFMAR14

1/4" Sq. Dr STUBBY AIR RATCHET

- Low noise, low vibration
- Forward/reverse
- Rotating air inlet

Ultimate torque	27Nm (20ft/lb)
Free speed	230 rpm
Operating air pressure	90psi (6.2bar)
Average air consumption	4cfm (113L/min)
Vibration level	3.1M/S^2
Min. hose size	3/8" (10mm)
Air inlet	1/4" BSP
Weight	0.51kg

Stock No.
65018



13MM KEYLESS AIR DRILLS



1 5277K/PRO

COMPOSITE REVERSIBLE KEYLESS AIR DRILL (13mm)

- *Expert Quality*
- Low noise, low vibration • Composite body
- Reduces operator fatigue and the 'cold sink' effect
- Forward/reverse • Rotating air inlet
- Planetary gear system • Variable speed trigger
- Jacobs keyless chuck

Chuck size	13mm
Free speed	800 rpm
Operating air pressure	90psi (6.2bar)
Average air consumption	5.5cfm (155L/min)
Vibration level	2.5M/S^2
Min. hose size	3/8" (10mm)
Air inlet	1/4" BSP
Weight	1.3kg

Stock No.
14266

NEW



2 DAT-RAD13

REVERSIBLE KEYLESS AIR DRILL (13MM)

- Ergonomic rubber protective grip and auxiliary handle
- Heavy duty full caged gear system for increased tool life
- Forward/reverse • Quick-change keyless chuck
- Rotating air inlet • Handle exhaust

Chuck size	13mm
Free speed	700 rpm
Operating air pressure	90psi (6.2bar)
Average air consumption	8cfm (226L/min)
Vibration level	1.0M/S^2
Min. hose size	3/8" (10mm)
Air inlet	1/4" BSP
Weight	1.63kg

Stock No.
84121

10MM AIR DRILL

NEW



3 DAT-RAD10K

REVERSIBLE AIR DRILL (10MM)

- Ergonomic rubber protective grip and auxiliary handle
- Heavy duty full caged gear system for increased tool life
- Forward/reverse
- Rotating air inlet
- Handle exhaust

Chuck size	10mm
Free speed	2,200 rpm
Operating air pressure	90psi (6.2bar)
Average air consumption	5.5cfm (155L/min)
Vibration level	1.0M/S^2
Min. hose size	3/8" (10mm)
Air inlet	1/4" BSP
Weight	1.48kg

Stock No.
83961

10MM KEYLESS AIR DRILLS



4 5276K/PRO

COMPOSITE KEYLESS REVERSIBLE AIR DRILL (10mm)

- *Expert Quality*
- Low noise, low vibration • Composite body
- Reduces operator fatigue and the 'cold sink' effect
- Forward/reverse • Rotating air inlet
- Planetary gear system • Variable speed trigger
- Jacobs keyless chuck

Chuck size	10mm
Free speed	1800 rpm
Operating air pressure	90psi (6.2bar)
Average air consumption	4cfm (114L/min)
Vibration level	2.5M.S^2
Min. hose size	3/8" (10mm)
Air inlet	1/4" BSP
Weight	1.1kg

Stock No.
14258

NEW



5 DAT-RAD10

REVERSIBLE KEYLESS AIR DRILL (10MM)

- Ergonomic rubber protective grip and auxiliary handle
- Heavy duty full caged gear system for increased tool life
- Forward/reverse • Quick-change keyless chuck
- Rotating air inlet • Handle exhaust

Chuck size	10mm
Free speed	2,200 rpm
Operating air pressure	90psi (6.2bar)
Average air consumption	5.5cfm (155L/min)
Vibration level	1.0M/S^2
Min. hose size	3/8" (10mm)
Air inlet	1/4" BSP
Weight	1.48kg

Stock No.
83811



6 SFRAD

REVERSIBLE KEYLESS AIR DRILL (10mm)

- Low noise, low vibration
- Forward/reverse • Composite body
- Reduces operator fatigue and the 'cold sink' effect
- Planetary gear system • 3/8" keyless chuck

Chuck size	9.5mm
Free speed	1800 rpm
Operating air pressure	90psi (6.2bar)
Average air consumption	4cfm (114L/min)
Vibration level	2.6M/S^2
Min. hose size	3/8" (10mm)
Air inlet	1/4" BSP
Weight	0.92kg

Stock No.
65138

10MM KEYLESS AIR DRILL



1 SFSAD

KEYLESS AIR DRILL (10mm)

- Low noise, low vibration
- Forward/reverse
- Composite body
- Reduces operator fatigue and the 'cold sink' effect
- Planetary gear system
- 3/8" keyless chuck

Chuck range	10mm
Free speed	2,200 rpm
Operating air pressure	90psi (6.2bar)
Average air consumption	5.5cfm (155L/min)
Vibration level	1.0M/S^2
Min. hose size	3/8" (10mm)
Air inlet	1/4" BSP
Weight	1.48kg

Stock No.
65139

EXPERT QUALITY AIR SCREWDRIVERS



2 5240PRO

COMPOSITE AIR SCREWDRIVER

- ***Expert Quality***
- Low noise, low vibration
- Composite body
- Reduces operator fatigue and the 'cold sink' effect
- Forward/reverse
- Silenced motor outlet
- Planetary gear system
- Variable speed trigger

Hexagon drive	1/4"
Free speed	1800r/min
Torque	10-90lb-in (1.13-10.17Nm)
Operating air pressure	90psi (6.2bar)
Average air consumption	4cfm (114L/min)
Minimum hose size	3/8" I.D
Air inlet	1/4" BSP
Weight	1.3kg

Stock No.
14193



3 5241PRO

COMPOSITE IN-LINE AIR SCREWDRIVER


- ***Expert Quality***
- Low noise, low vibration
- Composite body
- Reduces operator fatigue and the 'cold sink' effect
- Forward/reverse
- Silenced motor outlet
- Planetary gear system
- Quick change chuck
- Suspension loop
- Cushion clutch

Hexagon drive	1/4"
Free speed	1800r/min
Torque	10-90lb-in (1.13-10.17Nm)
Operating air pressure	90psi (6.2bar)
Average air consumption	4cfm (114L/min)
Minimum hose size	3/8" I.D
Air inlet	1/4" BSP
Weight	1.2kg

Stock No.
14197

AIR BELT SANDER

NEW



4 DAT-ABS

AIR BELT SANDER (10mm)

- Lightweight aluminium housing • Rear exhaust • Lever throttle for added speed control
- Ergonomic soft grip handle • Easy belt replacement
- Suitable for jobs in narrow spaces and recessed corners
- Supplied with 3 different sanding belts (60, 80, 120 grit)

Contents:

- Air belt sander • 60 Grit Sanding belt • 80 Grit Grit Sanding belt
- 120 Grit Grit Sanding belt • 1/4" BSP airline connector

Overall length	280mm
Belt width	10mm
Belt length	330mm
Free speed	18,000rpm
Operating air pressure	90 psi
Average air consumption	6cfm (170L/min)
Vibration level	4.8M/S^2
Minimum hose size (ID)	3/8" (10mm)
Air inlet	1/4" BSP
Weight	0.78kgs

Stock No.
84123





5 A4262

10 x 330mm ALUMINIUM OXIDE SANDING BELTS

Cloth backed. For use with Draper Compact Belt Sander Stock No. 52605 and other manufacturers similar machines. Sold loose.

Stock No.	Grit Grade
30348	40
30349	60
26931	80
26932	120

DUAL ACTION SANDERS



1 5231PRO

COMPOSITE DUAL ACTION SANDER (150mm)

- *Expert Quality*
- Double action control lever • For use with centralized dust extraction
- Low noise, low vibration • Composite body
- Reduces operator fatigue and the 'cold sink' effect

Pad size	150mm
Free speed	10,000 rpm
Operating air pressure	90psi (6.2bar)
Average air consumption	3cfm (85L/min)
Vibration level	5.6M/S^2
Min. hose size	3/8" (10mm)
Air inlet	1/4" BSP
Weight	1kg

Stock No.
47622

NEW



2 DAT-DAS

DUAL ACTION SANDER (150mm)

- Ergonomic design with rubber protective grip
- Dual action pad motion creates swirl-free finishes • Keyless pad release mechanism
- Down exhaust directs air away from workpieces • Lightweight aluminium housing

Pad size	150mm
Free speed	10,000 rpm
Operating air pressure	90psi (6.2bar)
Average air consumption	5cfm (141L/min)
Vibration level	1.5M/S^2
Min. hose size	3/8" (10mm)
Air inlet	1/4" BSP
Weight	1.83kg

Stock No.
83942

NEW







3 5235-PRO

COMPOSITE DUAL ACTION OIL-FREE AIR SANDER (150mm)

- *Expert Quality*
- Standard pattern six hole hook and loop base plate
- For use with centralized dust extraction
- Low noise, low vibration
- Composite body
- Reduces operator fatigue and the 'cold sink' effect

Pad size	150mm
Free speed	12,000 rpm
Operating air pressure	90psi (6.2bar)
Average air consumption	2cfm (56.6L/min)
Vibration level	1.56M/S^2
Min. hose size	3/8" (10mm)
Air inlet	1/4" BSP
Weight	0.7kg

Stock No.
22415

4 DAT-APS

DUAL ACTION AIR SANDER (150mm)

- Orbital and rotary action
- Lightweight aluminium housing
- Ergonomic design for one-hand operation
- 2-in-1 central and non-vacuum design
- Rear exhaust

Pad size	150mm
Free speed	10,000 rpm
Operating air pressure	90psi (6.2bar)
Average air consumption	4.5cfm (127L/min)
Vibration level	8.5M/S^2
Min. hose size	3/8" (10mm)
Air inlet	1/4" BSP
Weight	1.11kg

Stock No.
84125

5 SFAS150

DUAL ACTION AIR SANDER (150mm)

- Low noise, low vibration
- High speed mechanism
- Composite body
- Reduces operator fatigue and the 'cold sink' effect
- For use with a centralized dust extraction

Pad size	150mm
Free speed	10,500 rpm
Operating air pressure	90psi (6.2bar)
Average air consumption	3cfm (87L/min)
Vibration level	6.3M/S^2
Min. hose size	3/8" (10mm)
Air inlet	1/4" BSP
Weight	0.88kg

Stock No.
65084



1 5229PRO

COMPACT DUAL ACTION AIR SANDER KIT (50/75mm)

• ***Expert Quality*** • 5mm Orbit diameter • Dual action
• Rotary action • Lightweight aluminium housing
• Ergonomic soft grip\handle
• Stored in a convenient heavy duty storage case
Contents:
• Sander • 50mm backing pad • 75mm backing pad
• 30 x 50mm assorted grit hook and loop sanding discs
• 30 x 75mm assorted grit hook and loop sanding discs
• Spindle lock pin

Pad size	50 and 75mm
Free speed	15,000 rpm
Operating air pressure	90psi (6.2bar)
Average air consumption	4.0cfm (113L/min)
Vibration level	2.5M/S^2
Min. hose size	3/8" (10mm)
Air inlet	1/4" BSP
Weight	0.6kg

Stock No.
47617





2

ALUMINIUM OXIDE SANDING DISCS

50 and 75mm, for use with the Draper Compact Dual Action Soft Grip Air Sander Kit Stock No. 47617.
Packed 10 sheets per pack.
Order number of packs required. (10 sheets per pack)

Stock No.	Part No.	Diameter	Grit Grade
48201	AAT04	50mm	320
48202	AAT05	50mm	400
48203	AAT06	50mm	600
48205	AAT07	75mm	320
48206	AAT08	75mm	400
48207	AAT09	75mm	600

3 SFAS50

MINI AIR SANDER (50mm)

• Low noise, low vibration
• High speed mechanism
• Variable speed motor
• Rotating air inlet
• Hook and loop pads

Pad size	50mm
Free speed	15,000 rpm
Operating air pressure	90psi (6.2bar)
Average air consumption	3cfm (87L/min)
Vibration level	4.5M/S^2
Min. hose size	3/8" (10mm)
Air inlet	1/4" BSP
Weight	0.62kg

Stock No.
65059



4 SFAS75

COMPACT AIR SANDER (50/75mm)

• Low noise, low vibration
• High speed mechanism
• Twin speed motor
• For use with a centralized dust extraction

Pad size	75mm
Free speed	16,000 rpm
Operating air pressure	90psi (6.2bar)
Average air consumption	4cfm (113L/min)
Vibration level	3.4M/S^2
Min. hose size	3/8" (10mm)
Air inlet	1/4" BSP
Weight	0.66kg

Stock No.	Description
65069	Air Sander
66499	50mm Backing Pad
75165	75mm Backing Pad

SUITABLE FOR USE WITH STORMFORCE SANDER STOCK No. 65069



5 SCP3

POLYCARBIDE ABRASIVE PADS

Packs of 10, superior abrasive pads. Perfect for surface preparation in metal fabrication and automotive refinishing workshops. Fitted with a quick change plastic screw on the back. Suitable for use on Draper Storm Force® compact sander 65069 and other manufacturers similar air tools. Every pad delivers a long life and fast effective cutting, saving both time and money.
Display packed.
Order number of packs required. (10 discs per pack)

Stock No.	Size	Grit
75622	50mm	Fine
75626	75mm	Fine
75623	50mm	Medium
75627	75mm	Medium
75625	50mm	Course
75628	75mm	Course



6 SD2AB

ALUMINIUM OXIDE SANDING DISCS

• Superior fast cutting abrasive
• Suitable for use on Draper Storm Force® compact sander 65069 and other manufacturers similar air tools
• For most 50mm bench type or air tool sanders
• Ten discs per pack
Order number of packs required. (10 discs per pack)

Stock No.	Size	Grit
75610	50mm	80
75616	75mm	80
75611	50mm	120
75617	75mm	120
75612	50mm	180
75618	75mm	180
75613	50mm	240
75619	75mm	240
75614	50mm	320
75620	75mm	320
75615	50mm	Assorted
75621	75mm	Assorted

AIR CUT-OFF TOOLS





NEW

1 5226PRO

REVERSIBLE AIR CUT-OFF TOOL (75mm)

Manufactured to EN 12413 Specifications

- *Expert Quality*
- Low noise, low vibration • Lightweight housing
- Reversible mechanism • Variable speed motor
- Rotating air inlet • Steel throttle lever

Cutting wheel diameter	75mm
Free speed	18,000 rpm
Operating air pressure	90psi (6.2bar)
Average air consumption	4cfm (113L/min)
Vibration level	2.5m/s2
Min. hose size	3/8" (10mm)
Air inlet	1/4" BSP
Weight	0.9kg

Stock No.	Part No.	Description
47569	5226PRO	Cut-Off Tool
26825	CWMF2C	75 x 10mm C/Wheel

2 DAT-ACT

AIR CUT-OFF TOOL (75mm)

- Composite housing with compact design
- Rear exhaust • Variable speed
- Lightweight aluminium housing • 360° rotating guard
- Safety trigger prevents accidental starts
- Adjustable 4-speed regulator • 360° rotating air inlet

Cutting wheel diameter	75mm
Free speed	20,000 rpm
Operating air pressure	90psi (6.2bar)
Average air consumption	5cfm (141L/min)
Vibration level	2.38m/s2
Min. hose size	3/8" (10mm)
Air inlet	1/4" BSP
Weight	0.84kg

Stock No.	Part No.	Description
84124	DAT-ACT	Cut-off Tool
26825	CWMF2C	75 x 10mm Wheel

AIR ANGLE GRINDERS





NEW

3 5228PRO

COMPOSITE AIR ANGLE GRINDER (115mm)

- *Expert Quality*
- Low noise, low vibration • Composite body
- Reduces operator fatigue and the 'cold sink' effect
- High strength, alloy, gear housing • Steel throttle lever
- Rear exhaust • 9 position wheel guard
- Spindle lock for easy disc change

Disc size	115mm
Free speed	12,000 rpm
Operating air pressure	90psi (6.2bar)
Average air consumption	4.0cfm (114L/min)
Vibration level	2.5M/S^2
Min. hose size	3/8" (10mm)
Air inlet	1/4" BSP
Weight	2kg

Stock No.
47572

4 DAT-AAG

AIR ANGLE GRINDER (100mm)

- Safety lever trigger • Adjustable built-in regulator
- Auxiliary side handle • Governor mechanism
- Hardened steel bevelled gears • Top exhaust
- Low noise, low vibration • Lightweight aluminium body

Disc size	100mm
Free speed	11,000 rpm
Operating air pressure	90psi (6.2bar)
Average air consumption	6.5cfm (184L/min)
Vibration level	2.43M/S^2
Min. hose size	3/8" (10mm)
Air inlet	1/4" BSP
Weight	1.67kg

Stock No.	Part No.	Description
83953	DAT-AAG	Angle Grinder
27940	A4207P	Backing Pad

50MM AIR ANGLE GRINDER KIT





5 5225PRO

COMPACT AIR ANGLE GRINDER KIT (50mm)

- *Expert Quality*
- Low noise, low vibration
- Variable speed
- Lightweight body
- Steel throttle lever
- Side exhaust
- Alloy motor and gear housings
- Supplied with four grinding wheels

Disc size	50mm
Free speed	20,000 rpm
Operating air pressure	90psi (6.2bar)
Average air consumption	4.0cfm (114L/min)
Vibration level	2.5m/s2
Min. hose size	3/8" (10mm)
Air inlet	1/4" BSP
Weight	0.75kg

Stock No.
47570



6

DEPRESSED CENTRE METAL GRINDING WHEELS (50mm)

Resinoid bonded aluminium oxide, maximum working speed 50m/sec. For use with the Compact Air Angle Grinder Kit Stock No. 47570. Sold loose.

Stock No.	Part No.	Grade
48208	AAT10	A60-Q-BF
48209	AAT11	A80-Q-BF
48210	AAT12	A120-Q-BF

DIE GRINDERS



1 5221PRO

COMPACT AIR DIE GRINDER (6mm)

- *Expert Quality*
- Low noise, low vibration • Lightweight housing
- Variable speed motor • Rotating air inlet
- Alloy motor and gear housings • Steel throttle lever
- Variable speed adjustment • Low noise motor outlet

Collet size	6mm
Free speed	25,000 rpm
Operating air pressure	90psi (6.2bar)
Average air consumption	4.0cfm (113L/min)
Vibration level	2.6M/S^2
Min. hose size	3/8" (10mm)
Air inlet	1/4" BSP
Weight	0.57kg

Stock No.
47565



2 5222PRO

DIE GRINDER (6mm)

- *Expert Quality*
- Low noise, low vibration • Lightweight housing
- Variable speed motor • Rotating air inlet
- Alloy motor and gear housings • Steel throttle lever
- Variable speed adjustment • Low noise motor outlet

Collet size	6mm
Free speed	20,000 rpm
Operating air pressure	90psi (6.2bar)
Average air consumption	4.0cfm (113L/min)
Vibration level	2.6M/S^2
Min. hose size	3/8" (10mm)
Air inlet	1/4" BSP
Weight	0.7kg

Stock No.
47566



3 SFAG

MINI AIR DIE GRINDER (6mm)

- Low noise, low vibration
- Variable speed • Composite body
- Reduces operator fatigue and the 'cold sink' effect
- Rotating air inlet
- Supplied with two open ended collet wrenches

Collet size	6mm
Free speed	25,000 rpm
Operating air pressure	90psi (6.2bar)
Average air consumption	7cfm (198L/min)
Vibration level	0.9M/S^2
Min. hose size	3/8" (10mm)
Air inlet	1/4" BSP
Weight	0.35kg

Stock No.
65130

ANGLED DIE GRINDERS



4 5220PRO

115° COMPACT AIR DIE GRINDER (6mm)

- *Expert Quality*
- Low noise, low vibration • Lightweight housing
- Variable speed motor • Rotating air inlet
- Alloy motor and gear housings • Steel throttle lever
- Variable speed adjustment • Low noise motor outlet

Collet size	6mm
Free speed	20,000 rpm
Operating air pressure	90psi (6.2bar)
Average air consumption	4.0cfm (113L/min)
Vibration level	2.6M/S^2
Min. hose size	3/8" (10mm)
Air inlet	1/4" BSP
Weight	0.64kg

Stock No.
47564

NEW



5 DAT-ADG

90° AIR DIE GRINDER (6mm)

- Low noise, low vibration • Variable speed
- Lightweight aluminium body • Lever block trigger
- Rear exhaust • 4-speed rear regulator

Collet size	6mm
Free speed	20,000 rpm
Operating air pressure	90psi (6.2bar)
Average air consumption	4.0cfm (113L/min)
Vibration level	2.9M/S^2
Min. hose size	3/8" (10mm)
Air inlet	1/4" BSP
Weight	0.53kg

Stock No.	Part No.	Description
83769	DAT-ADG	Die Grinder
27941	A4217K	6mm Collet
27942	A4217K	3mm Collet
21831	Y4217	1/8" Collet



6 SFAG90

90° MINI AIR DIE GRINDER (6mm)

- Low noise, low vibration
- Variable speed • Composite body
- Reduces operator fatigue and the 'cold sink' effect
- Rotating air inlet
- Supplied with two open ended collet wrenches

Collet size	6mm
Free speed	20,000 rpm
Operating air pressure	90psi (6.2bar)
Average air consumption	7cfm (198L/min)
Vibration level	1.4M/S^2
Min. hose size	3/8" (10mm)
Air inlet	1/4" BSP
Weight	0.55kg

Stock No.
65137

LONG NOSE DIE GRINDER





1 SFAG25

1" LONG NOSE DIE GRINDER (6mm)

- Low noise, low vibration
- Variable speed
- Composite body
- Reduces operator fatigue and the 'cold sink' effect
- Rotating air inlet
- Supplied with two open ended collet wrenches

Collet size	6mm
Free speed	20,000 rpm
Operating air pressure	90psi (6.2bar)
Average air consumption	7cfm (198L/min)
Vibration level	1.1M/S^2
Min. hose size	3/8" (10mm)
Air inlet	1/4" BSP
Weight	0.50kg

Stock No.
65132

COMPACT SOFT GRIP AIR POLISHER KIT

Ideal for polishing small areas, essential for minor paint defect restoration.





2 5230PRO

COMPACT AIR POLISHER KIT (75mm)

- ***Expert Quality*** • Lightweight aluminium housing
- Ergonomic soft grip handle • Stored in a convenient heavy duty storage case

Contents:

- Polisher • 75mm polishing bonnet • 2 off 85 x 30mm foam compounding pads
- 75mm backing pad • spindle lock spanner

Pad size	75mm
Free speed	2500 rpm
Operating air pressure	90psi (6.2bar)
Average air consumption	4.0cfm (113L/min)
Vibration level	2.5M/S^2
Min. hose size	3/8" (10mm)
Air inlet	1/4" BSP
Weight	0.6kg

Stock No.
47616



3 AAT03

LAMBSWOOL POLISHING BONNET (75mm)

For use with the Draper Compact Soft Grip Air Polisher Kit Stock No.47616. Hook and loop fixing. Sold loose.

Stock No.
48200



4

POLISHING SPONGES (90mm)

For use with the Draper Compact Soft Grip Air Polisher Kit Stock No.47616. Hook and loop fixing. Sold loose.

Stock No.	Part No.	Description
48198	AAT01	White-fine
48199	AAT02	Yellow-coarse

NEW





Supplied with 5 chisels





Supplied with 4 chisels

1 DAT-AHK

AIR HAMMER KIT (6 PIECE)

- Comprising a range of accessories including a tapered punch chisel, spot weld chisel, sheet metal trimmer chisel, straight chisel and panel cutter chisel.
- Manufactured from lightweight aluminium housing
- Ergonomic soft grip handle
- Fitted with a 1/4" BSP airline connector

Contents:

- 190mm Air hammer • Coil spring retainer
- Airline connector 1/4" BSP (PCL Style)
- Tapered punch chisel • Spot weld chisel
- Sheet metal trimmer chisel • Straight chisel
- Panel cutter chisel

Blows Per Minute	3,000bpm
Stroke Length	66mm
Chisel Shank	10mm
Operating air pressure	90psi (6.2bar)
Average air consumption	4.5cfm (127L/min)
Vibration level	10.6M/S^2
Min. hose size	3/8" (10mm)
Air inlet	1/4" BSP
Weight	1.97kg

Stock No.
83738

2 SFAH4

AIR HAMMER KIT (5 PIECE)

- Composite body
- Reduces operator fatigue and the 'cold sink' effect
- Powerful blows per minute ratio
- Stored in a convenient heavy duty storage case


Contents:

- Air hammer
- 4 chisels
- Chisel retaining spring
- Mini oiler
- 1/4" BSP nipple

Blows Per Minute	4,500bpm
Stroke Length	43mm
Chisel Shank	10mm
Operating air pressure	90psi (6.2bar)
Average air consumption	4.5cfm (127L/min)
Vibration level	20M/S^2
Min. hose size	3/8" (10mm)
Air inlet	1/4" BSP
Weight	1.10kg

Stock No.
65142

NEW



3 YDAT-AHK-12

CHISEL RETAINING SPRING

For use with air hammers. Display packed.

Stock No.
00092



57800
57801
57802
57803
57804
59083

4

AIR CHISEL ATTACHMENTS

For use with Stock Nos.65142 and 83738 as well as other manufacturers similar air hammers. Shank 10mm. All chisels must be used with a chisel retaining spring, Stock No. 00092. Display packed.

Stock No.	Description
57800	Tailpipe Cutter Chisel
57801	Spot Weld Breaker Chisel
57802	Taper Punch
57803	Ripping Chisel
57804	Panel Cutting Chisel
59083	Metal Flanging Attachment



5 DAT-ANS

NEEDLE SCALER

NEW

- Low noise, low vibration
- Lightweight aluminium housing
- 19 Needles
- Front exhaust

Blows per minute	4,500bpm
Stroke length	24mm
Needle size	3mm x 180mm
Operating air pressure	90psi (6.2bar)
Average air consumption	4cfm (113L/min)
Vibration level	9.4M/S^2
Min. hose size	3/8" (10mm)
Air inlet	1/4" BSP
Weight	1.95kg

Stock No.
84131





NEW

1 DAT-ASH
AIR SHEARS
• Low noise, low vibration • Lightweight aluminium housing
• Cuts aluminium
• Cuts plastics • Cuts 1.2mm Steel and Tin
• Handle exhaust

Cutting capacity (mild steel)	18 Gauge (1.2mm)
Strokes per minute	3,200spm
Operating air pressure	90psi (6.3bar)
Average air consumption	5.5cfm(1,132L/min)
Vibration level	4.3m/s2
Min. hose size	3/8" (10mm)
Air inlet	1/4" BSP
Weight	1.28kg

Stock No.
84130



2 ABSSG
AIR BODY SAW
• ***Expert Quality***
• Lightweight housing
• Supplied with two blades and two hexagon wrenches

Cutting capacity (mild steel)	12 Gauge (1.2mm)
Strokes per minute	9,000spm
Operating air pressure	90psi (6.3bar)
Average air consumption	8.0cfm (230L/min)
Vibration level	25.2M/S^2
Min. hose size	3/8" (10mm)
Air inlet	1/4" BSP
Weight	0.7kg

Stock No.
22414



3 A4275A
SPARE 32 TPI BODY SAW BLADES
Spare blades for air body saws and other manufacturers similar machines.
Three blades per card.
Order number of cards required. (3 blades per card)

Stock No.
52283



4 4417
HEAVY DUTY AIR RIVETER
• 6mm capacity
• Balanced for easy operation
• Comfortable trigger operation

Riveting capacity	2.4, 3.2, 4.0, 4.8, 6.4mm
Traction power	4200lbs/1890kgs
Operating air pressure	60 - 100psi (4.1 - 7bar)
Average air consumption	4.0cfm (115L/min)
Min. hose size	3/8" (10mm)
Air inlet	1/4" BSP
Weight	2kg

Stock No.
61429





5 4296K
AIR RIVETER KIT
• 6mm capacity
• Balanced for easy operation
• Comfortable trigger operation
• For aluminium alloy rivets only
• Stored in a convenient heavy duty storage case
Contents:
• riveting gun • 4 nozzles: 2.4, 3.2, 4.0 and 4.8mm • spare jaw set • rubber exhaust tailpipe
• two spanners • 5mm hexagon key • swivel connector with 1/4" BSP thread • oil pot

Riveting capacity	2.4, 3.2, 4.0 and 4.8m
Traction power	998kgs
Operating air pressure	60 - 90psi (4.1 - 6.2bar)
Average air consumption	4.0cfm (115L/min)
Vibration level	2.5M/S^2
Min. hose size	3/8" (10mm)
Air inlet	1/4" BSP
Weight	1.6kg

Stock No.
33746

"PAUL SAYS" QUALITY ASSURANCE MAKES THE DIFFERENCE




When operating staplers and nailers it is essential that operators wear proper protective equipment such as gloves and goggles.

See our PPE (Personal Protective Equipment) Section 17 for the complete range.





HEAVY DUTY NAILS



1

BRAD NAILS

For use with Draper Nailers and Combination Nailer/Staplers and other manufacturers similar machines. Sold in boxes of 5000.

Stock No.	Part No.	Length
59822	AAN10	10mm
59823	AAN15	15mm
59824	AAN20	20mm
59825	AAN25	25mm
59826	AAN30	30mm
59827	AAN32	32mm
59828	AAN35	35mm
59829	AAN38	38mm
59830	AAN40	40mm
59831	AAN45	45mm
59832	AAN50	50mm



2 AN15-50

AIR NAILER KIT (15-50mm)

• For continuous production environments • Balanced for easy operation
• Stored in a convenient heavy duty storage case

Contents:

• nailer • 1000 x 50mm long nails • safety goggles • oil pot
• "quick release" coupling adaptor • 2 x hexagon keys

Nail size	15-50mm, Head 2mm, Gauge 18
Shank size	Width 1.26mm, Thickness 1.05mm
Operating air pressure	60 - 100psi
Average air consumption	0.26cfm (0.75L/min)
Min. hose size	3/8" (10mm)
Air inlet	1/4" BSP
Weight	1.35kg

Stock No.
57563



3 SFANK2050

AIR NAILER (10-50mm)

• Quality cast aluminium housing • Attached with a nail holder and soft grip handle
• Fitted with a safety bump mechanism • Safety latch mechanism
• Stored in a convenient heavy duty storage case

Nail size	10-50mm, Head 2mm, Gauge 18
Shank size	Width 1.25mm, Thickness 1.05mm
Operating air pressure	75 - 100psi
Average air consumption	0.26cfm (0.75L/min)
Min. hose size	3/8" (10mm)
Air inlet	1/4" BSP
Weight	1.4kg

Stock No.
14607



1 SFACK1550


AIR NAILER/STAPLER (10-50mm)

- Quality cast aluminium housing • Attached with a nail holder and soft grip handle
- Fitted with a safety bump mechanism • Safety latch mechanism
- Stored in a convenient heavy duty storage case

Nail size	10-50mm, Head 2mm, Gauge 18
Staple size	12-40mm, Crown 5.7mm, Gauge 18
Operating air pressure	75 - 100psi
Average air consumption	0.28cfm (0.8L/min)
Vibration level	2.8M/S^2
Min. hose size	3/8" (10mm)
Air inlet	1/4" BSP
Weight	1.45kg

Stock No.
14609

HEAVY DUTY STAPLES



2 SFS

STAPLES

For use with Draper staplers and other manufacturers similar machines.

Order number of boxes required. (see table)

Stock No.	Length	Crown	Gauge	Quantity
59833	8mm	5.1mm	20	10,000
59834	10mm	5.1mm	20	10,000
59835	13mm	5.1mm	20	5000
17551	16mm	5.7mm	18	2500
59836	16mm	5.1mm	20	5000
59837	19mm	5.1mm	20	5000
59838	22mm	5.1mm	20	5000
17552	25mm	5.7mm	18	2500
59839	25mm	5.1mm	20	5000
17553	32mm	5.7mm	18	2500
17554	35mm	5.7mm	18	2500
17555	38mm	5.7mm	18	2500



3 AS8-25

AIR STAPLER KIT (8-25mm)

- For continuous production environments • Balanced for easy operation
- Stored in a convenient heavy duty storage case

Contents:

- stapler • 1000 x 25mm long staples • safety goggles • oil pot
- "quick release" coupling adaptor • 2 x hexagon keys

Staple size	8-25mm, Crown 5.1mm, Width 1.2, Thickness 0.6
Shank size	Width 1.26mm, Thickness 1.05mm
Average air consumption	0.24cfm (0.7L/min)
Operating air pressure	60 - 100psi
Min. hose size	3/8" (10mm)
Air inlet	1/4" BSP
Weight	1.2kg

Stock No.
57555



4 SFASK1025

AIR STAPLER (12-25mm)

- Quality cast aluminium housing • Attached with a nail holder and soft grip handle
- Fitted with a safety bump mechanism • Safety latch mechanism
- Stored in a convenient heavy duty storage case

Staple size	12-25mm, Crown 5.7mm, Gauge 18
Shank size	Width 1.25mm, Thickness 1.05mm
Operating air pressure	60 - 100psi
Average air consumption	0.24cfm (0.7L/min)
Min. hose size	3/8" (10mm)
Air inlet	1/4" BSP
Weight	1.23kg

Stock No.
14608

1 DAT-ATK

AIR TOOL KIT (50 PIECE)

3/8" SQ.DRIVE 1/2" SQ.DRIVE

NEW

- An indispensable air tool kit
- Designed to provide essentials required for the workshop
- Included in the kit is a 1/2" impact wrench, 3/8" air ratchet, air hammer, air die grinder and blow gun
- Supplied with a host of specialist accessories
- Air tools manufactured with a lightweight aluminium housing attached to ergonomic soft grip handles
- All stored in a convenient blow mould storage case

Contents:

- 1/2" heavy duty air impact wrench
- 3/8" air ratchet
- 150mm air hammer
- 1/4" die grinder
- Air blow gun
- 50psi air pressure gauge
- 1/2" x 200mm extension bar
- 1/2" to 3/8" adaptor
- 6 x Impact sockets; 11, 13, 14, 17, 22, 25mm
- 10 x 25mm screwdriver bit - 1/4" / 6.35mm shank
- 2 x Needle valve adaptors
- 2 x Chisels
- 2 x Hand wrenches
- 5 x Male plugs
- 5 x Grinding stones
- Air hammer spring retainer
- Bit holder
- Female plug
- Dual air chuck
- Bit base
- Tapered nozzle
- Safety nozzle
- Rubber nozzle
- PTFE tape
- Oil pot

Stock No.
84129



2 SFATK/68

AIR TOOL KIT (68 PIECE)

3/8" SQ.DRIVE 1/2" SQ.DRIVE

- Indispensable air tool kit
- Designed to provide all the essentials for the workshop
- Includeds a 1/2" inch impact wrench, 3/8" inch air ratchet, air chisel, die grinder and two blow guns along with a host of specialist accessories
- Stored in a convenient heavy duty storage case

Contents:

- 1/2" Impact wrench
- 3/8" Air ratchet
- Air chisel
- Air die grinder
- Air blow gun
- Air duster
- 8 x impact sockets: 12, 13, 17, 19mm, 1/2, 9/16, 5/8, 11/16"
- 10 x grinding stones
- 4 x 125mm round shank chisels
- 5 x 1" sanding drum • 5 x 3/4" sanding drum
- 4mm hex key
- Swivel connector • 1/4" quick coupler
- 1/2, 3" long drive extension bar
- 2 x hand wrench • Mini oiler
- Female and male hose connector
- Both ends male hose connector
- 3/8"(F) - 1/2"(M) socket adaptor
- 1/8" collet • 1/4" collet
- Male connector • Inflating nozzle • High pressure nozzle
- Air hammer spring retainer
- Bit holder
- 7 x female plug
- Dual air chuck
- Tapered nozzle • Safety nozzle • Rubber nozzle
- PTFE tape
- Oil pot

Stock No.
83431



1/2" SQ.DRIVE NEW



1 DAT-AIWK

1/2" Sq. Dr AIR IMPACT WRENCH KIT (14 PIECE)

- Twin hammer air impact wrench
- Lightweight aluminium housing
- Ergonomic soft grip handle
- Three speed reversible motor
- Stored in a convenient heavy duty storage case

Contents:

- 1/2" impact wrench • 1/2" x 200mm extension bar
- Mini oiler • Airline connector
- 4mm hex key • Oil pot
- 8 x Impact sockets; 10, 11, 13, 14, 17, 19, 22 and 24mm

Ultimate torque	680Nm (500ft/lb)
Free speed	7,000 rpm
Operating air pressure	90psi (6.2bar)
Average air consumption	6.5cfm (184L/min)
Vibration level	4.35M/S^2
Min. hose size	3/8" I/D
Air inlet	1/4" BSP
Weight	2.59kg

Stock No.
83985

1/2" SQ.DRIVE



1/2" SQ.DRIVE



2 SFAI12/16

COMPOSITE 1/2" Sq. Dr. AIR IMPACT WRENCH KIT (16 PIECE)

- Composite body
- Reduces operator fatigue and the 'cold sink' effect
- Stored in a convenient heavy duty storage case

Contents:

- 1/2" Impact Wrench • 1/2" x 200mm extension bar
- Mini oiler • Airline connector
- 4mm hex key • Mini oiler • Oil pot
- 10 x sockets - 9, 10, 11, 13, 14, 17, 19, 22, 24, 27mm

Ultimate torque	340Nm (250ft/lb)
Free speed	7,500 rpm
Operating air pressure	90psi (6.2bar)
Average air consumption	4.0cfm (114L/min)
Vibration level	3.3M/S^2
Min. hose size	3/8" I/D
Air inlet	1/4" BSP
Weight	1.8kgs

Stock No.
83422

3 SFAI12/16

COMPOSITE 1/2" AIR RATCHET AND IMPACT WRENCH KIT (17 PIECE)

- Composite body
- Reduces operator fatigue and the 'cold sink' effect
- Wrench fitted with a rotating air inlet
- Stored in a convenient heavy duty storage case

Contents:

- 1/2" Impact Wrench
- 1/2" Air Ratchet
- 10 x sockets - 9, 10, 11, 13, 14, 17, 19, 22, 24, 27mm,
- 2 x airline coupling adaptors
- Oil pot
- Mini oiler
- 4mm hex key

air impact wrench	
Ultimate torque	340Nm (250ft/lb)
Free speed	7,500 rpm
Operating air pressure	90psi (6.2bar)
Average air consumption	4.0cfm (114L/min)
Vibration level	3.3M/S^2
Min. hose size	3/8" I/D
Air inlet	1/4" BSP
Weight	1.8kgs
air ratchet	
Ultimate torque	90Nm (66ft/lb)
Free speed	160 rpm
Operating air pressure	90psi (6.2bar)
Average air consumption	5cfm (142L/min)
Vibration level	2.6M/S^2
Min. hose size	3/8" (10mm)
Air inlet	1/4" BSP
Weight	1.kg

Stock No.
83423

1/2" SQ.DRIVE



1 SFAR12/16

COMPOSITE 1/2" Sq. Dr. AIR RATCHET KIT

• Composite body • Reduces operator fatigue and the 'cold sink' effect
• Wrench fitted with a rotating air inlet • Stored in a convenient heavy duty storage case
Contents:
• 1/2" Air ratchet • 7 x Sockets - 9, 10, 11, 13, 14, 17, 19mm • 75mm Extension bar
• Universal joint • Airline connector • 2 x 30mm PH bits • Bit holder

Ultimate torque	90Nm (66ft/lb)
Free speed	160 rpm
Operating air pressure	90psi (6.2bar)
Average air consumption	5cfm (142L/min)
Vibration level	2.6M/S^2
Min. hose size	3/8" (10mm)
Air inlet	1/4" BSP
Weight	1.kg

Stock No.
83427

3/8" SQ.DRIVE



2 SFAR38/16

COMPOSITE 3/8" Sq. Dr. AIR RATCHET KIT

• Composite body • Reduces operator fatigue and the 'cold sink' effect
• Wrench fitted with a rotating air inlet • Stored in a convenient heavy duty storage case
Contents:
• 3/8" Air ratchet • 7 x Sockets - 9, 10, 11, 13, 14, 17, 19mm • 75mm Extension bar
• Universal joint • Airline connector • 2 x 30mm PH bits • Bit holder

Ultimate torque	90Nm (66ft/lb)
Free speed	160 rpm
Operating air pressure	90psi (6.2bar)
Average air consumption	5cfm (142L/min)
Vibration level	2.6M/S^2
Min. hose size	3/8" (10mm)
Air inlet	1/4" BSP
Weight	1.kg

Stock No.
83426

NEW



3 DAT-AGK

AIR DIE GRINDER KIT (15 PIECE)

• Low noise, low vibration • Adjustable 4-speed rear regulator • Variable speed
• Lightweight aluminium body • Lever block trigger • Rotating air inlet
• Adjustable exhaust deflector • Stored in a convenient heavy duty storage case
Contents:
• Die grinder • 3mm collet • 1/4" BSP air line connector • 2 x open ended collet wrenches
• 5 x 3mm (1/8") shank grinding stones • 5 x 6mm (1/4") shank grinding stones

Collet size	6mm
Free speed	25,000 rpm
Operating air pressure	90psi (6.2bar)
Average air consumption	4.0cfm (113L/min)
Vibration level	2.9M/S^2
Min. hose size	3/8" (10mm)
Air inlet	1/4" BSP
Weight	0.39kg

Stock No.	Description
83736	Die Grinder Kit
27942	3mm Collet
27941	6mm Collet
21831	1/8" Collet



4 SFAG/15

MINI AIR GRINDER KIT (15 PIECE)

• Compact with rotating air inlet • Made with an alloy motor and gear housings
• Variable speed adjustment • Stored in a convenient heavy duty storage case
Contents:
• Die grinder • 3mm collet • 1/4" BSP air line connector • 2 x open ended collet wrenches
• 5 x 3mm (1/8") shank grinding stones • 5 x 6mm (1/4") shank grinding stones

Collet size	6mm
Free speed	22,000 rpm
Operating air pressure	90psi (6.2bar)
Average air consumption	7cfm (198L/min)
Vibration level	0.9M/S^2
Min. hose size	3/8" (10mm)
Air inlet	1/4" BSP
Weight	0.58kg

Stock No.
83429



1 4227A

AIR BLOW GUN

Suitable for cleaning liquid, swarf or dust during manufacture or assembly. Supplied with two nozzles - standard (single hole) and pepperpot (multi-hole). 1/4" BSP air inlet. Display packed.

Stock No.
82701



2 DG10

AIR BLOW GUN

Suitable for cleaning liquid, swarf or dust during manufacture or assembly. Aluminium body with trigger and single hole nozzle. 1/4" BSP air inlet. Maximum operating pressure 30psi (2bar). Display packed.

Stock No.
43134





"DAVE SAYS" QUALITY MAKES THE DIFFERENCE

The high efficiency 'Venturi' system multiplies the air output by drawing air through its unique side ports. This provides greater efficiency at lower pressure helping deliver lower operating costs. The 'Venturi' system also offers a unique safety feature; if the end is blocked the excess air bleeds out of the 'Venturi' ensuring the output pressure stays below 30 PSI.



3 ABG1

AIR BLOW GUN - STUBBY

Expert Quality, a superior air gun manufactured from die cast aluminium. Each air blower is manufactured with a distinctive and unique 'venturi' system, which delivers a 15% increased performance while providing safety by operating as a bypass system if the nozzle is blocked. Fitted with a variable flow trigger and 1/4" air hose inlet. Display packed.

Stock No.
59781



4 ABG2

AIR BLOW GUN - NEEDLE NOSE

Expert Quality, a superior air gun manufactured from die cast aluminium. Each air blower is manufactured with a distinctive and unique 'venturi' system, which delivers a 15% increased performance while providing safety by operating as a bypass system if the nozzle is blocked. Fitted with a variable flow trigger and 1/4" air hose inlet. Display packed.

Stock No.
59802



4 NOZZLE LENGTHS

5 4298B

LONG REACH AIR BLOW GUNS

Suitable for cleaning liquid, swarf or dust during manufacture or assembly. Supplied with safety nozzle. 1/4" BSP air inlet.

Stock No.	Nozzle Lengths
16434	100mm
16435	250mm
16436	325mm
16437	500mm



6 ABG4

AIR BLOW GUN - 300MM

Expert Quality, superior air gun manufactured from die cast aluminium. Each air blower is manufactured with a distinctive and unique 'venturi' system, which delivers a 15% increased performance while providing safety by operating as a bypass system if the nozzle is blocked. Fitted with a variable flow trigger, 1/4" air hose inlet and extra long nose. Display packed.

Stock No.
59810



7 ABG5

AIR BLOW GUN - RIGHT ANGLE - 560MM

Expert Quality, superior air gun manufactured from die cast aluminium. Each air blower is manufactured with a distinctive and unique 'venturi' system, which delivers a 15% increased performance while providing safety by operating as a bypass system if the nozzle is blocked. Fitted with a variable flow trigger, 1/4" air hose inlet and extra long right angled nozzle. Display packed.

Stock No.
59816



1 GSG5-COMP-100

GRAVITY FEED HVLP COMPOSITE BODY AIR SPRAY GUN (100ml)

- Composite body
- For use with all paints
- Stainless steel needle and nose
- Maximum paint transfer efficiency
- Minimal "bounce-back"

Contents:

- Spray Gun
- Cleaning brush
- Service spanner
- Cup filter
- Connector

Fluid delivery rate	70-110ml/min
Fluid nozzle size	1.0mm
Operating air pressure	30psi (2 Bar)
Average air consumption	8cfm (226 l/min)
Air inlet	1/4" BSP
Weight	1.8kg

Stock No.	Description
09709	Spray Gun
13836	0.8mm Spares Set
13837	1.0mm Spares Set



2 GSG5-COMP-600

GRAVITY FEED HVLP COMPOSITE BODY AIR SPRAY GUN (600ml)

- Composite body
- For use with all paints
- Stainless steel needle and nose
- Maximum paint transfer efficiency
- Minimal "bounce-back"

Contents:

- Spray Gun
- Cleaning brush
- Service spanner

Fluid delivery rate	190-250ml/min
Fluid nozzle size	1.4mm
Operating air pressure	43psi (3 Bar)
Average air consumption	14.5cfm (400 l/min)
Air inlet	1/4" BSP
Weight	0.375kg

Stock No.	Description
09707	Spray Gun
13843	1.4mm Spares Set
13844	1.7mm Spares Set
13845	2.0mm Spares Set



3 GSG5-100

GRAVITY FEED HVLP AIR SPRAY GUN (100ml)

- Full metal body
- For use with all paints
- Maximum paint transfer efficiency
- Minimal "bounce-back"

Contents:

- Spray Gun
- Cleaning brush
- Service spanner

Fluid delivery rate	70-110ml/min
Fluid nozzle size	1.0mm
Operating air pressure	43psi (3 Bar)
Average air consumption	8cfm (226 l/min)
Air inlet	1/4" BSP
Weight	0.276kg

Stock No.	Description
09708	Spray Gun
13837	1.0mm Spares Set
13836	0.8mm Spares Set



4 GSG5-600

GRAVITY FEED HVLP AIR SPRAY GUN (600ml)

- Full metal body
- For use with all paints
- Maximum paint transfer efficiency
- Minimal "bounce-back"

Contents:

- Spray Gun
- Cleaning brush
- Service spanner

Fluid delivery rate	190-250ml/min
Fluid nozzle size	1.0mm
Operating air pressure	43psi (3 Bar)
Average air consumption	14.5cfm (400 l/min)
Air inlet	1/4" BSP
Weight	0.550kg

Stock No.	Description
09706	Spray Gun
13843	1.4mm Spares Set
13844	1.7mm Spares Set
13845	2.0mm Spares Set



5 4212HP

AIR SPRAY GUN (1L)

- Suitable for most paints
- Fully adjustable spray pattern
- Dual action trigger

Contents:

- Spray Gun
- Cleaning brush
- Service spanner

Fluid delivery rate	180 - 240cc/min
Fluid nozzle size	1.8mm
Operating air pressure	6psi (5.5 Bar)
Average air consumption	7cfm (200 l/min)
Air inlet	1/4" BSP
Weight	1.0kg

Stock No.
21526



6 4315

AIR SPRAY GUN (1L)

- Suction feed complete with pot
- Suitable for most paints
- Fully adjustable spray pattern

Fluid delivery rate	180 - 240cc/min
Fluid nozzle size	1.5mm
Operating air pressure	22psi (1.5 Bar)
Average air consumption	14cfm (400 l/min)
Air inlet	1/4" BSP
Weight	0.782kg

Stock No.
64210



1 4289

AIR SAND BLASTING GUN KIT

- For the hobbyist and professionals
- Suitable for removing old paint, rust spots, etc
- Fitted with a collection bag enabling grit to be re-used

Contents:

- Sand blasting gun • Collection bag • Four nozzles • 700g of synthetic grit

Operating air pressure	70 - 100psi (4.8 - 46.9 Bar)
Average air consumption	14cfm (400 l/min)
Cup capacity	1kg
Air inlet	1/4" BSP
Weight	0.92kg

Stock No.
30427



2 A4289

700g SYNTHETIC GRIT

For use with Stock No.30427 Air Sand Blasting Kit. Plastic bottle contains 700g of synthetic grit. Sold loose.

Stock No.
30595





3 4315AK

AIR TOOL KIT (5 PIECE)

Kit for the hobbyist or semi-professional user alike. Designed for use with receiver compressors, the kit gives various options of spraying, inflating and cleaning, all in one multi-purpose kit. Fittings all 1/4" BSP male thread.

Contents:

- Spray gun • Paraffin gun • Blow gun • Inflator with clip on hose
- 5M flexible air hose with 1/4" BSP female threaded connectors

Stock No.
81508

PRODUCT LOCATOR

SANDBLASTING CABINETS

Turn to section 3 for our professional sandblasting cabinets. There's three in the range so we're sure you'll find something for your requirements.





4 4261

AIR BRUSH KIT (6 PIECE)

An entry level air brush for detailed work such as automotive designs, model makers, graphic artists, etc. The spray pattern is adjustable from 3 - 50mm, operating pressure 15 to 50psi (1.03 - 3.5bar). Display carton.

Contents:

- Air brush
- 50cc Jar with cover
- 22cc Jar with cover
- Standard propellant regulator valve
- 1.8M Air hose
- Connector 1/4" (F) x M5 (M)

Stock No.
25989





1 4243

AIR CAULKING GUN

- For the automotive workshop
- Accepts standard size 215 x 50mm cartridges

Bore size	50mm
Tube length	215mm
Operating air pressure	30-60psi (2.1- 4.1bar)
Average air consumption	6.0cfm (170L/min)
Minimum hose size	3/8" I.D
Air Inlet	1/4" BSP
Weight	1.1kg

Stock No.
22301

2 4244A

AIR UNDERBODY COATING GUN

- Easy to use air underbody coating gun (Schutz)
- Fits 1 litre "Schutz" type canisters

Canister thread (Schutz type)	M42 x 3P
Tube length	215mm
Operating air pressure	90 PSI (6.2bar)
Average air consumption	8.0 CFM (227 L/min)
Minimum hose size	3/8" I.D
Air Inlet	1/4" BSP
Weight	1.4kg

Stock No.
55109





3 4997

400cc HEAVY DUTY AIR GREASE GUN

- Continuous flow
- Accepts bulk or standard 400g cartridges
- 360° adjustable handle
- Rigid delivery tube

Operating air pressure	30-110psi (2.1-7.6bar)
Average air consumption	2400-4500psi (166-414bar)
Minimum hose size	3/8" I.D
Air Inlet	1/4" BSP
Weight	1.5kg

Stock No.
71837

4 4297

400cc AIR GREASE GUN

- Accepts bulk, standard or pump 400g cartridges
- 360° adjustable handle
- Rigid and flexible delivery tube

Operating air pressure	30-110psi (2.1-7.6bar)
Average air consumption	1200-4500psi (83-414bar)
Minimum hose size	3/8" I.D
Air Inlet	1/4" BSP
Weight	1.5kg

Stock No.
33785



5 4287A

750ml AIR PARAFFIN/WASHING GUN

- Sprays a wide range of oils, cleaning agents and rust proofing liquids
- Fitted with adjustable nozzle

Operating air pressure	40-90psi (2.8-6.2bar)
Air inlet	1/4" BSP
Weight	0.5kg

Stock No.
43135





6 4288B

PISTOL-GRIP AIR INFLATOR

Pistol-grip with dial. Suitable for use with motor vehicles, cycles, dinghies, etc. Clip-on connector. Maximum inflation pressure 8 BAR (115psi). Dial reads 0-12bar and 0-170psi (for guidance only). Display packed.

The pressure dial on this model is for guidance only and should be checked with a tyre pressure gauge to BS EN12645

Stock No.
10604



7 4288

PISTOL-GRIP AIR INFLATOR

Pistol-grip with dial. Suitable for use with motor vehicles, cycles, dinghies, etc. Clip-on connector. Dial reads 0-10bar and 0-140psi. Carton packed.

The pressure dial on this model is for guidance only and should be checked with a tyre pressure gauge to BS EN12645:1999

Stock No.
27871



1 ALG43

HI-FLO AIR LINE INFLATOR WITH TWIN OPEN ENDED CONNECTOR

Manufactured and certified to Directive 86/217/EEC

- ***Expert Quality*** • Improved MK4 version airline inflator
- Industrial quality suitable for use on garage forecourts and tyre fitting bays
- Fitted with a twin open ended connectors, 20% larger viewing window, hardier yet lighter body and increased accuracy
- Supplied with calibration certificate

Pressure range	0-9.6bar/0-138psi
Min air supply	6.9bar/100psi
Max air supply	13.8bar/200psi
Operating temp range	10 to 60 degree C
Supply inlet	1/4" BSP taper (F)
Hose length	0.5M

Stock No.	Description
16234	Gauge
30769	Sp. Hose & Connector
30771	Sp. Connector



2 ALG44

HI-FLO AIR LINE INFLATOR WITH LOCK-ON CONNECTOR

Manufactured and certified to Directive 86/217/EEC

- ***Expert Quality*** • Improved MK4 version airline inflator
- Industrial quality suitable for use on garage forecourts and tyre fitting bays
- Fitted with lock-on connector, 20% larger viewing window, hardier yet lighter body and increased accuracy
- Supplied with calibration certificate

Pressure range	0-9.6bar/0-138psi
Min air supply	6.9bar/100psi
Max air supply	13.8bar/200psi
Operating temp range	10 to 60 degree C
Supply inlet	1/4" BSP taper (F)
Hose length	0.5M

Stock No.	Description
16230	Gauge
30770	Sp. Hose & Connector
30773	Sp. Connector

NEW



3 DAC403

DIGITAL GAUGE AIR LINE INFLATOR WITH TWIN CONNECTORS

- ***Expert Quality***
- Digital air line gauge • Highly accurate industrial quality
- Suitable for use on garage forecourts and tyre fitting bays
- Fitted with a large LCD backlit screen with multi-pressure unit and twin connectors
- Supplied with calibration certificate and two AAA batteries.

Pressure range	0.3-17.2 bar/4-250psi
Reading Accuracy	0.01bar, 0.1psi
Max inlet pressure	18bar, 260psi,
Inflation flow(@13BAR)	500l/min, 18CFM
Supply inlet	1/4" BSP taper (F)
Hose length	0.53m (21")

Stock No.	Description
74839	Airline
61833	Batteries (4 x AAA)



4 TI AIRFORCE

PCL AIRFORCE ANALOGUE TYRE INFLATOR

Manufactured and certified to Directive 86/217/EEC

- ***Expert Quality*** • Clip-on connector • Shockproof
- Direct valve mechanism • Ceramic sensor
- Displays psi and bar

Pressure range	0-12bar/174psi
Max air supply	218psi/15bar/1500kpa
Supply inlet	1/4" BSP taper (F)
Hose length	1.8M

Stock No.	Description
42599	Inflator
03258	Sp. Hose Connector



5 4290

AIR LINE INFLATOR WITH TWIN OPEN ENDED PUSH ON CONNECTOR

- Inflator with twin open-ended push on connectors
- Allows fast and simple tyre inflation

Pressure range	10-160psi
Max air supply pressure	17.2bar/250psi
Supply inlet	1/4" BSP taper (F)
Hose length	0.6M (approx.)

Stock No.
36632



6 4290B

AIR LINE INFLATOR WITH OPEN ENDED CLIP ON CONNECTOR

- Inflator with single open-ended clip on connector
- Allows fast and simple tyre inflation

Pressure range	10-160psi
Max air supply pressure	17.2bar/250psi
Supply inlet	1/4" BSP taper (F)
Hose length	0.4M (approx.)

Stock No.
36633



1/4" BSP

1 RAH12

12M RETRACTABLE AIR HOSE REEL

- Provides 10bar/145psi working/burst pressure
- Ratchet lock system 'stoppable' every 20cm (approx)
- Attached to a 180° ceiling/wall mounting bracket

Hose size	6.5 x 10mm
Hose connection	1/4 BSP thread
Max. working/burst pressure	10 bar (145psi)
Operating temperature	-5 to 45°C

Stock No.
15047



1/4" BSP 3/8" BSP

2 RAH

RETRACTABLE AIR HOSE REELS

- 3/8" PVC Hybrid hose providing greater flexibility in cold conditions
- Slow return function for user safety
- Stops at any position for user comfort
- Wall mounting on 180° swivel bracket
- Internal rewind guide prevents hose tangling

Hose size	8 x 12mm
Hose connection	1/4 BSP thread
Max. working/burst pressure	18/54 bar (261/783psi)
Operating temperature	-5 to 45°C

Stock No.	Length
15048	10M
15049	30M



3/8" BSP

DRAPER Expert

3 RAH15

15M RETRACTABLE AIR HOSE REEL

- *Expert Quality*
- Rubber hose providing greater flexibility in cold conditions
- Slow return function for user safety
- Stops at any position for user comfort
- Wall mounting on 180° swivel bracket

Hose size	3/8"
Hose connection	1/4 BSP thread
Max. working/burst pressure	20 bar (300psi)
Operating temperature	-5 to 45°C

Stock No.	Length
15050	15M

1/4" BSP 3/8" BSP



4

7.6M NYLON RECOIL AIR HOSES

DIY recoil type air hose which allows good access to working areas. Supplied with spring protection guards and male brass end fittings, one 360° swivel the other fixed. Display packed.

Stock No.	Part No.	Hose Connections
52662	4225/1A	1/4" BSP male
52663	4225/2A	3/8" BSP male

1/4" BSP 3/8" BSP



5


11.5M HEAVY DUTY NYLON RECOIL AIR HOSES

Hoses manufactured to BS5409 Specifications

Recoil type air hose which allows good access to working areas. For the workshop and industrial user. Supplied with spring protection guards and 360° swivel end male fittings. Maximum working pressure at 20°C; - 1.4MPa (203psi). Display packed.

Stock No.	Part No.	Hose Connections
76981	4282C	1/4" BSP male
76982	4283C	3/8" BSP male

1/4" BSP 3/8" BSP 1/2" BSP



6 4311

600mm WHIP HOSES

Manufactured to BS Specifications

Health and Safety Executive guidance regulations recommend a flexible isolating hose to be used between the air tool and coupling, thus isolating the tool's vibration. Supplied with PCL adaptor and appropriate male tailpiece. Display packed.

Stock No.	Part No.	Male Thread	Hose I/D x O/D
54438	4311	1/4" BSP	7 x 14mm
54439	4312	3/8" BSP	10 x 17mm
54440	4313	1/2" BSP	13 x 21mm

1/4" BSP



7 CONNECT KIT

1/4" STANDARD AIR TOOL CONNECTION KIT

Air tool connection kit consisting of high pressure PVC hose, PCL coupling set and female coupling. Sold loose.

Contents:

- Air line hose, 15.2M x 1/4" bore, Stock No. 36939
- Air line coupling set, 1/4 BSP, Stock No. 37844
- 1/4" Parallel female coupling, Stock No. 37827

Stock No.
64503



1

HIGH VISIBILITY STRAIGHT LINE AIR HOSES

PVC air line hoses for the workshop and industrial user, Supplied with male fittings. High visibility to draw attention to the trip hazard. Display packed.

Stock No.	Part No.	Internal Diameter	Length (Working)	Connection	Max. Working Pressure	Diameter internal x external
23189	4318HV	6mm	15.2M	1/4" BSP Male	1.6MPa (232psi)	6 x 14mm
23190	4319HV	8mm	15.2M	1/4" BSP Male	1.6MPa (232psi)	8 x 16mm
23191	4320HV	10mm	15.2M	1/4" BSP Male	1.6MPa (232psi)	10 x 18mm
23192	4321HV	13mm	15.2M	1/2" BSP Male	1.0MPa (145psi)	13 x 21mm




2

STRAIGHT LINE AIR HOSES

PVC air line hoses for the workshop and industrial user, Supplied with zinc plated fittings. Display packed.
Manufactured to BS EN ISO 5774 Specifications

Stock No.	Part No.	Internal Diameter	Length (Working)	Connection	Max. Working Pressure	Diameter internal x external
38281	AH5M6	6mm	5M	1/4" BSP Male	2.0MPa (290psi)	6 x 14mm
38282	AH10M6	6mm	10M	1/4" BSP Male	2.0MPa (290psi)	6 x 14mm
38285	AH15M6	6mm	15M	1/4" BSP Male	2.0MPa (290psi)	6 x 14mm
38298	AH20M6	6mm	20M	1/4" BSP Male	2.0MPa (290psi)	6 x 14mm
38306	AH5M8	8mm	5M	1/4" BSP Male	2.0MPa (290psi)	8 x 16mm
38331	AH10M8	8mm	10M	1/4" BSP Male	2.0MPa (290psi)	8 x 16mm
38332	AH15M8	8mm	15M	1/4" BSP Male	2.0MPa (290psi)	8 x 16mm
38334	AH20M8	8mm	20M	1/4" BSP Male	2.0MPa (290psi)	8 x 16mm
38335	AH5M10	10mm	5M	1/4" BSP Male	2.0MPa (290psi)	10 x 18mm
38336	AH10M10	10mm	10M	1/4" BSP Male	2.0MPa (290psi)	10 x 18mm
38337	AH15M10	10mm	15M	1/4" BSP Male	2.0MPa (290psi)	10 x 18mm
38338	AH20M10	10mm	20M	1/4" BSP Male	2.0MPa (290psi)	10 x 18mm
38339	AH5M13	13mm	5M	1/2" BSP Male	2.0MPa (290psi)	13 x 21mm
38340	AH10M13	13mm	10M	1/2" BSP Male	2.0MPa (290psi)	13 x 21mm
38344	AH15M13	13mm	15M	1/2" BSP Male	2.0MPa (290psi)	13 x 21mm



"DAVE SAYS" QUALITY MAKES THE DIFFERENCE

Nitrile rubber provides wipe clean oil resistance, more flexibility and better performance at low temperatures.



3

STRAIGHT LINE AIR HOSES

Expert Quality, nitrile rubber airline hoses designed for professional workshop use. The wipe clean oil resistant outer hose is perfect for workshop/garage forecourt applications where oil and grease are likely to be present. Its composite rubber manufacture delivers a better performance at lower temperatures (winter and external applications) than standard airlines. All these composite rubber airlines are supplied with zinc coated fittings. Display packed.
Manufactured to BS EN ISO 5774 Specifications

Stock No.	Part No.	Internal Diameter	Length (Working)	Connection	Max. Working Pressure	Diameter internal x external
38356	AHN15M6	6mm	15M	1/4" BSP Male	2.0MPa (290psi)	6 x 14mm
38360	AHN15M8	8mm	15M	1/4" BSP Male	2.0MPa (290psi)	8 x 16mm
38361	AHN15M10	10mm	15M	1/4" BSP Male	2.0MPa (290psi)	10 x 18mm



4 CONNECT KIT HD

3/8" HEAVY DUTY AIR TOOL CONNECTION KIT

Air tool connection kit consisting of high pressure PVC hose, whip hose, PCL male taper, female parallel and female safety couplings. Sold loose.

Contents:

- Air line hose, 15.2M x 3/8" bore, Stock No. 38337
- Health & Safety whip hose, 600mm x 1/4", Stock No. 54438
- Air line coupling set, 1/4 BSP, Stock No. 37844
- 1/4" Parallel female coupling, Stock No. 37827

Stock No.
64508





1 A4293

AIR FLOW REGULATOR

For use with various air tools (rotary drills, etc.) enabling air flow to be regulated thus allowing greater speed control. Air inlet 1/4" BSP. Air outlet 1/4" BSP. Display packed.

Stock No.
30038



2 4255

MINI OILER

To keep air tools lubricated. 1/4" BSP thread. Can be used with most of the air tools shown in this Catalogue. Display packed.

Stock No.
22317

3

AIR TOOL OIL

Gives outstanding performance at high and low temperatures. Contains extreme pressure (EP) additives for 'shock absorption'. For use with all pneumatic tools and equipment. Display packed.

Viscosity at 40°	10.0 (ASTM D 445)
Specific gravity	0.85 (ASTM D 445)
Flash point	>140°C (IP34)



Stock No.	Part No.	Volume
34679	ATO250	250ml
34681	ATO500	500ml
34682	ATO1000	1L

1/4" BSP



4 EAC

1/4" BSP FEMALE COUPLING SCREW ADAPTORS (PACK OF 5)

1/4" screw adaptors with parallel female threads. Display packed five adaptors per card.

Order number of cards required. (5 per card)

Stock No.	Thread Size
81297	1/4"

1/4" BSP



5 EAC

1/4" BSP MALE COUPLING SCREW ADAPTORS (PACK OF 5)

1/4" screw adaptors with tapered male threads. Display packed five adaptors per card.

Order number of cards required. (5 per card)

Stock No.	Thread Size
81296	1/4"

1/4" BSP



6 EAC

1/4" BSP THREE PIECE AIR LINE COUPLING SET

Quick release action coupler and male and female threaded adaptors, providing the user with maximum versatility. Display packed.

Contents:

- 1/4" BSP tapered male thread screw adaptor
- 1/4" BSP parallel female thread screw adaptor
- 1/4" BSP parallel female thread coupling adaptor

Stock No.
81295

1/4" BSP



7 EAC

1/4" BSP AIR LINE QUICK COUPLINGS

Particularly suitable for compressor outlets and trailing hose applications, the safety design prevents accidental disconnection. Suitable for use with standard adaptors. Display packed.

Stock No.	Thread Type
81299	Female
81300	Male

1/4" BSP



8 EAC

1/4" BSP AIR LINE QUICK COUPLINGS

Particularly suitable for compressor outlets and trailing hose applications, the safety design prevents accidental disconnection. Suitable for use with standard adaptors. Display packed.

Stock No.	Thread Type
81299	Female
81300	Male

PCL



9 ACK2

1/4" BSP AIR LINE COUPLING SET (3 PIECE)

Couplers/adaptors that will allow the user maximum versatility and quick release facility. Display packed.

Contents:

- screw adaptor male thread 1/4" BSP taper
- coupling adaptor female thread 1/4" BSP parallel
- screw adaptor female thread 1/4" BSP taper

Stock No.
37844



1 PCL VERTEX SLIM AIR LINE COUPLINGS (DISPLAY PACKED)

For use with standard adaptors. BSP taper. Double action mechanism prevents accidental disconnection and makes the coupling particularly suitable for trailing hose applications. Maximum airflow rate 1197L/min (42cfm) at 6.9bar (100psi). Maximum working pressure 13.8bar (200psi). Display packed.

Stock No.	Part No.	Thread Size	Thread Type
51401	A91CF02	1/4"	Female
51402	A91CM02	1/4"	Male
51404	A91EF02	3/8"	Female
51409	A91EM02	3/8"	Male
51407	A91JF02	1/2"	Female
51411	A91JM02	1/2"	Male

2 PCL VERTEX SLIM AIR LINE COUPLINGS (SOLD LOOSE)

Stock No.	Part No.	Thread Size	Thread Type
51384	A91CF02	1/4"	Female
51385	A91CM02	1/4"	Male
51403	A91EF02	3/8"	Female
51408	A91EM02	3/8"	Male
51406	A91JF02	1/2"	Female
51410	A91JM02	1/2"	Male



3 PCL VERTEX SLIM AIR LINE COUPLING BODY TAILPIECES (DISPLAY PACKED)

For use with standard adaptors. Double action mechanism prevents accidental disconnection and makes the coupling particularly suitable for trailing hose applications. Maximum airflow rate 1197L/min (42cfm) at 6.9bar (100psi). Maximum working pressure 13.8bar (200psi). Display packed.

Stock No.	Part No.	Thread Size	Thread Type
51414	A91R02	1/4"	6.35mm
51416	A91S02	5/16"	8.0mm
51418	A91T02	3/8"	10.0mm

4 PCL VERTEX SLIM AIR LINE COUPLING BODY TAILPIECES (SOLD LOOSE)

Stock No.	Part No.	Thread Size	Thread Type
51412	A91R02	1/4"	6.35mm
51415	A91S02	5/16"	8.0mm
51417	A91T02	3/8"	10.0mm



5 PCL "AIRFLOW" COUPLINGS (DISPLAY PACKED)

For use with standard adaptors. BSP parallel. Positive lock single action ideally suited for most compressed air applications. Maximum airflow rate 1197L/min (42cfm) at 6.9bar (100 psi). Maximum working pressure 13.8bar (200psi). Display packed.

Stock No.	Part No.	Thread Size	Thread Type
37828	A21CF02	1/4"	Female
37834	A21CM02	1/4"	Male
37830	A21EF02	3/8"	Female
37836	A21EM02	3/8"	Male
37832	A21JF02	1/2"	Female
37838	A21JM02	1/2"	Male

6 PCL "AIRFLOW" COUPLINGS (SOLD LOOSE)

Stock No.	Part No.	Thread Size	Thread Type
37827	A21CF02	1/4"	Female
37833	A21CM02	1/4"	Male
37829	A21EF02	3/8"	Female
37835	A21EM02	3/8"	Male
37831	A21JF02	1/2"	Female
37837	A21JM02	1/2"	Male



7 PCL COUPLING BODY TAILPIECES (DISPLAY PACKED)

For use with standard adaptors. Positive lock single action ideally suited for most compressed air applications. Maximum airflow rate 1197L/min (42cfm) at 6.9bar (100 psi). Maximum working pressure 13.8bar (200psi). Display packed.

Stock No.	Part No.	Thread Size	For Hose
37840	A21RO2	1/4"	1/4" ID
37842	A21TO2	3/8"	3/8" ID

8 PCL COUPLING BODY TAILPIECES (SOLD LOOSE)

Stock No.	Part No.	Thread Size	For Hose
37839	A21RO2	1/4"	1/4" ID
37841	A21TO2	3/8"	3/8" ID



9 A2746 PCL STANDARD AND VERTEX AIR LINE COUPLING SCREW ADAPTOR (DISPLAY PACKED)

Screw adaptor, female thread 1/4" parallel. Display packed five adaptors per card.

Order number of cards required. (5 per card)

Stock No.	Thread Size
55061	1/4"

10 A2746 PCL STANDARD AND VERTEX AIR LINE COUPLING SCREW ADAPTOR (SOLD LOOSE)

Screw adaptor, female thread 1/4" parallel. Sold loose.

Stock No.	Thread Size
55060	1/4"



11 PCL STANDARD AND VERTEX AIR LINE COUPLING SCREW ADAPTORS (DISPLAY PACKED)

Screw adaptor, male thread BSP taper. Display packed five adaptors per card.

Order number of cards required. (5 per card)

Stock No.	Part No.	Thread Size
25832	A2593	1/4"
25835	A6909	3/8"

12 PCL STANDARD AND VERTEX AIR LINE COUPLING SCREW ADAPTORS (SOLD LOOSE)

Screw adaptor, male thread BSP taper. Sold loose.

Stock No.	Part No.	Thread Size
25790	A2593	1/4"
25793	A6909	3/8"



1 PCL STANDARD AND VERTEX AIR LINE COUPLING ADAPTOR TAILPIECES (DISPLAY PACKED)

Integral adaptor/tailpieces. Display packed five tailpieces per card.

Order number of cards required. (5 per card)

Stock No.	Part No.	Bore Size	For Hose
25834	A1793	1/4"	6.35mm
25836	A2486	3/16"	4.75mm
25837	A2487	5/16"	7.9mm
25839	A2488	3/8"	9.5mm

2 PCL STANDARD AND VERTEX AIR LINE COUPLING ADAPTOR TAILPIECES (SOLD LOOSE)

Integral adaptor/tailpieces. Sold loose.

Stock No.	Part No.	Bore Size	For Hose
25792	A1793	1/4"	6.35mm
25794	A2486	3/16"	4.75mm
25795	A2487	5/16"	7.9mm
25796	A2488	3/8"	9.5mm



3 PCL M100 SERIES AIR LINE COUPLINGS (DISPLAY PACKED)

Designed for machine applications with high airflow demands. BSP taper. Maximum airflow rate 3420L/min (120cfm) at 6.9bar (100psi). Maximum working pressure 20.7bar (300psi). Display packed.

Stock No.	Part No.	Bore Size	For Hose
25856	A5JF02	1/2"	Female
25857	A5JM02	1/2"	Male

4 PCL M100 SERIES AIR LINE COUPLINGS (SOLD LOOSE)

Designed for machine applications with high airflow demands. BSP taper. Maximum airflow rate 3420L/min (120cfm) at 6.9bar (100psi). Maximum working pressure 20.7bar (300psi). Sold loose.

Stock No.	Part No.	Bore Size	For Hose
25814	A5JF02	1/2"	Female
25815	A5JM02	1/2"	Male



5 A3035 PCL M100 SERIES AIR LINE COUPLING SCREW ADAPTOR (DISPLAY PACKED)

Screw adaptor, male thread BSP taper. Display packed two adaptors per card.

Order number of cards required. (2 per card)

Stock No.	Thread Size
25858	1/2"

6 A3035 PCL M100 SERIES AIR LINE COUPLING SCREW ADAPTOR (SOLD LOOSE)

Screw adaptor, male thread BSP taper. Sold loose.

Stock No.	Part No.	Thread Size
25816	A3035	1/2"
05517	A2999	3/8"



7 PCL M100 SERIES AIR LINE COUPLING ADAPTOR TAILPIECES (DISPLAY PACKED)

Integral adaptor/tailpieces. Display packed two tailpieces per card.

Order number of cards required. (2 per card)

Stock No.	Part No.	Bore Size	For Hose
25860	A3037	3/8"	9.5mm
25859	A3036	1/2"	12.7mm

8 PCL M100 SERIES AIR LINE COUPLING ADAPTOR TAILPIECES (SOLD LOOSE)

Integral adaptor/tailpieces. Sold loose.

Stock No.	Part No.	Bore Size	For Hose
25818	A3037	3/8"	9.5mm
25817	A3036	1/2"	12.7mm



9 PCL MALE SCREW TAILPIECES (DISPLAY PACKED)

1/4" thread size with BSP taper. Display packed five tailpieces per card.

Order number of cards required. (5 per card)

Stock No.	Part No.	Bore Size	For Hose
25840	A5656	1/4"	6.35mm
25841	A1206	5/16"	7.9mm
25842	A1205	3/16"	4.75mm
25843	A1217	3/8"	9.5mm
25844	A2479	1/2"	12.7mm

10 PCL MALE SCREW TAILPIECES (SOLD LOOSE)

1/4" thread size with 1/4" BSP taper. Sold loose.

Stock No.	Part No.	Bore Size	For Hose
25798	A5656	1/4"	6.35mm
25799	A1206	5/16"	7.9mm
25800	A1205	3/16"	4.75mm
25801	A1217	3/8"	9.5mm
25802	A2479	1/2"	12.7mm



11 PCL MALE SCREW TAILPIECES (DISPLAY PACKED)

3/8" thread size with BSP taper. Display packed three tailpieces per card.

Order number of cards required. (3 per card)

Stock No.	Part No.	Bore Size	For Hose
28051	A6905	5/16"	7.9mm
25861	A2951	3/8"	9.5mm
25863	A2808	1/2"	12.7mm

12 PCL MALE SCREW TAILPIECES (SOLD LOOSE)

3/8" thread size with BSP taper. Sold loose.

Stock No.	Part No.	Bore Size	For Hose
27295	A6905	5/16"	7.9mm
25819	A2951	3/8"	9.5mm
25821	A2808	1/2"	12.7mm



1 A2954

PCL MALE SCREW TAILPIECE (DISPLAY PACKED)

1/2" thread size with BSP taper. Display packed three tailpieces per card.

Order number of cards required. (3 per card)


Stock No.	Bore Size	For Hose
25864	1/2"	12.7mm

2 A2954

PCL MALE SCREW TAILPIECE (SOLD LOOSE)

1/2" thread size with BSP taper. Sold loose.

Stock No.	Bore Size	For Hose
25822	1/2"	12.7mm



3

PCL REDUCING UNIONS (DISPLAY PACKED)

BSP parallel. *Display packed ONE union per card; †display packed THREE unions per card.

Order number of cards required.

Stock No.	Part No.	Size	Thread Type
25866	A6892	*3/8 x 1/4"	F x F
25867	A6893	*1/2 x 1/4"	F x F
25868	A6899	†3/8 x 1/4"	M x M
25869	A6900	†1/2 x 1/4"	M x M

4

PCL REDUCING UNIONS (SOLD LOOSE)

BSP parallel. Sold loose.

Stock No.	Part No.	Size	Thread Type
25824	A6892	3/8 x 1/4"	F x F
25825	A6893	1/2 x 1/4"	F x F
25826	A6899	3/8 x 1/4"	M x M
25827	A6900	1/2 x 1/4"	M x M



5 A6889

PCL PARALLEL SOCKET (DISPLAY PACKED)

1/4" BSP. Display packed three sockets per card.

Order number of cards required. (3 per card)

Stock No.
25865

6 A6889

PCL PARALLEL SOCKET (SOLD LOOSE)

1/4" BSP. Sold loose.

Stock No.
25823



7 A6560

PCL DOUBLE UNION (DISPLAY PACKED)

1/4" BSP taper. Display packed five unions per card.

Order number of cards required. (5 per card)

Stock No.
63357

8 A6560

PCL DOUBLE UNION (SOLD LOOSE)

1/4" BSP taper. Sold loose.

Stock No.
63356



10

PCL DOUBLE ENDED HOSE CONNECTOR/ REPAIRERS (DISPLAY PACKED)

*Display packed FIVE connectors per card; †display packed THREE connectors per card

Order number of cards required.


Stock No.	Part No.	Hose Size	For Hose
25845	A2983	1/4"	6.35mm*
25847	A2984	5/16"	7.9mm*
25852	A2985	3/8"	9.5mm†
25853	A2986	1/2"	12.7mm†

11

PCL DOUBLE ENDED HOSE CONNECTORS/ REPAIRERS (SOLD LOOSE)

Sold loose.

Stock No.	Part No.	Hose Size	For Hose
25803	A2983	1/4"	6.35mm
25805	A2984	5/16"	7.9mm
25810	A2985	3/8"	9.5mm
25811	A2986	1/2"	12.7mm



12 A6103

PCL TWIN STANDARD COUPLING (DISPLAY PACKED)

Supplied with two male 'airflow ' couplings and one 'Vertex' tailpiece. Display packed.

Stock No.
25855

13 A6103

PCL TWIN STANDARD COUPLING (SOLD LOOSE)

Supplied with two male 'airflow ' couplings and one 'Vertex' tailpiece. Sold loose.

Stock No.
25813

9 SPR4279


Y PIECE FOR PCL TWIN STANDARD COUPLING

Supplied with no additional fittings. Sold loose.

Stock No.
44256








1 PCL EURO COUPLINGS

- For heavy duty high flow applications
- Tested to over 1 million cycles
- Connects to most popular industrial and European adaptor profiles (Cejn, Rectus etc)
- Zinc passivated

0.5bar pressure drop	78cfm (2200L/min)
Max. working pressure	500psi (35bar)
Test pressure	725psi (50bar)
Max. burst pressure	2030psi (140bar)
Temp. range	-40 to 100°C
Nominal flow diameter	7.4mm

Stock No.	Part No.	Bore Size	For Hose
54407	AC71CF	1/4"	Female
54404	AC71CM	1/4"	Male
54408	AC71EF	3/8"	Female
54405	AC71EM	3/8"	Male
54409	AC71JF	1/2"	Female
54406	AC71JM	1/2"	Male



2 PCL EURO COUPLING NUT ADAPTORS

- For heavy duty high flow applications
- Tested to over 1 million cycles
- Connects to most popular and European adaptor profiles (Cejn, Rectus etc)
- Zinc passivated to significantly improve corrosion resistance
- Hard wearing steel construction

0.5bar pressure drop	78cfm (2200L/min)
Max. working pressure	500psi (35bar)
Test pressure	725psi (50bar)
Max. burst pressure	2030psi (140bar)
Temp. range	-40 to 100°C
Nominal flow diameter	7.4mm

Stock No.	Part. No.	Thread Size	Type
54418	A7105	1/8"	F 1/8" BSP
54414	A7101	1/8"	M 1/8" BSP
54419	A7106	1/4"	F 1/4" BSP
54415	A7102	1/4"	M 1/4" BSP
54420	A7107	3/8"	F 3/8" BSP
54416	A7103	3/8"	M 3/8" BSP
54421	A7108	1/2"	F 1/2" BSP
54417	A7104	1/2"	M 1/2" BSP



3 PCL EURO COUPLING HOSE TAILPIECES

- For heavy duty high flow applications
- Tested to over 1 million cycles
- Connects to most popular and European adaptor profiles (Cejn, Rectus etc)
- Zinc passivated to significantly improve corrosion resistance
- Hard wearing steel construction

0.5bar pressure drop	78cfm (2200L/min)
Max. working pressure	500psi (35bar)
Test pressure	725psi (50bar)
Max. burst pressure	2030psi (140bar)
Temp. range	-40 to 100°C
Nominal flow diameter	7.4mm

Stock No.	Part No.	Bore Size	For Hose
54410	AC7106	6mm	6mm
54411	AC7108	8mm	8mm
54412	AC7110	10mm	10mm
54413	AC7113	13mm	13mm



4 PCL EURO ADAPTOR HOSE TAILPIECES

- For heavy duty high flow applications
- Tested to over 1 million cycles
- Connects to most popular and European adaptor profiles (Cejn, Rectus etc)
- Zinc passivated to significantly improve corrosion resistance
- Hard wearing steel construction

0.5bar pressure drop	78cfm (2200L/min)
Max. working pressure	500psi (35bar)
Test pressure	725psi (50bar)
Max. burst pressure	2030psi (140bar)
Temp. range	-40 to 100°C
Nominal flow diameter	7.4mm

Stock No.	Part No.	Bore Size	For Hose
54422	A7109	4mm	4mm
54423	A7110	6mm	6mm
54424	A7111 BULK	8mm	8mm
54425	A7112 BULK	10mm	10mm
54426	A7113 BULK	13mm	13mm



1/4" BSP



1 ALFR1

1/4" BSP COMBINED FILTER/REGULATOR UNIT

Expert Quality, designed to eliminate moisture and particulates from the air flow. Polycarbonate screw-on transparent bowl with aluminium housing. Manual/semi automatic drain with 10 micron filter. Maximum inlet pressure 10bar/145psi. Display carton.

Stock No.
24332

1/2" BSP



2 ALFR2

1/2" BSP COMBINED FILTER/REGULATOR UNIT

Expert Quality, designed to eliminate moisture and particulates from the air flow. Polycarbonate screw-on transparent bowl with aluminium housing. Manual/semi automatic drain with 10 micron filter. Maximum inlet pressure 10bar/145psi. Display carton.

Stock No.
24338

1/4" BSP



3 ALR1

1/4" BSP REGULATOR UNIT

Expert Quality, used to reduce compressed air pressure. Integral locking device, maximum inlet pressure 15bar/220psi. with gauge dual marked bar and psi. Display carton.

Stock No.
24329

1/2" BSP



4 ALR2

1/2" BSP REGULATOR UNIT

Expert Quality, used to reduce compressed air pressure. Integral locking device, maximum inlet pressure 15bar/220psi. with gauge dual marked bar and psi. Display carton.

Stock No.
24334

1/4" BSP



5 ALL1

1/4" BSP LUBRICATOR UNIT

Expert Quality, fitted with adjustable lubrication output. Maximum inlet pressure 10bar/145psi. Display carton.

Stock No.
24330

1/2" BSP



6 ALL2

1/2" BSP LUBRICATOR UNIT

Expert Quality, fitted with adjustable lubrication output. Maximum inlet pressure 10bar/145psi. Display carton.

Stock No.
24336

1/4" BSP



7 ALF1

1/4" BSP FILTER UNIT

Expert Quality, cleans and dries compressed air. Manual/Semi automatic drain with 10 micron filter. Maximum inlet pressure 10bar/145psi. Display carton.

Stock No.
24331

1/2" BSP



8 ALF2

1/2" BSP FILTER UNIT

Expert Quality, cleans and dries compressed air. Manual/Semi automatic drain with 10 micron filter. Maximum inlet pressure 10bar/145psi. Display carton.

Stock No.
24337

Q: Why use regulators for compressed air?
A: Different air tools require different air pressures. For example Health & Safety legislation stipulates that air blow guns MUST work at, or below, 30psi - whereas a large air nailer needs a minimum of 60psi and when driving larger nails up to 100psi - to prevent damage to the nail driver blade. Make sure you adjust the pressure to suit the tool, every time.

Q: Why use lubricators for compressed air?
A: Except for spraying equipment, almost all other air tools require lubrication. Air tools are precision manufactured to close tolerances to get the best power and lightest weight. You would not run your car without oil - don't do it to your air tools! Lubricators can greatly extend the life of your air tools.

Q: Why use filters for compressed air?
A: When air is compressed, the water vapour in that air is also compressed. This water vapour then reforms as water and can contaminate compressor tanks, air lines and very quickly rust the inside of your air tools.

Q: Where should the filter/regulator/lubricator be in the air line?
A: In simple terms, as close to the air tool as possible when the tool is in use. This ensures any "downstream" contaminates are removed, that the lubricating oil is correctly dispersed, and that you are operating at the correct pressure.

1/4" BSP




9 ALFRL1

1/4" BSP COMBINED FILTER/REGULATOR/ LUBRICATOR UNIT (FRL)

Expert Quality, designed to control output air pressure, eliminate moisture and contaminants from the air flow and to lubricate tools during use. Polycarbonate screw-on transparent bowl with aluminium housing. Fitted with 10 micron filter. Maximum inlet pressure 10bar/145psi. Supplied with wall mounting bracket. Display carton.

Stock No.
24326

1/2" BSP



10 ALFRL2

1/2" BSP COMBINED FILTER/REGULATOR/ LUBRICATOR UNIT (FRL)

Expert Quality, designed to eliminate moisture and contaminates from the air flow and lubricate tools prior to use. Polycarbonate screw-on transparent bowl with aluminium housing. Fitted with 10 micron filter. Maximum inlet pressure 10bar/145psi. Supplied with wall mounting bracket. Display carton.

Stock No.
24333

section 6



WELDING & CUTTING MACHINES

312-313 Arc Welding
314-315 Mig Welding
316-317 Tig Welding
318 Induction Heaters and Plasma Cutter
319 Stud Welding
320-324 Welding Accessories

INDUSTRIAL AND WORKSHOP WELDING



"DAVE SAYS" QUALITY MAKES THE DIFFERENCE

The Draper Expert range of welding machines are designed and manufactured with the highest quality components guaranteeing durability. Aimed at the semi-professional/professional user the Draper Expert welding range are backed by our comprehensive warranty and after sales service.

The Draper range of welding machines are designed general workshop welding tasks and are also backed by our comprehensive warranty and after sales service.

ARC WELDING MACHINES

The running order of the Arc welding machines starts at the highest amperage (250A) through to the lowest (100A).

Pages 312-313





MIG WELDING MACHINES

The running order of the MIG welding machines starts at the highest amperage (250A) through to the lowest (100A), and feature both gas or gasless machines.

Pages 314-315





TIG WELDERS, INDUCTION HEATERS, PLASMA CUTTER, STUD WELDER

A range of machines fulfilling the requirements of professional environments.

Pages 316-319





WELDING CONSUMABLES AND ACCESSORIES

From MIG wire, electrodes and welding helmets, torches and torch tips; we stock a wide selection of quality accessories and consumables.

Pages 320-324



















1 AW260AT

230/400V TURBO ARC WELDER (250A)

- Featuring automatic thermal protection
- Continuous regulation of welding current
- Fitted with an internal cooling fan
- Direct fit earth clamp and electrode holder
- Supplied with face mask and chipping hammer/wire brush

SUPPLIED ON PALLET

Output amperage range	90 - 250A
Phase	Single 230V, 400V
Input current	16A
Duty cycle	10% @ 250A
Electrode size	1.6MM - 5.0MM
Dimensions	521 x 265 x 345mm
Weight	24kg

Stock No.
71151

2 AW200T

230/400V TURBO ARC WELDER (200A)

- Featuring automatic thermal protection
- Continuous regulation of welding current
- Fitted with an internal cooling fan
- Direct fit earth clamp and electrode holder
- Supplied with face mask and chipping hammer/wire brush

Output amperage range	80 - 200A
Phase	Single 230V, 400V
Input current	16A
Duty cycle	10% @ 200A
Electrode size	1.6mm - 4.0mm
Dimensions	515 x 300 x 375mm
Weight	21kg

Stock No.
83403

1 AW164AT

230V TURBO ARC WELDER (160A)

- Featuring automatic thermal protection
- Continuous regulation of welding current
- Fitted with an internal cooling fan
- Direct fit earth clamp and electrode holder
- Supplied with face mask and chipping hammer/wire brush

Output amperage range	60 - 160A
Phase	Single 230V
Input current	16A
Duty cycle	10% @ 160A
Electrode size	1.6mm - 4.0mm
Dimensions	470 x 240 x 320mm
Weight	14kg

Stock No.
71090



2 AW135T

230V TURBO ARC WELDER (130A)

- Featuring automatic thermal protection
- Continuous regulation of welding current
- Fitted with an internal cooling fan
- Direct fit earth clamp and electrode holder
- Supplied with face mask and chipping hammer/wire brush

Output amperage range	50 - 130A
Phase	Single 230V
Input current	16A
Duty cycle	10% @ 130A
Electrode size	2.0 - 3.2mm
Dimensions	470 x 270 x 320mm
Weight	18kg

Stock No.
53084



3 AW105T

230V TURBO ARC WELDER (100A)

- Featuring automatic thermal protection
- Continuous regulation of welding current
- Fitted with an internal cooling fan
- Direct fit earth clamp and electrode holder
- Supplied with face mask and chipping hammer/wire brush

Output amperage range	40 - 100A
Phase	Single 230V
Input current	16A
Duty cycle	10% @ 100A
Electrode size	1.6mm - 3.2mm
Dimensions	470 x 270 x 320mm
Weight	15kg

Stock No.
53082



THE FOLLOWING SYMBOLS ARE SHOWN NEXT TO EACH ARC, MIG AND TIG WELDING MACHINE. THE SYMBOLS ARE A VISUAL CODE TO MACHINE FEATURES.

Supplied with 13A plug

Requires 16A supply and plug

Requires 32A supply and plug

Thermal Overload Protection

Fan (Turbo)

Portable

Wheel kit

Polarity switch (gas/gasless)

Flux cored (gasless) wire compatible

Wire spool supplied

Variable wire speed control

MIG torch supplied

Direct torch connector

Euro torch connector

1 MW260T

230/400V GAS/GASLESS TURBO MIG WELDER (250A)

• ***Expert Quality***
• Euro torch connector
• Input current 32A
• Six stage power setting
• Variable wire speed control
• Thermal overload protection
• Spot weld timer
• 0.8/1.2mm wire feed roller
• Regulator supplied separately • Strong full size bottle support
• Accepts 15kg spools • 230/400V input supply
Supplied with wheel kit and swivel joint Euro fit welding torch

Output amperage range	80 - 250A
Phase	230V/400V
Input current	32A
Duty cycle	20% @ 250A , 100% @ 80A
Welding wire size	0.8 - 1.2mm
Wire spool capacity	5 -15 kg
Dimensions	845 x 415 x 505mm
Weight	58kg

Stock No.
71094



2 MW230T

230/400V GAS/GASLESS TURBO MIG WELDER (220A)

• ***Expert Quality***
• Euro torch connector
• Input current 32A
• Six stage power setting
• Variable wire speed control
• Thermal overload protection
• Spot weld timer
• 0.8/1.2mm wire feed roller
• Regulator supplied separately • Strong full size bottle support
• Accepts 15kg spools • 230/400V input supply
Supplied with wheel kit and swivel joint Euro fit welding torch

Output amperage range	70 - 220A
Phase	230V/400V
Input current	32A
Duty cycle	20% @ 220A , 100% @ 70A
Welding wire size	0.8 - 1.2mm
Wire spool capacity	5 -15 kg
Dimensions	845 x 415 x 505mm
Weight	56kg

Stock No.
71093



3 MW190T

230/400V GAS/GASLESS TURBO MIG WELDER (180A)

• ***Expert Quality***
• Euro torch connector
• Input current 16A
• Six stage power setting
• Variable wire speed control
• Thermal overload protection
• Spot weld timer
• 0.8/1.2mm wire feed roller
• Regulator supplied separately • Strong full size bottle support
• Accepts 15kg spools • 230/400V input supply
Supplied with wheel kit and swivel joint Euro fit welding torch

Output amperage range	65 - 180A
Phase	230V/400V
Input current	16A
Duty cycle	20% @ 180A , 100% @ 65A
Welding wire size	0.8 - 1.2mm
Wire spool capacity	5 -15 kg
Dimensions	845 x 415 x 505mm
Weight	55kg

Stock No.
71092







1 MW170

230V GAS/GASLESS TURBO MIG WELDER (160A)

SUPPLIED ON PALLET

- Four stage welding current and thermal overload protection
- Variable wire speed control
- Non-live direct fit safety torch
- Compatible with 0.6mm and 0.9mm welding wires
- Supplied with 1.5M earth clamp, 2.5M welding torch, chipping hammer/ wire brush, welding mask and a 1kg spool of solid core welding wire

Output amperage range	60 - 160A
Phase	Single
Input current	16A
Duty cycle	10% @ 160A
Welding wire size	0.6 - 0.9mm
Wire spool capacity	5kg
Dimensions	640 x 385 x 435mm
Weight	32kg

Stock No.
71095





2 MW140

230V GAS/GASLESS TURBO MIG WELDER (130A)

SUPPLIED ON PALLET

- Four stage welding current and thermal overload protection
- Variable wire speed control
- Non-live direct fit safety torch
- Compatible with 0.6mm and 0.9mm welding wires
- Supplied with 1.5M earth clamp, 2.5M welding torch, chipping hammer/ wire brush, welding mask and a 1kg spool of solid core welding wire

Output amperage range	21 - 130A
Phase	Single
Input current	16A
Duty cycle	10% @ 130A
Welding wire size	0.6 - 0.9mm
Wire spool capacity	1kg
Dimensions	555 x 305 x 435mm
Weight	27kg

Stock No.
71091





3 MIG100GG

230V GAS/GASLESS TURBO MIG WELDER (100A)

SUPPLIED ON PALLET

- Four stage welding current and thermal overload protection
- Variable wire speed control
- Non-live direct fit safety torch
- Compatible with 0.6mm and 0.9mm welding wires
- Supplied with 1.5M earth clamp, 2.5M welding torch, chipping hammer/ wire brush, welding mask and a 1kg spool of solid core welding wire

Output amperage range	21 - 100A
Phase	Single
Input current	13A
Duty cycle	10% @ 100A
Welding wire size	0.6 - 0.9mm
Wire spool capacity	1kg
Dimensions	535 x 265 x 410mm
Weight	23kg

Stock No.
16057





4 MIG100

230V GASLESS TURBO MIG WELDER (100A)

- Four stage welding current and thermal overload protection
- Variable wire speed control
- Non-live direct fit safety torch
- Compatible with 0.6mm and 0.9mm welding wires
- Supplied with 1.5M earth clamp, 2.5M welding torch, chipping hammer/ wire brush, welding mask and a 450g spool of solid core welding wire

Output amperage range	50 - 100A
Phase	Single
Input current	13A
Duty cycle	10% @ 100A
Welding wire size	0.6 - 0.9mm
Wire spool capacity	450g
Dimensions	340 x 345 x 190mm
Weight	14.5kg

Stock No.
63669

NEW



1 MPW200

230V MULTI PROCESS WELDER MIG/TIG/MMA (200A)

- *Expert Quality*
- Compact, portable machine for TIG DC welding, MIG welding and Arc welding
- Microprocessor-controlled inverter technology
- Hot start
- Anti-stick device
- Thermal overload protection
- Supplied complete with MIG torch, TIG torch, MMA electrode holder, earth clamp, welding mask and chipping hammer/brush.

Output amperage range	20 - 200A
Input current	16A
Duty cycle	20% @ 200A
Mig welding wire sizes	0.6 and 0.8mm
MMA/ARC electrode sizes	1.5 - 4.0mm
Dimensions	580 x 245 x 360mm
Weight	14.08kg

Stock No.
00588



2 INV165

230V ARC/TIG INVERTER WELDER KIT (165A)

- *Expert Quality*
- Compact, portable machine for DC TIG and ARC welding
- Input current 16A
- Output amperage range: 5 - 165A
- Electrode size: 1.6 - 4.0mm
- DC scratch start
- Anti stick device
- Thermal overload protection
- Fan assisted cooling
- Supplied with electrode holder and earth lead, face mask and welding brush, cable and carrying case

Output amperage range	5 - 165A
Input current	16A
Duty cycle	60% @ 120A
Electrode size	1.6 - 4.0mm
Open circuit voltage	75V
Dimensions	320 x 130 x 170mm
Weight	4.0kg

Stock No.
05573



3 INV146

230V ARC/TIG INVERTER WELDER KIT (140A)

- Compact, portable machine for DC TIG and ARC welding
- Input current 16A
- Output amperage range: 10 - 140A
- Electrode size: 1.6 - 4.0mm
- DC scratch start
- Anti stick device
- Thermal overload protection
- Fan assisted cooling
- Supplied with electrode holder and earth lead, face mask and welding brush, cable and carrying case

Output amperage range	10 - 140A
Input current	16A
Duty cycle	40% @ 140A
Electrode size	1.6 - 4.0mm
Open circuit voltage	75V
Dimensions	430 x 215 x 305mm
Weight	6.0kg

Stock No.
64533



4 INV106

230V ARC/TIG INVERTER WELDER KIT (100A)

- Compact, portable machine for TIG and ARC welding
- Input current 16A
- Output amperage range: 10 - 100A
- Electrode size: 1.6 - 4.0mm
- DC scratch start
- Hot start
- Anti-stick device
- Thermal overload protection
- Fan assisted cooling
- Supplied with electrode holder, earth lead, welding brush and face mask

Output amperage range	10 - 100A
Input current	16A
Duty cycle	60% @ 57A
Electrode size	1.6 - 2.5mm
Open circuit voltage	56V
Dimensions	245 x 345 x 130mm
Weight	3.2kg

Stock No.
83402

MMA TO MIG CONVERTER


NEW



1 MCB200

230V MMA TO MIG CONVERTER (200A)

- Enables a MMA welder to perform Mig welding
- Can achieve both gas and gasless Mig welding
- Uses 0.8mm wires which are housed in the MIG spool gun
- Supplied with Dinse adaptors and the cables required for converting



Working Voltage	33V - 85V
Control Voltage	24V
Output amperage range	35 - 200A
Duty cycle	20% @ 200A
Mig welding wire sizes	0.6 and 0.8mm
Dimensions	195 x 155 x 115mm
Weight	3.72kg

Stock No.
00587

YOUTUBE.COM/ DRAPERTOOLSTV



2 ACDC160P

230V TIG HF WELDER KIT (160A)

- *Expert Quality*,
- Supplied with TIG torch, one tungsten electrode, earth clamp and cable, ARC electrode holder and foot pedal control
- Microprocessor-controlled inverter with AC/DC pulse technology
- High frequency start function
- TIG DC welding
- Slope down TIG function
- Digital display • High frequency start function

SUPPLIED ON PALLET

Output amperage range TIG	10 - 160A
Output amperage range ARC/MMA	5 - 150A
Phase	Single 230V
Input current	21A
Duty cycle	60% - 160A
Tungstens	2 x 150mm
DINSE socket size	9.5mm (10/25)
Dimensions	550 x 330 x 380mm
Weight	21kg

Stock No.
51499



3 W635

MMA KIT FOR ARC/TIG WELDER/INVERTERS

Comprising: earth clamp with 2M cable and Dinse-type connector; electrode holder with 3M cable and Dinse-type connector; mask and chipping hammer/wire brush. For use with Draper Arc/TIG Welders INV132 and INV152. Carton packed.

Stock No.
45348



4 W623

TIG WELDING TORCH

For use with all Draper Inverter/Welders. Accessories for these torches are available separately. Sold loose.

Stock No.
57096




5

200A EARTH CLAMP AND LEAD KIT

For use with all Draper Inverter/Welders. 2.5M 16mm welding cable with trailing dinse-type plug and 200A crocodile earth clamp fitted. Packed in polythene bag.

Stock No.	Part No.	Plug
57375	W625	10/25
14448	W3550	35/50



6

ACCESSORIES FOR DRAPER TIG WELDING TORCHES

For use with all Draper Inverter/Welder TIG Torches. Packed in polybags.

Stock No.	Part No.	Description
57551	W628	1.6mm Collet
57552	W629	1.6mm Collet Body
69309	W630B	Ceramic Shroud



7

TIG WELDER ELECTRODES

Colour coded spare electrodes for tig welders. Each has its own unique colour band helping identify which application they are used for. Packed in polybag.


Stock No.	For
61526	Ferrous and Non Ferrous Metals
61995	Ferrous Metals
61498	Aluminium

LIQUID COOLED INDUCTION HEATER

1 IHT-30

LIQUID COOLED INDUCTION HEATER (3.5kW)

- *Expert Quality*
- High powered, 3.5kW liquid cooled induction heater, ideal for industrial applications
- Multi-functions, 3 heating modes, computer controlled
- Fan assisted cooling technology enables continuous use
- Adjustable input and output power for use in low amperage environments
- Dynamic power adjustments deliver maximum efficiency and speed
- Fully adjustable and controllable for maximum versatility
- Universal remote-control program allows linking to external analogue and digital production processes



Input power	3.5kW
Operating frequency	20 - 60kHz
Voltage supply	230V 50/60Hz
Max current	16A
Output power	3kW (16A supply)
Liquid tank	1.5L
Dimensions	430 x 200 x 200mm
Weight	14.6kg approx

Stock No.	Description
76171	Induction Heater
01062	Coolant (5L)
12039	Focus Coil-Straight With Extender
12040	Focus Coil-Inclined
12041	Focus Coil-Side
12042	Focus Coil-Straight
12043	Coil Reducer

DRAPER Expert

NEW

YOUTUBE.COM/ DRAPERTOOLSTV



YOUTUBE.COM/ DRAPERTOOLSTV

DRAPER Expert



2 IHT-15

INDUCTION HEATER KIT (1.75kW)

- *Expert Quality*
- Easy to use induction heater, operated by simply installing the appropriate coil type and place over or around the ferrous metal you wish to heat
- each kit is supplied with a hardwearing carry case and four different shaped coils, delivering flexibility of use
- Compared against braziers or welding/heating techniques, induction heaters are far safer and economic, as they don't use a naked flame and you save on gas bottle hire

Contents:
1 x 19mm Direct coil 1 x 26mm Direct coil
1 x Flex coil 1 x Pad coil

Input Voltage	230V, 50/60Hz
Input Current	7.5A
Power	1.75kW
Load Factor	50%@1.5kVA and 100%@1.0kVA
Weight	4.5kg
Dimensions	200 x 140 x 75mm

Stock No.	Description
80808	Induction Heater Kit
80903	Spare Flex Coil
80906	Spare Pad Coil
83161 83167	Spare 15mm Direct Coil Spare 15mm Side Coil
80901 83173	Spare 19mm Direct Coil Spare 19mm Side Coil
83162 83168	Spare 20mm Direct Coil Spare 20mm Side Coil
83163 83169	Spare 23mm Direct Coil Spare 23mm Side Coil
80902 83174	Spare 26mm Direct Coil Spare 26mm Side Coil
83164 83170	Spare 32mm Direct Coil Spare 32mm Side Coil
83165 83171	Spare 38mm Direct Coil Spare 38mm Side Coil
83166 83172	Spare 45mm Direct Coil Spare 45mm Side Coil

DRAPER Expert

YOUTUBE.COM/ DRAPERTOOLSTV



3 IPC41

230V PLASMA CUTTER KIT (40A)

- *Expert Quality*
- Microprocessor controlled inverter technology
- Suitable for cutting any electrically conductive material
- Input current 32A • Thermal overload protection
- Supplied with plasma torch, earth lead and clamp, air regulator, air hose, chipping hammer with brush and face mask • Requires a minimum of 8.8 cfm

Cutting current range	20-40A
Input current	32A
Duty cycle	60% - 40A
Cutting range	12mm (mild steel)
Clean cut	10mm
Severance cut	12mm
Air Required	8.8 cfm
Dimensions	460 x 270 x 345mm
Weight	10kg

Stock No.	Description
85569	Plasma Cutter
80883	Ceramic Shroud
80884	Nozzle
80885	Electrode
80886	Ring

STUD WELDER



SW3100T

230V STUD WELDER (3100A)

- *Expert Quality*
- Stud gun with slide hammer attachment
- Dinse earth clamp and rubber cupule and accessories kit supplied
- Adjustable welding parameters
- Power time settings
- Thermal protection
- Single or continuous spot selection
- Dinse connection gun and earth connector

Input voltage	230V AC @ 50HZ
Input current	32A
Rated max. supply current	12.3KVA
Output amperage range	3100A
Output voltage	1-13V
Welding time	0-99 seconds
For use on material thickness	0.8MM - 1.2MM
Torch cable length	3M
Earth lead	2M
Dimensions	350 x 220 x 280mm
Weight	28kg

Stock No.	Description
71106	Stud Welder and Trolley Kit
76592	Stud Welder only
76593	Trolley only

AVAILABLE WITH OR WITHOUT A TROLLEY

Stock No. 71106



Supplied with these accessories





"DAVE SAYS" QUALITY MAKES THE DIFFERENCE

The Arc stud welding process entails a metal fastener (weld stud) that's joined under pressure and sufficiently heated with an electric arc.

The fastener or weld stud is positioned for welding by the stud gun. When the operator activates the stud gun trigger, the fastener (electrode) is welded to the workpiece without the use of filler metal. The welding duration is typically one second.

The Arc stud welding process lends itself to wide range of applications such as automotive, marine, light or heavy construction, pre-assembled fabrication and fit up parts design.

STUD WELDER ACCESSORIES

74335



74342



74344



74329



74343



74348



ACCESSORIES FOR STUD WELDER Stock No. 71106


A range of products suitable for use with the Draper Stud Welder, Stock No. 71106.

Stock No.	Description
74335	Washer Connector
74342	Triangle Washer
74344	Round Washer
74329	Hook
74343	Stud M6
74348	OT Washer
74331	Carbon Rod
74334	Wavy Wire Electrode Tip
74330	Wavy Wire
74345	Earth Clamp
74328	Slide Hammer With Chuck
74346	Manual Cupule
74333	Carbon Rod Connector

74334




74330



74345




74331



74346



74328



74333





1 9010S
240mm SELF GRIP SHEET METAL CLAMP
Manufactured from good quality steel, nickel plated, with quick release lever. Display carton.

Stock No.
14027



2 9020S
280mm SELF GRIP C CLAMP
Manufactured from good quality steel, nickel plated, with quick release lever. Display carton.

Stock No.
81642



3 9000S
280mm SELF GRIP WELDING CLAMP
Manufactured from good quality steel, nickel plated, with quick release lever. Display carton.

Stock No.
81650



4 9013K
SELF GRIP WELDING CLAMP KIT (3 PIECE)
Manufactured from good quality steel, nickel plated, with quick release lever. Display carton.
Contents:
- 250mm Sheet Metal Clamp
- 225mm Welding Clamp
- 280mm C Clamp

Stock No.
33836






5 WP2
210mm SOFT GRIP MIG 'HELPER' PLIERS
Aids MIG welding including removal of spatter from in and around the shroud, drawing out and cutting off wire and removing contact tips and shrouds. Spring-loaded jaws with soft grip handles. Display packed.

Stock No.
31489




6 WM-1B
MULTI-PURPOSE MAGNETIC HOLDER
For holding workpieces whilst soldering or welding. Working angles: 30°, 45°, 75° and 90°. Manufactured from high quality pressed and enamelled steel with strong magnet. Display packed.

Stock No.	Dimensions L x W x H
24577	95 x 13 x 65mm



7 WM-2/B
MULTI-PURPOSE MAGNETIC HOLDER
For holding workpieces whilst soldering or welding. Working angles: 45°, 75° and 135°. Manufactured from high quality pressed and enamelled steel with strong magnet. Display packed.

Stock No.	Dimensions L x W x H
82329	158 x 12 x 102mm



8 WM-3/B
MULTI-PURPOSE MAGNETIC HOLDER
For holding workpieces whilst soldering or welding. Working angles: 45°, 75° and 135°. Manufactured from high quality pressed and enamelled steel with strong magnet. Display packed.

Stock No.	Dimensions L x W x H
82330	118 x 13 x 82mm



9 WH/L
WELDERS HAMMER
Hardened and tempered head with steel spring impact resistant handle. Sold loose.

Stock No.
45236



10 4863
250mm GENERAL PURPOSE WIRE BRUSH
Wire brush designed primarily for cleaning metal prior to welding or removing slag after a weld has been made as well as other brushing applications. The 0.35mm diameter brassed steel wire fill is securely held in a heavy duty spine with polypropylene handle. Display packed.

Stock No.
20594



11 ASP100
400ml ANTI-SPATTER WELDING SPRAY
Prevents spatter adhesion on welding equipment, jigs, workpieces and surfaces. Prolongs tip and shroud life. Non-toxic, water-based and CFC free. Sold loose.

Stock No.
05709



1 WGH3

SOLAR POWERED AUTO-VARIOSHADE WELDING AND GRINDING HELMET

BS EN 379 and BS EN 175 approved

- Photovoltaic shading facility when arc is struck
- High impact nylon for maximum protection.
- Convenient switch to grinding shade on side of helmet

Screen size	110 x 90mm
Power mode	Fully automatic
Power supply	Lith/battery + solar panel
Switching time light to dark	0.04ms
Switching time dark to light	0.25ms
Light shade	DIN 4
Variable shade adjustments	DIN 9 - 13
Arc sensors	2
UV/IR protection	up to DIN 16
Operating temperature	-5C - +55C
Weight	490g

Stock No.	Description
38271	Helmet
42933	Spare Front Cover Lens
42941	Spare Inside Cover Lens



2 WGH4

SOLAR POWERED AUTO-VARIOSHADE WELDING AND GRINDING HELMET

BS EN 379 and BS EN 175 approved

- Photovoltaic shading facility when arc is struck
- High impact nylon for maximum protection.
- Convenient switch to grinding shade on side of helmet

Screen size	110 x 90mm
Power mode	Fully automatic
Power supply	Lith/battery + solar panel
Switching time light to dark	0.04ms
Switching time dark to light	0.25ms
Light shade	DIN4
Variable shade adjustments	DIN9 - 13
Arc sensors	2
UV/IR protection	up to DIN 16
Operating temperature	-5C - +55C
Weight	490g

Stock No.	Description
38392	Helmet
42933	Spare Front Cover Lens
42941	Spare Inside Cover Lens



3 WSP687

SOLAR POWERED AUTO-VARIOSHADE WELDING AND GRINDING HELMET

EN175 and BS EN 6100-6-3 and BS EN 6100-6-1

- Professional welders helmet with solar powered automatic shading facility • Built-in switch on side of helmet provides flexibility in changing between welding and grinding capacities • Manufactured from high impact nylon and fitted with adjustable headband providing users with maximum protection and comfort

Screen size	110 x 90mm
Power mode	Fully automatic
Power supply	Solar panel
Switching time light to dark	0.04ms
Switching time dark to light	0.15ms
Light shade	DIN 4
Variable shade adjustments	DIN 9 - 13
Arc sensors	2
UV/IR protection	up to DIN 16
Operating temperature	-5C - +55C
Weight	830g

Stock No.	Description
34358	Helmet
34553	Front Spatter Shield
34583	Rear Spatter Shield

NEW



4 WSP684

SOLAR POWERED AUTO-VARIOSHADE WELDING AND GRINDING HELMET

EN175 and BS EN 6100-6-3 and BS EN 6100-6-1

- Provides instant eye protection
- Large view screen (110 x 90mm)
- Fitted with grinding mode • External sensitivity control
- High performance screen filters
- Protects against UV and IR • Adjustable headband
- Suitable for all kinds of welding types, including ARC, MIG and low amperage TIG

Screen size	110 x 90mm
Power mode	Fully automatic
Power supply	AAA battery + solar panel
Switching time light to dark	0.02ms
Switching time dark to light	0.04ms
Light shade	DIN 4
Variable shade adjustments	DIN 9 - 13
Arc sensors	2
UV/IR protection	up to DIN 16
Operating temperature	-5C - +55C
Weight	480g

Stock No.	Description
19730	Helmet
19789	Spare Lens



5 WSP686

SOLAR POWERED AUTO-VARIOSHADE WELDING AND GRINDING HELMET

EN175 and BS EN 6100-6-3 and BS EN 6100-6-1

- Professional welders helmet with solar powered automatic shading facility
- Built-in switch on side of helmet provides flexibility in changing between welding and grinding capacities
- Manufactured from high impact nylon and fitted with adjustable headband providing users with maximum protection and comfort

Screen size	110 x 90mm
Power mode	Fully automatic
Power supply	Solar panel
Switching time light to dark	0.04ms
Switching time dark to light	0.15ms
Light shade	DIN 4
Variable shade adjustments	DIN 9 - 13
Arc sensors	2
UV/IR protection	up to DIN 16
Operating temperature	-5C - +55C
Weight	830g

Stock No.	Description
34347	Helmet
34553	Front Spatter Shield
34583	Rear Spatter Shield

LENS SOLD SEPARATELY



6 W410C

WELDING HELMET

EN175 and CE approved

- Injection moulded polypropylene
- Adjustable head band

Screen size	110 x 90mm
Weight	384g

Stock No.	Description
76714	Helmet
35266	Shaded 11EW Lens-2 per pack
35267	Clear Lens-3 per pack
35268	Non Spatter Lens-3 per pack

LENS SOLD SEPARATELY



7 W400C

HAND HELD WELDING MASK

EN175 and CE approved

- Injection moulded polypropylene

Screen size	110 x 90mm
Weight	342g

Stock No.	Description
76713	Mask
35266	Shaded 11EW Lens-2 per pack
35267	Clear Lens-3 per pack
35268	Non Spatter Lens-3 per pack



1 FM26

FFP2 NR DUST MASK FOR WELDING

Conforms to EN149-FFP2 Specifications

Expert Quality, lightweight disposable dust mask with carbon filter for protection against welding fumes (fine metal particulates), ozone (produced as a by-product of MIG and TIG welding), organic vapours, fine toxic dust fibres and aqueous mists. The easy breathe single exhalation valve, adjustable nose clip and elasticated straps deliver a contoured comfortable fit for the user, which can be worn under a welding mask/helmet if required. Display packed.

Stock No.	Part No.	Quantity
82484	FM26/B	3
82485	FM26/B	10



2 LAPR

LEATHER APRON

Split suede leather with neck loop, front pocket and waist ties. Packed in polythene bag with display card.

Stock No.
09699



3 LWG/B

LARGE WELDERS GAUNTLETS

Manufactured to EN388 4.2.4.4 and EN407 4.1.3.X.4.X Standards

Fully lined leather welding gloves with a total length of 355mm. Display packed.

Stock No.	Size
52336	11



4 W678

6' x 6' PVC WELDING CURTAIN WITH FRAME

Curtain to DIN EN 1598

Low visibility PVC curtain supplied with frame. Protects from welding splatter, UV and IR. Carton packed.

Stock No.
08170



5 SWC1

SPOT WELD CUTTER SET

Set of two spot weld cutters to drill out welds on body panels. Pilot drill ensures accurate cut. Cutters screw onto hexagon shank and are reversible for extra long life. Shank size 7mm. Display packed.

Contents: 1 x 3/8" and 1 x 5/16"

Stock No.
57624



6

PACKS OF MMA WELDING ELECTRODES

Manufactured to EN13479

General purpose medium coated rutile type mild steel electrodes suitable for all types of welding joint. Low spatter and self-releasing slag. Manufactured by SIF for Draper Tools. Supplied in packs of 5kg. Carton packed.

Order number of packs required

Stock No.	Part No.	Electrode Diameter	Pack Qty Approx.
77167	WSIF25	2.5mm	265
77168	WSIF32	3.2mm	170
77169	WSIF40	4.0mm	115



7

PACKS OF MMA WELDING ELECTRODES

E6013 general purpose, rutile covered, mild steel, low spatter electrodes. Supplied in packs of 1kg. Carton packed.

Stock No.	Part No.	Electrode Diameter	Pack Qty Approx.
34256	WR25A	2.5mm	48
34257	WR32A	3.2mm	31
34259	WR40A	4.0mm	17



8


PACKS OF MMA WELDING ELECTRODES

CE approved for structural steel

E6013 general purpose mild steel electrode which runs smoothly and leaves an attractive weld bead. Display packed.

Order number of packs required

Stock No.	Part No.	Electrode Diameter	Pack Qty Approx.
09582	W420R	2.0mm	8
09583	W425R	2.5mm	6
09584	W432R	3.2mm	5
09585	W440R	4.0mm	4




9

TWIST-GRIP ELECTRODE HOLDERS

For holding electrodes to maximise their usage. Twist-Grip handle grips and releases electrode. Maximum load 400A. 5mm jaw opening. Packed in polybag with display header.

Stock No.	Part No.	Handle Colour
08215	ARCEL01	Red
08372	ARCEL02	Yellow



1

MILD STEEL MIG WIRE

Manufactured to EN440 G3Sil (BS2901:A18)

Copper coated mild steel MIG wire, on spools, for welding mild and medium tensile steel. For impact toughness down to -20°. For use with Draper MIG welders and other manufacturers similar machines. Manufactured by SIF for Draper Tools. Carton packed.

Stock No.	Wire Diameter	Wire Weight
77171	0.6mm	0.7kg
77175	0.6mm	5.0kg
77177	0.6mm	15.0kg
77172	0.8mm	0.7kg
77176	0.8mm	5.0kg
77178	0.8mm	15.0kg
77179	1.0mm	15.0kg



2 WSIF511

0.8mm ALUMINIUM MIG WIRE

Manufactured to EN ISO 18273 and BS2901 4047A

Aluminium alloy wire, on 500g spools, with 5% silicon giving excellent flow characteristics and penetration. Suitable for welding duralumin, cast and wrought alloys 6063 (H9), 6061 (H20) and 6082 (H30). For use with Draper MIG welders and other manufacturers similar machines. Manufactured by SIF for Draper Tools.

Stock No.
77173



3 WSIF512

0.8mm STAINLESS STEEL MIG WIRE

Manufactured to EN ISO 14343: 19 12 3 LSi and BS2901 316 S93

Stainless steel filler wire on 700g spools suitable for welding 18/8 (304) austenitic stainless steels, providing good corrosion and wear resistance. For use with Draper MIG welders and other manufacturers similar machines. Manufactured by SIF for Draper Tools. Carton packed.

Stock No.
77174



4 WSIF0905

0.8mm FLUX CORED MIG WIRE

Manufactured to AWS: E71T-GS

Self-shielding low alloy steel MIG wire in 450g spools. For use with Draper MIG welders and other manufacturers similar machines. Manufactured by SIF for Draper Tools. Carton packed.

Stock No.
77180




5 W471D

130 bar GAS BOTTLE REGULATOR

Regulator suitable for use with disposable gas bottles with Draper gas MIG welders, TIG welders and other manufacturers gas welders. Sold loose.

Stock No.
44352



7 W700

25 BAR PROPANE REGULATOR

Single stage plugged. 3/8" BSP outlet, 5/8" BSP inlet. Display packed.

Stock No.
35006



9 W702

300 BAR OXYGEN REGULATOR

Single stage with two gauges, one showing output pressure and the other bottle contents. 3/8" BSP outlet, 5/8" BSP inlet connections. Display packed.

Stock No.
35010



11 W676

MIG/TIG TORCH MAGNETIC STAND

For storing MIG and TIG torches. For use with Draper and other manufacturers welding torches. Packed in polybag with display header.

Stock No.
08169



6 W473B

230 bar GAS BOTTLE REGULATOR WITH TWO GAUGES

Regulator with two gauges for large gas bottles suitable for use with Draper gas MIG welders, TIG welders and other manufacturers gas welders. Sold loose.

Stock No.
43320



8 W701

25 BAR ACETYLENE REGULATOR

Single stage with two gauges, one showing output pressure and the other bottle contents. 3/8" BSP outlet, 5/8" BSP inlet connections. Display packed.

Stock No.
35008



10 W703

300 BAR ARGON REGULATOR

Single stage with two gauges, one showing output pressure and the other bottle contents. 3/8" BSP outlet, 5/8" BSP inlet connections. Display packed.

Stock No.
35017




12

IN-LINE FLASHBACK ARRESTORS

Large sintered element coupled with non return valve. 3/8" BSP connectors. Display packed.

Stock No.	Part No.	For
35018	W704	Fuel
35019	W705	Oxygen



1 HEAVY DUTY WELDING/CUTTING TORCH ASSEMBLY

Designed for sheet metal and the automotive trade. Comprises three separate items: Heavy Duty Shank (Stock No. 35031) which carries oxygen and acetylene and controls gas flow to the Heavy Duty Cutting Attachment (Stock No. 35033) and a Heavy Duty Gas Mixer (Stock No. 35032) for combining oxygen and acetylene which holds welding nozzles (supplied separately). Items are purchased separately to make up combination required. All items are carton packed.

Stock No.	Part No.	Description
35031	W710	Shank
35032	W711	Gas Mixer
35033	W712	C/Attachment



2 W733/A 18/90 CUTTING TORCH

Oxyacetylene/oxygen-propane cutting torch, fitted with mixer nozzles and flame retardant handle. Display packed.

Stock No.
85937



3 WELDER CUTTING NOZZLES

For general purpose hand cutting. Carton packed.


Stock No.	Nozzle Bore	Cuts Thickness	Used For
35042	1/32"	3-6mm	Oxy Acetylene
35044	3/64"	5-12mm	Oxy Acetylene
35049	1/16"	10-75mm	Oxy Acetylene
35050	1/32"	3-6mm	Propane
35052	3/64"	5-12mm	Propane
35054	1/16"	10-75mm	Propane




4 OXY ACETYLENE SWAGED WELDING NOZZLES

A selection of used with traditional shank or welding mixers.

Stock No.	Size	Thickness	Level
35035	No.2	1.2mm	Heavy Duty
35036	No.3	2.0mm	Heavy Duty
35037	No.5	2.6mm	Heavy Duty
35038	No.7	3.2mm	Heavy Duty
35040	No.10	4.0mm	Heavy Duty






5 MIG WELDING TIPS AND SHROUDS

Contact tips for use with torches supplied with Draper welding machines and other professional MIG welding torches, packed three per display card.

Shrouds for use with Draper MIG welding torches, packed two per display card.

Order number of cards required. (2 per card)

Tip Stock No.	Size mm	Shroud Stock No.	For use with...
50802 50803 04613	0.6 0.8 1.0	33886	For All welding machines in this catalogue
50802 04613	0.6 1.0	38453	For All welding machines in this catalogue



6 ACETYLENE/OXYGEN/PROPANE HOSES

Manufactured in accordance with BS ISO3821, 730 and 1256

Fitted with swivel nut connectors at either end. Display packed.

Stock No.	Used For	Size
05515	Acetylene	10M x 6mm
35023	Acetylene	10M x 10mm
05516	Oxygen	10M x 6mm
35026	Oxygen	10M x 10mm
35028	Propane	10M x 10mm



7 W732 WELDING NOZZLE CLEANER

A selection of stainless steel nozzle files for cleaning holes in welding and cutting nozzles. Packed in case. Display packed.

Stock No.
35105



8 W735 FLINT GUN

For the lighting of oxy acetylene for welding or brazing. Display packed.

Stock No.
35108



9 W734 FLINT CUP LIGHTER

For the lighting of oxy acetylene for welding or brazing in draughty conditions. The cup shields the spark from extinguishing. Display packed.

Stock No.
35107




10 W736 GAS BOTTLE KEY

Display packed.

Stock No.
35109

section 7



HEATING & COOLING

326-328 Diesel/Kerosene Space Heaters
329-331 Propane Space Heaters
332 Electric Heaters
333-334 Fans
335 Fans, Air Conditioner and Dehumidifier



SUPPLIED ON PALLET

YOUTUBE.COM/DRAPERTOOLSTV

1 DSH2150

DIESEL/KEROSENE SPACE HEATER (215,000 BTU/62kW)

- Suitable for well ventilated spaces
- Automatic ignition
- Photocell safety device
- In-line fuel filter
- Operates on kerosene, diesel and parrafin

Max. heat output	215,000 BTU (62kW)
Motor	271W
Air Flow	1044m³/hour (614cfm)
Max. fuel consumption	6.2L/h
Tank Capacity	50L
Suggested heating area	up to 35,000cu. ft
Dimensions	1030 x 430 x 550mm
Weight (approx.)	31kg

Stock No.
53925



SUPPLIED ON PALLET

2 DSH1750

DIESEL/KEROSENE SPACE HEATER (175,000 BTU/51kW)

- Suitable for well ventilated spaces
- Automatic ignition
- Photocell safety device
- In-line fuel filter
- Operates on both kerosene and diesel

Max. heat output	175,000 BTU (51kW)
Motor	230W
Air Flow	600m³/hour (350cfm)
Max. fuel consumption	5L/h
Tank Capacity	50L
Suggested heating area	up to 28,000cu. ft
Dimensions	970 x 420 x 660mm
Weight (approx.)	30kg

Stock No.
32284



SUPPLIED ON PALLET

3 DSH1250

DIESEL/KEROSENE SPACE HEATER (125,000 BTU/36kW)

- Suitable for well ventilated spaces
- Automatic ignition
- Photocell safety device
- In-line fuel filter
- Operates on both kerosene and diesel

Max. heat output	125,000 BTU (36kW)
Motor	215W
Air Flow	760m³/hour (450cfm)
Max. fuel consumption	3.6L/h
Tank Capacity	40L
Suggested heating area	up to 15,000cu. ft
Dimensions	890 x 360 x 660mm
Weight (approx.)	26kg

Stock No.
32285



NEW

SUPPLIED ON PALLET

4 DSH107

DIESEL/KEROSENE SPACE HEATER (100,000 BTU/30kW)

- Suitable for well ventilated spaces
- Automatic ignition
- Photocell safety device
- In-line fuel filter
- Operates on both kerosene and diesel

Max. heat output	100,000 BTU (30kW)
Motor	165W
Air Flow	680m³/hour (400cfm)
Max. fuel consumption	2.8L/h
Tank Capacity	32L
Suggested heating area	up to 12,000cu. ft
Dimensions	900 x 365 x 525mm
Weight (approx.)	23kg

Stock No.
81018

YOUTUBE.COM/ DRAPERTOOLSTV





1 DSH751 CW WHLS

DIESEL/KEROSENE SPACE HEATER (75,000 BTU/22kW)

- Suitable for well ventilated spaces
- Automatic ignition
- Photocell safety device
- In-line fuel filter
- Operates on both kerosene and diesel

Max. heat output	75,000 BTU (22kW)
Motor	125W
Air Flow	350m³/hour (210cfm)
Max. fuel consumption	2.1L/h
Tank Capacity	20L
Suggested heating area	up to 10,000cu. ft
Dimensions	650 x 330 x 330mm
Weight (approx.)	20kg

Stock No.
53926

2 DSH750

DIESEL/KEROSENE SPACE HEATER (75,000 BTU/22kW)

- Suitable for well ventilated spaces
- Automatic ignition
- Photocell safety device
- In-line fuel filter
- Operates on both kerosene and diesel

Max. heat output	75,000 BTU (22kW)
Motor	125W
Air Flow	387m³/hour (210cfm)
Max. fuel consumption	2.1L/h
Tank Capacity	20L
Suggested heating area	up to 10,000cu. ft
Dimensions	650 x 330 x 330mm
Weight (approx.)	15kg

Stock No.
32286

NEW





3 DSH77

DIESEL/KEROSENE SPACE HEATER (70,000 BTU/20kW)

- Suitable for well ventilated spaces
- Automatic ignition
- Photocell safety device
- In-line fuel filter
- Operates on both kerosene and diesel

Max. heat output	70,000 BTU (20kW)
Motor	150W
Air Flow	310m³/hour (182cfm)
Max. fuel consumption	1.9L/h
Tank Capacity	22L
Suggested heating area	up to 10,000cu. ft
Dimensions	825 x 365 x 430mm
Weight (approx.)	13.7kg

Stock No.
81027

4 DSH450

DIESEL/KEROSENE SPACE HEATER (45,000 BTU/13kW)

- Suitable for well ventilated spaces
- Automatic ignition
- Photocell safety device
- In-line fuel filter
- Operates on both kerosene and diesel

Max. heat output	45,000 BTU (13kW)
Motor	110W
Air Flow	340m³/hour (200cfm)
Max. fuel consumption	1.3L/h
Tank Capacity	20L
Suggested heating area	up to 8000cu. ft
Dimensions	650 x 330 x 330mm
Weight (approx.)	15kg

Stock No.
32287



SUPPLIED ON PALLET

NEW



DIESEL/KEROSENE

1 DSH-IR30-B

INFRA-RED DIESEL SPACE HEATER (124,000 BTU/34kW)

- Powerful infrared heater suitable for well ventilated spaces
- Automatic ignition
- Photocell safety device with heat protection

Max. heat output	124,000 BTU (36kW)
Motor	94W
Max. fuel consumption	2.6L/h
Tank Capacity	40L
Dimensions	630 x 730 x 860mm
Weight (approx.)	42kg

Stock No.
01774



DIESEL

2 DSH-IR-B

INFRARED DIESEL/KEROSENE SPACE HEATER (60,000 BTU/17kW)

- Suitable for well ventilated spaces
- Photocell safety device and overheating protection
- Operates on both kerosene and diesel

Max. heat output	60,000 BTU (17kW)
Motor	94W
Max. fuel consumption	1.39L/h
Tank Capacity	12L
Dimensions	560 x 330 x 560mm
Weight (approx.)	16kg

Stock No.
17111

STAINLESS STEEL SPACE HEATERS

1 PSH125SS

STAINLESS STEEL PROPANE MIX SPACE HEATER (125,000 BTU/37kW)

- High performance burner assembly
- Overheat thermo sensor
- Manual piezo ignition
- Thermocouple with solenoid valve
- Supplied with a 1.5M gas hose and regulator

Max. heat output	125,000 BTU (40kW)
Motor	100W
Air Flow	580M³/h (341cfm)
Max. gas consumption	2.63kg/h
Suggested heating area	up to 20,000cu. ft
Dimensions	546 x 284 x 360mm
Weight (approx.)	8kg

Stock No.
17685



2 PSH85SS

STAINLESS STEEL PROPANE MIX SPACE HEATER (85,000 BTU/25kW)

- High performance burner assembly
- Overheat thermo sensor
- Manual piezo ignition
- Thermocouple with solenoid valve
- Supplied with a 1.5M gas hose and regulator

Max. heat output	85,000 BTU (40kW)
Motor	100W
Air Flow	535M³/h (315cfm)
Max. gas consumption	1.79kg/h
Suggested heating area	up to 11,000cu. ft
Dimensions	548 x 286 x 360mm
Weight (approx.)	8kg

Stock No.
17684



3 PSH50SS

STAINLESS STEEL PROPANE MIX SPACE HEATER (50,000 BTU/15kW)

- High performance burner assembly
- Overheat thermo sensor
- Manual piezo ignition
- Thermocouple with solenoid valve
- Supplied with a 1.5M gas hose and regulator

Max. heat output	50,000 BTU (40kW)
Motor	45W
Air Flow	230M³/h (135cfm)
Max. gas consumption	1.05kg/h
Suggested heating area	up to 5,000cu. ft
Dimensions	468 x 258 x 302mm
Weight (approx.)	6kg

Stock No.
17682





NEW

1 PSH40C

PROPANE MIX SPACE HEATER (136,000 BTU/40kW)

- High performance burner assembly
- Overheat thermo sensor
- Manual piezo ignition
- Thermocouple with solenoid valve
- Supplied with a 1.5M gas hose and regulator

Max. heat output	136,000 BTU (40kW)
Motor	80W
Air Flow	750M³/h (441cfm)
Max. gas consumption	2.90kg/h
Suggested heating area	up to 23,000cu. ft
Dimensions	595 x 260 x 370mm
Weight (approx.)	6.8kg

Stock No.	Description
47105	Heater
22457	Propane Cylinder Adaptor



NEW

2 PSH30C

PROPANE MIX SPACE HEATER (102,000 BTU/30kW)

- High performance burner assembly
- Overheat thermo sensor
- Manual piezo ignition
- Thermocouple with solenoid valve
- Supplied with a 1.5M gas hose and regulator

Max. heat output	102,000 BTU (30kW)
Motor	30W
Air Flow	750M³/h (441cfm)
Max. gas consumption	2.20kg/h
Suggested heating area	up to 13,0000cu. ft
Dimensions	545 x 260 x 325mm
Weight (approx.)	6.3kg

Stock No.	Description
47101	Heater
22457	Propane Cylinder Adaptor



NEW

3 PSH15C

PROPANE MIX SPACE HEATER (50,000 BTU/15kW)

- High performance burner assembly
- Overheat thermo sensor
- Manual piezo ignition
- Thermocouple with solenoid valve
- Supplied with a 1.5M gas hose and regulator

Max. heat output	50,000 BTU (15kW)
Motor	30W
Air Flow	300M³/h (177cfm)
Max. gas consumption	1.11kg/h
Suggested heating area	up to 5,000cu. ft
Dimensions	495 x 240 x 325mm
Weight (approx.)	5.1kg

Stock No.	Description
47100	Heater
22457	Propane Cylinder Adaptor



4 PSH50

PROPANE SPACE HEATER (50,000 BTU/15kW)

- High performance burner assembly
- Overheat thermo sensor
- Manual piezo ignition
- Thermocouple with solenoid valve
- Supplied with a 1.5M gas hose and regulator

Max. heat output	50,000 BTU (40kW)
Motor	45W
Air Flow	230M³/h (135cfm)
Max. gas consumption	1.05kg/h
Suggested heating area	up to 5,000cu. ft
Dimensions	468 x 258 x 302mm
Weight (approx.)	6kg

Stock No.	Description
17681	Heater
22457	Propane Cylinder Adaptor





NEW

1 PSH12

PROPANE SPACE HEATER (40,000 BTU/12kW)

- High performance burner assembly
- Overheat thermo sensor
- Manual piezo ignition
- Thermocouple with solenoid valve
- Supplied with a 1.5M gas hose and regulator

Max. heat output	40,000 BTU (40kW)
Motor	35W
Air Flow	170M³/h (100cfm)
Max. gas consumption	0.83kg/h
Suggested heating area	up to 4500cu. ft
Dimensions	534 x 264 x 324mm
Weight (approx.)	6kg

Stock No.	Description
81033	Heater
22457	Propane Cylinder Adaptor



NEW

2 PSH10C

PROPANE MIX SPACE HEATER (34,000 BTU/10kW)

- High performance burner assembly
- Overheat thermo sensor
- Manual piezo ignition
- Thermocouple with solenoid valve
- Supplied with a 1.5M gas hose and regulator

Max. heat output	34,000 BTU (10kW)
Motor	30W
Air Flow	300M³/h (177cfm)
Max. gas consumption	0.74kg/h
Suggested heating area	up to 4,000cu. ft
Dimensions	425 x 240 x 352mm
Weight (approx.)	4.6kg

Stock No.	Description
47063	Heater
22457	Propane Cylinder Adaptor



1 ESH2000A

230V SPACE HEATER (2kW)

Heavy gauge sheet steel with heavy duty handle. Adjustable thermostat control with fan and over heat protection. 650W, 1300W and 2000W outputs. IPX4 rated. Size: 365 x 265 x 426mm. Fitted with a cable and approved plug. Carton packed.

Stock No.
07216



2 ESH2000C

230V SPACE HEATER (2kW)

Electric space heater designed for use in enclosed spaces. Made from high quality steel attached to a steel tube tilting stand. Fitted with two speed fan settings and thermostatic heat control. The spiral wound heater element is incorporated with a thermal overload protection device. Size: 220 x 245 x 315mm.

Stock No.
17775



3 ESH2800B

230V SPACE HEATER (2.8kW)

Manufactured to IP44 Specifications

High quality steel construction with handle. Two adjustable thermal outputs, 2.8kW and 1.4kW with adjustable temperature controller, thermal overload protection. IP44 rated. Size: 360 x 390 x 435mm. Fitted with a cable and approved plug. Carton packed.

Stock No.
07571



"PAUL SAYS" QUALITY ASSURANCE MAKES THE DIFFERENCE

POSITIVE TEMPERATURE COEFFICIENT (PTC)

Ceramic heaters use Positive Temperature Coefficient (PTC) technology. It gives a fast heat up time and then once the pre-set temperature is reached the power goes on standby and only cuts in when the temperature drops below that which has been pre-set, thus saving electricity. Their emissivity rate (degree at which material can emit electromagnetic waves) is high so the heat tends to last a long time in relation to the time to reach the desired temperature.





4 HEAT1A

230V FAN HEATER (2kW)

Two heat settings plus fan. Adjustable room thermostat with internal carry handle. Vertical or horizontal standing. 1kW and 2kW outputs. Fitted with cable and approved plug. Display carton.

Stock No.
07213



OSCILLATING FEATURE, ROOM THERMOSTAT, TWO HEAD SETTINGS PLUS FAN



5 HEAT2A

230V PTC CERAMIC HEATER (1.5kW)

Energy efficient heater with ceramic element using Positive Temperature Coefficient (PTC) technology. Oscillating heater with fast heating response time, adjustable room thermostat, two heat settings plus fan, temperature cut-off once the pre-defined temperature has been reached, thus saving costs and energy used. 1.5kW and 0.75kW outputs and automatic cut-off function if unit is tipped. Fitted with cable and approved plug. Display carton.

Stock No.
07214



SUPPLIED ON PALLET

1 HV-36

HIGH VELOCITY DRUM FAN (900mm)

Expert Quality, for use in industrial environments. Two speed motor, with two rubber wheels and handle on pull-along frame. Safety grille and rubber inserts on base to prevent vibration while in use. Overall size: 985mm. Fitted with 2M (approx,) cable and approved plug. Carton packed.

Stock No.	Overall Size
13520	985mm



2 HV-24

HIGH VELOCITY DRUM FAN (600mm)

Expert Quality, for use in industrial environments. Two speed motor with two rubber wheels and 350° tilt cradle mechanism to direct airflow. Safety grille and rubber inserts on base to prevent vibration while in use. Overall size: 740mm. Fitted with 2M (approx.) cable and approved plug. Carton packed.

Stock No.	Overall Size
13519	740mm

NEW




3 HVW30

INDUSTRIAL WALL MOUNTED FAN (750mm)

Expert Quality, powerful 750mm two speed fan, achieving a superior performance. The massive 8,400CFM air flow of the fan head, moves in a side to side motion, through an 85° arc, providing effective cooling for the area required. Fitted with a pull cord switch, steel safety cage with a 45° adjustable tilt feature and attached to the wall by the supplied steel wall mounting bracket.

Stock No.
09436

NEW



4 HVW24

INDUSTRIAL WALL MOUNTED FAN (600mm)

Expert Quality, powerful 600mm two speed fan, achieving a superior performance. The massive 6,260CFM air flow of the fan head, moves in a side to side motion, through an 85° arc, providing effective cooling for the area required. Fitted with a pull cord switch, steel safety cage with a 45° adjustable tilt feature and attached to the wall by the supplied steel wall mounting bracket.

Stock No.
09435

NEW



5 HVW20

WALL MOUNTED REMOTE CONTROL FAN (510mm)

Expert Quality, multi function, wall mounted fan. Fitted with a heavy-duty 3-speed motor operated by a multi function remote control. The tilting 3-blade, high air flow designed oscillating head, circulates the air providing effective cooling for the area required. Supplied with a multi-function, remote control (2 x 'AAA' batteries -supplied separately) and wall mounting kit.

Stock No.
09433

NEW



1 HV18

HIGH VELOCITY FAN (450mm)

Expert Quality, for use in industrial environments. Fitted with a three-speed motor and two rubber feet for added stability. The patented switchable internal oscillation feature provides efficient air circulation and the 120° tilt cradle mechanism enables the airflow to be directed. Chrome plated metal cage provides safety when in use. Fitted with cable and approved plug.

Stock No.
09160

NEW



2 HV16

HIGH VELOCITY FAN (415mm)

Expert Quality, for use in industrial environments. Fitted with a three-speed motor and two rubber feet for added stability. The patented switchable internal oscillation feature provides efficient air circulation and the 120° tilt cradle mechanism enables the airflow to be directed. Chrome plated metal cage provides safety when in use. Fitted with cable and approved plug.

Stock No.
09139

NEW



3 FAN7B

WALL MOUNTED REMOTE CONTROL FAN (400mm)

400mm remote controlled wall mounted fan. The 90° oscillating tilting 3-blade head, circulates the air providing effective cooling for the area required. Fitted with a built-in timer (0.5 - 7.5 hours), supplied with a multi-function, infra-red remote control (2 x 'AAA' batteries -supplied separately).

Stock No.
09113

NEW



4 FAN16

DESK FAN (400mm)

400mm three speed desk fan. The 90 degree oscillating tilting 3-blade head, circulates the air providing effective cooling for the area required. Fitted with front and rear finger guards and an extra wide base.

Stock No.
09111

CLIP-ON DESK FAN

NEW





5 FAN1B

CLIP-ON DESK FAN (150mm)

Fitted with a heavy duty clip and supplied with a detachable base enabling the fan to be converted into a table fan. High and low two-speed motor. Fan has tilt feature. Weight 1kg. Fitted with cable and approved plug.

Stock No.
08710

NEW



1 HV20F

INDUSTRIAL FLOOR STANDING FAN (510mm)

Expert Quality, 3-speed floor standing fan. The 90° tilting 5-blade composite oscillating head, circulates the air by means of the high air flow design, providing effective cooling for the required area. Fitted with an 1300-1650mm adjustable height stand.

Stock No.
09408

NEW



2 FAN17

TOWER FAN (775mm)

Three speed tower fan with powerful output. Operated by remote control (uses 2 x AA batteries, sold separately) with a built-in timer and oscillation function.

Stock No.
09125



3 AC9000B

MOBILE AIR CONDITIONER

A powerful and quiet mobile air conditioning unit with Class A energy efficiency rating. The improved cooling efficiency is delivered by the unit's ability to recycle condensed water. Fitted with a remote control 24-hour programmable timer and automatic diagnostics function. Suggested room size: 12-18 square metres. Attached with 4 x castors for ease of movement and supplied with a multi function remote control, 1.5 metre length (approx.) flexible exhaust hose, a machine exhaust adaptor and an oval nozzle exhaust adaptor

Stock No.	Size
56124	330 x 280 x 680mm



4 DH10

MOBILE DEHUMIDIFIER

Fitted with a two litre, removable water collection bucket featuring a water capacity alarm notifying a user when the collection bucket needs emptying. With an impressive moisture removal rate of 10 litres per day (at 30deg C with a relative humidity of 80%) and featuring frost watch technology, enabling automatic defrosting.

Stock No.	Size
56135	276 x 185 x 480mm

section 8



WORKSHOP ENGINEERING MACHINES

337	Milling/Drilling and Linisher	343	Bandsaws
338-339	Floor Standing Drills	344	Chopsaws and Roller Stands
340-341	Bench Drills	345-347	Grinders
342	Lathe and Bandsaws		

VARIABLE SPEED MILL/DRILL

Accurate, compact milling/drilling machine, purpose designed for the professional user.

1 MILL-170

VARIABLE SPEED MINI MILLING/DRILLING MACHINE (350W)

No-volt switch


- Bench mounted
- Handles most materials
- Working table with T slots
- Metric graduated compound scales
- Column tilts from 0-45°
- No-volt switch
- Approved plug and cable

Drilling capacity	13mm
Face milling capacity	30mm
End milling capacity	16mm
Headstock travel	180mm
Cross axis	100mm
Longitudinal axis	220mm
Spindle tilt axis	±0-45°
Spindle taper	MT3
Low spindle speed	100-1100r/min
High spindle speed	100-2500r/min
T-slot	12mm
Throat depth	170mm
Table size	390 x 92mm
Weight	60kg

Stock No.	Description
34023	Mill/Drill
04661	Quick Action Vice - 50mm
04662	Chuck Set MT3-M12 Ø4-16mm
04663	HSS End Mill Set Ø4-16mm
04664	42 pce. Clamping Kit
04666	Collet Set MT3-M12 Ø4-16mm



SUPPLIED ON PALLET



SUPPLIED ON PALLET



COLUMN AVAILABLE STOCK No. 06792

FOOTPLATE SUPPLIED WITH MACHINE

2 BL1500

1500W 230V BELT LINISHER

No-volt switch

- Used in workshops • For metal grinding, chamfering and deburring • Also suitable for sanding wood and plastics
- Can be bench mounted or fitted to a column (available separately) • Robust construction provides good stability
- Rubberised pulley wheel minimises vibration • Protective cover for when the belt is in use • Dust extraction outlet
- Cable and approved plug

Belt size	1220 x 100mm
Sanding belt speed	1140M/min
Weight	38kg

Stock No.	Part No.	Description
06791	BL1500	Linisher
06792	BL1500S	Column



3 APT130

100 x 1220mm ALUMINIUM OXIDE SANDING BELTS

Cloth backed. For use with Belt Linisher Stock No. 06791. Sold loose.

Stock No.	Grit Grade
38248	40
38249	60
38250	80
38251	100
38252	120

PRODUCT LOCATOR

A comprehensive selection of masks capable of filtering a variety of different particle sizes can be found in the PPE section of this catalogue.









1 HD32/12ACF

12 SPEED HEAVY DUTY FLOOR STANDING DRILL (1500W)

No-volt switch

- Heavy duty • 12 speed • 32mm drilling capacity
- Square table • Smooth running rack and pinion
- No-Volt safety release switch • Depth stop
- Chuck guard • 1.8m (approx.) cable
- Designed for engineering and fabrication workshops

Drilling capacity	32mm
Chuck capacity	3-16mm
Spindle taper	MT4
Speeds	12 (150-2700r/min)
Spindle travel	120mm
Column diameter	92mm
Collar diameter	92mm
Table size	475 x 425mm
Base size	580 x 450mm
Throat depth	255mm
Height	1710mm
Weight	148kgs

Stock No.
95043

2 HD19/16ACF

16 SPEED HEAVY DUTY FLOOR STANDING DRILL (650W)

No-volt switch

- Heavy duty • 16 speed • 19mm drilling capacity
- Square table • Smooth running rack and pinion
- No-Volt safety release switch • Depth stop
- Chuck guard • 1.8m (approx.) cable
- Designed for engineering and fabrication workshops

Drilling capacity	19mm
Chuck capacity	3-16mm
Spindle taper	MT2
Speeds	16 (120-3000r/min)
Spindle travel	80mm
Column diameter	80mm
Collar diameter	80mm
Table size	290 x 290mm
Base size	460 x 275mm
Throat depth	178mm
Height	1650mm
Weight	78kgs

Stock No.
95092

3 GD16/16ADF

12 SPEED FLOOR STANDING DRILL (375W)


No-volt switch

- 12 speed • 16mm drilling capacity
- Square table • Smooth running rack and pinion
- No-Volt safety release switch • Depth stop
- Chuck guard. • 1.8m (approx.) cable
- Ideal for automotive and maintenance workshops

Drilling capacity	16mm
Chuck capacity	1.5-16mm
Spindle taper	B16
Speeds	12 (230-2470r/min)
Spindle travel	80mm
Column diameter	65mm
Collar diameter	65mm
Table size	245 x 245mm
Base size	385 x 245mm
Throat depth	152mm
Height	1565mm
Weight	44kgs

Stock No.
94803

PRODUCT LOCATOR



See page 341 for drill press vices suitable for use with the bench/floor standing drills shown here.

PRODUCT LOCATOR

See Section 12 PTA for a range of Drill Bits including HSS and Holesaws, perfect for use with Bench and Pillar Drills.



NEW

SUPPLIED ON PALLET



NEW

SUPPLIED ON PALLET



NEW

SUPPLIED ON PALLET

1 GD25/12EF

16 SPEED FLOOR STANDING DRILL (1100W)

No-volt switch

- 16 speed
- 25mm drilling capacity
- Square table
- Smooth running rack and pinion
- No-Volt safety release switch
- Depth stop
- Chuck guard.
- 1.8m (approx.) cable
- Ideal for automotive and maintenance workshops

Drilling capacity	25mm
Chuck capacity	3-16mm
Spindle taper	MT3
Speeds	16 (160-3000r/min)
Spindle travel	80mm
Column diameter	80mm
Collar diameter	60mm
Table size	356 x 356mm
Base size	485 x 290mm
Throat depth	255mm
Height	1635mm
Weight	86kgs

Stock No.
02019

2 GD20/12E

12 SPEED FLOOR STANDING DRILL (600W)

No-volt switch

- 12 speed
- 20mm drilling capacity
- Square table
- Smooth running rack and pinion
- No-Volt safety release switch
- Depth stop
- Chuck guard.
- 1.8m (approx.) cable
- Ideal for automotive and maintenance workshops

Drilling capacity	20mm
Chuck capacity	3-16mm
Spindle taper	MT2
Speeds	12 (180-2740r/min)
Spindle travel	80mm
Column diameter	73mm
Collar diameter	55mm
Table size	305 x 305mm
Base size	485 x 290mm
Throat depth	185mm
Height	1635mm
Weight	64kgs

Stock No.
02017

3 GD20/12E

12 SPEED BENCH DRILL (600W)

No-volt switch

- 12 speed
- 20mm drilling capacity
- Square table
- Smooth running rack and pinion
- No-Volt safety release switch
- Depth stop
- Chuck guard.
- 1.8m (approx.) cable
- Ideal for automotive and maintenance workshops

Drilling capacity	20mm
Chuck capacity	3-16mm
Spindle taper	MT2
Speeds	12 (180-2740r/min)
Spindle travel	80mm
Column diameter	73mm
Collar diameter	55mm
Table size	305 x 305mm
Base size	485 x 280mm
Throat depth	185mm
Height	1050mm
Weight	58kgs

Stock No.
02016

NEW

SUPPLIED ON PALLET

HEAVY DUTY



1 HD19/16AC

16 SPEED HEAVY DUTY BENCH DRILL (650W)

No-volt switch

- Heavy duty
- 16 speed
- 19mm drilling capacity
- Square table
- Smooth running rack and pinion
- No-Volt safety release switch
- Depth stop
- Chuck guard.
- 1.8m (approx.) cable
- Designed for engineering and fabrication workshops

Drilling capacity	19mm
Chuck capacity	3-16mm
Spindle taper	MT2
Speeds	16 (120-3000r/min)
Spindle travel	80mm
Column diameter	80mm
Collar diameter	80mm
Table size	290 x 290mm
Base size	460 x 275mm
Throat depth	178mm
Height	1000mm
Weight	71kgs

Stock No.
95314

NEW

SUPPLIED ON PALLET



2 GD16/16AD

12 SPEED BENCH DRILL (450W)

No-volt switch

- 12 speed
- 16mm drilling capacity
- Square table
- Smooth running rack and pinion
- No-Volt safety release switch
- Depth stop
- Chuck guard.
- 1.8m (approx.) cable
- Ideal for automotive and maintenance workshops

Drilling capacity	16mm
Chuck capacity	1.5-16mm
Spindle taper	B16
Speeds	12 (230 - 2470r/min)
Spindle travel	80mm
Column diameter	65mm
Collar diameter	65mm
Table size	245 x 245mm
Base size	385 x 245mm
Throat depth	152mm
Height	868mm
Weight	37kgs

Stock No.
95301

NEW

SUPPLIED ON PALLET



3 GD13/5D

5 SPEED BENCH DRILL (250W)

No-volt switch

- 5 speed
- 13mm drilling capacity
- Square table
- Smooth running rack and pinion
- No-Volt safety release switch
- Depth stop
- Chuck guard.
- 1.8m (approx.) cable
- Ideal for home workshops

Drilling capacity	13mm
Chuck capacity	1.5-13mm
Spindle taper	B16
Speeds	5 (460-2480r/min)
Spindle travel	60mm
Column diameter	60mm
Collar diameter	55mm
Table size	205 x 198mm
Base size	340 x 210mm
Throat depth	126mm
Height	720mm
Weight	31kgs

Stock No.
94802

350W BENCH DRILL





1 D13/5DA

5 SPEED BENCH DRILL (350W)

No-volt switch

- 5 speed
- 13mm drilling capacity
- Square table
- Smooth running rack and pinion
- No-Volt safety release switch
- Depth stop
- Chuck guard.
- 1.8m (approx.) cable
- Ideal for home workshops

Drilling capacity	13mm
Chuck capacity	1.5-13mm
Spindle Taper	MT2
Speeds	5 (580-2650r/min)
Spindle travel	50mm
Column diameter	60mm
Collar diameter	40mm
Table size	158 x 162mm
Base size	200 x 314
Throat depth	104mm
Height	580mm
Weight	18kg

Stock No.
38255



2 YCG

CHUCK GUARDS

These telescopic chuck guards give a smooth protective telescopic action as the drill penetrates the workpiece. The outer slotted visor can also be set in a locked position. The guards listed are ideal for most drilling machines with a collar size as stated. Carton packed.

NB:- Check collar size before ordering.

Stock No.	Collar Diameter
52254	40mm
52669	55mm
52938	55mm
65964	60mm
65965	74mm
45881	92mm




3 DPV70/B

'QUICK ACTION' DRILL PRESS VICE

Manufactured from cast aluminium with hardened jaws. 'Quick action' release at rear of vice allows jaws to be opened quickly. Display carton.

Stock No.	Jaw Width	Jaw Opening
40390	70mm	67mm



4 DPV100/3

3 WAY DRILL PRESS VICE

Quality cast iron body with three accurately ground cast iron mounting surfaces for drilling holes at 90°. Precision ground jaws. Carton packed.

Stock No.	Jaw Width	Jaw Opening
64585	85mm	100mm

1 LATHE-300


VARIABLE SPEED METALWORKING LATHE (250W)

- Precision built metal working lathe
- Capable of cutting metric gears
- Variable speed • Reversible drive
- Powered cutting facility for right and left hand threads
- No-volt switch • Chuck guard • Self-centring three jaw chuck

SUPPLIED ON PALLET



Diameter turning capacity	180mm
Centre turning capacity	300mm
Chuck capacity	80mm
Low spindle speed	100-1100 r/min
High spindle speed	100-2500r/min
Cross slide travel	65mm
Spindle bore	20mm
Overall length	770mm
Weight	42kg



Stock No.	Description
33893	Lathe
06900	11 pce. 8mm Cutter Set
06901	Face Plate
06902	Face Plate Clamp Set
06903	Steady Rest
06904	Follow Rest
06906	Tailstock Chuck
06907	MT3 Live Centre
06908	MT2 Revolving Centre
06909	2 pce. Cutter Set
06910	Independent Chuck
06911	Rocker Tool Post
06912	Carriage Stop



SUPPLIED ON PALLET

2 MBS150

130mm HORIZONTAL METAL CUTTING BANDSAW (550W)

No-volt switch

- Mitre swivel vice for accurate mitre cutting from 90° to 45°
- 3 cutting speeds • Blade cleaning brush wheel • Automatic switch off
- Adjustable blade guides for added accuracy • Clamping mechanism
- For use with ferrous/non-ferrous metal, alloy tubes, bars & profiles

Round Cutting capacity	110mm
Rectangular cutting capacity	100 x 130mm
Motor type	Induction
Blade length	1640mm
Dimensions (L x W x H)	1075 x 517 x 1465mm
Height to bed	610mm
Height to table	860mm
Speeds	3 x (20, 30 and 50Mtr/Min)
Weight	70.5kg

Stock No.
53040



HORIZONTAL AND VERTICAL CUTTING



SUPPLIED ON PALLET

3 MBS46A

150mm HORIZONTAL/VERTICAL METAL CUTTING BANDSAW (350W)

No-volt switch

- 3 cutting speeds • Blade cleaning brush wheel
- Automatic switch off • Adjustable blade guides for added accuracy
- Clamping mechanism
- For use with ferrous/non-ferrous metal, alloy tubes, bars & profiles

Round Cutting capacity	114mm
Rectangular cutting capacity	100 x 150mm
Motor type	induction
Blade length	1638mm
Dimensions (L x W x H)	950 x 450 x 1380mm
Height to bed	610mm
Height to table	860mm
Speeds	3 (65, 95, 165Mtr/Min)
Weight	61kg

Stock No.
30736





1 MBS260

260mm HORIZONTAL METAL CUTTING BANDSAW (1100W)

No-volt switch

- Oil cooling system for long trouble free life
- Electronic control system
- Hydraulic lifting arm and vice
- Hydraulic dampening on the arm
- Mitre swivel vice for accurate mitre cutting from 90° to 45°
- Blade cleaning brush wheel
- Automatic switch off
- Adjustable blade guides for added accuracy
- Clamping mechanism
- For use with ferrous/non-ferrous metal, alloy tubes, bars & profiles

Round Cutting capacity	220mm
Rectangular cutting capacity	260 x 110mm
Motor type	Induction
Blade length	2460mm
Dimensions (L x W x H)	1500 x 720 x 1500mm
Height to bed	610mm
Height to table	860mm
Speed	72Mtr/Min
Weight	264kg

Stock No.	Description
38012	Bandsaw
75012	Cutting Oil



2

METAL BANDSAW BLADES

Bandsaw blades for metal.

Stock No.	Blade Length	Blade Width	Pitch
14255	1400mm	1/4"	24tpi
25764	1425mm	1/4"	24tpi
32057	1505mm	1/4"	24tpi
28112	1638mm	1/2"	24tpi
76731	1712mm	1/4"	24tpi
58561	2105mm	3/4"	24tpi
63345	2235mm	1/4"	24tpi
58564	2460mm	1"	24tpi
76741	2560mm	1/4"	24tpi
14404	2750mm	1/4"	24tpi
14532	3345mm	1/4"	24tpi

3 MBS210

210mm HORIZONTAL METAL CUTTING BANDSAW (900W)

No-volt switch

- Oil cooling system for long trouble free life
- Electronic control system
- Hydraulic lifting arm and vice
- Hydraulic dampening on the arm
- Mitre swivel vice for accurate mitre cutting from 90° to 45°
- Blade cleaning brush wheel
- Automatic switch off
- Adjustable blade guides for added accuracy
- Clamping mechanism
- For use with ferrous/non-ferrous metal, alloy tubes, bars & profiles

Round Cutting capacity	210mm
Rectangular cutting capacity	210 x 210mm
Motor type	Induction
Blade length	2110mm
Dimensions (L x W x H)	1250 x 720 x 1675mm
Height to bed	610mm
Height to table	860mm
Speed	80Mtr/Min
Weight	220kg

Stock No.	Description
38010	Bandsaw
75012	Cutting Oil



4 MCBSA1

5L NEAT CUTTING OIL

Conforms to DIN 51 506 VDL, DIN 51 524 part 2 and AFNOR NF E 48-603 (HM) Specifications.

A high grade neat oil. Suitable for tapping, drilling and reaming on both high alloy steel and non-ferrous metal. Its dense consistency allows the lubricant to cling to the surface of the metal, providing greater coverage even when used on high-speed applications. Sold loose.

Stock No.
75012



1 CS14B

355mm CHOP SAW (2000W)

- Cuts metals, brick and stone
- Powerful motor
- Fully hardened gears
- Cable and approved plug

Wheel diameter	355mm
Bore	25.4mm
Wheel thickness	3mm
Speed	3500r/min
Pipe cutting capacity at 90°	100mm
Square cutting capacity at 90°	100 x 100mm
Weight	20kg

Stock No.	Description
76211	Chop Saw
26871	Cutting Disc



2 RST310

ROLLER STAND (300mm)

- Quick-release lock handle for instant height adjustment

Height (minimum)	730mm
Height (maximum)	1050mm
Roller width	300mm
Maximum supporting weight	80kg
Stand weight	4kg

Stock No.
13886



3 RST400

ROLLERS AND BEARINGS STAND (300mm)

- Bearings give easy multi-directional movement.
- Quick-release lock knob for instant height adjustment

Height (minimum)	680mm
Height (maximum)	1117mm
Roller width	300mm
Maximum supporting weight	80kg
Stand weight	5kg

Stock No.
13887





4 RTB1

ROLLER TABLE (390mm)

- Four independently adjustable legs • Table size: 1090mm (L) x 450mm (W)

Height (minimum)	686mm
Height (maximum)	1029mm
Table size	1090 x 450mm
Roller width	390mm
Maximum supporting weight	100kg
Table weight	20.5kg

Stock No.
19192






1 GWD205A

WET AND DRY BENCH GRINDER (350W)

- Horizontal whetstone honing wheel
- Dry white grinding wheel • Eye protection shield
- Spark deflectors • Wheel guards • Adjustable tool rests

Whetstone wheel diameter	200mm
Whetstone wheel bore	80mm
Dry white stone wheel dia.	125mm
Dry white stone wheel bore	12.7mm
Whetstone speed	320r/min
Dry white stone speed	28950r/min
Weight	11kg

Stock No.	Description
31235	Grinder
29804	Whetstone Wheel
38186	Dry Stone Wheel



2 GWD200A

WET AND DRY BENCH GRINDER (250W)

- Vertical whetstone honing wheel,
- Dry grinding wheel
- Eye protection shield
- Spark deflectors
- Wheel guards
- Adjustable tool rests

Whetstone wheel diameter	200mm
Whetstone wheel bore	20mm
Dry white stone wheel dia.	150mm
Dry white stone wheel bore	12.7mm
Whetstone speed	134r/min
Dry white stone speed	3000r/min
Weight	10kg

Stock No.	Description
78456	Grinder
79016	Whetstone Wheel
85211	Grinding Wheel



"DAVE SAYS" QUALITY MAKES THE DIFFERENCE

This multi function tool offers the user two ways of safely operating the flexible drive shaft. The first safe way is to hold like a pen, this is especially useful when engraving as it enables the user more precision. Alternatively hold the flexible shaft in the palm of the hand, this is the ideal method when greater pressure is required like when cutting or grinding.





3 LD75

75mm MINI BENCH GRINDER WITH FLEXIBLE DRIVE SHAFT AND BOX OF ACCESSORIES (150W)

- Dry grinding wheel
- Polishing wheel
- Flexible drive shaft with grinding attachment
- Eye protection shield
- Spark deflectors
- Wheel guards
- Adjustable tool rests
- Supplied with 107 accessories

Grinding wheel diameter	75mm
Polishing wheel diameter	75mm
Flexible shaft	1000mm
Bore size	10mm
Speed	0-10,000r/min
Weight	3kg



Stock No.
27628





1 LD150

150mm BENCH GRINDER (150W)

• Coarse and fine grinding wheel • Eye protection shield
• Spark deflectors • Wheel guards • Adjustable tool rests

Grinding wheel diameter	150mm
Width/Face	16mm
Bore size	12.7mm
Speed	2950r/min
Weight	5kg

Stock No.	Description
83420	Grinder
85211	36G Grinding Wheel
85213	60G Grinding Wheel



2 G150C

150mm BENCH GRINDER (250W)

• Coarse and fine grinding wheel • Eye protection shield
• Spark deflectors • Wheel guards • Adjustable tool rests

Grinding wheel diameter	150mm
Width/Face	19mm
Bore size	12.7mm
Speed	3000r/min
Weight	8kg

Stock No.
66804



3 GHD150

150mm HEAVY DUTY BENCH GRINDER (370W)

• Coarse and fine grinding wheel • Eye protection shield
• Spark deflectors • Wheel guards • Adjustable tool rests

Grinding wheel diameter	150mm
Width/Face	19mm
Bore size	12.7mm
Speed	3000r/min
Weight	11kg

Stock No.
29620



4 GD625L

150mm BENCH GRINDER WITH WORKLIGHT (370W)

• Fitted with worklight • Coarse and fine grinding wheel
• Eye protection shield • Spark deflectors
• Wheel guards • Adjustable tool rests
• Supplied with grinding wheel dresser and storage tray

Grinding wheel diameter	150mm
Width/Face	20mm
Bore size	12.7mm
Speed	2850r/min
Weight	9kg

Stock No.
05095



5 GHD150WA

150mm BENCH GRINDER WITH WIRE WHEEL AND LED WORKLIGHT (370W)

• Heavy duty • Fitted with worklight
• 60 grit grinding wheel and wire wheel
• Eye protection shield • Spark deflectors
• Wheel guards • Adjustable tool rests

Grinding wheel diameter	150mm
Width/Face	20mm
Bore size	12.7mm
Speed	2850r/min
Weight	7kg

Stock No.
83421



6 GD825L

200mm HEAVY DUTY BENCH GRINDER WITH WORKLIGHT (550W)

• Heavy duty • Fitted with worklight
• Coarse and fine grinding wheels
• Eye protection shield • Spark deflectors
• Wheel guards • Adjustable tool rests
• Supplied with grinding wheel dresser and storage tray

Grinding wheel diameter	200mm
Width/Face	25mm
Bore size	15.8mm
Speed	2850r/min
Weight	19kg

Stock No.
05097



1 GHD200

200mm HEAVY DUTY BENCH GRINDER (550W)

- Heavy duty • Coarse and fine grinding wheels
- Eye protection shield • Spark deflectors
- Wheel guards • Adjustable tool rests
- Integral cooling trough is included in the base of the machine

Grinding wheel diameter	200mm
Width/Face	25mm
Bore size	15.8mm
Speed	3000r/min
Weight	21kg

Stock No.
29621



2 AG101

ADJUSTABLE BENCH GRINDER STAND

Sturdy bench grinder stand with floor mounting holes and adjustable height from 700 to 900mm. The grinder fixing platform measures 228 x 198mm and will accept Draper Grinders and other manufacturers similar machines. Supplied flat packed for self assembly. Display carton.

Stock No.
69356



3 AG100

150mm GRINDING WHEEL DRESSER

For truing, cleaning, sharpening and shaping grinding wheels. Each dresser comprises of six individual wheels. Spare wheels are available in units of six only. Display packed.



Stock No.	Description
30479	Dresser
74601	Dresser Repair Kit



4 VAM

VIBRATION ABSORPTION MAT

Reduces machine vibration and noise. Suitable for use with bench top machine tools such as bench grinders, fretsaws, bandsaws, belt and disc sanders, etc. Display packed.

Stock No.	Size
30743	600 x 300mm

QUALITY GRINDING WHEELS

Our grinding wheels provide a comprehensive solution for deburring, shaping and sharpening needs.

Included in the range are aluminium oxide grinding wheels for high speed tool steels and silicon carbide for nonferrous metals.





GRINDING WHEELS

Tested to EN12413

For use with Draper Bench Grinders and other manufacturers similar machines. Display carton.

	Stock No.	Dia. x Bore-mm	Wheel Width	Grit Type
A	85211	150 x 12.7mm	16mm	36
B	85213	150 x 12.7mm	16mm	60
C	83816	150 x 12.7mm	19mm	80
D	52068	150 x 12.7mm	19mm	80
E	52069	200 x 15.8mm	25mm	30
F	52070	200 x 16mm	25mm	60



WOODWORKING MACHINES

350-352	Sanders
353	Morticers
354-359	Saws
360	Thicknesser and Spindle Moulder
361-362	Lathes
363-365	Extraction
366-369	Vacuums

WOODWORKING MACHINES

SANDERS

Pages 350-352



MORTICERS

Pages 353



SAWS

Pages 354-359



THICKNESSER & SPINDLE MOULDER

Pages 360



LATHES

Pages 361-362



EXTRACTION

Pages 363-365




VACUUMS

Pages 366-369



305MM DISC SANDER

YOUTUBE.COM/ DRAPERTOOLSTV





1 DS305

305mm DISC SANDER (750W)

No-volt switch

• 0-45° table tilt function • Mitre gauge • Dust extraction facility
• Powerful and quiet induction motor • Supplied with 80 grit sanding sheet • Cable and approved plug

Disc size	305mm
Sanding disc table	438 x 156mm
Table tilt	0-45°
Disc speed	1400r/min
Weight	30kg

Stock No.
88912

2 ADS305C

305mm SANDING DISCS

For use with Draper Disc Sander Stock No. 88912 and other manufacturers similar machines. Assorted pack comprises 1 x 60, 2 x 80, 1 x 100 and 1 x 120 grit grades.

Packed five discs per pack.

Order number of packs required. (5 discs per pack)

Stock No.	Grit Grade
46442	60
46443	80
46444	100
46445	120
46441	Assorted



YOUTUBE.COM/ DRAPERTOOLSTV



1 BDS150

BELT AND DISC SANDER (375W)

- Adjustable bed angle • Capable of horizontal and vertical sanding
- Mitre gauge • Tilting arm
- Enables a wide variety of sanding procedures from chamfers to compound mitres
- Robust construction minimising vibration • Dust extraction outlet
- Cable and approved plug

Belt size	915 x 100mm
Disc size	150mm
Sanding disc table	125 x 190mm
Table tilt	0-45°
Disc speed	1450r/min
Weight	16kg

Stock No.
53005

YOUTUBE.COM/ DRAPERTOOLSTV



2 BDS368

BELT AND DISC SANDER (350W)

- Adjustable bed angle • Capable of horizontal and vertical sanding
- Mitre gauge • Tilting arm
- Enables a wide variety of sanding procedures from chamfers to compound mitres
- Robust construction minimising vibration • Dust extraction outlet
- Cable and approved plug

Belt size	915 x 100mm
Sanding belt table	100 x 152mm
Disc size	200mm
Sanding disc table	158 x 266mm
Table tilt	0-45°
Disc speed	2850r/min
Weight	20kg

Stock No.
50021



3 SD6C

SELF ADHESIVE ALUMINIUM OXIDE SANDING DISCS (150mm)

For use with Draper bench sander Stock No: 53005 and most 150mm bench type or air tool sanders. Assorted pack comprises 1 x 60, 2 x 80, 1 x 100 and 1 x 120 grit grades.

Packed five discs per display pack.

Order number of packs required. (5 discs per pack)

Stock No.	Grit Grade
83861	60
83862	80
83863	100
83864	120
83860	Assorted



4 SD8C

200mm SELF-ADHESIVE ALUMINIUM OXIDE SANDING DISCS

For use with Draper Belt and Disc Sander Stock No. 50021. Assorted pack comprises 1 x 60, 2 x 80, 1 x 100 and 1 x 120 grit grades.

Packed five discs per pack.

Order number of packs required. (5 discs per pack)

Stock No.	Grit Grade
54666	60
54667	80
54679	100
54687	120
54665	Assorted



5 SD8VB

200mm HOOK AND LOOP ALUMINIUM OXIDE SANDING DISCS

For use with Hook and Loop Backing Pad Stock No. 52612. Fits Draper Belt and Disc Sander Stock No, 50021. Assorted pack comprises 1 x 60, 2 x 80, 1 x 100 and 1 x 120 grit grades.

Packed five discs per pack.

Order number of packs required. (5 discs per pack)

Stock No.	Grit Grade
23354	60
23355	80
23358	100
23359	120
23360	Assorted



6 SB436C

100 x 915mm ALUMINIUM OXIDE SANDING BELTS

Cloth backed. For use with most bench-type belt sanders. Assorted pack comprises 1 x 60, 1 x 80 and 1 x 120 grit grades.

Packed three belts per pack.

Order number of packs required. (3 belts per pack)

Stock No.	Grit Grade
36069	60
36071	80
36073	100
36074	120
36075	Assorted



7 SD8VP

200mm SELF-ADHESIVE HOOK AND LOOP BACKING PAD

For mounting hook and loop backed sanding discs. Sold loose.

Stock No.
52612







1 BBS450A

BOBBIN SANDER (450W)

No-volt switch

- Dust extraction facility
- Supplied with five bobbin drums, six sanding sleeves and six table inserts
- Cable and approved plug

Oscillations	58/min
Oscillation travel	16mm
Table size	370 x 290mm
Bobbin working height (max.)	110mm
Bobbin height (max.)	115mm
Weight	13kg

Stock No.
10773



3 GD650A

150mm BENCH GRINDER WITH SANDING BELT AND WORKLIGHT (370W)

- 150mm grinding wheel • 50 x 686mm sanding belt • Worklight • Dust extraction for belt
- Adjustable eye protection shield • Spark deflector • Wheel guard
- Storage tray and tool rest • Fitted with approved plug and cable

Grinding wheel diameter	150mm
Bore size	12.7mm
Sanding belt size	50 x 686mm
Speed	2850r/min
Weight	10kg

Stock No.
05096



2 APT5SD

PACK OF SIX ALUMINIUM OXIDE SANDING SLEEVES

For use with Draper Bobbin Sander Stock No.10773. Fibre backed, heavy duty 80 grit bobbins. Assorted pack comprises one of each size tube: 12.7, 19, 25.5, 38, 51 and 76 x 110mm. Display packed.

Order number of packs required

Stock No.	Sleeve Size
25186	12.7mm
25187	19mm
25188	25.5mm
25189	38mm
25190	51mm
25191	76mm
13801	Assorted



4 APT88B

50 x 686mm ALUMINIUM OXIDE SANDING BELTS

Cloth backed. For use with Bench Grinder with Sanding Belt and Worklight Stock No. 05096. Sold loose.

Stock No.	Grit Grade
36668	80
36671	240
36669	120



SUPPLIED ON PALLET

1 BM25/AABM25

1" MORTICER AND STAND (750W)

No-volt switch

- Powerful induction motor
- Multi-directional table movement
- Easily positioned for larger workpieces
- Fully adjustable work clamps
- Depth stops allow for accurate morticing
- Supplied with 5/8" chisel and bit, 19mm, 13/16" and 1.3/6" chisel bushes, 16mm chuck and key
- Fitted with 2M(approx.) cable and approved plug

Speed	1400r/min
Chisel capacity	25.4mm (1")
Chuck capacity	16mm
Chisel stroke (max.)	220mm
Clamping height (max.)	200mm
Fence to chisel centre	140mm
Table size	400 x 150mm
Base size	300 x 450mm
Weight (machine only)	108kg

Stock No.
09896



2 BM13C

1/2" BENCH MORTICER (370W)

No-volt switch

- Powerful induction motor
- Fully adjustable fence and workpiece holder
- Depth stops allow for accurate morticing
- Supplied with depth stop, work clamp, 3 piece chisel set (1/4", 3/8", 1/2"), chisel reducing adaptors, chuck and key

Speed	1400r/min
Chisel capacity	12.7mm (1/2")
Chuck capacity	13mm
Chisel stroke (max.)	76mm
Clamping height (max.)	90mm
Fence to chisel centre	84mm
Table size	150 x 340mm
Base size	190 x 255mm
Weight	27kg

Stock No.
33651



3 AWM/5

HOLLOW SQUARE MORTICE CHISEL AND BIT SET (5 PIECE)

Manufactured from high carbon steel hardened and tempered. Finely ground and polished with honed cutting edges. Supplied in wooden presentation box. Display packed.

Contents:

- 1/4" mortice square
- 5/16" mortice square
- 3/8" mortice square
- 1/2" mortice square
- 5/8" mortice square

Stock No.
40406



4 245

HOLLOW SQUARE MORTICE CHISELS WITH BITS

Expert Quality, manufactured from high carbon steel hardened and tempered. Chisels are finely ground and polished with honed cutting edges. Chisel shank diameter 13/16" (Stock No. 48080 is 1.3/16"). Display packed.

Stock No.	Mortice Sq.	Mortice Depth	Chisel BitØ
48014	1/4"	1.1/2"	11/64"
48030	3/8"	2.1/2"	1/4"
48056	1/2"	2.3/4"	3/8"
48072	5/8"	3.9/16"	1/2"
48080	3/4"	4.11/16"	1/2"



5

MORTICE CHISELS WITH BITS

Manufactured from high carbon steel hardened and tempered, finely ground, polished with honed cutting edges. Display packed.

Stock No.	Part No.	Mortice Square	Chisel Shank dia.
43043	AWM1B	1/4"	19mm
43044	AWM2B	3/8"	19mm
43045	AWM3B	1/2"	19mm
43050	AWM7B	1"	19mm
43046	AWM4B	1/4"	13/16"
43047	AWM5B	3/8"	13/16"
43049	AWM6B	1/2"	13/16"



6 245B

SPARE MORTICE BITS

Expert Quality, manufactured from high carbon steel hardened and tempered. Bits are finely ground and polished with honed cutting edges. Display packed.

Stock No.	Mortice Square	Chisel Shank Dia.
78897	1/4"	11/64"
78912	3/8"	1/4"
78920	1/2"	3/8"
78954	5/8"	1/2"



7 245S

SPARE MORTICE CHISELS

Expert Quality, manufactured from high carbon steel hardened and tempered. Chisels are finely ground and polished with honed cutting edges. Chisel shank diameter 13/16". Display packed.

Stock No.	Mortice Square	Mortice Depth
78996	1/4"	1.1/2"
79019	3/8"	2.1/2"
79035	1/2"	2.3/4"
79051	5/8"	3.9/16"



1 BS200B

200mm BANDSAW (250W)

No-volt switch

- 0-45° table tilting feature
- For angled cutting, ripping, mitre and bevel cutting
- Fitted with a cable and approved plug
- Supplied with a 5mm wide 6tpi blade, parallel rip fence, open ended spanner, flat head screwdriver, push stick and 2 x hex keys

Motor input	250W
Motor type	Brushless
Table size	290 x 290mm
Max cutting height	80mm
Blade speed	900M/min
Max width of cut	200mm
Blade length	1400mm
Table bevel angle	0-45 deg
Table height from floor	300mm
Dust extraction port	35mm
Weight	17.5kg

Stock No.
82756



2 BS200A

200mm BANDSAW (250W)

No-volt switch

- 0-45° table tilting feature
- For angled cutting, ripping, mitre and bevel cutting
- Fitted with a cable and approved plug
- Supplied with 5mm wide 6tpi blade, mitre gauge, rip fence, push stick and dust extraction outlet

Motor input	250W
Motor type	Brushless
Table size	300 x 300mm
Max cutting height	80mm
Blade speed	900M/min
Max width of cut	200mm
Blade length	1400mm
Table bevel angle	0-45 deg
Table height from floor	290mm
Dust extraction port	35mm
Weight	15.5kg

Stock No.
13773

3 BANDSAW BLADES Bandsaw blades for hard and soft woods and plastics.

Stock No.	Blade Length	Blade Width	Pitch
14253	1400mm	1/4"	6 skip
14254	1400mm	3/8"	6 skip
14259	1400mm	1/2"	6 skip
25760	1425mm	1/4"	6 skip
25761	1425mm	3/8"	6 skip
25762	1425mm	1/2"	6 skip
25765	1425mm	1/2"	14tpi
32054	1505mm	1/4"	6 skip
32055	1505mm	3/8"	6 skip
32058	1505mm	1/2"	14tpi
28109	1638mm	1/2"	14tpi
28110	1638mm	1/2"	18tpi
76728	1712mm	1/4"	6 skip
76729	1712mm	3/8"	6 skip
76730	1712mm	1/2"	6 skip
76732	1712mm	1/2"	14tpi
25766	1785mm	1/4"	6 skip
25767	1785mm	3/8"	6 skip
25768	1785mm	1/2"	6 skip
58555	2105mm	3/4"	14tpi
58556	2105mm	3/4"	18tpi
63341	2235mm	1/4"	6 skip
63343	2235mm	3/8"	6 skip
63344	2235mm	1/2"	6 skip
63342	2235mm	1/2"	14tpi
45860	2240mm	5/8"	4 skip
45863	2240mm	3/4"	4 skip
58562	2460mm	1"	14tpi
58563	2460mm	1"	18tpi
76738	2560mm	1/4"	6 skip
76739	2560mm	3/8"	6 skip
76740	2560mm	1/2"	6 skip
76742	2560mm	1/2"	14tpi
45901	2560mm	5/8"	4 skip
45924	2560mm	3/5"	4 skip
45934	2560mm	1"	4 skip
14260	2750mm	1/4"	6 skip
14262	2750mm	3/8"	6 skip
14264	2750mm	1/2"	6 skip
14436	2750mm	1/2"	14tpi
14492	3345mm	1/4"	6 skip
14504	3345mm	3/8"	6 skip
14505	3345mm	1/2"	6 skip
14540	3345mm	1/2"	14tpi
22216	3345mm	1"	4tpi



1 BS250B

250mm BANDSAW (420W)

No-volt switch

- 0-45° table tilting feature
- For angled cutting, ripping, mitre and bevel cutting
- Fitted with a cable and approved plug
- Supplied with blade, mitre gauge, rip fence and dust extraction outlet
- Can be bench mounted or fitted to a stand (available separately)
- Excellent performance and cutting capacity
- Designed for home and workshop use

Motor input	420W
Motor type	Brushless
Table size	300 x 300mm
Max cutting height	120mm
Blade speed	660/960M/min
Max width of cut	246mm
Blade length	1790mm
Table bevel angle	0-45 deg
Table height from floor	1167mm (with stand)
Dust extraction port	40mm
Weight	26.55kg

Stock No.	Part No.	Description
84713	BS250B	Bandsaw
84717	ABS9	Saw Stand



TAKES BLADES FROM 6MM (1/4") TO 19MM (3/4")

CAST IRON TABLE

SUPPLIED ON PALLET

2 BS305

305MM BANDSAW (750W)

No-volt switch

- Fitted with LED flexi-light • Dust collection tray
- Quick release blade tensioner
- Blade bearing guides • 0-45° table tilting feature
- For angled cutting, ripping, mitre and bevel cutting
- Fitted with a cable and approved plug
- Supplied with blade, mitre gauge, rip fence and dust extraction outlet
- Can be bench mounted or fitted to a stand (available separately)
- Excellent performance and cutting capacity
- Designed for home and workshop use

Motor input	750W
Motor type	Brushless
Table size	390 x 480mm
Max cutting height	165mm
Blade speed	370/800M/min
Max width of cut	305mm
Blade length	2240mm
Table bevel angle	0-45 deg
Table height from floor	944mm (with stand)
Dust extraction port	50, 75 and 100mm
Weight	57Kg

Stock No.	Part No.	Description
84714	BS305	Bandsaw
84718	ABS10	Saw Stand



TAKES BLADES FROM 6MM (1/4") TO 25MM (1")

CAST IRON TABLE

SUPPLIED ON PALLET

3 BS350D

350MM BANDSAW (1100W)

No-volt switch

- Fitted with LED light • Dust collection tray
- Quick release blade tensioner
- Blade bearing guides • 0-45° table tilting feature
- For angled cutting, ripping, mitre and bevel cutting
- Fitted with a cable and approved plug
- Supplied with blade, mitre gauge, rip fence and dust extraction outlet
- Can be bench mounted or fitted to a stand (available separately)
- Excellent performance and cutting capacity
- Designed for workshops

Motor input	1100W
Motor type	Brushless
Table size	545 x 515mm
Max cutting height	225mm
Blade speed	370/800M/min
Max width of cut	340mm
Blade length	2560mm
Table bevel angle	0-45 deg
Table height from floor	944mm (with stand)
Dust extraction port	50, 75 and 100mm
Weight	73Kg

Stock No.	Part No.	Description
84715	BS350D	Bandsaw
84719	ABS11	Saw Cabinet Stand



BANDSAW STAND AVAILABLE
Stock No. 84717



BANDSAW STAND AVAILABLE
Stock No. 84718



BANDSAW STAND AVAILABLE
Stock No. 84719

1 BTS255

250mm EXTENDING TABLE SAW (1800W)

No-volt switch

- Designed for ripping, straight, mitre and compound angle cutting
- Front locking rip fence • Mitre guide • Two extension wings
- Rise and fall tilt blade • Dust extraction facility
- Bench mounted or fitted to a stand (available separately)
- Supplied with 36T T.C.T. blade and push stick
- Ideally suited for the woodworking enthusiast

Maximum depth of cut at 90°	74mm
Maximum depth of cut at 45°	63mm
Blade diameter	250mm (10")
Bore size	30mm
Speed	4700r/min
Work Area	630 x 710mm
Weight	22kg

Stock No.	Part No.	Description
82570	BTS255	Table Saw
82572	ABTS5	Saw Stand

SUPPLIED COMPLETE WITH EXTENSION WINGS AND TCT SAW BLADE

A STAND IS AVAILABLE FOR THIS MACHINE (STOCK No. 82572)



2 BTS256

250mm SLIDING TABLE SAW (1800W)

No-volt switch

- Designed for ripping, straight, mitre and compound angle cutting
- Front locking rip fence • Mitre guide • Sliding wing
- Rise and fall tilt blade • Dust extraction facility
- Bench mounted or fitted to a stand (available separately)
- Supplied with 36T T.C.T. blade and push stick
- Ideally suited for the woodworking enthusiast

Maximum depth of cut at 90°	74mm
Maximum depth of cut at 45°	63mm
Blade diameter	250mm (10")
Bore size	30mm
Speed	4700r/min
Work Area	630 x 583mm
Weight	22kg

Stock No.	Part No.	Description
82571	BTS256	Table Saw
82572	ABTS5	Saw Stand



SUPPLIED COMPLETE WITH EXTENSION WINGS AND TCT SAW BLADE

A STAND IS AVAILABLE FOR THIS MACHINE (STOCK No. 82572)

254MM 1500W 230V TABLE SAW

3 BTS252

254mm TABLE SAW (1500W)

No-volt switch

- Front locking rip fence
- Mitre guide
- Rise and fall tilt blade
- Dust extraction facility
- Bench mounted or fitted to a stand (available separately)
- Supplied 2 x 40T TCT blades and push stick

Maximum depth of cut at 90°	80mm
Maximum depth of cut at 45°	55mm
Blade diameter	254mm(10")
Bore size	15.88mm
Speed	4500r/min
Work area	950 x 660mm
Weight	28.5kg



SUPPLIED ON PALLET

SUPPLIED COMPLETE WITH EXTENSION WINGS AND TWO TCT SAW BLADES AS STANDARD

A STAND IS AVAILABLE FOR THIS MACHINE (STOCK No. 69123)

Stock No.	Part No.	Description
69122	BTS252	Table Saw
69123	ABTS3	Saw Stand

SUPPLIED ON PALLET

1 CTS315A

315mm CONTRACTORS SAW (2000W)

No-volt switch

- Front locking rip fence
- Mitre guide
- Rise and fall tilt blade
- Dust extraction hose
- Supplied with 40T TCT blade, push stick
- Large rear wheels, perfect for transporting to and from different work sites
- Large extension table
- Ideal for workshop use



Maximum depth of cut at 90°	85mm
Maximum depth of cut at 45°	46mm
Blade diameter	315mm
Bore size	30mm
Speed	2950r/min
Work table	800 x 550mm
Work table extension	800 x 400mm
Overall table length (with ext.)	1600mm
Weight	54kg

Stock No.
84708





2 FS16SA

400mm FRETSAW (85W)

No-volt switch

- Steel table
- Parallel action arm design
- Dust blower
- Dust extractor
- 0-45° tilting worktable
- 127mm pin end blades

Maximum thickness of cut	50mm
Throat depth	400mm
Blade length	127mm
Stroke per minute	1440
Length	15mm
Table size	410 x 253mm
Table tilt	0-45°
Dimensions	580 x 250mm
Weight	22kg

Stock No.
38126





3 FS405V

405mm VARIABLE SPEED FRETSAW WITH FLEXIBLE DRIVE SHAFT AND WORKLIGHT (90W)

No-volt switch

- Aluminium table • Parallel action arm design • Worklight
- Flexible drive shaft suitable for use with multi-tool accessories • Dust blower • Dust extractor
- 0-45° tilting worktable • 127mm pin end blades
- Can be used with pin less blades (blade clamp holder sold separately)

Maximum thickness of cut at 90°	50mm
Throat depth	405mm
Blade length	127mm
Cuts per minute	1550
Stroke	20mm
Table size	415 x 255mm
Table tilt	0-45°
Dimensions	330 x 625mm
Weight	13kg
Flexible shaft speed	3000-10,000r/min

Stock No.
22791





1 SMS210B

210mm 230V MITRE SAW (1100W)

- Cast aluminium table and base
- Dust extraction facility
- Base stabiliser
- Supplied with 24 T.C.T saw blade

Blade diameter	210mm
Bore	30mm
Speed	5500r/min
Cross Cut at 0°, mitre and 0° Bevel	60 × 120mm
Cross Cut at 0°, mitre and 45° Bevel	33 × 120mm
Mitre Cut at 45°, mitre and 0° Bevel	60 × 80mm
Compound cut at 45°, mitre and 45° Bevel	33 × 80mm
Weight	6.4kg

Stock No.
21307



2 SMS210B

210mm SLIDING COMPOUND MITRE SAW WITH LASER CUTTING GUIDE (1500W)

- Cast aluminium table and base
- Laser beam cutting guide
- Integral dust extraction outlet and bag
- Depth stop
- Supplied with hex. key, collection bag and a 40T T.C.T. saw blade

Blade diameter	210mm
Bore	30mm
Speed	4500r/min
Bevel cut at 90°, mitre 0°	220 x 70mm
Bevel cut at 90°, mitre ±45°	155 x 70mm
Bevel cut at 45°, mitre 0°	220 x 35mm
Bevel cut at 45°, mitre ±45°	155 x 35mm
Weight	10.5kg

Stock No.
83677



3 SMS250B

250mm SLIDING COMPOUND MITRE SAW WITH LASER CUTTING GUIDE (2000W)



- Cast aluminium table and base
- Laser beam cutting guide
- Extension wings
- Integral dust extraction outlet and bag
- Depth stop
- Supplied with hex. key, collection bag and a 40T T.C.T. saw blade

Blade diameter	255mm
Bore	16mm
Speed	5000r/min
Bevel cut at 90°, mitre 0°	315 x 89mm
Bevel cut at 90°, mitre ±45°	215 x 90mm
Bevel cut at 45°, mitre 0°	315 x 38mm
Bevel cut at 45°, mitre ±45°	215 x 40mm
Weight	16kg

Stock No.
83678

DOUBLE BEVEL COMPOUND MITRE SAWS

Draper Expert double bevel sliding mitre saws deliver a durable, heavy-duty professional option for those that want the ultimate in accuracy and flexibility. Manufactured with quality components including all bearings and moving parts, and fitted with a laser guide assisting with accuracy and precision.

NEW



1 NEW SMS250AB

250mm DOUBLE BEVEL SLIDING COMPOUND MITRE SAW (2000W)

• ***Expert Quality*** • Exceptional accuracy and performance • Double bevel feature
• Enables mitre, bevel and compound cuts • Depth stop • Integral dust extraction
• Extension wings • Stop bar • Vice clamp • Laser cutting guide
• Aluminium base and side extension wings • Supplied with 40T T.C.T. saw blade

Blade diameter	255mm (10")
Bore	30mm
Speed	5500r/min
Left and Right preset index	0°, 15°, 22.5°, 30°, 45°
Straight cut at 0° x 0°	77 x 340mm
Mitre cut at 45° x 0°	77 x 240mm
Bevel(L) cut at 45° x 0°	40 x 340mm
Bevel(R) cut at 45° x 0°	26 x 340mm
Compound mitre(L) cut at 45° x 45°	40 x 240mm
Compound mitre(R) cut at 45° x 45°	26 x 240mm
Weight	18kg

Stock No.
79899

NEW



2 NEW SMS305A

305mm DOUBLE BEVEL SLIDING COMPOUND MITRE SAW (2000W)

• ***Expert Quality*** • Exceptional accuracy and performance • Double bevel feature
• Enables mitre, bevel and compound cuts • Depth stop • Integral dust extraction
• Extension wings • Stop bar • Vice clamp • Laser cutting guide
• Aluminium base and side extension wings • Supplied with 40T T.C.T. saw blade

Blade diameter	305mm (12")
Bore	30mm
Speed	4500r/min
Left and Right preset index	0°, 15°, 22.5°, 30°, 45°
Straight cut at 0° x 0°	102 x 340mm
Mitre cut at 45° x 0°	102 x 240mm
Bevel(L) cut at 45° x 0°	40 x 340mm
Bevel(R) cut at 45° x 0°	25 x 340mm
Compound mitre(L) cut at 45° x 45°	40 x 240mm
Compound mitre(R) cut at 45° x 45°	25 x 240mm
Weight	21.3kg

Stock No.
79901



1 BPL155V

BENCH PLANER (1260W)

No-volt switch

- No-volt switch
- Adjustable depth setting
- 0-45° tilting fence
- HSS blades
- Cable and approved plug

Speed (no load)	8000-15,500r/min
Depth	2.5mm
Width	155mm
Sole plate length	690mm
Weight	13kg

Stock No.	Description
78941	Bench Planer
02996	Spare Blades (pair)



2 BPT200

BENCH MOUNTED PLANER THICKNESSER (1500W)

No-volt switch

- Adjustable cutting depth • 0-45° tilting fence • HSS blades
- No-volt safety switch • Dust extraction nozzle
- Supplied with stand, parallel adjustment width guide, two HSS blades, blade setting tool and dust extraction port with adaptor

Speed (no load)	9000r/min
Planer depth	2mm
Thicknesser depth	3mm
Planer width	212mm
Sole plate length	770mm
Thicknesser feed rate	6M/min
Thickness capacity height	120mm
Thickness capacity width	204mm
Thicknesser table length	270mm
Thicknesser feed rate	6M/min
Weight	28kg

Stock No.	Description
09543	Planer Thicknesser
21006	Spare Blades (pair)
83419	Leg Kit



3 BMSM

BENCH MOUNTED SPINDLE MOULDER (1500W)

No-volt switch

- Variable speed
- Adjustable spindle height
- Left and right table extension wings
- 6.0, 6.35, 8.0, 12.0 and 12.7mm bushes supplied
- Dust extraction port with 100mm adaptor
- Supplied with: rear fence; back plates; chuck guard; non-return guides; 4M (approx.) cable and approved plug

Spindle speed	11,500-24,000r/min
Spindle travel	0-40mm
Table size	610 x 360mm
Table size with ext. wings	1030 x 360mm
Weight	22kg

Stock No.
09536



1 WTL330A

VARIABLE SPEED MINI WOOD LATHE (250W)

No-volt switch

- Variable speed motor
- Supplied with two face plates: 52 x 144mm
- Ideal for use on a workbench

Diameter turning capacity	200mm
Centre turning capacity	300mm
Speeds-variable	750-3200r/pm
Spindle thread size	3/4"
Spindle taper	MT1
Weight	21kg

Stock No.
60988



SUPPLIED ON PALLET

2 WTL457

COMPACT DIGITAL VARIABLE SPEED WOOD LATHE (550W)

No-volt switch

- Digital display fitted on to the headstock
- Variable speed motor
- Heavy duty cast iron bed
- Supplied with 80mm faceplate and 150mm tool rest
- Ideal for use on a workbench



Diameter turning capacity	305mm
Centre turning capacity	457mm
Speeds-variable	650-3800r/pm
Spindle thread size	3/4"
Spindle taper	MT1
Weight	32kg

Stock No.
60989

10 SPEED WOOD LATHE WITH DIGITAL DISPLAY

Fitted with a digital display on a fully reversible and rotating headstock.

SUPPLIED ON PALLET



1 WTL1100


10 SPEED WOOD LATHE WITH DIGITAL DISPLAY (750W)

No-volt switch

- Powerful variable speed 750W motor
- Fully reversible and rotating headstock
- Cast iron construction
- 10 speeds • Digital display
- Supplied with 150mm faceplate, 300mm tool rest and 4-prong drive centre

Diameter turning capacity	360mm
Centre turning capacity	1100mm
Speeds-10	500-2000r/pm
Spindle thread size	3/4"
Spindle taper	MT1
Weight	92kg

Stock No.
60990



2 AWL1

TAILSTOCK CHUCK AND ARBOR SET

For accurate drilling of workpieces. For accurate drilling of workpieces. Comprises : 1/2" drill chuck and key with MT1 tailstock arbor. For use with Draper Wood Lathes Stock No. 63938 and other manufacturers similar machines. Display packed.

Stock No.
29422



3 AWL3

SCREW CHUCK

Thread size: 3/4" x 16 TPI. For use with Draper Wood Lathes Stock No. 63938 and other manufacturers similar machines. Display packed.

Stock No.
29424



4 AWL8A

150mm RIGHT HAND THREAD FACE PLATE

Thread size 3/4" x 16 TPI. For use with Draper Wood Lathe Stock No. 63938 and other manufacturers similar machines. Display packed.

Stock No.
44134



5 FS8

FACESHIELD

Conforms to EN166 and EN1731 Specifications.

Clear polycarbonate. Providing a clear view with adjustable browguard, sweatband and harness. Display packed.

Stock No.	Description
82699	Faceshield
82648	Spare Visor





6 AWL44

HSS WOODTURNING CHISEL SET (6 PIECE)

Hardened blades with brass ferrules. Ash handles. Packed in wooden storage box.

Contents:

- Bowl Gouge with 12.7mm (1/2") blade • Roughing Gouge with 25mm (1") blade
- Oval Skew with 25mm (1") blade • Parting Tool with 5.5mm (7/32") blade
- Round Nose Scraper with 25mm (1") blade • Spindle Gouge with 10mm (3/8") blade

Stock No.
58697

INDUSTRIAL DUST EXTRACTORS

A new and improved range of dust extractors, with updated features.





1 DE2200

300L PORTABLE DUST/CHIP EXTRACTOR (2200W)

16 Amp Supply Required

- Capable of extracting small and large particles
- Attaches to most workshop machines
- Capable of extraction from three ports simultaneously
- No-volt switch
- Trolley base with four swivel castors
- Fitted with 1.8M (approx) of cable
- Supplied with 5-micron canvas filter bags and transparent collection bags

Motor	2200W
Input amperage	16A
Air flow	65m³/min
Filtration	5 micron (bag type)
Outlet	100mm x 3
Bag	500mm diameter x 850mm height
Capacity	300L
Weight	59kg

Stock No.
80947

"DAVE SAYS" QUALITY MAKES THE DIFFERENCE

QUALITY STATIONARY POWER TOOLS



Our range of stationary power tools are built to withstand the demands of the most arduous workshop environment.

All Draper stationary power tools are manufactured to the highest standards, providing workshops with consistent and reliable tools.
Most of the tools in the Draper stationary power tool range have a host of accessories available and all have spare parts available.

Remember all our tools come with our comprehensive warranty providing total piece of mind and reassurance.

For consumables related to Draper power tools and other manufacturers tools turn to the Power Tool Accessories section of this catalogue.


2 DE1500

153L PORTABLE DUST/CHIP EXTRACTOR (1500W)

- Capable of extracting small and large particles
- No-volt switch
- Capable of extraction from two ports simultaneously
- Trolley base with four swivel castors
- Fitted with 1.8M (approx) of cable
- Supplied with 5-micron canvas filter bags and transparent collection bags

Motor	1500W
Input amperage	13A
Air flow	42m³/min
Filtration	5 micron (bag type)
Outlet	100mm x 2
Bag	500mm diameter x 850mm height
Capacity	153L
Weight	47kg

Stock No.
80946





1 DE750A

55L PORTABLE DUST/CHIP EXTRACTOR (750W)




No-volt switch

- Capable of extracting small and large particles
- Attaches to most workshop machines
- No-volt switch • Trolley base with four swivel castors
- Floor suction facility included
- Fitted with 1.8M (approx) of cable
- Supplied with 5-micron canvas filter bags and collection bags

Motor	750W
Input amperage	13A
Air flow	14.15m³/min
Filtration	30 micron
Outlet	100mm
Bag size	370mm dia. x 640mm
Capacity	55L
Weight	27kg

Stock No.
79359

DUST EXTRACTORS ACCESSORIES

Stock No.	Description	
40145	Clear Hose 3M x 102mm	
40146	Reducing Adaptor 100 to 58mm	
40147	Extraction Hose 2M x 58mm	
40150	Extraction Hose 3M x 32mm	
41518	Extraction Hose 2M x 50mm	
40175	Adaptor 58 to 32mm Hose	
41685	Stepped Power Tool Adaptor	
40151	Drum Filter (DE1245)	
40152	Drum Filter (DE2490)	
40153	Dust Extractor Cartridge Filter	
40157	Motor Filters x 6 (Paper)	
40155	Polythene Dust Bag for DE2490	

NEW



1 DE1050B

50L DUST EXTRACTOR (1100W)

- Capable of extracting small and large particles
- Attaches to most workshop machines • No-volt switch • Fitted with 2M (approx) of cable
- Supplied with 2M extraction hose, 5 micron cartridge filter, 5 filter bags

Motor	1100W
Input amperage	13A
Air flow	3m³/min
Filtration	5 micron
Outlet	100mm
Size	405 x 405 x 720mm
Capacity	50L
Weight	10kg

Stock No.
54253





2 DE1245

45L DUST EXTRACTOR (1200W)

- Triple stage filtration up to 0.5 micron
- 100mm tangential inlet creates a cyclonic action removing a broader range of dust particles • Cloth drum filter, paper and cartridge motor filters
- Attaches to most workshop machines
- No-volt switch • Fitted with 2.4M (approx) of cable
- Supplied with 2M extraction hose, six spare paper motor filters

Motor	1200W
Input amperage	13A
Air flow	54L/sec
Filtration	0.5 micron
Outlet	100mm
Size	610 x 350mm
Capacity	45L
Weight	14kg

Stock No.
40130



3 DE2490

90L DUST EXTRACTOR (2400W)

- Triple stage filtration up to 0.5 micron
- 100mm tangential inlet creates a cyclonic action removing a broader range of dust particles • Cloth drum filter, paper and cartridge motor filters
- Attaches to most workshop machines • No-volt switch • Fitted with 2.4M (approx) of cable
- Supplied with 2M extraction hose, six spare paper motor filters

Motor	2 x 1200W
Input amperage	13A
Air flow	108L/sec
Filtration	0.5 micron
Outlet	100mm
Size	610 x 580mm
Capacity	90L
Weight	18kg

Stock No.
40131

HOT ASH VACUUM AND ATTACHMENT



"DAVE SAYS" QUALITY MAKES THE DIFFERENCE

When burning wood, coal or charcoal on your fire or barbecue you'll undoubtedly need to clean the left over ash residue. You might be tempted to reach for your household vacuum, but be aware, safety cannot be stressed enough, and for this reason you should **NOT** use regular vacuums for cleaning ash. Domestic vacuums are not constructed to take any heat and using them to clean a wood burner or fireplace can pose a fire risk.

Ash vacuum cleaners are specifically designed to handle hotter temperatures, which could be lurking in those seemingly cool ashes. Important rule - the ash should be cooled or assumed to be cool. This rule means scheduling your wood burner or fireplace cleaning when it hasn't been used for at least twelve hours, but preferably twenty four. Be aware a cinder can be present and buried in those supposedly cooled ashes for hours, if not days. Never, under any circumstance attempt to vacuum hot ashes - that would be dangerous. A regular vacuum is **NOT** safe to use for ash removal. Ash vacuums have a metal construction and are designed to handle it. Specifically manufactured for clearing fireplaces, wood burners or barbecues ashes, our 20 Litre Ash Vacuum and Ash Vacuum Attachment provide safety, convenience and practicality.

YOUTUBE.COM/DRAPERTOOLSTV

BUILT IN 700W VACUUM



1 HV22SS

22L ASH VACUUM (700W)

- Delivers high-performance ash vacuum cleaning for fires, stoves and barbecues
- Suitable for wood and coal burning debris
- Simple and easy to use, once full just unclip the airtight canister and empty
- Fitted with a washable fine filter
- Supplied with 1M hose and crevice nozzle

Rated input	700W
Tank volume	22L
Vacuum pressure	11kPa
Max airflow	20L/S
Weight	3.2kg

Stock No.	Description
50976	Vacuum
50985	Cartridge Filter
50989	Hose
50988	Nozzle



WORKS WITH SEPARATE VACUUM CLEANER (NOT SUPPLIED)

YOUTUBE.COM/DRAPERTOOLSTV



2 HV20SSB

20L ASH CAN VACUUM ATTACHMENT

Suitable for wood and coal burning fires, stoves and barbecues. Simple and easy to use, just attach any vacuum cleaner to the canister, the ash and fire debris is then collected within the 20L container and filtered, protecting the vacuum cleaner from damage. Once full just unclip the airtight canister and empty. Supplied with 1M hose and crevice nozzle. Carton packed.

Stock No.	Description
50977	Vacuum
50985	Cartridge Filter
50989	Hose
50988	Nozzle



3 VC600A

HAND-HELD VACUUM CLEANER (600W)

- For use around the home, workshop or car
- Supplied with hose, removable filter, dust collection container, swivel head brush nozzle, square head brush and shoulder strap
- 4.5M (approx.) cable and approved plug

Rated input	600W
Tank volume	500ml
Vacuum pressure	14kPa
Max airflow	15L/S
Weight	1.5kg

Stock No.	Description
24392	Vacuum Cleaner
24393	Flexible Hose
24395	Swivel Brush/Crevice Nozz.
24394	Wide Brush
24397	Foam Filter



4 WDV10

10L WET AND DRY VACUUM CLEANER (1000W)

- Designed for wet and dry material
- Ideally suited for car cleaning and around the home
- Fitted with 3.5M (approx.) cable

Contents:

- Foam filter • Washable cloth filter
- 1.5M flexible hose with hand grip and air control
- Extension tube • Crevice nozzle
- Wide angled crevice nozzle • Upholstery attachment
- Mini cleaning kit • Utility nozzle • Round brush
- Shoulder strap • Adaptor for mini cleaning kit

Rated input	1000W
Tank volume	Dry 10L, Wet 5L
Vacuum pressure	11kPa
Max airflow	30L/S
Weight	1.5kg

Stock No.	Description
06489	Vacuum Cleaner
06950	Anti-Foam Filter
06951	Nylon Filter
06954	Extension Tube
06949	1.5M Hose
06946	Crevice Nozzle
06953	Utility Nozzle
06952	Car Nozzle
06948	Round Brush
06955	Mini Cleaning Kit

1 WDV15SS
15L WET AND DRY VACUUM CLEANER WITH STAINLESS STEEL TANK (1250W)



- Stainless steel tank
- Designed for wet and dry material
- Ideally suited for use around the home and workplace
- Fitted with 5M (approx.) cable
- Blower function
- On-board tool storage facility
- Robust castors for easy movability
- Carry handle

Contents:
- Three 345mm plastic tubes
- 1.5m suction hose
- Foam Filter
- Dual action floor brush
- Cloth Filter
- Crevice tool • Dust Bag
- All accessories are 35mm

Rated input	1250W
Tank volume	15L
Vacuum pressure	15kPa
Max airflow	25L/S
Weight	4.5kg

Stock No.	Description
20514	Vacuum Cleaner
74354	Paper Dust Bags (3)
67818	Anti-Foam Filter
68049	Cloth Filter
67794	Extension Tube
67812	1.5M Flexible Hose
67819	Floor Attachment
67999	Crevice Nozzle

2 WDV20BSS
20L WET AND DRY VACUUM CLEANER WITH STAINLESS STEEL TANK (1250W)



- Stainless steel tank
- Designed for wet and dry material
- Ideally suited for use around the home and workplace
- Fitted with 5M (approx.) cable
- Blower function
- On-board tool storage facility
- Robust castors for easy movability
- Carry handle

Contents:
- Three 345mm plastic tubes
- 1.5m suction hose
- Foam filter
- Dual action floor brush
- Cloth filter
- Crevice tool
- Dust bag
- All accessories are 35mm diameter

Rated input	1250W
Tank volume	20L
Vacuum pressure	15kPa
Max airflow	25L/S
Weight	4.6kg

Stock No.	Description
20515	Vacuum Cleaner
68015	Paper Dust Bags (3)
67818	Anti-Foam Filter
68049	Cloth Filter
67794	Extension Tube
67812	1.5M Flexible Hose
67819	Floor Attachment
67999	Crevice Nozzle
68301	Round Brush

NEW

3 WDV20BSS/G
20L WET AND DRY VACUUM CLEANER WITH STAINLESS STEEL TANK (1250W)



- Robust model with 20L stainless steel tank with blower function
- Ideal for use in the workshop, garage or DIY work around the home and garden
- On board tool storage
- Supplied with the following; Three 345mm plastic tubes, 1.5m suction hose, Foam filter, Dual action floor brush, Cloth filter, Crevice tool, Dust bag, All accessories are 35mm diameter.

Rated Input	1250W
Tank Volume	20L
Vacuum Pressure	15kPa
Max Airflow	25L/S
Weight	4.62kg

Stock No.	
35569	Vacuum Cleaner
68015	Paper Dust Bags (3)
67818	Anti-Foam Filter
68049	Cloth Filter
67794	Extension Tube
67812	1.5M Flexible Hose
67819	Floor Attachment
67999	Crevice Nozzle
68301	Round Brush

4 WDV30SSB
30L WET AND DRY VACUUM CLEANER WITH STAINLESS STEEL TANK (1600W)



- Stainless steel tank
- Designed to pick up wet and dry materials
- Ideally suited for use in workshops and around the home and garden
- 5M (approx.) cable and approved plug. Fitted with on-board tool storage facility, castors for easy movability, carry handle, large drain plug, quick release clasps, dust clearing button and blower feature. Display carton.

Contents:
- Three 345mm plastic tubes
- Dust bag/Foam filter/Cloth filter
- 2M flexible hose
- Dual action floor brush
- Crevice nozzle
- Round brush
- All accessories are 35mm diameter

Rated input	1600W
Tank volume	30L
Vacuum pressure	18kPa
Max airflow	53L/S
Weight	6.3kg

Stock No.	Description
20523	Vacuum Cleaner
68304	Paper Dust Bags (3)
67818	Anti-Foam Filter
68049	Cloth Filter
67794	Extension Tube
68315	Hose
67819	Floor Attachment
67999	Crevice Nozzle
68301	Round Brush



1 WDV30SSPA

30L WET AND DRY VACUUM CLEANER WITH STAINLESS STEEL TANK AND INTEGRATED 230V POWER SOCKET (1600W)

- Designed to pick up wet and dry materials
- 1300W power take off socket
- On board tool storage
- Supplied with the following; Telescopic metal tube, 2M suction hose, Foam Filter, Dual action floor brush, Cloth Filter, Round brush, Crevice tool, Metal base floor head, Dust Bag, all accessories are 35mm diameter

Tank volume	30L
Max. vacuum pressure	18KPa
Max. air flow	57L/sec
Weight	7.3kg

Stock No.	Description
20529	Vacuum Cleaner
68304	Paper Dust Bags (3)
67818	Anti-Foam Filter
68049	Cloth Filter
68312	Metal Tube
68315	Hose
67819	Floor Attachment
67999	Crevice Nozzle
68301	Round Brush
68316	Metal Base Floor Head

SUPPLIED ON PALLET



2 WDV50SS

50L WET AND DRY VACUUM CLEANER WITH STAINLESS STEEL TANK AND 230V POWER TOOL SOCKET (1400W)

- Auto power tool socket
- Automatic dust extraction
- Supplied with a selection of accessories

Tank volume	50L
Max. vacuum pressure	26KPa (260mbar)
Max. air flow	70L/sec
Power take off rating	2200W
Dimensions	720 x 440 x 440mm
Weight	10kg

Stock No.	Description
48499	Vacuum Cleaner
21534	Paper Dust Bags (5)
20962	Cloth Dust Filter
20963	Nylon Dust Filter
48556	Anti-Foam Filter
48560	Cartridge Filter 7 micron
48561	HEPA Cartridge 0.3 micron
48562	Washable Filter 5 micron



3 WDV50SS/110A

50L 110V WET AND DRY VACUUM CLEANER WITH STAINLESS STEEL TANK AND 110V POWER TOOL SOCKET (1500W)

- Professional quality
- Picks up wet and dry materials
- Attached with an automatic power tool socket
- Dust extraction facility
- Fitted with 110V plug and cable
- Supplied with a selection of accessories

Tank volume	50L
Max. vacuum pressure	22KPa (260mbar)
Max. air flow	65L/sec
Power take off rating	1000W
Dimensions	530 x 500 x 745mm
Weight	10kg

Stock No.	Description
75443	Vacuum Cleaner
83527	Suction Hose
83528	Extension Wand
83529	Cloth Filter
83530	Dust Bags
83532	Foam Filter
83533	Cartridge Filter
06948	Round Brush
61770	Step Adaptor
61009	Floor Brush
06946	Crevice Nozzle
83534	Air Regulator Handle



4 SWD1500

20L 3 IN 1 WET AND DRY SHAMPOO/VACUUM CLEANER (1500W)

- 3 in 1 vacuum cleaner
- Especially useful for car valeting
- Variable suction switch
- Spray extraction facility
- Pressurized detergent spray
- Suitable for picking up dry material
- Fitted with 3M (approx.) cable and approved plug
- Supplied with a selection of 35mm accessories

Tank volume	20L
Max. vacuum pressure	19KPa
Max. air flow	65L/sec
Dimensions	500 x 410 x 580mm
Weight	12.5kg

Stock No.	Description
75442	Vacuum Cleaner
83548	Foam Filter
83533	Cartridge Filter
83550	Suction Hose
83551	Stainless Telescopic Tube
83552	Hose Storage Hook
83553	Remote Handle
83554	Large Shampoo Head
83555	Large Shampoo Spraying Nozzle
83556	Small Shampoo Head
83557	Small Shampoo Spraying Nozzle
61009	Combo Floor Brush
06948	Round Brush
06946	Crevice Tool
83558	3 x Dust Collection Bags

M-CLASS VACUUM CLEANER

Some common jobs create high levels of dust. Exposure to these dusts can potentially cause serious health risks. Our powerful wet and dry 'M' class vacuum removes 99.9% of dust particles that pass through its filter.

Each 'M' Class vacuum is fitted with an auto start/stop 230V plug socket, which automatically switches off and on by use of the power tools on/off button. The low 68-decibel noise level, 35L capacity, powerful Amiteck motor and full bag indicator all unite to create a superior vacuum cleaner.

Manufactured to fully comply with the 'M' class standard and built with an automatic vibrating filter cleaner, which vibrates after use, maintaining 99.9% dust removal and filter permeability in line with HSE recommendations.

DRAPER Expert

'M' CLASS FILTER ACHIEVES 99.9% DUST PARTICLE REMOVAL

110V AND 230V VERSIONS AVAILABLE



1 WDV35LMC

35L 1200W M-CLASS WET AND DRY VACUUM CLEANERS

- ***Expert Quality*** • Manufactured to fully comply with the 'M' class standard
- Fitted with an automatic filter cleaner that vibrates after use
- Achieves 99.9% dust removal in line with HSE recommendations
- Each vacuum is fitted with an auto start/stop plug socket, which automatically switches off and on by use of the power tools on/off button
- Low 68-decibel noise level, 35L capacity, powerful Amiteck motor and full bag indicator all unite to create a vacuum designed with the user in mind delivering a superior user experience

Supplied with:

- Cartridge filter • Foam filter • 3 x paper dust bag • 1 x plug socket
- 3M flexible hose with hand grip and air control • Two extension tubes • Floor brush
- Carpet attachment with fluid insert • Crevice nozzle

Rated input	1200W
230V Power take off rating	2000W
110V Power take off rating	1000W
Max. airflow	60L/sec
Max. vacuum pressure	24KPa (240mbar)
Tank volume	35L
Weight	8.5kg



Automatic vibrating filter prolongs filter life and permeability



230V plug enables power tool auto on/off facility



Full bag indicator




Power tool auto on/off activation switch and filter clean switch.



Fitted with robust smooth running castors and two rubber bumper strips.

Stock No.	Description
38015	230V Vacuum Cleaner
86685	110V Vacuum Cleaner
50971	Cartridge Filter
50970	5 x Dust Bags
50969	Reducing Adaptor
50968	Liquid Head Insert
50967	Floor Brush Insert
50966	Floor Head
50965	3M Vacuum Hose

section 10



PRESSURE WASHERS, WATER PUMPS & GENERATORS

372-374 Pressure Washers
375-380 Water Pumps
381 Water Pump Accessories
382-383 Generators

PRESSURE WASHERS, WATER PUMPS & GENERATORS

PRESSURE WASHERS

Pages 372-374



WATER PUMPS

Pages 375-380



WATER PUMP ACCESSORIES

Pages 381



GENERATORS

Pages 382-383





"DAVE SAYS" QUALITY MAKES THE DIFFERENCE

AUTOMATIC 'TOTAL STOP' ENERGY SAVING FEATURE

All our electric pressure washers have a total stop feature - this device automatically switches off the machine when the trigger is released

The total stop feature helps save electricity and water, while also extending the life of the pump and motor.

All Draper products are fully guaranteed, giving you complete peace of mind.

TOTAL STOP FEATURE

TOTAL STOP FEATURE



1 PW1530

PRESSURE WASHER WITH TOTAL STOP FEATURE (1500W)

- Compact and portable
- Perfect for cleaning decking, patios, garden furniture, bicycles, cars etc
- Automatic total stop system
- Supplied with 3M of hose and gun and adjustable jet nozzle

Working pump pressure	70bar (1015psi)
Max. pump pressure	105bar (1523psi)
Flow rate	5.0L/min (300L/hour)
Water feed temp	max 40.C
Power cable	5M
Weight	6kg

Stock No.	Description
83405	Pressure Washer
83703	Jet/Fan Nozzle
83704	Turbo Nozzle
83705	Right Angle Nozzle
83706	Fixed Brush
83707	Lance
83708	Detergent Bottle
83709	Patio Cleaning Head
83710	3M Hose
83711	5M Hose
83713	Trigger

TOTAL STOP FEATURE



2 PW1740

PRESSURE WASHER WITH TOTAL STOP FEATURE (1700W)

- Compact and portable
- Perfect for cleaning vehicles, caravans, motor vans, driveways, boats etc
- Automatic total stop system
- Supplied and fitted with 5M of high-pressure hose, gun, lance, adjustable jet nozzle, fixed brush, angle nozzle and detergent bottle

Working pump pressure	90bar (1305psi)
Max. pump pressure	135bar (1958psi)
Flow rate	5.5L/min (330L/hour)
Water feed temp	max 40.C
Power cable	5M
Weight	7kg

Stock No.	Description
83406	Pressure Washer
83703	Jet/Fan Nozzle
83704	Turbo Nozzle
83705	Right Angle Nozzle
83706	Fixed Brush
83707	Lance
83708	Detergent Bottle
83709	Patio Cleaning Head
83710	3M Hose
83711	5M Hose
83713	Trigger

TOTAL STOP FEATURE



3 PW1930

PRESSURE WASHER WITH TOTAL STOP FEATURE (1900W)

- Power and portability
- Perfect for cleaning vehicles, caravans, motor vans, driveways, boats etc
- Automatic total stop system
- Supplied and fitted with 5M of high-pressure hose, gun, lance, adjustable jet nozzle, fixed brush, angle nozzle and detergent bottle

Working pump pressure	90bar (1305psi)
Max. pump pressure	135bar (1958psi)
Flow rate	6.5L/min (390L/hour)
Water feed temp	max 40.C
Power cable	5M
Weight	10kg

Stock No.	Description
83407	Pressure Washer
83703	Jet/Fan Nozzle
83704	Turbo Nozzle
83705	Right Angle Nozzle
83706	Fixed Brush
83707	Lance
83708	Detergent Bottle
83709	Patio Cleaning Head
83710	3M Hose
83711	5M Hose
83713	Trigger

QUALITY PRESSURE WASHER ACCESSORIES

1

PATIO CLEANER

Removes mosses, lichen and algae from patios, walls and most hard surfaces. For use with hand and pressure washers. Supplied in plastic containers.

Stock No.	Part No.	Volume
52597	PWPC1A	1L
52693	PWPC5A	5L





TOTAL STOP FEATURE



TOTAL STOP FEATURE NEW





Supplied with 5 in 1 multifunctional nozzle

2 PW2200

PRESSURE WASHER WITH TOTAL STOP FEATURE (2200W)

- Power and portability
- Perfect for cleaning vehicles, caravans, motor vans, driveways, boats etc
- Automatic total stop system
- Supplied and fitted with 5M of high-pressure hose, gun, lance, pin for cleaning nozzle, patio lance, fixed brush, angle nozzle and turbo nozzle

Working pump pressure	110bar (1595psi)
Max. pump pressure	165bar (2393psi)
Flow rate	5.5L/min (330L/hour)
Water feed temp	max 40.C
Power cable	5M
Weight	10.5kg

Stock No.	Description
83414	Pressure Washer
83703	Jet/Fan Nozzle
83704	Turbo Nozzle
83705	Right Angle Nozzle
83706	Fixed Brush
83707	Lance
83709	Patio Cleaning Head
83710	3M Hose
83711	5M Hose
83713	Trigger

3 PW2800E

PRESSURE WASHER WITH TOTAL STOP FEATURE (2800W)

- Heavy duty pressure washer
- Perfect for cleaning larger vehicles or large areas
- Fitted with an induction motor for longer life
- Durable brass pump head
- Automatic total stop system
- Supplied with 10M of heavy duty reinforced steel hose on a hose reel, quick release gun, 5 in 1 multifunctional nozzle, detergent tank, turbo nozzle and patio cleaner

Working pump pressure	130bar (1885psi)
Max. pump pressure	180bar (2610psi)
Flow rate	8.5L/min (510L/hour)
Water feed temp	max 40.C
Power cable	5M
Weight	23.5kg

Stock No.	Description
97776	Pressure Washer
14438	Turbo Lance
14439	Fixed Brush
14440	Rotating Brush
53827	Gun
53840	Lance



1 PPW650

PETROL PRESSURE WASHER (6.5HP)

- ***Expert Quality***
- For use where no mains power available
- 4 stroke petrol engine
- Working pump pressure 168bar; flow rate 7.9L/min (474L/hour): weight 30kg
- Supplied with 8M of heavy-duty hose, high-pressure metal trigger, detergent bottle, 1/2 inch plastic hose adaptor, five different nozzles and a fuel funnel with hose

Engine	6.5HP
Working pump pressure	168bar (2430psi)
Max. pump pressure	186bar (2700psi)
Flow rate	7.9L/min (474L/hr)
Displacement	196cc
Speed (no load)	3350-3550r/min
Weight (dry)	30kg

Stock No.	Description
83818	Pressure Washer
83820	Heavy Duty Gun
83822	8M High Pressure Hose
83824	Lance



2 PPW1300

PETROL PRESSURE WASHER (13HP)

- ***Expert Quality*** • For use where no mains power available
- Brass pump head with pressure regulator • 4 stroke petrol engine
- Working pump pressure: 234bar; flow rate: 12L/min (720L/hour): weight 55kg
- Supplied complete with 10m HP rubber hose with steel reinforcement, metal gun, 5 piece nozzle set, 1/2 inch plastic hose adaptor and a fuel funnel with hose.

Caution: Owing to the water pressure produced by this machine, it is unsuitable for use on domestic vehicles

Engine	13HP
Working pump pressure	234bar (3400psi)
Max pressure	262bar (3800psi)
Flow rate	12L/min (720L/hr)
Displacement	389cc
Speed (no load)	3350-3550r/min
Weight (dry)	55kg

Stock No.	Description
83819	Pressure Washer
83821	Heavy Duty Gun
83823	8M High Pressure Hose
83824	Lance



WATERPUMP QUICK REFERENCE TABLE

YOUTUBE.COM/ DRAPERTOOLSTV



Stock No.	35463	52064	35464	64275	25359	35465	61668
Type.	Water Pump	Water Pump	Water Pump	Water Pump	Water Pump	Water Pump	Dirty Water Pump
Voltage	230V	110V	230V	230V	230V	230V	230V
Maximum output	120L/min	120L/min	120L/min	120L/min	100L/min	144L/min	108L/min
Maximum head height	6M	6M	6M	6M	6M	7M	7M
Motor	200W	200W	200W	200W	250W	350W	350W
Float Switch	No	Yes	Yes	Yes	Yes	Yes	Yes
Output aperture diameter	25mm	25mm	25mm	25mm	25mm	25mm	32mm
Max particle diameter	4mm	4mm	4mm	4mm	5mm	4mm	3mm
Hose adaptor diameter	19mm	19mm	19mm	19mm	19mm	19mm	19mm
Page Number	376	376	376	376	376	376	376



Stock No.	61584	61621	52066	35467	64274	61667	25360
Type.	Water Pump	Water Pump	Water Pump	Water Pump	Water Pump	Water Pump	Dirty Water Pump
Voltage	230V	230V	110V	230V	230V	230V	230V
Maximum output	191L/min	166L/min	235L/min	235L/min	235L/min	200L/min	208L/min
Maximum head height	9.5M	8.5M	8.5M	8.5M	8.5M	9.5M	8M
Motor	550W	550W	700W	700W	700W	750W	750W
Float Switch	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Output aperture diameter	32mm	32mm	32mm	32mm	32mm	32mm	32mm
Max particle diameter	3mm	30mm	30mm	30mm	30mm	30mm	30mm
Hose adaptor diameter	19mm	19mm	19mm	19mm	19mm	19mm	19mm
Page Number	377	377	377	377	377	377	377



Stock No.	69690	87961	87962	78779	78780	36327
Type.	Dirty Water Pump	Water Pump	Water Pump	Deep Water Pump	Deep Water Pump	Water Butt Pump
Voltage	230V	230V	230V	230V	230V	230V
Maximum output	320L/min	120L/min	195L/min	90L/min	95L/min	40L/min
Maximum head height	11M	6.5M	9M	24M	36M	11M
Motor	1000W	300W	600W	750W	1000W	350W
Float Switch	Yes	Yes	Yes	Yes	Yes	Yes
Output aperture diameter	38mm	32mm	32mm	32mm	32mm	N/A
Max particle diameter	36mm	5mm	5mm	4mm	4mm	3mm
Hose adaptor diameter	19mm	19mm	19mm	25mm	25mm	19mm
Page Number	378	378	378	378	378	378

PRODUCT INFORMATION

When lowering a pump into the water ALWAYS use the handle or a rope tied to the handle - NEVER use the power lead - as this risks pulling the lead out of the pump.



1 SWP120

SUBMERSIBLE WATER PUMP (200W)

- DIY/domestic use in and around the home and garden
- Ideal for irrigating gardens, draining cellars/basements and powering waterfalls/fountains
- Ceramic shaft for long life and has thermal overload protection
- Supplied with 19mm diameter hose adaptor
- 10M (approx) of cable and approved plug

Voltage	230V
Maximum output	120L/min
Maximum head height	6M
Motor	200W
Float Switch	No
Output aperture diameter	25mm
Max particle diameter	4mm
Hose adaptor diameter	19mm

Stock No.
35463



2 SWP120A

SUBMERSIBLE WATER PUMPS WITH FLOAT SWITCH (200W)

- DIY/domestic use in and around the home and garden
- Ideal for irrigating gardens, draining cellars/basements and powering waterfalls/fountains
- Ceramic shaft for long life, thermal overload protection and float switch which automatically cuts pump off when water level has dropped
- Supplied with 19mm diameter hose adaptor
- 10M (approx) of cable

Voltage	110/230V
Maximum output	120L/min
Maximum head height	6M
Motor	200W
Float Switch	Yes
Output aperture diameter	25mm
Max particle diameter	4mm
Hose adaptor diameter	19mm

Stock No.	Voltage
52064	110V
35464	230V



3 SWP120ASS

STAINLESS STEEL BODY SUBMERSIBLE WATER PUMP WITH FLOAT SWITCH (200W)

- DIY/domestic use in and around the home and garden
- Ideal for irrigating gardens, draining cellars/basements and powering waterfalls/fountains
- Ceramic shaft for long life, thermal overload protection and float switch which automatically cuts pump off when water level has dropped
- Supplied with 19mm diameter hose adaptor
- 10M (approx) of cable and approved plug

Voltage	230V
Maximum output	120L/min
Maximum head height	6M
Motor	200W
Float Switch	Yes
Output aperture diameter	25mm
Max particle diameter	4mm
Hose adaptor diameter	19mm

Stock No.
64275



4 SWP110SS

STAINLESS STEEL SUBMERSIBLE WATER PUMP WITH FLOAT SWITCH (250W)

- For general usage around the home and garden
- Ideal for irrigating gardens, draining cellars/basements and powering waterfalls/fountains
- Float switch automatically cuts pump off when water has dropped to the required level
- Supplied with stepped hose adaptor, 10M (approx.) cable and approved plug

Voltage	230V
Maximum output	100L/min
Maximum head height	6M
Motor	250W
Float Switch	Yes
Output aperture diameter	25mm
Max particle diameter	5mm
Hose adaptor diameter	19mm

Stock No.
25359



5 SWP144A

SUBMERSIBLE WATER PUMP WITH FLOAT SWITCH (350W)

- For general usage around the home and garden
- Ideal for irrigating gardens, draining cellars/basements and powering waterfalls/fountains
- Ceramic shaft for long life, thermal overload protection and float switch which automatically cuts pump off when water level has dropped
- Supplied with 19mm diameter hose adaptor
- 10M (approx) of cable and approved plug

Voltage	230V
Maximum output	144L/min
Maximum head height	7M
Motor	350W
Float Switch	Yes
Output aperture diameter	25mm
Max particle diameter	4mm
Hose adaptor diameter	19mm

Stock No.
35465



6 SWP112

SUBMERSIBLE WATER PUMP WITH FLOAT SWITCH (350W)

- Ideal for pumping out clean water for general irrigation and other similar applications
- 10M (approx.) cable and approved plug
- Fitted with thermal overload protection and float switch

Voltage	230V
Maximum output	108L/min
Maximum head height	7M
Motor	350W
Float Switch	Yes
Output aperture diameter	32mm
Max particle diameter	3mm
Hose adaptor diameter	19mm

Stock No.
61668



1 SWP200

SUBMERSIBLE WATER PUMP WITH FLOAT SWITCH (550W)

- Ideal for pumping out clean water for general irrigation and other similar applications
- Fitted with thermal overload protection and float switch that automatically turns the water pump off when water level has dropped
- 10M (approx.) cable and approved plug

Voltage	230V
Maximum output	191L/min
Maximum head height	9.5M
Motor	550W
Float Switch	Yes
Output aperture diameter	32mm
Max particle diameter	3mm
Hose adaptor diameter	19mm

Stock No.
61584



2 SWP170DW

SUBMERSIBLE DIRTY WATER PUMP WITH FLOAT SWITCH (550W)

- Ideal for pumping out inspection pits, ditches and footings where suspended solids may be present, general irrigation and other similar applications
- Fitted with thermal overload protection and float switch that automatically turns the water pump off when water level has dropped
- 10M (approx) of cable and approved plug

Voltage	230V
Maximum output	166L/min
Maximum head height	8.5M
Motor	550W
Float Switch	Yes
Output aperture diameter	32mm
Max particle diameter	30mm
Hose adaptor diameter	19mm

Stock No.
61621



3 SWP235ADW

SUBMERSIBLE DIRTY WATER PUMPS WITH FLOAT SWITCH (700W)

- For pumping out inspection pits, ditches and footings where solids may be present, general irrigation and other heavy duty applications
- Ceramic shaft for long life, thermal overload protection and float switch which automatically turns pump off when water level has dropped
- 10M (approx) of cable

Voltage	110/230V
Maximum output	235L/min
Maximum head height	8.5M
Motor	700W
Float Switch	Yes
Output aperture diameter	32mm
Max particle diameter	30mm
Hose adaptor diameter	19mm

Stock No.	Voltage
52066	110V
35467	230V



4 SWP235ADWSS

STAINLESS STEEL BODY SUBMERSIBLE DIRTY WATER PUMP WITH FLOAT SWITCH (700W)

- For pumping out inspection pits, ditches and footings where solids may be present; general irrigation and other heavy duty applications
- Ceramic shaft for long life, thermal overload protection and float switch which automatically turns pump off when water level has dropped
- 10M (approx) of cable and approved plug

Voltage	230V
Maximum output	235L/min
Maximum head height	8.5M
Motor	700W
Float Switch	Yes
Output aperture diameter	32mm
Max particle diameter	30mm
Hose adaptor diameter	19mm

Stock No.
64274



5 SWP210DW

SUBMERSIBLE DIRTY WATER PUMP WITH FLOAT SWITCH (750W)

- Ideal for pumping out inspection pits, ditches and footings where suspended solids may be present, general irrigation and other similar applications
- Fitted with thermal overload protection and float switch that automatically turns the water pump off when water level has dropped
- 10M (approx) of cable and approved plug

Voltage	230V
Maximum output	200L/min
Maximum head height	9.5M
Motor	750W
Float Switch	Yes
Output aperture diameter	32mm
Max particle diameter	30mm
Hose adaptor diameter	19mm

Stock No.
61667



6 SWP210DWSS

STAINLESS STEEL SUBMERSIBLE DIRTY WATER PUMP WITH FLOAT SWITCH (750W)

- For pumping out inspection pits, ditches and footings where solids may be present; general irrigation and other heavy duty applications
- Ideal for irrigating gardens, draining cellars/basements
- Float switch automatically cuts pump off when water has dropped to the required level
- Supplied with stepped hose adaptor, 10M (approx.) cable and approved plug

Voltage	230V
Maximum output	208L/min
Maximum head height	8M
Motor	750W
Float Switch	Yes
Output aperture diameter	32mm
Max particle diameter	30mm
Hose adaptor diameter	19mm

Stock No.
25360



1 SWP320ADW

SUBMERSIBLE DIRTY WATER PUMP WITH FLOAT SWITCH (1000W)

- 11M head height
- Float switch
- Motor: 1000W
- 38mm dia. output aperture
- Passes solids up to 30mm
- 10M (approx) of cable and approved plug

Voltage	230V
Maximum output	320L/min
Maximum head height	11M
Motor	1000W
Float Switch	Yes
Output aperture diameter	38mm
Max particle diameter	36mm
Hose adaptor diameter	19mm

Stock No.
69690



2 SWP125IFS

SUBMERSIBLE WATER PUMP WITH INTEGRAL FLOAT SWITCH (300W)

- For general usage around the home and garden
- Ideal for irrigating gardens, draining cellars/basements, tight bore holes and powering waterfalls/fountains
- Ceramic shaft for long life, thermal overload protection and integral float switch which automatically cuts pump off when water level has dropped
- Supplied with 19mm diameter hose adaptor
- 10M (approx) of cable and approved plug

Voltage	230V
Maximum output	120L/min
Maximum head height	6.5M
Motor	300W
Float Switch	Yes
Output aperture diameter	32mm
Max particle diameter	5mm
Hose adaptor diameter	19mm

Stock No.
87961



3 SWP195IFS

SUBMERSIBLE WATER PUMP WITH INTEGRAL FLOAT SWITCH (600W)

- For general usage around the home and garden
- Ideal for irrigating gardens, draining cellars/basements, tight bore holes and powering waterfalls/fountains
- Ceramic shaft for long life, thermal overload protection and integral float switch which automatically cuts pump off when water level has dropped
- Supplied with 19mm diameter hose adaptor
- 10M (approx) of cable and approved plug

Voltage	230V
Maximum output	195L/min
Maximum head height	9M
Motor	600W
Float Switch	Yes
Output aperture diameter	32mm
Max particle diameter	5mm
Hose adaptor diameter	19mm

Stock No.
87962



4 DSWP750

DEEP WATER SUBMERSIBLE WELL PUMP WITH FLOAT SWITCH (750W)

- For use in areas where a large head height or high pressure is required ie pumping out wells etc.
- Pumps up to 10M deep; max. head height 24M
- Thermal overload protection and float switch which automatically turns pump off when water level has dropped • 15M (approx.) cable and approved plug

Voltage	230V
Maximum output	90L/min
Maximum head height	24M
Motor	750W
Float Switch	Yes
Output aperture diameter	32mm
Max particle diameter	4mm
Hose adaptor diameter	25mm

Stock No.
78779



5 DSWP1000

DEEP WATER SUBMERSIBLE WELL PUMP WITH FLOAT SWITCH (1000W)

- 1000W motor for use in areas where a large head height or high pressure is required ie. pumping out wells etc.
- Pumps up to 10M deep; max. head height 36M
- Thermal overload protection and float switch which automatically turns pump off when water level has dropped • 15M (approx.) cable and approved plug

Voltage	230V
Maximum output	95L/min
Maximum head height	36M
Motor	1000W
Float Switch	Yes
Output aperture diameter	32mm
Max particle diameter	4mm
Hose adaptor diameter	25mm

Stock No.
78780



6 WBP2A

SUBMERSIBLE WATER BUTT PUMP WITH FLOAT SWITCH (350W)

- Perfect for emptying water butts when watering garden plants • Supplied with three piece aluminium swan neck extension pipe, adjustable flow control feature and snap on connector • Float switch automatically turns pump off when water level has dropped • Maximum head height 11M • Supplied with 10M (approx.) cable and approved plug

Voltage	230V
Maximum output	40L/min
Maximum head height	11M
Motor	350W
Float Switch	Yes
Output aperture diameter	N/A
Max particle diameter	3mm
Hose adaptor diameter	19mm

Stock No.
36327



1 SP50

SURFACE MOUNTED PUMP (700W)

- Ceramic working parts for long life
- Self-priming with 25mm/1" diameter output aperture

Voltage	230V
Maximum output	50L/min
Maximum head height	40M
Motor	700W
Float Switch	No
Output aperture diameter	25mm
Max particle diameter	N/A
Hose adaptor diameter	25mm

Stock No.	Description
56225	Pump
56389	4M Hose
56390	7M Hose



2 SP76

SURFACE MOUNTED PUMP (1000W)

- Self-priming
- Manufactured from tough corrosion resistant materials for durability
- Fitted with weather-proof on/off switch and thermal overload protection
- Supplied with one 25mm diameter output elbow and fitted with 1.5M(approx.) cable

Voltage	230V
Maximum output	76L/min
Maximum head height	45M
Motor	1000W
Float Switch	No
Output aperture diameter	25mm
Max particle diameter	N/A
Hose adaptor diameter	25mm

Stock No.	Description
31555	Pump
34036	Non-Return Valve



3 SP100/4

MULTISTAGE SURFACE MOUNTED PUMP (1000W)

- Ceramic working parts for long life
- Self-priming with 25mm/1" dia. output aperture

Voltage	230V
Maximum output	100L/min
Maximum head height	48M
Motor	1000W
Float Switch	No
Output aperture diameter	25mm
Max particle diameter	N/A
Hose adaptor diameter	25mm

Stock No.	Description
56227	Pump
56389	4M Hose
56390	7M Hose



4 BP1

BOOSTER PUMP (800W)

- 24L steel bodied tank ideal for industrial and domestic water applications
- Extremely quiet • Automatic start/stop to ensure continuity of water pressure and to prevent from running dry

Maximum head height	42M
Maximum output	55L/min
Max. pressure (adjustable)	2.0-3.5bar
Output size	1" (25mm) dia.
Weight (machine only)	15.2kg

Stock No.
64987



5 BP2A

STAINLESS STEEL BODY BOOSTER PUMP (800W)

- 20L stainless steel bodied tank ideal for industrial and domestic water applications
- Extremely quiet operation • Automatic start/stop to ensure continuity of water pressure and to prevent from running dry

Maximum head height	40M
Maximum output	53L/min
Max. pressure (adjustable)	2.0-3.5bar
Output size	1" (25mm) dia.
Weight (machine only)	10.46kg

Stock No.	Description
31561	Booster Pump
34035	Output Elbow



1 PWP27

PETROL WATER PUMP (85L/min 2.4HP)

- *Expert Quality*
- For pumping water in locations where mains power is not available
- Self priming
- Ideal for pumping out footings, flooded premises and large ponds
- Powered by a 2.5HP four stroke petrol engine
- Easy pull start
- Hose outlet size: 25mm
- Supplied with two metal hose couplings, suction filter and box spanner

Do not operate water pump in enclosed spaces

Maximum head height	10M
Max. head height (suction)	6M
Maximum output	85L/min
Suction aperture	25mm
Output aperture	25mm
Engine	2.5HP - 4 stroke
Displacement	98cc
Start	recoil
Fuel tank capacity	1.4L
Weight	11kg

Stock No.
87680



2 PWP52

PETROL WATER PUMP (500L/min 4.8HP)

- *Expert Quality*
- For pumping water in locations where mains power is not available
- Self priming
- Ideal for pumping out footings, flooded premises and large ponds
- Powered by a 7HP four stroke petrol engine
- Heavy duty tubular steel frame with coated finish
- Easy pull start
- Hose outlet size: 50mm
- Supplied with two metal hose couplings, suction filter and box spanner

Do not operate water pump in enclosed spaces

Maximum head height	25M
Max. head height (suction)	8M
Maximum output	500L/min
Suction aperture	50mm
Output aperture	50mm
Engine	4.8HP - 4 stroke OHV
Displacement	196cc
Start	recoil
Fuel tank capacity	3.6L
Weight	24kg

Stock No.
64065



3 PWP82T

PETROL TRASH WATER PUMP (750L/min 7HP)

SUPPLIED ON PALLET

- *Expert Quality*
- For pumping water in locations where mains power is not available • Self priming
- Ideal for pumping out footings, flooded premises and large ponds
- Extra wide diameter outlet aperture allows the pumping of solids and waste up to 27mm diameter
- Powered by a 7HP four stroke petrol engine
- Heavy duty tubular steel frame with coated finish
- Easy pull start • Hose outlet size: 75mm
- Supplied with two metal hose couplings, suction filter and box spanner

Do not operate water pump in enclosed spaces

Maximum head height	26M
Max. head height (suction)	7M
Maximum output	750L/min
Suction aperture	75mm
Output aperture	75mm
Engine	7HP - 4 stroke
Displacement	196cc
Start	recoil
Fuel tank capacity	3.6L
Weight	35kg

Stock No.
16128

"DAVE SAYS" QUALITY MAKES THE DIFFERENCE

When reliability in emergencies and adverse weather conditions is of paramount importance, our petrol-powered water pumps have demonstrated time and time again that they are invaluable for removing large amounts of water.





SUPPLIED ON PALLET

4 PWP81

PETROL WATER PUMP (1000L/min 7HP)

- *Expert Quality*
- For pumping water in locations where mains power is not available
- Ideal for pumping out footings, flooded premises and large ponds
- Powered by a 7HP four stroke petrol engine
- Heavy duty tubular steel frame with coated finish
- Easy pull start • Hose outlet size: 80mm
- Supplied with two metal hose couplings, suction filter and box spanner

Do not operate water pump in enclosed spaces



Maximum head height	30M
Max. head height (suction)	7M
Maximum output	1000L/min
Suction aperture	75mm
Output aperture	75mm
Engine	7HP - 4 stroke OHV
Displacement	210cc
Start	recoil
Fuel tank capacity	3.6L
Weight	30kg

Stock No.
24580



1 25mm (1") SOLID WALL SUCTION HOSES

Solid wall suction hose complete with filter strainer and connector union for connection to 25mm (1") diameter pump inlet. Suitable for use with Draper Surface Mounted Pumps and other manufacturers similar products. Display carton.

Stock No.	Part No.	Hose Length
56389	ASP4	4M
56390	ASP7	7M



2 APWP 10M SOLID WALL PVC SUCTION HOSES

Clear hose walls for ease of checking fluid transfer. Strong spiral reinforcement, flexible for ease of positioning. For use with Draper petrol-powered water pumps and other manufacturers similar products. Supplied polythene wrapped.

Stock No.	Size
20469	25mm/1"
20470	50mm/2"
20471	75mm/3"



3 HEAVY DUTY LAYFLAT HOSES

Heavy-duty hoses manufactured with a reinforced black liner enabling the hose to withstand a higher bursting pressure. Packed in polybag.

Stock No.	Part No.	Hose L x D	Colour
28703	ASWP2	5M x 25mm	blue
36990	ASWP3A	5M x 25mm	yellow
53204	ASWP4A	5M x 32mm	yellow
45343	ASWP3A	10M x 25mm	yellow
36947	ASWP4	10M x 32mm	yellow
73171	ASWP5	10M x 38mm	yellow



4 LAYFLAT HOSES

For use with submersible water pumps. Packed in polybag.

Stock No.	Part No.	Hose Length x Diameter
80719	ASWP6A	10M x 50mm
80720	ASWP7A	10M x 75mm



5 ASH HOSE COUPLING ADAPTORS

ABS construction with unique cam locking mechanism with internal rubber seal. For use with flexible suction hoses used with Draper petrol-powered water pumps. Carton packed.

Stock No.	Diameter
23200	25mm (1")
23201	50mm (2")
23202	75mm (3")



6 ASHC HOSE CLAMPS

Double wire ensures greater security than a standard hose clamp. Screw and brace mechanism tightens the clamp into place. Sold in pairs. Display packed.

Stock No.	Capacity
22598	25 - 29mm
22599	53 - 59mm
22601	76 - 82mm



7 FVS FOOT VALVE STRAINERS

For use with flexible suction hoses used with Draper petrol-powered water pumps. Reduces oversized solids from entering pump and acts as a non-return valve. Display packed.

Stock No.	For Hose ID
19547	25mm/1"
19548	50mm/2"
19552	75mm/3"





1 PG950S

PETROL GENERATOR (700W)

- Powered by 2.0HP 2-stroke petrol engine
- Recoil start
- Voltage output 230V
- Fuel tank capacity 2.5L

Rated power	700W
Run time	6.5 hours @ 75% load
Output	230V
Engine	2HP petrol
Start	recoil
Sockets	1 x 230V
Fuel tank capacity	2.5L
Overall size	330 x 720 x 900mm
Weight	18kg

Stock No.
28853





2 DGI2000

PETROL INVERTER GENERATOR (2.0kVA/1.6kW)

• A powerful, super quiet, compact and lightweight inverter generator, capable of producing 100% pure sine wave power • The benefits of pure sine wave technology is its low harmonic distortion and clean power making for example motors run faster, quieter and cooler • Safe for use with sensitive electronic equipment • Designed to provide power where mains power is not available • Fitted with two 13Amp, 3-pin sockets • Perfect for building sites and outdoor leisure activities • 12V DC output

Rated power	1600W)
Run time	4.2 hours @ 75% load
Output	230V
Engine	100CC petrol
Start	recoil
Sockets	2 x 13amp 230V and 1 x 12V
Fuel tank capacity	4.1L
Overall size	555 x 315 x 490mm
Weight	18.5kg

Stock No.
80956



DRAPER Expert

SUPPLIED ON PALLET

3 PG252F

PETROL GENERATOR (2.2kVA/2.0kW)

- ***Expert Quality***
- Powered by 7HP petrol engine • Recoil start
- Steel tubular frame with polyester coated finish
- Oil and fuel resistant anti-vibration mounts
- Dual voltage output 110/230V • 12V DC output
- Supplied with spark plug wrench, screwdriver and 12V charging lead and bag

Rated power	2000W
Run time	4.2 hours @ 75% load
Output	110/230V and 12V DC
Engine	7HP petrol
Start	recoil
Sockets	16A - 110 & 230V and 1 x 12V DC
Fuel tank capacity	3.6L
Overall size	620 x 450 x 460mm
Weight	38kg

Stock No.
87059



DRAPER Expert

SUPPLIED ON PALLET

4 PG253W

PETROL GENERATOR WITH WHEELS (2.2kVA/2.0kW)

- ***Expert Quality***
- Powered by 7HP petrol engine • Recoil start
- Steel tubular frame with polyester coated finish
- Oil and fuel resistant anti-vibration mounts
- Dual voltage output 110/230V • 12V DC output
- Supplied with spark plug wrench, screwdriver and 12V charging lead and bag

Rated power	2000W
Run time	9 hours @ 75% load
Output	110/220V and 1 x 12V DC
Engine	7HP petrol
Start	recoil
Sockets	2 x 16A - 110/230V and 1 x 12V
Fuel tank capacity	15L
Overall size	620 x 450 x 460mm
Weight	41kg

Stock No.
16066



1 PG28W

PETROL GENERATOR WITH WHEELS (2.5kVA/2.5kW)

- *Expert Quality*
- Powered by 7HP petrol engine • Recoil start
- Steel tubular frame with polyester coated finish
- Oil and fuel resistant anti-vibration mounts
- Dual voltage output 110/230V • 12V DC output
- Supplied with spark plug wrench, screwdriver and 12V charging lead and bag

Rated power	2500W
Run time	11 hours @ 75% load
Output	110/230V and 12V DC
Engine	7HP petrol
Start	recoil
Sockets	16A - 110 & 230Vand 1 x 12V DC
Fuel tank capacity	15L
Overall size	620 x 450 x 460mm
Weight	42kg

Stock No.
87088



2 PG43W

PETROL GENERATOR (4.0kVA/3.5kW)

- *Expert Quality*
- Powered by 7HP petrol engine • Recoil start
- Steel tubular frame with polyester coated finish and wheel kit
- Oil and fuel resistant anti-vibration mounts
- Dual voltage output 220/110V • 12V DC output
- Supplied complete with: spark plug spanner, screwdriver, 12V charging lead and bag

Rated power	3500W
Run time	9 hours @ 75% load
Output	110/230V/12V DC
Engine	13HP petrol
Start	Recoil and electric
Sockets	110V x 16A, 230V x 16A, 110V x 32A, 1 x 12V DC
Fuel tank capacity	25L
Overall size	710 x 560 x 570mm
Weight	89kg

Stock No.
23984



3 PG58W

PETROL GENERATOR (5.5KVA/5.0KW)

- *Expert Quality*
- Powered by 13HP petrol engine • Recoil and electric start
- Heavy duty steel tubular frame with polyester coated finish and wheel kit
- Oil and fuel resistant anti-vibration mounts
- Dual voltage output 220/110V • 12V DC output
- Supplied complete with: spark plug spanner, screwdriver, 12V charging lead and bag

Rated power	5000W
Run time	9 hours @ 75% load
Output	110/230V/12V DC
Start	Recoil and electric
Engine	13HP petrol
Sockets	2 x 16A - 110V/230V,32A x 110V, 1 x 12V DC
Fuel tank capacity	25L
Overall size	710 x 560 x 570mm
Weight	91kg

Stock No.
23987



4 PG68W

PETROL GENERATOR WITH WHEELS (6.5kVA/6.0kW)

- *Expert Quality*
- Powered by 15HP petrol engine • Recoil start
- Steel tubular frame with polyester coated finish
- Oil and fuel resistant anti-vibration mounts
- Dual voltage output 110/230V • 12V DC output
- Supplied with spark plug wrench, screwdriver and 12V charging lead and bag

Rated power	6500W
Run time	8 hours @ 75% load
Output	110/220V and 12V DC
Engine	15HP petrol
Start	recoil and electric
Sockets	2 x 16A - 110V, 1 x 230V 32A, 1 x 12V DC
Fuel tank capacity	25L
Overall size	720 x 550 x 590mm
Weight	85kg

Stock No.
16143

section 11




HANDHELD POWER TOOLS

386-393	D20 20V Cordless
394-399	20V Stormforce Interchange
400-401	10.8V Stormforce Interchange
402-403	Drills
404	Breakers
405	Wall Chaser and Mixers
406-407	Grinders & Polishers
408-410	Saws & Jigsaws
411	Planers, Router & Jointer
412-413	Sanders
414-415	Multi-Tools
416-417	Decorating and Staplers

HANDHELD POWER TOOLS

D20 20V CORDLESS

Pages 386-393



20V STORMFORCE INTERCHANGE

Pages 394-399




10.8V STORMFORCE INTERCHANGE

Pages 400-401



DRILLS

Pages 402-403



BREAKERS

Page 404



WALL CHASER AND MIXERS

Page 405




GRINDERS AND POLISHERS

Pages 406-407



SAWS AND JIGSAWS

Pages 408-410



PLANERS, ROUTER AND JOINTER

Page 411



SANDERS

Pages 412-413



MULTI-TOOLS

Pages 414-415



DECORATING AND STAPLERS

Pages 416-417



DRAPER

D20
MULTI-TOOL BATTERY SYSTEM

LATEST TECHNOLOGY
POWER & RELIABILITY

The new Draper D20 range of cordless power tools is a range that packs a punch.

A varied and wide range, offering something for everyone, with selected tools incorporating the latest state-of-the-art brushless motors, and the whole range powered by a 20V Lithium-ion battery available in four sizes.

The D20 cordless power tool range, cutting edge technology engineered for industry.



NEW



ONE 20V LI-ION
BATTERY SYSTEM FITS ALL
2.0AH, 3.0AH, 4.0AH
AND 5.0AH AVAILABLE

DRAPER D20, AN EVER INCREASING RANGE OF CORDLESS POWER TOOLS

D20 20V BRUSHLESS COMBI DRILL

- Brushless motor
- 23 torque settings
- Metal keyless chuck
- Variable speed with electronic brake
- LED worklight
- Adjustable side handle

Stock No.	1 79894	2 55338
Battery	D20 20V Li-ion	D20 20V Li-ion
Impact Rate	29700bpm	29700bpm
No load speed	0-500rpm	0-500rpm
Max Torque	60Nm	60Nm
Chuck capacity	13mm (1/2")	13mm (1/2")
Batteries Per Item	1 x 4Ah	Sold separately
Charger Type	4A	Sold separately
Drilling capacity wood	35mm	35mm
Drilling capacity steel	13mm	13mm
Supplied in Case	Yes	No
Weight (bare tool)	1.4kg	1.4kg

Stock No.	Description
79894	Sold with battery, charger and case
55338	Sold bare





BARE TOOL

D20 20V BRUSHLESS 1/2" MID-TORQUE IMPACT WRENCH (250Nm)

- Brushless motor
- Super bright LED worklight
- Variable speed control with electronic brake
- Belt clip

Stock No.	3 55343	4 86928
Battery	D20 20V Li-ion	D20 20V Li-ion
Impact Rate	0-3300bpm	0-3300bpm
No load speed	0-2200rpm	0-2200rpm
Max Torque	250Nm	250Nm
Variable speed	Yes	Yes
Square Drive	1/2"	1/2"
Batteries Per Item	2 x 2Ah	Sold separately
Charger Type	1.65A	Sold separately
Supplied in Case	Yes	No
Weight (bare tool)	1.1kg	1.1kg

Stock No.	Description
55343	Sold with 2 x batteries, charger and case
86928	Sold bare





BARE TOOL

D20 20V BRUSHLESS 1/4" IMPACT DRIVER (180Nm)

- Brushless motor
- Quick release chuck
- Super bright LED worklight
- Variable speed control with electronic brake

Stock No.	5 86958	6 55375
Battery	D20 20V Li-ion	D20 20V Li-ion
Impact Rate	0-3300bpm	0-3300bpm
No load speed	0-2200rpm	0-2200rpm
Max Torque	180Nm	180Nm
Variable speed	Yes	Yes
Quick release chuck	1/4"	1/4"
Batteries Per Item	2 x 2Ah	Sold separately
Charger	1.65A	Sold separately
Supplied in Case	Yes	No
Weight (bare tool)	1.1kg	1.1kg

Stock No.	Description
86958	Sold with 2 x batteries, charger and case
55375	Sold bare





BARE TOOL





BARE TOOL





BARE TOOL

NEW D20 BRUSHLESS

D20 20V BRUSHLESS SDS+ ROTARY HAMMER DRILL

- Brushless motor • 4 functions - Drill, Hammer, Chisel and Chisel lock
- Variable speed • Adjustable side handle with depth rod • LED worklight

Stock No.	1 00592	2 55517
Battery	D20 20V Li-ion	D20 20V Li-ion
Impact Rate	0-4500bpm	0-4500bpm
Max No Load Speed	0-1400rpm	0-1400rpm
Max Torque	135Nm	135Nm
Impact joules	1.7J	1.7J
Batteries Per Item	2 x 2Ah	Sold separately
Charger Type	1.65A	Sold separately
Drilling capacity masonry	22mm	22mm
Drilling capacity wood	28mm	28mm
Drilling capacity steel	13mm	13mm
Supplied in Case	Yes	No
Weight (bare tool)	2.2kg	2.2kg

Stock No.	Description
00592	Sold with 2 x batteries, charger and case
55517	Sold bare

D20 20V BRUSHLESS CIRCULAR SAW

- Brushless motor • Electronic Brake
- Aluminium Base Plate
- Dust extraction outlet
- Parallel guide with 24TCT blade

Stock No.	3 00594	4 55519
Battery	D20 20V Li-ion	D20 20V Li-ion
No Load Speed	3650rpm	3650rpm
Blade Diameter	165mm	165mm
Bore	20mm	20mm
Cutting Depth	50mm at 90°, 35mm at 45°	50mm at 90°, 35mm at 45°
Batteries Per Item	1 x 3Ah	Sold separately
Charger Type	4A	Sold separately
Supplied in Case	No	No
Weight (bare tool)	2.58kg	2.58kg

Stock No.	Description
00594	Sold with battery and charger
55519	Sold bare

D20 20V BRUSHLESS RECIPROCATING SAW


- Brushless motor
- Pendulum action
- 28mm stroke length
- Quick change blade system
- Wood and steel blades supplied



NEW D20 BRUSHLESS

Stock No.	5 00593	6 55561
Battery	D20 20V Li-ion	D20 20V Li-ion
No load speed	0-3000rpm	0-3000rpm
Batteries Per Item	1 x 3Ah	Sold separately
Charger Type	4A	Sold separately
Cutting capacity wood	115mm	115mm
Cutting capacity steel	6mm	6mm
Supplied in Case	No	No
Weight (bare tool)	2.2kg	2.2kg

Stock No.	Description
00593	Sold with battery and charger
55561	Sold bare



BARE TOOL

D20 20V TRI-BASE (DETAIL) SANDER

- Hook and Loop backing pad
- Dust box and 3 x sanding sheets supplied

Stock No.	1 00608	2 55657
Battery	D20 20V Li-ion	D20 20V Li-ion
No load speed	11000rpm	11000rpm
Sanding pad	135 x 135 x 95mm	135 x 135 x 95mm
Batteries Per Item	1 x 2Ah	Sold separately
Charger Type	1.65A	Sold separately
Supplied in Case	No	No
Weight (bare tool)	0.8kg	0.8kg

Stock No.	Description
00608	Sold with battery and charger
55657	Sold bare



1



2

BARE TOOL

NEW

QUICK RELEASE CORDLESS OSCILLATING MULTI TOOL



Quick release mechanism

NEW



3



4

BARE TOOL

D20 20V OSCILLATING MULTI TOOL

- Variable speed • Quick change blade function • 35 degree oscillating angle • Scraper attachment, hook and loop backing pad, saw blade and 3 sanding sheets supplied

Stock No.	3 00595	4 55604
Battery	D20 20V Li-ion	D20 20V Li-ion
No load speed	500-15000rpm	500-15000rpm
Batteries Per Item	1 x 2Ah	Sold separately
Charger Type	1.65A	Sold separately
Supplied in Case	Yes	No
Weight (bare tool)	1.06kg	1.06kg

Stock No.	Description
00595	Sold with battery, charger and case
55604	Sold bare



Supplied with these accessories



5

NEW



6

BARE TOOL

D20 20V NAILER/STAPLER

- Single or contact firing
- Safety contact tip

Stock No.	5 00646	6 55740
Battery	D20 20V Li-ion	D20 20V Li-ion
Firing Rate	60 per min	60 per min
Nail Gauge	18	18
Nail Length	20-50	20-50
Staples	Type 90	Type 90
Staple Length	19-40	19-40
Magazine Capacity	100	100
Batteries Per Item	1 x 2Ah	Sold separately
Charger Type	1.65A	Sold separately
Supplied in Case	Yes	No
Weight (bare tool)	2.66kg	2.66kg

Stock No.	Description
00646	Sold with battery, charger and case
55740	Sold bare

1 D20AG115BL

D20 20V BRUSHLESS GRINDER - BARE

- Brushless motor • Spindle lock
- 3 position side handle • M14 thread
- Batteries and Chargers are available separately

Battery	D20 20V Li-ion
No Load Speed	8500rpm
Disc Diameter	115 mm
Disc Bore Size	22.2 mm
Batteries Per Item	Sold separately
Charger Type	Sold separately
Supplied in Case	No
Weight	1.66kg

Stock No.
55478



NEW

D20 BRUSHLESS

2 D20DAP125

D20 20V DUAL ACTION POLISHER - BARE

- Variable speed • Multi-position front handle
- Supplied with a polishing bonnet and hook and loop backing pad
- Batteries and Chargers are available separately

Battery	D20 20V Li-ion
No Load Speed	1500-3000rpm
Orbit diameter	2.2mm
Pad Size	125mm
Batteries Per Item	Sold separately
Charger Type	Sold separately
Supplied in Case	No
Weight	1kg

Stock No.
55741



NEW

NEW



3 D20ILF3W

D20 20V LED FLEXIBLE INSPECTION LIGHT - BARE

- 7 preset angle positions
- 270° adjustable head
- Batteries and Chargers are available separately

Battery	D20 20V Li-ion
Max Power	3W
Batteries Per Item	Sold separately
Charger Type	Sold separately
Supplied in Case	No
Weight	0.47kg

Stock No.
55876

CORDLESS PRESSURE WASHER KIT



NEW

4 D20PW16BAR

D20 20V PRESSURE WASHER KIT

- Portable pressure washer
- Fully remote, no need for mains water supply, operate from bucket or similar
- Supplied with 6M self priming hose, soap bottle, watering lance and extension lance

Battery	D20 20V Li-ion
Pressure	0-16 Bar
Max Flow Rate	120L/H
Suction Height	5ft (self priming)
Batteries Per Item	1 x 2.0Ah
Charger Type	4A
Supplied in Case	No
Weight (bare tool)	2.2kg

Stock No.
97533

OPTIMISE PERFORMANCE

WITH A CHOICE OF FOUR 20V LI-ION BATTERIES

D20
MULTI-TOOL BATTERY SYSTEM





2.0Ah

A low profile battery, designed for when access or weight is an issue.



3.0Ah

Ideal for when more power and longer runtime are required.



4.0Ah


A heavier duty battery delivering even greater endurance and performance.



5.0Ah

Heavy duty power and performance, designed for optimum demand.

LOWER DEMAND ⟷ **HIGH DEMAND**





NEW

1 D20B2.0AH

20V D20 LITHIUM-ION BATTERY (2.0AH)

- 20V 2.0Ah • Lithium-Ion
- Charge indicators lights

Battery	D20 20V Li-ion
Batteries Amperage	2Ah
Weight	0.39kg

Stock No.
55887



NEW

2 D20B3.0AH

20V D20 LITHIUM ION BATTERY (3.0AH)

- 20V 3.0Ah • Lithium-Ion
- Charge indicators lights

Battery	D20 20V Li-ion
Batteries Amperage	3Ah
Weight	0.61kg

Stock No.
00649



NEW

3 D20B4.0AH

20V D20 LITHIUM-ION BATTERY (4.0Ah)

- 20V 4.0Ah • Lithium-Ion
- Charge indicators lights

Battery	D20 20V Li-ion
Batteries Amperage	4Ah
Weight	0.66kg

Stock No.
55898



NEW

4 D20B5.0AH

20V D20 LITHIUM-ION BATTERY (5.0Ah)

- 20V 5.0Ah • Lithium-Ion
- Charge indicators lights

Battery	D20 20V Li-ion
Batteries Amperage	5Ah
Weight	0.71kg

Stock No.
55907



NEW

5 D20BCF

20V D20 FAST BATTERY CHARGER

- 1.8M cable
- Suitable for 2Ah, 3Ah, 4Ah and 5Ah D20 batteries

Battery	D20 20V Li-ion
Amperage	4.0A
Charging times 2Ah	30 mins
Charging times 3Ah	50 mins
Charging times 4Ah	60 mins
Charging times 5Ah	75 mins
Weight	0.68kg

Stock No.
55913



NEW

6 D20BCS

20V D20 BATTERY CHARGER

- 1.8M cable
- Suitable for 2Ah, 3Ah, 4Ah and 5Ah D20 batteries

Battery	D20 20V Li-ion
Amperage	1.65A
Charging times 2Ah	75 mins
Charging times 3Ah	100 mins
Charging times 4Ah	150 mins
Charging times 5Ah	180 mins
Weight	0.37kg

Stock No.
60559

USB ADAPTOR (TWO PORTS)

NEW



7 D20USB2

D20 USB ADAPTOR (TWO PORTS)

- Turns a D20 battery into power bank
- Capable of charging a wide range of mobile phones and electronic devices
- Inbuilt LED worklight
- Batteries and Chargers are available separately

Stock No.
69249



TURNS D20 BATTERY INTO POWER BANK



COB LED WORKLIGHT



TWO USB PORTS



HANDY BELT CLIP

DRAPER®

STORMFORCE

20V INTERCHANGE RANGE

Draper Storm Force cordless tools offer 20V of power with two interchangeable Lithium-ion batteries, a compact 2.0Ah and for maximum power and double the runtime a 4.0Ah battery. The modern lightweight design of these tools delivers well balanced comfortable machines.



20V interchange

MULTI-TOOL BATTERY SYSTEM

Watch the range video on:

YOUTUBE.COM/
DRAPERTOOLSTV



DRILLING



SANDING
& GRINDING











ONE 20 VOLT LI-ION BATTERY SYSTEM FITS ALL


2.0AH & 4.0AH AVAILABLE





CUTTING
& SAWING







IMPACT



20V CORDLESS COMBI DRILL

- 3 functions; Drill, Screwdriver, Hammer • 13mm keyless chuck
- Two speed gearbox with 22 torque control positions
- Variable speed control with electronic brake
- Battery level indicator • Spindle Lock • LED worklight

Stock No.	1 89523	2 90403
Battery	20V Stormforce Li-ion	20V Stormforce Li-ion
No Load Speed	0-440/0-1650rpm	0-440/0-1650rpm
Max. torque	50Nm	50Nm
Impact Rate	0-7040/0-26,400bpm	0-7040/0-26,400bpm
Chuck Capacity	13mm (1/2")	13mm (1/2")
Batteries Per Item	2 x 2Ah	Sold separately
Charger Type	3.5A	Sold separately
Drilling capacity masonry	13mm	13mm
Drilling capacity wood	35mm	35mm
Drilling capacity steel	13mm	13mm
Supplied in Case	Yes	No
Weight (bare tool)	1.54kg	1.54kg

Stock No.	Description
89523	Sold with 2 batteries, charger and case
90403	Sold bare





2 BARE TOOL

1 NEW



NEW



NEW



NEW

3 CIW20SF

20V 1/2" MID-TORQUE IMPACT WRENCH – BARE (250Nm)

- 5 speed settings with variable speed trigger switch
- Forward/reverse feature with electronic brake
- LED worklight
- Batteries and Chargers are available separately

Battery	20V Stormforce Li-ion
Impact Rate	0-3200bpm
No load speed	0-2800rpm
Max Torque	250Nm
Variable speed	Yes
Square Drive	1/2"
Batteries Per Item	Sold separately
Charger Type	Sold separately
Supplied in Case	No
Weight	1.32kg

Stock No.
89519

4 CID20SF

20V CORDLESS IMPACT DRIVER – BARE

- 1/4" Quick release collet
- Variable speed trigger switch
- Forward/reverse feature with electronic brake
- LED worklight
- Batteries and Chargers are available separately

Battery	20V Stormforce Li-ion
Impact Rate	0-3600bpm
No Load Speed	0-2800rpm
Max Torque	180Nm
Variable speed	Yes
Chuck	1/4"
Batteries Per Item	Sold separately
Charger Type	Sold separately
Supplied in Case	No
Weight	1.24kg

Stock No.
89520

5 CD20SF

20V DRILL DRIVER - BARE

- 2 function Drill, Screwdriver
- Two speed gearbox
- 26 torque control positions
- Variable speed control with electronic brake
- Spindle lock
- LED worklight
- Batteries and Chargers are available separately

Battery	20V Stormforce Li-ion
No Load Speed	0-1400rpm
Max. torque	35Nm
Impact Rate	0-5,000bpm
Chuck Capacity	13mm
Batteries Per Item	Sold separately
Charger Type	Sold separately
Drilling capacity masonry	N/A
Drilling capacity wood	25mm
Drilling capacity steel	10mm
Supplied in Case	No
Weight	1.11kg

Stock No.
89524

20V 1/2" MID-TORQUE IMPACT WRENCH (400Nm)

- 5 speed settings with variable speed trigger switch
- Forward/reverse feature with electronic brake
- LED worklight
- Battery level indicator
- Supplied with 4Ah battery and charger

Stock No.	1 43785	2 89518
Battery	20V Stormforce Li-ion	20V Stormforce Li-ion
Impact Rate	0-3200bpm	0-3200bpm
No load speed	0-2300rpm	0-2300rpm
Max Torque	400Nm	400Nm
Variable speed	Yes	Yes
Square Drive	1/2"	1/2"
Batteries Per Item	1 x 4Ah	Sold separately
Charger Type	3.5A	Sold separately
Supplied in Case	Yes	No
Weight (bare tool)	1.87kg	1.87kg

Stock No.	Description
43785	Sold with battery, charger and case
89518	Sold bare



BARE TOOL



1 NEW

3 CSDS20SF

20V SDS+ ROTARY HAMMER DRILL - BARE

- 2 functions - Drill, Hammer
- Variable speed
- Rear hand grip
- LED worklight
- Batteries and Chargers are available separately

Battery	20V Stormforce Li-ion
No Load Speed	0-900rpm
Impact Force	1.1 Joules
Impact Rate	0-5,000bpm
Batteries Per Item	Sold separately
Charger Type	Sold separately
Capacity Masonry	10mm
Capacity Steel	8mm
Capacity Wood	16mm
Chuck Capacity	13mm
Supplied in Case	No
Weight	1.3kg

Stock No.
89512



NEW



4 CAG20SF

20V 115mm ANGLE GRINDER - BARE

- Rear hand grip
- Auxiliary side handle
- Grinding guard
- Spindle lock button • Locking flange
- Batteries and Chargers are available separately

Battery	20V Stormforce Li-ion
No Load Speed	0-10,000rpm
Spindle thread	M14
Disc Diameter	115mm
Bore	7/8"/22.2mm
Batteries Per Item	Sold separately
Charger Type	Sold separately
Supplied in Case	No
Weight	1.7kg

Stock No.
89521



NEW

NEW



1 CCS20SF

20V CIRCULAR SAW - BARE

- Adjustable cutting depth and angle cutting
- Laser guide • Lower blade guard • Auxiliary handle
- Dust extraction outlet • Supplied with a parallel guide and blade
- Batteries and Chargers are available separately

Battery	20V Stormforce Li-ion
No Load Speed	4200rpm
Blade Diameter	165mm
Bore	20mm
Cutting Depth	55mm at 90°, 41mm at 45°
Batteries Per Item	Sold separately
Charger Type	Sold separately
Supplied in Case	No
Weight	2.5kg

Stock No.
89451



NEW



2 CJ20SF

20V JIGSAW - BARE

- Quick change blade • 45° bevel cutting • 4 speed settings • LED light
- Dust blow and extraction • Variable speed • Supplied with Hex key
- Batteries and Chargers are available separately

Battery	20V Stormforce Li-ion
No Load Speed	0-2700rpm
Stroke Length	20mm
Batteries Per Item	Sold separately
Charger Type	Sold separately
Cutting capacity wood	80mm
Cutting capacity aluminium	12mm
Cutting capacity steel	5mm
Supplied in Case	No
Weight	1.65kg

Stock No.
89477

NEW



3 CRS20SF

20V RECIPROCATING SAW - BARE

- Quick change blade • Lockable and adjustable sole plate
- Soft grip handle • Variable speed
- Batteries and Chargers are available separately

Battery	20V Stormforce Li-ion
No Load Speed	0-3000rpm
Batteries Per Item	Sold separately
Charger Type	Sold separately
Cutting capacity wood	115mm
Cutting capacity aluminium	10mm
Cutting capacity mild Steel	6mm
Stroke Length	22mm
Supplied in Case	No
Weight	1.7kg

Stock No.
89459



1 COMT20SF

20V OSCILLATING MULTI-TOOL - BARE

NEW

- Quick release system
- LED light
- Variable speed
- Supplied with backing pad, 3 sanding sheets and offset universal cutting blade
- Batteries and Chargers are available separately

Battery	20V Stormforce Li-ion
No Load Speed	5000 - 20,000rpm
Batteries Per Item	Sold separately
Charger Type	Sold separately
Supplied in Case	No
Weight	1kg

Stock No.
89482



2 CPS20SF

20V RANDOM ORBIT SANDER - BARE

NEW

- 6 speed settings
- Soft grip handle
- Dust extraction port and collection bag
- Orbital speed control
- Supplied with three sanding discs and dust collection bag
- Batteries and Chargers are available separately

Battery	20V Stormforce Li-ion
Orbital Diameter	2.7mm
Pad size	125mm
Batteries Per Item	Sold separately
Charger Type	Sold separately
Supplied in Case	No
Weight	1.12kg

Stock No.
89522

NEW



3 B20LISF

20V LI-ION BATTERY FOR STORMFORCE INTERCHANGE RANGE (4.0AH)

- For use with the Draper Storm Force® 20V range of power tools

Battery	Draper Storm Force® 20V Li-ion
Battery Amperage	4.0Ah
Weight	0.65kg

Stock No.
89433

NEW



4 B202LISF

20V LI-ION BATTERY FOR STORMFORCE INTERCHANGE RANGE (2.0AH)

- For use with the Draper Storm Force® 20V range of power tools

Battery	Draper Storm Force® 20V Li-ion
Battery Amperage	2.0Ah
Weight	0.44kg

Stock No.
89437

5 CB20

20V CHARGER FOR STORMFORCE INTERCHANGE RANGE OF BATTERIES

NEW

- Spare charger for Draper Storm Force® 20V batteries
- Suitable for both 4.0AH and 2.0AH Li-ion batteries

Battery	20V Stormforce Li-ion
Amperage	2.4A
Charging times 2Ah	60 mins
Charging times 4Ah	120 mins
Weight	0.5kg

Stock No.
89425



6 CB203.5

20V FAST CHARGER FOR STORMFORCE INTERCHANGE RANGE BATTERIES

NEW

- Spare charger for Draper Storm Force® 20V range of power tools. Suitable for both 4.0AH and 2.0AH Li-ion batteries

Battery	20V Stormforce Li-ion
Amperage	3.5A
Charging times 2Ah	60 mins
Charging times 4Ah	80 mins
Weight	0.5kg

Stock No.
23793





1 CHD108SF

10.8V COMBI DRILL KIT

- 3 functions Drill, Hammer and Screwdriver
- Two speed gearbox with 21 torque control positions
- Battery level indicator • LED Worklight
- Variable speed • Belt clip
- Supplied with two batteries and 3.5A charger

Battery	10.8V Stormforce Li-ion
No Load Speed	1300rpm
Max. torque	25Nm
Batteries Per Item	2 x 1.5Ah
Charger Type	3.5A
Max drilling masonry	10mm
Max drilling wood	25mm
Max drilling mild steel	10mm
Supplied in Case	Yes
Weight (bare tool)	1kg

Stock No.
16048



NEW

2 CIW108SF

10.8V 3/8" IMPACT WRENCH (80Nm) - BARE

- LED worklight
- Variable speed control with electronic brake
- Batteries and Chargers are available separately

Battery	10.8V Stormforce Li-ion
Impact Rate	0-3500bpm
Max speed (No Load)	0-2500rpm
Max Torque	80Nm
Square Drive	3/8"
Batteries Per Item	Sold separately
Charger Type	Sold separately
Supplied in Case	No
Weight	0.95kg

Stock No.
02337



3 CD108SF

10.8V CORDLESS ROTARY DRILL – BARE

- 2 function Drill, Screwdriver
- Forward reverse facility
- Two speed gearbox with 21 torque control positions
- Variable speed
- LED Worklight
- Battery level indicator
- Batteries and Chargers are available separately

Battery	10.8V Stormforce Li-ion
No Load Speed	1300rpm
Max. torque	25Nm
Batteries Per Item	Sold separately
Charger Type	Sold separately
Max drilling wood	25mm
Max drilling mild steel	10mm
Supplied in Case	No
Weight	1kg

Stock No.
17125



4 ID108SF

10.8V CORDLESS IMPACT DRIVER – BARE

- 1/4" Quick release collet
- Forward reverse facility
- Battery level indicator
- LED Worklight
- Variable speed
- Batteries and Chargers are available separately

Battery	10.8V Stormforce Li-ion
Impact rate	3500/min
No Load Speed	2300rpm
Max. torque	80Nm
Hexagon Drive	1/4"
Batteries Per Item	Sold separately
Charger Type	Sold separately
Supplied in Case	No
Weight	0.8kg

Stock No.
17132



5 SS108SF

10.8V RECIPROCATING SAW – BARE

- Quick blade change system
- Battery level indicator
- LED Worklight
- Variable speed
- Batteries and Chargers are available separately

Battery	10.8V Stormforce Li-ion
No Load Speed	3000rpm
Stroke length	14.5mm
Batteries Per Item	Sold separately
Charger Type	Sold separately
Max cutting wood	65mm
Max cutting mild steel	8mm
Max cutting plastic pipe	50mm
Supplied in Case	No
Weight	0.95kg

Stock No.
17129

6 RW108SF

10.8V CORDLESS RATCHET – BARE

- Forward/reverse feature
- LED Worklight
- Battery level indicator
- Variable speed
- Batteries and Chargers are available separately

Battery	10.8V Stormforce Li-ion
Impact Rate	0-350bpm
No Load Speed	0-250rpm
Max Torque	45Nm
Square Drive	3/8"
Batteries Per Item	Sold separately
Charger Type	Sold separately
Supplied in Case	No
Weight	0.95kg

Stock No.
17135

Watch the range video on: YOUTUBE.COM/DRAPERTOOLSTV



NEW



1 CMG108SF

10.8V ROTARY MULTI-TOOL KIT (50 PIECE)

- 6 speeds • Supplied with 50 accessories in a sturdy plastic box and battery and charger


Contents:

5 × Grinding points, 3 × Milling bits, 2 × Engraving bits, 1 × Bristle brush, 1 × Bristle wheel, 1 × Brass wheel, 6 × HSS drill bits, 4 × Grinding discs, 3 × Polishing discs, 16 × Cutting discs, 5 × Collets: 1/32", 3/64", 3/32", 1/16", 5/64", 2 × Mandrels, Combination spanner/screwdriver

Battery	10.8V Stormforce Li-ion
No Load Speed	5000-25000rpm
Batteries Per Item	1 x 1.5Ah
Charger Type	0.5A
Speed settings	6
Supplied in Case	Yes
Weight (bare tool)	0.43Kg

Stock No.
02343





Supplied with buffing sponge and polishing pad

2 CPO108SF

10.8V MINI POLISHER - BARE

NEW

- Variable speed
- Supplied with 80mm flat buffing sponge and 110mm polishing pad
- Batteries and Chargers are available separately

Battery	10.8V Stormforce Li-ion
No Load Speed	3000rpm
Batteries Per Item	Sold separately
Charger Type	Sold separately
Supplied in Case	No
Weight	0.95Kg

Stock No.
02330



NEW

3 CMT108SF

10.8V MINI TORCH - BARE

- 90 Lumens
- Batteries and Chargers are available separately

Battery	10.8V Stormforce Li-ion
Lumens	90
Batteries Per Item	Sold separately
Charger Type	Sold separately
Supplied in Case	No
Weight	0.95Kg

Stock No.
02341



4 CB108LI

10.8V LI-ION BATTERY FOR POWER INTERCHANGE RANGE (1.5Ah)

- 10.8V 1.5Ah lithium battery for all the 10.8V power interchange tools

Stock No.
16254

5 C108LI

10.8V BATTERY CHARGER FOR POWER INTERCHANGE RANGE

- 10.8V battery charger for all the 10.8V power interchange tools

Stock No.
16255





Transforms from pistol to horizontal shape

Supplied in storage case

6 CD36LIASF

3.6V CORDLESS LI-ION SCREWDRIVER KIT

- Rotating two position handle • 1/4" hex drive • 11 torque settings
- Battery level indicator • Worklight • Spindle lock for manual screwdriving
- Supplied with: 54 25mm screwdriver bits, 230V AC charger (3-5 hours) and clear polycarbonate storage case

Battery	3.6V Stormforce Li-ion
Max Torque:	3.5Nm
Batteries Per Item	N/A
Charger Type	3-5 hours
Supplied in Case	Yes
Weight	0.36Kg

Stock No.
83568



NEW

DRAPER STORM FORCE



Supplied with 6 screwdriver bits

7 CSD36LISF

3.6V CORDLESS SCREWDRIVER

- 1/4" hex drive • Compact and powerful • Rocker type on/off switch
- Forward/reverse switch • Battery level indicator • Worklight
- Supplied with adaptor charger, 6 x 25mm insert bits: PZ No1, 2 x PZ No2, No2 cross slot, 4mm plain slot, 6mm plain slot

Battery	3.6V Stormforce Li-ion
Max Torque	3.5Nm
Batteries Per Item	N/A
Charger Type	3-5 hours
Supplied in Case	No
Weight	0.37kg

Stock No.
55334



DRAPER Expert

3 Year WARRANTY

1 HD1150VKA

IMPACT DRILL (1050W)

- *Expert Quality*
- Two-speed synchronized aluminium gearbox
- Variable speed • Keyless chuck
- Adjustable side handle with depth rod
- Supplied with 2 x masonry drill bits, metal drill bit and 3M cable with BS plug

Voltage	230V
Wattage	1050W
No load speed (2 speed)	0-1050 / 0-3000rpm
Max impact rate	16800 / 48000bpm
Chuck capacity	13mm
Drilling capacity masonry	16mm
Drilling capacity wood	40mm
Drilling capacity steel	13mm
Supplied in case	Yes
Weight	3.2kg

Stock No.
83586

NEW



2 ID750MGD

IMPACT DRILL (750W)

- Aluminium gearbox
- Variable speed
- Keyless chuck
- Adjustable side handle with depth rod
- Supplied with 2M cable with BS plug

Voltage	230V
Wattage	750W
No load speed	0-3000rpm
Max impact rate	48000bpm
Chuck capacity	13mm
Drilling capacity masonry	13mm
Drilling capacity wood	25mm
Drilling capacity steel	13mm
Supplied in case	No
Weight	2.1kg

Stock No.
56369

DRAPER STORM FORCE

YOUTUBE.COM/ DRAPERTOOLSTV



3 PT600SF

IMPACT DRILL (600W)

- Variable speed
- Keyless chuck
- Adjustable side handle with depth rod
- Supplied with 3M cable with BS Plug

Voltage	230V
Wattage	600W
No load speed	0-2800rpm
Max impact rate	40,000bpm
Chuck capacity	13mm
Drilling capacity masonry	10mm
Drilling capacity wood	20mm
Drilling capacity steel	8mm
Supplied in case	No
Weight	1.86kg

Stock No.
83584

DRAPER STORM FORCE

NEW



4 CD550SF


IMPACT DRILL (550W)

- Variable speed
- Adjustable side handle with depth rod
- Supplied with chuck key and 2M cable with BS plug

Voltage	230V
Wattage	550W
No load speed	0-3000rpm
Max impact rate	48000bpm
Chuck capacity	13mm
Drilling capacity concrete	13mm
Drilling capacity wood	25mm
Drilling capacity steel	13mm
Supplied in case	No
Weight	1.8kg

Stock No.
56360

NEW





Supplied with 2 chisels and 3 drill bits

1 SDSHD1500E

SDS+ ROTARY HAMMER DRILL (1500W)

- *Expert Quality*
- 4 functions - Drill, Hammer, Chisel and Chisel lock
- Safety clutch • All metal gearbox • Anti-vibration handle
- Supplied with adjustable side handle, pointed chisel, flat chisel, 3 x drill bits and 2.2m cable with BS Plug

3 Year Warranty

Voltage	230V
Wattage	1500W
No load speed	860rpm
Max impact rate	4250bpm
Impact joules	5.5J
Drilling capacity masonry	32mm
Drilling capacity wood	43mm
Drilling capacity steel	13mm
Supplied in case	Yes
Weight	5.2kg

Stock No.
56405

NEW



Supplied with 2 chisels and 3 drill bits


2 SDSHD1400D

SDS+ ROTARY HAMMER DRILL (1500W)

- 3 functions - Drill, Hammer and Chisel
- Safety clutch • Anti-vibration handle
- Adjustable side handle
- Supplied with auxiliary side handle, pointed chisel, flat chisel, 3 x drill bits and 2.2m cable with BS Plug

Voltage	230V
Wattage	1400W
No load speed	880rpm
Max impact rate	4350bpm
Impact joules	5.0J
Drilling capacity masonry	32mm
Drilling capacity wood	42mm
Drilling capacity steel	13mm
Supplied in case	Yes
Weight	4.9kg

Stock No.
56404





Supplied with 2 chisels and 3 drill bits

3 PT900SDSSF

SDS+ ROTARY HAMMER DRILL (900W)

- 3 functions - Drill, Hammer and Chisel
- Safety clutch • Depth rod
- Supplied with adjustable side handle, 2 x SDS+ chisels, 3 x SDS+ drill bits and 2.2m cable with BS Plug

Voltage	230V
Wattage	900W
No load speed	850rpm
Max impact rate	4100bpm
Impact joules	4J
Drilling capacity masonry	26mm
Drilling capacity wood	40mm
Drilling capacity steel	13mm
Supplied in case	Yes
Weight	3.36kg

Stock No.
76490

NEW



Supplied with 2 chisels and 3 drill bits

4 SDSHD1050D

SDS+ ROTARY HAMMER DRILL (1050W)

- 4 functions - Drill, Hammer, Chisel and Chisel lock
- Safety clutch • Depth rod
- Supplied with adjustable side handle, pointed chisel, flat chisel, 3 x drill bits and 2.2m cable with BS Plug

Voltage	230V
Wattage	800W
No load speed	1000rpm
Max impact rate	5000bpm
Impact joules	3.0J
Drilling capacity masonry	26mm
Drilling capacity wood	42mm
Drilling capacity steel	13mm
Supplied in case	Yes
Weight	3.4kg

Stock No.
56382



NEW

Supplied with chisel and drill bit

1 SDSMAXHD1600E

SDS MAX ROTARY HAMMER DRILL (1600W)

- *Expert Quality*
- 2 functions - Drill and Chisel • Safety clutch • All metal gearbox
- Anti-vibration handle • Depth rod
- Supplied with adjustable side handle, pointed chisel, drill bit and 2.2m cable with BS Plug

Voltage	230V
Wattage	1600W
No load speed	560rpm
Max impact rate	3530bpm
Impact joules	9.0J
Drilling capacity masonry	40mm
Supplied in case	Yes
Weight	7.3kg

Stock No.
56407



NEW

Supplied with 2 chisels

2 PHD1050MAX

SDS MAX BREAKER (1050W)

- *Expert Quality*
- 1 function - Chisel
- Anti-vibration handle
- Supplied with adjustable side handle, 2 x SDS MAX chisels flat and pointed and 2.2m cable with BS Plug

Voltage	230V
Wattage	1050W
Max impact rate	4300bpm
Impact joules	25J
Supplied in case	Yes
Weight	7kg

Stock No.
81077

3 HXBKR1700E

16KG BREAKER (1700W)

- *Expert Quality*
- Demolition chisel
- Fan-cooled motor
- Anti vibration rear handle
- Tough and durable all metal gearbox
- Supplied with auxiliary side handle, pointed chisel, flat chisel and 3.2m cable with BS Plug

Voltage	230V
Wattage	1700W
Max Impact Rate	1900bpm
Impact Joules	65J
Supplied in Case	Yes - with wheels
Weight	18.5kg

Stock No.
56411



Supplied with 2 chisels



NEW

4 HXBKR1500D

15KG BREAKER (1500W)

- Demolition chisel
- Supplied with auxiliary side handle, pointed chisel, flat chisel and 3.2m cable with BS Plug

Voltage	230V or 110V
Wattage	1500W
Max Impact Rate	1900bpm
Impact Joules	45J
Supplied in Case	Yes
Weight	14kg

Stock No.	Voltage
56409	230V
75737	110V

NEW

Supplied with 2 chisels



3 Year WARRANTY

DRAPER Expert

NEW

1 WC1320

125mm WALL CHASER (1320W)

- *Expert Quality*
- Adjustable cutting width 8-28mm
- Adjustable cutting depth 10-30mm
- Soft start
- Dust extraction outlet
- Supplied with 2 x diamond blades, side handle, chisel and 3M cable with BS plug

Voltage	230V
Wattage	1320W
No Load Speed	9000rpm
Disc Diameter	125mm
Bore	22.2mm
Supplied in Case	Yes
Weight	4.54kg

Stock No.
54956



NEW

2 DPM1400

POWER MIXERS (1400W)

- Ideal for mixing up to 120L
- Suitable for mixing plaster, mortars, floor screeds, etc
- Variable speed
- Soft start
- High torque, aluminium gearbox
- Supplied with a two part mixing paddle and 2M cable with BS plug

Voltage	230V or 110V
Wattage	1400W
No load speed	0-800rpm
Paddle Diameter	140mm
Spindle thread	M14
Supplied in case	No
Weight	3.3kg

Stock No.	Voltage
56427	230V
56406	110V



3 M14SDS

M14 TO SDS+ ADAPTOR


- Converts M14 thread paddles for use with SDS+ drills

Stock No.
16404

PRODUCT LOCATOR

Turn to page 721 for our wide range of mixing buckets, available in a variety of sizes and colours.





4

MIXING PADDLES

- Protection coated steel with an M14 thread. • Suitable for use with most manufacturers powered mixers

Stock No.	For use with	W x L	Blades
10358	Paint Paddle	100 x 500mm	4
16417	Paint Paddle	120 x 600mm	2
16209	Plaster Paddle	135 x 600mm	2
16210	Plaster Paddle	160 x 600mm	2
16206	Plaster Paddle	140 x 600mm	3
16208	Plaster Paddle	160 x 600mm	3







DRAPER Expert 3 Year Warranty

DRAPER YOUTUBE.COM/DRAPERTOOLSTV

DRAPER Expert 3 Year Warranty

STORM FORCE

1 AG2100

230MM ANGLE GRINDER (2100W)

- *Expert Quality*
- Soft start
- Spindle lock
- Three position side handle
- Adjustable guard
- Supplied with reversible lock nut and flange, disc changing spanner and 3M cable with BS plug

Voltage	230V
Wattage	2100W
No Load Speed	6000rpm
Spindle thread	M14
Disc Diameter	230mm
Bore	22.2mm
Supplied in Case	No
Weight	7kg

Stock No.
83607

2 PT2023SF

230mm ANGLE GRINDER (2000W)

- 180 degree rotating rear handle
- Powerful motor with soft start • Three position side handle
- Spindle lock facility • Fully adjustable guard
- Supplied with: locknut and flange, pin spanner, 3M (approx.) cable with approved plug

Voltage	230V
Wattage	2000W
No Load Speed	6500rpm
Spindle thread	M14
Disc Diameter	230mm
Bore	22.2mm
Supplied in Case	No
Weight	5kg

Stock No.	Description
83594	Grinder
17739	Cutting Guard

3 AG850

115mm ANGLE GRINDER (850W)

- *Expert Quality*
- Spindle lock
- Two position side handle
- Adjustable guard
- Supplied with reversible lock nut and flange, disc changing spanner and 3M cable with BS plug

Voltage	230V
Wattage	850W
No Load Speed	11000rpm
Spindle thread	M14
Disc Diameter	115mm
Bore	22.2mm
Supplied in Case	No
Weight	1.85kg

Stock No.
83605

NEW



NEW



NEW DRAPER STORM FORCE



4 AG900/115D

115MM ANGLE GRINDER (950W)

- Variable speed
- Spindle lock
- Two position side handle
- Adjustable guard
- Supplied with side handle, hex key, disc changing spanner and 2M cable with BS plug

Voltage	230V
Wattage	950W
No Load Speed	0-11000rpm
Spindle thread	M14
Disc Diameter	115mm
Bore	22.2mm
Supplied in Case	No
Weight	2.0kg

Stock No.
56488

5 AG750/115D

115MM ANGLE GRINDER (750W)

- Spindle lock
- Two position side handle
- Adjustable guard
- Supplied with side handle, hex key, disc changing spanner and 2M cable with BS plug

Voltage	230V
Wattage	750W
No Load Speed	11000rpm
Spindle thread	M14
Disc Diameter	115mm
Bore	22.2mm
Supplied in Case	No
Weight	1.9kg

Stock No.
56480

6 AG500/115SF

115MM ANGLE GRINDER (650W)

- Spindle lock
- Two position side handle
- Adjustable guard
- Supplied with side handle, hex key, disc changing spanner and 2M cable with BS plug

Voltage	230V
Wattage	650W
No Load Speed	11000rpm
Spindle thread	M14
Disc Diameter	115mm
Bore	22.2mm
Supplied in Case	No
Weight	1.8kg

Stock No.
56457

1 POL1200/180D

180mm SANDER/POLISHER (1200W)


NEW

- Dual function sander-polisher
- Constant electronics • Hook and loop base
- Variable speed control • Plug and cable (3.0M)
- Supplied with a polishing bonnet, hook and loop backing pad, sanding sheet, adjustable D handle with additional side handle and 5M cable with BS plug

Voltage	240V
Wattage	1200W
No Load speed	600-3000rpm
Pad size	180mm
Spindle thread	M14
Supplied in Case	No
Weight	2.75kg

Stock No.
56680





Supplied with polishing bonnet and sanding pad

2 DA900SF

150mm DUAL ACTION POLISHER (900W)

NEW

- Variable speed control • Adjustable D - handle
- Constant electronics • Hook and loop
- Supplied with: backing pad, polishing sponge and 5M cable with BS plug

Voltage	240V
Wattage	900W
No Load speed	2000-6400rpm
Pad size	150mm
Spindle thread	5/16"
Supplied in Bag	Yes
Weight	2.4kg

Stock No.
01817





Supplied with polishing sponge

3 DA650SF

125mm DUAL ACTION POLISHER (650W)

NEW

- Variable speed control • Adjustable D - handle
- Supplied with backing pad, polishing sponge and 5M cable with BS plug

Voltage	240V
Wattage	650W
No Load speed	2000-6400rpm
Pad size	125mm
Spindle thread	5/16"
Supplied in Bag	Yes
Weight	2.0kg

Stock No.
01816





Supplied with polishing sponge

4 PT241SF

240mm POLISHER (110W)

- Twin grip handle
- Flexible sponge backing pad
- Supplied with wool and cotton bonnets and 3M cable with BS plug

Voltage	240V
Wattage	110W
No Load speed	3000rpm
Pad size	240mm
Spindle thread	N/A
Supplied in Case	No
Weight	2.2kg

Stock No.
83653



YOUTUBE.COM/DRAPERTOOLSTV



Supplied with wool and cotton bonnets

PLUNGE SAW WITH RAIL


2 x 700mm guide rails included


Adjustable Depth


Adjustable Angle



NEW

1 PS1200D

165mm PLUNGE SAW WITH RAIL (1200W)

• Max cutting depth 55mm at 90° and 42mm at 45° • 0-45 degree bevel cutting base
• 2 x 700mm guide rails with anti-slip grips • Dust extraction fitting • Electronic brake • Spindle lock • Supplied with 24T blade and 2M cable with BS plug

Voltage	230V
Wattage	1200W
No Load Speed	0-5200rpm
Blade Diameter	165mm
Bore	20mm
Supplied in Case	No
Weight	5.8kg

Stock No.
57341



NEW

2 CS1300D185

185MM CIRCULAR SAW (1300W)

• Adjustable angle with max cutting depth 63mm at 90° and 42mm at 45°
• Aluminium base
• Class II laser cutting guide
• Spindle lock
• Supplied with 24T blade, guide ruler, parallel fence guide and 2M cable with BS plug

Voltage	230V
Wattage	1300W
No Load Speed	4500rpm
Blade Diameter	185mm
Bore	20mm
Supplied in Case	No
Weight	4.1kg

Stock No.
56791



NEW

DRAPER STORM FORCE

3 CS1200SF

185MM CIRCULAR SAW (1200W)

• Adjustable angle with max cutting depth 55mm at 90° and 41mm at 45°
• Spindle lock
• Supplied with 24T blade, guide ruler, parallel fence guide and 2M cable with BS plug

Voltage	230V
Wattage	1200W
No Load Speed	4800rpm
Blade Diameter	185mm
Bore	20mm
Supplied in Case	No
Weight	4.5kg

Stock No.
56786



YOUTUBE.COM/ DRAPERTOOLSTV



1 MPS600SF

89mm MINI PLUNGE SAW (600W)

- Adjustable max cutting depth 28.5mm • Class 2 laser cutting guide • Parallel fence guide
- Supplied with HSS blade, TCT blade, Diamond blade and 3M cable with BS plug

Voltage	230V
Wattage	600W
No Load Speed	5500rpm
Disc Diameter	89mm
Bore	10mm
Supplied in Case	Yes
Weight	2.3kg

Stock No.	Description
15098	Plung Saw
25912	TCT Blade
25914	Wood Cut Blade
25976	Diamond Blade

2 RS710SF

RECIPROCATING SAW (900W)


- Stroke length cut 20mm
- Variable speed control
- Rotating handle
- Adjustable angle front footplate
- Quick release blade changing facility
- Supplied with wood and metal blades and 3M cable with BS plug

Voltage	230V
Wattage	900W
No Load Speed	2600rpm
Sawing capacity wood	115mm
Sawing capacity plastic	80mm
Sawing capacity metal	10mm
Weight	2.8kg

Stock No.
83628



YOUTUBE.COM/ DRAPERTOOLSTV



Supplied with blades and hex key

3 RSAW710SF

RECIPROCATING SAW (710W)


- Stroke length cut 20mm
- Variable speed control
- Adjustable angle front footplate
- Quick release blade changing facility
- Supplied with wood blade and 3M cable with BS plug

Voltage	230V
Wattage	710W
No Load Speed	2800rpm
Sawing capacity wood	115mm
Sawing capacity plastic	80mm
Sawing capacity metal	6mm
Weight	3.4kg

Stock No.
57483



NEW



Supplied with blade and hex key

DRAPER Expert

NEW



3 Year WARRANTY

1 JS750E

JIGSAW (750W)

• *Expert Quality* • Variable speed control
• Quick blade change facility • Pendulum action • Dust extraction facility • Aluminium base
• Supplied with wood cutting blade, parallel guide and 2M cable with BS plug

Voltage	230V
Wattage	750W
No Load Speed	80-3000rpm
Stroke length	26mm
Max wood cutting capacity	120mm
Max metal cutting capacity	10mm
Supplied in Case	Yes
Weight	3kg

Stock No.
56776

NEW



2 JS710D

JIGSAW (800W)

• Variable speed control • Quick blade change facility
• Pendulum action • Dust extraction and blower facility • Aluminium base
• Supplied with wood cutting blade, parallel guide and 2M cable with BS plug

Voltage	230V
Wattage	800W
No Load Speed	0-3000rpm
Stroke length	22mm
Max wood cutting capacity	100mm
Max metal cutting capacity	10mm
Supplied in Case	No
Weight	2.2kg

Stock No.
56768

NEW



3 JS710D

JIGSAW (710W)

• Variable speed control • Quick blade change facility
• Pendulum action • Dust extraction facility • Aluminium base
• Supplied with wood cutting blade, parallel guide and 2M cable with BS plug

Voltage	230V
Wattage	710W
No Load Speed	0-3000rpm
Stroke length	19mm
Max wood cutting capacity	80mm
Max metal cutting capacity	10mm
Supplied in Case	No
Weight	2.1kg

Stock No.
56760

DRAPER STORM FORCE

NEW



4 JS400SF

JIGSAW (400W)

• Variable speed control • Quick blade change facility
• Dust extraction facility • Steel base
• Supplied with wood cutting blade, parallel guide and 2M cable with BS plug

Voltage	230V
Wattage	400W
No Load Speed	0-3000rpm
Stroke length	18mm
Max wood cutting capacity	55mm
Max metal cutting capacity	6mm
Supplied in Case	No
Weight	1.8kg

Stock No.
56733



1 PL750

82mm ELECTRIC PLANER (750W)

- *Expert Quality*
- 3mm cutting depth
- Aluminium base
- 18mm rebating facility
- Two side chip extraction facility
- Parallel and rebate guides
- Supplied with dust bag and 3M cable with BS plug

3 Year WARRANTY

Voltage	240V
Wattage	750W
No Load Speed	17000rpm
Max cutting width	82mm
Max cutting depth	0-3mm
Max cutting rebating	18mm
Base length	234mm
Supplied in Case	Yes
Weight	3.7kg

Stock No.
83638

YOUTUBE.COM/ DRAPERTOOLSTV



2 PT650SF

82mm ELECTRIC PLANER (650W)

- 2mm cutting depth
- Aluminium base
- 8mm rebating facility
- Parallel fence
- Dust extraction facility
- Parallel and rebate guides
- Supplied with dust bag and 3M cable with BS plug

Voltage	240V
Wattage	650W
No Load Speed	17500rpm
Max cutting width	82mm
Max cutting depth	0-2mm
Max cutting rebating	8mm
Base length	234mm
Supplied in Case	No
Weight	2.8kg

Stock No.
83637

YOUTUBE.COM/ DRAPERTOOLSTV



3 PT1202VSF

1/4" ROUTER (1200W)

- Electronic variable speed control
- Fine height adjustment • Dust extraction facility
- Parallel fence guide • Circle/curved edge cutting attachment
- Supplied with 6.35mm (1/4"), 8mm (5/16") collets, 30mm template guide, spanner and 3M cable with BS plug

Voltage	240V
Wattage	1200W
No Load Speed	30000rpm
Cutter capacity	30mm
Plunge stroke (no dust extraction)	0-50mm
Plunge stroke (dust extraction)	0-38mm
Supplied in Case	No
Weight	3.63kg

Stock No.
83612

YOUTUBE.COM/ DRAPERTOOLSTV



4 PT8100SF

BISCUIT JOINTER (900W)

- Spindle lock
- Adjustable fence and fixed guard
- Supplied with TCT blade, dust bag and 3M cable with BS plug

Voltage	240V
Wattage	900W
No Load Speed	11000rpm
Blade size	100mm
Cutting depth	0 – 20mm
Angle adjustment	0° – 90°
Supplied in Case	Yes
Weight	3.2kg

Stock No.
83611



NEW



1 TPS220D

TRI-BASE (DETAIL) SANDER (220W)

- Interchangeable base and finger plates
- Hook and loop base pads
- Dust collection box and extraction facility
- Supplied with 9 sanding sheets, two interchangeable base plates and 1.8M cable with BS plug



Supplied with 2 bases and 9 sanding sheets

Voltage	240V
Wattage	220W
No Load Speed	13000rpm
Sanding pad	148 x 148 x 96mm
Weight	1.26kg

Stock No.
57681

NEW



2 PT75SFA

TRI-BASE (DETAIL) SANDER (75W)

- Interchangeable base and finger plates
- Hook and loop base pads
- Dust collection box
- Supplied with 24 sanding sheets and 2M cable with BS plug



Supplied with two bases and 24 sanding sheets

Voltage	240V
Wattage	75W
No Load Speed	11000rpm
Sanding pad	93 x 130mm
Weight	1.34kg

Stock No.
02063

YOUTUBE.COM/DRAPERTOOLSTV



3 PT180SF

TRI-BASE (DETAIL) SANDER (180W)

- Hook and loop rotating base pads
- Dust extraction facility
- Supplied with 3 sanding sheets and 3M cable with BS plug



Supplied with 3 sanding sheets

Voltage	240V
Wattage	180W
No Load Speed	8000rpm
Sanding pad	90 x 90 x 90mm
Weight	1.2kg

Stock No.
83644

4 BS75-1010D

75MM BELT SANDER (1010W)

- Variable speed
- Quick change belt system
- Dust collection bag and extraction facility
- Easy belt tracking adjustment
- Supplied with sanding belt and 2M cable with BS plug

Voltage	240V
Wattage	1010W
No Load Speed	120-380rpm
Sanding belt	75 x 533mm
Weight	3.56kg

Stock No.
58287

NEW






Supplied with sanding belt

SHEET SANDERS

NEW





Supplied with
3 sanding sheets



1 1/2S-300D

1/2 SHEET SANDER (300W)

• Variable speed • Hook and loop base with conventional sheet clamps
• Dust collection box and extraction facility • Supplied with 3 x sanding sheets and 1.8M cable with BS plug

Voltage	240V
Wattage	300W
No Load Speed	11000rpm
Sanding pad	225 x 115mm
Weight	2.32kg

Stock No.
57941



Supplied with
3 sanding sheets

NEW



2 1/3S-260D

1/3 SHEET SANDER (260W)

• Hook and loop base with conventional sheet clamps
• Dust collection box and extraction facility
• Supplied with 3 x sanding sheets and 1.8M cable with BS plug

Voltage	240V
Wattage	260W
No Load Speed	13,000rpm
Sanding pad	187 x 90mm
Weight	2.0kg

Stock No.
57839



Supplied with
3 sanding sheets

NEW



3 1/4S-220D

1/4 SHEET SANDER (220W)

• Hook and loop base with conventional sheet clamps
• Dust collection box and extraction facility
• Supplied with 3 x sanding sheets and 1.8M cable with BS plug

Voltage	240V
Wattage	220W
No Load Speed	13,000rpm
Sanding pad	127 x 104mm
Weight	1.41kg

Stock No.
57691

4 ROS430D

125MM RANDOM ORBIT SANDER (430W)


• Variable speed • Hook and loop base
• Dust collection box and extraction facility • Supplied with 3 x sanding sheets and 1.8M cable with BS plug

Voltage	240V
Wattage	430W
No Load Speed	5,000-13,000rpm
Sanding pad	125mm
Weight	2.12kg

Stock No.
58097

NEW





Supplied with
3 sanding sheets



YOUTUBE.COM/ DRAPERTOOLSTV

Supplied with these accessories



1 MT400SF

OSCILLATING MULTI-TOOL KIT (400W)

- Constant electronics • 4° oscillation angle
- Variable speed control • Supplied with offset combination bi-metal saw blade, hook and loop base with sanding sheets, offset scraper blade and 2M cable with BS plug

Power Supply	240V
Power Output	400W
No Load Speed	15,000-22,000rpm
Oscillating angle	4 degrees
Supplied in Case	No
Weight	1.45kg

Stock No.
83648



YOUTUBE.COM/ DRAPERTOOLSTV

Supplied with these accessories



2 MT400QSF

QUICK RELEASE OSCILLATING MULTI-TOOL KIT (400W)

- Constant electronics • Variable speed control • Quick release lever
- Supplied with offset combination bi-metal saw blade, hook and loop base with sanding sheets, offset scraper blade and 2M cable with BS plug

Power Supply	240V
Power Output	400W
No Load Speed	15,000-22,000rpm
Oscillating angle	4 degrees
Supplied in Case	No
Weight	1.45kg

Stock No.
83650



3 OMTK14

OSCILLATING TOOL BLADE KIT (14 PIECE)

- Universal oscillating multi-tool blades • Manufactured to meet the demands of the professional from the highest quality metal • Suitable for use with Draper and other manufactures oscillating multi-tools • Supplied in resilient and convenient storage case

Contents: 1 - 34 x 34 x 92mm Gear grinding wood saw blade, 1 - 34 x 34 x 92mm Fine wood saw blade, 1 - 34 x 34 x 92mm Bi-metal saw blade, 1 - 34 x 34 x 92mm Bi-metal saw blade, 1 - 52.5 x 79mm Stainless steel scraper, 1 - 50.5 x 72mm Stainless steel scraper, 1 - 34 x 34 x 92mm Stainless steel saw blade, 1 - 34 x 20 x 92mm Stainless steel saw blade, 1 - 34 x 10 x 92mm Stainless steel Saw blade, 1 - 80mm HSS Half-moon blade, 1 - 80 x 80 x 80mm Carbide grit, 1 - 63.5 Carbide grind Round, 2 - Adaptors

Stock No.
63511



4

QUICK RELEASE OSCILLATING MULTI-TOOL ACCESSORIES

- Suitable for Draper quick release oscillating multi-tool Stock No. 83650 and other manufactures similar machines.

Stock No.	Description
17143	32mm Plunge Cutter
17145	Carbide Tipped Saw Blade
17152	Sanding Pad
17141	Sanding Sheets
17146	HSS Circular Saw Blade

UNIVERSAL ACCESSORIES FOR OSCILLATING TOOLS

Stock No.	Description	Size
26057	Segment Saw Blade	63mm dia. x 18tpi
26072	Segment Saw Blade	88mm dia. x 18tpi
26073	Circular Saw Blade	63mm dia. x 18tpi
26074	Circular Saw Blade	88mm dia. x 18tpi
26075	HSS Circular Saw Blade	85mm dia. x 18tpi
26079	HSS Circular Saw Blade	85mm dia. x 18tpi
26080	Flexible Scraper Blade	51.5 x 73mm
26083	Rigid Scraper Blade	51.5 x 73mm
26085	Caulk Removal Blade	10-28 x 50mm
26086	Triangular Carbide Rasp	79.5 x 79.5 x 79.5mm
26087	Carbide Rasp	35 x 45 x 45mm
26088	Carbide Tipped Saw Blade	65mm dia.
26093	Diamond Segment Saw Blade	65mm dia.
26097	Sanding Finger	35 x 45 x 45mm
26098	Sanding Finger Sheet (10)	50 x 50 x 36mm
26101	Sanding Pad	90 x 90 x 90mm
26106	Sanding Pad Sheets (10)	90 x 90 x 90mm
26108	HCS Plunge Cutter	10mm, 20tpi
26110	HCS Plunge Cutter	20mm, 18tpi
26114	HCS Plunge Cutter	32mm, 18tpi
26115	HCS Str Flush Cutter	32mm, 14tpi
26116	HCS Precision Cutter	68mm, 14tpi
26117	Bi-Metal Plunge Cutter	10mm, 20tpi
26118	Bi-Metal Plunge Cutter	20mm, 18tpi
26119	Bi-Metal Plunge Cutter	32mm, 18tpi
26124	Bi-Metal Step Saw Blade	36mm, Step 22mm x 18tpi
26128	Bi-Metal Wing Devil Saw Blade	36 x 22mm x 18tpi
26129	Bi-Metal Wing Devil Saw Blade	36 x 30mm x 18tpi
26130	HSS Segment Saw Blade	66mm x 18tpi
26807	Diamond Segment Saw Blade	85mm dia.
26808	Double Sided Sanding Finger	36 x 45 x 45mm
26809	HSS Segment Carpet Cutter	100mm dia.



NEW



1 D20OMT3DEG

180W ROTARY MULTI TOOL KIT (113 PIECE)

- Variable speed • Spindle lock • Supplied with 1.8M cable with BS Plug and 113 accessory pieces (23 x Cut-off wheels, 31 x Grinding wheels, 18 x Sanding bands, 9 x Wool wheels, 8 x Diamond bits, 5 x Grinding stone, 4 x Cutting discs, 3 x Brushes, 3 x Multi-purpose bits, 3 x Collets, Diamond ball, Sanding drum, flex shaft, wrench)

Voltage	240V
Wattage	180W
No Load speed	35000rpm
Supplied in Case	Yes
Weight	0.7kg

Stock No.
58300

NEW



2 MT135SF

135W ROTARY MULTI TOOL KIT (57 PIECE)

- Variable speed • Spindle lock
- Supplied with 1.8M cable with BS Plug and 57 accessory pieces (5 collets, wheel holder and 20 wheels, disc holder, 3 x drill bits, 2 x milling points, 10 x grinding points, 2 x brushes, 10 x large sanding drums, and collet spanner)

Voltage	240V
Wattage	135W
No Load speed	15,000-35,000rpm
Supplied in Case	Yes
Weight	0.62kg

Stock No.
58307



3

ACCESSORIES FOR MULTI-TOOLS

Accessories for Draper rotary multi-tool and other manufacturers similar machines

Stock No.	Description	Items per pack
44479	Steel Brush	1
44480	Bristle Brush	1
44460	Mandrel for Grind/Cut Off Wheel	1
44473	Mandrel for Felt Polishing Wheel	1
44459	Mandrel for Sanding Drum	1
44475	Engraving Round Cutter/Milling Point	1
44476	Engraving Large Round Cutter/Milling Point	1
44467	Diamond Round Grinding Point	1
44471	Diamond Flat Grinding Point	1
44469	Diamond Point Grinding Point	1
44466	Diamond Grinding Point	1
44470	Diamond Cone Grinding Point	1
44465	80 grit Round Grinding Point	1
44461	80 grit Short Grinding Point	1
44462	80 grit Long Grinding Point	1
44463	80 grit Bell Grinding Point	1
44464	80 grit Cone Grinding Point	1
44457	6 x 80 grit Sanding Drums	bag
44458	6 x 240 grit Sanding Drums	bag
44456	30 x 120 grit Cut Off Wheels 0.64mm	tube
44472	3 x Felt Polish Wheels 24 x 6mm	bag
44474	Cotton Polishing Wheel	1
44454	6 x 150 grit Grinding Wheels 22mm dia.	tube
44455	6 x 80 grit Grinding Wheels 22mm dia.	tube
44477	Brass Wheel	1
44478	Horsehair Wheel	1
44481	6 x 150 grit Sanding Drums	bag
44482	5 Felt Polishing Wheels	bag
44483	30 x 120 grit Cut Off Wheels 0.80mm	tube
44485	Engraving Cylinder Cutter/Milling Point	1
44486	Engraving Ball Cutter/Milling Point	1
44488	15 x 240 grit Sanding Discs 22mm dia.	tube



4 APT104

ACCESSORY KIT FOR MULTI-TOOLS (200 PIECE)

- Various accessories for Draper Multi-Tools and other manufacturers similar machines
- Storage box contents include: grinding points; polishing wheels; cutter/milling points; grinding and cutting wheels; sanding drums; HSS drill bits and brush wheels

Stock No.
88626

2000W HOT AIR GUNS

1 HG2003

VARIABLE HEAT HOT AIR GUN (2000W)

- *Expert Quality*
- LED heat display • Two heat and air flow settings
- Supplied with four nozzles, glass protection, reflector hook, concentrator, scraper and 3M cable with BS plug

Voltage	230V
Wattage	2000W
Temperature	50°C to 550°C
Air flow volume	280L/min
Supplied in case	Yes
Weight	0.95kg

Stock No.
14428



3 Year Warranty

Supplied with these accessories



2 HG2000SF

HOT AIR GUN (2000W)

- Three heat and air flow settings • Stands upright for hands free use • Supplied with concentrator nozzle, hooked nozzle, edge protector, glass protector, scraper and 2M cable with BS plug


Voltage	230V
Wattage	2000W
Temperature	50°C to 600°C
Air flow volume	250-500L/min
Supplied in case	No
Weight	0.83kg

Stock No.
15225



YOUTUBE.COM/DRAPERTOOLSTV

Supplied with these accessories



NEW



3 WPS1500D

QUICK-STEAM WALLPAPER STEAMER (1500W)

- 60 minutes of use (approx)
- '3M of 'cool-to-touch' steam hose • Wheeled base for easy transport • Integral tool storage
- Supplied with 2 in 1 steam plate and 2M cable with BS plug

Voltage	240V
Wattage	1500W
Water Tank Capacity	2.4L
Heating up time	50 seconds
Steam Flow	35ml/min
Steam hose length	3m
Weight	3.0kg

Stock No.
58328



4 WPS2000

WALLPAPER STEAMER (2000W)

- 60 minutes of use
- 'cool-to-touch' steam hose
- Supplied with 2 in 1 steam plate and 2M cable with BS plug

Voltage	240V
Wattage	2000W
Water Tank Capacity	4.5L
Heating up time	10 mins
Steam Flow	75ml/min
Steam hose length	3m
Weight	2.5kg

Stock No.
84434



DRAPER STORM FORCE

1 STNEKHDSF

32mm NAILER/STAPLER

- Impact strength adjustment dial
- Contact safety trigger
- Fires up to 20 per minute
- Supplied with 300 x 19mm staples and 100 x 25mm brad nails

Power Supply	240V
Staple range	15 – 25mm
Nail range	15 – 32mm
Weight	1.58kg

Stock No.
83659



DRAPER STORM FORCE

2 STNEKSF

16mm NAILER/STAPLER

- Impact strength adjustment dial
- Contact safety trigger
- Fires up to 20 per minute
- Supplied with 400 x 14mm staples and 100 x 15mm brad nails

Power Supply	240V
Staple range	6 – 14mm
Nail range	14 - 16mm
Weight	1.38kg

Stock No.
15636



DRAPER STORM FORCE



3 PT65KSF

VARIABLE HEAT GLUE GUN (400W)

- Variable heat control
- Trigger feed for glue control
- Retractable support stand
- Supplied with six general purpose glue sticks and 1.5M (approx.) cable and approved plug

Voltage	240V
Wattage	400W
Temperature range	150-200°C
Glue stick size	11.2 dia. x 100mm
Supplied in Case	Yes
Weight	0.4kg

Stock No.	Description
83661	Glue Gun
65860	Hot Melt Glue Sticks

DRAPER STORM FORCE



4 PT65SF

GLUE GUN (100W)

- Trigger feed for glue control
- Integral moulded support stand
- Supplied with six general purpose glue sticks and 1.5M (approx.) cable and approved plug

Voltage	240V
Wattage	100W
Temperature range	0-180°C
Glue stick size	11.2 dia. x 100mm
Supplied in Case	No
Weight	0.27kg

Stock No.	Description
83660	Glue Gun
65860	Hot Melt Glue Sticks

DRAPER STORM FORCE



5 SG80SF


SPRAY GUN (80W)

- Adjustable flow control
- Adjustable extension nozzle
- Supplied with two colour coded nozzles - size 0.6mm and 0.8mm, 2M (approx.) cable and approved plug

Voltage	240V
Wattage	80W
Pot capacity	700ml
Max. Output	250 ml/min
Nozzles	0.6 and 0.8mm
Weight	1.4kg

Stock No.
83657

section 12




POWER TOOL ACCESSORIES

420-425	Drill Bits
426-427	SDS+ bits and Accessories
428	Power Tool Accessories
429-432	Bit Sets
433	Hole Saws
434	Hole Saw Pilot Drill
435	Hole Saws
436	Auger Bits
437	Flat Wood Bits
438	T.C.T Saw Blades
439	Diamond Blades
440	Jigsaw Blades
441	Jigsaw Blades and Chisel set
442	Woodworking Accessories
443	Router Bits
444	Cutting and Grinding Discs
445	Grinding Wheels and Wire Brushes
446	Wire Brushes, Backing Pads and Grinding Points
447	Polishing Accessories
448	Sanding Discs
449-450	Sanding Belts and Sheets
451	Abrasives and Chucks
452	Power Tool Accessories
453	Oscillating Blades
454	Electrical Accessories
455	Extension Reels
456	230V 16A Accessories
457-458	110V Accessories

POWER TOOL ACCESSORIES

DRILL BITS & SDS+ BITS & ACCESSORIES

Pages 420-427



POWER TOOL ACCESSORIES & BIT SETS

Pages 428-432



HOLE SAWS AND PILOT DRILLS

Pages 433-435




AUGER AND WOOD BITS

Pages 436-437



SAW, DIAMOND AND JIGSAW BLADES

Pages 438-441



WOODWORKING AND ROUTER BITS

Pages 442-443



CUTTING, GRINDING DISCS & WHEELS

Pages 444-445



WIRE BRUSHES, BACKING PADS

Pages 446




GRINDING, POLISHING AND SANDING

Pages 446-448




ABRASIVES & CHUCKS

Pages 451



POWER TOOL & OSCILLATING ACCESSORIES

Pages 452-453



ELECTRICAL ACCESSORIES 230V & 110V

Pages 454-458



HEAVY DUTY DRILL BIT MERCHANDISERS







1 *DBD/HSS

ASSORTED METRIC HSS DRILL BIT MERCHANDISER (183 PIECE)

Expert Quality, heavy duty merchandiser of assorted metric HSS drill bits in plastic hang-up boxes. Supplied with stock and hangers. Carton packed.

Contents:

- 10 x 1.5mm drill bits Stock No. 38608
- 10 x 2.0mm drill bits Stock No. 38609
- 10 x 2.5mm drill bits Stock No. 38610
- 10 x 3.0mm drill bits Stock No. 38611
- 10 x 3.5mm drill bits Stock No. 38615
- 10 x 4.0mm drill bits Stock No. 38616
- 10 x 4.5mm drill bits Stock No. 38620
- 10 x 5.0mm drill bits Stock No. 38621
- 10 x 5.5mm drill bits Stock No. 38622
- 10 x 6.0mm drill bits Stock No. 38623
- 8 x 6.5mm drill bits Stock No. 38624
- 8 x 7.0mm drill bits Stock No. 38639
- 8 x 7.5mm drill bits Stock No. 38646
- 8 x 8.0mm drill bits Stock No. 38647
- 8 x 8.5mm drill bits Stock No. 38648
- 8 x 9.0mm drill bits Stock No. 38650
- 7 x 10mm drill bits Stock No. 38655
- 7 x 11mm drill bits Stock No. 38658
- 7 x 12mm drill bits Stock No. 38670
- 7 x 12.5mm drill bits Stock No. 38671
- 7 x 13mm drill bits Stock No. 38684



Stock No. 64038

2 *DBD/HSSC

ASSORTED METRIC HSS COBALT DRILL BIT MERCHANDISER (130 PIECE)

Expert Quality, heavy duty merchandiser of assorted metric HSS cobalt drill bits in plastic hang-up boxes. Supplied with stock and hangers. Carton packed.

Contents:

- 8 x 2.0mm drill bits Stock No. 39091
- 8 x 2.5mm drill bits Stock No. 39092
- 8 x 3.0mm drill bits Stock No. 39093
- 8 x 3.5mm drill bits Stock No. 39116
- 8 x 4.0mm drill bits Stock No. 39133
- 8 x 4.5mm drill bits Stock No. 39154
- 8 x 5.0mm drill bits Stock No. 39222
- 8 x 5.5mm drill bits Stock No. 39227
- 8 x 6.0mm drill bits Stock No. 39229
- 6 x 6.5mm drill bits Stock No. 39230
- 6 x 7.0mm drill bits Stock No. 39231
- 6 x 7.5mm drill bits Stock No. 39233
- 6 x 8.0mm drill bits Stock No. 39234
- 6 x 8.5mm drill bits Stock No. 39236
- 4 x 9.0mm drill bits Stock No. 39237
- 4 x 9.5mm drill bits Stock No. 39239
- 4 x 10mm drill bits Stock No. 39240
- 4 x 11mm drill bits Stock No. 39248
- 4 x 12mm drill bits Stock No. 39251
- 4 x 12.5mm drill bits Stock No. 39256
- 4 x 13mm drill bits Stock No. 39257



Stock No. 64044

3 *DBD/HSST

ASSORTED METRIC HSS TITANIUM DRILL BIT MERCHANDISER (179 PIECE)

Merchandiser of assorted metric HSS Titanium drill bits in plastic hang-up boxes. Supplied with stock and hangers. Carton packed.

Contents:

- 10 x 2.0mm drill bits Stock No. 38826
- 10 x 2.5mm drill bits Stock No. 38827
- 10 x 3.0mm drill bits Stock No. 38828
- 10 x 3.5mm drill bits Stock No. 38830
- 10 x 4.0mm drill bits Stock No. 38831
- 10 x 4.5mm drill bits Stock No. 38832
- 10 x 5.0mm drill bits Stock No. 38833
- 10 x 5.5mm drill bits Stock No. 38835
- 10 x 6.0mm drill bits Stock No. 38836
- 8 x 6.5mm drill bits Stock No. 38837
- 8 x 7.0mm drill bits Stock No. 38638
- 8 x 7.5mm drill bits Stock No. 38639
- 8 x 8.0mm drill bits Stock No. 38640
- 8 x 8.5mm drill bits Stock No. 38641
- 8 x 9.0mm drill bits Stock No. 38842
- 7 x 9.5mm drill bits Stock No. 38843
- 7 x 10mm drill bits Stock No. 38844
- 7 x 11mm drill bits Stock No. 38847
- 7 x 12mm drill bits Stock No. 38851
- 7 x 12.5mm drill bits Stock No. 38858
- 7 x 13mm drill bits Stock No. 38863



Stock No. 64039



"DAVE SAYS" QUALITY MAKES THE DIFFERENCE

These sturdy metal merchandisers, are designed to encourage point of sale purchasing. Supplied with either Metric HSS Drills, Metric SDS+ Masonry Drills, Metric HSS Titanium Drills, Metric HSS Cobalt Drills, Metric Masonry Drills or Metric Auger Bits and Flat Wood Bits.

Engineered to be either freestanding or used on a peg or metal slat tool bar.

PRODUCT LOCATOR

See pages 425, 426 and 437 for more merchandisers in this range.



HSS DRILLS

"DAVE SAYS" QUALITY MAKES THE DIFFERENCE

Our cobalt drills are ideal for drilling hard materials such as stainless steel. The addition of 5% cobalt to HSS drill bits increase its strength, and the use of cutting oil when being used further enhances its resistance and increases longevity.







1 H30PB

METRIC HSS COBALT DRILL BITS

Expert Quality, metric-sized high speed steel drills (with 5% cobalt). The addition of cobalt to HSS prevents wear for longer life. Display packed.

Stock No.	Diameter
39085	1.0mm
39088	1.5mm
39091	2.0mm
39092	2.5mm
39093	3.0mm
39098	3.2mm
39116	3.5mm
39133	4.0mm
39154	4.5mm
39222	5.0mm
39227	5.5mm
39229	6.0mm
39230	6.5mm
39231	7.0mm
39232	7.2mm
39233	7.5mm
39234	8.0mm
39235	8.3mm
39236	8.5mm
39237	9.0mm
39238	9.3mm
39239	9.5mm
39240	10.0mm
39242	10.3mm
39247	10.5mm
39248	11.0mm
39249	11.3mm
39250	11.5mm
39251	12.0mm
39252	12.4mm
39256	12.5mm
39257	13.0mm





2 H29MC

METRIC HSS DRILL BITS (PACK OF 10 OR 5)

Manufactured to ISO 235/1 Specifications

Expert Quality, HSS drill bits, manufactured to DIN338 and ISO235/1 specifications. Display packed.

Stock No.	Diameter	Drills per Pack
38705	0.5mm	10
38708	1.0mm	10
38709	1.5mm	10
38710	2.0mm	10
38715	2.5mm	10
38719	3.0mm	10
38789	3.2mm	10
38799	3.3mm	10
38802	3.5mm	10
38804	4.0mm	10
38805	4.5mm	10
38806	5.0mm	10
38807	5.5mm	10
38808	6.0mm	10
38809	6.5mm	10
38811	7.0mm	10
38812	7.5mm	10
38813	8.0mm	10
38814	8.5mm	10
38815	9.0mm	10
38816	9.5mm	10
38817	10.0mm	10
38818	10.5mm	5
38819	11.0mm	5
38820	11.5mm	5
38821	12.0mm	5
38822	12.5mm	5
38823	13.0mm	5



3 H29MPB

METRIC HSS DRILL BITS

Manufactured to ISO 235/1 Specifications

Expert Quality, HSS drill bits, manufactured to DIN338 and ISO235/1 specifications. Display packed.

Stock No.	Diameter
38606	0.5mm
38607	1.0mm
38608	1.5mm
38609	2.0mm
38610	2.5mm
38611	3.0mm
38612	3.2mm
38613	3.3mm
38615	3.5mm
38616	4.0mm
38620	4.5mm
38621	5.0mm
38622	5.5mm
38623	6.0mm
38624	6.5mm
38639	7.0mm
38646	7.5mm
38647	8.0mm
38648	8.5mm
38650	9.0mm
38651	9.5mm
38655	10.0mm
38657	10.5mm
38658	11.0mm
38659	11.5mm
38670	12.0mm
38671	12.5mm
38684	13.0mm

LONG LENGTH





4 H29MC/L

METRIC HSS LONG SERIES DRILL BITS

Manufactured to DIN 340 ISO 494 Specifications

Expert Quality, long series HSS drill bits, manufactured to DIN 340 ISO 494 specifications. Display packed.

Stock No.	Diameter	Length
38889	1.0mm	56mm
38899	1.5mm	70mm
38902	2.0mm	85mm
38912	2.5mm	100mm
38921	3.0mm	100mm
38924	3.2mm	100mm
38990	3.5mm	100mm
39001	4.0mm	119mm
39003	4.5mm	126mm
39008	5.0mm	132mm
39034	5.5mm	139mm
39035	6.0mm	139mm
39036	6.5mm	148mm
39044	7.0mm	156mm
39052	7.5mm	157mm
39053	8.0mm	165mm
39059	8.5mm	165mm
39060	9.0mm	170mm
39067	9.5mm	175mm
39068	10.0mm	184mm
39071	10.5mm	184mm
39073	11.0mm	195mm
39074	11.5mm	195mm
39078	12.0mm	200mm
39079	12.5mm	200mm
39083	13.0mm	205mm

5 TH29MC

METRIC HSS TITANIUM COATED DRILL BITS

Manufactured to DIN 338 and ISO 235/1 Specifications

Metric-sized high speed steel bits with Titanium added providing extra strength and durability. Display packed.


Stock No.	Diameter
38824	1.0mm
38825	1.5mm
38826	2.0mm
38827	2.5mm
38828	3.0mm
38829	3.2mm
38830	3.5mm
38831	4.0mm
38832	4.5mm
38833	5.0mm
38835	5.5mm
38836	6.0mm
38837	6.5mm
38838	7.0mm
38839	7.5mm
38840	8.0mm
38841	8.5mm
38842	9.0mm
38843	9.5mm
38844	10.0mm
38845	10.5mm
38847	11.0mm
38848	11.5mm
38851	12.0mm
38858	12.5mm
38863	13.0mm

"PAUL SAYS" QUALITY ASSURANCE MAKES THE DIFFERENCE



Whether you're using metric, imperial, titanium or cobalt you can be sure that all Draper Expert Quality drills are manufactured to the international standards of DIN338 and ISO235/1.

For when it matters most, the DIN338 and ISO235/1 standards guarantee results.





1 H29PS

IMPERIAL HSS DRILLS

Manufactured to DIN 338 and ISO 235/1 Specifications

Expert Quality, high speed steel twist drills. Display packed.

Stock No.	Diameter
53041	1/16"
53042	3/32"
53043	7/64"
53044	1/8"
53049	9/64"
53050	5/32"
53051	3/16"
53059	7/32"
53060	1/4"
53062	17/64"
53063	9/32"
53064	5/16"
53065	3/8"
53068	7/16"
53078	1/2"



2 DS7MA

METRIC HSS DRILL SET (7 PIECE)

Manufactured to DIN 338 and ISO 235/1 Specifications

Expert Quality, high speed steel drills. Packed in plastic storage case.

Contents: 1.5, 2.0, 3.0, 4.0, 5.0, 5.5 and 6.0mm.

Stock No.
24899



3 DS10MB

METRIC HSS DRILL SET (10 PIECE)

High speed steel drill bits with chemical black finish. Packed in plastic storage case.

Contents: 1.0, 2.0, 3.0, 4.0, 5.0, 6.0, 7.0, 8.0, 9.0 and 10mm.

Stock No.
24905



4 DS13MA

METRIC HSS DRILL SET (13 PIECE)

Manufactured to DIN 338 and ISO 235/1 Specifications

Expert Quality, high speed steel drills. Packed in plastic storage case.

Contents: 1.5, 2.0, 2.5, 3.0, 3.2, 3.5, 4.0, 4.2, 4.5, 5.0, 5.5, 6.0 and 6.5mm.

Stock No.
24900



5 DS19MB

METRIC HSS DRILL SET (19 PIECE)

High speed steel drill bits with chemical black finish. Packed in plastic storage case.

Contents: 1.0, 1.5, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0, 6.5, 7.0, 7.5, 8.0, 8.5, 9.0, 9.5 and 10mm

Stock No.
24906



6 EBS15HSS

METRIC TITANIUM NITRIDE COATED HSS DRILL BIT SET (15 PIECE)

High speed steel drills coated with titanium nitride for longer life. Display packed in soft grip plastic case.

Contents: 1.5 x 2, 2.0 x 2, 2.5 x 2, 3.0, 3.2, 3.5, 4.0, 4.5, 5.0, 6.0, 8.0 and 10mm

Stock No.
18549




7 DS19TB

METRIC HSS TITANIUM COATED DRILL SET (19 PIECE)

High speed steel drill bits with titanium finish. Packed in plastic storage case.

Contents: 1.0, 1.5, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0, 6.5, 7.0, 7.5, 8.0, 8.5, 9.0, 9.5 and 10mm

Stock No.
24907





1 1180C

DRILL GRINDING ATTACHMENT

Used in conjunction with a standard bench grinder, the attachment gives fast and accurate sharpening of HSS twist drills from 3mm-19mm or 1/8-3/4" diameters. The diecast body has pre-set notches at 41° (countersink), 49°, 59°, 68° and 88° which cover most tip angle requirements. Display carton.

Stock No.
44351





2 25HSS/E

METRIC HSS DRILL SET (25 PIECE)

Manufactured to DIN 338 and ISO235/1 Specifications

Expert Quality, high speed steel drills. Supplied in heavy gauge steel case. Display packed.

Contents: 1.0, 1.5, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0, 6.5, 7.0, 7.5, 8.0, 8.5, 9.0, 9.5, 10.0, 10.5, 11.0, 11.5, 12.0, 12.5 and 13.0mm.

Stock No.
25928



3 WBBPB

METRIC WOOD DRILL BITS

Expert Quality, manufactured from hardened and correctly tempered carbon steel. Suitable for use with hand and power drills.

Packed one or two drill bits per hang up card.

Stock No.	Diameter	Drills per card
41790	3.0mm	2
41791	4.0mm	2
41793	5.0mm	1
41794	6.0mm	1
41795	7.0mm	1
41796	8.0mm	1
41797	10.0mm	1
41798	12.0mm	1
41799	13.0mm	1
41800	14.0mm	1
41801	16.0mm	1



4 DS7WA

METRIC WOOD DRILL SET (7 PIECE)

Expert Quality, medium carbon steel hardened and tempered with a blacked finish. For use with hand and power tools. Packed in plastic storage case.

Contents: 3.0, 4.0, 5.0, 6.0, 7.0, 8.0 and 10mm.

Stock No.
24902



5 TGDSET

TILE AND GLASS DRILLING SET (8 PIECE)

Expert Quality, for use on glass mirrors, floor tiles and quarry tiles. Display packed.

Contents: 3, 4, 5, 6, 7, 8, 9 and 10mm

Must only be used with variable speed power drills

Stock No.
48221



6 TGD

TILE AND GLASS DRILL BITS

For use on glass mirrors, floor tiles and quarry tiles. Display packed.

Must only be used with variable speed power drills

Stock No.	Size
31498	3mm
31503	4mm
31507	5mm
31508	6mm
31509	7mm
31510	8mm
31517	9mm
31529	10mm



7 4303

4-24mm TAPER CUTTER

Manufactured from selected tool steel. Suitable for use with power drills on thin mild steel, nonferrous metals and car bodies. Display packed.

Stock No.
13428



8 SD4-30

STEP DRILL BIT 4-30MM

Step drill bit with 2mm increments perfect for drilling into steel, brass, copper, aluminium, wood and plastics. Manufactured from good quality high-speed steel, correctly hardened for a longer life. Drill steps marked at graduations: 4, 6, 8, 10, 12, 14, 16, 18, 20, 22, 24, 26, 28, 30mm. Display packed.

Stock No.
53871



9 4PC

PLUG CUTTER SET (4 PIECE)


Cuts wooden plugs to fill and cover recessed fixing holes. Use with hard and soft woods only. Cutters have 6mm shank. Display packed.

Contents: 1/4. 3/8, 1/2 and 5/8" cutters

NB: These cutters should not be used for drilling holes

Stock No.
87806

NEW



1 DBS/41

DRILL BIT AND ACCESSORY KIT (41 PIECE)

A varied and universally useful drill bit and accessory set. Supplied with 41 pieces suitable for a host of tasks. Perfect for both power tools and hand tools, and supplied in a robust plastic carry case.

Contents: • 11 x HSS drill bits 1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 6, 6.5mm • 4 x masonry drill bits 4, 5, 6, 8 • 4 x wood drill bits 4, 5, 6, 8 • Countersink bit • Magnetic bit holder 60mm • 25mm screwdriver bits: • 2 x Plain Slot bits 4, 6 • 4 x Cross Slot bits 1 x No.1, 2 x No.2, 1 x No.3, • 4 x PZ Type bits 1 x No.1, 2 x No. 2, 1 x No. 3, • 6 x Draper TX-STAR 1 x T10, 1 x T15, 1 x T20, 1 x T25, 1 x T27, 1 x T30 • 4 x nut driver 6, 8, 10, 13

Stock No.
80980

NEW



2 DBS75/LE


DRILL AND ACCESSORY KIT(75 PIECE)

Comprehensive 75pcs drill and bit set, packed in a robust storage case.

Contents: • 11 x HSS drill bits 1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6mm • 4 x Masonry drill bits 4, 5, 6, 8mm • 5 x Wood drill bits 3, 4, 5, 6, 8mm • 6 x Nut drivers - 4, 5, 6, 7, 8, 10mm • 2 x Flat wood bits - 16, 22mm • 1 x Magnetic bit holder • 1 x Counter sink • 1 x Gauge • 7 x Plain slot - 3, 4, 5.5, 6, 6, 7mm • 6 x Cross slot - 0, 1, 2, 2, 2, 3 • 6 x PZ Type - PZ0, PZ1, PZ2, PZ2, PZ2, PZ3 • 7 x TX-Star® - T10, T15, T20, T25, T27, T30, T40 • 6 x Hex - 2, 2.5, 3, 4, 5, 6mm • 4 x Plain slot 4, 5, 6, 6mm • 4 x Cross slot - 1, 2, 2, 3 • 4 x PZ Type - PZ1, PZ2, PZ2, PZ3

Stock No.
66090

NEW



3 DBS/101

DRILL BIT AND ACCESSORY KIT (101 PIECE)

A varied and universally useful drill bit and accessory set. Supplied with 101 pieces suitable for a host of tasks. Perfect for both power tools and hand tools, and supplied in a robust plastic carry case.

Contents: • 15 x HSS drill bits 1.5, 2, 2.5, 3, 3.2, 3.5, 4, 4.5, 4.8, 5, 5.5, 6, 6.5, 7, 8 • 6 x masonry drill bits 3, 4, 5, 6, 8,10 • 6 x wood drill bits 3, 4, 5, 6, 8,10 • 3 x flat wood bits 16, 18, 22 • Countersink bit • Magnetic bits holder 60mm • 9 x nut driver 4 ,5, 5.5, 6, 7, 8, 9, 10, 12 • 4 x drill stopper 5, 6, 8, 10 • 25mm screwdriver bits: • 3 x Plain Slot bits 4, 5, 6 • 9 x Cross Slot bits 1 x No.0, 2 x No.1, 4 x No.2, 2 x No.3 • 8 x PZ Type bits 2 x No.1, 4 x No. 2, 2 x No. 3 • 12 x Draper TX-STAR 2 x T10, 2 x T15, 2 x T20, 2 x T25, 2 x T27, 2 x T30 • 12 x Hex bits 2 x 2, 2 x 2.5, 2 x 3, 2 x 4, 2 x 5, 2 x 6, 4 x Square bits 0, 1, 2, 3 • 50mm screwdriver bits: • 3 x Plain Slot bits 4, 5, 6 • 2 x Cross Slot bits No.2, No.3 • 2 x PZ Type bits No.2, No.3 • Hex key 2.5mm

Stock No.
80991

122 PIECE DRILL AND ACCESSORY KIT



4 DBS-122B

DRILL AND ACCESSORY KIT (122 PIECE)

Comprehensive set to suit many applications. Packed in blow mould carrying case with display sleeve.

Contents: • 13 x titanium coated HSS drills diameter: 1.5-6.5mm • 13 x HSS drills diameter: 1.5-6.5mm • 10 x TCT masonry drills diameter: 3-10mm • 5 x wood boring drills diameter: 3.0-6.5mm • 3 x flat wood bits diameter: 13-19mm • 3 x pilot drills with 1/4" machine shank (E shank) 1.5-3.0mm • 7 x 1/4" plain slot insert bits size: 4-7mm • 4 x 1/4" cross slot insert bits: No.0-3 • 4 x 1/4" PZ TYPE insert bits: No.0-3 • 7 x 1/4" Draper TX-STAR® insert bits: T10-T40 • 8 x 1/4" hexagonal insert bits size: 2- 6mm • 3 x 1/4" square insert bits size: S1-S3 • 18 x 1/4" machine shank bits (E shank) x 50mm long: 4-6mm plain slot; No.0-2 cross slot; No.0-2 PZ TYPE; T10-T20 Draper TX-STAR®; 4-6mm hexagonal; S1-3 square • 1/4" hex. drive (F) x 1/4" hex. drive (M) magnetic bit holder • 10 x nut driving bits size: 5-13mm • 10 x nut driving bits size: 3/16-1/2" • 155mm long stainless steel ruler • Drill gauge 1.5-6.5mm • Countersink bit • 5 x plastic bit holding magazines

Stock No.
40471



1 DS4MAS
METRIC MASONRY DRILL SET (4 PIECE)
Manufactured to ISO 5468 Specifications

Expert Quality, tungsten carbide tipped straight shank drills with special flute for fast waste removal. Suitable for use with impact or power drills. Display packed.

Contents: 5.0, 5.5, 6.5 and 7.0mm

Stock No.
79356



2 DS5MSB
METRIC MASONRY DRILL SET (5 PIECE)
Manufactured to ISO 5468 Specifications

Tungsten carbide tipped drill bits. Suitable for use with impact or power drills. Packed in plastic storage case.

Contents: 4.0, 5.0, 6.0, 8.0 and 10.0mm

Stock No.
24909



3 DS8MSA
METRIC MASONRY DRILL SET (8 PIECE)
Manufactured to ISO 5468 Specifications

Expert Quality, tungsten carbide tipped straight shank drill bits. Suitable for use with impact or power drills. Packed in plastic storage case.

Contents: 3.0, 4.0, 5.0, 6.0, 7.0, 8.0, 9.0 and 10.0mm

Stock No.
24903



4 EBS15MAS
METRIC MASONRY DRILL BIT SET (15 PIECE)

Tungsten steel straight shank drills. Display packed in soft grip plastic case.

Contents: 3.0 x 3, 4.0 x 3, 5.0 x 3, 6.0 x 2, 8.0 x 2 and 10 x 2 mm

Stock No.
18550



5 EBS17COM
METRIC COMBINED HSS AND MASONRY DRILL BIT SET (17 PIECE)

12 titanium nitride coated high speed steel straight shank drills and five tungsten steel masonry drills in handy set. Display packed in soft grip plastic case.

Contents: 12 titanium nitride coated HSS drills: 1.5, 2.0, 2.5, 3.0, 3.2, 3.5, 4.0, 4.5, 4.8, 5.0, 5.5 and 6.0mm: 5 masonry drills: 3.0, 5.0, 6.0, 8.0 and 10mm

Stock No.
18551



6 *DBD/MAS
METRIC MASONRY DRILL BIT MERCHANDISER (130 PIECE)

Expert Quality, heavy duty merchandiser of assorted metric masonry drill bits in plastic hang-up boxes. Supplied with stock and hangers. Carton packed.

Contents:

- 8 x 4.0mm 75mm drill bits Stock No. 39259
- 8 x 4.5mm 85mm drill bits Stock No. 39260
- 8 x 5.0mm 85mm drill bits Stock No. 39263
- 8 x 5.5mm 85mm drill bits Stock No. 39268
- 8 x 5.5mm 150mm drill bits Stock No. 39443
- 8 x 6.0mm 150mm drill bits Stock No. 39651
- 8 x 6.5mm 100mm drill bits Stock No. 39766
- 8 x 6.5mm 150mm drill bits Stock No. 40084
- 8 x 7.0mm 100mm drill bits Stock No. 40088
- 8 x 7.0mm 150mm drill bits Stock No. 40091
- 8 x 8mm 150mm drill bits Stock No. 40395
- 8 x 8mm 200mm drill bits Stock No. 40617
- 3 x 8mm 400mm drill bits Stock No. 40671
- 6 x 10mm 150mm drill bits Stock No. 40793
- 6 x 10mm 200mm drill bits Stock No. 40798
- 6 x 12mm 150mm drill bits Stock No. 40809
- 3 x 12mm 400mm drill bits Stock No. 40811
- 6 x 13mm 200mm drill bits Stock No. 40812
- 6 x 14mm 200mm drill bits Stock No. 40814
- 6 x 16mm 200mm drill bits Stock No. 40818
- 3 x 20mm 400mm drill bits Stock No. 40820



Stock No.
64045

PRODUCT LOCATOR

See pages 420, 426 and 437 for more merchandisers in this range.






7 MD12PB
METRIC MASONRY DRILL BITS
Manufactured to ISO 5468 Specifications

Expert Quality, tungsten carbide tipped straight shank drills with milled flute. Suitable for use with power drills. Display packed.

Stock No.	Diameter	Length
39259	4mm	75mm
39260	4mm	85mm
39263	5mm	85mm
39264	5mm	150mm
39268	5.5mm	85mm
39443	5.5mm	150mm
39643	6mm	100mm
39651	6mm	150mm
39766	6.5mm	100mm
40084	6.5mm	150mm
40088	7mm	100mm
40091	7mm	150mm
40107	8mm	120mm
40395	8mm	150mm
40617	8mm	200mm
40671	8mm	400mm
40714	10mm	120mm
40793	10mm	150mm
40798	10mm	200mm
40799	10mm	400mm
40809	12mm	150mm
40810	12mm	200mm
40811	12mm	400mm
40812	13mm	200mm
40813	14mm	150mm
40814	14mm	200mm
40815	14mm	400mm
40816	15mm	150mm
40817	16mm	150mm
40818	16mm	200mm
40819	16mm	400mm
40820	20mm	400mm
40821	22mm	400mm
40822	25mm	400mm





1 *DBD/SDS

METRIC SDS+ DRILL BIT MERCHANDISER (137 PIECE)

Expert Quality, heavy duty merchandiser of assorted metric SDS+ drill bits in plastic hang-up boxes. Supplied with stock and hangers. Carton packed.

Contents:



- 8 x 5.0mm 100mm SDS+ drill bits Stock No. 40825
- 8 x 5.0mm 160mm SDS+ drill bits Stock No. 40826
- 8 x 5.5mm 110mm SDS+ drill bits Stock No. 40827
- 8 x 5.5mm 160mm SDS+ drill bits Stock No. 40828
- 8 x 6.0mm 160mm SDS+ drill bits Stock No. 40831
- 8 x 6.5mm 110mm SDS+ drill bits Stock No. 40833
- 8 x 6.5mm 160mm SDS+ drill bits Stock No. 40834
- 8 x 7.0mm 160mm SDS+ drill bits Stock No. 40836
- 8 x 8.0mm 160mm SDS+ drill bits Stock No. 40838
- 8 x 8.0mm 260mm SDS+ drill bits Stock No. 40839
- 7 x 10mm 160mm SDS+ drill bits Stock No. 40843
- 7 x 10mm 210mm SDS+ drill bits Stock No. 40844
- 7 x 10mm 450mm SDS+ drill bits Stock No. 40919
- 4 x 12mm 150mm SDS+ drill bits Stock No. 40920
- 4 x 12mm 260mm SDS+ drill bits Stock No. 41065
- 4 x 12mm 450mm SDS+ drill bits Stock No. 41113
- 4 x 14mm 450mm SDS+ drill bits Stock No. 41273
- 3 x 16mm 200mm SDS+ drill bits Stock No. 41291
- 3 x 16mm 450mm SDS+ drill bits Stock No. 41296
- 3 x 20mm 450mm SDS+ drill bits Stock No. 41303

Stock No.
64049



2 DSDS/PB

METRIC SDS+ MASONRY DRILLS

Manufactured to ISO 5468 Specifications

Expert Quality, tungsten carbide tipped straight shank drills with milled flute. Suitable for use with power drills. Manufactured to ISO 5468 specifications. Display packed.

Stock No.	Diameter	Length
40823	4mm	110mm
40824	4.5mm	110mm
40825	5mm	110mm
40826	5mm	160mm
40827	5.5mm	110mm
40828	5.5mm	160mm
40829	5.5mm	210mm
40830	6mm	110mm
40831	6mm	160mm
40832	6mm	210mm
40833	6.5mm	110mm
40834	6.5mm	160mm
81068	6.5mm	210mm
40835	7mm	110mm
40836	7mm	160mm
40837	7mm	210mm
40838	8mm	160mm
40839	8mm	210mm
40840	8mm	260mm
40841	8mm	300mm
40842	8mm	460mm
40843	10mm	160mm
40844	10mm	210mm
40845	10mm	260mm
40848	10mm	300mm
40919	10mm	450mm
40920	12mm	150mm
40947	12mm	210mm
41065	12mm	260mm
41112	12mm	300mm
41113	12mm	450mm
41219	12mm	1000mm
41220	14mm	160mm
41251	14mm	300mm
41273	14mm	450mm
41289	16mm	160mm
41291	16mm	200mm
41294	16mm	260mm
41296	16mm	450mm
41299	16mm	1000mm
41300	18mm	450mm
41302	19mm	1000mm
41303	20mm	450mm
41363	24mm	1000mm
41473	25mm	450mm



3 DSDS5A

METRIC SDS+ MASONRY DRILL SET (5 PIECE)

Expert Quality, heat treated tungsten carbide tip to withstand extreme heat generation and ensure longer life. For use in concrete, brick and other similar materials. Packed in plastic storage case. Contents:

- 5.0 x 110mm long; 6.0 x 110mm; 7.0 x 160mm long; 8.0 x 160mm long; 10.0 x 160mm long

Stock No.
24904



4 SDS/3

METRIC SDS+ CHISEL SET (3 PIECE)

Expert Quality, for use with machine with SDS+ system. Carbon steel hardened and tempered. Packed in plastic hang up wallet. Display packed.

Contents:

- flat chisel 220mm long x 20mm wide
- flat chisel 220mm long x 40mm wide
- point chisel 220mm long

Stock No.
40405



5

METRIC SDS+ FLAT CHISELS

For use with SDS+ hammer drills. Packed on storage hanger.

Stock No.	Part No.	Blade Width
77142	APT5PA	20mm
77145	APT8PA	40mm



6 APT6PA

SDS+ POINT CHISEL

For use with SDS+ hammer drills. Packed on storage hanger.

Stock No.
77143



7 APT8PA

SDS+ GROOVE/GOUGE CHISEL

For use with SDS+ hammer drills. Packed on storage hanger.

Stock No.
77144



1 APT73

SDS+ ADAPTOR

Converts SDS+ system to take geared or keyless chucks for rotary drilling. Includes screw to retain chuck on adaptor. Thread 1/2" x 20UNF. For use with Draper Expert SDS+, Rotary Hammer Drills and other manufacturers similar machines. Display packed.

Stock No.
69782





2 3.728.0

SCHRÖDER SDS + BIT HOLDER

Expert Quality, SDS+ chrome vanadium shank with female 1/4" adaptor. Magnetic bit holder made from stainless steel for 6.35mm (1/4") hexagon insert bits in accordance with ISO1173. Packed in polybag.

Stock No.	Overall Length
33811	78mm



3 DCB/A

DIAMOND CORE BITS

Manufactured from good quality steel with sintered diamond segment. For cutting holes for pipe and conduit. Thread 1/2" BSP. Carton packed.

Warning: If these bits are used in an SDS+ hammer drill, it must have an electronic safety clutch and only be used in rotary mode.

Stock No.	Dia. x Length
43709	28 x 300mm
43710	38 x 150mm
43711	52 x 150mm
43712	78 x 150mm
43713	107 x 150mm
43714	117 x 150mm
43715	127 x 150mm
43716	152 x 150mm

"DAVE SAYS" QUALITY MAKES THE DIFFERENCE

DIAMOND CORE DRILLING SAFETY:

When using our Diamond Core Bits in an SDS+ hammer drill, it is essential that the drill has a safety clutch and must only be used in rotary mode. This will avoid 'kick back' should the core bit jam during use.







4 DCBEXT/A

200mm EXTENSION ARBOR FOR DIAMOND CORE BITS

For use with Draper Diamond Core Bits. 1/2" BSP male and female threads. Carton packed.

Stock No.
43706



5 DCBSDS/A

240mm SDS+ ARBOR FOR DIAMOND CORE BITS

1/2" BSP male thread. Display packed in plastic wallet.

Stock No.
43707



6 DCBHEX/A

240mm HEXAGONAL ARBOR FOR DIAMOND CORE BITS

1/2" BSP male thread. Display packed in plastic wallet.

Stock No.
43708



7 DCB8200

T.C.T. TAPERED GUIDE DRILL FOR DIAMOND CORE BITS

Morse taper No. 1. Display packed in plastic wallet.

Stock No.	Dia. x Length
40928	12 x 225mm



8 DCBGR

12 x 200mm GUIDE ROD FOR DIAMOND CORE BITS

Morse taper No.1. Display packed in plastic wallet.

Stock No.
40929




9 DCBDRIFT

DRIFT FOR DIAMOND CORE BITS

For extracting masonry bits from arbors. Display packed in plastic wallet.

Stock No.
40930




1 4766

35mm HINGE HOLE CUTTER

Manufactured from hardened and tempered tool steel. Display packed.

Stock No.
14037



2 4302B

40-120mm HOLE CUTTER

Combination shank for hand brace or power drill. Speed range 200 rpm when cutting holes above 90mm diameter increasing to 800rpm for 40mm diameter holes. The cutter has an easy to use adjustment nut, graduated beam and hardened pilot point. For wood and plastics, maximum cutting depth 30mm. Display packed.

Stock No.
31950



3

HSS ROSEHEAD COUNTERSINK BITS

Heavy duty countersink bit, made from high speed steel hardened and tempered to 55HRC for longer life. The 90° head incorporates five cutting edges and an 8mm diameter shank. Suitable for use with hand or power drills on hard or softwood, metals and plastics.

Stock No.	Part No.	Head Diameter
19234	HS12	13mm
19235	HS16	16mm



4 DB2

13mm COUNTERSINK BIT

General purpose bit for use on wood or plastics. Suitable for use with hand or power drills. Shank diameter 6mm. Display packed.

Stock No.
92526



5

COUNTERSINK BITS

Manufactured from special tool steel, hardened and tempered to 55HRC for long life. The 90° head incorporates a single finely ground fast cutting edge. Shank 6mm diameter. Suitable for use with hand or power drills on hard or softwood and plastics. Display packed.

Stock No.	Part No.	Head Diameter
10572	CS12	12mm
10573	CS16	16mm



1/4" SQ.DRIVE

6 B46


1/4" Sq. Dr. x 1/4" HEXAGON BIT ADAPTOR

Manufactured from chrome vanadium steel hardened, tempered with shot blast finish. Spring- loaded ball bearing for secure socket holding. Display packed.

Stock No.	Overall Length
22182	50mm

DRAPER Expert

schröder Germany



7 3.720.0

SCHRÖDER MAGNETIC BIT HOLDER

Expert Quality, 1/4" female x 1/4" male magnetic bit holder. For use in power drills and driver handles. Shaft from chrome vanadium steel hardened and tempered. Magnetic bit holder made from chrome plated brass for 6.35mm (1/4") hexagon insert bits in accordance with ISO1173. Packed in polybag.

Stock No.	Overall Length
33812	70mm




8

MAGNETIC BIT HOLDERS

1/4" male x 1/4" female magnetic bit holder for use in power drills and driver handles. Shaft (male hexagon) from chrome vanadium steel hardened and tempered with the bit holder (female hexagon) cold forged from stainless steel. Display packed.

Stock No.	Part No.	Overall Length
82407	MH/B	60mm
82408	MH150/B	150mm
82409	MH300/B	300mm



9

BIT HOLDERS WITH 'QUICK RELEASE'

1/4" hex. male x 1/4" female with quick release for use in power drills and driver handles. Carbon steel shaft (male hexagon) hardened and tempered (male hexagon) with the bit holder (female hexagon) from stainless steel. 'Quick release' collet allows bits to be expelled quickly and efficiently. Display packed.

Stock No.	Part No.	Overall Length
82410	MH/QR/60/B	60mm
82411	MH/QR/150/B	150mm



10 BCS

SOCKET DRIVE ADAPTOR SET

Designed for use in conjunction with any 1/4" hexagon drive unit, i.e. hand, electric or air screwdrivers, to drive 1/4" and 3/8" square drive sockets. Comprises 1/4" hexagon x 1/4" square and 1/4" hexagon x 3/8" square adaptors. Manufactured from chrome vanadium steel hardened, tempered and chrome plated. Each square driver end incorporates a spring-loaded retaining ball for secure socket holding. Display packed.

Stock No.
50087

NEW



11 BCS/3

SOCKET DRIVE ADAPTOR SET

Designed for use in conjunction with any 1/4" hexagon drive unit, i.e. hand, electric or air screwdrivers, to drive 1/4", 3/8" and 1/2" square drive sockets. Comprises 1/4" hexagon x 1/4" square, 1/4" hexagon x 3/8" square and a 1/4" hex x 1/2" square adaptors. Manufactured from chrome vanadium steel hardened, tempered and chrome plated. Each square driver end incorporates a spring-loaded retaining ball for secure socket holding. Display packed.

Stock No.
00005

DRAPER Expert



3/8" SQ.DRIVE

1/2" SQ.DRIVE

12

BIT HOLDING SOCKETS

Expert Quality, insert bit holders with spring clip and ball bearing for secure bit retention. Forged from chrome vanadium steel hardened and tempered with a micro satin finish. Display packed.

Stock No.	Part No.	Sq. Dr.	Bit Size
85125	B-BHA	1/4"	1/4"
16809	D-BH/B	3/8"	1/4"
16810	H-BH/B	1/2"	5/16"
16811	H-BH/C	1/2"	10mm

EXPLANATION OF SYMBOLS

Please refer to the table below for an explanation of the relevant bit type symbol...

- = PLAIN SLOT
- = CROSS SLOT
- = PZ TYPE
- = DRAPER TX-STAR
- = DRAPER TX-STAR SECURITY
- = HEXAGON
- = XZN
- = SQUARE
- = SPANNER
- = HEXAGON SECURITY
- = TORQ
- = TRI-WINGED
- = BUTTERFLY





1 MBH8


SCREWDRIVER AND MAGNETIC BIT SET (8 PIECE)

25mm 1/4" bits manufactured from chrome vanadium steel, hardened and tempered with a shot blast finish. Supplied in a convenient storage case which opens up for easy access to the bits. Magnetic bit holder made from zinc alloy steel with chrome plated finish. Display packed.

Contents:

- 1 x magnetic bit holder
- 2 x plain slot bits size: 4.0 and 6.0mm
- 2 x cross slot bits: No.1 and No.2
- 3 x PZ TYPE bits: No.1, No.2 and No.3

Stock No.
82391





2 MBH13


SCREWDRIVER AND MAGNETIC BIT HOLDER SET (13 PIECE)

25mm 1/4" bits manufactured from chrome vanadium steel hardened and tempered with a sand blasted finish. Supplied in a convenient storage case which opens up for easy access to the bits. Magnetic bit holder made from zinc alloy steel with chrome plated finish. Display packed.

Contents:

- 1 x Magnetic bit holder
- 4 x Plain slot - 3, 4, 5 and 6mm
- 4 x Cross slot - No.0, No.1, No.2 and No.3
- 4 x PZ Type - No.1, No.2 (x2) and No.3

Stock No.
82392



3 MBH19

SCREWDRIVER AND MAGNETIC BIT HOLDER SET (19 PIECE)

25mm 1/4" bits manufactured from chrome vanadium steel, hardened and tempered with a shot blast finish. Supplied in a convenient storage case which opens up for easy access to the bits. Magnetic bit holder made from zinc alloy steel hardened and tempered with chrome plated finish. Display packed. Contents:

- 1 x Magnetic bit holder
- 4 x Plain slot - 3, 4.5, 5.5 and 6.0mm
- 3 x PZ Type - No.1, No.2 and No.3
- 4 x Hex - 3, 4, 5 and 6mm
- 7 x Draper TX-STAR® - T10, T15, T20, T25, T27, T30 and T40

Stock No.
82393



4 MBH33/B

SCREWDRIVER AND MAGNETIC BIT HOLDER SET (33 PIECE)

25mm long 1/4" bits manufactured from chrome vanadium steel hardened and tempered with a shot blast finish. Bit holder manufactured from zinc alloy steel with chrome plated finish. Supplied in storage case. Display packed.

Contents:

- 1 x magnetic bit holder
- 8 x Plain slot bits size: 3.5 mm (x 3), 5.5mm (x 3) and 6.0mm (x 2)
- 19 x PZ TYPE bits: No.1 (x 5), No.2 (x 10) and No.3 (x 4)
- 2 x Draper TX-STAR® bits: T10 and T20
- 3 x Hexagonal bits size: 4, 5 and 6mm

Stock No.
82386

5 MBH43

MAGNETIC BIT HOLDER SET (43 PIECE)

25mm 1/4" bits manufactured from chrome vanadium steel, hardened and tempered with a sand blasted finish. Bit holder manufactured from zinc alloy steel with chrome plated finish. Supplied in a heavy duty plastic storage case with plastic inlay to hold the bits securely. Display packed

Contents:

- 1 x Magnetic bit holder
- 11 x Plain slot – 3mm (x 2), 4mm (x 2), 5mm (x 2), 6mm (x 3) and 7mm (x 2)
- 9 x Cross slot – No.0 (x 2), No.1 (x 2), No.2 (x 3) and No.3 (x 2)
- 9 x PZ Type – No.0 (x 2), No.1 (x 2), No.2 (x 3) and No.3 (x 2)
- 5 x Hex - 2, 3, 4, 5, 6mm
- 8 x Draper TX-STAR® - T8, T10, T15, T20, T25, T27, T30 and T40

Stock No.
82394







1 CMBH8


COLOURED SCREWDRIVER BIT SET (8 PIECE)

Expert Quality, 25mm 1/4" bits manufactured from S2 steel, which is hardened and tempered with a satin chrome finish, attached with a plastic coloured ring for easy identification. Supplied in a convenient storage case, which opens up for easy access to the bits. Bit holder with quick release collet allows bits to be expelled quickly and efficiently. Display packed.

Contents:

- 1 x Quick release bit holder
- 2 x Plain slot - 4 and 6mm
- 2 x Cross slot - No.1 and No.2
- 3 x PZ Type - No.1, No.2 and No.3

Stock No.
82400





2 CMBH13

COLOURED SCREWDRIVER BIT SET WITH MAGNETIC HOLDER (13 PIECE)

Expert Quality, 25mm 1/4" bits manufactured from S2 steel, which is hardened and tempered with a satin chrome finish, attached with a plastic coloured ring for easy identification. Supplied in a convenient storage case, which opens up for easy access to the bits. Bit holder with quick release collet which allows bits to be expelled quickly and efficiently. Display packed.

Contents:

- 1 x Magnetic bit holder
- 4 x Plain slot - 3, 4, 5 and 6mm
- 4 x Cross slot - No.0, No.1, No.2 and No.3
- 4 x PZ Type - No.1, No.2 (x 2) and No.3

Stock No.
82401





3 CMBH19

COLOURED SCREWDRIVER BIT SET (19 PIECE)

Expert Quality, 25mm 1/4" bits manufactured from S2 steel, which is hardened and tempered with a satin chrome finish, attached with a plastic coloured ring for easy identification. Supplied in a convenient storage case, which opens up for easy access to the bits. Bit holder with quick release collet allows bits to be expelled quickly and efficiently. Display packed. Contents:

- 1 x Magnetic bit holder
- 4 x Plain slot - 3, 4.5, 5.5 and 6mm
- 3 x PZ Type - No.1, No.2 and No.3
- 4 x Hex - 3, 4, 5 and 6mm
- 7 x Draper TX-STAR® - T10, T15, T20, T25, T27, T30 and T40

Stock No.
82402





4 CMBH40

COLOURED SCREWDRIVER BIT SET (40 PIECE)

Expert Quality, 25mm 1/4" bits manufactured from S2 steel, which is hardened and tempered with a satin chrome finish, attached with a plastic coloured ring for easy identification. Bit holder with quick release collet which allows bits to be expelled quickly and efficiently. Supplied in a heavy duty storage case with plastic inlay to hold bits securely. Display packed.

Contents:

- 9 x Plain slot - 3, 4 (x 2), 5 (x 2), 6 (x 3) and 7mm
- 9 x Cross slot - No.0 (x 2), No.1 (x 2), No.2 (x 3) and No.3 (x 2)
- 9 x PZ type - PZ0 (x 2), PZ1 (x 2), PZ2 (x 3) and PZ3 (x 2)
- 7 x Draper TX-STAR® - T8, T10, T15, T20, T25, T30 and T40
- 6 x Hex - 2, 3, 4, 5, 5.5 and 6mm

Stock No.
82404



5 CMBH60

COLOURED SCREWDRIVER BIT SET (60 PIECE)

Expert Quality, 25mm and 50mm 1/4" bits manufactured from S2 steel, which is hardened and tempered with a satin chrome finish, attached with a plastic coloured ring for easy identification. Bit holder with quick release collet which allows bits to be expelled quickly and efficiently. Supplied in a heavy duty storage case with plastic inlay to hold bits securely. Display packed.

Contents:

- 1 x Magnetic bit holder
- 12 x Plain Slot – 3 (x 2), 4 (x 2), 5 (x 2), 5.5 (x 2), 6 (x 2) and 7mm (x 2)
- 9 x Cross Slot - No.0 (x 2), No.1 (x 2), No.2 (x 3) and No.3 (x 2)
- 13 x PZ type - No.0 (x 3), No.1 (x 3), No.2 (x 4) and No.3 (x 3)
- 10 x Draper TX-STAR® - T8, T9, T10, T15, T20, T25, T27, T30, T35 and T40
- 10 x Hex - 1.5, 2, 2.5, 3, 4, 5, 5.5, 6, 7 and 8mm
- 2 x 50mm Plain Slot Bits – 4mm and 6mm
- 3 x 50mm PZ type Bits - No.1, No.2 and No.3

Stock No.
82405



1 SEC33/B

SECURITY BIT SET (33 PIECE)

25mm 1/4" bits manufactured from chrome vanadium steel, hardened and tempered with a shot blast finish. Bit holder manufactured from zinc alloy steel with a chrome plated finish. Supplied in a storage case. Display packed.

Contents:

- Magnetic bit holder
- 3 x Torq bits: 6, 8 and 10
- 4 x spanner bits: No. 4, 6, 8 and 10
- 4 x tri-winged bits: No.1, 2, 3 and 4
- 6 x metric hexagonal security bits: 2, 2.5, 3, 4, 5 and 6mm
- 6 x imperial hexagonal security bits: 5/64, 3/32, 7/64, 1/8, 9/64, and 5/32"
- 9 Draper TX-STAR® security: T8T, T10T, T15T, T20T, T25T, T27T, T30T, T35T and T40T

Stock No.
82406



2 EBS37

INSERT BIT SET (37 PIECE)

Comprehensive bit set for use with hand and power tools. Display packed in soft grip plastic case. Contents:

- 6 x 1/4" plain slot insert bits size: 4-7mm x **25mm long**
- 3 x 1/4" cross slot insert bits: No.1-3 x **25mm long**
- 3 x 1/4" PZ TYPE insert bits: No.1-3 x **25mm long**
- 7 x 1/4" Draper TX-STAR® insert bits: T10-T40 x **25mm long**
- 5 x 1/4" hexagon insert bits size: 3-6mm x **25mm long**
- 2 x 1/4" plain slot insert bits size: 5.5 and 7.0mm x **50mm long**
- 3 x 1/4" cross slot insert bits: No.1-3 x **50mm long**
- 3 x 1/4" PZ TYPE insert bits: No.1-3 x **50mm long**
- 4 x nut driving bits size: 5-10mm • 1 x bit holder

Stock No.
18561



3 MBH45

SECURITY SCREWDRIVER BIT AND DRIVER SET (45 PIECE)

25mm 1/4" bits manufactured from chrome vanadium steel, hardened and tempered with a shot blast finish. Supplied with a 1/4" soft grip driver. Supplied in a heavy duty storage case with plastic inlay to hold bits securely. Display packed.

Contents: • Magnetic soft grip driver • 3 x Tri wing: 1, 2 and 3

- 4 x Spanner: 4, 6, 8 and 10 • 5 x Spline: M4, M5, M6, M8 and M10
- 4 x Square: S0, S1, S2 and S3 • 6 x Security hex (metric): 2, 2.5, 3, 4, 5 and 6mm
- 6 x Security hex (imperial): 5/32, 9/64, 1/8, 7/16, 3/32 and 5/64"
- 7 x Draper TX-STAR®: T5, T6, T7, T8, T10, T15 and T20
- 9 x Draper TX-STAR® security: T8T, T9T, T10T, T15T, T20T, T25T, T27T, T30T and T40T

Stock No.
82399



4 SEC43

SECURITY SCREWDRIVER BIT SET (43 PIECE)

25mm 1/4" bits manufactured from chrome vanadium steel, hardened and tempered with a shot blast finish. Bit holder manufactured from zinc alloy steel with a chrome plated finish. Supplied in a heavy duty plastic case with plastic inlay to hold bits securely. Display packed.

Contents: • 1 x Magnetic Bit Holder • 4 x Cross Slot - No.0, No.1, No.2 and No.3

- 6 x PZ type - No.0, No.1, No.2 (x 2) and No.3 (x 2) • 3 x Torq - 6, 8 and 10
- 4 x Spanner - 4, 6, 8 and 10 • 4 x Tri-wing - 1, 2, 3 and 4mm
- 6 x Security Hex - 2, 2.5, 3, 4, 5 and 6mm
- 6 x Security Hex - 5/32, 9/64, 1/8, 7/64, 3/32 and 5/64
- 9 x Draper TX-STAR® security - T8T, T10T, T15T, T20T, T25T, T27T, T30T, T35 and T40T

Stock No.
82397





1 SEC127

BIT HOLDER SET (127 PIECE)

Expert Quality, comprehensive set of 1/4" bits manufactured from chrome vanadium steel, hardened and tempered with a shot blast finish. Bit holder with quick release collet allows bits to be expelled quickly and efficiently. Supplied in a heavy duty storage case with plastic inlay to hold bits securely. Display packed.

Contents:

150mm Long Bits

- 1 x Plain slot - 6mm • 2 x Cross slot - No.2 and No.3
- 2 x PZ Type - No.2 and No.3

75mm Long Bits

- 1 x Plain slot - 5mm
- 4 x Cross slot - No.1, No.2 (x 2) and No.3
- 4 x PZ Type - No.1, No.2 (x 2) and No.3

50mm Long Bits

- 1 x Plain slot - 4.5mm • 2 x Cross slot - No.2 (x 2)
- 2 x PZ Type - No.2 (x 2)

25mm Long Bits

- 15 x Plain slot - 3, 4, 4.5 (x 3), 5 (x 3), 5.5 (x 3), 6, 6.5, 7 and 8
- 8 x Cross slot - No.0, No.1, No.2 (x 5) and No.3
- 9 x PZ Type – No.0, No.1, No.2 (x 5) and No.3 (x 2)
- 9 x Draper TX-STAR® - T8, T10, T15, T20, T25, T27, T30, T40 and T45
- 7 x Draper TX-STAR® security - T8T, T10T, T15T, T20T, T25T, T30T and T40
- 7 x Metric Hex - 1.5, 2, 2.5, 4, 5, 6 and 7mm,
- 9 x Imperial Hex - 1/16, 5/64, 3/32, 7/64, 1/8, 5/32, 3/16, 7/32 and 1/4
- 4 x Square - S0, S1, S2, S3
- 14 x Tamper Hex - 2 (x 2), 2.5 (x 2), 3 (x 2), 4 (x 2), 5 (x 2) and 6mm (x 4)
- 3 x Draper TX-STAR® - T6, T8 and T10
- 3 x Butterfly - C1, C2 and C3
- 3 x Spline - 5, 6 and 8
- 4 x Wing - 4, 6, 8 and 10
- 4 x Tri Wing - 1, 2, 3 and 4 • 1 x Hook Bit
- 1 x 25mm 1/4" square to 1/4" hex drive adaptor
- 1 x 50mm 1/4" square to 1/4" hex drive adaptor
- 1 x 60mm 1/4" hex magnetic bit holder
- 1 x 60mm 1/4" quick change bit holder
- 1 x 80mm SDS plus quick change bit holder
- 1 x 1/4" square female to 1/4" female socket

Stock No.
82398

IMPACT BITS

NEW



2 IMBH26

IMPACT SCREWDRIVER BIT SET (26 PIECE)

Expert Quality 1/4" hex impact screwdriver bit set, manufactured from S2 steel, correctly hardened and tempered with a phosphate finish. Supplied in a plastic case with soft grip detail. Contents:

- 60mm Magnetic Bit Holder • 25mm Socket Adaptor
- 7 x 25mm screwdriver bits; Plain Slot - 5, 6mm, Cross Slot - No.1, No.2, TX Star - T20, T25, Square - S1
- 11 x 50mm Screwdriver bits; Plain Slot - 6mm, Cross Slot - No.1, No.2, PZ Type - No.1, No.2, No.3, TX Star - T20, T25, Square - 2 x S1, S3
- 3 x 75mm screwdriver bits; Cross Slot - No.2, PZ Type - 2 x No.2 • 3 x Magnetic nutdrivers; 6,8,10mm

Stock No.
05732

NEW



3 IMBH32

IMPACT SCREWDRIVER BIT SET (32 PIECE)

Expert Quality 1/4" hex impact screwdriver bit set, manufactured from S2 steel, correctly hardened and tempered with a phosphate finish. Supplied in a plastic case with soft grip detail.

Contents:

- 60mm Magnetic Bit Holder
- 25mm Socket Adaptor
- 30 x 25mm screwdriver bits; Plain Slot - 3, 4, 5, 6mm, Cross Slot - 2 x No.1, 4 x No.2, 2 x No.3, PZ Type - 2 x No.1, 4 x No.2, 2 x No.3, Hex - 4, 5, 6mm, TX Star - T10, T15, T20, T25,T27, T30, T40

Stock No.
05724

NEW



4 IBPZ2/50

NO.2 PZ X 50MM TYPE IMPACT BITS (25 PIECE)

Expert Quality, PZ2 x 50mm impact screwdriver bits. Manufactured from S2 steel which is correctly hardened and tempered with a small groove on the shaft and a phosphate finish. Supplied in a clear plastic storage case. Display packed.

Stock No.
11674

NEW



5 IBPZ2/25

NO.2 PZ X 25MM TYPE IMPACT BITS (25 PIECE)

Expert Quality, PZ2 x 25mm impact screwdriver bits. Manufactured from S2 steel which is correctly hardened and tempered with a small groove on the shaft and a phosphate finish. Supplied in a clear plastic storage case. Display packed.

Stock No.
11677




1 HSP

HOLESAW BLADES

Expert Quality, heavy duty variable pitch bi-metal holesaws for cutting wood, steel, brass, bronze, cast iron, aluminium and plastic. Manufactured from high quality steel with M3 cutting edge for fast clean heavy duty cutting action. Maximum cutting depth 35mm. Display packed.

To complete the holesaw assembly a holesaw arbor is required.

Stock No.	Diameter
34742	14mm
41067	16mm
41068	17mm
41069	19mm
41070	20mm
34744	21mm
41071	22mm
34746	24mm
41072	25mm
34755	27mm
41073	29mm
34756	30mm
41074	32mm
34757	33mm
41075	35mm
34758	37mm
41076	38mm
34759	40mm
41077	41mm
41078	43mm
41079	44mm
34760	46mm
41080	48mm
41081	51mm
34761	52mm
41082	54mm
34762	56mm
41083	57mm
41084	60mm
41085	64mm
34765	65mm
41086	67mm
41087	70mm
34766	73mm
41088	76mm
34767	79mm
41089	80mm
34768	83mm
34769	86mm
41090	89mm
41091	92mm
41092	95mm
34770	98mm
41093	102mm
41094	105mm
34771	108mm
34772	111mm
41095	114mm
34773	121mm
41144	127mm
34774	133mm
34775	140mm
41145	152mm
34776	160mm
34777	168mm
34778	177mm
34780	210mm





2 CHSP

COBALT HOLE SAWS

Expert Quality, cobalt variable pitch hole saw manufactured from quality steel with 8% cobalt content for durability. Suitable for cutting steel, brass, bronze, cast iron, aluminium, wood and plastics. Maximum cutting depth 35mm. Display packed.

To complete the holesaw assembly a holesaw arbor is required.

Stock No.	Diameter
34782	16mm
34783	20mm
34784	22mm
34785	25mm
34786	32mm
34788	35mm
34789	38mm
34790	40mm
34791	44mm
34792	51mm
34793	54mm
34794	57mm
34795	60mm
34796	64mm
34797	65mm
34798	67mm
34799	70mm
34800	73mm
34801	76mm
34802	79mm
34804	80mm
34805	83mm
34806	86mm
34807	89mm
34808	95mm
34809	102mm
34812	111mm
34813	114mm
34814	127mm
34815	152mm



4 HHSP

BI-METAL HOLE SAWS WITH INTEGRATED ARBOR

Expert Quality, bi-metal with 8% cobalt added for extra strength. 1/4" hex shank and 10mm depth collar with integrated sprung arbor for quick waste release. Manufactured from high quality steel helping to prolong the cutting edge. For use on sheet steel, stainless steel and non ferrous metals. Display packed.

Stock No.	Diameter
71969	14mm
71971	16mm
71972	18mm
34983	19mm
71974	20mm
34984	22mm
34985	25mm
34986	29mm
71982	30mm
34987	32mm
34988	35mm
34989	38mm



3 TCGHSP

TUNGSTEN CARBIDE GRIT HOLE SAWS

Expert Quality, tungsten carbide grit hole saws perfect for electricians, plumbers and for general use. Ideal when drilling masonry, tiles, aerated blocks etc. Manufactured from high quality steel with a welded tungsten carbide grit rim. Maximum cutting depth 35mm. Display packed.

To complete the holesaw assembly a holesaw arbor is required.

Stock No.	Diameter
34865	19mm
34866	20mm
34867	22mm
34868	25mm
34869	29mm
34870	32mm
34881	35mm
34892	38mm
34893	40mm
34915	41mm
34932	44mm
34940	48mm
34943	51mm
34950	60mm
34951	64mm
34952	70mm
34953	76mm
34954	83mm
34961	86mm
34965	95mm
34967	102mm
34969	114mm
34970	121mm



Stock Supplied Separately

5 FOR HOLESAWS

5 TIER HOLESAW DISPLAY UNIT

Stock No.
63925



1 HSA

SIMPLE ARBOR WITH HSS PILOT DRILL

Expert Quality, 1/4" triangular shank arbor for use with holesaws up to 30mm. Supplied with 1/4" HSS pilot drill. Display carton.

Stock No.
56401



5 HSA/SDS+

SDS+ HOLESAW ARBOR WITH HSS PILOT DRILL

Expert Quality, for use with 14-30mm diameter holesaws. Supplied with 1/4" HSS pilot drill. Display carton.

Stock No.
52984



9 HS/PD1

SPARE HSS PILOT DRILL

Expert Quality, for use with Holesaw Arbors Stock Nos. 56401, 52983, 56387, and 56402. Size: 1/4" - 6.3mm diameter x 102mm long. Display packed.

Stock No.
53055



2

HEXAGONAL SHANK HOLESAW ARBORS WITH HSS PILOT DRILL

Expert Quality, for use with14-30mm diameter holesaws. Supplied with 1/4" HSS pilot drill. Display carton.

Stock No.	Part No.	Arbor Profile
52982	HSA1	5/16"
56387	HSA3	7/16"



6 HSA/SDS+

SDS+ HOLESAW ARBOR WITH HSS PILOT DRILL AND QUICK RELEASE MECHANISM

Expert Quality, for use with 32-210mm diameter holesaws. Supplied with 1/4" HSS pilot drill. Display carton.

Stock No.
52992



10 HS/PD2

SPARE HSS PILOT DRILL

Expert Quality, for use with Holesaw Arbors Stock Nos. 52982 and 52992. Size: 1/4" - 6.3mm diameter x 81mm long. Display packed.

Stock No.
53056



3 HSA2

LOCKING HEXAGONAL SHANK HOLESAW ARBOR WITH HSS PILOT DRILL

Expert Quality, for use with 32-210mm diameter holesaws. Arbor shank 7/16" with "quick release and lock mechanism". Supplied with 1/4" HSS pilot drill. Display carton.

Stock No.
52983



7 HS-A/EXT

300mm HOLESAW ARBOR EXTENSION

For use with Stock No.52983, 56387 and 56402 7/16" hexagonal shank Holesaw Arbors to extend the arbor. Display carton.

Stock No.
52997



4 HSA4

QUICK RELEASE HEXAGONAL SHANK HOLESAW ARBOR WITH HSS PILOT DRILL

Expert Quality, for use with 32-210mm diameter holesaws. Arbor shank 7/16" with "quick release mechanism". Supplied with 1/4" HSS pilot drill. Display carton.

Stock No.
56402



8 HS/ADAP.

HOLESAW ADAPTOR

For use with Holesaw Arbors Stock Nos. 52982, 56387 and 56401 to adapt to larger holesaw sizes 32-150mm. Packed in polybag.

Stock No.
56388





1 HS6

HOLESAW KIT (7 PIECE)

Suitable for cutting holes in wood or plastics. High carbon steel blades with induction hardened teeth. Display packed.

Contents:

- 6 holesaw blades size: 32, 38, 44, 51, 57 and 64mm diameter.
- Aluminium mandrel holder with HSS pilot drill

Stock No.
18053





2 DLHSK

HOLESAW KIT FOR DOWNLIGHTS (9 PIECE)

Comprises sizes suitable for cutting holes for downlight installation in wood or plastic. High carbon steel blades with induction hardened teeth. Display packed.

Contents:

- 6 holesaw blades size: 51, 60, 64, 70 , 75 and 86mm diameter.
- Arbor with HSS pilot drill
- Hexagon key

Stock No.
89716



3 HS/12

HOLESAW KIT (12 PIECE)

Expert Quality, heavy duty variable pitch bi-metal holesaws for cutting wood, steel, brass, bronze, cast iron, aluminium and plastics. Manufactured from high quality steel with M3 steel cutting edge for fast clean heavy duty cutting action. Maximum cutting depth 35mm. Packed in carrying case. Display carton.

Contents:

- 9 holesaw blades size: 20, 22 , 29, 35, 38 , 44, 51, 57 and 64mm diameter.
- 5/16"locking hexagonal shank holesaw arbor with HSS pilot drill
- 7/16"locking hexagonal shank holesaw arbor with HSS pilot drill
- 4mm hexagon key

Stock No.
56385

EXPERT QUALITY ADJUSTABLE HOLE CUTTER

For use with most variable speed rotary or stationary pillar drills.



4 AHC

30-163mm ADJUSTABLE HOLE CUTTER

Expert Quality, for use with most variable speed rotary or stationary pillar drills. Sturdy construction with transparent cowl to retain flying debris whilst drilling especially useful when drilling ceilings etc. Supplied with pilot drill and hexagon key for easy radius adjustment. Cuts plywood, plasterboard, acrylic sheet (up to 23mm depth; 45mm if drilled from both sides), aluminium, brass and sheet metal (up to 1mm depth). Maximum speed for cutting holes up to 115mm diameter is 900rpm; up to 163mm 500rpm. Packed in carrying case and display sleeve.

Contents:

- Tungsten steel cutting blade • HSS cutting blade
- Adjustable hole cutting assembly • Pilot drill
- Transparent polycarbonate cowl • Balance bars
- Hexagon key • Adjusting wrench

Stock No.
59470



use with pillar drill to keep dust at bay!



wood dust is self-contained with this hole cutter



for those difficult ceiling jobs!



for a tidy work environment and accurate drilling





1 AB4F

4 FLUTED 165mm AUGER BITS

Expert Quality, revolutionary auger bits, manufactured with four razor sharp carbon steel cutting edges. Their unique design helps the bits pull themselves through the material when drilling, making tasks effortless whilst delivering perfect holes every time. All sizes have a strong 6.35mm hex shank. Display packed.

Stock No.	Diameter
35087	10mm
35090	12mm
35093	13mm
35096	16mm
35102	18mm
35111	19mm
35120	20mm
35123	22mm
35128	25mm
35135	32mm

NEW




2 AB4F/B

4 FLUTED 165mm AUGER BIT SET (3 PIECE)

Expert Quality, revolutionary auger bits, manufactured with four razor sharp carbon steel cutting edges. Their unique design helps the bits pull themselves through the material when drilling, making tasks effortless whilst delivering perfect holes every time. All sizes have a strong 6.35mm hex shank. Display packed.

Contents: 16, 20 and 25mm

Stock No.
54634



3 AB2B

STANDARD PATTERN AUGER BITS

Expert Quality, with combination type shank for power and hand tools on all wood types. Precision machined for perfect concentricity from medium carbon steel and fully hardened. Unique flute spiral has an accurately ground and honed cutting edge on its entire length. Spur tip ensures accurate and positive drilling starts. All sizes have a strong 6mm shank. Display packed.

Stock No.	Diameter	Overall Length
76032	6mm	150mm
76033	8mm	150mm
76034	10mm	150mm
76035	12mm	175mm
76036	13mm	200mm
76037	16mm	200mm
76038	19mm	210mm
76039	22mm	210mm
76040	25mm	210mm
76041	32mm	210mm



4 AB1B

LONG PATTERN AUGER BITS

Expert Quality, with combination type shank for power and hand tools on all wood types. Precision machined for perfect concentricity from medium carbon steel and fully hardened. Unique flute spiral has an accurately ground and honed cutting edge on its entire length. Spur tip ensures accurate and positive drilling starts. Display packed.

Stock No.	Diameter	Overall Length
76023	13mm	285mm
76024	19mm	330mm
76025	22mm	330mm
76026	25mm	330mm

EXTRA LONG




5 AB4XL

EXTRA LONG PATTERN AUGER BITS

Expert Quality, extra long, with combination type shank for power and hand tools on all wood types. Precision machined for perfect concentricity from medium carbon steel and fully hardened. Unique flute spiral has an accurately ground and honed cutting edge on its entire length. Spur tip ensures accurate and positive drilling starts. Packed in hang up wallet.

Stock No.	Diameter	Length
40467	8mm	600mm
40468	12mm	600mm
40469	16mm	600mm
42604	19mm	400mm
40470	24mm	600mm





6 AB-SDS

230mm SDS+ AUGER BITS

Expert Quality, with SDS+ type shank for power tools on all wood types. Precision machined for perfect concentricity from medium carbon steel and fully hardened. Unique flute spiral has an accurately ground and honed cutting edge on its entire length. Spur tip ensures accurate and positive drilling starts. Packed in hang up plastic tube.

Stock No.	Diameter
16672	6mm
16835	8mm
17003	10mm
17039	13mm
17076	16mm
17345	19mm
17391	22mm
17399	25mm
17640	32mm

7 AB3B

SHORT PATTERN AUGER BITS

Combination type shank for power and hand tools on all wood types. Precision machined for perfect concentricity from medium carbon steel and fully hardened. Unique flute spiral has an accurately ground and honed cutting edge on its entire length. Spur tip ensures accurate and positive drilling starts. Length 125mm. Display packed.

Stock No.	Diameter
76042	20mm
76043	25mm
76044	32mm





1 *DBD/WOOD

METRIC AUGER AND FLAT WOOD BIT MERCHANDISER (123 PIECE)

Expert Quality, heavy duty merchandiser of assorted metric masonry drill bits in plastic hang-up boxes. Supplied with stock and hangers. Carton packed.

Contents:

- 4 x 13mm 165mm fluted auger bits Stock No. 35093
- 4 x 16mm 165mm fluted auger bits Stock No. 35096
- 4 x 20mm 165mm fluted auger bits Stock No. 35120
- 4 x 25mm 165mm fluted auger bits Stock No. 35128
- 3 x 32mm 165mm fluted auger bits Stock No. 35135
- 8 x 10mm quick release flat wood bits Stock No. 36230
- 8 x 13mm quick release flat wood bits Stock No. 36231
- 8 x 16mm quick release flat wood bits Stock No. 36232
- 8 x 19mm quick release flat wood bits Stock No. 36241
- 8 x 22mm quick release flat wood bits Stock No. 36242
- 8 x 25mm quick release flat wood bits Stock No. 36243
- 8 x 32mm quick release flat wood bits Stock No. 36302
- 8 x 13mm carbon steel flat wood bits Stock No. 41505
- 8 x 16mm carbon steel flat wood bits Stock No. 41508
- 8 x 20mm carbon steel flat wood bits Stock No. 41552
- 8 x 22mm carbon steel flat wood bits Stock No. 41590
- 8 x 25mm carbon steel flat wood bits Stock No. 41784
- 8 x 32mm carbon steel flat wood bits Stock No. 41787

Stock No.
64050

THESE BITS REMOVE WASTE UP TO TWICE THE SPEED OF STANDARD FLAT WOOD BITS



2 FB102

METRIC FLAT WOOD BITS

Expert Quality, flat wood bits with a precision ground central point and enhanced design cutting edge spurs, which deliver greater waste removal compared with standard flat wood bits. Made from high quality carbon steel that's correctly hardened and tempered. Each cutting edge is expertly ground and finished for maximum performance. Ideal for use with impact drivers. All sizes have a strong 6mm shank.

Stock No.	Diameter
54523	6mm
54551	8mm
17427	10mm
03155	12mm
17428	13mm
54555	14mm
17429	16mm
17542	18mm
17430	19mm
17432	20mm
17433	22mm
54556	24mm
17434	25mm
63687	28mm
54557	30mm
17435	32mm
54558	35mm
63697	38mm



3 FB102/5

METRIC FLAT WOOD BIT SET (5 PIECE)

Expert Quality, flat wood bit set with precision ground central points and enhanced design cutting edge spurs, which deliver better waste removal compared against standard flat wood bits. Made from high quality carbon steel that's correctly hardened and tempered. Each cutting edge is expertly ground and finished for maximum performance. Idea; for use with impact drivers. All sizes have a strong 6mm shank. Supplied in a convenient fabric storage roll.

Contents: 13, 16, 19, 25 and 32mm

Stock No.
17426



4 FB100PB

METRIC FLAT WOOD BITS

Expert Quality, flat wood drill bits manufactured from hardened and tempered carbon steel. Display packed.

Stock No.	Diameter
41475	6mm
41477	8mm
41504	10mm
41505	13mm
41507	14mm
41508	16mm
41511	18mm
41529	19mm
41552	20mm
41590	22mm
41597	24mm
41784	25mm
41785	28mm
41786	30mm
41787	32mm
41788	35mm
41789	38mm



6 FB/5/C

METRIC FLAT WOOD BIT SET (5 PIECE)

Expert Quality, high carbon steel hardened and tempered. For use with power drills. Display packed in plastic wallet.

Contents: 13, 16, 19, 25 and 32mm diameters.

Stock No.
84451



7 EBS7WOOD

METRIC TITANIUM NITRIDE COATED FLAT WOOD BIT SET (7 PIECE)

Carbon steel hardened and tempered coated with titanium Nitride for longer life. For use with power and hand drills. Display packed in soft grip case.

Contents: 10, 12, 16, 19, 22, 25 and 32mm

Stock No.
18560



8 FB/13B

METRIC FLAT WOOD BIT SET (13 PIECE)

Carbon tool steel hardened and tempered. Shank diameter 6mm. For use with power drills. Display packed in storage pouch.

Contents: 6, 8, 10, 13, 15, 16, 19, 22, 25, 28, 32, 35 and 38mm diameters.

Stock No.
82634




EXTRA LONG

5 FB100AXL

400mm EXTRA LONG FLAT WOOD BITS

High carbon steel hardened and tempered. Shank diameter 6mm. For use with power drills. Display packed in plastic hang up wallets.

Stock No.	Diameter
89996	13mm
89997	16mm
89998	19mm
90000	22mm
90001	25mm



1 ACSB10

REDUCING BUSHES

For use with circular saw blades to minimise or maximise bore. Sold loose.

Stock No.	Bore x Bush
25537	30 x 25mm
28108	30 x 20mm
50941	35 x 25mm



DRAPER EXPERT T.C.T. BLADES




TUNGSTEN CARBIDE TIPPED SAW BLADES

Manufactured to EN847-1 ***Expert Quality***, Tungsten Carbide Tipped (T.C.T) blades, hardened and tempered to ensure a long life. Display packed.

Stock No.	Dia. x Bore mm	No. of Teeth	Reducing Bushes Supplied	Type	Application
09461	140 x 10mm	18T	None	Rip and Cross Cut	Hard/Softwoods, chipboards and composite materials
09525	140 x 16mm	18T	None	Rip and Cross Cut	Hard/Softwoods, chipboards and composite materials
09462	140 x 20mm	30T	13 & 16mm	Rip and Cross Cut	Hard/Softwoods, chipboards and composite materials
09463	150 x 20mm	18T	13 & 16mm	Rip and Cross Cut	Hard/Softwoods, chipboards and composite materials
09464	150 x 20mm	30T	13 & 16mm	Rip and Cross Cut	Hard/Softwoods, chipboards and composite materials
09465	160 x 20mm	16T	16mm	Rip and Cross Cut	Hard/Softwoods, chipboards and composite materials
09466	160 x 20mm	36T	16mm	Rip and Cross Cut	Hard/Softwoods, chipboards and composite materials
09497	184 x 30mm	14T	16, 20 & 28.6mm	Nail Cutting Blade	For cutting wood with nails in situ
09467	180 x 30mm	20T	16, 20 & 28.6mm	Rip and Cross Cut	Hard/Softwoods, chipboards and composite materials
09468	180 x 30mm	24T	16, 20 & 28.6mm	Rip and Cross Cut	Hard/Softwoods, chipboards and composite materials
09469	180 x 30mm	30T	16, 20 & 28.6mm	Rip and Cross Cut	Hard/Softwoods, chipboards and composite materials
09470	180 x 30mm	40T	16, 20 & 28.6mm	Rip and Cross Cut	Hard/Softwoods, chipboards and composite materials
09471	184 x 30mm	20T	16, 20 & 28.6mm	Rip and Cross Cut	Hard/Softwoods, chipboards and composite materials
09472	184 x 30mm	30T	16, 20 & 28.6mm	Rip and Cross Cut	Hard/Softwoods, chipboards and composite materials
09473	184 x 30mm	40T	16, 20 & 28.6mm	Rip and Cross Cut	Hard/Softwoods, chipboards and composite materials
03637	185 x 20mm	36T	None	Dry Metal Cutting	For cutting metal without coolant
09474	190 x 30mm	20T	16 & 20mm	Rip and Cross Cut	Hard/Softwoods, chipboards and composite materials
09475	190 x 30mm	40T	16 & 20mm	Rip and Cross Cut	Hard/Softwoods, chipboards and composite materials
09476	210 x 30mm	24T	16mm	Rip and Cross Cut	Hard/Softwoods, chipboards and composite materials
09477	210 x 30mm	40T	16mm	Cross Cut	Hard/Softwoods
09478	210 x 30mm	60T	16mm	Cross Cut	Plywood, Veneer and plastics
09479	230 x 30mm	20T	16 & 25mm	Rip and Cross Cut	Hard/Softwoods, chipboards and composite materials
09481	230 x 30mm	40T	16 & 25mm	Cross Cut	Hard/Softwoods
09483	235 x 35mm	20T	16, 25 & 30mm	Rip and Cross Cut	Hard/Softwoods, chipboards and composite materials
09484	235 x 35mm	30T	16, 25 & 30mm	Rip and Cross Cut	Hard/Softwoods, chipboards and composite materials
09486	250 x 30mm	24T	16, 20 & 25mm	Rip and Cross Cut	Hard/Softwoods, chipboards and composite materials
09487	250 x 30mm	40T	16, 20 & 25mm	Cross Cut	Hard/Softwoods, chipboards and composite materials
09488	250 x 30mm	60T	16, 20 & 25mm	Cross Cut	Plywood, Veneer and plastics
09489	250 x 30mm	80T	16, 20 & 25mm	Cross Cut	Laminates and plastics
09490	250 x 30mm	80T NEG	16, 20 & 25mm	Cross Cut	Non-ferrous metals
09491	254 x 16mm	30T	None	Rip and Cross Cut	Hard/Softwoods, chipboards and composite materials
09492	254 x 16mm	40T	None	Rip and Cross Cut	Hard/Softwoods, chipboards and composite materials
38153	254 x 30mm	24T	None	Rip and Cross Cut	Hard/Softwoods, chipboards and composite materials
38154	254 x 30mm	40T	None	Rip and Cross Cut	Hard/Softwoods, chipboards and composite materials
38155	254 x 30mm	64T	None	Rip and Cross Cut	Hard/Softwoods, chipboards and composite materials
38150	305 x 30mm	40T	None	Rip and Cross Cut	Hard/Softwoods, chipboards and composite materials
38151	305 x 30mm	60T	None	Rip and Cross Cut	Hard/Softwoods, chipboards and composite materials
38152	305 x 30mm	80T	None	Rip and Cross Cut	Hard/Softwoods, chipboards and composite materials
09496	315 x 30mm	24T	None	Rip and Cross Cut	Hard/Softwoods, chipboards and composite materials
09493	315 x 30mm	30T	None	Rip and Cross Cut	Hard/Softwoods, chipboards and composite materials
09494	315 x 30mm	40T	None	Rip and Cross Cut	Hard/Softwoods, chipboards and composite materials
09495	315 x 30mm	80T	None	Cross Cut	Laminates and plastics
09499	355 x 25.4mm	80T	None	Dry Metal Cutting	For cutting metal without coolant

DRAPER DIAMOND BLADES



WHAT MAKES A DIAMOND BLADE?

BONDING

The bonding process determines the quality and performance of the blade and is how the diamond cutting edge is attached to the blade rim. We have two bonding processes on Draper blades. The sintering process is where metal powder or ceramics are baked under pressure, which then adheres to the blade. Laser welding is a superior method of attaching the cutting edge to the blade and produces larger blades and better results.

DIAMONDS

Synthetic diamonds are used in Draper blades. They tend to be of uniform structure providing superior cutting performance.

BLADE SEGMENTS

Contains diamond grit encased within an alloy. The alloy wearing down allows the diamonds to be shed when they are blunt, making the alloy formulation an important process and ultimately regulates which substance the blade is designed to cut. Therefore if hard material is being cut, which blunts the diamonds more quickly than a soft material, the alloy that hold the diamonds in situ needs to be soft, allowing more diamonds to be released and continue cutting, while the opposite is true if your cutting soft material.



1

DIAMOND BLADES

Stock No.	Diameter x Bore	Rim Height	Max r/min	Blade Construction	Blade Type	Use
83499	115 x 22.2mm	7mm	1300	Sintered	Continuous	Mortar, Bricks
83493	115 x 22.2mm	10mm	1300	Laser	Segmented	Ceramic, Porcelain, Marble, Masonry
83489	115 x 22.2mm	7mm	1300	Sintered	Segmented	Terracotta, common bricks, slate, floor & ceramic tiles and marble
83486	115 x 22.2mm	7mm	1300	Sintered	Continuous	Ceramic, Porcelain, Marble, Masonry
83503	115 x 22.2mm	7mm	1300	Sintered	Continuous (Turbo rim)	Cellular/aerated/cured concrete & soft/medium aggregates, hand-made bricks, nat. dense sandstone, terracotta, common bricks, slate, floor & ceramic tiles and marble
83500	115 x 22.2mm	7mm	1300	Laser	Segmented	Mortar, cellular/aerated concrete & soft aggregates, hand-made bricks, nat. sandstone, terracotta, common bricks and slate
83506	115 x 22.2mm	7mm	1300	Laser	Continuous	Mortar, cellular/aerated concrete & soft aggregates, hand-made bricks, nat. sandstone, terracotta, common bricks and slate
83501	125 x 22.2mm	7mm	1300	Sintered	Segmented	Mortar, cellular/aerated concrete & soft aggregates, hand-made bricks, nat. sandstone, terracotta, common bricks and slate
83496	125 x 22.2mm	10mm	1300	Laser	Segmented	Ceramic, Porcelain, Marble, Masonry
83488	180 x 22.2mmmm	7mm	8500	Sintered	Continuous	Ceramic, Porcelain, Marble, Masonry
83491	230 x 22.2mm	2.5mm	6650	Sintered	Segmented	Masonry, brick block, plastic, concrete, tile, glass, light ferrous and non-ferrous metals
83502	230 x 22.2mm	7mm	1300	Laser	Segmented	Concrete & soft aggregates, hand-made bricks, hard/medium nat. sandstone and terracotta
83497	230 x 22.2mm	10mm	1300	Laser	Segmented	Ceramic, Porcelain, Marble, Masonry

EXPERT QUALITY JIGSAW BLADES



1 DT101B

DT101B
100mm JIGSAW BLADE SET (5 PIECE)

Expert Quality, manufactured from carbon steel, which has a ground tooth and taper back design, polished then treated to prevent rust. The 10TPI are perfectly designed for straight, fine cutting of softwoods, chipboard, plywood, fibreboard and plastics. Attached with bayonet ends. Display packed.

Stock No.
81716



2 DT101BR

DT101BR
100mm JIGSAW BLADE SET (5 PIECE)

Expert Quality, manufactured from carbon steel which has ground tooth and taper back design, polished then treated to prevent rust. The 10TPI are perfectly designed for cutting laminates and Formica, attached with bayonet ends. Display packed.

Stock No.
81718



3 DT101D

DT101D
100mm JIGSAW BLADE SET (5 PIECE)

Expert Quality, manufactured from carbon steel, which has a ground tooth and taper back design, polished then treated to prevent rust. The 6TPI are perfectly designed for straight clean cuts in softwoods, chipboard and fibreboard. Attached with bayonet ends. Display packed

Stock No.
81719



4 DT101AO

DT101AO
83mm JIGSAW BLADE SET (5 PIECE)

Expert Quality, manufactured from carbon steel, which has a ground tooth and taper back design, polished then treated to prevent rust. The 18TPI are perfectly designed for curved, splinter free cutting on both sides of the material, suitable for cutting softwoods, chipboard, plywood, fibreboard and plastics. Attached with bayonet ends. Display packed.

Stock No.
81721



5 DT111C

DT111C
100mm JIGSAW BLADE SET (5 PIECE)

Expert Quality, manufactured from carbon steel, which has a side set and milled tooth design, then polished and treated to prevent rust. The 8TPI are perfect for fast course cutting of softwoods, chipboard and fibreboards all are attached with bayonet ends. Display packed.

Stock No.
81724



6 DT144DP

DT144DP
100mm JIGSAW BLADE SET (5 PIECE)

Expert Quality, manufactured from carbon steel, which has a side set and milled tooth design, then polished and treated to prevent rust. The 6TPI are perfect for straight and fast cutting of woods and all are attached with bayonet ends. Display packed.

Stock No.
81726



7 DT244D

DT244D
100mm JIGSAW BLADE SET (5 PIECE)

Expert Quality, manufactured from carbon steel, which has a side set and milled tooth design, then polished and treated to prevent rust. The 6TPI are perfect for curved, fast cutting of softwood, hardwoods and plyboard, attached with bayonet ends. Display packed.

Stock No.
81727



8 DT301CD

DT301CD
115mm JIGSAW BLADE SET (5 PIECE)

Expert Quality, manufactured from carbon steel, which has a ground tooth and taper back design and polished then treated to prevent rust. The 8TPI are perfectly designed for straight medium to fine cutting on hardwoods, softwoods, plywood, particle board and laminates. Attached with bayonet ends. Display packed.

Stock No.
81728



9 DT119B

DT119B 92mm JIGSAW BLADE SET (5 PIECE)

Expert Quality, manufactured from carbon steel, which has a side set and milled tooth design, then polished and treated to prevent rust. The 12TPI are perfect for cutting of softwoods, chipboard, plywood and fibreboards all are attached with bayonet ends. Display packed.

Stock No.
81722



10 DT119BO

DT119BO
83mm JIGSAW BLADE SET (5 PIECE)

Expert Quality, manufactured from carbon steel, which has a side set and milled tooth design, then polished and treated to prevent rust. The 12TPI are perfect for cutting finer shapes from softwoods, chipboard, plyboard and fibre board and all are attached with bayonet ends. Display packed.

Stock No.
81723



11 DT144D

DT144D
100mm JIGSAW BLADE SET (5 PIECE)

Expert Quality, manufactured from carbon steel, which has a side set and milled tooth design, then polished and treated to prevent rust. The 6TPI are perfect for straight, fast cutting of softwood, chipboard, plywood and fibre board and all are attached with bayonet ends. Display packed.

Stock No.
81725



12 DT118A

DT118A 92mm JIGSAW BLADE SET (5 PIECE)

Expert Quality, manufactured from high speed steel, with a wave set and milled tooth design and then treated to prevent rust. The 17/24TPI are perfectly designed for cutting 1-3mm mild steel, non ferrous metal and plastics, attached with bayonet ends. Display packed.

Stock No.
81729



1 DT118B

DT118B 92mm JIGSAW BLADE SET (5 PIECE)

Expert Quality, manufactured from high speed steel, with a wave set and milled tooth design and then treated to prevent rust. The 11/14TPI are perfectly designed for cutting 2-5.6mm mild steel, non ferrous metal and plastics, attached with bayonet ends. Display packed.

Stock No.
81730



2 DT118G

DT118G 92mm JIGSAW BLADE SET (5 PIECE)

Expert Quality, manufactured from high speed steel, with a wave set and milled tooth design and then treated to prevent rust. The 32TPI are perfectly designed for cutting smooth straight cuts in mild steel and plastics, attached with bayonet ends. Display packed.

Stock No.
81731



3 DT318A

DT318A 130mm JIGSAW BLADE SET (5 PIECE)

Expert Quality, manufactured from high speed steel, with a wave set and milled tooth design and then treated to prevent rust. The 21TPI are perfectly designed for cutting smooth straight cuts in very thin mild steel, non ferrous metals and plastics, attached with bayonet ends. Display packed.

Stock No.
81732



4 JSBCOM5

ASSORTED JIGSAW BLADE SET (5 PIECE)

Expert Quality, an assorted set for cutting softwoods, hardwoods and plastics. Display packed in plastic case.

Contents:

- 1 x DT101B 10TPI x 100mm
- 1 x DT144D 6TPI x 100mm
- 1 x DT111C 8TPI x 100mm
- 1 x DT101D 6TPI x 100mm
- 1 x DT118A 21TPI x 75mm

Stock No.
81734



5 JSBCOM10W

ASSORTED JIGSAW BLADE SET (10 PIECE)

Expert Quality, an assorted set for cutting softwoods, hardwoods and plastics. Display packed in plastic case

Contents:

- 1 x DT101AO 18TPI x 83mm
- 1 x DT119BO 12TPI x 83mm
- 2 x DT111C 8TPI x 100mm
- 2 x DT101B 10TPI x 100mm
- 2 x DT101D 6TPI x 100mm
- 2 x DT144D 6TPI x 100mm

Stock No.
81735



6 JSBCOM10

ASSORTED JIGSAW BLADE SET (10 PIECE)

Expert Quality, an assorted set for cutting softwoods, hardwoods and plastics. Display packed in plastic case

Contents:

- 1 x DT118G 32TPI x 75mm
- 1 x DT118A 21TPI x 75mm
- 2 x DT111C 8TPI x 100mm
- 2 x DT101B 10TPI x 100mm
- 2 x DT101D 6TPI x 100mm
- 2 x DT144D 6TPI x 100mm

Stock No.
81736

UNIVERSAL FITTING JIGSAW BLADE SET



7 JSBCU10

ASSORTED JIGSAW BLADE SET (10 PIECE)

Expert Quality, an assorted set for cutting wood, metal, plastic and tiles. Universal fitting, Display packed in case

Contents:

- 2 x 6tpi blade x 62mm long
- 8tpi blade x 62mm long
- 2 x 12tpi blade x 62mm long
- 12tpi scroll blade x 50mm long
- 2 x 14tpi blade x 62mm long
- 24tpi blade x 62mm long
- 40 grit tungsten carbide blade

Stock No.
05622



8 AWL44

HSS WOODTURNING CHISEL SET (6 PIECE)

Hardened blades with brass ferrules.

Ash handles. Packed in wooden storage box.

Contents:

- Bowl Gouge with 12.7mm (1/2") blade
- Roughing Gouge with 25mm (1") blade
- Oval Skew with 25mm (1") blade
- Parting Tool with 5.5mm (7/32") blade
- Round Nose Scraper with 25mm (1") blade
- Spindle Gouge with 10mm (3/8") blade


Stock No.
58697

PRODUCT LOCATOR

See page 361-362 for details of the wood lathe range.



PLAIN END BLADE BOTH ENDS



1 FSB1

127mm PLAIN END FRETSAW BLADES


Carbon steel with hardened steel teeth and plain ends at both ends. Suitable for cutting wood, plastics, nonferrous metals and most other materials.

Order number of cards required. (12 blades per card)

Stock No.	Width x Thickness-mm	TPI	Grade
25498	0.62x0.29	28	No.2/0
25499	0.67x0.32	25	No.0
25500	0.76x0.34	25	No.1
25501	0.82x0.36	20	No.2
25502	0.90x0.38	20	No.3
25503	0.97x0.40	15	No.4
25504	0.97x0.40	13	No.5
25505	1.13x0.45	13	No.6
25506	1.25x0.45	11	No.7
25508	1.45x0.50	11	No.9
25509	1.65x0.60	10	No.12



PIN END BLADE BOTH ENDS



2 FSB2

127mm PIN END FRETSAW BLADES

Carbon steel with hardened steel teeth with pin ends at both ends. Suitable for cutting wood, plastics, nonferrous metals and most other materials. For use with Draper Fretsaw Stock No. 89334 and 22791 and other manufacturers similar fretsaws.

Order number of cards required. (12 blades per card)

Stock No.	Width x Thickness	TPI
25510	2.4 x 0.25mm	25
25511	2.4 x 0.25mm	18
25512	2.8 x 0.50mm	15
25513	2.8 x 0.50mm	10

PRODUCT LOCATOR

See page 357 for Draper Fretsaws to suit these blades.





3 BCH

BLADE CLAMP HOLDER SET (2 PIECE)

For use with Draper Fretsaws. Two clamps for holding plain end fretsaw blades. Display packed.

Stock No.
24433



4 RSB/WN


BI-METAL 6TPI RECIPROCATING SAW BLADES FOR WOOD AND NAIL CUTTING

Expert Quality.

Display packed five blades per pack.

Order number of packs required (5 blades per pack)

Stock No.	Blade Length
02299	150mm
02300	200mm
02301	250mm



5 RSB/WP


BI-METAL 10TPI RECIPROCATING SAW BLADES FOR WOOD AND PLASTIC CUTTING

Expert Quality.

Display packed five blades per pack.

Order number of packs required (5 blades per pack)

Stock No.	Blade Length
02302	150mm
02303	200mm
02304	250mm



6


HSS RECIPROCATING SAW BLADES FOR METAL CUTTING

Expert Quality.

Display packed five blades per pack.

Order number of packs required (5 blades per pack)

Stock No.	Part No.	Blade Length	Blade
02309	RSB/M18	150mm	18tpi
02311	RSB/M24	150mm	24tpi
02310	RSB/M18	200mm	18tpi
02312	RSB/M24	200mm	24tpi



7 RSB/MP

HSS 5/8TPI RECIPROCATING SAW BLADES FOR MULTI-PURPOSE CUTTING

Expert Quality, all purpose blade suitable for cutting metal, wood, nail-embedded wood, plastics and plasterboard.

Display packed five blades per pack.

Order number of packs required (5 blades per pack)

Stock No.	Blade Length
02313	150mm
02314	200mm
02315	250mm



9 APT82E

JOINTING BISCUITS

Solid stamped beech for greater strength. For use with Draper Biscuit Jointer Stock No.75303 and other manufacturers similar machines. Packed in polybags of 100 pieces (approx.) with header card. *Assorted biscuits packed in the approximate numbers 0=25, 10=25 and 20=50.

Stock No.	Size
07260	0
07259	10
07258	20
07261	*Assorted

BANDSAW BLADES




8

BANDSAW BLADES

Bandsaw blades for hard and soft woods and plastics.

Stock No.	Blade Length	Blade Width	Pitch
14253	1400mm	1/4"	6 skip
14254	1400mm	3/8"	6 skip
14259	1400mm	1/2"	6 skip
25760	1425mm	1/4"	6 skip
25761	1425mm	3/8"	6 skip
25762	1425mm	1/2"	6 skip
25765	1425mm	1/2"	14tpi
32054	1505mm	1/4"	6 skip
32055	1505mm	3/8"	6 skip
32058	1505mm	1/2"	14tpi
28109	1638mm	1/2"	14tpi
28110	1638mm	1/2"	18tpi
76728	1712mm	1/4"	6 skip
76729	1712mm	3/8"	6 skip
76730	1712mm	1/2"	6 skip
76732	1712mm	1/2"	14tpi
25766	1785mm	1/4"	6 skip
25767	1785mm	3/8"	6 skip
25768	1785mm	1/2"	6 skip
58555	2105mm	3/4"	14tpi
58556	2105mm	3/4"	18tpi
63341	2235mm	1/4"	6 skip
63343	2235mm	3/8"	6 skip
63344	2235mm	1/2"	6 skip
63342	2235mm	1/2"	14tpi
45860	2240mm	5/8"	4 skip
45863	2240mm	3/4"	4 skip
58562	2460mm	1"	14tpi
58563	2460mm	1"	18tpi
76738	2560mm	1/4"	6 skip
76739	2560mm	3/8"	6 skip
76740	2560mm	1/2"	6 skip
76742	2560mm	1/2"	14tpi
45901	2560mm	5/8"	4 skip
45924	2560mm	3/5"	4 skip
45934	2560mm	1"	4 skip
14260	2750mm	1/4"	6 skip
14262	2750mm	3/8"	6 skip
14264	2750mm	1/2"	6 skip
14436	2750mm	1/2"	14tpi
14492	3345mm	1/4"	6 skip
14504	3345mm	3/8"	6 skip
14505	3345mm	1/2"	6 skip
14540	3345mm	1/2"	14tpi
22216	3345mm	1"	4tpi



ROUTER BITS

1/4" SHANK 1/2" SHANK

1/4" and 1/2" shank Router bits with TCT heads to suit most applications.
Display packed in plastic hang-up boxes.

Key	Stock No.	Part No.	Shank Dia.	Description
A	75330	RB1	1/4"	Straight 3 x 11mm, single flute
	75331	RB2	1/4"	Straight 6.35 x 25mm, twin flute
	75332	RB3	1/4"	Straight 9.5 x 25mm, twin flute
	75333	RB4	1/4"	Straight 10 x 25mm, twin flute
	75334	RB5	1/4"	Straight 12.7 x 25mm, twin flute
	75349	RB20	1/2"	Straight 12.7 x 25mm, twin flute
	75350	RB21	1/2"	Straight 12.7 x 50mm, twin flute
	75351	RB22	1/2"	Straight 19 x 25mm, twin flute
B	75335	RB6	1/4"	Flush 12.7 x 25mm, twin flute with bearing for flush trimming
	75352	RB23	1/2"	Flush 12.7 x 50mm, twin flute with bearing for flush trimming
C	75336	RB7	1/4"	Groove 12.7mm x 90°, twin flute, for chamfering or decorative grooves
	75337	RB8	1/4"	Groove 19mm x 90°, twin flute, for chamfering or decorative grooves
D	75345	RB16	1/4"	Core Box Bit 12.7 x 6.35mm radius, twin flute, for round bottom cuts
E	75346	RB17	1/4"	Dovetail 14mm diameter, twin flute, for dovetail joints
F	75341	RB12	1/4"	Rounding 25 x 7mm radius, twin flute, for rounded edges
	75342	RB13	1/4"	Rounding 32 x 9mm radius, twin flute, for rounded edges
	75343	RB14	1/4"	Rounding 38 x 14mm radius, twin flute, for rounded edges
G	75340	RB11	1/4"	Chamfering 30mm x 45°, twin flute, 45° chamfer
H	75344	RB15	1/4'	Rebate 32 x 12mm, twin flute
I	75338	RB9	1/4"	Roman Ogee 35 x 17mm, twin flute
J	75339	RB10	1/4"	Beading 38 x 20mm, twin flute, for inset rounded edges
K	75360	RB19	1/4"	Biscuit No. 20, for cutting slots for jointing biscuits
	75347	RB18	1/4"	Biscuit No. 10, for cutting slots for jointing biscuits
	75362	RB25	1/2"	Biscuit No. 20, for cutting slots for jointing biscuits
	75353	RB24	1/4"	Biscuit No. 10, for cutting slots for jointing biscuits

1/4" SHANK 1/2" SHANK



1

ROUTER BIT SETS (12 PIECE)

Assortment of router bits with T.C.T. heads to suit most applications. Supplied in display case.
Contents:

- 3 x straight bits - 6, 12 and 16mm diameter.
- 90° 'V' grooving (or groove) bit
- dovetail bit 12.7mm diameter.
- 45° chamfer bit
- bearing flush trim bit (or flush) - 12.7mm diameter.
- 2 x rounding bits - radii 6.3 and 9.5mm
- core box bit radius 6.3mm
- cove bit radius 6.3mm
- roman ogee bit radius 4mm
- hexagon key

Stock No.	Part No.	Shank Diameter
72892	DRB12A	1/4"
72893	DRB12B	1/2"

1/4" SHANK 1/2" SHANK



2 RB26

ROUTER BIT SET (4 PIECE)

1/4" and 1/2" shank extra long router bits with TCT heads especially for use with extra thickness laminate used by kitchen fitters. Supplied with hexagon key.
Display packed in storage case.
Contents:

- 1 x Flush Twin Flute with bearing: 1/4" shank; 12.7 x 25mm long
- 2 x Flush Straight Twin Flute: 1/2" shank; 12.7 x 50mm long
- 1 x Flush Straight Twin Flute: 1/2" shank; 12.7 x 63mm long

Stock No.
89993



1/4" SHANK 1/2" SHANK

3 *RBS

ROUTER BIT DISPENSER COMPLETE WITH 98 ASSORTED ROUTER BITS

Heavy duty countertop dispenser of assorted router bits in plastic hang-up boxes. Supplied with stock and hangers. Carton packed.
Contents:

- 6 plastic boxes of 1/2" straight 12.7 x 50mm twin flute bits Stock No. 75350
- 4 plastic boxes of 1/2" flush 12.7 x 50mm twin flute bits with bearing Stock No. 75352
- 6 plastic boxes of 1/4" straight 9.5 x 25mm twin flute bits Stock No. 75332
- 6 plastic boxes of 1/4" straight 12.7 x 25mm twin flute bits Stock No. 75334
- 6 plastic boxes of 1/4" straight 6.35x 25mm twin flute bits Stock No. 75331
- 6 plastic boxes of 1/4" straight 10.0 x 25mm twin flute bits Stock No. 75333
- 6 plastic boxes of 1/4" straight 3.0 x 11mm single flute bits Stock No. 75330
- 6 plastic boxes of 1/4" flush 12.7 x 25mm twin flute bits with bearing Stock No. 75335
- 6 plastic boxes of 1/4" rounding 25.0 x 7mm radius twin flute Stock No.75341
- 6 plastic boxes of 1/4" rounding 32.0 x 9mm radius twin flute bits Stock No. 75342
- 4 plastic boxes of 1/4" beading 38.0 x 20mm radius twin flute bits Stock No. 75339
- 6 plastic boxes of 1/4" chamfering 30.0mm x 45° chamfer twin flute Stock No.75340
- 6 plastic boxes of 1/4" roman ogee 35.0 x 17mm twin flute Stock No.75338
- 6 plastic boxes of 1/4" groove 12.7mm x 90° twin flute Stock No.75336
- 6 plastic boxes of 1/4" groove 19.0mm x 90° twin flute Stock No.75337
- 6 plastic boxes of 1/4" core box bit 12.7 x 6.35mm radius twin flute Stock No.75345
- 6 plastic boxes of 1/4" rebate 32.0 x 12mm twin flute Stock No.75344

Stock No.	Dimensions
90862	300 x 300 x 500mm



1 GDM2C

DEPRESSED CENTRE STEEL GRINDING DISCS

Manufactured to EN 12413 Specifications

Metal grinding discs, manufactured from pressed/resinoid bonded aluminium oxide, that's glassfibre reinforced. Suitable for various metal working applications such as steel, structural steel, sheet metal etc. Maximum working speed 80m/sec and a grit grade of A24-Q-BF.

Stock No.	Diameter	Bore	Thickness
26820	100mm	16.0mm	6.0mm
26823	115mm	22.2mm	6.0mm
26824	230mm	22.2mm	6.0mm



2 CWMF2C

FLAT METAL CUTTING DISCS

Manufactured to EN 12413 Specifications

T41 metal cutting disc, manufactured from pressed/resinoid bonded aluminium oxide, that's glass fibre reinforced. Suitable for various metal working applications such as steel, structural steel, sheet metal etc. Maximum working speed 80m/sec and a grit grade of A40-S-BF.

Stock No.	Diameter	Bore	Thickness
26825	75mm	10mm	1.6mm
26826	100mm	16mm	2.5mm
26827	115mm	22.2mm	1.2mm
26829	115mm	22.2mm	3.0mm
26832	125mm	22.2mm	3.2mm
26834	230mm	22.2mm	2.0mm
26852	230mm	22.2mm	3.2mm
26865	300mm	25.4mm	2.8mm
26861	300mm	20mm	2.8mm
26864	300mm	22mm	2.8mm
26871	355mm	25.4mm	2.8mm



3 CWM2C

DEPRESSED CENTRE METAL CUTTING DISCS

Manufactured to EN 12413 Specifications

T42 metal cutting disc, manufactured from pressed/resinoid bonded aluminium oxide, which is glassfibre reinforced. Suitable for various metal working applications such as steel, structural steel, sheet metal etc. Maximum working speed 80m/sec and a grit grade of A36-Q-BF.

Stock No.	Diameter	Bore	Thickness
26877	100mm	16mm	2.5mm
26895	115mm	22.2mm	2.5mm
26899	125mm	22.2mm	3.2mm
26901	230mm	22.2mm	1.8mm
26902	230mm	22.2mm	3.0mm



4 CWMF3/MT

FLAT METAL CUTTING WHEELS (TIN OF 10)

Manufactured to EN 12413 Specifications

Cutting discs suitable for cutting steel and stainless steel (Inox). Manufactured from glassfibre, reinforced by a resinoid bonded aluminium oxide. Grit grade A60-S-BF medium hard. Maximum working speed 80m/sec. Display packed in tin case.

Stock No.	Diameter	Bore	Thickness
82831	115mm	22.2mm	1.2mm



5 CWS2C

DEPRESSED CENTRE STONE CUTTING DISCS

Manufactured to EN 12413 Specifications

T42 stone cutting disc, manufactured from pressed/resinoid bonded aluminium oxide, which is glass fibre reinforced. Suitable for working various stone materials such as concrete, natural stone, granite, roofing tiles, brick etc. Maximum working speed 80m/sec and a grit grade of C30-R-BF.

Stock No.	Diameter	Bore	Thickness
26930	115mm	22.2mm	3.2mm
26934	125mm	22.2mm	3.2mm
26940	230mm	22.2mm	3.2mm



6 CWSF2C

FLAT STONE CUTTING DISCS

Manufactured to EN 12413 Specifications

T41 stone cutting disc, manufactured from pressed/resinoid bonded aluminium oxide, that's glassfibre reinforced. Suitable for working various stone materials such as concrete, natural stone, granite, roofing tiles, brick etc. Maximum working speed 80m/sec and a grit grade of C30-R-BF.

Stock No.	Diameter	Bore	Thickness
26875	115mm	22.2mm	3.2mm
26876	230mm	22.2mm	3.2mm



7 MPD2C

MULTI PURPOSE CUTTING DISC

Manufactured to EN 12413 Specifications

T41 multi purpose cutting disc, manufactured from pressed/resinoid bonded aluminium oxide, that's glass fibre reinforced. Suitable for working various stone materials such as concrete, natural stone, granite, roofing tiles, brick etc and metals, including steel, stainless steel, sheet steel and Aluminium. Maximum working speed 80m/sec and a grit grade of A40-WA40-C40

Stock No.	Diameter	Bore	Thickness
27077	115mm	22.2mm	1.6mm



8 CWMF/100/D

FLAT METAL CUTTING WHEELS (BOX OF 100)

Manufactured to EN 12413 Specifications

Glassfibre reinforced resinoid bonded aluminium oxide. Grit grade A46-S-BF. Maximum Bore working speed 80m/sec. Sold in cartons.

Stock No.	Diameter	Bore	Thickness
26872	115mm	22.2mm	1.2mm

INOX DISCS



9 GDI2C

INOX GRINDING DISC

Manufactured to EN 12413 Specifications

T27 INOX metal grinding disc, manufactured from pressed/resinoid bonded aluminium oxide, that's glassfibre reinforced. Suitable for stainless steel. Maximum working speed 80m/sec and a grit grade of WA24-Q-BF.

Stock No.	Diameter	Bore	Thickness
27045	115mm	22.2mm	6.5mm



10 CWI2C

INOX CUTTING DISC

Manufactured to EN 12413 Specifications

T41 INOX metal cutting disc, manufactured from pressed/resinoid bonded aluminium oxide, that's glass fibre reinforced. Suitable for stainless steel. Maximum working speed 80m/sec and a grit grade of WA30-Q-BF.

Stock No.	Diameter	Bore	Thickness
26997	115mm	22.2mm	3.0mm

QUALITY GRINDING WHEELS



1
GRINDING WHEELS
Tested to EN12413

For use with Draper Bench Grinders and other manufacturers similar machines. Display carton.

Stock No.	Dia. x Bore-mm	Wheel Width	Grit Type
85211	150 x 12.7mm	16mm	36
85213	150 x 12.7mm	16mm	60
83816	150 x 12.7mm	19mm	80
52068	150 x 12.7mm	19mm	80
52069	200 x 15.8mm	25mm	30
52070	200 x 16mm	25mm	60



2 342P
WIRE BRUSHES
Brassed crimped steel wire with 6mm diameter shank. Display packed.

Stock No.	Diameter
41427	50mm
41429	75mm
41428	100mm



3
HOLLOW CUP WIRE BRUSHES
Brassed crimped steel wire with 6mm diameter shank. Display packed.

Stock No.	Part No.	Diameter
41432	344P	50mm
41433	345P	75mm



4 343P
WIRE CUP BRUSH (40mm)
Brassed crimped steel wire with 6mm diameter shank. Display packed.

Stock No.
41431



5 340P
WIRE BRUSH (75mm)
Crimped steel wire with 6mm diameter bore. Display packed.

Stock No.
41435



6
CRIMPED STEEL WIRE BRUSHES
For use with Draper bench grinders and other manufacturers similar machines. Supplied with reducing bushes size; 12.7, 16, 20, 22.2 and 26mm. Display packed.

Stock No.	Dia. x Bore-mm	Wheel Width
33879	150 x 50mm	19mm
33880	200 x 50mm	25mm



7 349P
TWISTED WIRE WHEEL (75mm)
Heavy duty wheel with integral 6mm shank. For descaling, deburring, removing rust, adhesive residues and preparing/cleaning welding seams. Display packed.

Stock No.
41434



8 337P
28 x 100mm WIRE BRUSH
For metal cleaning and rust removal. Crimped steel wire fill, 55mm brush length with 6mm diameter shank. Display packed.

Stock No.
41436



9 347P
FLAT TOP DECARBONIZING WIRE BRUSHES
Brassed crimped steel wire brush with flat trim. 6mm diameter shanks. Brush length 25mm. Display packed.

Stock No.	Diameter
41437	13mm
41438	26mm



10 DC2P
DECARBONIZING BRUSH SET (2 PIECE)
Brassed crimped steel wire brushes with flat and pointed trims. Shanks 6 x 35mm long. Display packed.

Stock No.
41439



10 WW-ASTC
COUNTERTOP DISPLAY OF CUP AND ROTARY WIRE BRUSHES
Countertop display of various cup and rotary wire brushes. All have 6mm integral shanks. Countertop display size 220 x 220mm. Shrink wrapped for security.

Contents:
- 6 x Wire Brushes 50mm dia. (Stock No.41427)
- 12 x Wire Brushes 75mm dia. (Stock No.41429)
- 12 x Wire Cup Brushes 50mm dia. (Stock No.41431)
- 6 x Hollow Cup Wire Brushes 50mm dia. (Stock No.41432)

Stock No.
41440



1 346P

WIRE CUP BRUSHES (75mm)

Manufactured from 0.3mm hardened brassed steel wire. Designed for use with angle grinders. The unique rounded edges of the cup prevent the wires breaking whilst in use and thereby prolong the life of the brush and enhance performance. Display packed.

Stock No.	Thread
41441	M10 x 1.25
41442	M14 x 2.0



2 CB

TWIST KNOT WIRE CUP BRUSHES

Manufactured from 0.5mm hardened steel wire. Designed for use with angle grinders. M14 thread. Carton packed.

Stock No.	Dia.	Max. Speed
41447	60mm	11,000r/min
41449	80mm	8500r/min
41450	100mm	8500r/min



3 CB

CRIMPED WIRE CUP BRUSHES

Manufactured from 0.3mm hardened brassed steel wire. Designed for use with angle grinders. M14 thread. Display packed.

Stock No.	Dia.	Max. Speed
41443	60mm	11,000r/min
41444	80mm	8500r/min
41445	100mm	8500r/min
41446	125mm	7500r/min



4 CB

TWIST KNOT WIRE CUP BRUSHES

Expert Quality, industrial quality manufactured from 0.8mm hardened steel wire. Designed for use with angle grinders. Carton packed.

Stock No.	Dia.	Thread	Max. Speed
52630	60mm	M10	11,000r/min
52631	60mm	M14	11,000r/min
52632	80mm	M14	8500r/min
52633	100mm	M14	8500r/min



5 CB-2

CRIMPED WIRE CUP BRUSHES

Expert Quality, industrial quality manufactured from 0.3mm hardened brassed steel wire. Designed for use with angle grinders. Carton packed.

Stock No.	Dia.	Thread	Max. Speed
52634	60mm	M10	11,000r/min
52635	60mm	M14	11,000r/min
52636	80mm	M14	8500r/min
52637	100mm	M14	8500r/min
52638	125mm	M14	7500r/min



6 WIRE WOOL (150G)

Wire wool manufactured from steel. Ideal for buffing, cleaning, cutting, and removing. Select the grade required. Display packed.

Stock No.	Grade
82581	#00 Fine
82580	#0 Medium Fine
82579	#1 Medium



7 4693

MOUNTED GRINDING POINT SET (5 PIECE)

Rotary grinding stones suitable for use on most metals. Comprising five assorted shapes and abrasive types. Manufactured from aluminium oxide. Maximum working speeds 3000-6000 r/min. Shank diameter 6mm. Display packed.

Stock No.
49301



8 4800

MOUNTED GRINDING POINT SET (5 PIECE)

Rotary grinding stones suitable for use on most metals. Comprising five assorted shapes and abrasive types. Manufactured from aluminium oxide. Maximum running speeds working 7000-8000 r/min. Shank diameter 1/8". Display packed.

Stock No.
49294

BACKING PADS & DISCS



9 A4207P

RUBBER BACKING PAD (100mm)

For use with 100mm diameter cutting wheels and grinding discs. 3/8" UNF thread. Sold loose.

Stock No.
27940



10 D5B

RUBBER BACKING DISC (125mm)

Supplied with 6mm diameter arbor assembly. For use with 125mm diameter sanding discs. Display packed.

Stock No.
83815

NEW SIZE: 180MM DIA.



11

BACKING PADS

Backing pads for angle grinders. Supplied with locking flange nut. Display packed.

Stock No.	Part No.	For Discs Dia.	Thread
58608	APT8	100mm	M10 x 1.5
58609	APT9	115mm	M14
58620	APT11	125mm	M14
45976	APT124	180mm	M14



12 APT118

BACKING PAD (175mm)

For use with the angle polishers. M14 thread with hook and loop fixing. Packed in polythene bag with header card.

Stock No.
46294

NEW



1

POLISHING SPONGES

Polishing sponges for use with hook and loop backing pads. Designed for polishing, cutting and restoring paintwork.

Stock No.	Sponge Type	Sponge Colour	Size
02106	Ultra-Soft	Red	125mm
02107	Soft	Black	125mm
02108	Medium	Blue	125mm
02110	Firm	White	125mm
02111	Final Finish	Yellow	125mm
01792	Ultra soft	Red	150mm
01793	Soft	Black	150mm
01794	Medium	Blue	150mm
01795	Firm	White	150mm
01796	Course	Yellow	150mm
01786	Ultra soft	Red	180mm
01787	Soft	Black	180mm
01788	Medium	Blue	180mm
01790	Firm	White	180mm
01791	Course	Yellow	180mm

NEW



2 APT150M14

M14 POLISHING SPONGES (150mm)

Polishing sponges fitted with a backing pad and M14 thread arbor. Designed for polishing, cutting and restoring paintwork.

Stock No.	Sponge Type	Sponge Colour
01781	Ultra soft	Red
01782	Soft	Black
01783	Medium	Blue
01784	Firm	White
01785	Course	Yellow



3 APT121

POLISHING SPONGES (180mm)

For use with 180mm angle polishers. Hook and loop fixing. Packed in polythene bag with header card.

Stock No.	Sponge Type	Sponge Colour
46296	Heavy Cut	Red
46297	Medium Cut	Orange
46298	Light Cut	Blue
46299	Soft Polish	Green
46300	Final Finish	Black

QUALITY POLISHING SPONGES



4 SS5V

HOOK AND LOOP BACKED POLISHING SPONGE (125mm)

Packed in polythene bag with header card.

Stock No.
63469

NEW



5

LAMBSWOOL POLISHING BONNETS (125MM)

Polishing bonnets for use with 125mm polishing machines.

Stock No.	Attach Method
71937	Drawstring
71951	Hook and Loop



6 D2

LAMBSWOOL POLISHING BONNET (140mm)

Wool blend with drawstring. Display packed.

Stock No.
49212



7 APT119

HOOK & LOOP BACKED LAMBSWOOL POLISHING BONNET (175mm)

For use with the angle polishers. Wool blend with hook and loop fixing.
Packed in polythene bag with header card.

Stock No.
46295



8 APT83

COTTON POLISHING BONNET (240mm)

With drawstring. Packed in polythene bag with header card.

Stock No.
69489



9 APT17

LAMBSWOOL POLISHING BONNET (175mm)

Wool blend with drawstring. Display packed.

Stock No.
58667

10 APT84


LAMBSWOOL POLISHING BONNET (240mm)

With drawstring. Packed in polythene bag with header card.

Stock No.
69490








1 A4207

ALUMINIUM OXIDE SANDING DISCS (110mm)

Fibre backed. 16mm bore. For most 100mm sanders.

Order number of packs required. (10 discs per pack)

Stock No.	Grit Grade
29082	36
29083	60



2 APT10

ALUMINIUM OXIDE SANDING DISCS (115mm)

Fibre backed. 22mm bore. For most 115mm sanders.

Order number of packs required. (5 discs per pack)

Stock No.	Grit Grade
58610	36
58617	60
58618	80
58619	120

NEW




3 PTASD125

ALUMINIUM OXIDE SANDING DISCS (125mm)

Paper backed. For most 125mm sanders. Assorted pack comprises 4 x Medium, 3 x Coarse and 3 x Extra Coarse.

Order number of packs required. (5 discs per pack)

Stock No.	Grit Grade
35708	40G
35711	80G
35712	120G
71877	Assorted



4 SD5V

ALUMINIUM OXIDE SANDING DISCS (125mm)

Fibre backed, hole punched hook and loop. For most 125mm random orbital sanders. Assorted pack comprises 2 x 60, 4 x 80, 2 x 100 and 2 x 180 grit grades.

Order number of packs required. (10 discs per pack)

Stock No.	Grit Grade
63367	60
63368	80
63369	100
63370	120
63371	180
64040	240
44342	320
44344	400
63372	Assorted



5 SD6C

SELF ADHESIVE ALUMINIUM OXIDE SANDING DISCS (150mm)

For use with most 150mm sanders. Assorted pack comprises 1 x 60, 2 x 80, 1 x 100 and 1 x 120 grit grades.

Order number of packs required. (5 discs per pack)

Stock No.	Grit Grade
83861	60
83862	80
83863	100
83864	120
83860	Assorted



6 SD6AC

SELF ADHESIVE WHITE ALUMINIUM OXIDE SANDING DISCS (150mm)

A superior fast cutting self adhesive abrasive disc for surface preparation in metal fabrication and automotive refinishing workshops. Assorted pack comprises 2 x 60, 1 x 80, 1 x 180 and 1 x 320 grit grades.

Order number of packs required. (5 discs per pack)

Stock No.	Grit Grade
83867	80
83868	120
83865	Assorted



7 SD8VP

SELF-ADHESIVE HOOK AND LOOP BACKING PAD (200mm)

For mounting hook and loop backed sanding discs. Sold loose.

Stock No.
52612







8 SD8VB

HOOK AND LOOP ALUMINIUM OXIDE SANDING DISCS (200mm)

For use with Hook and Loop backing pad Stock No. 52612. Assorted pack comprises 1 x 60, 2 x 80, 1 x 100 and 1 x 120 grit grades.

Order number of packs required. (5 discs per pack)

Stock No.	Grit Grade
23354	60
23355	80
23358	100
23359	120
23360	Assorted



9 SD8C

SELF-ADHESIVE ALUMINIUM OXIDE SANDING DISCS (200mm)

For use with belt and disc sanders. Assorted pack comprises 1 x 60, 2 x 80, 1 x 100 and 1 x 120 grit grades.

Order number of packs required. (5 discs per pack)

Stock No.	Grit Grade
54666	60
54667	80
54679	100
54687	120
54665	Assorted




10 ARDS

HOOK AND LOOP ALUMINIUM OXIDE SANDING DISCS (230mm)

Aluminium oxide abrasive discs, supplied with hook and loop backing for use with hand radial sanders. Assorted pack comprises 2 x 80, 1 x 100 and 1 x 120 grit grades.

Order number of packs required. (5 discs per pack)

Stock No.	Grit Grade
72230	80
72231	100
72232	120
72233	Assorted



1 A4265

ALUMINIUM OXIDE SANDING BELTS (20 x 520mm)

Cloth backed. For use with Draper Compact Air Belt Sander Stock No. 61025 and other manufacturers similar machines. Sold loose.

Stock No.	Grit Grade
61240	40
61241	60
61242	80
61243	120



2 APT88B

ALUMINIUM OXIDE SANDING BELTS (50 x 686mm)

Cloth backed. For use with Bench Grinder with Sanding Belt and Worklight Stock No. 05096. Sold loose.

Stock No.	Grit Grade
36668	80
36669	120
36671	240



3 APT12C

ALUMINIUM OXIDE SANDING BELTS (75 x 533mm)

Cloth backed. For most hand-held belt sanders.

Packed three belts per pack.

Stock No.	Grit Grade
36080	40
36081	60
36082	80
36083	100
36084	120



4 SB436C

ALUMINIUM OXIDE SANDING BELTS (100 x 915mm)

Cloth backed. For use with most bench-type belt sanders. Assorted pack comprises 1 x 60, 1 x 80 and 1 x 120 grit grades.

Packed three belts per pack.

Order number of packs required. (3 belts per pack)

Stock No.	Grit Grade
36069	60
36071	80
36073	100
36074	120
36075	Assorted



5 APT130

ALUMINIUM OXIDE SANDING BELTS (100 x 1220mm)

Cloth backed. For use with Belt Linisher Stock No. 06791. Sold loose.

Stock No.	Grit Grade
38248	40
38249	60
38250	80
38251	100
38252	120



6 APT21


ALUMINIUM OXIDE SANDING SHEETS (92 x 232mm)

For most 1/3 sheet sanders. Assorted pack comprises 3 x 60, 4 x 80 and 3 x 120 grit grades.

Packed 10 sheets per pack.

Order number of packs required. (10 sheets per pack)

Stock No.	Grit Grade
59464	60
59465	80
59466	100
59467	120
59463	Assorted



7 APT29

ALUMINIUM OXIDE SANDING SHEETS (92 x 232mm)

For most 1/3 sheet sanders. Assorted pack comprises 3 x 60, 4 x 80 and 3 x 120 grit grades.

Packed 10 sheets per pack.

Order number of packs required. (10 sheets per pack)

Stock No.	Grit Grade
63630	60
63631	80
63632	100
63633	120
63634	Assorted



8 APT87


ALUMINIUM OXIDE SANDING SHEETS (115 x 145mm)

Hole punched. For most 1/4 sheet sanders. Assorted pack comprises 3 x 60, 4 x 80 and 3 x 120 grit grades.

Display packed 10 sheets per pack.

Order number of packs required. (10 sheets per pack)

Stock No.	Grit Grade
73523	60
73524	80
73525	100
73526	120
73522	Assorted



9 APT116

ALUMINIUM OXIDE SANDING SHEETS (90 x 187mm)

Hole punched with hook and loop fixing. Assorted pack comprises 3 x 60, 4 x 80 and 3 x 120 grit grades.

Packed ten sheets per pack.

Order number of packs required. (10 per pack)

Stock No.	Grit Grade
42617	60
42618	80
42619	100
42620	120
42621	Assorted

NEW



1 APT152

ALUMINIUM OXIDE FINGER SANDING SHEETS (67 x 22mm)

For use with Draper sanding machine (Stock No. 02063) and other manufacturers similar sanders. Made with hook and loop backing. Assorted pack comprises 1 x 60, 3 x 80, 3 x 120 and 3 x 240 grit grades.

Packed 10 sheets per pack.

Order number of packs required. (10 sheets per pack)

Stock No.	Grit Grade
02923	60
02926	80
02927	120
02928	240
02930	Assorted



3 APT18

ALUMINIUM OXIDE SANDING SHEETS (115 x 280mm)

For most 1/2 sheet sanders. Assorted pack comprises 3 x 60, 4 x 80 and 3 x 120 grit grades.

Packed 10 sheets per pack.

Order number of packs required. (10 sheets per pack)

Stock No.	Grit Grade
59105	60
59106	80
59107	100
59108	120
59109	Assorted



5 APT140B

ALUMINIUM OXIDE TRIANGULAR SANDING SHEETS (140 x 140 x 95mm)


For use with Tri-Palm Sanders. Hole punched, hook and loop backed. Assorted pack comprises 1 x 60, 3 x 80, 3 x 120 and 3 x 240 grit grades.

Packed 10 sheets per pack.

Order number of packs required. (10 sheets per pack)

Stock No.	Grit Grade
36060	60
36061	80
36062	120
36064	240
31977	Assorted

NEW



2 APT151

ALUMINIUM OXIDE TRIANGULAR SANDING SHEETS (140 x 140 x 95mm)

For use with Draper sanding machine (Stock No. 02063) and other manufacturers similar sanders. Made with 19 pre-punched holes and hook and loop backing. Assorted pack comprises 1 x 60, 3 x 80, 3 x 120 and 3 x 240 grit grades. **Packed 10 sheets per pack.**

Order number of packs required. (10 sheets per pack)

Stock No.	Grit Grade
02898	60
02912	80
02919	120
02920	240
02921	400
02922	Assorted



4 6504DP/10

ASSORTED GLASSPAPER SHEET PACK (115 x 280mm)

A general purpose abrasive 1/2 sheet for use on woodworking applications. Can be used with orbital sanders or hand sanding blocks.

Packed 10 sheets per pack.

Contents: 2 x P120; 4 x P60 and 4 x P40

Order number of packs required. (10 sheets per pack)

Stock No.
74881



6 APT32C


ALUMINIUM OXIDE TRIANGULAR SANDING SHEETS (93 x 93 x 93mm)

For use with Tri-Base (Detail) Sanders. Hole punched, hook and loop backed. Assorted pack comprises 1 x 60, 3 x 80, 3 x 120 and 3 x 240 grit grades.

Packed 10 sheets per pack.

Order number of packs required. (10 sheets per pack)

Stock No.	Grit Grade
50958	60
50959	80
50961	120
50962	240
50963	Assorted





7 ADS30

ABRASIVE DRUM SET (30 PIECE)

Five different sized drums suitable for use with any Draper variable speed drill or multi-tool or other manufacturers similar machines. Ideal for use in places with difficult access or confined areas. Supplied with 25 abrasive sleeves. Packed in blow mould case with display sleeve.

Contents: • Sanding drum 12 x 12mm with 3mm arbor • Sanding drum 18 x 25mm with 6mm arbor • Sanding drum 25 x 25mm with 6mm arbor • Sanding drum 38 x 38mm with 6mm arbor • Sanding drum 50 x 38mm with 6mm arbor • 10 fine grade abrasive sleeves • 15 coarse grade abrasive sleeves

Stock No.
40885

NEW



1 PCCW1/B

POLYCARBIDE ABRASIVE DISC (115mm)

Ideal for use with angle grinders for automotive, engineering, DIY, marine and other applications for removing paint/rust and other flaking materials. The self-cleaning, 115mm disc has a 22.2mm bore and made from nylon, impregnated with silicon carbide. Designed for surface preparation and conditioning, suitable for rust removal, scale, epoxy paints, varnish, light weld splatter and finishing fibreglass.

Stock No.	Dia x Bore	Max. Speed
80665	115 x 22.2mm	6500 r/min

POLYCARBIDE DISCS





2 PCPD1A

POLYCARBIDE ABRASIVE DISC (100mm)

Ideal for use with power tools for automotive, engineering, DIY and other applications for the removal of paint/rust and other flaking materials. Nylon woven cord with a polyurethane coating impregnated with silicon carbide. Display packed.

Stock No.	Dia. x Bore	Max. Speed
80664	100 x 13mm	6000r/min

NEW




3 PTAFW

ABRASIVE FLAP WHEELS

For use with power drills or with flexible shafts on flat or contoured surfaces. Ideal for stripping paint, metals, filler and varnish. Suitable for use on metal, fibreglass, filler, plastic and wood.

Stock No.	Wheel Grade	Wheel Diameter	Wheel Thickness
71826	80	50mm	20mm
76452	60	50mm	20mm
76456	40	50mm	20mm
71919	80	60mm	30mm
76465	60	60mm	30mm
76466	40	60mm	30mm
76467	80	80mm	30mm
76468	60	80mm	30mm
76485	40	80mm	30mm




4 APT146

ALUMINIUM OXIDE FLAP DISCS (115mm)

Manufactured to BS EN 12413 Specifications

Expert Quality, 115mm Aluminium Oxide tapered flap discs, ideal for grinding and finishing ferrous or non-ferrous metals. Manufactured from fibre backed abrasive sheet, which is securely fixed to a reinforced backing disc with a chrome plated metal centre with a 22.2mm bore. Achieves a longer life when compared to resin fibre discs.

Stock No.	Grade
30722	40
30745	60
30746	80



5

ZIRCONIUM OXIDE FLAP DISCS

Manufactured to BS EN 12413 Specifications

Expert Quality, Zirconium Oxide tapered flap discs, ideal for grinding and finishing ferrous or non-ferrous metals. Manufactured from fibre backed abrasive sheet, which is securely fixed to a reinforced backing disc with a chrome plated metal centre with a 22.2mm bore. Achieves a longer life when compared to resin fibre discs.

Stock No.	Grade	Size
30750	40	100mm
30775	60	100mm
30787	80	100mm
30812	40	115mm
30820	60	115mm
30850	80	115mm
30851	40	125mm
30852	60	125mm
30853	80	125mm

CHUCK KEYS



6 MK4

4 WAY CHUCK KEY

Convenient four armed chuck key to fit type 1, 2, 3 and 4 chucks. Display packed.

Stock No.
43862



7 DK10

CHUCK KEY

Type 1 chuck key with 11 gear teeth suitable for light duty chucks with 6mm (approx.) pilot hole. Can be used with all chucks with the above specification. SAE 1008 steel hardened and tempered. Display packed.

Stock No.
92451



8 DK30

CHUCK KEY

Type 1 chuck key with 10 gear teeth suitable for medium to heavy duty chucks with 6mm (approx.) pilot hole. Can be used with all chucks with the above specification including machine tool chucks (lathes, pillar drills etc.) SAE 1008 steel hardened and tempered.
Display packed.

Stock No.
92485



9 DK60

CHUCK KEY

Type 3 chuck key with 11 gear teeth suitable for heavy duty chucks with 8mm (approx.) pilot hole. Can be used with all chucks with the above specification including machine tool chucks (lathes, pillar drills etc.).
Display packed.

Stock No.
76984



1

GEARED DRILL CHUCKS FOR MAINS, CORDLESS AND AIR DRILLS

For use with most manufacturers rotary, hammer and air powered drills. Display packed.

Stock No.	Part No.	Capacity x Thread
75290	APT206A	10mm x 3/8" x 24UNF
75292	APT204A	13mm x 3/8" x 24UNF
75294	APT201A	13mm x 1/2" x 20UNF



2

KEYLESS CHUCKS FOR MAINS AND CORDLESS DRILLS

For use with most manufacturers rotary and hammer drills. Carton packed.

Stock No.	Part No.	Capacity x Thread
75281	APT205A	10mm x 3/8" x 24UNF
75282	APT203A	13mm x 3/8" x 24UNF
75286	APT200A	13mm x 1/2" x 20UNF



3 APT207

KEYLESS METAL CHUCK SLEEVE FOR MAINS AND CORDLESS DRILLS

For use with most manufacturers rotary and hammer drills. Carton packed.

Stock No.	Capacity x Thread
14744	13mm x 1/2" x 20UNF



4 SLEEVE

KEYLESS PLASTIC CHUCK SLEEVE FOR MAINS AND CORDLESS DRILLS

For use with most manufacturers rotary and hammer drills. Carton packed.

Stock No.	Capacity x Thread
75280	10mm x 3/8" x 24UNF




5 APT104

ACCESSORY KIT FOR MULTI-TOOLS (200 PIECE)

Various accessories for Draper Multi-Tools and other manufacturers similar machines. Display packed in storage case.

Contents include: Grinding points, polishing wheels, cutter/milling points, grinding wheels, cutting wheels, sanding drums, HSS drill bits and brush wheels.

Stock No.
88626



6 APT127

DIAMOND BURR SET (30 PIECE)

Diamond coated burr set with 1/8" shank. Suitable for use with many materials, including ceramics, glass, plastic, fibreglass, steel, aluminium and wood. Display packed.

Stock No.
45001



7 DPP2

DRILL POWERED PUMP

Plastic bodied pump for use with portable electric drill of 400W or more. Acetal copolymer body with stainless steel internal parts. Running speed 2000-3000r/min. Delivery rate approximately 2497-2591 litres per hour. Maximum head height 15M. Supplied with 1 set of spare washers and vanes. Bore I/D 16mm. Display packed.

Not suitable for use with volatile solutions, i.e glycol, methyl, etc.

Stock No.
33081



8 DPP1

DRILL POWERED PUMP

Bakelite body with rubber turbine for durability. Pumping capacity 1000L per hour. Supplied with two 13mm adaptors for 6.5mm diameter pipe. Display packed.

Stock No.
18937



9 DS1

DRILL STAND

- For use with Draper power drills 83583, 83584 and 83585; supplied with reducing bush.
- Solid column bar and sturdy base with slots for fitting machine vice
- Features depth adjustment scale and stop

Column height	540mm
Column diameter	24mm
Depth of feed	65mm
Collar diameter	43mm or 38mm
Base plate	170 x 250mm
Weight	6.9kg

Stock No.
54488

1 OMTK14

OSCILLATING TOOL BLADE KIT (14 PIECE)

Universal oscillating multi-tool blades, all manufactured to meet the demands of the professional from the highest quality metal. Suitable for use with Draper and other manufactures oscillating multi-tools. Supplied in resilient and convenient storage case. Display packed.

Contents:

1 - 34 x 34 x 92mm Gear grinding wood saw blade
1 - 34 x 34 x 92mm Fine wood saw blade
1 - 34 x 34 x 92mm Bi-metal saw blade
1 - 34 x 34 x 92mm Bi-metal saw blade
1 - 52.5 x 79mm Stainless steel scraper
1 - 50.5 x 72mm Stainless steel scraper
1 - 34 x 34 x 92mm Stainless steel saw blade
1 - 34 x 20 x 92mm Stainless steel saw blade
1 - 34 x 10 x 92mm Stainless steel Saw blade
1 - 80mm HSS Half-moon blade
1 - 80 x 80 x 80mm Carbide grit
1 - 63.5 Carbide grind Round, 2 - Adaptors



Stock No.
63511

PRODUCT LOCATOR

See page 414 for the Draper 83650 quick release oscillating multi-tool, compatible for use with the blades on the right.





17143 17145 17152 17141 17146

2

QUICK RELEASE OSCILLATING MULTI-TOOL ACCESSORIES

Suitable for Draper quick release oscillating multi-tool Stock No. 83650 and other manufactures similar machines.

Stock No.	Description
17143	32mm Plunge Cutter
17145	Carbide Tipped Saw Blade
17152	Sanding Pad
17141	Sanding Sheets
17146	HSS Circular Saw Blade

UNIVERSAL ACCESSORIES FOR OSCILLATING TOOLS

Universal fit blades are suitable for most other manufacturers similar machines; including Bosch, Skil, Worx, AEG, Ryobi, Milwaukee, Makita and Fein. *NB: The above manufacturers may change their fitment method, this may effect the fitment of these accessories. For example the blades are not suitable for Fein or Bosch quick release systems.

3

UNIVERSAL ACCESSORIES FOR OSCILLATING TOOLS

Universal mount accessories for Draper oscillating tool Stock No. 23666 and other manufacturers similar machines*.

Stock No.	Description	Size
26057	HSS Segment Saw Blade	63mm dia. x 18tpi
26072	HSS Segment Saw Blade	88mm dia. x 18tpi
26073	HSS Circular Saw Blade	63mm dia. x 18tpi
26074	HSS Circular Saw Blade	88mm dia. x 18tpi
26075	HSS Circular Saw Blade	85mm dia. x 18tpi
26079	HSS Circular Saw Blade	85mm dia. x 18tpi
26080	Flexible Scraper Blade	51.5 x 73mm
26083	Rigid Scraper Blade	51.5 x 73mm
26085	Caulk Removal Blade	10-28 x 50mm
26086	Triangular Carbide Rasp	79.5 x 79.5 x 79.5mm
26087	Carbide Rasp	35 x 45 x 45mm
26088	Carbide Tipped Saw Blade	65mm dia.
26093	Diamond Segment Saw Blade	65mm dia.
26097	Sanding Finger	35 x 45 x 45mm
26098	Sanding Finger Sheet (10)	50 x 50 x 36mm
26101	Sanding Pad	90 x 90 x 90mm
26106	Sanding Pad Sheets (10)	90 x 90 x 90mm
26108	HCS Plunge Cutter	10mm, 20tpi
26110	HCS Plunge Cutter	20mm, 18tpi
26114	HCS Plunge Cutter	32mm, 18tpi
26115	HCS Str Flush Cutter	32mm, 14tpi
26116	HCS Precision Cutter	68mm, 14tpi
26117	Bi-Metal Plunge Cutter	10mm, 20tpi
26118	Bi-Metal Plunge Cutter	20mm, 18tpi
26119	Bi-Metal Plunge Cutter	32mm, 18tpi
26124	Bi-Metal Step Saw Blade	36mm, Step 22mm x 18tpi
26128	Bi-Metal Wing Devil Saw Blade	36 x 22mm x 18tpi
26129	Bi-Metal Wing Devil Saw Blade	36 x 30mm x 18tpi
26130	HSS Segment Saw Blade	66mm x 18tpi
26807	Diamond Segment Saw Blade	85mm dia.
26808	Double Sided Sanding Finger	36 x 45 x 45mm
26809	HSS Segment Carpet Cutter	100mm dia.



26057 26072 26073 26074 26075 26079
26080 26083 26085 26086 26087 26088
26093 26097 26098 26101 26106 26108
26110 26114 26115 26116 26117 26118
26119 26124 26128 26129 26130 26807
26808 26809

RCD PROTECTION

"DAVE SAYS" QUALITY MAKES THE DIFFERENCE



When using electrical devices it's essential they're connected to the electrical supply through a RCD. Essentially an RCD detects when the electric current is unbalanced between the phase and neutral conductors. Such an imbalance can be caused by current leakage through a person who's accidentally touching a live circuit, potentially causing an lethal shock. RCD's are designed to disconnect the power supply when this happens, ensuring no electric shocks.



1 RCD3

RCD ADAPTOR

Tested to BS 1363 and IEC 61540

- Tested to BS 1363 and IEC 61540
- Double pole RCD contact break
- For standard 13A socket
- Rated trip current 30mA
- Trip speed 30Ms (typical)

Rated voltage	230 - 250V/AC
Load	3120W (max.)
Maximum operating current	13A
Rated trip current	30mA
Trip speed	30mS (typical)

Stock No.
69307

NEW



2 MT3B

24 HOUR MECHANICAL TIMERS (PACK OF 3)

48 on/off settings per 24 hours. Minimum setting time 30 minutes. Manual override switch. Rated 8A/2000W. Correctly used this timer can save the user energy and money. Display packed in threes.

Order number of packs required. (3 per pack)

Stock No.
02118





3 DT2

7 DAY DIGITAL TIMERS (PACK OF 2)

140 programmable on/off settings per week, countdown and random functions. AM, PM or 24 hour settings. Battery back up. Rated 8A/2000W. Correctly used this timer can save the user energy and money. Display packed in twos.

Order number of packs required. (2 per pack)

Stock No.
44912



4 TPE

EUROPEAN TRAVEL ADAPTORS (PACK OF 2)

Conforms to BS5733

Allows UK and ROI three pin plugs to be used in European round two-pin sockets. Maximum current 10A. Packed two per display pack.

Order number of packs required. (2 per pack)

Stock No.
90061



5 TPF

UK/IRELAND PLUG ADAPTOR

Conforms to BS1363

Allows all non UK/Ireland 2 pin plugs to work in UK and Ireland three pin plug sockets. Display packed.

Stock No.
26447



6

4-WAY EXTENSION LEADS

Manufactured to BS1363 Specifications and BSI Approved

This slimline design is suitable for use with all household appliances including computers and peripherals up to and including 13A. Fitted with 13A fused three pin plug. Packed in polythene bag with header card.

Stock No.	Part No.	Cable Length
72716	ES4/1A	1M
26458	ES4/1B	5M



7

6 WAY SURGE PROTECTED EXTENSION LEADS

Complies with BS1363 specifications. BSI Approved

Suitable for use with all household appliances. The anti-surge feature helps to avoid current 'spikes' damaging computers and delicate electronics. Fitted with 13A fused three pin plug. Display packed.

Stock No.	Part No.	Cable Length
26534	ES6/075	0.75M
26536	ES6/2	2.0M



8 ES10/2T

10 WAY DOUBLE SIDED SURGE PROTECTED EXTENSION LEAD

Complies with BS1363 specifications. BSI Approved

Suitable for use with all household appliances. The anti-surge feature helps to avoid current 'spikes' damaging computers and delicate electronics. Supplied with base enabling the unit to be stored upright. Fitted with 2M (approx.) of cable and 13A fused three pin plug. Display packed.

Stock No.
26537



1

RETRACTABLE ELECTRIC CABLE REELS

Integral ceiling/wall bracket with easily detachable impact resistant case. The bracket swivels through 180° helping keep work spaces free from unwanted lengths of cable. Fitted with thermal cut out switch and patented position lock which allows the user to stop the cable at any point. Supplied with 1.5mm² cable.

Stock No.	Part No.	Length
15051	RCR10	10M
15052	RCR20	20M



NEW



2 DCR25HDA

230V HEAVY DUTY INDUSTRIAL FOUR SOCKET CABLE REEL (25M)

Complies with BS1363A and EN61242 Specifications

Industrial quality four socket cable reel. Attached with a metal frame and easy wind action. Fitted with thermal cut out switch. 2.5mm² cable. Fitted with approved plug. Sold loose.

***Maximum load fully unwound 13A, 3600W**

Stock No.	Cable Length
02122	25M Reel

NEW



3

230V FOUR SOCKET INDUSTRIAL CABLE REELS

Complies with BS1363A and EN61242 Specifications

Industrial quality with a four socket plate. Sturdy metal frame with easy wind handle. Fitted with thermal cut out switch. 25M cable reel has 1.25mm² cable and 50M cable reel has 1.5mm² cable. Fitted with approved plug. Sold loose.

***Maximum load fully unwound 13A, 3120W**

Stock No.	Part No.	Cable Length
02121	DCR2513ID	25M Reel
02120	DCR5013ICE	50M Reel

NEW



4 DCR2513E

230V FOUR SOCKET CABLE REELS

Complies with BS1363A and EN61242 Specifications

Four socket cable reel attached with a sturdy plastic case with integrated carry handle and easy wind action. Fitted with thermal cut out switch. 1.25mm² cable. Fitted with approved plug. Sold loose.

***Maximum load fully unwound 13A, 3120W**

Stock No.	Part No.	Cable Length
02127	DCR1510D	15M Reel
02119	DCR2513E	25M Reel

NEW



5 DCR1010D

230V TWIN SOCKET CABLE REEL

Complies with BS1363A and EN61242 Specifications

Robust, easy wind action with built-in hand grip and twin socket. Fitted with a thermal cut out switch. 1.25mm² cable. Fitted with approved plug. Sold loose.

***Maximum load fully unwound 13A, 3120W**

Stock No.	Cable Reel Length
02126	10M Reel



"DAVE SAYS" QUALITY MAKES THE DIFFERENCE

Our 230V cable reels comply with the latest EN61242 standard. This standard requires all cable reels are fitted with an integral thermal cut-out switch. The switch provides the user with added safety while ensuring the cable reel is also protected against electrical burn out, thus prolonging the life of the cable.



THERMAL CUT-OUT



1

230V EXTENSION CABLES WITH PLUG AND SOCKET (16A)

Complies to EN60309-1 and BS6500

14M (approx.) long with 16A approved plug and 16A socket. Spare approved plugs and sockets are available separately.

Stock No.	Part No.	Description
17568	EL241A	Cable-1.5mm²
17569	EL241B	Cable-2.5mm²
63720	230VSP16	16A Plug
63723	230VSS16	16A Socket



2 240VFL1

230V ADAPTOR LEAD (16A PLUG TO 13A SOCKET)

Complies to EN50250 and EN60309

Ideal for powering 13A appliances from a 16A three pin approved plug. Packed in polythene bag.

Stock No.
17573



3 240VMP1

230V ADAPTOR (16A PLUG TO 13A SOCKET)

Complies to BS1363

13A socket with 16A approved plug. Packed in polythene bag.

Stock No.
17574





4

230V SITE SOCKETS

Complies to EN60309

IP44 rated 230V site plugs, manufactured to EN60309 specifications.

Stock No.	
63723	16A
63725	32A



5

230V SITE PLUGS

Complies to EN60309

IP44 rated 230V site plugs, manufactured to EN60309 specifications.

Stock No.	
63720	16A
63722	32A



6 230VSSP16

230V 3 WAY SPLITTER (16A)

Complies to EN60309-1 and BS6500

For use with site transformers allowing up to three tools to be powered from one socket. Three 16A sockets attached to a 16A plug.

Stock No.
63940

NEW



1 DCR25/110B

110V TWIN SOCKET CABLE REEL (25M)

Complies with EN61242 and EN60309 Specifications

Robust, easy wind action with built-in hand grip and twin childproof socket outlets, gated for safety. Fitted with thermal cut out switch and attached to a metal frame. 1.5mm² cable. Fitted with approved plug. Sold loose.

***Maximum load fully unwound 16A, 1750W**

Stock No.	Cable Reel Length
02124	25M Reel



2

110V EXTENSION CABLES WITH PLUG AND SOCKET

Complies to EN60309-1 and BS6500

For use with Draper Site Transformers and other manufacturers similar transformers. 14M (approx.) long with 16A plug and 16A socket. Spare plugs and sockets are available separately.

Stock No.	Part No.	Description
17570	EL110A	Cable-1.5mm²
17571	EL110B	Cable-2.5mm²
63674	110VSP	Plug
63779	110V SOCKET	Socket





3 110VSB

110V 4 WAY JUNCTION BOX

Complies to EN60309-1 and BS6500

For use with site transformers allowing up to four tools to be powered from one transformer. Four 16A sockets and 16A plug with 3M of 1.5mm² arctic cable.

Stock No.
63678



4

110V SITE SOCKETS

Complies to EN60309

IP44 rated 110V site plugs, manufactured to EN60309 specifications.

Stock No.	Amps
63677	16A
63676	32A



5

110V SITE PLUGS

Complies to EN60309

IP44 rated 110V site plugs, manufactured to EN60309 specifications.

Stock No.	Amps
63674	16A
63675	32A



6 110VSSP16

110V 3 WAY SPLITTER (16A)

Complies to EN60309-1 and BS6500

For use with site transformers allowing up to three tools to be powered from one socket. Three 16A sockets attached to a 16A plug.

Stock No.
63924



1 DPT1000/1B

1KVA 230V to 110V PORTABLE SITE TRANSFORMER

Complies to EN61000, EN61558 and IP44

- Built with a tough corrosion-resistant case
- Fitted with thermal overload protection
- Two 16A sockets
- Ideal for use with all 110V power tools and halogen lighting up to 100W
- Fitted with 2M (approx.) cable and approved plug

Input voltage	230V
Output voltage	110V
Output amperage	16A
Intermittent rating	1kVA
Continuous duty rating	@ 60% (600W)
No. of 16A sockets	Two
Weight (approx.)	10.5kg

Stock No.
31262



2 DPT1500/2B

1.5kVA 230V to 110V PORTABLE SITE TRANSFORMER

Complies to EN61000, EN61558 and IP44

- Built with a tough corrosion-resistant case
- Full copper windings
- Fitted with thermal overload protection
- Two 16A sockets
- Ideal for use with all 110V power tools and halogen lighting up to 1500W
- Fitted with 2M (approx.) cable and approved plug

Input voltage	230V
Output voltage	110V
Output amperage	16A
Intermittent rating	1.5kVA
Continuous duty rating	@ 60% (900W)
No. of 16A sockets	Two
Weight (approx.)	11kg

Stock No.
31263



3 DPT3300/2B

3.3kVA 230V to 110V PORTABLE SITE TRANSFORMER

Complies to EN61000, EN61558 and IP44

- Built with a tough corrosion-resistant case
- Fitted with thermal overload protection
- Two 16A sockets
- Ideal for use with all 110V power tools and halogen lighting
- Fitted with 2M (approx.) cable and approved plug

Input voltage	230V
Output voltage	110V
Output amperage	16A
Intermittent rating	3.3kVA
Continuous duty rating	@ 50% (1650W)
No. of 16A sockets	Two
Weight (approx.)	17.5kg

Stock No.
31264

NEW



4 DPT5000

5kVA 230V to 110V PORTABLE SITE TRANSFORMER

Complies to EN61000, EN61558 and IP44

- Built with a tough corrosion-resistant case
- Fitted with thermal overload protection
- One 32A socket
- Two 16A sockets
- Ideal for use with all 110V power tools and halogen lighting
- Fitted with 1M (approx.) cable and approved plug

Input voltage	230V
Output voltage	110V
Output amperage	16/32A
Intermittent rating	5kVA
Continuous duty rating	@ 50% (3kVA)
No. of 16A sockets	2
No. of 32A sockets	1
Weight (approx.)	31.40kg

Stock No.
01061





section 13

STORAGE, HANDLING & ACCESS EQUIPMENT

462-470 Expert Storage Chests and Cabinets
471-481 Draper Storage Chests and Cabinets
482 Magnetic Holders
483 Contractors Storage Boxes
484-487 Tool Boxes
488 Storage Totes and Trolleys
489-491 Organisers
492 Lockers/Cabinets
493-494 Shelving
495-499 Tool Bags, Rolls, Belts and Pouches
500-502 Sack Trucks
503 Trestles
504-505 Workbenches
505-508 Ladders and Platforms
509-521 Tool Kits

STORAGE AND HANDLING

HOW WE MEASURE OUR TOOL BOXES

TOOL BOX DIMENSIONS - The measurements shown in this catalogue are approximate and shown as the following: Length (L), Width (W), and Height (H), and are shown in the information below each catalogue entry.

STEEL TOOL BOXES AND CABINETS - The drawers and storage space are measured showing "internal" dimensions. This provides accurate assessment of the area inside for products - as the steel used to make the metal boxes can be up to 3 or 4mm thick.

PLASTIC TOOL BOXES, STEEL STORAGE CABINETS AND TOOL CASES - These are measured showing the "external" dimension. Generally these are made from thinner materials and the internal measurement is not as critical.

NB: All dimensions can vary during production.



EXPERT STORAGE CHESTS AND CABINETS

Pages 462-470




CONTRACTORS STORAGE BOXES

Pages 483



TOOL BOXES

Pages 484-487



DRAPER STORAGE CHESTS AND CABINETS

Pages 471-481



STORAGE TOTES AND TROLLIES

Pages 488



STORAGE AND HANDLING

ORGANISERS

Pages 489-491



LOCKERS/CABINETS

Pages 492



SHELVING

Pages 493-494



TOOL BAGS, ROLLS, BELTS AND POUCHES

Pages 495-499



SACK TRUCKS

Pages 500-502



TRESTLES

Pages 503



WORKBENCHES

Pages 504-505



LADDERS AND PLATFORMS

Pages 505-508



TOOL KITS

Pages 509-521





NEW

1 TC4LC/72C

72" TOOL CHEST (4 DRAWER)

Expert Quality, four drawer locker top tool chest. Manufactured from thick sheet steel with a protective powder coated finish. Drawers are fitted with an aluminium trim, 3mm EVA foam linings, heavy duty auto retention ball bearing runners delivering a smoother operation and a secure locking system supplied with two keys. The reinforced lid is fitted with supportive gas struts and two soft grip handles. Each tool chest is also supplied with a 6mm EVA top mat. Carton packed on pallet. Configuration of drawers (L x W x H) • 2 drawers - 889 x 506 x 50mm • 1 drawer - 889 x 506 x 104mm • 1 drawer - 384 x 506 x 104mm • 1 Locker • Overall size - 1815 x 550 x 580mm

Stock No.	Dimensions L x W x H
14587	1815 x 550 x 580mm



NEW

2 RC11C/72C

72" ROLLER TOOL CABINET (11 DRAWER)

Expert Quality, eleven drawer professional roller cabinet attached with an additional pull out locker with internal storage. Fitted with spring loaded suspension fixed to braked and swivelling castors and soft grip handles for easy manoeuvrability. Manufactured from thick sheet steel with a protective powder coated finish. Drawers are fitted with an aluminium trim, 3mm EVA foam linings, heavy duty auto retention ball bearing runners delivering a smoother operation and a secure locking system supplied with two keys. Each tool cabinet is also supplied with a 10mm EVA top mat. Carton packed on pallet. Configuration of drawers (L x W x H) • 1 Drawer - 1344 x 506 x 131mm • 3 Drawers - 889 x 506 x 77mm • 2 Drawers - 889 x 506 x 104mm • 1 Drawer - 889 x 506 x 190mm • 2 Drawers - 397 x 506 x 77mm • 1 Drawer - 397 x 506 x 185mm • 1 Drawer - 397 x 506 x 298mm • 1 Pull out locker with internal storage • Overall size - 1830 x 560 x 1130mm

Stock No.	Dimensions L x W x H
14588	1830 x 560 x 1130mm

NEW



3 *TC4LC/TC11C/72

72" COMBINED ROLLER CABINET AND TOOL CHEST (15 DRAWER)

Expert Quality, fifteen drawer, professional combined roller cabinet and tool chest. Attached with an additional pull locker with internal storage. Fitted with spring loaded suspension fixed to braked and swivelling castors and soft grip handles for easy manoeuvrability. The reinforced lid is fitted with supportive gas struts and two soft grip handles. Manufactured from thick sheet steel with a protective powder coated finish. Drawers are fitted with an aluminium trim, 3mm EVA foam linings, heavy duty auto retention ball bearing runners and a secure locking system supplied with two keys. Each tool cabinet is supplied with a EVA top mat. Carton packed on pallet.

Configuration of drawers (L x W x H)


- 3 Drawers - 889 x 506 x 77mm
- 2 Drawers - 889 x 506 x 104mm
- 2 drawers - 889 x 506 x 50mm
- 2 Drawers - 397 x 506 x 77mm
- 1 Drawer - 1344 x 506 x 131mm
- 1 Drawer - 889 x 506 x 190mm
- 1 drawer - 889 x 506 x 104mm
- 1 Drawer - 397 x 506 x 298mm
- 1 Drawer - 397 x 506 x 185mm
- 1 drawer - 384 x 506 x 104mm
- 1 Pull out locker
- 1 Locker
- Overall size - 1830 x 560 x 1690mm

Stock No.	Dimensions L x W x H
11174	1830 x 560 x 1690mm

FEATURES OF 72" CABINETS AND TOOL CHESTS



Supplied with 2 keys



Fitted with heavy duty ball bearing runners



Castors fitted with shock absorbers



Lid fitted with pneumatic struts



Aluminium drawer trim



NEW

1 TC5C/56C

56" TOOL CHEST (5 DRAWER)

Expert Quality, five drawer top tool chest. Manufactured from thick sheet steel with a protective powder coated finish. Drawers are fitted with an aluminium trim, 3mm EVA foam linings, heavy duty auto retention ball bearing runners delivering a smoother operation and a secure locking system supplied with two keys. The reinforced lid is fitted with supportive gas struts and two soft grip handles. Each tool chest is also supplied with a 6mm EVA top mat. Carton packed on pallet. Configuration of drawers (L x W x H) • 2 drawers - 398 x 458 x 50mm • 1 drawer - 398 x 458 x 104mm • 2 drawers - 865 x 458 x 104mm • Overall size - 1410 x 500 x 580mm

Stock No.	Dimensions L x W x H
14585	1410 x 500 x 580mm



NEW

2 RC11C/56C

56" ROLLER TOOL CABINET (11 DRAWER)

Expert Quality, eleven drawer professional roller cabinet, fitted with fixed and braked swivelling castors and soft grip pulling handles for easy manoeuvrability. Manufactured from thick sheet steel with a protective powder coated finish. Drawers are fitted with an aluminium trim, 3mm EVA foam linings, heavy duty auto retention ball bearing runners delivering a smoother operation and a secure locking system supplied with two keys. Each tool cabinet is also supplied with a 10mm EVA top mat. Carton packed on pallet.
Configuration of drawers (L x W x H)
• 1 Full width drawer - 1323 x 458 x 131mm • 1 Drawer - 398 x 458 x 77mm
• 2 Drawer - 398 x 458 x 131mm • 1 Drawer - 398 x 458 x 298mm
• 3 Drawer - 873 x 458 x 77mm • 2 Drawer - 873 x 458 x 104mm
• 1 Drawer - 873 x 458 x 190mm • Overall size - 1422 x 510 x 1130mm

Stock No.	Dimensions L x W x H
14586	1422 x 560 x 1130mm

NEW



3 *TC5C/RC11C/56C

56" ROLLER TOOL CABINET AND TOOL CHEST (16 DRAWER)


Expert Quality, sixteen drawer, professional combined roller cabinet and tool chest. Attached with spring loaded suspension fixed to braked and swivelling castors and soft grip pulling handles for easy manoeuvrability. The reinforced lid is fitted with supportive gas struts and two soft grip handles. Manufactured from thick sheet steel with a protective powder coated finish. Drawers are fitted with an aluminium trim, 3mm EVA foam linings, heavy duty auto retention ball bearing runners delivering a smoother operation and a secure locking system with two keys. Each tool cabinet is also supplied with a EVA top mat. Carton packed on pallet.
Configuration of drawers (L x W x H)
• 3 Drawer - 873 x 458 x 77mm
• 2 Drawer - 398 x 458 x 131mm
• 2 drawers - 398 x 458 x 50mm
• 2 Drawer - 873 x 458 x 104mm
• 2 drawers - 865 x 458 x 104mm
• 1 Full width drawer - 1323 x 458 x 131mm
• 1 Drawer - 873 x 458 x 190mm
• 1 Drawer - 398 x 458 x 298mm
• 1 drawer - 398 x 458 x 104mm
• 1 Drawer - 398 x 458 x 77mm
• Overall size - 1422 x 510 x 1690mm

Stock No.	Dimensions L x W x H
11402	1422 x 510 x 1690mm

FEATURES OF 56" CABINETS AND TOOL CHESTS



Supplied with 2 keys



Fitted with heavy duty ball bearing runners



Castors fitted with shock absorbers



Lid fitted with pneumatic struts



Aluminium drawer trim

NEW DRAPER EXPERT 42" TOOL CHESTS AND ROLLER CABINETS

Featuring
- Ball bearing runners on all drawers
- Fitted with secure locks and supplied with 2 keys
- Rubber castors
- Lids attached with pneumatic struts
- Attractive aluminium drawer trims



Stock No.14444 TC7C/42C

Stock No.14494 TC4C/42C

Stock No.14527 TC4LC/42C

Stock No.14583 RC12C/42C


Stock No.14580 RC8C/42C

Stock No.14546 RC6LC/42C

FEATURES OF 42" CABINETS AND TOOL CHESTS



Supplied with 2 keys



Fitted with heavy duty ball bearing runners



Rubber castors



Lid fitted with pneumatic struts



Aluminium drawer trim

NEW



1 TC7C/42C

42" TOOL CHEST (7 DRAWER)

Expert Quality, seven drawer top tool chest. Manufactured from thick sheet steel with a protective powder coated finish. Drawers are fitted with an aluminium trim, 3mm EVA foam linings, heavy duty auto retention ball bearing runners delivering a smoother operation and a secure locking system supplied with two keys. The reinforced lid is fitted with supportive gas struts and two soft grip handles. Each tool chest is also supplied with a 6mm EVA top mat. Carton packed on pallet. Configuration of drawers (L x W x H) • 1 drawer - 352 x 408 x 158mm • 2 drawers - 352 x 408 x 50mm

• 2 drawers - 583 x 408 x 50mm • 2 drawers - 583 x 408 x 77mm

• Overall size - 1055 x 450 x 626mm

Stock No.	Dimensions L x W x H
14444	1055 x 450 x 626mm

NEW



2 RC6LC/42C

42" ROLLER TOOL CABINET WITH SIDE LOCKER (6 DRAWER)

Expert Quality, six drawer roller cabinet with an additional pull out locker with internal storage. Fitted with fixed and braked swivelling castors and soft grip handles for easy manoeuvrability. Manufactured from thick sheet steel with a protective powder coated finish. Drawers are fitted with an aluminium trim, 3mm EVA foam linings, heavy duty auto retention ball bearing runners delivering a smoother operation and a secure locking system supplied with two keys. Each tool cabinet is also supplied with a 6mm EVA top mat. Carton packed on pallet. Configuration of drawers (L x W x H). • 1 Full width drawer - 986 x 408 x 131mm • 1 Drawers - 591 x 408 x 320mm • 1 Drawer - 591 x 408 x 104mm • 3 Drawers - 591 x 408 x 77mm • 1 x Pull out locker with internal storage

• Overall size - 1067 x 460 x 1099mm

Stock No.	Dimensions L x W x H
14546	1067 x 460 x 1099mm

NEW



3 *TC7C/RC6LC/42C

42" COMBINED ROLLER CABINET AND TOOL CHEST (13 DRAWER)

Expert Quality, thirteen drawer, professional combined roller cabinet and tool chest. Attached with braked and swivelling castors and soft grip handles for easy manoeuvrability. The reinforced lid is fitted with supportive gas struts and two soft grip handles. Manufactured from thick sheet steel with a protective powder coated finish. Drawers are fitted with an aluminium trim, 3mm EVA foam linings, heavy duty auto retention ball bearing runners delivering a smoother operation and a secure locking system with two keys. Each tool cabinet is also supplied with a EVA top mat. Carton packed on pallet. Configuration of drawers (L x W x H)

• 3 Drawers - 591 x 408 x 77mm
• 2 drawers - 583 x 408 x 77mm
• 2 drawers - 583 x 408 x 50mm
• 2 drawers - 352 x 408 x 50mm
• 1 Full width drawer - 986 x 408 x 131mm
• 1 Drawers - 591 x 408 x 320mm
• 1 Drawer - 591 x 408 x 104mm
• 1 drawer - 352 x 408 x 158mm
• 1 x Pull out locker with internal storage
• Overall size - 1067 x 460 x 1725mm

Stock No.	Dimensions L x W x H
11505	1067 x 460 x 1725mm

NEW



1 TC4C/42C

42" TOOL CHEST (4 DRAWER)

Expert Quality, four drawer top tool chest. Manufactured from thick sheet steel with a protective powder coated finish. Drawers are fitted with an aluminium trim, 3mm EVA foam linings, heavy duty auto retention ball bearing runners delivering a smoother operation and a secure locking system supplied with two keys. The reinforced lid is fitted with supportive gas struts and two soft grip handles. Each tool chest is also supplied with a 6mm EVA top mat. Carton packed on pallet. Configuration of drawers (L x W x H) • 2 drawers - 978 x 408 x 50mm • 2 drawer - 978 x 408 x 77mm

• Overall size - 1055 x 450 x 626mm

Stock No.	Dimensions L x W x H
14494	1055 x 450 x 626mm

NEW



2 RC8C/42C

42" ROLLER TOOL CABINET (8 DRAWER)

Expert Quality, eight drawer roller cabinet, fitted with fixed and braked swivelling castors and soft grip handles for easy manoeuvrability. Manufactured from thick sheet steel with a protective powder coated finish. Drawers are fitted with an aluminium trim, 3mm EVA foam linings, heavy duty auto retention ball bearing runners delivering a smoother operation and a secure locking system supplied with two keys. Each tool cabinet is also supplied with a 6mm EVA top mat. Carton packed on pallet. Configuration of drawers (L x W x H)

• 1 Full width drawer - 986 x 408 x 131mm
• 1 Drawer - 591 x 408 x 104mm • 1 Drawer - 591 x 408 x 239mm
• 1 Drawer - 591 x 408 x 320mm • 1 Drawer - 352 x 408 x 131mm
• 1 Drawer - 352 x 408 x 320mm • 2 Drawer - 352 x 408 x 104mm
• Overall size - 1067 x 460 x 1099mm

Stock No.	Dimensions L x W x H
14580	1067 x 460 x 1099mm

NEW



3 *TC4C/RC8C/42

42" COMBINED ROLLER CABINET AND TOOL CHEST (12 DRAWER)

Expert Quality, twelve drawer, professional combined roller cabinet and tool chest. Attached with braked and swivelling castors and soft grip handles for easy manoeuvrability. The reinforced lid is fitted with supportive gas struts and two soft grip handles. Manufactured from thick sheet steel with a protective powder coated finish. Drawers are fitted with an aluminium trim, 3mm EVA foam linings, heavy duty auto retention ball bearing runners delivering a smoother operation and a secure locking system with two keys. Each tool cabinet is also supplied with a EVA top mat. Carton packed on pallet.

Configuration of drawers (L x W x H)

• 2 Drawer - 352 x 408 x 104mm
• 2 drawer - 978 x 408 x 77mm
• 2 drawers - 978 x 408 x 50mm
• 1 Full width drawer - 986 x 408 x 131mm
• 1 Drawer - 591 x 408 x 239mm
• 1 Drawer - 591 x 408 x 104mm
• 1 Drawer - 591 x 408 x 320mm
• 1 Drawer - 352 x 408 x 320mm
• 1 Drawer - 352 x 408 x 131mm
• Overall size - 1067 x 460 x 1725mm

Stock No.	Dimensions L x W x H
11506	1067 x 460 x 1725mm

NEW



1 TC4LC/42C

42" TOOL CHEST WITH SIDE LOCKER (4 DRAWER)

Expert Quality, four drawer roller cabinet, fitted with fixed and braked swivelling castors and soft grip handles for easy manoeuvrability. Manufactured from thick sheet steel with a protective powder coated finish. Drawers are fitted with an aluminium trim, 3mm EVA foam linings, heavy duty auto retention ball bearing runners delivering a smoother operation and a secure locking system supplied with two keys. Each tool cabinet is also supplied with a 6mm EVA top mat. Carton packed on pallet.

Configuration of drawers (L x W x H) • 2 Drawers - 583 x 408 x 50mm • 2 Drawer - 583 x 408 x 77mm • 1 Locker • Overall size - 1055 x 450 x 626mm

Stock No.	Dimensions L x W x H
14527	1055 x 450 x 626mm

NEW



2 RC12C/42C

42" ROLLER TOOL CABINET (12 DRAWER)

Expert Quality, twelve drawer roller cabinet, fitted with fixed and braked swivelling castors and soft grip handles for easy manoeuvrability. Manufactured from thick sheet steel with a protective powder coated finish. Drawers are fitted with an aluminium trim, 3mm EVA foam linings, heavy duty auto retention ball bearing runners delivering a smoother operation and a secure locking system supplied with two keys. Each tool cabinet is also supplied with a 6mm EVA top mat. Carton packed on pallet.

Configuration of drawers (L x W x H) • 1 Full width drawer - 986 x 408 x 131mm • 2 Drawer - 352 x 408 x 50 mm • 2 Drawer - 352 x 408 x 104mm • 1 Drawer - 352 x 408 x 347mm • 1 Drawer - 591 x 408 x 50mm • 2 Drawer - 591 x 408 x 77mm • 2 Drawer - 591 x 408 x 104mm • 1 Drawer - 591 x 408 x 239mm • Overall size - 1067 x 460 x 1099mm

Stock No.	Dimensions L x W x H
14583	1067 x 460 x 1099mm

NEW



3 *TC4LCRC12C/42C

42" COMBINED ROLLER CABINET AND TOOL CHEST (16 DRAWER)

Expert Quality, sixteen drawer, professional combined roller cabinet and tool chest. Attached with braked and swivelling castors and soft grip handles for easy manoeuvrability. The reinforced lid is fitted with supportive gas struts and two soft grip handles. Manufactured from thick sheet steel with a protective powder coated finish. Drawers are fitted with an aluminium trim, 3mm EVA foam linings, heavy duty auto retention ball bearing runners delivering a smoother operation and a secure locking system with two keys. Each tool cabinet is also supplied with a EVA top mat. Carton packed on pallet. Configuration of drawers (L x W x H)

- 4 Drawer - 591 x 408 x 77mm
- 2 Drawer - 591 x 408 x 104mm
- 2 Drawers - 583 x 408 x 50mm
- 2 Drawer - 352 x 408 x 104mm
- 2 Drawer - 352 x 408 x 50 mm
- 1 Full width drawer - 986 x 408 x 131mm
- 1 Drawer - 591 x 408 x 50mm
- 1 Drawer - 591 x 408 x 239mm
- 1 Drawer - 352 x 408 x 347mm
- 1 Locker
- Overall size - 1067 x 460 x 1725mm

Stock No.	Dimensions L x W x H
11509	1067 x 460 x 1725mm


NEW DRAPER EXPERT 26" TOOL CHESTS AND ROLLER CABINETS

Featuring
- Ball bearing runners on all drawers
- Fitted with secure locks and supplied with 2 keys
- Rubber castors
- Lids attached with pneumatic struts
- Attractive aluminium drawer trims



FEATURES OF 26" CABINETS AND TOOL CHESTS


Supplied with 2 keys


Fitted with heavy duty ball bearing runners


Rubber castors


Lid fitted with pneumatic struts


Aluminium drawer trim

NEW



1 TC4CC

26" TOOL CHEST (4 DRAWER)

Expert Quality, four drawer top tool chest. Manufactured from thick sheet steel with a protective powder coated finish. Drawers are fitted with an aluminium trim, 3mm EVA foam linings, heavy duty auto retention ball bearing runners delivering a smoother operation and a secure locking system supplied with two keys. The reinforced lid is fitted with supportive gas struts, a plastic document holder and two soft grip handles. Each tool chest is also supplied with a 6mm EVA top mat. Carton packed on pallet.

Configuration of drawers (L x W x H)

- 2 drawers - 583 x 408 x 50mm
- 2 drawers - 583 x 408 x 77mm
- Overall size - 660 x 450 x 626mm

Stock No.	Dimensions L x W x H
14213	660 x 450 x 626mm

NEW



2 TC6CC

26" TOOL CHEST (6 DRAWER)

Expert Quality, six drawer top tool chest. Manufactured from thick sheet steel with a protective powder coated finish. Drawers are fitted with an aluminium trim, 3mm EVA foam linings, heavy duty auto retention ball bearing runners delivering a smoother operation and a secure locking system supplied with two keys. The reinforced lid is fitted with supportive gas struts, a plastic document holder and two soft grip handles. Each tool chest is also supplied with a 6mm EVA top mat. Carton packed on pallet.

Configuration of drawers (L x W x H)

- 2 half width Drawers - 289 x 408 x 50mm
- 4 full width Drawers - 583 x 408 x 50mm
- Overall size - 660 x 450 x 626mm

Stock No.	Dimensions L x W x H
14214	660 x 450 x 626mm

NEW



3 TC8CC

26" TOOL CHEST (8 DRAWER)

Expert Quality, eight drawer top tool chest. Manufactured from thick sheet steel with a protective powder coated finish. Drawers are fitted with an aluminium trim, 3mm EVA foam linings, heavy duty auto retention ball bearing runners delivering a smoother operation and a secure locking system supplied with two keys. The reinforced lid is fitted with supportive gas struts, a plastic document holder and two soft grip handles. Each tool chest is also supplied with a 6mm EVA top mat. Carton packed on pallet.

Configuration of drawers (L x W x H)

- 2 Full width drawers - 583 x 408 x 50mm
- 6 Half width drawers - 289 x 408 x 50mm
- Overall size - 660 x 450 x 626mm

Stock No.	Dimensions L x W x H
14215	660 x 450 x 626mm

NEW



4 TC9CC

26" TOOL CHEST (9 DRAWER)

Expert Quality, nine drawer top tool chest. Manufactured from thick sheet steel with a protective powder coated finish. Drawers are fitted with an aluminium trim, 3mm EVA foam linings, heavy duty auto retention ball bearing runners delivering a smoother operation and a secure locking system supplied with two keys. The reinforced lid is fitted with supportive gas struts, a plastic document holder and two soft grip handles. Each tool chest is also supplied with a 6mm EVA top mat. Carton packed on pallet.

Configuration of drawers (L x W x H)

- 3 Full width drawers - 583 x 408 x 50mm
- 6 Half width drawers - 191 x 408 x 50mm
- Overall size - 660 x 450 x 626mm

Stock No.	Dimensions L x W x H
14217	660 x 450 x 626mm

SUPPLIED ON PALLET | DRAPER Expert | HEAVY DUTY BALL BEARINGS | NEW

1 RC5CC

26" ROLLER TOOL CABINET (5 DRAWER)



Expert Quality, five drawer roller cabinet, fitted with fixed and braked swivelling castors and attached with a side dump bin, side tool storage rack and soft grip pulling handles for easy manoeuvrability. Manufactured from thick sheet steel with a protective powder coated finish. Drawers are fitted with an aluminium trim, 3mm EVA foam linings, auto retention ball bearing runners delivering a smoother operation and a secure locking system supplied with two keys. Each tool cabinet is also supplied with a 6mm EVA top mat. Carton packed on pallet.

Configuration of drawers (L x W x H)

- 1 Full width drawers - 591 x 408 x 104mm
- 2 Full width drawers - 591 x 408 x 50mm
- 2 Full width drawers - 591 x 408 x 158mm
- Overall size - 672 x 460 x 820mm

Stock No.	Dimensions L x W x H
14252	672 x 460 x 820mm

SUPPLIED ON PALLET | DRAPER Expert | HEAVY DUTY BALL BEARINGS | NEW

2 RC6CC

26" ROLLER TOOL CABINET (6 DRAWER)



Expert Quality, six drawer roller cabinet, fitted with fixed and braked swivelling castors and attached with a side dump bin, side tool storage rack and soft grip pulling handles for easy manoeuvrability. Manufactured from thick sheet steel with a protective powder coated finish. Drawers are fitted with an aluminium trim, 3mm EVA foam linings, auto retention ball bearing runners delivering a smoother operation and a secure locking system supplied with two keys. Each tool cabinet is also supplied with a 6mm EVA top mat. Carton packed on pallet.

Configuration of drawers (L x W x H)

- 1 Full width drawers - 591 x 408 x 104mm
- 1 Full width drawers - 591 x 408 x 50mm
- 1 Full width drawers - 591 x 408 x 158mm
- 1 Full width drawers - 591 x 408 x 320 mm
- 2 Full width drawers - 591 x 408 x 77mm
- Overall size - 672 x 460 x 1084mm

Stock No.	Dimensions L x W x H
14427	672 x 460 x 1084mm

SUPPLIED ON PALLET | DRAPER Expert | HEAVY DUTY BALL BEARINGS | NEW

3 RC7CC

26" ROLLER TOOL CABINET (7 DRAWER)



Expert Quality, seven drawer roller cabinet, fitted with fixed and braked swivelling castors and attached with a side dump bin, side tool storage rack and soft grip pulling handles for easy manoeuvrability. Manufactured from thick sheet steel with a protective powder coated finish. Drawers are fitted with an aluminium trim, 3mm EVA foam linings, auto retention ball bearing runners delivering a smoother operation and a secure locking system supplied with two keys. Each tool cabinet is also supplied with a 6mm EVA top mat. Carton packed on pallet.

Configuration of drawers (L x W x H)

- 1 Full width drawers - 591 x 408 x 104mm
- 1 Full width drawers - 591 x 408 x 50 mm
- 1 Full width drawers - 591 x 408 x 320mm
- 4 Full width drawers - 591 x 408 x 77mm
- Overall size - 672 x 460 x 1084mm

Stock No.	Dimensions L x W x H
14443	672 x 460 x 1084mm

DRAPER Expert | HEAVY DUTY BALL BEARINGS | NEW



4 TC6CC/RC7CC

26" COMBINED ROLLER CABINET AND TOOL CHEST (13 DRAWER)

Expert Quality, thirteen drawer, professional combined roller cabinet and tool chest. Attached with braked and swiveling castors and fitted with a side dump bin, side tool storage rack and soft grip pulling handles for easy manoeuvrability. The reinforced lid is fitted with supportive gas struts and two soft grip handles. Manufactured from thick sheet steel with a protective powder coated finish. Drawers are fitted with an aluminium trim, 3mm EVA foam linings, auto retention ball bearing runners delivering a smoother operation and a secure locking system with two keys. Each tool cabinet is also supplied with a EVA top mat. Carton packed on pallet.

Configuration of drawers (L x W x H)

- 4 Full width drawers - 591 x 408 x 77mm
- 4 Full width Drawers - 583 x 408 x 50mm
- 2 half width Drawers - 289 x 408 x 50mm
- 1 Full width drawers - 591 x 408 x 320mm
- 1 Full width drawers - 591 x 408 x 104mm
- 1 Full width drawers - 591 x 408 x 50 mm
- Overall size - 672 x 460 x 1710mm

SUPPLIED ON PALLET

Stock No.	Dimensions L x W x H
11523	672 x 460 x 1710mm



1 TC8D/40

40" TOOL CHEST (8 DRAWER)

NEW BALL-BEARING

8 drawer tool chest manufactured from sheet steel with a powder coated finish and aluminium effect trim. Drawers fitted with ball bearing runners for smoother operation. Each tool chest is fitted with heavy-duty carry handles and a secure integral locking system supplied with two keys.

Drawer configuration:

- 3 drawers: 570 x 370 x 74.5mm
- 3 drawers: 313 x 370 x 74.5mm
- 1 drawers: 570 x 370 x 153.5mm
- 1 drawers: 313 x 370 x 153.5mm

SUPPLIED ON PALLET

Stock No.	Dimensions L x W x H
15123	1051 x 405 x 552mm



NEW BALL-BEARING

SUPPLIED ON PALLET

2 RC11D/40

40" ROLLER CABINET (11 DRAWER)

11 drawer roller cabinet with pulling handle manufactured from sheet steel with a powder coated finish. Fitted with two fixed and two braked, heavy-duty swivelling castors. Drawers are fitted with ball bearing runners for smoother operation and a protective foam liner. Each roller cabinet is fitted with a secure integral locking system supplied with two keys. Carton packed. Drawer configuration:

- 3 drawers: 570 x 410 x 74.5mm • 3 drawers: 313 x 410 x 74.5mm • 2 drawers: 570 x 410 x 153.5mm • 2 drawers: 313 x 410 x 153.5mm • 1 drawer: 937 x 410 x 122.5mm

Stock No.	Dimensions L x W x H
15222	1067 x 458 x 1002mm

NEW BALL-BEARING

SUPPLIED ON PALLET



3 *TC8D/RC11D/40

40" COMBINED ROLLER CABINET AND TOOL CHEST (19 DRAWER)

Nineteen drawer combined roller cabinet and tool chest. Attached with two fixed and two braked, heavy-duty swivelling castors a pulling handle and carry handles. Manufactured from sheet steel with a powder coated finish. Drawers are fitted with ball bearing runners for smoother operation and a protective foam liner. Each roller cabinet is fitted with a secure integral locking system supplied with two keys. Carton packed.

Drawer configuration:

- 3 drawers: 570 x 410 x 74.5mm
- 3 drawers: 570 x 370 x 74.5mm
- 3 drawers: 313 x 410 x 74.5mm
- 3 drawers: 313 x 370 x 74.5mm
- 2 drawers: 570 x 410 x 153.5mm
- 2 drawers: 313 x 410 x 153.5mm
- 1 drawer: 937 x 410 x 122.5mm
- 1 drawers: 570 x 370 x 153.5mm
- 1 drawers: 313 x 370 x 153.5mm
- Overall size - 672 x 460 x 1554mm

Stock No.	Dimensions L x W x H
17764	1067 x 458 x 1554mm

FEATURES OF 40" ROLLER CABINETS AND TOOL CHESTS



Supplied with 2 keys



Drawers fitted with ball bearing runners



Rubber castors



Hinged lid




Aluminium drawer trim

NEW DRAPER 26" TOOL CHESTS AND ROLLER CABINETS

Featuring
- Ball bearing runners on all drawers
- Fitted with secure locks and supplied with 2 keys
- Rubber castors
- Attractive aluminium drawer trims




FEATURES OF 26" CABINETS AND TOOL CHESTS


Supplied with 2 keys


Drawers fitted with ball bearing runners


Rubber castors


Hinged lid


Aluminium drawer trim

NEW BALL-BEARING EQUIPPED



1 TC4D

26" TOOL CHEST (4 DRAWER)

4 drawer tool chest manufactured from sheet steel with a powder coated finish and aluminium effect trim. Drawers are fitted with ball bearing runners for smoother operation and a protective foam liner. Each tool chest is fitted with heavy-duty carry handles and a secure integral locking system supplied with two keys. Carton packed. Drawer configuration:

- 3 drawers: 570 x 273 x 48mm
- 1 drawer: 570 x 274 x 74.5mm

Stock No.	Dimensions L x W x H
14589	660 x 307 x 377mm

NEW BALL-BEARING EQUIPPED



2 TC5D

26" TOOL CHEST (5 DRAWER)

5 drawer tool chest manufactured from sheet steel with a powder coated finish and aluminium effect trim. Drawers are fitted with ball bearing runners for smoother operation and a protective foam liner. Each tool chest is fitted with heavy-duty carry handles and a secure integral locking system supplied with two keys. Carton packed. Drawer configuration:

- 4 drawers: 570 x 273 x 48mm
- 1 drawer: 570 x 274 x 74.5mm

Stock No.	Dimensions L x W x H
14604	660 x 307 x 435mm

NEW BALL-BEARING EQUIPPED



3 TC6D

26" TOOL CHEST (6 DRAWER)

6 drawer tool chest manufactured from sheet steel with a powder coated finish and aluminium effect trim. Drawers are fitted with ball bearing runners for smoother operation and a protective foam liner. Each tool chest is fitted with heavy-duty carry handles and a secure integral locking system supplied with two keys. Carton packed. Drawer configuration:

- 3 drawers: 170.5 x 273 x 48mm
- 2 drawers: 570 x 273 x 48mm
- 1 drawer: 570 x 273 x 74.5mm

Stock No.	Dimensions L x W x H
14606	660 x 307 x 377mm

NEW BALL-BEARING EQUIPPED



4 TC8D

26" TOOL CHEST (8 DRAWER)

8 drawer tool chest manufactured from sheet steel with a powder coated finish and aluminium effect trim. Drawers are fitted with ball bearing runners for smoother operation and a protective foam liner. Each tool chest is fitted with heavy-duty carry handles and a secure integral locking system supplied with two keys. Carton packed. Drawer configuration:

- 6 drawers: 170 x 273 x 48mm
- 1 drawer: 570 x 273 x 48mm
- 1 drawer: 570 x 273 x 74.5mm

Stock No.	Dimensions L x W x H
14898	660 x 307 x 377mm

NEW BALL-BEARING EQUIPPED



5 TC9DA

26" TOOL CHEST (9 DRAWER)

9 drawer tool chest manufactured from sheet steel with a powder coated finish and aluminium effect trim. Drawers are fitted with ball bearing runners for smoother operation and a protective foam liner. Each tool chest is fitted with heavy-duty carry handles and a secure integral locking system supplied with two keys. Carton packed. Drawer configuration:

- 6 drawers: 170 x 273 x 48mm
- 2 drawer: 570 x 273 x 48mm
- 1 drawer: 570 x 273 x 74.5mm

Stock No.	Dimensions L x W x H
14910	660 x 307 x 435mm

NEW BALL-BEARING EQUIPPED



6 TC10D

26" TOOL CHEST (10 DRAWER)

10 drawer tool chest manufactured from sheet steel with a powder coated finish and aluminium effect trim. Drawers are fitted with ball bearing runners for smoother operation and a protective foam liner. Each tool chest is fitted with heavy-duty carry handles and a secure integral locking system supplied with two keys. Carton packed. Drawer configuration:

- 6 drawers: 171 x 410 x 50mm
- 2 drawers: 570 x 410 x 48mm
- 1 drawer: 171 x 410 x 155mm
- 1 drawer: 570 x 410 x 74.5mm

Stock No.	Dimensions L x W x H
14937	660 x 445 x 488mm



NEW BALL-BEARING

1 TIC2D

26" INTERMEDIATE TOOL CHEST (2 DRAWER)

2 drawer intermediate tool chest manufactured from sheet steel with a powder coated finish and aluminium effect trim. Drawers are fitted with ball bearing runners for smoother operation and a protective foam liner. Each tool chest is fitted with heavy-duty carry handles and a secure integral locking system supplied with two keys. Carton packed.

Drawer configuration:

- 1 drawers: 570 x 273 x 74.5mm
- 1 drawer: 570 x 273 x 100.5mm

Stock No.	Dimensions L x W x H
14958	670 x 315 x 265mm





NEW BALL-BEARING

2 TIC3D

26" INTERMEDIATE TOOL CHEST (3 DRAWER)

3 drawer intermediate tool chest manufactured from sheet steel with a powder coated finish and aluminium effect trim. Drawers are fitted with ball bearing runners for smoother operation and a protective foam liner. Each tool chest is fitted with heavy-duty carry handles and a secure integral locking system supplied with two keys. Carton packed.

Drawer configuration:

- 2 drawers: 570 x 410 x 48mm
- 1 drawer: 570 x 410 x 74.5mm

Stock No.	Dimensions L x W x H
14970	670 x 451 x 265mm



NEW BALL-BEARING

3 RC5D

26" ROLLER CABINET (5 DRAWER)

5 drawer roller cabinet with pulling handle manufactured from sheet steel with a powder coated finish. Fitted with two fixed and two braked, heavy-duty swivelling castors. Drawers are fitted with ball bearing runners for smoother operation and a protective foam liner. Each roller cabinet is fitted with a secure integral locking system supplied with two keys. Carton packed. Drawer configuration:

- 3 drawers: 570 x 410 x 74.5mm
- 2 drawers: 570 x 410 x 153.5mm

Stock No.	Dimensions L x W x H
14978	680 x 458 x 772mm



NEW BALL-BEARING

4 RC7D

26" ROLLER CABINET (7 DRAWER)

7 drawer roller cabinet with pulling handle manufactured from sheet steel with a powder coated finish. Fitted with two fixed and two braked, heavy-duty swivelling castors. Drawers are fitted with ball bearing runners for smoother operation and a protective foam liner. Each roller cabinet is fitted with a secure integral locking system supplied with two keys. Carton packed. Drawer configuration:

- 3 drawers: 570 x 410 x 74.5mm • 2 drawers: 570 x 410 x 100.5mm • 1 drawer: 570 x 410 x 48mm • 1 drawer: 570 x 410 x 153.5mm

Stock No.	Dimensions L x W x H
15040	680 x 458 x 945mm



NEW BALL-BEARING

5 RC9D

26" ROLLER CABINET (9 DRAWER)

9 drawer roller cabinet with pulling handle manufactured from sheet steel with a powder coated finish. Fitted with two fixed and two braked, heavy-duty swivelling castors. Drawers are fitted with ball bearing runners for smoother operation and a protective foam liner. Each roller cabinet is fitted with a secure integral locking system supplied with two keys. Carton packed. Drawer configuration: • 5 drawers: 570 x 410 x 48.5mm • 3 drawers: 570 x 410 x 74.5mm • 1 drawer: 570 x 410 x 153.5mm

Stock No.	Dimensions L x W x H
15110	680 x 458 x 945mm

FEATURES OF 26" ROLLER CABINETS AND TOOL CHESTS



Supplied with 2 keys



Drawers fitted with ball bearing runners



Rubber castors



Hinged lid



Aluminium drawer trim



NEW BALL-BEARING

1 RC9D/TC6D

26" COMBINATION ROLLER CABINET AND TOOL CHEST (15 DRAWER)

Fifteen drawer combined roller cabinet and tool chest. Attached with braked and swivelling castors and pulling handles for easy manoeuvrability. Manufactured from sheet steel with a protective powder coated finish. Drawers are fitted with ball bearing runners delivering a smooth operation and a secure locking system with two keys. Carton packed on pallet.

Configuration of drawers (L x W x H)

- 5 drawers: 570 x 410 x 48.5mm
- 3 drawers: 570 x 410 x 74.5mm
- 3 drawers: 170.5 x 273 x 48mm
- 2 drawers: 570 x 273 x 48mm
- 1 drawer: 570 x 410 x 153.5mm
- 1 drawer: 570 x 273 x 74.5mm
- Overall size - 680 x 458 x 1322mm

Stock No.	Dimensions L x W x H
11533	680 x 458 x 1322mm



NEW BALL-BEARING

2 TC6D/TIC3D/RC7D

26" COMBINATION ROLLER CABINET AND TOOL CHEST (16 DRAWER)

Sixteen drawer combined roller cabinet and tool chest. Attached with braked and swivelling castors and pulling handles for easy manoeuvrability. Manufactured from sheet steel with a protective powder coated finish. Drawers are fitted with ball bearing runners delivering a smooth operation and a secure locking system with two keys. Carton packed on pallet.

Configuration of drawers (L x W x H)

- 3 drawers: 570 x 410 x 74.5mm
- 3 drawers: 170.5 x 273 x 48mm
- 2 drawers: 570 x 410 x 100.5mm
- 2 drawers: 570 x 410 x 48mm
- 2 drawers: 570 x 273 x 48mm
- 1 drawer: 570 x 410 x 153.5mm
- 1 drawer: 570 x 410 x 48mm
- 1 drawer: 570 x 410 x 74.5mm
- 1 drawer: 570 x 273 x 74.5mm
- Overall size - 680 x 458 x 1414mm

Stock No.	Dimensions L x W x H
11541	680 x 458 x 1414mm

FEATURES OF 26" ROLLER CABINETS AND TOOL CHESTS


Supplied with 2 keys


Drawers fitted with ball bearing runners


Rubber castors


Hinged lid


Aluminium drawer trim





BALL BEARING

1 TC6B

24" NARROW PATTERN TOOL CHEST (6 DRAWER)

Manufactured from sheet steel with painted finish. Drawers are fitted with anti slip mats and ball bearing runners for smooth operation and long life. Narrow pattern for stacking on roller cabinets. Locking systems supplied with two keys. Carton packed.

Configuration: • 3 third width drawers, 150 x 225 x 40mm • 2 full width drawers, 510 x 225 x 40mm • 1 full width drawer, 510 x 225 x 80mm

Stock No.	Dimensions L x W x H
51690	600 x 255 x 345mm



SUPPLIED ON PALLET

BALL BEARING

2 RCTC8B

24" COMBINED ROLLER CABINET AND TOOL CHEST (8 DRAWER)

Two-drawer roller cabinet with large lower storage space and six-multi sized drawer top tool chest, both manufactured from sheet steel with protective paint finish. Roller cabinet is fitted with swivel castors and heavy duty handles. All drawers have built-in ball bearing runners for smoother operation and longer life. Integral locking mechanism on the top chest with two keys supplied. Carton packed.

Stock No.	Dimensions L x W x H
51177	615 x 330 x 1000mm

FEATURES OF 24" ROLLER CABINETS AND TOOL CHESTS



Supplied with 2 keys



Heavy duty carry handles



Rubber castors



Lid fitted with pneumatic struts



Aluminium drawer trim

1 TC6D/B

26" TOOL CHEST (5 DRAWER)

5 drawer tool chest manufactured from sheet steel with a powder coated finish and aluminium effect trim. Drawers are fitted with ball bearing runners for smoother operation and a protective foam liner. Each tool chest is fitted with heavy-duty carry handles and a secure integral locking system supplied with two keys. Carton packed.

Drawer configuration:

- 4 drawers: 570 x 410 x 48mm
- 1 drawer: 570 x 410 x 74.5mm

Stock No.	Dimensions L x W x H
35746	660 x 445 x 430mm



NEW BALL-BEARING EQUIPPED

2 TIC3D

26" INTERMEDIATE TOOL CHEST (3 DRAWER)

3 drawer intermediate tool chest manufactured from sheet steel with a powder coated finish and aluminium effect trim. Drawers are fitted with ball bearing runners for smoother operation and a protective foam liner. Each tool chest is fitted with heavy-duty carry handles and a secure integral locking system supplied with two keys. Carton packed.

Drawer configuration:

- 2 drawers: 570 x 410 x 48mm
- 1 drawer: 570 x 410 x 74.5mm

Stock No.	Dimensions L x W x H
14970	670 x 451 x 265mm



NEW BALL-BEARING EQUIPPED

3 RC7D

26" ROLLER CABINET (7 DRAWER)

7 drawer roller cabinet with pulling handle manufactured from sheet steel with a powder coated finish. Fitted with two fixed and two braked, heavy-duty swivelling castors. Drawers are fitted with ball bearing runners for smoother operation and a protective foam liner. Each roller cabinet is fitted with a secure integral locking system supplied with two keys. Carton packed.

Drawer configuration:

- 3 drawers: 570 x 410 x 74.5mm
- 2 drawers: 570 x 410 x 100.5mm
- 1 drawer: 570 x 410 x 48mm
- 1 drawer: 570 x 410 x 153.5mm

Stock No.	Dimensions L x W x H
15040	680 x 458 x 945mm



NEW BALL-BEARING EQUIPPED



4 *CTCB

26" COMBINATION ROLLER CABINET AND TOOL CHEST (15 DRAWER)

Fifteen drawer combined roller cabinet and tool chest. Attached with braked and swivelling castors and pulling handle for easy manoeuvrability. Manufactured from sheet steel with a protective powder coated finish. Drawers are fitted with ball bearing runners delivering a smooth operation and a secure locking system with two keys. Carton packed on pallet.

Configuration of drawers (L x W x H)

- 4 drawers: 570 x 410 x 48mm
- 3 drawers: 570 x 410 x 74.5mm
- 2 drawers: 570 x 410 x 100.5mm
- 2 drawers: 570 x 400 x 48mm
- 1 drawer: 570 x 410 x 153.5mm
- 1 drawer: 570 x 400 x 74.5mm
- 1 drawer: 570 x 410 x 74.5mm
- 1 drawer: 570 x 410 x 48mm
- Overall size - 680 x 458 x 1472mm

SUPPLIED ON PALLET

Stock No.	Dimensions L x W x H
04593	680 x 458 x 1472mm

FEATURES OF 26" ROLLER CABINETS AND TOOL CHESTS


Supplied with 2 keys


Drawers fitted with ball bearing runners


Rubber castors


Hinged lid


Aluminium drawer trim

1 TC6D/BK

26" TOOL CHEST (5 DRAWER)

5 drawer tool chest manufactured from sheet steel with a powder coated finish and aluminium effect trim. Drawers are fitted with ball bearing runners for smoother operation and a protective foam liner. Each tool chest is fitted with heavy-duty carry handles and a secure integral locking system supplied with two keys. Carton packed.

Drawer configuration:

- 4 drawers: 570 x 410 x 48mm
- 1 drawer: 570 x 410 x 74.5mm

Stock No.	Dimensions L x W x H
35737	660 x 445 x 430mm



NEW BALL-BEARING

2 TIC3D/BK

26" INTERMEDIATE TOOL CHEST (3 DRAWER)

3 drawer intermediate tool chest manufactured from sheet steel with a powder coated finish and aluminium effect trim. Drawers are fitted with ball bearing runners for smoother operation and a protective foam liner. Each tool chest is fitted with heavy-duty carry handles and a secure integral locking system supplied with two keys. Carton packed.

Drawer configuration:

- 2 drawers: 570 x 410 x 48mm
- 1 drawer: 570 x 410 x 74.5mm

Stock No.	Dimensions L x W x H
35740	670 x 451 x 265mm



NEW BALL-BEARING

3 RC7D/BK

26" ROLLER CABINET (7 DRAWER)

7 drawer roller cabinet with pulling handle manufactured from sheet steel with a powder coated finish. Fitted with two fixed and two braked, heavy-duty swivelling castors. Drawers are fitted with ball bearing runners for smoother operation and a protective foam liner. Each roller cabinet is fitted with a secure integral locking system supplied with two keys. Carton packed.

Drawer configuration:

- 3 drawers: 570 x 410 x 74.5mm
- 2 drawers: 570 x 410 x 100.5mm
- 1 drawer: 570 x 410 x 48mm
- 1 drawer: 570 x 410 x 153.5mm

Stock No.	Dimensions L x W x H
35743	734 x 520 x 945mm



NEW BALL-BEARING



NEW

4 *CTCB

26" COMBINATION ROLLER CABINET AND TOOL CHEST (15 DRAWER)

Fifteen drawer combined roller cabinet and tool chest. Attached with braked and swivelling castors and pulling handle for easy manoeuvrability. Manufactured from sheet steel with a protective powder coated finish. Drawers are fitted with ball bearing runners delivering a smooth operation and a secure locking system with two keys. Carton packed on pallet.

Configuration of drawers (L x W x H)

- 4 drawers: 570 x 410 x 48mm
- 3 drawers: 570 x 410 x 74.5mm
- 2 drawers: 570 x 410 x 100.5mm
- 2 drawers: 570 x 400 x 48mm
- 1 drawer: 570 x 410 x 153.5mm
- 1 drawer: 570 x 400 x 74.5mm
- 1 drawer: 570 x 410 x 74.5mm
- 1 drawer: 570 x 410 x 48mm
- Overall size - 680 x 458 x 1472mm

SUPPLIED ON PALLET

Stock No.	Dimensions L x W x H
04594	680 x 458 x 1472mm

FEATURES OF 26" ROLLER CABINETS AND TOOL CHESTS


Supplied with 2 keys


Drawers fitted with ball bearing runners


Rubber castors


Hinged lid


Aluminium drawer trim

1 TC6D/G

26" TOOL CHEST (5 DRAWER)

5 drawer tool chest manufactured from sheet steel with a powder coated finish and aluminium effect trim. Drawers are fitted with ball bearing runners for smoother operation and a protective foam liner. Each tool chest is fitted with heavy-duty carry handles and a secure integral locking system supplied with two keys. Carton packed.

Drawer configuration:

- 4 drawers: 570 x 410 x 48mm
- 1 drawer: 570 x 410 x 74.5mm

Stock No.	Dimensions L x W x H
35739	660 x 445 x 430mm



NEW BALL-BEARING

2 TIC3D/G

26" INTERMEDIATE TOOL CHEST (3 DRAWER)

3 drawer intermediate tool chest manufactured from sheet steel with a powder coated finish and aluminium effect trim. Drawers are fitted with ball bearing runners for smoother operation and a protective foam liner. Each tool chest is fitted with heavy-duty carry handles and a secure integral locking system supplied with two keys. Carton packed.

Drawer configuration:

- 2 drawers: 570 x 410 x 48mm
- 1 drawer: 570 x 410 x 74.5mm

Stock No.	Dimensions L x W x H
35742	670 x 451 x 265mm



NEW BALL-BEARING

3 RC7D/G

26" ROLLER CABINET (7 DRAWER)

7 drawer roller cabinet with pulling handle manufactured from sheet steel with a powder coated finish. Fitted with two fixed and two braked, heavy-duty swivelling castors. Drawers are fitted with ball bearing runners for smoother operation and a protective foam liner. Each roller cabinet is fitted with a secure integral locking system supplied with two keys. Carton packed.

Drawer configuration:

- 3 drawers: 570 x 410 x 74.5mm
- 2 drawers: 570 x 410 x 100.5mm
- 1 drawer: 570 x 410 x 48mm
- 1 drawer: 570 x 410 x 153.5mm

Stock No.	Dimensions L x W x H
35745	734 x 520 x 945mm



NEW BALL-BEARING



NEW

4 *CTCG

26" COMBINATION ROLLER CABINET AND TOOL CHEST (15 DRAWER)

Fifteen drawer combined roller cabinet and tool chest. Attached with braked and swivelling castors and pulling handle for easy manoeuvrability. Manufactured from sheet steel with a protective powder coated finish. Drawers are fitted with ball bearing runners delivering a smooth operation and a secure locking system with two keys. Carton packed on pallet.


Configuration of drawers (L x W x H)

- 4 drawers: 570 x 410 x 48mm
- 3 drawers: 570 x 410 x 74.5mm
- 2 drawers: 570 x 410 x 100.5mm
- 2 drawers: 570 x 400 x 48mm
- 1 drawer: 570 x 410 x 153.5mm
- 1 drawer: 570 x 400 x 74.5mm
- 1 drawer: 570 x 410 x 74.5mm
- 1 drawer: 570 x 410 x 48mm
- Overall size - 680 x 458 x 1472mm

SUPPLIED ON PALLET

Stock No.	Dimensions L x W x H
04596	680 x 458 x 1472mm

FEATURES OF 26" ROLLER CABINETS AND TOOL CHESTS


Supplied with 2 keys


Drawers fitted with ball bearing runners


Rubber castors


Hinged lid


Aluminium drawer trim

1 TC6D/W

26" TOOL CHEST (5 DRAWER)

5 drawer tool chest manufactured from sheet steel with a powder coated finish and aluminium effect trim. Drawers are fitted with ball bearing runners for smoother operation and a protective foam liner. Each tool chest is fitted with heavy-duty carry handles and a secure integral locking system supplied with two keys. Carton packed.

Drawer configuration:

- 4 drawers: 570 x 410 x 48mm
- 1 drawer: 570 x 410 x 74.5mm

Stock No.	Dimensions L x W x H
35738	660 x 445 x 430mm



NEW BALL-BEARING

2 TIC3D/W

26" INTERMEDIATE TOOL CHEST (3 DRAWER)

3 drawer intermediate tool chest manufactured from sheet steel with a powder coated finish and aluminium effect trim. Drawers are fitted with ball bearing runners for smoother operation and a protective foam liner. Each tool chest is fitted with heavy-duty carry handles and a secure integral locking system supplied with two keys. Carton packed.

Drawer configuration:

- 2 drawers: 570 x 410 x 48mm
- 1 drawer: 570 x 410 x 74.5mm

Stock No.	Dimensions L x W x H
35741	670 x 451 x 265mm



NEW BALL-BEARING

3 RC7D/W

26" ROLLER CABINET (7 DRAWER)

7 drawer roller cabinet with pulling handle manufactured from sheet steel with a powder coated finish. Fitted with two fixed and two braked, heavy-duty swivelling castors. Drawers are fitted with ball bearing runners for smoother operation and a protective foam liner. Each roller cabinet is fitted with a secure integral locking system supplied with two keys. Carton packed.

Drawer configuration:

- 3 drawers: 570 x 410 x 74.5mm
- 2 drawers: 570 x 410 x 100.5mm
- 1 drawer: 570 x 410 x 48mm
- 1 drawer: 570 x 410 x 153.5mm

Stock No.	Dimensions L x W x H
35744	734 x 520 x 945mm



NEW BALL-BEARING



NEW BALL-BEARING

4 *CTCW

26" COMBINATION ROLLER CABINET AND TOOL CHEST (15 DRAWER)

Fifteen drawer combined roller cabinet and tool chest. Attached with braked and swivelling castors and pulling handle for easy manoeuvrability. Manufactured from sheet steel with a protective powder coated finish. Drawers are fitted with ball bearing runners delivering a smooth operation and a secure locking system with two keys. Carton packed on pallet.

Configuration of drawers (L x W x H)

- 4 drawers: 570 x 410 x 48mm
- 3 drawers: 570 x 410 x 74.5mm
- 2 drawers: 570 x 410 x 100.5mm
- 2 drawers: 570 x 400 x 48mm
- 1 drawer: 570 x 410 x 153.5mm
- 1 drawer: 570 x 400 x 74.5mm
- 1 drawer: 570 x 410 x 74.5mm
- 1 drawer: 570 x 410 x 48mm
- Overall size - 680 x 458 x 1472mm


SUPPLIED ON PALLET

Stock No.	Dimensions L x W x H
04597	680 x 458 x 1472mm

FEATURES OF 26" ROLLER CABINETS AND TOOL CHESTS



Supplied with 2 keys



Drawers fitted with ball bearing runners



Rubber castors



Hinged lid



Aluminium drawer trim

NEW BALL-BEARING

SUPPLIED ON PALLET



1 RCTC6/B

24" COMBINED ROLLER CABINET AND TOOL CHEST (6 DRAWER)

6 drawer roller cabinet and tool chest manufactured from sheet steel with a powder coated finish and aluminium effect trim. Drawers are fitted with ball bearing runners for smoother operation. Fitted with heavy-duty handles, swivelling castors and a secure integral locking system supplied with two keys.

Drawer configuration:

- 3 drawers: 511 x 225 x 40mm
- 1 drawer: 511 x 225 x 84mm
- 2 drawers: 511 x 308 x 84mm

Stock No.	Dimensions L x W x H
19563	616 x 330 x 998mm

2 RCTC6/BK

24" COMBINED ROLLER CABINET AND TOOL CHEST (6 DRAWER)

6 drawer roller cabinet and tool chest manufactured from sheet steel with a powder coated finish and aluminium effect trim. Drawers are fitted with ball bearing runners for smoother operation. Fitted with heavy-duty handles, swivelling castors and a secure integral locking system supplied with two keys.

Drawer configuration:

- 3 drawers: 511 x 225 x 40mm
- 1 drawer: 511 x 225 x 84mm
- 2 drawers: 511 x 308 x 84mm

Stock No.	Dimensions L x W x H
19572	616 x 330 x 998mm

3 RCTC6/G

24" COMBINED ROLLER CABINET AND TOOL CHEST (6 DRAWER)

6 drawer roller cabinet and tool chest manufactured from sheet steel with a powder coated finish and aluminium effect trim. Drawers are fitted with ball bearing runners for smoother operation. Fitted with heavy-duty handles, swivelling castors and a secure integral locking system supplied with two keys.

Drawer configuration:

- 3 drawers: 511 x 225 x 40mm
- 1 drawer: 511 x 225 x 84mm
- 2 drawers: 511 x 308 x 84mm

Stock No.	Dimensions L x W x H
19566	616 x 330 x 998mm

4 RCTC6/W

24" COMBINED ROLLER CABINET AND TOOL CHEST (6 DRAWER)

6 drawer roller cabinet and tool chest manufactured from sheet steel with a powder coated finish and aluminium effect trim. Drawers are fitted with ball bearing runners for smoother operation. Fitted with heavy-duty handles, swivelling castors and a secure integral locking system supplied with two keys.

Drawer configuration:

- 3 drawers: 511 x 225 x 40mm
- 1 drawer: 511 x 225 x 84mm
- 2 drawers: 511 x 308 x 84mm

Stock No.	Dimensions L x W x H
19576	616 x 330 x 998mm


FEATURES OF 24" (6 DRAWER) COMBINED CABINETS AND TOOL CHESTS


Supplied with 2 keys


Drawers fitted with ball bearing runners



Rubber castors


Hinged lid


Aluminium drawer trim

THREE PIECE MAGNETIC TOOL TRAY SET

NEW





1 MPTTS/3

MAGNETIC TOOL TRAY SET (3 PIECE)

Magnetic tool tray set, made from powder coated steel fitted with powerful magnets suitable for attaching to tool cabinets, metal storage units or any other ferrous metal surface. Each magnet has a protective cover helping prevent scratching to the metal surfaces. Sizes 150 x 110 x 120mm with a load capacity 0.6kgs, 210 x 110 x 120mm with a load capacity 0.77kgs, 270 x 110 x 120mm with a load capacity 1.0kgs.

Stock No.
11755





2 MPT13

MAGNETIC HOLDER FOR GLOVE/TISSUE BOXES

For storage of standard size boxes of latex gloves or tissues up to 145mm wide. Holder has rubber protected magnetic back for affixing to vertical metal objects such as tool boxes etc. Optional hanging holes for fixing in permanent locations. Display packed.

Stock No.
78665



NEW



3 MPTSC

MAGNETIC STORAGE HOLDER

Magnetic holder ideal for storing spray cans and workshop equipment. Capable of holding two aerosol spray cans and five screwdrivers with a combined weight capacity of 0.87kg. Made from powder coated steel fitted with powerful magnets suitable for attaching to tool cabinets, metal storage units or any other ferrous metal surface. Size 100 x 210 x 126mm.

Stock No.
11807



NEW



4 MPTCH

MAGNETIC CUP HOLDER

Magnetic cup holder, suitable for use with cups, cans, water bottles and aerosol cans. Made from ABS plastic, fitted with a powerful magnet for attaching to tool cabinets, metal storage units or any other ferrous metal surface. Size - 90mm diameter x 120mm.

Stock No.
11702





NEW

5 MPTH/10

MAGNETIC HOOK SET (10 PIECE)

Magnetic hook set ideal for holding various items up to a weight of 3.5kgs, Made from carbon steel with a powerful magnet for attaching to tool cabinets, metal storage units or any other ferrous metal surface.

Stock No.
11960





NEW

6 MPTSC

MAGNETIC TOOL HOLDER

Magnetic tool holder ideal for and organizing wrenches, sockets, fasteners and workshop equipment. The powerful magnets make it suitable for attaching to tool cabinets, metal storage units or any other ferrous metal surface. Size 300 x 50 x 14mm.

Stock No.
11786





7 MPT12B

MAGNETIC HOLDER

For attaching to the side of metal objects using powerful magnets. 50mm diameter. Hook and loop straps for holding different sized tools. Display packed.

Stock No.
50984



SUPPLIED ON PALLET



1 DBB

DRAPER BLACK BOX® (CONTRACTORS SECURE STORAGE BOXES)

Heavy duty contractors storage boxes manufactured from sheet steel with powder coated finish. Ideal for use on site, in vans, workshops or garages. Feet with bolt holes for fixing to a solid base to avoid complete removal. Gas strut and integrated single pin hinge. Heavy duty lifting handles and the raised feet allow for easier movement by fork lift trucks. Two cut outs on front for padlock attachment. Carton packed.

Stock No.	Internal Dimensions L x W x H (approx.)
05543	900 x 425 x 330mm
05544	1210 x 605 x 470mm

SUPPLIED ON PALLET




2 DBB

CONTRACTORS SECURE STORAGE BOXES

Heavy duty contractors storage boxes manufactured from sheet steel with powder coated finish. Ideal for use on site, in vans, workshops or garages. Feet with bolt holes for fixing to a solid base to avoid complete removal. Gas strut and integrated single pin hinge. Heavy duty lifting handles and the raised feet allow for easier movement by fork lift trucks. Two cut outs on front for padlock attachment. Carton packed.

Stock No.	Internal Dimensions L x W x H (approx.)
78785	905 x 425 x 400mm
78787	1200 x 600 x 600mm



1 TB530

530mm EXTRA LONG FOUR TRAY CANTILEVER TOOL BOX

Expert Quality, professional's extra long tool box manufactured from heavy gauge sheet steel, tubular handles and powder coated finish. Trays open automatically when handle is depressed and close when lifted. The lid form incorporates provision for a padlock. Carton packed.

Stock No.	Dimensions L x W x H
88904	530 x 200 x 210mm





2 TB580

580mm TOOL BOX WITH TOTE TRAY

Expert Quality, professional's tool box manufactured from tough durable plastic. Two clip type locks on lid and soft grip carrying handle. Carton packed.

Stock No.	Dimensions L x W x H
27732	580 x 265 x 250





3 TBCL570

570mm CANTILEVER TOOL BOX/ORGANISER

Expert Quality, heavy duty impact resistant polypropylene tool box with cantilever/ organiser tray, 15 removable organiser compartments and three fixed compartments. Large retractable single storage compartment. Sturdy aluminium soft grip handle which secures the lid when in the up position. Carton packed.

Stock No.	Dimensions L x W x H
05180	570 x 305 x 165mm





4 TB610

610mm HEAVY DUTY TOOL BOX WITH REMOVABLE ORGANISER

Expert Quality, manufactured from impact-resistant polypropylene with integral, removable organiser. Fitted with sturdy aluminium carrying handle and two metal closing latches. Sold loose.

Stock No.	Dimensions L x W x H
53890	610 x 325 x 305mm

5 TB660

660mm TOOL BOX WITH ORGANISERS AND TOTE TRAY

Expert Quality, heavy duty impact resistant polypropylene tool box with tote tray and two removable organisers. Two aluminium lock down latches for added security and sturdy aluminium soft grip handle with locking facility. Anti-shock rubber feet for added stability. Lid incorporates padlock eye for security. Carton packed.

Configuration:

- tool box: 660 x 303 x 283mm
- tote tray: 615 x 220 x 60mm
- organisers: 235 x 190 x 40mm

Stock No.	Dimensions L x W x H
05178	660 x 303 x 283mm





1 TC9E

ALUMINIUM TOOL CASE

Aluminium-effect tool case, complete with pallet in lid and padded dividers. Heavy duty square corners, twin lockable catches and supplied with two keys. Ideal tool case for engineers, photographers etc. Carton packed with label.

Stock No.	Dimensions L x W x H
85743	460 x 330 x 150mm

CONTENTS NOT INCLUDED






2 TT500

500mm HEAVY DUTY TOTE TRAY

Expert Quality, heavy duty impact resistant polypropylene tote tray with two extra deep compartments size 440 x 95 x 150mm and two smaller size 80 x 80 x 60mm. Pre-drilled holes for storage. Sturdy aluminium soft grip handle. Sold loose.

Stock No.	Dimensions L x W x H
05179	500 x 350 x 220mm

CONTENTS NOT INCLUDED





3 FST

570mm HEAVY DUTY TOTE TRAY

Expert Quality, tote tray ideal for general building use or the home and garden. Manufactured from low density polypropylene with four storage compartments and soft grip aluminium handle. Display packed.

Stock No.	Dimensions L x W x H
38096	570 x 300 x 300mm

MOBILE TOOL CHEST





CONTENTS NOT INCLUDED

4 TB755

740mm MOBILE TOOL CHEST

Expert Quality, tool box on heavy duty wheels manufactured from tough durable plastic with integral telescopic transport handle. Supplied with tote tray and tool box lid with strap for holding a spirit level. Bar locking handle secures the lid which has a padlock eye for security. Graduated V groove in lid for cutting wood etc. Carton packed.

Configuration:

• tool box (external): 740 x 450 x 490mm • tool box (internal): 680 x 380 x 380mm • tote tray (internal): 560 x 365 x 110mm

Stock No.	Dimensions L x W x H
22291	740 x 450 x 490mm



1 TC2B

2 DRAWER TOOL CHEST/TOOL BOX

Suitable for the storage of small hand tools. Piano hinged lid and top storage area. Heavy gauge sheet steel with powder coated finish. Drawers fitted with ball bearing runners for smooth operation and EVA foam liners. Secure integral locking system with two keys. Inset handles at both ends. Carton packed.

Configuration:

- 2 full width drawers: 365 x 205 x 52mm
- tool storage area: 455 x 230 x 60mm

Stock No.	Dimensions L x W x H
03243	460 x 240 x 250mm



2 TB484

485mm BARN TYPE TOOL BOX WITH TOTE TRAY

General purpose tool box manufactured from sheet steel with plastic tote tray size 455 x 125 x 40mm. Clip type lock on the lid which also incorporates provision for a padlock. Carton packed.

Stock No.	Dimensions L x W x H
86675	485 x 180 x 170mm



3 TB510

490mm TOOL BOX WITH TOTE TRAY

Sheet steel with steel tote tray size 490 x 200 x 45mm. Sturdy carrying handle with two clip type locks on the lid which also incorporates provision for a padlock. Carton packed.

Stock No.	Dimensions L x W x H
86674	513 x 260 x 230mm



4 TB404B

430mm TWO TRAY CANTILEVER TOOL BOX

General purpose tool box manufactured from sheet steel with tubular handles and lacquered finish. Trays open automatically when handle is depressed and close when lifted. The lid form incorporates provision for a padlock. Carton packed.

Stock No.	Dimensions L x W x H
86673	430 x 170 x 210




5 TB404

430mm FOUR TRAY CANTILEVER TOOL BOX

General purpose tool box manufactured from sheet steel with tubular handles and lacquered finish. Trays open automatically when handle is depressed and close when lifted. The lid form incorporates provision for a padlock. Carton packed.

Stock No.	Dimensions L x W x H
86672	430 x 220 x 210mm



6 TB495

500mm EXTRA LONG FOUR TRAY CANTILEVER TOOL BOX

General purpose extra long tool box formed from sheet steel with tubular handles and lacquered finish. Trays open independently when handles are pulled apart and the tray lids feature padlock tabs. Carton packed.

Stock No.	Dimensions L x W x H
86671	500 x 297 x 210mm



7 TB459B

460mm BARN TYPE TOOL BOX WITH 4 CANTILEVER TRAYS

General purpose tool box manufactured from sheet steel with lacquered finish. The lid incorporates provision for a padlock. Carton packed.

Stock No.	Dimensions L x W x H
48566	460 x 335 x 257mm



1 TB320

315mm TOOL/ORGANISER BOX WITH TOTE TRAY

Impact-resistant polypropylene with three storage compartments in lid. Fitted with sturdy carrying handle and plastic latch closure. The removable tote tray measures 310 x 145 x 25mm. Sold loose.

Stock No.	Dimensions L x W x H
53875	320 x 165 x 136mm



2 TB410

400mm TOOL/ORGANISER BOX WITH TOTE TRAY

Impact-resistant polypropylene fitted with sturdy carrying handle, two closing latches and a padlock eye for security. The removable tote tray measures 375 x 160 x 35mm. Sold loose.

Stock No.	Dimensions L x W x H
53876	410 x 209 x 195mm



3 TB413

400mm TOOL/ORGANISER BOX WITH TOTE TRAY

Impact-resistant polypropylene with three storage compartments in lid. Fitted with sturdy carrying handle, two metal closing latches and a padlock eye for security. The removable tote tray measures 395 x 160 x 35mm. Sold loose.

Stock No.	Dimensions L x W x H
53878	413 x 212 x 186mm



4 TB486

480mm TOOL/ORGANISER BOX WITH TOTE TRAY

Impact-resistant polypropylene with three storage compartments in lid. Fitted with sturdy carrying handle, two metal closing latches and a padlock eye for security. The removable tote tray measures 470 x 200 x 45mm. Sold loose.

Stock No.	Dimensions L x W x H
53880	486 x 267 x 242mm




5 TB564

560mm LARGE TOOL BOX WITH TOTE TRAY

Impact-resistant polypropylene with three storage compartments in lid. Fitted with sturdy carrying handles, two metal closing latches on the front and two side closing latches. Incorporating a heavy duty moulded pad-lock eye which provides space for a padlock. The removable tote tray measures 540 x 260 x 45mm. Sold loose.

Stock No.	Dimensions L x W x H
53887	564 x 310 x 310mm



CONTENTS NOT INCLUDED

6 TBCL454

454mm CANTILEVER TOOL BOX

Innovative design made from robust moulded plastic. Fitted with heavy duty metal cantilever hinges and plastic catches. Storage compartments facilitate flexible storage solutions by using the 18 removable dividers. Fitted with a padlock hole for added security. Carton packed.

Stock No.	Dimensions L x W x H
14709	454 x 235 x 235mm





1 TT2C

TOOL STORAGE TOTE TRAY

Impact-resistant polypropylene with three compartments for the storage of tools etc. Sold loose.

Stock No.	Dimensions L x W x H
54925	340 x 240 x 130mm



2 SSB5

STORAGE TOTE

Manufactured from ABS plastic. The 28L capacity is ideal for use around the house, office, workshop, garage or vehicle. Sold loose.

Stock No.	Dimensions L x W x H
64058	422 x 250 x 322mm



3 TTB2

2 TIER TOOL TROLLEY

Mobile workshop trolley ideal for moving bulky heavy equipment. Manufactured from heavy duty 0.6mm steel with a powder coated protective finish. Fitted with two swivelling castors and two fixed. Carton packed.

Stock No.	Dimensions L x W x H
07629	845 x 410 x 780mm



4 TTB3

3 TIER TOOL TROLLEY

Mobile workshop trolley ideal for moving bulky heavy equipment. Manufactured from heavy duty 0.6mm steel with a powder coated protective finish. Fitted with two swivelling castors and two fixed. Carton packed.

Stock No.	Dimensions L x W x H
07630	845 x 410 x 780mm



SUPPLIED ON PALLET

DRAPER Expert

BALL-BEARINGS

5 TT2DB

2 TIER TOOL TROLLEY WITH TWO DRAWERS

Expert Quality, mobile workshop trolley with two full width lockable drawers on ball bearing runners.for smooth operation. Manufactured from heavy duty steel with a powder coated protective finish. Fitted with handle and four castors (two fixed and two swivelling). Secure integral locking system supplied with two keys.

Stock No.	Dimensions L x W x H
07635	712 x 440 x 694mm





6 WST-2

3 TIER WORKSHOP TROLLEY

Plastic shelves with aluminium uprights, comprising three shelves each with three compartments with removable dividers, six screwdriver holding slots, four additional compartments, two cup holders and a cable tidy. Two fixed and two lockable swivelling castor wheels. Supplied flat packed with instruction booklet.
Carton packed.
Configuration - each tier: • 2 compartments: 120 x 260 x 40mm
• 1 compartment: 220 x 260 x 40mm

Stock No.	Dimensions L x W x H
04612	570 x 450 x 890mm



1 QC21

4 to 21 COMPARTMENT ORGANISER

Plastic organiser with an adjustable matrix of storage compartments. The 17 removable dividers can make from 4 to 21 compartments. Case has a carrying handle with 'snap fit' closures and clear lid. Sold loose.

Stock No.	Dimensions L x W x H
73507	360 x 285 x 65mm



2 MC11

11 COMPARTMENT ORGANISER

Steel cased organiser with an adjustable matrix of plastic lift-out storage compartments. Case has a carrying handle with lever latch closures and press button catch. Sold loose.

Configuration: • 6 compartments: 54 x 54 x 64mm • 3 compartments: 54 x 108 x 64mm • 1 compartment: 108 x 108 x 64mm • 1 compartment: 108 x 216 x 64mm

Stock No.	Dimensions L x W x H
22296	329 x 225 x 65mm



3

MULTI COMPARTMENT ORGANISERS

Plastic organiser with an adjustable matrix of storage compartments. Case has a carrying handle with 'snap fit' closures and clear lid. Display packed.

Stock No.	Part No.	Dimensions L x W x H
14715	QC10P	254 x 211 x 40mm
14716	QC12P	310 x 240 x 50mm
14717	QC15P	380 x 305 x 60mm



4 QC26

5 to 26 COMPARTMENT ORGANISER

Plastic organiser with an adjustable matrix of storage compartments. The 21 removable dividers can make from 5 to 26 compartments. Case has a carrying handle with 'snap fit' closures and clear lid. Sold loose.

Stock No.	Dimensions L x W x H
73508	460 x 325 x 75mm



5 MC24

24 COMPARTMENT ORGANISER

Steel cased organiser with an adjustable matrix of plastic lift-out storage compartments. Case has a carrying handle with lever latch closures and press button catch. Sold loose.

Configuration: • 12 compartments: 54 x 54 x 64mm • 8 compartments: 54 x 108 x 64mm • 3 compartments: 108 x 108 x 64mm • 1 compartment: 108 x 216 x 64mm

Stock No.	Dimensions L x W x H
22299	436 x 336 x 65mm



6 QCD34

DOUBLE SIDED ORGANISER

Double sided organiser with flexible configurable compartments ideal for storing a multitude of parts. Manufactured from high impact plastic with "snap-fit" closures this durable organiser is ideal for the garage, workshop and home. Display packed.

Stock No.	Dimensions L x W x H
31240	320 x 260 x 80mm



7 QC8D

8 COMPARTMENT ORGANISER

Plastic organiser with an adjustable matrix of lift-out storage compartments. Case has a carrying handle with 'snap fit' closures and clear lid. Sold loose.

Configuration: • 2 compartments: 95 x 95 x 98mm • 6 compartments: 95 x 145 x 98mm

Stock No.	Dimensions L x W x H
25925	415 x 330 x 110mm



8 QC15D

15 COMPARTMENT ORGANISER

Plastic organiser with an adjustable matrix of lift-out storage compartments. Case has a carrying handle with 'snap fit' closures and clear lid. Sold loose.

Configuration: • 10 compartments: 45 x 45 x 48mm • 2 compartments: 45 x 95 x 48mm • 3 compartments: 95 x 95 x 48mm

Stock No.	Dimensions L x W x H
25922	315 x 275 x 60mm



9 QC22D

22 COMPARTMENT ORGANISER

Plastic organiser with an adjustable matrix of lift-out storage compartments. Case has a carrying handle with 'snap fit' closures and clear lid. Sold loose.

Configuration: • 8 compartments: 45 x 45 x 48mm • 10 compartments: 45 x 95 x 48mm • 4 compartments: 95 x 95 x 48mm

Stock No.	Dimensions L x W x H
25924	415 x 330 x 60mm









1 POC12

12 DRAWER ORGANISER

Impact-resistant plastic ideal for use in the workshop or home. Latching facility to prevent drawer fall out. Slotted holes in cabinet to facilitate wall mounting. Shrink wrapped with display sleeve.

Configuration:

- 8 drawers size: 53 x 134 x 38mm
- 4 drawers size: 110 x 134 x 53mm

Stock No.	Dimensions L x W x H
12014	260 x 160 x 230mm

2 POC30

30 DRAWER ORGANISER

Impact-resistant plastic ideal for use in the workshop or home. Latching facility to prevent drawer fall out. Slotted holes in cabinet to facilitate wall mounting. Shrink wrapped with display sleeve.

Configuration:

- 24 drawers size: 53 x 134 x 38mm
- 6 drawers size: 110 x 134 x 53mm

Stock No.	Dimensions L x W x H
12015	500 x 160 x 255mm

3 QC30A

30 DRAWER STORAGE ORGANISER

Expert Quality, steel framed organiser ideal for use in the home or workshop with 30 tough polypropylene drawers. Slotted holes are drilled in the cabinet to facilitate wall mounting. Overall size 307 x 146 x 375mm. Shrink wrapped. Configuration: • 25 drawers size: 52 x 138 x 35mm • 3 drawers size: 87 x 136 x 58mm • 2 drawers size: 135 x 136 x 58mm

Stock No.	Description
89470	Organiser
68235	30 Draw Dividers 52x35mm
68237	16 Ass. Plastic Draw Dividers

30 DRAWER 9 BIN ORGANISER

4 POC39

30 DRAWER 9 BIN ORGANISER

Organise your garage, workshop or home with this dual sized compartment organiser. Fitted with a latching facility on the drawers and designed for durability this organiser is ideal for storing all your bits and pieces. Display packed.

Configuration: • 30 drawers size: 52 x 138 x 35mm • 9 bins size: 89 x 150 x 72mm

Stock No.	Dimensions L x W x H
31232	380 x 165 x 475mm





1 SBB1

MEDIUM STORAGE UNIT SET (6 PIECE)

Manufactured from heavy-duty plastic making them ideal for the garage, workshop and in sheds. Bin size – 105 x 135 x 82mm and supplied with plastic hanging rail. Display packed.

Stock No.
38114




2 SBB3

LARGE STORAGE UNIT SET (4 PIECE)

Manufactured from heavy-duty plastic making them ideal for the garage, workshop and in sheds. Bin size – 150 x 240 x 128mm and supplied with plastic hanging rail. Display packed.

Stock No.
38116




3 SBB24B

24 BIN WALL STORAGE UNIT (LARGE BINS)

Comprises 24 plastic storage bins - sized: 102 x 160 x 75mm that fix to a heavy duty plastic mounting board size 483 x 540mm. Ideal for industrial environments i.e. garages and workshops. Display carton.

Stock No.
06797



4 SBB24C

24 BIN WALL STORAGE UNIT (SMALL/MEDIUM BINS)

Comprises 24 plastic storage bins - sizes: 12 medium 102 x 160 x 75mm and 12 small 102 x 100 x 75mm that fix to a heavy duty plastic mounting board size 483 x 540mm. Ideal for industrial environments i.e. garages and workshops. Display carton.

Stock No.
06798





5 SBR18

TOOL STORAGE BOARD (18 PIECE)

Wall mounted storage board with spanner holder, four bins, screwdriver holder, 10 hooks and insert bit holder. Bin sizes 102 x 100 x 60mm. Carton packed.

Stock No.	Board Dimensions
22295	483 x 540mm





1 LK1B

SINGLE DOOR LOCKER

Steel constructed locker with internal shelf and clothes rail. Fitted with lever lock and two keys. Units can be secured together if required. Supplied flat packed in carton.

Stock No.	Dimensions L x W x H
54783	380 x 450 x 1800mm





2 LK2B

2 DOOR LOCKER

Steel constructed two door locker. Supplied with two clothes rails, lever lock and two keys per door. Units can be secured together if required. Supplied flat packed in carton.

Configuration:

- 2 x individual lockers size: 380 x 450 x 870mm

Stock No.	Dimensions L x W x H
54809	380 x 450 x 1800mm





3 LK4B

4 DOOR LOCKER

Steel constructed four door locker. Each supplied with lever lock and two keys per door. Can be secured together if required. Ideal for garages, workshops, sports facilities, schools/colleges etc. Supplied flat packed in carton.

Configuration:

- 4 x individual lockers each sized: 380 x 450 x 330mm

Stock No.	Dimensions L x W x H
54811	380 x 450 x 1800mm



4 FSC1

FLAMMABLES STORAGE CABINET

Compliant with D.S.E.A.R; HS(G)51; COSHH and Factory Inspectorate Certificate of Approval No1: Parts 3 and 4

Expert Quality, welded construction in 0.9mm thick steel designed to maintain cabinet integrity for up to 30 minutes. Supplied with adjustable spillage trays and sump trays. Reinforced doors are secured by a chrome locking handle. High visibility powder coated finish with appropriate warning labels. Carton packed on pallet.

All orders for this range will be shipped direct to end user location and therefore can only be supplied to addresses in mainland UK. Some areas of northern mainland Scotland may incur delivery charges please call for details before ordering. Allow a minimum of 2-3 working days for delivery. We are unable to offer any form of overnight service on this range.

Stock No.	Dimensions L x W x H
23314	355 x 305 x 712mm



5 FSC4

FLAMMABLES STORAGE CABINET

Compliant with D.S.E.A.R; HS(G)51; COSHH and Factory Inspectorate Certificate of Approval No1: Parts 3 and 4

Expert Quality, welded construction in 0.9mm thick steel designed to maintain cabinet integrity for up to 30 minutes. Supplied with adjustable spillage trays and sump trays. Reinforced doors are secured by a chrome locking handle. High visibility powder coated finish with appropriate warning labels. Optional stand available Stock No.24917. Carton packed on pallet.

All orders for this range will be shipped direct to end user location and therefore can only be supplied to addresses in mainland UK. Some areas of northern mainland Scotland may incur delivery charges please call for details before ordering. Allow a minimum of 2-3 working days for delivery. We are unable to offer any form of overnight service on this range.

Stock No.	Description
23317	Cabinet - 915 x 459 x 915mm
24917	Stand



6 FSC5

FLAMMABLES STORAGE CABINET

Compliant with D.S.E.A.R; HS(G)51; COSHH and Factory Inspectorate Certificate of Approval No1: Parts 3 and 4

Expert Quality, welded construction in 0.9mm thick steel designed to maintain cabinet integrity for up to 30 minutes. Supplied with adjustable spillage and sump trays. Reinforced doors are secured by a chrome locking handle. High visibility powder coated finish with appropriate warning labels. Carton packed on pallet.

All orders for this range will be shipped direct to end user location and therefore can only be supplied to addresses in mainland UK. Some areas of northern mainland Scotland may incur delivery charges please call for details before ordering. Allow a minimum of 2-3 working days for delivery. We are unable to offer any form of overnight service on this range.

Stock No.	Dimensions L x W x H
23320	915 x 459 x 1830mm





DRAPER Expert | SUPPLIED ON PALLET

1 MSUHD104/PRO

HEAVY DUTY STEEL 4 SHELVING UNIT

Expert Quality, four shelf unit of robust construction manufactured from high quality steel ideal for industrial or domestic use. Wire construction shelves avoid collection of dust. Modular in design, different configurations can be achieved by changing layout. Each shelf can carry up to 364kg (evenly distributed) giving a total of 1456kg. Easily assembled, instructions supplied. An extension is available of similar dimensions to the main unit giving extra configurations (Stock No.05231). Carton packed.

Stock No.	Dimensions L x W x H
05230	1040 x 610 x 1830mm



DRAPER Expert | SUPPLIED ON PALLET

2 MSUHD104E/PRO

HEAVY DUTY STEEL 4 SHELVING EXTENSION UNIT

Expert Quality, four shelf extension unit of robust construction manufactured from high quality steel ideal for industrial or domestic use. Wire construction shelves avoid collection of dust. Modular in design, it conjoins Draper Shelving Unit Stock No. 05230 using a common upright. Each shelf can carry up to 364kg (evenly distributed) giving a total of 1456kg. Easily assembled, instructions supplied. Carton packed.

Stock No.	Dimensions L x W x H
05231	1040 x 610 x 1830mm



DRAPER Expert | SUPPLIED ON PALLET

3 MSUHD195/PRO

HEAVY DUTY STEEL 4 SHELVING UNIT

Expert Quality, robust four shelf extension unit. Manufactured from high quality steel. Wire construction shelves avoid collection of dust. Modular in design. Each shelf can carry up to 364kg (evenly distributed) giving a total of 1456kg. Easily assembled with instructions supplied. An extension is available of similar dimensions to the main unit giving extra configurations (Stock No.05229). Carton packed on a pallet.

Deliveries of this product to outside of the UK mainland, Northern Ireland, The North of Scotland and the Republic of Ireland may incur a carriage cost, please ask for details before ordering.

Stock No.	Dimensions L x W x H
05227	1959 x 610 x 1830mm



DRAPER Expert | SUPPLIED ON PALLET

4 MSUHD195E/PRO

HEAVY DUTY STEEL 4 SHELVING EXTENSION UNIT

Expert Quality, robust four shelf extension unit. Manufactured from high quality steel. Wire construction shelves avoid collection of dust. Modular in design, it conjoins Draper Shelving Unit Stock No. 05227 using a common upright. Each shelf can carry up to 364kg (evenly distributed) giving a total of 1456kg. Easily assembled with instructions supplied. Carton packed on a pallet.

Deliveries of this product to outside of the UK mainland, Northern Ireland, The North of Scotland and the Republic of Ireland may incur a carriage cost, please ask for details before ordering.

Stock No.	Dimensions L x W x H
05229	1959 x 610 x 1830mm







1 MSUHD183

HEAVY DUTY STEEL SHELVING UNIT

Expert Quality, five shelf unit of robust construction manufactured from high quality steel. Boltless for easy assembly. Ideal for industrial use. Each shelf can carry up to 225kg (evenly distributed) giving a total of 1125kg. Easily assembled, instructions supplied. Carton packed.

Stock No.	Dimensions L x W x H
21659	920 x 305 x 1830mm

2 MSUHD183

HEAVY DUTY STEEL SHELVING UNIT

Expert Quality, five shelf unit of robust construction manufactured from high quality steel. Boltless for easy assembly. Each shelf can carry up to 225kg (evenly distributed) giving a total of 1125kg. Easily assembled, instructions supplied. Carton packed.

Stock No.	Dimensions L x W x H
21663	1220 x 450 x 1830mm

3 MSU152

STEEL SHELVING UNIT

Four shelf unit of robust construction manufactured from quality steel. Boltless for easy assembly. Each shelf can carry up to 50kg (evenly distributed) giving a total of 200kg. Easily assembled, instructions supplied. Carton packed.

Stock No.	Dimensions L x W x H
21658	760 x 300 x 1520mm







4 CBL/P

CAR BOOT LINER

Ideal for the prevention of damage to the inside of car boots, estate cars, SUVs etc. Hard wearing, waterproof and will wipe clean easily. Popper fastening with lifting handles. Polybag with header.

Stock No.	Dimensions L x W
47648	1.25 x 1.8M





1

DRY BAGS

Ideal for keeping possessions dry and safe on building sites or during outdoor activities. Water-resistant polyester/PVC with 'lock and roll' feature for a watertight closure. Supplied with adjustable shoulder strap. Display packed.

Stock No.	Part No.	Capacity
38351	DB10B	10L
64760	DB20B	20L
77572	DB30	30L



2 CBBP

15L BACKPACK COOL BAG

Ideal for a variety of outdoor activities. Main storage compartment has removable insulated foil lining for easy cleaning with non-insulated front storage compartment. Adjustable padded backstraps and heavy duty zips. Display carton.

Stock No.
77589



3 CB26

26L COOL BAG

Ideal for a variety of outdoor activities. Main storage compartment has removable insulated foil lining for easy cleaning with non-insulated front storage compartment. Two net storage pockets. Adjustable shoulder strap and heavy duty zips. Display carton.

Stock No.	Dimensions L x W x H
77586	350 x 300 x 250mm



4

TOOL BAGS

Manufactured from water repellent polyester with PVC backing, fitted a nylon zip with framed opening. Attached with 6 external and 13 internal pockets. Packed in polythene bag with display card.

Stock No.	Part No.	Dimensions L x W x H
87358	TBS	320 x 210 x 230mm
87359	TBM	420 x 230 x 290mm

NEW



5 TBMHB/J

OPEN MOUTH TOOL BAG (440mm)

Open mouth design tool bag with 13 internal and 6 external pockets for excellent organisation potential. The solid base keeps tools safe from damage and protects the bag from moisture and dirt. Made from 600 denier hard wearing fabric that's strong and durable.

Stock No.	Dimensions L x W x H
35570	440 x 245 x 335mm



1 HVTB

600mm HI-VIS TOOL BAG

Multi purpose tool bag. Manufactured from polyester with a robust solid base, hi-vis reflective strips, shoulder strap, 7 internal and 23 various sized exterior pockets. Display packed.

Stock No.	Dimensions L x W x H
31085	600 x 280 x 260mm



2 TB650

650mm CONTRACTORS TOOL BAG

Expert Quality, water resistant canvas with PVC backing, reinforced handles, framed opening and reinforced base. 31 different-sized internal and external pockets for storing tools and accessories. Supplied with detachable shoulder strap and side strapping to accommodate a spirit level. Display packed.

Stock No.	Dimensions L x W x H
31591	600 x 325 x 240mm



3 TBW

600mm ROLLING TOOL BAG

Manufactured from water repellent polyester with PVC backing on wheels with foldaway handle which retracts into base. Rope reinforced handles, nylon zip with framed opening and reinforced base with rubber grip squares. Many different-sized internal and external pockets for storing tools and accessories. Supplied with detachable shoulder strap. Sold loose with display card.

Stock No.	Dimensions L x W x H
40754	600 x 300 x 350mm



4 TBB

630mm CONTRACTORS TOOL BAG

Manufactured from water repellent polyester with PVC backing, rope reinforced handles, nylon zip with framed opening and reinforced base with rubber grip squares. Many different-sized internal and external pockets for storing tools and accessories. Supplied with detachable shoulder strap and side strapping to accommodate a spirit level. Sold loose with display card.

Stock No.	Dimensions L x W x H
40755	630 x 280 x 350



5 TBO

TECHNICIANS LAPTOP TOOL CASE

Manufactured from water repellent polyester with adjustable carrying handle and detachable shoulder strap. Multiple internal and external pockets for storing tools, equipment and computers etc. Packed in polythene bag with display card.

Stock No.	Dimensions L x W x H
89209	470 x 150 x 300mm





CONTENTS NOT INCLUDED





1 TTB/B

420mm TOTE TOOL BAG

Rigid nylon construction with solid base and soft grip on steel tubular handle, 15 external pockets, ten internal pockets and eight elasticated tool holding loops. Supplied with adjustable shoulder straps and adjustable straps for builders level. Packed in polythene bag with insert card.

Stock No.	Internal Dimensions L x W x H
85751	420 x 235 x 300mm



2 FTTB14

355mm FOLDING TOTE WITH TUBULAR STEEL HANDLE

Expert Quality, folding tubular frame construction with soft grip handle and covered in a rigid waterproof fabric. Incorporated with 8 external pockets and 14 internal pockets-loops. Fitted with shoulder strap and protective bumpers on the base. Display packed.

Stock No.	Internal Dimensions L x W x H
31593	355 x 250 x 300mm



3 FTTB24

610mm FOLDING TOTE WITH TUBULAR STEEL HANDLE

Expert Quality, folding tubular frame with soft grip handle and covered in a rigid waterproof fabric. Incorporated with 8 external pockets and 18 internal tool loops. Fitted with shoulder strap and protective bumpers on the base. Display packed.

Stock No.	Internal Dimensions L x W x H
31595	610 x 250 x 300mm



4 517A

460mm CANVAS TOOL BAG

Expert Quality, manufactured from water repellent canvas with wrap around handles, nylon zip and wood baseboard. Packed in polythene bag with display card.

Stock No.	Dimensions L x W x H
72973	460 x 160 x 170mm



5 524A

600mm CANVAS TOOL BAG

Expert Quality, manufactured from water repellent canvas with PVC backing, rope reinforced handles, nylon zip and wood base. Packed in polythene bag with display card.

Stock No.	Dimensions L x W x H
72999	600 x 170 x 180mm





6 B519A

CANVAS TOOL BAGS

Manufactured from water resistant canvas, with heavy duty zip and wrap around strap handles. Packed in polythene bag with display card.

Stock No.	Dimensions L x W x H
72971	590 x 160 x 150mm
72972	460 x 180 x 195mm



7 B518A

740mm CANVAS TOOL BAG

Manufactured from water resistant canvas with buckle straps and canvas covered rope handles. Packed in polythene bag with display card.

Stock No.	Dimensions L x W x H
72970	740 x 210 x 220mm



8 BB14

14 POCKET BUCKET-SHAPED BAG

Multi-pocket nylon bucket-shaped bag with reinforced carrying handles, five internal pockets and eight external pockets. Drawstring closure for security. Packed in polythene bag with insert card.

Stock No.	Dimensions Height x Diameter
02984	250 x 250mm

8 AND 14 DIVISION ROLLS AVAILABLE





1 TRP12

12 DIVISION TOOL ROLL

Water-resistant polyester with ten storage pockets and two tool loops. Packed in polythene bag with display card.

Stock No.	Dimensions L x H
40767	550 x 350mm

2

PVC TOOL ROLLS

Manufactured from PVC with bound edges and securing tapes. Packed in polythene bag with display card.

Stock No.	Part No.	Divs.	Dimensions L x H
72976	TR8A	8	400 x 350mm
72977	TR14A	14	675 x 350mm





3 OTLTP/ND

OIL-TANNED LEATHER DOUBLE POUCH TOOL BELT

Expert Quality, oil tanned leather, reinforced with rivets and double stitched. Comprises two large pouches, knife holder, two hammer loops, two nail pouches, measuring tape holder and four screwdriver holders. Supplied with fully adjustable 50mm wide belt. Packed in polythene bag with insert card.

Stock No.
03138

4 TP11A

DOUBLE LEATHER TOOL BELT

Expert Quality, split suede leather, double stitched. Comprising two large pockets, two medium pockets, six pencil pockets, two hammer loops, tape measure holder, holder for pliers and 50mm wide belt with 'quick release buckle'. Display carton.

Stock No.
72921





5 DTP/HD

DOUBLE POUCH TOOL BELT

Expert Quality, rigid nylon, reinforced with rivets. Comprises two large pouches, three smaller pouches, measuring tape clasp, hammer loop, four leather tool holders and nylon tool holder. Supplied with 50mm fully adjustable fast click webbing belt. Display carton.

Stock No.
02985

6 DTP

DOUBLE POUCH TOOL BELT

Polyester double stitched construction. Comprising two large pockets, three medium pockets, two small pockets, four pencil pockets, two hammer loops, tool sleeve and 50mm wide belt between 97-120mm long with 'quick release' buckle. Packed in polythene bag with display card.

Stock No.
03068



1 TP24

16 POCKET TOOL POUCH

Nylon tool pouch, comprising 16 pouches of varying sizes, hammer loop, measuring tape clasp and chain. Supplied with 50mm wide adjustable webbing belt. Display carton.

Stock No.
02987



2 DNP

DOUBLE POCKET NAIL POUCH

Polyester double stitched with leather hammer loop and 40mm wide nylon belt with 'quick release buckle'. Packed in polythene bag with insert card.

Stock No.
03069



3 DNPA

DOUBLE POCKET NAIL POUCH

First quality split suede leather single stitched with 40mm wide nylon belt. Packed in polythene bag with display card.

Stock No.
72920



4 NBA

POLYPROPYLENE WEBBING BELT

Fully adjustable, with locking clip. 1200mm long (approx.) x 50mm wide. Will fit the Draper range of Tool Pouches and Holsters. Display packed.

Stock No.
72925





5 SHLA

SWIVELLING HAMMER LOOP

Top grain leather. Nickel plated steel loop with swivel action attached by reinforced rivets. Slots suitable for belts up to 50mm. Display packed.

Stock No.
72924




6 SSH

SCAFFOLD SPANNER HOLDER

Top grain leather with reinforced rivets securing the hanging hole and two 60mm belt slots. Display packed.

Stock No.
20612

WORK BRACES



7 HDB

WORK BRACES

Ideally suited for attaching to trousers or the belt on heavy tool pouches. The braces help to support the heavy tool pouch on the belt by evenly distributing load, particularly useful when working on ladders or scaffolding. The front straps are polypropylene with elasticated rear straps and nickel plated buckles. Display packed.

Stock No.
39243



FOLD FLAT SACK TRUCKS











1 DHTHD

HEAVY DUTY FOLD FLAT SACK TRUCK (125KG)

• Foldable and extendable sack truck • Extremely versatile sack truck manufactured with a comfortable foam grip handle attached to a heavy-duty tubular steel frame • Fitted with a 490 x 450mm cast aluminium base plate • Max load 125kg • Fitted with a safety pin feature helping prevent wheel closure

Available in singles - order multiples of five to get a free floor dispenser

Extended height	1250mm
Maximum capacity	125kg (flat/level surface)
Base plate size	490 x 280mm (flat)

Stock No.
80805







2 DHT

FOLD FLAT SACK TRUCK (90KG)

• 90kg maximum load capacity • High quality tubular steel frame • Heavy duty cast aluminium nonslip base plate • Easy fold and extend action • Integral safety pin feature to prevent accidental closure • Foam grip handle for user comfort • Folds flat to 58mm for easy storage

Available in singles - order multiples of five to get a free floor dispenser

Closed height	705mm
Extended height	1020mm
Flat closed size	58mm
Maximum capacity	90kg (flat/level surface)
Base plate size	480 x 280mm (flat)

Stock No.
68854





3 DHT/T

FOLD FLAT SACK TRUCK (90KG)

• Heavy duty tubular aluminium frame • Aluminium nonslip base plate • Folds down for easy transportation • Foam grip handle for user comfort • Integral safety pin prevents wheel closure when in use

Closed height	630mm
Extended height	1000mm
Maximum capacity	90kg (flat/level surface)
Base plate size	385 x 230mm (flat)

Stock No.
85633



1 DST5/T

HEAVY DUTY SACK TRUCK

- Tubular steel frame with pneumatic tyres
- Max. load: 250kg

Capacity	250kg
Toe plate size	253 x 355mm
Toe plate thickness	4mm
Unladen weight	11kg
Overall size L x W x H	1220 x 530 x 487mm

Stock No.	Description
85670	Sack Truck
62021	Spare Wheel

3 in 1 HEAVY DUTY SACK TRUCK



2 DST3/T

3 in 1 HEAVY DUTY SACK TRUCK

- Tubular steel frame
- Pneumatic tyres
- Converts to three positions

Capacity wheels + castors	300kg
Capacity just wheels	250kg
Toe plate size	400 x 300mm
Toe plate thickness	4mm
Unladen weight	20.85kg
Overall size L x W x H	1275 x 614 x 560mm

Stock No.	Description
85673	Sack Truck
63358	Spare Wheel







3 DSCT/T

HEAVY DUTY STAIR CLIMBING SACK TRUCK

- Manufactured from tubular steel
- Attached with a triangular three wheel axle
- Wheels fitted with solid rubber tyres
- Compact frame folds up for easy storage and transportation
- Maximum load capacity of 150Kg

Capacity	150kg
Toe plate size	370 x 280mm
Unladen weight	13kg
Overall size L x W x H	1140 x 530 x 760mm

Stock No.	Description
85675	Sack Truck
63358	Spare Wheel



STAIR CLIMBING CONFIGURATION

NEW

SUPPLIED ON PALLET



1 PT2500-B

PALLET TRUCK (2.5 TONNE)

• Ideal for use in warehouse environments

Capacity	2,500kg
Minimum fork height	85mm
Maximum fork height	200mm
Lift height	672mm
Fork length	150mm
Fork width	540mm
Load wheel quantity	4
Steering wheel quantity	2
Load wheel size	80 x 70mm
Steering wheel size	200 x 50mm
Wheel material	Rubber
Nett Weight	72kg

Stock No.
85655

2 FRT

PLATFORM TROLLEY WITH FOLDING HANDLE (150kg)

Tough steel construction with rubber protective edges. Heavy duty matting on carrying surface and four heavy duty rubber tyred castors (two fixed and two swivelling). Handle folds away for convenient storage. Carton packed.

Stock No.	Dimensions L x W x H
44005	630 x 480 x 850mm

3 FRT300

PLATFORM TROLLEY WITH FOLDING HANDLE (300kg)

Tough steel construction with rubber protective edges. Heavy duty matting on carrying surface and four heavy duty rubber tyred castors (two fixed and two swivelling). Handle folds away for convenient storage. Carton packed.

Stock No.	Dimensions L x W x H
04692	900 x 600 x 850mm





4 WPD

PLATFORM DOLLY (150KG)

General purpose dolly platform for transportation of heavy and awkward items. The base is fitted with four permanently fixed 50mm heavy duty castors and EVA foam pads. Manufactured from plywood (500mm x 310mm x 10mm) with a handle slot cut into the base for easier manhandling. Carrying capacity 150kgs.

Stock No.
17987



5 3WD

3 WHEEL DOLLY

Ideal for moving furniture and loads up to 60 kg and fitted with three casters which deliver fantastic manoeuvrability. The stable aluminium base is cushioned helping protect items while being transported.

Stock No.
15078



6 FSST

FOLDING STEP STOOL

Plastic folding step stool with anti-slip grips on the top. Folds flat for easy storage. Height 235mm. Maximum capacity of 125kg. Sold loose with display label.

Stock No.
19258



7 KS

METAL KICKSTOOL

GS and TUV Approved

Two level, with spring suspension with instant set down once weight is applied. Three castor wheels. Maximum weight 150kg. Display carton.

Stock No.	Height
59246	440mm





1 TRY2

PAIR OF FOLD DOWN TRESTLES

Pair of trestles for supporting large workpieces, doors, etc. Pressed steel with anti-slip mat on top and side surfaces and a rubber foot on each leg. Trestles fold down for safe storage. Maximum loading 200kg, evenly distributed. Display carton.

Stock No.	Dimensions L x H
52072	1000 x 780mm

TELESCOPIC TRESTLES/ SAWHORSES

SINGLE 2



DOUBLE 3





2 BT/Y1

TELESCOPIC TRESTLE/SAW HORSE

Telescopic action with height adjusting locking bars. Dual locking safety arms and folding support braces for rigidity when working. Folds down for safe storage. Manufactured from heavy duty box section steel. Maximum loading 150kg. Supplied in kit form with assembly instructions for easy self-assembly. Display carton.

Stock No.	Dimensions L x H
54051	685 x 810-1300mm

3 BT/Y2

PAIR OF TELESCOPIC TRESTLES/SAW HORSES

Telescopic action with height adjusting locking bars. Dual locking safety arms and folding support braces for rigidity when working. Trestles fold down for safe storage. Manufactured from heavy duty box section steel. Maximum loading 150kg evenly distributed. Supplied in kit form with assembly instructions for easy self-assembly. Display carton.

Stock No.	Dimensions L x H
54053	685 x 810-1300mm







TILT AND CLAMP FEATURE FOR 0°, 45° AND 90° CLAMPING



1 WB600Y

FOLD DOWN WORKBENCH (600mm)

Portable workbench with dual clamping action and 24 holes for work clamping dogs. Folds flat for secure storage. Two-piece MDF worktop. Sturdy legs manufactured from strong box section steel. Maximum clamping width with dogs 260mm. Supplied with four plastic clamping dogs and fixings. Weight 7.5kg. (approx.). Flat packed with assembly instructions. Display carton.

Stock No.	Dimensions L x W x H
77020	600 x 640 x 785mm

2 WB800Y

FOLD DOWN WORKBENCH (800mm)

Portable workbench with dual clamping action and 35 holes for work clamping dogs. Folds flat for secure storage. Two-piece MDF worktop. Sturdy legs manufactured from strong box section steel. Maximum clamping width with dogs 430mm. Supplied with four plastic clamping dogs and fixings. Weight 11.5kg. (approx.). Flat packed with assembly instructions. Display carton.

Stock No.	Dimensions L x W x H
21353	805 x 650 x 785mm

3 WBTT600Y

TILT & CLAMP FOLD DOWN WORKBENCH (600mm)

Portable workbench with dual clamping action and 24 holes for work clamping dogs. Special tilting two-piece MDF worktops allow 0°, 45° and 90° clamping. Folds flat for secure storage. Sturdy legs manufactured from strong box section steel. Maximum clamping width with dogs 280mm. Supplied with four plastic clamping dogs and fixings. Weight 6.1kg.(approx.). Flat packed with assembly instructions. Display carton.

Stock No.	Dimensions L x W xH
09951	600 x 650 x 800mm



2 x 145mm CAPACITY WOODWORKING VICES

DELIVERED ON A PALLET

2 x 150mm CAPACITY WOODWORKING VICES



4 CWB2EXP/A

CARPENTER'S WORKBENCH

Expert Quality, fabricated from beechwood with lacquered finish. Two vices, one at the front the other on the side - width of the vices are 360mm with an opening capacity of 145mm. Table top and legs drilled for use with metal bench dogs (supplied). Weight 46kg.(approx). Flat pack constructed with assembly instructions. Carton packed.

Stock No.	Dimensions L x W x H
83724	1495 x 655 x 840mm

5 CWB

CARPENTER'S WORKBENCH

Sturdy hardwood construction with lacquered finish. Has one drawer, two vices with 150mm capacity. Tool well on the worktable and shelf under the bench. Table top and one leg drilled for use with supplied metal bench dogs and wooden board jacks. Weight 29kg. Flat pack assembled. Carton packed.

Stock No.	Dimensions L x W x H
83440	1520 x 620 x 855mm




1 WB1200

STEEL WORKBENCH

Manufactured from sheet steel with a powder coated finish with MDF worktop. Easy-to-assemble as there are no nuts and bolts. Maximum working load 200kg. Supplied in flat packed form with assembly instructions. Display packed.

Stock No.	Dimensions L x W x H
24912	1200 x 600 x 900mm



2 WB1800

STEEL WORKBENCH

Manufactured from sheet steel with a powder coated finish with MDF worktop. Easy-to-assemble as there are no nuts and bolts. Maximum working load 200kg. Supplied in flat packed form with assembly instructions. Display packed.

Stock No.	Dimensions L x W x H
24913	1800 x 600 x 900mm









3 MFL3A

MULTI-PURPOSE ALUMINIUM LADDER

Manufactured in accordance with EN131

- ***Expert Quality***
- Versatile aluminium ladder/platform with high quality steel lever locking hinges that can be used in three positions: straight (also as standoff); 'A' frame and work platform
- Complete with two-piece stippled steel platform which fits onto treads when in work platform configuration
- Auto locking hinges keep ladder stable
- Slip-resistant feet on the ladder stabilises position whilst working
- Please refer to the HSE Publications 'Work at Height 2005' Regulations and 'Work at Height (Amendment) 2007' Regulations when using ladders/platforms in the workplace (UK only)



Specifications:	
General:	
Maximum load EN131	150kg
Positions:	
'A' Frame:	
Height	1630mm
Spread	1050mm
Work Platform:	
Platform size	1390 x 300mm
Platform height	875mm
Spread	2200mm
Straight Ladder:	
Length	3300mm
With standoff	2490mm
Standoff length	890mm

Stock No.
17110



PRODUCT INFORMATION

Please refer to the 'Work at Height Regulations 2005' for guidance on working at height



1 AWP3/A

3 STEP ALUMINIUM WORKING PLATFORM

- Fully riveted construction
- Manufactured from extruded aluminium
- Securely attached to a hinged and sprung locking clip
- Easily stored and transported

Please refer to the 'Work at Height Regulations 2005' for guidance on working at height

Maximum load	150kg
Platform height	730mm
Platform area	1000 x 300mm
Footprint spread	1610 x 440mm

Stock No.
83998

2 AWP2/A

2 STEP ALUMINIUM WORKING PLATFORM

- Fully riveted construction
- Manufactured from extruded aluminium
- Securely attached to a hinged and sprung locking clip
- Easily stored and transported

Please refer to the 'Work at Height Regulations 2005' for guidance on working at height

Maximum load	150kg
Platform height	480mm
Platform area	800 x 300mm
Footprint spread	1180 x 395mm

Stock No.
83997

3 AWP1

2 STEP SQUARE ALUMINIUM WORKING PLATFORM

- Fully riveted construction
- Manufactured from extruded aluminium
- Securely attached to a hinged and sprung locking clip
- Easily stored and transported

Please refer to the 'Work at Height Regulations 2005' for guidance on working at height

Maximum load	150kg
Platform height	470mm
Platform area	600 x 600mm
Footprint spread	965 x 700mm

Stock No.
83996

NEW

FIBREGLASS STEP LADDERS

High strength non-conductive frame, fibreglass stepladders. Manufactured to EN 131 Professional standards.



4 FGL7A

FIBREGLASS 7 STEP LADDER

Manufactured in accordance with EN131 Professional

- ***Expert Quality***
- Nonconducting frame • High strength fibreglass
- Deep ridged aluminium treads for extra grip
- Non-slip rubber feet for added stability

Maximum load	150kg
Open height	2170mm (approx.)
Spread	1.669mm (approx.)
Closed length	2400mm (approx.)
Weight	11.6kg

Stock No.
90420

NEW



5 FGL5A

FIBREGLASS 5 STEP LADDER

Manufactured in accordance with EN131 Professional

- ***Expert Quality***
- Nonconducting frame • High strength fibreglass
- Deep ridged aluminium treads for extra grip
- Non-slip rubber feet for added stability

Maximum load	150kg
Open height	1615mm (approx.)
Spread	1275mm (approx.)
Closed length	1800mm (approx.)
Weight	8.7kg

Stock No.
90417

NEW

Item Nos. 4, 5 and 6 are Draper Expert Quality



6 FGL3A

FIBREGLASS 3 STEP LADDER

Manufactured in accordance with EN131 Professional


- ***Expert Quality***
- Nonconducting frame • High strength fibreglass
- Deep ridged aluminium treads for extra grip
- Non-slip rubber feet for added stability

Maximum load	150kg
Open height	1060mm (approx.)
Spread	881mm (approx.)
Closed length	1200mm (approx.)
Weight	6.1kg

Stock No.
90409

Item Nos. 1, 2 and 3 are Draper Expert Quality

THESE LADDERS FOLD FLAT FOR EASY STORAGE



1 SL7A

7 STEP ALUMINIUM LADDER

Manufactured in accordance with EN131

- ***Expert Quality***
- Manufactured, tested and certified to EN131 standards
- Extruded aluminium construction • Steel top platform
- Maximum load of 150kg • The non slip feet and woven nylon safety straps stabilise the ladder

Please refer to the HSE Publications 'Work at Height 2005' Regulations and 'Work at Height (Amendment) 2007' Regulations when using ladders/platforms in the workplace (UK only).

Maximum load	150kg
Platform size	250 x 280mm
Tread depth	80mm
Ground to platform height	1510mm (approx.)
Spread	1270mm (approx.)
Weight	7.1kg

Stock No.
16826



2 SL5A

5 STEP ALUMINIUM LADDER


Manufactured in accordance with EN131

- ***Expert Quality***
- Manufactured, tested and certified to EN131 standards
- Extruded aluminium construction • Steel top platform
- Maximum load of 150kg • The non slip feet and woven nylon safety straps stabilise the ladder

Please refer to the HSE Publications 'Work at Height 2005' Regulations and 'Work at Height (Amendment) 2007' Regulations when using ladders/platforms in the workplace (UK only).

Maximum load	150kg
Platform size	250 x 280mm
Tread depth	80mm
Ground to platform height	1050mm (approx.)
Spread	970mm (approx.)
Weight	4.55kg

Stock No.
16825



3 SL3A

3 STEP ALUMINIUM LADDER


Manufactured in accordance with EN131

- ***Expert Quality***
- Manufactured, tested and certified to EN131 standards
- Extruded aluminium construction • Steel top platform
- Maximum load of 150kg • The non slip feet and woven nylon safety straps stabilise the ladder

Please refer to the HSE Publications 'Work at Height 2005' Regulations and 'Work at Height (Amendment) 2007' Regulations when using ladders/platforms in the workplace (UK only).

Maximum load	150kg
Platform size	250 x 280mm
Tread depth	80mm
Ground to platform height	610mm (approx.)
Spread	645mm (approx.)
Weight	3.2kg

Stock No.
16823



4 LSO

ALUMINIUM LADDER STAND OFF

- Universal stand off compatible with Draper and other manufacturers ladders
- Fitted with locking spring for added security
- Anti slip rubber pads aid ladder stability while in use

Stand off width	640mm
Stand off from wall to ladder	340mm
Ladder bracket width	205mm
Ladder bracket height	340mm

Stock No.
23211



5 LRC

LADDER CAR ROOF CLAMPS

Easy way of securing ladders and steps to car roof racks. Cross beams clamp ladders securely to roof rack by simple spinner handles. Quick and easy tool-free installation. Lock holes for additional security if a padlock is required. Display packed.

Stock No.
24807



6 LLOCK

LADDER LOCK

Universal ladder lock giving a practical system for the safe, convenient and secure storage of most ladders. Hooks come complete with a locking bar for additional security if a padlock is required. Two brackets are approximately 225 x 170mm. Display packed.

Stock No.
24808

IMPORTANT DELIVERY INFORMATION - LADDERS

Each of these products will be shipped as a separate consignment to any other products ordered at the same time. **Orders received from Channel Islands, Isle of Man and Highlands/Scottish Islands incur a significant additional carriage surcharge** due the size/length of these products. Please ask for details of exact carriage surcharge at the time of ordering.




"DAVE SAYS" QUALITY MAKES THE DIFFERENCE

COMBINATION LADDER

This range of three ladders are available in 6, 9 or 12 tread versions.

Each ladder can be used in four different positions:
i) **'A' Frame** ii) **'A' Frame with extension** iii) **Extended single ladder** iv) **Single ladder** - this enables the user to work safely on various projects without the need for numerous ladders.







1 CL6A

COMBINATION 6 STEP ALUMINIUM LADDER

Manufactured in accordance with EN131

- ***Expert Quality***
- Used in four positions: straight extension, 'A' frame, 'A' frame with extension and single ladder
- Fitted with extension limiting pins, safety locking catches and steel hinge pins
- Slip-resistant feet and woven nylon safety straps help with stability

Please refer to the HSE Publications 'Work at Height 2005' Regulations and 'Work at Height (Amendment) 2007' Regulations when using ladders/platforms in the workplace (UK only).

Deliveries of this product to outside of the UK mainland, Northern Ireland, The North of Scotland and the Republic of Ireland may incur a carriage cost, please ask for details before ordering.

Specifications:	
General:	
Base width	710mm
Maximum load	150kg
Positions:	
'A' Frame:	
Height	1640mm
Spread	1220mm
'A' Frame with Extension:	
Height	2440mm (max.)
Straight Ladder:	
Height	3400mm (max.)
Single Ladder:	
Height	1725mm

Stock No.
17204



2 SSL2A

2 STEP STEEL STEP LADDER

Manufactured in accordance with EN14183

- High strength steel construction
- Two anti slip treads and soft grip safety rail
- 150kg rating

Maximum load	150kg
Opened size	H825 x W470 x D580mm (approx.)
Closed size	H970 x W470 x 135mm (approx.)
Tread size	380 x 260mm
Ground to platform height	490mm (approx.)
Spread	580mm (approx.)
Weight	3.2kg

Stock No.
16827

SPECIALIST TOOL KITS

NEW



1 *CVK

CAR VALET KIT

Comprehensive kit for cleaning vehicles.

Contents:

• Tote Tray • Sponge • Latex Gloves • Washing Brush • Microfibre Car Wash Mitt • Microfibre Cloth Set • Bucket • Chamois Leather • Squeegee

Draper Tools reserves the right to substitute items in the kit of equivalent finish or quality if the original item quoted in the above list has been discontinued or is out of stock.

Stock No.
04288





NEW

2 *PLUMBTK

PLUMBING TOOL KIT

Comprehensive kit for plumbers.

Contents:

• Tube bender • Automatic pipe cutter (15mm) • Automatic pipe cutter (22mm) • Hammer • Tap reseating tool • Adjustable pipe wrench • Trimming knife • Measuring tape • Screwdriver set (16 piece) • Junior hacksaw • Hacksaw • Handsaw • Pipe cutter • 2 x Waterpump pliers • Contractors tool bag • File set (3 Piece) • Pliers set (3 Piece) • Spirit level • 2 x Adjustable wrench • 3-Way Radiator key • 2 x Manhole keys • Master utility key • 2 x Adjustable basin wrench • 2 x immersion heater wrenches • Basin wrench • Plastic pipe cutter

Draper Tools reserves the right to substitute items in the kit of equivalent finish or quality if the original item quoted in the above list has been discontinued or is out of stock.

Stock No.
04380





3

AUTOMOTIVE ELECTRICIANS TOOL KIT

SUPPLIED COMPLETE WITH THIS DRAPER TOOL CHEST

SUPPLIED ON PALLET

NEW

Comprehensive kit for automotive electricians.

Contents:

• Digital multimeter • Plier set in EVA insert (5 Piece) • VDE plier set in EVA insert (4 Piece) • VDE screwdriver set in EVA insert (11 Piece) • Precision screwdriver set in EVA insert (8 Piece) • Insert bit set in EVA insert (40 Piece) • Combination spanner set in EVA insert (12 Piece) • 1/4" Socket set in EVA insert (32 Piece) • 3/8" Socket set in EVA insert (35 Piece) • Tool kit in EVA insert (36 Piece) • Rechargeable inspection lamp• Ratchet crimping tool kit • 6-24V DC circuit tester • 5 Drawer tool chest

Draper Tools reserves the right to substitute items in the kit of equivalent finish or quality if the original item quoted in the above list has been discontinued or is out of stock.

Stock No.
03564

ELECTRICIANS TOOL KITS



NEW



1 *ELECTKTB

ELECTRICIANS TOTE BAG TOOL KIT


Comprehensive kit for electricians. Contents: • Pipe Cutter
• Security Screwdriver Bit and Driver Set (45 piece)
• 13A Socket Tester • Junior Hacksaw • Claw Hammer
• Handsaw • Tote Tool Bag • File Set (3 Piece)
• Ergo Plus® VDE Screwdriver Set with Interchangeable Blades (18 Piece) • Plasterboard Saw
• Master Utility Key • Water pump Pliers
• Cable Access Kit • Re-Threading Tool • Cable Cutter

Draper Tools reserves the right to substitute items in the kit of equivalent finish or quality if the original item quoted in the above list has been discontinued or is out of stock.

Stock No.
04319



NEW



SUPPLIED COMPLETE WITH THIS DRAPER TOOL BOX

2 *ELEC

ELECTRICIANS TOOL KIT

Comprehensive kit with robust lacquered sheet steel four tray cantilever tool box size 530 x 200 x 210mm.
Contents: • Safety spectacles • Brick bolster with hand guard
• Junior hacksaw blades • Retractable trimming knife
• Roll of black insulation tape • Cold chisel with hand guard
• Flat wood bit set • Claw hammer • Holesaw kit
• Combined HSS and masonry drill set
• Hacksaw frame and two bi-metal blades • Ratchet crimping tool
• Terminal assortment • Precision screwdriver set
• Hickory shaft club hammer • Adjustable wrench
• 7.5M/25ft measuring tape • Assorted nylon cable tie pack
• Socket and bit set with flexible shaft driver
• VDE approved euro mains tester • Digital multimeter
• Combined metal, voltage and stud detector • Head lamp
• Floorboard saw • Electricians pocket knife
• Soft grip hardpoint plasterboard saw
• VDE approved fully insulated wire stripping pliers
• VDE approved fully insulated waterpump pliers
• Mini saw with powder coated frame • Boat level
• VDE approved fully insulated pliers and screwdriver set
• Soldering kit • Heavy duty rubber torch • Bevel edge wood chisel set
• Engineers file set • Carpenters awl

Draper Tools reserves the right to substitute items in the kit of equivalent finish or quality if the original item quoted in the above list has been discontinued or is out of stock.

Stock No.
89756

EVA FOAM INSERT TRAYS

Our range of modular, mix and match EVA foam insert trays allows you to manage your tools more easily. Designed to fit into Draper Expert and Draper tool chests and cabinets whilst also fitting other manufacturers similar storage units. Turn to pages 98-112 for more details.





WORKSHOP TOOL KIT

SUPPLIED COMPLETE WITH THIS DRAPER TOOL CHEST

SUPPLIED ON PALLET



1 *TKC2A

WORKSHOP TOOL KIT (A)

Comprises six drawer narrow pattern tool chest (size 600 x 260 x 340mm) with a selection of hand tools suitable for use in the workshop.

Contents:

- Adjustable wrench • Combination plier • Combination spanner set
- Combined socket set • Crimping tool kit • Diagonal side cutter
- Feeler gauge set • Hacksaw • Hacksaw blades • Hexagon key set
- Junior hacksaw • Junior hacksaw blades • Measuring tape
- Mechanic's bit set • Pack of latex gloves • Pry bar set
- Radio plier • Rubber mallet • Screwdriver set • Self grip plier
- Tinman's shears • Trimming knife • Trimming knife blades
- Waterpump plier • Wire scratch brush

Draper Tools reserves the right to substitute items in the kit of equivalent finish or quality if the original item quoted in the above list has been discontinued or is out of stock.

Stock No.
50104



WORKSHOP TOOL KIT

SUPPLIED COMPLETE WITH THIS DRAPER TOOL CHEST

SUPPLIED ON PALLET



1 *TKC2B

WORKSHOP TOOL KIT (B)

Comprises six drawer narrow pattern tool chest (size 600 x 260 x 340mm) with a selection of hand tools suitable for use in the workshop.

Contents:

• Adjustable wrench • Cold chisel and punch set • Combination plier
• Combination spanner set • Combined socket set • Crimping tool kit
• Diagonal side cutter • Digital automotive analyser
• Draper TX-STAR® security driver set • Feeler gauge set • Flat file and handle
• Hacksaw • Hacksaw blades • Half round file and handle • Hexagon key set
• Junior hacksaw • Junior hacksaw blades • Measuring tape • Mechanic's bit set
• Pack of latex gloves • Pry bar set • Radio plier • Round file and handle • Rubber mallet
• Screwdriver set • Self grip plier • Tinman's shears • Torque wrench • Trimming knife
• Trimming knife blades • Waterpump plier • Wire scratch brush

Draper Tools reserves the right to substitute items in the kit of equivalent finish or quality if the original item quoted in the above list has been discontinued or is out of stock.

Stock No.
53205



WORKSHOP TOOL KIT

SUPPLIED COMPLETE WITH THIS DRAPER TOOL CHEST & ROLLER CABINET

SUPPLIED ON PALLET



1 *GTK2A

WORKSHOP TOOL KIT (C)


Comprises combined roller cabinet chest (size 616 x 330 x 1000mm) with a selection of tools suitable for use in the workshop.

Contents:

• 2 x Adjustable wrenches • 230V Fluorescent inspection lamp • 230V Hammer drill
• Bent nose long reach long nose plier • Circlip plier set • Cold chisel and punch set
• Combination plier • Combination spanner set • Combined socket set
• Crimping tool kit • Diagonal side cutter • Digital automotive analyser
• Draper TX-STAR® security driver set • Drill and accessory kit • Feeler gauge set
• Flat file and handle • Hacksaw • Hacksaw blades • Half round file and handle
• Inspection mirror • Junior hacksaw • Junior hacksaw blades
• Long reach long nose plier • Magnetic parts tray • Magnetic pick up tool
• Measuring tape • Mechanic's bit set • Pack of latex gloves • Pocket multi-tool
• Pry bar set • Radio plier • Riveter kit • Round file and handle • Rubber mallet
• Screwdriver set • Self grip plier • Tinman's shears • Torque wrench
• Trimming knife • Trimming knife blades • Waterpump plier • Wire scratch brush

Draper Tools reserves the right to substitute items in the kit of equivalent finish or quality if the original item quoted in the above list has been discontinued or is out of stock.

Stock No.
50924



SUPPLIED COMPLETE WITH THIS DRAPER TOOL CHEST & ROLLER CABINET

SUPPLIED ON PALLET

WORKSHOP TOOL KIT



1 *GTK2B

WORKSHOP TOOL KIT (D)

Comprises combined roller cabinet chest (size 616 x 330 x 1000mm) with a selection of tools suitable for use in the workshop.

Contents:

• 2 x Adjustable wrenches • 2 x Flat metal cutting wheels • 230V Angle grinder
• 230V Fluorescent inspection lamp • 230V Hammer drill
• Bent nose long reach long nose plier • Circlip plier set • Cold chisel and punch set
• Combination plier • Combination spanner set • Combined socket set
• Crimping tool kit • Diagonal side cutter • Digital automotive analyser
• Draper TX-STAR® Security driver set • Draper TX-STAR® sockets
• Drill and accessory kit • Feeler gauge set • Flat file and handle • Hacksaw
• Hacksaw blades • Half round file and handle • Impact screwdriver set
• Inspection mirror • Junior hacksaw • Junior hacksaw blades • Long nose self grip plier
• Long reach long nose plier • Magnetic parts tray • Magnetic pick up tool
• Measuring tape • Mechanic's bit set • Pack of latex gloves • Pocket multi-tool
• Pry bar set • Radio plier • Riveter kit • Round file and handle • Rubber mallet
• Screwdriver set • Self grip plier • Tinman's shears • Torque wrench
• Trimming knife • Trimming knife blades • Waterpump plier • Wire scratch brush

Draper Tools reserves the right to substitute items in the kit of equivalent finish or quality if the original item quoted in the above list has been discontinued or is out of stock.

Stock No.
53219



WORKSHOP PROFESSIONAL TOOL KIT

SUPPLIED COMPLETE WITH THIS DRAPER TOOL CHEST & ROLLER CABINET

SUPPLIED ON PALLET



1 *PTK2A

WORKSHOP TOOL KIT (E)

Comprises combined roller cabinet chest (size 616 x 330 x 1000mm) with a selection of hand and power tools suitable for use in the workshop.

Contents:

• 2 x Adjustable wrenches • 2 x Feeler gauge sets • 2 x Flat metal cutting wheels
• 230V Angle grinder • 230V Fluorescent inspection lamp • 230V Hammer drill
• 230V Orbital sander • Bent nose long reach long nose plier • Box of latex gloves
• Chisel and punch set • Circlip plier set • Combination plier • Combination spanner set
• Combined socket set • Crimping terminal assortment • Diagonal side cutter
• Digital automotive analyser • Draper TX-STAR® security driver set
• Draper TX-STAR® sockets • Drill and accessory kit • Engineers file set • Hacksaw
• Hacksaw blades • Impact screwdriver set • Inspection mirror • Junior hacksaw
• Junior hacksaw blades • Long nose plier • Long reach long nose plier
• Magnetic pick up tool • Measuring tape • Mechanic's bit set
• Pack of ten sanding sheets • Pry bar set • Ratchet crimping tool
• Ratcheting combination spanner set • Riveter with rivets • Rubber mallet
• Rubber torch • Screwdriver set • Self grip pliers set • Tinman's shears • Torque wrench
• Trimming knife • Trimming knife blades • Waterpump plier • Wire scratch brush

Draper Tools reserves the right to substitute items in the kit of equivalent finish or quality if the original item quoted in the above list has been discontinued or is out of stock.

Stock No.
51286



WORKSHOP PROFESSIONAL TOOL KIT

SUPPLIED ON PALLET

SUPPLIED COMPLETE WITH THIS DRAPER TOOL CHEST & ROLLER CABINET

1 *PTK2B

WORKSHOP TOOL KIT (F)

Comprises combined roller cabinet chest (size 616 x 330 x 1000mm) with a selection of hand and power tools suitable for use in the workshop.

Contents:

• 2 x Adjustable wrenches • 2 x Feeler gauge sets • 2 x Flat metal cutting wheels
• 230V Angle grinder • 230V Fluorescent inspection lamp • 230V Hammer drill
• 230V Orbital sander • Ball pein hammer • Bent nose long reach long nose plier
• Box of latex gloves • Chisel and punch set • Circlip plier set • Combination plier
• Combination spanner set • Combination spanner set • Combined socket set
• Crimping terminal assortment • Diagonal side cutter • Digital automotive analyser
• Digital caliper gauge • Draper TX-STAR® security driver set
• Draper TX-STAR® sockets • Drill and accessory kit • Engineers file set • Hacksaw
• Hacksaw blades • Heat shrink tube assortment • Hexagon key set
• Impact screwdriver set • Inspection mirror • Junior hacksaw • Junior hacksaw blades
• Long nose plier • Long reach long nose plier • Magnetic parts tray
• Magnetic pick up tool • Measuring tape • Mechanic's bit set
• Pack of ten sanding sheets • Pry bar set • Ratchet crimping tool
• Ratcheting combination spanner set • Riveter with rivets • Rubber mallet
• Rubber torch • Safety spectacles • Screwdriver set • Self grip pliers set
• Tap and die set • Tin Snips • Torque wrench • Trimming knife
• Trimming knife blades •Waterpump plier • Wire scratch brush

Draper Tools reserves the right to substitute items in the kit of equivalent finish or quality if the original item quoted in the above list has been discontinued or is out of stock.

Stock No.
53257





NEW WORKSHOP ENGINEERS TOOL KITS

SUPPLIED COMPLETE WITH THIS DRAPER TOOL CHEST

SUPPLIED ON PALLET



1

WORKSHOP ENGINEERS TOOL KITS (G)

Comprehensive kit for workshop engineers.

Contents:

• Circlip plier set in EVA insert (5 Piece) • Pliers set in EVA insert (4 Piece) • TX-STAR® security screwdriver set in EVA insert(11 Piece)
• Screwdriver insert bit set in EVA insert (40 Piece) • Tap and Die set in EVA insert (22 Piece) • 1/4", 3/8", and 1/2" Socket set in EVA insert (84 Piece)
• Tool kit in EVA insert (5 Piece) • Rechargeable magnetic inspection lamp • Nitrile gloves • Safety glasses • Hacksaw • Ball pein hammer
• Crimping tool and terminal kit • 6 Drawer tool chest

Draper Tools reserves the right to substitute items in the kit of equivalent finish or quality if the original item quoted in the above list has been discontinued or is out of stock.

Stock No.
03609



WORKSHOP PROFESSIONAL TOOL KIT

DRAPER Expert

SUPPLIED COMPLETE WITH THIS DRAPER EXPERT TOOL CHEST & ROLLER CABINET

SUPPLIED ON PALLET



1 *DTK2019A

WORKSHOP TOOL KIT (H)

Comprises 7 drawer roller tool cabinet and a 6 drawer tool chest with a selection of mostly ***Expert Quality*** hand tools for use in the automotive workshop.

Contents:

- 1/2" Sq. Dr. Combined socket set • 1/4" and 3/8" Sq. Dr. Socket and bit set
- 2 x Adjustable wrenches • 3 x Extra long screwdrivers • Circlip plier set
- Combination plier • Combination spanner set • Combination tap and die set
- Crimp Terminal assortment • Deep offset ring spanner set
- Draper TX-STAR® security key set • Draper TX-STAR® sockets
- Flexible head double ratcheting combination spanner set • Hacksaw • Hacksaw blades
- Long nose plier • Magnetic pick-up tool • Mechanic's bit set • Ratchet crimping tool
- Reversible double ratcheting combination spanner set • Riveter
- Screwdriver set • Self grip plier set • Side cutter • Tinman's shears
- Trimming knife • Trimming knife blades • Waterpump plier

Draper Tools reserves the right to substitute items in the kit of equivalent finish or quality if the original item quoted in the above list has been discontinued or is out of stock.

Stock No.
98885



WORKSHOP PROFESSIONAL TOOL KIT

SUPPLIED COMPLETE WITH THIS DRAPER EXPERT TOOL CHEST & ROLLER CABINET

SUPPLIED ON PALLET



1 *DTK2019B

WORKSHOP TOOL KIT (i)

Comprises 7 drawer roller tool cabinet and a 6 drawer tool chest with a selection of mostly ***Expert Quality*** hand tools for use in the automotive workshop.

Contents:

- 1/4" and 3/8" Sq. Dr. Socket and bit set • 2 x Adjustable wrenches • Circlip plier set
- Combination plier • Combination spanner set • Crimp Terminal assortment
- Deep offset ring spanner set • Draper TX-STAR® security key set
- Draper TX-STAR® sockets • Flexible head double ratcheting combination spanner set
- Hacksaw • Hacksaw blades • Long nose plier • Magnetic pick-up tool
- Mechanic's bit set • Ratchet crimping tool
- Reversible double ratcheting combination spanner set • Riveter
- Screwdriver set • Self grip plier set • Side cutter • Tinman's shears
- Trimming knife • Trimming knife blades • Waterpump plier

Draper Tools reserves the right to substitute items in the kit of equivalent finish or quality if the original item quoted in the above list has been discontinued or is out of stock.

Stock No.
98886



NEW 40" MECHANIC'S MEGAKITS

SUPPLIED COMPLETE WITH THIS DRAPER TOOL CHEST & ROLLER CABINET

SUPPLIED ON PALLET



1 *MEGA2019 40"

40" MECHANIC'S MEGAKIT

A super tough, powder coated 8 drawer tool chest and 11 drawer roller cabinet. Packed with 700 tool pieces, stored in high quality EVA foam trays. Included with the MegaKit is a slimline COB LED inspection lamp.

Contents:

- Full Drawer EVA Insert Infill Tray (3 Piece)
- Soft Grip Screwdriver Set (27 Piece) • Spanner Set (28 Piece)
- Plier Set (11 Piece) • 1/4", 3/8", 1/2" Socket Set (96 Piece)
- File Set (2 Piece) • Plier Set (2 Piece)
- Punch and Impact Driver Kit (25 Piece) • Bit Set (196 Piece)
- Caliper Windback Kit (18 Piece) • Scraper, Hook and Pick Set (9 Piece)
- 1/2" Sq. Dr. Deep Impact Socket Set (11 Piece)
- 1/2" Sq. Dr. Impact Socket Set (15 Piece)
- 1/2" Sq. Dr. Impact Socket Set and Extension Bar Set (16 Piece)
- 1/2" Sq. Dr. Impact TX-STAR® and Hex Socket Set (28 Piece)
- Oil Service Kit (101 Pieces)
- Extension Bar, Universal Joints and Socket Convertor Set (16 Piece)
- Precision Bar Set (5 Piece) • VDE Ergo Plus Screwdriver Set (10 Piece)
- Screwdriver Impact Bits and Driver Set (40 Piece)
- Combination Tap and Die Set (22 Piece)
- 1/4 Drawer EVA Infill Tray (3 Piece) • VDE Approved Plier Set (4 Piece)
- VDE Approved Screwdriver Set (11 Piece) • Tool Kit (36 Pieces)
- 'T' Handle Ball End Hexagon Key Set (7 Piece)
- 'T' Handle Ball End TX-STAR® Key Set (7 Piece)
- 6-24V Automotive Circuit Tester
- Automotive Automatic and Manual Ranging Digital Multimeter
- 1.8kg Fibreglass Shaft Club Hammer • 1kg Deadblow Hammer

Stock No.
98887



NEW 26" MECHANIC'S MEGAKITS

SUPPLIED COMPLETE WITH THIS DRAPER TOOL CHEST & ROLLER CABINET

SUPPLIED ON PALLET



1 *MEGA2019 26"

26" MECHANIC'S MEGAKIT

A super tough, powder coated 10 drawer tool chest and 9 drawer roller cabinet. Packed with 700 tool pieces, stored in high quality EVA foam trays. Included with the MegaKit is a slimline COB LED inspection lamp.

Contents:

- Full Drawer EVA Insert Infill Tray (3 Piece) • Soft Grip Screwdriver Set (27 Piece)
- Spanner Set (28 Piece) • Plier Set (11 Piece) • 1/4", 3/8", 1/2" Socket Set (96 Piece)
- File Set (2 Piece) • Plier Set (2 Piece) • Punch and Impact Driver Kit (25 Piece)
- Bit Set (196 Piece) • Caliper Windback Kit (18 Piece)
- Scraper, Hook and Pick Set (9 Piece) • 1/2" Sq. Dr. Deep Impact Socket Set (11 Piece)
- 1/2" Sq. Dr. Impact Socket Set (15 Piece)
- 1/2" Sq. Dr. Impact Socket Set and Extension Bar Set (16 Piece)
- 1/2" Sq. Dr. Impact TX-STAR® and Hex Socket Set (28 Piece)
- Oil Service Kit (101 Pieces)
- Extension Bar, Universal Joints and Socket Convertor Set (16 Piece)
- Precision Bar Set (5 Piece) • VDE Ergo Plus Screwdriver Set (10 Piece)
- Screwdriver Impact Bits and Driver Set (40 Piece)
- Combination Tap and Die Set (22 Piece) • 1/4 Drawer EVA Infill Tray (3 Piece)
- VDE Approved Plier Set (4 Piece) • VDE Approved Screwdriver Set (11 Piece)
- Tool Kit (36 Pieces) • 'T' Handle Ball End Hexagon Key Set (7 Piece)
- 'T' Handle Ball End TX-STAR® Key Set (7 Piece) • 6-24V Automotive Circuit Tester
- Automotive Automatic and Manual Ranging Digital Multimeter
- 1.8kg Fibreglass Shaft Club Hammer • 1kg Deadblow Hammer

Stock No.
98888

section 14



HAND TOOLS & ENGINEERING TOOLS

524-526 Draper Expert Ergo Plus® Pliers
527-528 VDE Heavy Duty Pliers
529-530 Heavy Duty Soft Grip Pliers
531 General Duty Soft Grip Pliers
532 General Duty Pliers
533 Waterpump Pliers
534-535 Mini Pliers
536 Circlip Pliers
537-538 Pliers & Cutters
539 Bolt Cutters and Cutters
540-541 Cutters and Strippers
541-543 Crimpers
544 Shears
545 Pincers and Punches
546-547 Riveters
549-550 Ergo Plus® Interchangeable VDE Screwdrivers
551 Ergo Plus® VDE Screwdrivers
552-553 960 Series VDE Screwdrivers
554 952 Series VDE Screwdrivers
555-556 995 Series Screwdrivers
557 996 Series Screwdrivers
558-559 870 Series Screwdrivers
560-561 970 Series Screwdrivers
562-563 939 Series Screwdrivers
564-565 976 Series Screwdrivers
566 975 Series Screwdrivers
567-569 865 Series Screwdrivers
570-571 186 Series Screwdrivers
572-573 Screwdrivers
574-575 Screwdrivers and Bit Sets
576-577 Screwdriver Sets
578-582 Insert bits
583-587 Hexagon Keys
588-589 Staplers
590-593 Knives and Knife Blades
593 Cutters and Multi-Tools
594-598 Hammers
599-600 Bolsters
601-603 Chisels and Punches
604-606 Measuring Tapes
607 Rules and Gauges
609-612 Precision Engineering
613-616 Threading
617 Adhesives
618-621 Files
622-625 Vices and Clamps
626-632 Woodworking
633-638 Saws
639 Saws and Mitre Boxes
640-641 Hacksaws
642-644 Tiling
645-655 Painting and Decorating
656-661 Plumbing
662-665 Electrical
666-668 Multimeters
669-671 Testers
672 Scissors
673-674 Hobby Tools
675-676 Bicycle Tools

THE ULTIMATE RANGE OF PLIERS

DRAPER EXPERT ERGO-PLUS PLIERS

The ergo-plus® hand tools range has been extended to include both the angled head design and a more traditional style. Developed using the latest technologies the ergo-plus® hand tools range is the benchmark for excellence. All are individually tested and surpass the VDE/EN60900 standard.

Pages **524-526**



GENERAL DUTY PLIERS

General duty pliers for everyday use in the home or workshop. These carbon steel pliers meet the highest quality and manufacturing standards, perfect for most situations.


Page **532**



VDE HEAVY DUTY PLIERS

The professional electricians range is manufactured from chrome vanadium steel to VDE/EN60900 standards, the induction hardened cutting edges and soft grip handles with slip guards guarantee the user safe working on or around equipment up to 1000V AC or 1500V DC

Pages **527-528**



WATERPUMP PLIERS

A collection of multi-purpose water pump pliers commonly used for turning and holding nuts, bolts and for gripping irregularly shaped objects and materials.

Page **533**



HEAVY DUTY SOFT GRIP PLIERS

Designed for professionals and made to DIN specifications. Manufactured from chrome vanadium steel with heavy duty soft grip handles.

Pages **529-530**



MINI PLIERS

Ideal for work in environments where precision work is required. Soft grip handles for less user fatigue are available

Pages **534-535**



GENERAL DUTY SOFT GRIP PLIERS

Manufactured from carbon steel with soft grip handles for extra comfort - Ideal for trade or DIY use

Page **531**



CIRCLIP PLIERS


Internal and external circlip pliers. Attached with soft grip handles enabling precision extraction of circlips in a controlled manner.

Page **536**



DRAPER Expert ergo-plus®

MADE IN GERMANY



1000V SAFE


Each plier has been tested to 10,000V for safe 1000V AC or 1500 DC live line working.


Watch the range video on:

YOUTUBE.COM/DRAPERTOOLSTV


7 FEATURE DESIGN




A



B


C


D



EXCLUSIVE TO DRAPER TOOLS IN THE UK & EIRE


E


F


G

- **A** WIRE STRIPPING: 1.5MM² AND 2.5MM²
- **B** PATTRESS SCREW/BOLT CUTTING: M3.5, M4
- **C** WIRE CUTTING: MEDIUM 3.5MMØ; HARD 2.5MMØ; PIANO 2.0MMØ
- **D** TERMINAL CRIMPING: 1.5MM² AND 2.5MM²
- **E** WIRE LOOP FORMING: 4, 5, 6MM
- **F** FLUSH CUTTING: PLASTICS AND COPPER ONLY
- **G** SLIMLINE ERGONOMIC DESIGN

1 DEP1

185mm ERGO PLUS® FULLY INSULATED VDE PLIERS

Manufactured to DIN Standard and individually certified to EN 60900

Expert Quality, special steel hardened and tempered with cutting edges separately induction hardened. Ergonomic shape of head and handles allow user to access difficult working areas and still keep a tight grip on the workpiece. The pliers have following functions: flat cutter on the tip of the head for use on cable ties; wire stripper 1.5 and 2.5mm² wire; diagonal cutter for medium hard wire (3.5mm²), hard wire (2.5mm²) and piano wire (2mm²); crimper for terminals 1.5 and 2.5mm²; pattress screw cutter for M3.5 and M4 screws and wire looping device on underside of pliers for looping wire for plug screws/terminals. Display packed.

Stock No.
26482

1000V SAFE

2 DEPCS

ERGO PLUS® FULLY INSULATED VDE CABLE CUTTERS

Manufactured to DIN Standard and individually certified to EN 60900

Expert Quality, special steel hardened and tempered. Ergonomic angled head and handles provides greater work area viewing and improved performance. High leverage joint provides 30% more cutting power and integrated opening spring avoids fatigue when in constant use. Ideal for cutting 16mm² and 10mm² earth cable; 6mm² and 10mm² twin and earth cable and 25mm² meter tails (connecting into consumer unit). Display packed.

Stock No.	Length	Cutting Capacity Cu + Al Cables
02880	180mm	15mmØ - 50mm²
24972	220mm	25mmØ - 85mm²

EXCLUSIVE TO DRAPER TOOLS IN THE UK & EIRE



1000V SAFE



"PAUL SAYS" QUALITY ASSURANCE MAKES THE DIFFERENCE

Draper Expert ergo-plus® hand tools in both the angled head and the traditional style are developed using the latest technologies and finest materials. Fabricated in a modern state-of-the-art German factory ensuring and delivering the benchmark in manufacturing excellence.

Impact Test	Insulation Test	Adhesion Test	Indentation Test	Flame Retardance Test
				
Impact tested at three points on the insulation material. Once the test has been conducted no cracks or breaks should be revealed.	Immersed in water while a voltage of 10kV is applied for three minutes. No electrical puncture, sparkover, flashover should occur and limits of leakage current contained.	Conditioned for 168 hours at 70°C. Tensile test loaded to 500N for three minutes. Handles should remain attached to conducting parts.	Force of 20N applied then a voltage of 5kV is passed between test device and the metal part for three minutes.	20mm flame applied to tool. Flame must not exceed 120mm due to the material's flame retardant properties.



1 805CP

ERGO PLUS® FULLY INSULATED VDE COMBINATION PLIERS

Manufactured to DIN Standard and individually certified to EN 60900

Expert Quality, special steel hardened and tempered with cutting edges separately induction hardened. Ergonomic handle provides improved performance while each plier is individually tested to 10,000V for safe 1000V AC or 1500V DC live line working.
Display packed.

Stock No.	Length	Cuts med hard wire	Cuts hard wire
50241	180mm	2.8mm	2.5mm
50243	200mm	3.0mm	2.8mm

HIGH LEVERAGE JOINT



2 805CPHL

200mm ERGO PLUS® FULLY INSULATED HIGH LEVERAGE VDE COMBINATION PLIERS

Manufactured to DIN Standard and individually certified to EN 60900

Expert Quality, special steel hardened and tempered with cutting edges separately induction hardened. Ergonomic handle provides improved performance while each plier is individually tested to 10,000V for safe 1000V AC or 1500V DC live line working.
Display packed.

Stock No.	Cuts hard wire	Cuts piano wire
50245	2.7mm	2.3mm



3 805LNP

ERGO PLUS® FULLY INSULATED VDE SLIMLINE LONG NOSE PLIERS

Manufactured to DIN Standard and individually certified to EN 60900

Expert Quality, special steel hardened and tempered with cutting edges separately induction hardened. Ergonomic handle provides improved performance while each plier is individually tested to 10,000V for safe 1000V AC or 1500V DC live line working.
Display packed.

Stock No.	Length	Cuts med hard wire	Cuts hard wire
50246	160mm	2.5mm	1.6mm
50247	200mm	2.8mm	1.8mm



4 805DSC

ERGO PLUS® FULLY INSULATED VDE DIAGONAL SIDE CUTTERS

Manufactured to DIN Standard and individually certified to EN 60900

Expert Quality, special steel hardened and tempered with cutting edges separately induction hardened. Ergonomic handle provides improved performance while each plier is individually tested to 10,000V for safe 1000V AC or 1500V DC live line working.
Display packed.

Stock No.	Length	Cuts soft wire	Cuts med hard wire	Cuts hard wire
50248	140mm	4.0mm	2.5mm	1.8mm
50249	160mm	4.0mm	2.8mm	2.0mm
50250	180mm	4.0mm	3.0mm	2.5mm

HIGH LEVERAGE JOINT



5 805DSCHL

ERGO PLUS® FULLY INSULATED HIGH LEVERAGE VDE DIAGONAL SIDE CUTTERS

Manufactured to DIN Standard and individually certified to EN 60900

Expert Quality, special steel hardened and tempered with cutting edges separately induction hardened. Ergonomic handle provides improved performance while each plier is individually tested to 10,000V for safe 1000V AC or 1500V DC live line working.
Display packed.

Stock No.	Length	Cuts med hard wire	Cuts hard wire	Cuts piano wire
50251	180mm	3.8mm	2.7mm	2.3mm
50253	200mm	4.2mm	3.0mm	2.5mm



6 805PC

ERGO PLUS® VDE APPROVED FULLY INSULATED DIAGONAL SIDE CUTTERS WITH INTEGRATED PATTRESS SHEARS

Individually tested to EN60900 and DIN standards.

Expert Quality, high leverage VDE diagonal side cutters manufactured from correctly hardened and tempered chrome vanadium steel with induction hardened cutting edges, finished with a rust protection lacquer. The pliers incorporate two (M3.5 and M4.0) pattress screw cutters and fully insulated handles with slip guards. Tested to 10,000V for safe 1000V AC and 1500V DC live line working, fully complying with EN60900 and DIN standards.

Stock No.
16211





'NO NIP' FEATURE ON WATERPUMP PLIERS

Ergo Plus® Waterpump Pliers have a 'no-nip' feature, means when the pliers are fully widened, the handles don't lock together and damage users' hands.

"DAVE SAYS" QUALITY MAKES THE DIFFERENCE



DRAPER Expert 1000V SAFE

1 805WSP

160mm ERGO PLUS® FULLY INSULATED VDE WIRE STRIPPERS

Manufactured to DIN Standard and individually certified to EN 60900

Expert Quality, special steel hardened and tempered with wire stripping edges separately induction hardened. Ergonomic handle provides improved performance while each plier is individually tested to 10,000V for safe 1000V AC or 1500V DC live line working.
Display packed.

Stock No.
50256



DRAPER Expert 1000V SAFE

2 805WPP

250mm ERGO PLUS® FULLY INSULATED VDE WATERPUMP PLIERS

Manufactured to DIN Standard and individually certified to EN 60900

Expert Quality, special steel hardened and tempered with cutting edges separately induction hardened. Ergonomic handle provides improved performance while each plier is individually tested to 10,000V for safe 1000V AC or 1500V DC live line working. Display packed.

Stock No.
50293

DRAPER Expert 1000V SAFE



3 805SET

ERGO PLUS® VDE APPROVED FULLY INSULATED SLIMLINE PLIERS SET (3 PIECE)

Manufactured to DIN Standard and individually certified to EN 60900

Expert Quality, special steel hardened and tempered with cutting edges separately induction hardened. Ergonomic soft grip handles provide improved performance. Each plier has been tested to 10,000V for safe 1000V AC or 1500V DC live line working. Display packed in blow mould case with see-through lid. Contents:
• 180mm Combination Pliers • 200mm Long Nose Pliers • 160mm Diagonal Side Cutters

Stock No.
53201



DRAPER Expert 1000V SAFE



4 700SET1

ERGO PLUS® VDE APPROVED FULLY INSULATED PLIER AND SCREWDRIVER SET (9 PIECE)

Manufactured to DIN Standard and individually certified to EN 60900

Expert Quality, plier and screwdriver set. Each plier manufactured from special tool steel with cutting edges additionally induction hardened for longevity. Screwdrivers manufactured from hardened and tempered CRV steel with a chemically blacked finish. Fully insulated ergonomic soft grip handles are fitted to both pliers and screwdrivers. Tested to 10kV, suitable for working on live circuits of 1kV AC and 1.5kV DC. Packed in vinyl wallet.

Contents: Pliers: • 180mm Combination Pliers • 160mm Long Nose Pliers • 160mm Diagonal Side Cutters Screwdrivers: • 2 x Plain Slot Screwdrivers (100mm x 3mm, 125mm x 5.5mm) • 2 x Cross Slot Screwdrivers (80mm x No:1, 100mm x No:2) • 2 x PZ-SL Screwdrivers (80mm x No:1, 100mm x No:2)


Stock No.
86013

VDE APPROVED HEAVY DUTY PLIERS

1000V SAFE

Each plier has been tested to 10,000V for safe 1000V AC or 1500 DC live line working.

Watch the range video on:
YOUTUBE.COM/DRAPERTOOLSTV





1 63AVDE

VDE APPROVED FULLY INSULATED COMBINATION PLIERS

Manufactured to DIN Standard and individually certified to EN 60900

Expert Quality, drop forged from chrome vanadium steel correctly hardened and tempered with additionally induction hardened cutting edges. Each plier has been tested to 10,000V for safe 1000V AC or 1500V DC live line working. Lacquered finish for corrosion protection with heavy duty, fully insulated, soft grip handles with slip guards. Display packed.

Stock No.	Length	Cuts med hard wire	Cuts hard wire
69170	160mm	3.1mm	1.8mm
69171	180mm	3.4mm	2.0mm
69172	200mm	3.8mm	2.3mm



2 63AHLVDE

200mm VDE APPROVED FULLY INSULATED HIGH LEVERAGE COMBINATION PLIERS

Manufactured to DIN Standard and individually certified to EN 60900

Expert Quality, drop forged from chrome vanadium steel correctly hardened and tempered with additionally induction hardened cutting edges. Each plier has been tested to 10,000V for safe 1000V AC or 1500V DC live line working. Lacquered finish for corrosion protection with heavy duty, fully insulated, soft grip handles with slip guards. Display packed.

Stock No.	Cuts hard wire	Cuts piano wire
69173	2.5mm	2.0mm



3 41AHLVDE

VDE APPROVED FULLY INSULATED HIGH LEVERAGE DIAGONAL SIDE CUTTERS

Manufactured to DIN Standard and individually certified to EN 60900

Expert Quality, drop forged from chrome vanadium steel correctly hardened and tempered with additionally induction hardened cutting edges. Each plier has been tested to 10,000V for safe 1000V AC or 1500V DC live line working. Lacquered finish for corrosion protection with heavy duty, fully insulated, soft grip handles with slip guards. Display packed.

Stock No.	Length	Cuts med hard wire	Cuts hard wire	Cuts piano wire
69180	180mm	3.8mm	2.5mm	1.8mm
69181	200mm	4.2mm	2.7mm	2mm



4 41AVDE

VDE APPROVED FULLY INSULATED DIAGONAL SIDE CUTTERS

Manufactured to DIN Standard and individually certified to EN 60900

Expert Quality, drop forged from chrome vanadium steel correctly hardened and tempered with additionally induction hardened cutting edges. Each plier has been tested to 10,000V for safe 1000V AC or 1500V DC live line working. Lacquered finish for corrosion protection with heavy duty, fully insulated, soft grip handles with slip guards. Display packed.

Stock No.	Length	Cuts soft wire	Cuts med hard wire	Cuts hard wire
69177	140mm	4.0mm	2.5mm	1.6mm
69178	160mm	4.0mm	2.8mm	1.8mm
69179	180mm	4.0mm	3.0mm	2.3mm



5 73AVDE

VDE APPROVED FULLY INSULATED CABLE SHEARS (180MM)

Manufactured to DIN Standard and individually certified to EN 60900

Expert Quality, 180mm cable shear, manufactured from chrome vanadium steel that's hardened and tempered for extra strength. The induction hardened and finely ground cutting edges are finished with a protective lacquer for corrosion protection. Fitted to heavy duty, fully insulated soft grip handles, tested to 10,000V for safe 1000V AC or 1500V DC live line working.

Stock No.
63541



6 36AVDE

VDE APPROVED FULLY INSULATED LONG NOSE PLIERS

Manufactured to DIN Standard and individually certified to EN 60900

Expert Quality, drop forged from chrome vanadium steel correctly hardened and tempered with additionally induction hardened cutting edges. Each plier has been tested to 10,000V for safe 1000V AC or 1500V DC live line working. Lacquered finish for corrosion protection with heavy duty, fully insulated, soft grip handles with slip guards. Display packed.

Stock No.	Length	Cuts med hard wire	Cuts hard wire
69174	160mm	2.5mm	1.6mm
69176	200mm	3.6mm	1.6mm



1 79AVDE

160mm VDE APPROVED FULLY INSULATED WIRE STRIPPING PLIERS


Manufactured to DIN Standard and individually certified to EN 60900

Expert Quality, drop forged from chrome vanadium steel correctly hardened and tempered with additionally induction hardened cutting edges. Each plier has been tested to 10,000V for safe 1000V AC or 1500V DC live line working. Lacquered finish for corrosion protection with heavy duty, fully insulated, soft grip handles with slip guards. Display packed.

Stock No.
69183

'NO NIP' FEATURE ON WATERPUMP PLIERS

Draper Tools Waterpump Pliers have a 'no-nip' feature. This means that when the pliers are at their largest capacity, the handles will not lock together and damage users' hands.



2 WPVDE

250mm VDE APPROVED FULLY INSULATED WATERPUMP PLIERS

Manufactured to DIN Standard and individually certified to EN 60900

Expert Quality, drop forged from chrome vanadium steel correctly hardened and tempered. Each plier has been tested to 10,000V for safe 1000V AC or 1500V DC live line working. Lacquered finish for corrosion protection with heavy duty, fully insulated, soft grip handle. Has 'no-nip' feature which prevents handles locking together when at largest capacity and damaging users' hands. Display packed.

Stock No.	Capacity
69184	38mm



3 1070VDE

VDE APPROVED FULLY INSULATED PLIERS SET (3 PIECE)

Manufactured to DIN Standard and individually certified to EN 60900

Expert Quality, drop forged from chrome vanadium steel correctly hardened and tempered with additionally induction hardened cutting edges. Each plier has been tested to 10,000V for safe 1000V AC or 1500V DC live line working. Lacquered finish for corrosion protection with heavy duty, fully insulated, soft grip handles with slip guards. Display packed in blow mould case with see-through lid.

Contents:

- 160mm Combination Pliers
- 160mm Long Nose Pliers
- 140mm Diagonal Side Cutters

Stock No.
69288



4 VDESET1

VDE APPROVED FULLY INSULATED PLIERS AND SCREWDRIVERS SET (10 PIECE)

Manufactured and individually certified to EN 60900

Expert Quality, tested to 10kV, suitable for working on live circuits of 1kV AC and 1.5kV DC. Pliers are drop forged from chrome vanadium steel correctly hardened and tempered with additionally induction hardened cutting edges. Each of the pliers have been individually tested to 10,000V for safe 1000V AC or 1500V DC live line working. Lacquered finish for corrosion protection with heavy duty, fully insulated, soft grip handles with slip guards. Screwdrivers are made with SVCM alloy steel blades which are hardened, tempered and chemically blacked. Fully insulated ergonomic soft grip handle with deep set blade sheath for total safety. Display packed in blow mould case with see-through lid.

Contents:

Pliers: • 200mm Combination Pliers • 200mm Long Nose Pliers • 160mm Diagonal Side Cutters

Screwdrivers: • 3 plain slot, sizes: 2.5 x 75, 4.0 x 100 and 5.5 x 125 • 2 cross slot, sizes: No.1 and No.2 • 2 PZ TYPE: No.1 and No.2

Stock No.
71155



5 ICK

200mm VDE APPROVED FULLY INSULATED CABLE KNIFE

Tested to EN60900

Expert Quality, tested to 10,000V and insulated to 1000V AC and 1500V DC for live line working. Heavy duty 45mm blade with strong comfortable soft grip handle and blade protector. Display packed.

Stock No.
04615



6 ICKR

180mm VDE APPROVED FULLY INSULATED CABLE KNIFE

Tested to EN60900

Expert Quality, tested to 10,000V and insulated to 1000V AC and 1500V DC for live line working. Insulated handle, replaceable blade 45mm long with integral blade protector. Display packed.

Stock No.	Description
04616	Cable Knife
13482	Spare Blade

All items on this page have a product video; for details, visit... YOUTUBE.COM/DRAPERTOOLSTV

DRAPER EXPERT "HEAVY DUTY SOFT GRIP"



Manufactured to DIN specification, these Expert Quality products are for the professional and serious DIY person alike. They have heavy duty pattern handles with soft grips and slip guards.





1 63BN
HEAVY DUTY SOFT GRIP COMBINATION PLIERS

Manufactured to DIN Standard

Expert Quality, drop forged from chrome vanadium steel, hardened and tempered with additionally induction hardened cutting edges. Lacquered finish for corrosion protection with heavy duty, soft grip handles with slip guards. Display packed.

Stock No.	Length	Cuts med hard wire	Cuts hard wire
68883	160mm	3.1mm	1.8mm
68884	180mm	3.4mm	2.0mm
68885	200mm	3.8mm	2.3mm



HIGH LEVERAGE JOINT

2 63BNHL
200mm HEAVY DUTY SOFT GRIP HIGH LEVERAGE COMBINATION PLIERS

Manufactured to DIN Standard

Expert Quality, drop forged from chrome vanadium steel, hardened and tempered with additionally induction hardened cutting edges. Higher leverage is achieved by setting the fulcrum point closer to the jaw, increasing the lever moment. Lacquered finish for corrosion protection with heavy duty, soft grip handles with slip guards. Display packed.

Stock No.	Cuts Hard Wire	Cuts Piano Wire
68886	2.5mm	2.0mm



3 41BN
HEAVY DUTY SOFT GRIP DIAGONAL SIDE CUTTERS

Manufactured to DIN Standard

Expert Quality, drop forged from chrome vanadium steel, hardened and tempered with additionally induction hardened cutting edges. Lacquered finish for corrosion protection with heavy duty, soft grip handles with slip guards. Display packed.

Stock No.	Length	Cuts soft wire	Cuts med hard wire	Cuts hard wire
68890	130mm	4.0mm	2.5mm	1.6mm
68891	160mm	4.0mm	2.8mm	1.8mm
69264	180mm	4.0mm	3.0mm	2.3mm



HIGH LEVERAGE JOINT

4 41BNHD
HEAVY DUTY SOFT GRIP HIGH LEVERAGE DIAGONAL SIDE CUTTERS

Manufactured to DIN Standard

Expert Quality, drop forged from chrome vanadium steel, hardened and tempered with additionally induction hardened cutting edges. Higher leverage is achieved by setting the fulcrum point closer to the jaw, increasing the lever moment. Lacquered finish for corrosion protection with heavy duty, soft grip handles with slip guards. Display packed.

Stock No.	Length	Cuts med hard wire	Cuts hard wire	Cuts piano wire
68892	160mm	3.4mm	2.0mm	1.6mm
68893	180mm	3.8mm	2.3mm	1.8mm



5 36BN
HEAVY DUTY SOFT GRIP LONG NOSE PLIERS

Manufactured to DIN Standard

Expert Quality, drop forged from chrome vanadium steel, hardened and tempered with additionally induction hardened cutting edges. Lacquered finish for corrosion protection with heavy duty, soft grip handles with slip guards. Display packed.

Stock No.	Length	Cuts Hard Wire	Cuts Piano Wire
68887	160mm	2.5mm	1.6mm
68888	200mm	3.6mm	1.6mm



6 36BNBN
200mm HEAVY DUTY SOFT GRIP BENT NOSE PLIERS

Manufactured to DIN Standard

Expert Quality, drop forged from chrome vanadium steel, hardened and tempered with additionally induction hardened cutting edges. Lacquered finish for corrosion protection with heavy duty, soft grip handles with slip guards. Display packed.

Stock No.	Cuts hard wire
68889	1.6mm

"DAVE SAYS" QUALITY MAKES THE DIFFERENCE



Item No. 1 delivers a combination of increased power and comfort. Using the same amount of effort, the dual pivot compound action on these pliers delivers up to 60% greater cutting power compared to standard pliers.




1 1000

180mm COMPOUND ACTION SIDE CUTTER

Expert Quality, compound action side cutters delivering a combination of increased power and comfort. Using the same amount of effort, the dual pivot compound action on these pliers delivers up to 60% greater cutting power compared against standard pliers. Manufactured with spring loaded chrome vanadium steel jaws, fitted with a locking latch mechanism and ergonomic soft grip handles. Display packed.

Stock No.
81425



2 23BNMF

MULTIFUNCTION ELECTRICIANS PLIERS

Expert Quality, multifunctional electrical installation plier. 6 functions in one pair of pliers. Capable of shearing medium hard wire, stripping 0.75 to 4.0mm³ wire, crimping 0.75 to 4.0mm³ terminals, cutting M3.5 & M4 bolts and fitted with a wire looping device at the tips. Manufactured from chrome vanadium steel that's hardened and tempered for extra strength and attached with precision ground stripping holes and separately induction hardened cutting edges.

Stock No.
63258



3 43BNTC

200mm HEAVY DUTY SOFT GRIP END CUTTING PLIERS

Manufactured to DIN Standard

Expert Quality, drop forged from chrome vanadium steel, hardened and tempered with additionally induction hardened cutting edges. Lacquered finish for corrosion protection with heavy duty, soft grip handles with slip guards. Display packed.

Stock No.	Cuts soft wire wire	Cuts med hard wire	Cuts hard wire
69265	4.0mm	3.2mm	2.5mm



4 79BSUN

150mm HEAVY DUTY SOFT GRIP WIRE STRIPPING PLIERS

Manufactured to DIN Standard

Expert Quality, drop forged from chrome vanadium steel, hardened and tempered with additionally induction hardened cutting edges. Lacquered finish for corrosion protection with heavy duty, soft grip handles with slip guards. Display packed.

Stock No.
68894




5 1071

HEAVY DUTY SOFT GRIP PLIERS SET (3 PIECE)

Manufactured to DIN Standard

Expert Quality, drop forged from chrome vanadium steel, hardened and tempered with additionally induction hardened cutting edges. Lacquered finish for corrosion protection with heavy duty, soft grip handles with slip guards. Display packed in blow mould case with see-through lid. Contents: • 180mm Combination Pliers • 160mm Long Nose Pliers • 160mm Diagonal Side Cutters

Stock No.
69289



DRAPER GENERAL DUTY "SOFT GRIP"

Our range of pliers for the tradesman and DIY user. The handles offer excellent grip to lessen slippage whilst working.





1 1010

SOFT GRIP COMBINATION PLIERS

General duty, carbon steel hardened and tempered. Satin finish lacquered heads with cutting edges additionally induction hardened. Cuts medium hard wire 1.6mm diameter. Heavy duty soft grip handles. Display packed.

Stock No.	Length
44142	160mm
44138	180mm
44139	200mm

2 1020

SOFT GRIP LONG NOSE PLIERS

General duty, carbon steel hardened and tempered. Satin finish lacquered heads with cutting edges additionally induction hardened. Cuts medium hard wire 1.6mm diameter. Heavy duty soft grip handles. Display packed.

Stock No.	Length
44141	160mm
44143	200mm

3 1030

SOFT GRIP DIAGONAL SIDE CUTTERS

General duty, carbon steel hardened and tempered. Satin finish lacquered heads with cutting edges additionally induction hardened. Cuts medium hard wire 1.6mm diameter. Heavy duty soft grip handles. Display packed.

Stock No.	Length
44145	160mm
44146	180mm



4 4002A

240mm SOFT GRIP WATERPUMP PLIERS

Chrome vanadium steel hardened tempered and chrome plated with five position groove joint adjustable head. Heavy duty soft grip handles. Has 'no-nip' feature which prevents handles locking together when at largest capacity and damaging users' hands. Display packed.

Stock No.	Capacity
45362	33mm



5 SGPS/3

SOFT GRIP PLIERS SET (3 PIECE)

General duty, carbon steel hardened and tempered. Matt nickel finish heads with cutting edges additionally induction hardened. Heavy duty soft grip handles. Multiples of eight sets only, supplied in countertop display.

Contents:

• 160mm Combination Pliers • 160mm Long Nose pliers • 160mm Diagonal Side Cutters

Minimum order 8 sets or multiples thereof

Stock No.
45864

6 SGPS/4

SOFT GRIP PLIERS SET (4 PIECE)

A general duty plier set. Made from carbon steel that's hardened tempered and finished with a matt nickel surface. The heads have cutting edges additionally induction hardened. Fitted with heavy duty soft grip handles. Display packed.


Contents: • 160mm Combination Pliers • 160mm Long Nose pliers

• 160mm Diagonal Side Cutters • 240mm Waterpump Pliers

Stock No.
81147

DRAPER "GENERAL DUTY" WITH DIPPED HANDLES

An excellent general duty range for everyday use in the home or workshop, which still meets high quality manufacturing standards. Perfectly suited to the DIY enthusiast or tradesperson.





1 64ANH

COMBINATION PLIERS

General duty, forged carbon steel correctly hardened and tempered. Cutting edges additionally induction hardened. Polished and lacquered heads. PVC dipped handles. Display packed.

Stock No.	Length
07047	160mm
07048	180mm
07049	200mm



2 37ANH

LONG NOSE PLIERS

General duty, forged carbon steel correctly hardened and tempered. Cutting edges additionally induction hardened. Polished and lacquered heads. PVC dipped handles. Display packed.

Stock No.	Length
07050	140mm
07051	160mm
07052	200mm

3 36ALG

280mm LONG REACH LONG NOSE PLIERS

General duty, manufactured from carbon steel hardened, tempered and fully polished. The serrated tapering jaws allow working in confined spaces. PVC dipped handles. Display packed.

Stock No.
69285



4 36AL/BG

280mm BENT NOSE LONG REACH LONG NOSE PLIERS

General duty, manufactured from carbon steel hardened, tempered and fully polished. Tapered serrated jaws bent at 45° to facilitate placement or retrieval of objects in confined spaces. PVC dipped handles. Display packed.

Stock No.
69286



5 2/36ALG

LONG REACH LONG NOSE PLIERS SET (2 PIECE)

General duty plier kit, manufactured from carbon steel hardened, tempered and fully polished. Tapered serrated jaws to facilitate placement or retrieval of objects in confined spaces. PVC dipped handles. Display packed.

Contents:
- 280mm Long Reach Long Nose Pliers
- 280mm Bent Nose Long Reach Long Nose Pliers

Stock No.
69287



6 48ANH

DIAGONAL SIDE CUTTERS

General duty, forged carbon steel correctly hardened and tempered. Cutting edges additionally induction hardened, suitable for cutting medium/hard wire up to 2.5mm diameter. Polished and lacquered heads. PVC dipped handles. Display packed.

Stock No.	Length
07053	145mm
07055	160mm



7 1073

PLIERS SET (3 PIECE)

General purpose pliers set, manufactured from carbon steel hardened, tempered with induction hardened cutting edges for extra durability. PVC dipped handles. Display packed.

Contents:
- 160mm Combination Pliers
- 160mm Long Nose Pliers • 160mm Diagonal Side Cutters

Stock No.
07056



8 43AQ

200mm END CUTTING PLIERS

Manufactured from correctly hardened and tempered carbon steel. The cutting edges are induction hardened for durability, with corrosion resistant finish. Cushion-grip handles. Display packed.


Stock No.	Cuts hard wire
63866	2.0mm

DRAPER WATERPUMP PLIERS



'PUSH BUTTON' FEATURE (Item No. 1)

These fantastic waterpump pliers have a handy push button feature with multiple position adjustments for fast and secure gripping of workpieces.





1 EWPPB1

PUSH BUTTON HEAVY DUTY WATERPUMP PLIERS

Expert Quality, chrome vanadium steel hardened and tempered with chemically blacked finish, featuring multi position adjustments operated by a simple push button and 'no-nip' PVC dipped handles, which prevent the handles from locking together at their largest capacity and nipping the users hands. Display packed.

Stock No.	Capacity	Length
84447	45mm	200mm
84448	53mm	250mm
84449	66mm	300mm



2 EWPH1

HEAVY DUTY SOFT GRIP WATERPUMP PLIERS

Expert Quality, chrome vanadium steel hardened and tempered with chemically blacked finish, featuring multi position adjustments and 'no-nip' soft grip handles, which prevent the handles from locking together at their largest capacity and nipping the users hands. Display packed.

Stock No.	Capacity	Length
84441	45mm	200mm
84442	53mm	250mm
84443	66mm	300mm



3 EWPD1

HEAVY DUTY WATERPUMP PLIERS

Expert Quality, chrome vanadium steel hardened and tempered with chemically blacked finish, featuring multi position adjustments and 'no-nip' PVC dipped handles, which prevent the handles from locking together at their largest capacity and nipping the users hands. Display packed.

Stock No.	Capacity	Length
84444	45mm	200mm
84445	53mm	250mm
84446	66mm	300mm



4 4001A

CUSHION GRIP WATERPUMP PLIERS

Manufactured from chrome vanadium steel, hardened and tempered with the jaws chrome plated and polished. Cushion grip handles. Has 'no-nip' feature which prevents handles locking together when at largest capacity and damaging users' hands. Display packed.

Stock No.	Capacity	Length	Jaw Positions
52406	33mm	240mm	5 pos
52407	55mm	300mm	6 pos.
52408	110mm	400mm	11 pos.




5 4002

240mm WATERPUMP PLIERS

Chrome vanadium steel hardened tempered and chrome plated with five position groove joint adjustable head. Heavy duty handles with slip guards for extra safety. Has 'no-nip' feature which prevents handles locking together when at largest capacity and damaging users' hands Display packed.

Stock No.	Capacity
56618	33mm



6 4000

240mm WATERPUMP PLIERS


Manufactured from carbon steel hardened, tempered and matt chrome plated with a five position slip joint adjustable head. Cushion grip handles. Has 'no-nip' feature which prevents handles locking together and damaging users' hands. Display packed.

Stock No.	Capacity
43793	36mm

DRAPER "SOFT GRIP" ELECTRONICS PLIERS RANGE

Ideal for work in environments where repetitive work is the norm - like circuit board assembly, solid state work and the like.







1 MPECSG

100mm SOFT GRIP END CUTTING MINI PLIERS

Carbon steel hardened and tempered. The jaws and cutting edges are induction hardened with captive double leaf springs and soft grip handles. Display packed.

Stock No.
12535



2 MPFNSG

115mm SOFT GRIP FLAT NOSE MINI PLIERS

Carbon steel hardened and tempered. Captive double leaf springs and soft grip handles. Display packed.

Stock No.
12536



3 MPLNSG

125mm SOFT GRIP LONG NOSE MINI PLIERS

Carbon steel hardened and tempered. The jaws and cutting edges are induction hardened with captive double leaf springs and soft grip handles. Display packed.

Stock No.
12538



4 MPBNSG

125mm SOFT GRIP BENT NOSE MINI PLIERS

Carbon steel hardened and tempered. Captive double leaf springs and soft grip handles. Display packed.

Stock No.
12540



5 MPSCSG

110mm MINI DIAGONAL SIDE CUTTERS

Carbon steel hardened and tempered. The jaws and cutting edges are induction hardened with captive double leaf springs and soft grip handles. Display packed.

Stock No.
12543



6 MPSG5

SOFT GRIP MINI PLIERS SET (5 PIECE)

Carbon steel hardened and tempered. The jaws and cutting edges are induction hardened with captive double leaf springs and soft grip handles. Display packed.

Contents: flat nose pliers, long nose pliers, bent nose pliers, diagonal side cutters and end cutting pliers

Stock No.
12544

DRAPER COMPACT PATTERN

The compact pattern of these pliers makes them ideal for use on intricate small scale work like model making, model engineering and jewellery making.



7 61A

125mm SPRING-LOADED COMBINATION PLIERS

Induction hardened cutting edges. Incorporates a side cutter. Spring-loaded handles for user comfort. Display packed.

Stock No.
36200




8 35A

115mm SPRING-LOADED LONG NOSE PLIERS

Induction hardened cutting edges. Incorporates a side cutter. Spring-loaded handles for user comfort. Display packed.

Stock No.
19647



9 40A

115mm SPRING-LOADED DIAGONAL SIDE CUTTERS


Induction hardened cutting edges. Spring-loaded handles for user comfort. Display packed.

Stock No.
19646

DRAPER MINI PLIER RANGE

These pliers will give precision working and long service life in moderate volume assembly tasks in workshops.







1 38A

125mm CARBON STEEL LONG NOSE PLIERS

Carbon steel, hardened and tempered with textured grips, captive double leaf springs and serrated jaws with induction hardened cutting edges. Display packed.

Stock No.
60740



2 38A

125mm CARBON STEEL BENT NOSE PLIERS

Carbon steel, hardened and tempered with textured grips and captive double leaf springs. Jaws angled up to 30°. Display packed.

Stock No.
60742



3 38A

110mm CARBON STEEL DIAGONAL SIDE CUTTERS

Carbon steel, hardened and tempered with textured grips, captive double leaf springs and bevel cut induction hardened cutting edges. Display packed.

Stock No.
60743



4 38A

105mm CARBON STEEL END CUTTING PLIERS

Carbon steel, hardened and tempered with textured grips, captive double leaf springs and bevel cut induction hardened cutting edges. Display packed.

Stock No.
60744



5 38A

125mm CARBON STEEL FLAT NOSE PLIERS

Carbon steel, hardened and tempered with textured grips, captive double leaf springs and smooth jaws. Display packed.

Stock No.
60741



6 38A/5

CARBON STEEL MINI PLIERS SET (5 PIECE)


Carbon steel, hardened and tempered with textured grips and captive double leaf springs. Display packed.

Contents: • 105mm End Cutters • 110mm Diagonal Side Cutters • 120mm Long Nose Pliers • 120mm Flat Nose Pliers • 120mm Bent Nose Pliers

Stock No.
33057

DRAPER ELECTRONICS RANGE

Electronics work requires extreme precision and high quality levels, both qualities which are represented in the Draper electronics plier range.





7 31A

130mm FLUSH CUT ELECTRONICS NIPPERS

Carbon steel, hardened and tempered for cutting copper wire up to 1.2mm diameter. Chemically blacked finish with soft grips and limiter feature. Display packed.

Stock No.
52589



8 32A


130mm THIN JAW ELECTRONICS NIPPERS

Carbon steel, hardened and tempered for cutting copper wire up to 1.2mm diameter. Chemically blacked finish with soft grips and limiter feature. Display packed.

Stock No.
52590

RATCHETING CIRCLIP PLIER SETS

3 WAY ADJUSTABLE



DRAPER Expert

NEW



1 RCP2-SG

SOFT GRIP RATCHETING INTERNAL AND EXTERNAL CIRCLIP PLIERS SET (2 PIECE)

Expert Quality, consists of internal and external circlip pliers incorporating a 24 position spring loaded ratcheting mechanism. The soft grip handles and ratcheting mechanism provides precision extraction of circlips in a controlled manner. Each forged alloy steel plier is 3-way adjustable in 90 degree, 45 degree and straight positions. The set comes complete with four chrome molybdenum interchangeable tips, sizes 1.4mm, 2.0mm, 2.5mm and 3.0mm. Display packed.

Contents:

- 180mm straight tip internal circlip pliers
- 180mm external circlip pliers

Stock No.
81914



2 49/INT

STRAIGHT TIP INTERNAL CIRCLIP PLIERS

Industrial quality, chrome nickel steel hardened and tempered with a polished finish, chemically blacked tips and special non slip cushion-grip handles. Display packed.

Stock No.	Length	Capacity
56416	140mm	12-25mm
38995	180mm	19-60mm
56418	225mm	40-100mm



3 49/INT

90° TIP INTERNAL CIRCLIP PLIERS

Industrial quality, chrome nickel steel hardened and tempered with a polished finish, chemically blacked tips and special non slip cushion-grip handles. Display packed.

Stock No.	Length	Capacity
56415	130mm	12-25mm
38996	170mm	19-60mm
56417	215mm	40-100mm



4 49/EXT

90° TIP EXTERNAL CIRCLIP PLIERS

Industrial quality, chrome nickel steel hardened and tempered with a polished finish, chemically blacked tips and special non slip cushion-grip handles. Display packed.

Stock No.	Length	Capacity
56420	125mm	10-25mm
38998	170mm	19-60mm
56422	200mm	40-100mm



5 49/EXT

STRAIGHT TIP EXTERNAL CIRCLIP PLIERS

Industrial quality, chrome nickel steel hardened and tempered with a polished finish, chemically blacked tips and special non slip cushion-grip handles. Display packed.

Stock No.	Length	Capacity
56421	140mm	10-25mm
38997	180mm	19-60mm
56423	210mm	40-100mm



6 49/4

CIRCLIP PLIERS SET (4 PIECE)

Industrial quality, chrome nickel steel hardened and tempered with a polished finish, chemically blacked tips and special non slip cushion-grip handles. Display packed in blow mould storage tray.

Contents: • 180mm straight tip internal circlip pliers

- 170mm 90° tip internal circlip pliers
- 180mm straight tip external circlip pliers
- 170mm 90° tip external circlip pliers

Stock No.	Capacity
38999	19-60mm



7 ACP150

150mm STRAIGHT TIP REVERSIBLE CIRCLIP PLIERS

Reversible position allows use on internal or external circlips. Manufactured from selected steel hardened and tempered with cushion-grip handles. Display packed.

Stock No.
11929



8 ACP150B

150mm 90° TIP REVERSIBLE CIRCLIP PLIERS

Reversible position allows use on internal or external circlips. Manufactured from selected steel hardened and tempered with cushion-grip handles. Display packed.

Stock No.
12492



9 ACP/SET

165mm CIRCLIP PLIERS SET (5 PIECE)

Combination circlip plier set for inside or outside circlips. Display packed in plastic storage case.

Contents: • two straight heads • one 90° head • one 45° head • pair of handles

Stock No.
19735


CUSHION GRIP FENCING PLIERS

1 137A2

260mm CUSHION GRIP FENCING PLIERS


Expert Quality, manufactured from carbon steel with smoothly ground and polished head. Head incorporates a striking face; staple removing hook; pincer and clamp on top jaw; grips on inside of handles for straining and twisting wire and two shear type wire cutters. Cushion grip handles. Display packed.

Stock No.
68450





When erecting fencing, a fence wire tensioning tool (Stock No. 57547) is essential to tension the wire prior to stapling.
See page 730 for further information.





DESIGNED FOR WIRE LOCKING IN SAFETY CRITICAL APPLICATIONS

2 WTP

250mm WIRE TWISTING PLIERS

Mainly used in the aero, defence and racing industries for wire locking fixings in safety critical applications. Manufactured from chrome vanadium steel hardened, tempered with painted handles, chrome plated spiral screw assembly and polished faces. Maximum wire capacity: Twist 1.5mm dia., cut 2.5mm.(stainless steel). Display packed.

Stock No.
38896






3 9006SG

230mm SOFT GRIP CURVED JAW SELF GRIP PLIERS

Heavy duty pliers made from chrome vanadium steel that's hardened and tempered. With serrated gripping surfaces, adjustable opening and a quick-release lever. Attached with soft grips for added user comfort. Display packed.

Stock No.
89124



4 9006SG

165mm SOFT GRIP LONG NOSE SELF GRIP PLIERS

Heavy duty long nose pliers made from chrome vanadium steel that's hardened and tempered. With serrated gripping surfaces, adjustable opening and a quick-release lever. Attached with soft grips for added user comfort. Display packed.

Stock No.
89126

5 9006/3A

SELF GRIP PLIERS SET WITH SOFT GRIP HANDLES (3 PIECE)

Three piece, heavy duty plier set made from chrome vanadium steel that's hardened and tempered. With serrated gripping surfaces, adjustable opening and a quick-release lever. Attached with soft grips for added user comfort. Display packed.

Contents:

• 230 and 185mm curved jaw • 165mm long nose

Stock No.
88293



6 9006A

CURVED JAW SELF GRIP PLIERS

Jaws manufactured from good quality steel hardened and tempered. Serrated gripping surfaces and adjustable opening, with quick-release lever. Display packed.

Stock No.	Length
35367	140mm
35368	185mm
35369	220mm



7 9007A

STRAIGHT JAW SELF GRIP PLIERS

Jaws manufactured from good quality steel hardened and tempered. Serrated gripping surfaces and adjustable opening, with quick-release lever. Display packed.

Stock No.	Length
35370	140mm
35371	190mm
35372	220mm
69300	300mm



8 9009

230mm LONG NOSE SELF GRIP PLIERS

Jaws manufactured from good quality steel hardened, tempered and nickel plated. Serrated gripping surfaces and adjustable opening, with quick-release lever. Display packed.

Stock No.
11903



1 9006/3

CURVED JAW SELF GRIP PLIERS SET (3 PIECE)

Three piece curved jaw pattern set manufactured from good quality carbon steel hardened and tempered. Serrated gripping surfaces and adjustable opening with quick release lever. Display packed.

Contents: 140, 190 and 220mm long

Stock No.
14040



2 9006/4

SELF GRIP PLIERS SET (4 PIECE)

Four piece set with jaws manufactured from good quality steel hardened and tempered. Serrated gripping surfaces and adjustable opening with quick release lever. Display packed.

Contents: • 140 and 190mm curved jaw • 220mm straight jaw • 170mm long nose

Stock No.
35373

WELDING PLIERS AND CLAMPS



3 9010S

240mm SELF GRIP SHEET METAL CLAMP

Manufactured from good quality steel, nickel plated, with quick release lever. Display carton.

Stock No.
14027




4 9000S

280mm SELF GRIP WELDING CLAMP

Manufactured from good quality steel, nickel plated, with quick release lever. Display carton.

Stock No.
81650



5 9020S

280mm SELF GRIP C CLAMP

Manufactured from good quality steel, nickel plated, with quick release lever. Display carton.

Stock No.
81642





6 9013K

SELF GRIP WELDING CLAMP KIT (3 PIECE)

Manufactured from good quality steel, nickel plated, with quick release lever. Display carton.

Contents: • 240mm Sheet Metal Clamp • 280mm Welding Clamp • 275mm C Clamp

Stock No.
33836



7 WP2

210mm SOFT GRIP MIG 'HELPER' PLIERS

Aids MIG welding including removal of spatter from in and around the shroud, drawing out and cutting off wire and removing contact tips and shrouds. Spring-loaded jaws with soft grip handles. Display packed.

Stock No.
31489

PRODUCT LOCATOR

See section 6 for our comprehensive listing of ARC, MIG, Inverter and Spot Welding Machines.









1 4854

HEAVY DUTY BOLT CUTTERS

Expert Quality, suitable for cutting high tensile material up to 40 HRC. Jaws hardened to HRC 58-60 to give long life. Centre cut jaw pattern. Grips on handles. Spare jaws are available separately. Display packed with tie card.

Stock No.	Description	Capacity
14000	Cutter-300mm	5mm
14001	Cutter-350mm	6mm
12949	Cutter-450mm	7mm
12950	Cutter-600mm	10mm
12951	Cutter-750mm	13mm
12952	Cutter-900mm	16mm
14003	Jaws-300mm	5mm
14004	Jaws-350mm	6mm
12953	Jaws-450mm	7mm
12954	Jaws-600mm	10mm
12955	Jaws-750mm	13mm
12956	Jaws-900mm	16mm

2 4851BC

600mm 30° BOLT CUTTERS WITH BEVEL CUTTING JAWS

Expert Quality, suitable for cutting mild steel to HRC20 9mm diameter and 7mm to HRC40. Bevel jaws hardened and tempered to HRC58-62 to give long life and good cutting capability. 30° offset chrome vanadium steel cutting jaws with fine adjustment. Plastic grips on handles. Sold loose.

Stock No.	Description
68845	Bolt Cutter
73716	Spare Jaws

3 4851BCF

600mm 30° BOLT CUTTERS WITH FLUSH CUTTING JAWS

Expert Quality, suitable for cutting mild steel to HRC20 9mm diameter and 7mm to HRC40. Flush cutting jaws hardened and tempered to HRC58-62 giving a longer life and good cutting capability. 30° offset chrome vanadium steel cutting jaws with fine adjustment. Plastic grips on handles. Sold loose.

Stock No.	Description
77091	Bolt Cutter
23079	Spare Jaws



4 4850

BOLT CUTTERS

Suitable for cutting high tensile material up to 40HRC. Jaws hardened and tempered to HRC58-62 to give long life and good cutting capability. Centre cut jaw pattern. Plastic grips on handles. Spare jaws available. Sold loose.

Stock No.	Description	Capacity
54264	Cutter-300mm	4mm
54265	Cutter-350mm	5mm
54266	Cutter-450mm	6mm
54267	Cutter-600mm	8mm
54268	Jaws-300mm	4mm
54269	Jaws-350mm	5mm
54270	Jaws-450mm	6mm
54271	Jaws-600mm	8mm



5 RCC

RATCHET ACTION CABLE CUTTER

Expert Quality, forged from special grade tool steel, hardened and tempered with cutting edges precision ground and hardened. One hand operation with two-stage ratchet drive for easy cutting without crushing cables. Heavy duty moulded handles for added safety and comfort. Display packed.

NB: These products are NOT suitable for cutting wire cables or steel wire

Stock No.	Overall Length	Cutting Capacity
64329	280mm	Ø53mm



6 1115/C

210mm MINI CUTTERS

Forged centre cut tool steel jaws hardened, tempered and chemically blacked with carbon steel plate handles. Cuts high tensile steel up to 1.5mm, mild steel up to 3.5mm max., and soft materials, ie. copper, aluminium up to 5mm max. Display packed.

Stock No.
36092



7 4857

190mm WIRE ROPE/SPRING WIRE CUTTERS

Expert Quality, for the cutting of wire rope up to a maximum diameter of 5mm and spring wire up to 1.5mm diameter. SK5 high carbon steel blades hardened, tempered and polished. Spring-loaded handles with vinyl grips and safety lock. Display packed.

Stock No.
57768



8 4853

COPPER/ALUMINIUM CABLE CUTTERS (160mm)

Fully polished stainless steel blades. The tough polypropylene handles are spring-loaded and incorporate a thumb lock. Display packed.

NB:- These cutters are not suitable for use on live power circuits.

Stock No.	Cutting Capacity
39224	6mm^2

NEW



1 4856

CABLE SHEARS (550MM)

550mm heavy duty cable cutter with cutting jaws manufactured from chrome vanadium steel. Tubular steel handle fitted with soft grip for added user comfort. Capable of cutting copper/aluminium cable up to 250mm².

Stock No.
68154



2 4855

210mm COPPER/ALUMINIUM CABLE SHEARS


Expert Quality, manufactured from chrome nickel steel hardened and tempered with two hardened cutting zones - one for fine cable and the other for 6mm² cable. Polished head with lacquered finish. Special non slip cushion-grip handles. Display packed.

NB:- These cutters are not suitable for use on live power circuits.

Stock No.	Cutting Capacity
39258	30mm²

MULTI FUNCTION CABLE STRIPPERS







NEW



3 MCS

MULTIFUNCTION CABLE STRIPPER

Expert Quality, for stripping and dismantling of all common round cables from 8 - 13 mmØ, hook blade and stripping range are integrated. Fast and easy longitudinal cut due to optimised cable routing in casing. Integrated stripping range for all flexible and solid conductors with the cross sections 0.5 mm², 0.75 mm², 1.5 mm², 2.5 mm², 4.0 mm² and 6.0 mm². The retractable hook blade can be secured in any position and is easy to exchange.

Stock No.
69943

NEW



4 ES1

ELECTRICIANS SCISSORS (140MM)

Electricians scissors with 3.3mm thick stainless steel blades that have a 45mm cutting length. One cutting face has a finely serrated cutting edge which reduces slippage. The other blade is notched for larger diameter cuts. Attached to nylon handles.

Stock No.
54957

RANGE: 0.2-0.8mm²/30-20AWG



5 PWS30-20

30-20 AWG WIRE STRIPPERS

Expert Quality, pocket-sized for cutting and stripping cable and wire. Incorporates pliers in the jaws together with open/close lock keeps jaws closed when not in use. Wire stripping range 0.2-0.8mm²/30-20AWG. Spring-loaded jaws for one-handed operation. Supplied with two replacement chrome molybdenum cable stripping blades. Display packed.

Stock No.
26319

RANGE: 0.8-2.6mm²/10-20AWG



6 PWS20-10

20-10 AWG WIRE STRIPPERS

Expert Quality, pocket-sized for cutting and stripping cable and wire. Incorporates pliers in the jaws together with open/close lock keeps jaws closed when not in use. Wire stripping range 0.8-2.6mm²/20-10AWG. Spring-loaded jaws for one-handed operation. Supplied with two replacement chrome molybdenum stripping blades. Display packed.

Stock No.
26320






7 CSS

CABLE SHEATH STRIPPER

Expert Quality, designed to strip cable sheath on cables 4.5 to 25mm dia. Fitted with self locking adjustable cutting depth lever. Display packed.

Stock No.
64333



1 WS6

150mm WIRE STRIPPERS

Versatile wire stripper with seven individual stripping stations: 0.5, 0.75, 1.0, 1.5, 2.5, 4.0 and 6.0mm^2. Cushion-grip spring-loaded handles. Display packed.

Stock No.
19779

NEW



2 WSD

FLAT CABLE AUTOMATIC WIRE STRIPPER/CUTTER

Expert Quality, automatic wire stripper ideally suited for flat cables. Strips 2 or 3 core flat cables from 0.75mm^2 to 4.0mm^2. Also suitable for stripping round cable from 0.5mm^2 up to 10mm^2. With a up to 3mm diameter cable cutter incorporated into the lower handle. Manufactured from reinforced fibreglass plastic.

Stock No.
69941



3 WSA

170mm AUTOMATIC WIRE STRIPPER/CUTTER

Steel body with ABS moving handle. Wire stripper and cable cutter hardened and tempered SK5 steel. Strips and cuts single-layer wire from 0.2 - 4mm^2 diameter. Also cuts 11mm wide and strips 14mm wide ribbon cable. Safety guard on wire cutter. Display packed.

Stock No.
55806



4 3000AT

AUTOMATIC WIRE STRIPPERS

Automatic clamping action and length gauge facility ensure stripped ends are uniform. The replaceable blades are accurately notched and honed to strip four insulation or wire diameters, 0.5, 1.2, 1.6 and 2.0mm. Spring-loaded moulded grip handles. Display packed.

Stock No.	Description
38274	Wire Stripper
38276	Spare Blade



5 3000BT

AUTOMATIC WIRE STRIPPERS

Automatic clamping action and length gauge facility ensure stripped ends are uniform. The replaceable blades are accurately notched and honed to strip five insulation or wire diameters, 1.0, 1.6, 2.0, 2.6 and 3.2mm. Spring-loaded moulded grip handles. Display packed.

Stock No.	Description
38275	Wire Stripper
38277	Spare Blade



6 AWS

210mm DUAL ACTION AUTOMATIC WIRE STRIPPER/CRIMPER

Professional or DIY use. Single motion stripping of wires/insulation and the crimping of insulated and non-insulated terminals. Wire stripping range 0.13-8.0mm^2/8-26AWG, crimping range 0.5-6mm^2/10-22AWG. Carbon steel blades, alloy steel jaws hardened and tempered, with plastic hand grips. Display packed.

Stock No.
35385



7 QCCTL

260mm QUICK CHANGE RATCHET CRIMPING TOOL

Expert Quality, carbon steel manufactured with two sets of interchangeable hardened and tempered jaws. Chemically blacked finish with PVC grips. Suitable for crimping insulated terminals as follows:- red channel: 0.5-1.00mm^2, blue channel: 1.5-2.5mm^2 and yellow channel: 4.0-6.0mm^2, and non-insulated crimps 1.5, 2.5, 6 and 10mm. Display packed.

Stock No.
64342



8 QCCTS

220mm QUICK CHANGE RATCHET CRIMPING TOOL

Expert Quality, made from carbon steel, supplied with two sets of interchangeable hardened and tempered jaws. Chemically blacked finish with PVC grips. Suitable for crimping insulated terminals as follows:- red channel: 0.5-1.00mm^2, blue channel: 1.5-2.5mm^2 and yellow channel: 4.0-6.0mm^2, and non-insulated crimps 1.5, 2.5, 6 and 10mm. Display packed.

Stock No.
64336



9 RCT

220mm RATCHET CRIMPING TOOL

Expert Quality, carbon steel with hardened and tempered jaws. Continuous crimping at preset tension ensures accurate crimp. Chemically blacked finish with PVC grips. Suitable for crimping insulated terminals as follows:- red channel: 0.5-1.00mm^2, blue channel: 1.5-2.5mm^2 and yellow channel: 4.0-6.0mm^2. Display packed.

Stock No.
35574





1 CT-K/PRO

220mm RATCHET CRIMPING KIT

Expert Quality, carbon steel with hardened and tempered jaws. Continuous crimping at preset tension ensures accurate crimp. Chemically blacked finish with PVC grips. Suitable for crimping insulated terminals as follows:- red channel: 0.5-1.00mm^2, blue channel: 1.5-2.5mm^2 and yellow channel: 4.0-6.0mm^2. Supplied with 590 (approx.) mixed pre-insulated terminals in a steel storage case with insert. Display packed.

Stock No.
56383



2 CT4

215mm 4 WAY CRIMPING TOOL

Heavy gauge carbon steel hardened, tempered and chemically blacked. Moulded grip handles. Display packed.

Functions:

- Crimping insulated terminals size: 1.5mm^2 (red), 2.5mm^2 (blue) and 6.0mm^2 (yellow)
- Crimping ignition terminals • Wire cutting
- Wire stripping: 0.75, 1.0, 1.5, 2.5, 4.0 and 6.0mm^2
- Shears bolts size: 2.6, 3.0, 3.5, 4.0 and 5.0mm.

Stock No.
13657



3 CT5

240mm 5 WAY CRIMPING TOOL

Heavy gauge carbon steel hardened, tempered and chemically blacked. Moulded grip handles. Display packed.

Functions:

- Crimping insulated terminals size: 1.5mm^2 (red), 2.5mm^2 (blue) and 6.0mm^2 (yellow)
- Crimping non-insulated terminals size: 1.5mm^2, 2.5mm^2, 4.0mm^2 and 6.0mm^2
- Wire stripping: 0.75, 1.0, 1.5, 2.5, 4.0 and 6.0mm^2
- Shears bolts size: 2.6, 3.0, 3.5, 4.0 and 5.0mm • Wire cutting

Stock No.
13656



4 CT-K

240mm 5 WAY CRIMPING TOOL KIT

Heavy gauge carbon steel hardened, tempered and chemically blacked. Moulded grip handles. Packed in plastic storage case. Display packed.

Functions:

- Crimping insulated terminals size: 1.5mm^2 (red), 2.5mm^2 (blue) and 6.0mm^2 (yellow)
- Crimping non-insulated terminals size: 1.5mm^2, 2.5mm^2 4.0mm^2 and 6.0mm^2
- Wire stripping: 0.75, 1.0, 1.5, 2.5, 4.0 and 6.0mm^2
- Shears bolts size: 2.6, 3.0, 3.5, 4.0 and 5.0mm
- Wire cutting
- Assortment of approximately 60 insulated and 40 non insulated crimp terminals.

Stock No.
13658



5 CT/WS

6 WAY CRIMPING AND WIRE STRIPPING KIT

Comprises 6 way crimping tool and wire stripper in handy plastic storage case with approx. 100 insulated crimping terminals. Display packed.

Crimping Tool functions:

- Crimping insulated terminals size: 1.5mm^2 (red), 2.5mm^2 (blue) and 6.0mm^2 yellow
- Crimping ignition terminals • Wire cutting
- Shears bolts size: 2.6, 3.0, 3.5, 4.0 and 5.0mm
- Crimps round non-insulated terminals size: 1.5mm^2, 2.5mm^2 and 4.6mm^2
- Crimps square non-insulated terminals size: 1.5mm^2 and 2.5mm^2
- Crimping ignition terminals • Crimping tool length 230mm

Wire Stripper functions:

- Removes wire insulation up to 14mm in length • Cable cutter
- Tension control • Stripping tool length 165mm

Stock No.
33079



"DAVE SAYS" QUALITY MAKES THE DIFFERENCE

BATTERY TERMINAL CRIMPING TOOL

Item No. 3 is an indispensable tool for automotive technicians.

This easy to use yet extremely quick and effective battery terminal crimping tool enables technicians to simply attach crimps to automotive batteries with the use of a hammer or vice.







1 ATER-150

TERMINAL ASSORTMENT (150 PIECE)

Assorted terminals in an 18 division plastic storage box. Display packed.

Contents: • 10 each of RV1.25-4, RF2-5, RV1.25-5, SV1.25-35, SV1.25-5, BV1.25, RV2-3.5, RV2-4, RV2-5, SV2-4 and BV2 • 7 each of SV2-5, FDD1.25-7A, MDD1.25-250, FDD2-250A and MDD1.25-250 • 5 each of RV5.5-5, RV5.5-6 and BV5.5

Stock No.
18160



2 ATER-50

TERMINAL ASSORTMENT (50 PIECE)

Assorted terminals for making solderless electrical connections. All terminals are colour coded. Display packed.

Contents: • 10 of V2 • 6 of V-125 • 4 each of MF125-7A, MF2-7A, V5.5, F2BS and F5.5B • 2 each of BF1.25, BG2, BF5.5, F1.25A, F5.5B, F1.25B and F2B

Stock No.
50002



3 BTCT

BATTERY TERMINAL CRIMPING TOOL

Essential when replacing or repairing automotive/marine battery cables, this tool provides secure crimping when used in conjunction with a hammer or vice. Manufactured from laminated and hardened steel. Display packed.

Stock No.
64335



4 49A

150mm SCOTCH LOK SPRING LOADED CRIMPING PLIERS

Designed specifically for crimping ScotchLok® terminals used in the electronic, telecommunications and the automotive industries. For crimping and seating UG, UR, and UY connectors. Manufactured from carbon steel, oil hardened and tempered with smoothly ground jaws. Fitted with a spring between the handles for extra control. Display packed.

Stock No.
63868



5 CT9PRO

190mm CRIMPING TOOL FOR CABLE FERRULES

Drop forged from chrome vanadium steel hardened, tempered and chemically blacked for corrosion protection. For crimping cable ferrules in most automotive and electrical applications. Crimping stations; 0.5, 0.75, 1.0, 1.5, 2.5, 4.0, 6.0, 10.0 and 16.0mm^2. Moulded grip handles. Display packed.

Stock No.
62226



6 CT8PRO

160mm CRIMPING TOOL FOR BOOTLACE TERMINALS

Drop forged from chrome vanadium steel hardened, tempered and chemically blacked for corrosion protection. For crimping bootlace type terminals on most automotive and electrical applications. Crimping stations; 0.25/0.34, 0.5, 0.75, 1.0, 1.5 and 2.5mm^2. Tool includes a cable cutter. Moulded grip handles. Display packed.

Stock No.
62324



7 CT-HEX

225mm COAXIAL SERIES CRIMPING TOOL

Expert Quality, carbon steel hardened and tempered with chemically blacked finish for corrosion protection. For crimping F connectors to BNC, TNC, RG6, RG58, R58, RG59 and RG62 co-axial cable. Hex. die sizes .038, .100, .213, .256 and .324". PVC cushion grip handles for operator comfort. Display packed.

Stock No.
44053



8 CT-RJ45

225mm RJ45 RATCHET CRIMPING TOOL

Expert Quality, carbon steel hardened and tempered with chemically blacked finish for corrosion protection. For crimping RJ45, keyed and non-keyed modular plugs. PVC cushion grip handles for operator comfort. Display packed.

Stock No.
44052



9 CT-MD

180mm RJ45 CABLE CRIMPING TOOL

Expert Quality, carbon steel hardened and tempered with chemically blacked finish for corrosion protection. For stripping and cutting RJ45 cable. Steel stripping head for long life with cutters for tangent wire and sheathed wire. PVC cushion grip handles for operator comfort. Display packed.

Stock No.
44051

SHEARS & SNIPS


You don't have to be a tinsmith to cut sheet metal successfully. With the right tool and a few simple techniques, you can make almost any cut with ease. A simple rule of thumb is when cutting straight cuts use tinmans shears, while it's easier to cut curved shapes with aviation shears as they're designed more for leverage and manoeuvrability.

"DAVE SAYS" QUALITY MAKES THE DIFFERENCE



'NO NIP' FEATURE ON TINMANS SHEARS (Item Nos. 1 and 2), AND JEWELLERS SNIPS (Item No. 5)

These products have a 'no nip' feature which prevents users palm being 'pinched' when handles come together when cutting tough materials.









1 1596

TINMAN'S SHEARS

Expert Quality, forged from selected tool steel with blades induction hardened and accurately ground. The curvature along the cutting edge improves performance by gripping the material being cut. Has 'no-nip' feature which prevents handles locking together and damaging users' hands. Display packed.

Stock No.	Length
35631	200mm
35649	250mm
35657	300mm

2 1596A

TINMAN'S SHEARS

Forged from high carbon steel hardened and tempered, with blades induction hardened. Has 'no-nip' feature which prevents handles locking together and damaging users' hands. Display packed.

Stock No.	Length	Cold Rolled Steel	Stainless Steel
58980	200mm	0.61mm	0.41mm
37152	250mm	0.78mm	0.45mm
58981	300mm	0.91mm	0.63mm
60812	350mm	1.20mm	0.70mm





3 2850

250mm SOFT GRIP COMPOUND ACTION TINMAN'S (AVIATION) SHEARS

Expert Quality, straight cut chrome molybdenum steel compound action blades which increase leverage, serrated for extra grip. Capacity 1.2mm mild steel, 1.5mm aluminium and 0.8mm stainless steel. The spring-loaded handles have moulded vinyl grips with slip guards. Display packed.

Stock No.
49905

4 TSCSG

250mm SOFT GRIP COMPOUND ACTION TINMAN'S (AVIATION) SHEARS

Straight cut chrome vanadium steel compound action blades with non-slip faces. Soft grip handles with slip guards for user comfort and protection. Display packed.

Stock No.
05524







5 JSS

JEWELLERS SNIPS (175mm)

Jewellers pattern snips for intricate work. Drop forged high carbon steel hardened and ground straight blades with cutting edges additionally hardened. Has 'no-nip' feature which prevents handles locking together and damaging users' hands. Display packed.

Stock No.
81199

6 480SG

200mm SOFT GRIP UNIVERSAL SNIPS

Blades manufactured from stainless steel, hardened and tempered with wire notch. Bottom blade edge is serrated to improve grip during cutting. The soft grip handles incorporate a locking lever. For use on thin steel, copper and aluminium sheet, carpet, rubber, plastics and leather. Display packed.

Stock No.
73745

7 480

190mm UNIVERSAL SNIPS

Blades manufactured from stainless steel, hardened and tempered to give long life. Bottom blade edge is serrated to improve grip during cutting. The moulded grip handles are spring-loaded and incorporate a handle clip. For use on thin steel, copper and aluminium sheet, carpet, rubber, plastics and leather. Display packed.

Stock No.
12389



1 3

250mm HAND NIBBLER

Expert Quality, for cutting a wide variety of materials cleanly without bending or distortion. Interchangeable cutters have accurately ground edges. Spring-loaded handles are coated and have slip guards for extra safety. Cuts sheet metal up to 1.2mm thickness and laminates and plastics up to 2mm. Display packed.

Stock No.	Description
35748	Hand Nibbler
35756	Spare Blade



2 121SG/EXPT

200mm HEAVY DUTY SOFT GRIP CARPENTER'S PINCERS

Forged from carbon steel hardened and tempered. Soft grip handles with slip guards. Display packed.

Stock No.
72172



3 121S2

175mm CARPENTER'S PINCERS

Forged from high quality steel hardened, tempered, with jaws induction hardened. Ball and claw pattern handles with black paint finish. Display packed.

Stock No.
32732



4 RP6

240mm REVOLVING PUNCH PLIERS

Heavy duty, pressed steel frame with plastic coated handles. Revolving carbon steel head has unique waste collection facility and six punches size: 2, 2.5, 3.0, 3.5, 4.0 and 4.8mm. Display packed.

Stock No.
63637



5 RP12B

200mm REVOLVING PUNCH PLIERS

Pressed steel frame with plastic coated handles. Revolving head has six punches size: 2.5, 2.9, 3.3, 3.7, 4.1 and 4.5mm. Display packed.

Stock No.
24795




6 HP

210mm INTERCHANGEABLE HOLE PUNCH AND EYELET PLIERS

This handy tool can be used as a conventional hole punch (6 sizes supplied) on soft materials, or to join soft materials together using the special punch and die head and eyelets supplied. Supplied with a quantity of eyelets. Additional eyelets are available separately - see entry. Display packed.

Stock No.	Description
31096	Hole Punch
31108	500 x 4mm eyelets



PROFESSIONAL QUALITY RIVETERS

The table below shows the capacities of the hand riveters shown in this section.
Replacement jaw sets are available for all hand riveters shown. Rivets and washers are shown on page 547.

Key No.	Stock No.	Part No.	Expert Quality	General Duty	DIY	Rivet Capacities - mm				Type of Rivet			Spare Jaws Stock No.
						2.4	3.2	4.0	4.8	Aluminium	Steel	Stainless Steel	
1	27839	270B	✓	-	-	✓	✓	✓	✓	✓	✓	✓	28878
2	27844	269B	✓	-	-	-	✓	✓	✓	✓	✓	✓	28878
3	27842	263A	✓	-	-	-	✓	✓	✓	✓	✓	✓	28879
4	27849	279	✓	-	-	✓	✓	✓	✓	✓	-	-	28878
5	27845	266	-	✓	-	✓	✓	✓	✓	✓	-	-	28878
6	27846	265A	-	✓	-	✓	✓	✓	✓	✓	-	-	28878
1	27847	265KA	-	-	✓	✓	✓	✓	✓	✓	-	-	28878
2	27848	264AKA	-	✓	-	✓	✓	✓	✓	✓	-	-	28879
3	27843	270B	-	-	✓	✓	✓	✓	✓	✓	✓	✓	28879





1 270B
RIVETER

Expert Quality, concertina style heavy duty riveter, ideal for repetitive tasks using either aluminium, stainless steel or steel blind rivets. The concertina frame is manufactured from tough carbon steel and the replaceable chrome molybdenum jaws operate from within the four 2.4, 3.2, 4.0 and 4.8mm differing sized nozzles. Display carton.


Stock No.	Description
27839	Riveter



2 269B
LONG ARM RIVETER

Expert Quality, compound action riveter with spring action tubular steel handles and rubber soft grips. Supplied with nozzle wrench for use with the three interchangeable nozzles, which accept 3.2, 4.0 and 4.8mm alloy and blind rivets. Carton packed.

Stock No.	Description
27844	Riveter
28878	Spare Jaws



3 263A
RIVETER

Expert Quality, carbon steel riveter. Supplied with nozzle wrench for use with the three interchangeable nozzles, which accept 3.2, 4.0 and 4.8mm alloy and steel rivets. Display packed.

Stock No.	Description
27842	Riveter
28879	Spare Jaws



4 279
360° RIVETER

Expert Quality, aluminium head and body. Supplied with four nozzles to accept 2.4 3.2, 4.0 and 4.8mm aluminium rivets. Steel handle clip acts as nozzle change wrench. Display packed.

Stock No.	Description
27849	Riveter
28878	Spare Jaws



5 266A
RIVETER

General duty riveter with cast aluminium body. Supplied with nozzle wrench for use with the four interchangeable nozzles, which accept 2.4, 3.2, 4.0 and 4.8mm alloy and blind rivets. Carton packed.

Stock No.	Description
27845	Riveter
28878	Spare Jaws



6 265KA
RIVETER WITH RIVETS

DIY users riveter with blue enamelled pressed steel frame, chrome molybdenum steel jaws and moulded grip handles. Supplied with four nozzles to accept 2.4, 3.2, 4.0 and 4.8mm aluminium alloy blind rivets, plus an assortment of approximately 60 rivets. Display packed.

Stock No.	Description
27847	Riveter Kit
28878	Spare Jaws



Supplied with rivets and plastic storage case





1 268AKA

TWO WAY RIVETER KIT

General duty riveter with head that will operate at 90° or 180°. Chrome molybdenum jaws with four nozzles to accept 2.4, 3.2, 4.0 and 4.8mm aluminium alloy blind rivets. Supplied with approximately 60 assorted rivets, nozzle wrench and plastic carrying case. Display packed.

Stock No.	Description
27848	Riveter Kit
28879	Spare Jaws

Supplied with rivets and plastic storage case





2 264KA

RIVETER KIT

DIY users riveter with cast aluminium body and carbon steel moving handle with moulded grips. Supplied with nozzle wrench for use with the four interchangeable nozzles, which accept 2.4, 3.2, 4.0 and 4.8mm alloy and blind rivets plus an assortment of approximately 100 rivets. Display packed.

Stock No.	Description
27843	Riveter Kit



3 4417

HEAVY DUTY AIR RIVETER

- 6mm capacity
- Balanced for easy operation
- Comfortable trigger operation

Riveting capacity	2.4, 3.2, 4.0, 4.8, 6.4mm
Traction power	4200lbs/1890kgs
Operating air pressure	60 - 100psi (4.1 - 7bar)
Average air consumption	4.0cfm (115L/min)
Sound pressure level	34.6dBA
Vibration level	2m/s2
Min. hose size	3/8" (10mm)
Air inlet	1/4" BSP
Weight	2kg

Stock No.
61429



4 4296K

AIR RIVETER KIT

- 6mm capacity • Balanced for easy operation
- Comfortable trigger operation
- For aluminium alloy rivets only
- Stored in a convenient heavy duty storage case

Contents: • riveting gun • 4 nozzles: 2.4, 3.2, 4.0 and 4.8mm • spare jaw set • rubber exhaust tailpipe • two spanners • 5mm hexagon key • swivel connector with 1/4" BSP thread • oil pot

Riveting capacity	2.4, 3.2, 4.0 and 4.8m
Traction power	998kgs
Operating air pressure	60 - 90psi (4.1 - 6.2bar)
Average air consumption	4.0cfm (115L/min)
Sound pressure level	85dBA
Vibration level	2.5m/s2
Min. hose size	3/8" (10mm)
Air inlet	1/4" BSP
Weight	1.6kg

Stock No.
33746



5 RIV

BLIND RIVETS

Aluminium rivets with steel mandrel. Average contents 50 rivets per card. Display packed.

Stock No.	Rivet Dia.	Drill Size	Head Length
13554	2.4mm	2.5mm	7.0mm
14007	3.2mm	3.3mm	5.2mm
13555	3.2mm	3.3mm	10.8mm
14008	3.2mm	3.3mm	15.8mm
13556	4.0mm	4.1mm	5.6mm
14009	4.0mm	4.1mm	10.0mm
14010	4.0mm	4.1mm	15.8mm
13557	4.8mm	4.9mm	6.4mm
14011	4.8mm	4.9mm	10.0mm
14012	4.8mm	4.9mm	16.0mm



6 RIV/TUB

TUBS OF BLIND RIVETS

Aluminium rivets with steel mandrel. 3.2mm rivets in tubs of approx. 2000: 4.0mm rivets in tubs of approx. 1200: 4.8mm rivets in tubs of approx. 800:.

Stock No.	Rivet Dia.	Drill Size	Head Length
37657	3.2mm	3.3mm	10.2mm
37658	4.0mm	4.1mm	10.2mm
37659	4.8mm	4.9mm	10.2mm



7 RIV/W

BACKING WASHERS

For use with rivets listed under Blind Rivets. Used on back of blind rivets for extra fixing security. Average contents 100 washers per card. Display packed.

Stock No.	for Rivet Diameter	Diameter I/D x O/D
14013	2.4mm	2.6 x 7.8mm
14014	3.2mm	3.3 x 7.8mm
14015	4.0mm	4.2 x 9.8mm
14016	4.8mm	5.2 x 9.8mm

PRODUCT INFORMATION

IMPORTANT NOTE: Jaw sets will wear during use. They should be replaced if grip fails.



THE ULTIMATE SCREWDRIVER SELECTION

Our screwdriver range characteristics are featured here, designed for a variety of different trades and manufactured from four distinctive steel grades including SVCM+, just choose a screwdriver type that best suits your requirement.

CR.V: Chrome Vanadium steel formed by alloying Chrome Vanadium with steel. This provides the steel with properties ideally suited for high-stress applications.

S2: According to the AISI classification system, shock-resisting steels are designated as group 'S' steels. All 'S' steels have a higher strength composition than standard steel.

SVCM: Made by blending carbon, silicon, magnesium, nickel, chromium, molybdenum and lead to create a metal featuring a host of qualities including high strength and ductility.

SVCM+: Steel encompassing all the features demonstrated in SVCM steel, enhanced by quenching and tempering, enabling the SVCM+ steel to reach HRC59 hardness.



965T VDE INTERCHANGEABLE TORQUE

SVCM STEEL ALLOY

Pages 549



965i VDE INTERCHANGEABLE

SVCM STEEL ALLOY

Page 550



965 VDE

SVCM+ STEEL ALLOY

Page 551



960 VDE

SVCM+ STEEL ALLOY

Pages 552-553



952 VDE

S2 STEEL

Page 554



995

SVCM STEEL ALLOY

Pages 555-556



996 'POUND THRU'

SVCM STEEL ALLOY

Page 557



870

SVCM STEEL ALLOY

Pages 558-559



970

SVCM STEEL ALLOY

Pages 560-561



939

SVCM STEEL ALLOY

Pages 562-563



976

CRV STEEL

Pages 564-565



975 'POUND THRU'

CRV STEEL

Page 566



865

CRV STEEL

Pages 567-569



186

CRV STEEL


Pages 570-571



965T VDE INTERCHANGEABLE TORQUE SCREWDRIVERS

- 17th Edition wiring regulation 134.1.1 compliant, designed for controlled tightening of screws while providing user safety. Manufactured and individually certified to EN 60900 supplied with calibration certificate
- Ideal for the torque controlled tightening of screws - helping to avoid damage, whilst ensuring a safe and secure connection. The adjustment scope for the torque screwdriver is 1.0 - 5.0Nm (accuracy +/- 6%)
- Individually tested to 10,000V and fully compliant to EN60900 standards. Suitable for use on AC circuits up to 1000V and DC circuits up to 1500V
- The interchangeable blades offer a fast and easy press in auto-lock method with simple release

YOUTUBE.COM/ DRAPERTOOLSTV







1 965T/19

ERGO PLUS® INTERCHANGEABLE VDE TORQUE SCREWDRIVER SET (19 PIECE)

Manufactured and individually certified to EN 60900

Expert Quality, interchangeable VDE torque screwdriver, intended for electrical applications. Perfect for torque-controlled tightening of screws, which helps avoid damaging screws and tools whilst ensuring a safe and secure screw connection. The adjustment scope for the torque screwdriver is 1.0 – 5.0 Nm (accuracy +/- 6%). Individually tested to 10,000V and fully compliant to EN60900:2012 standards, permitting use on AC circuits up to 1000V and DC circuits up to 1500V. Suitable for attaching to all existing Draper Expert 965 interchangable range screwdrivers. The VDE interchangeable blades are made from SVCM steel for added strength and deliver a fast and easy press in auto-lock action with a simple release method. Supplied complete with calibration certificate, a selection of blades suiting all popular applications and a convenient canvas roll for secure transportation and storage. Display packed.

Contents: • 1 Insulated torque screwdriver • 1 Insulated Holder Driver • 1 Precision Insulated Holder Driver • 4 plain slot size: 3 x 60, 4.0 x 80, 5.5 x 80 and 6.5 x 100mm • 3 cross slot sizes: No.0 x 60, No.1 x 80 and No.2 x 100mm • 3 PZ TYPE sizes: No.0 x 60mm, No.1 x 80 and No.2 x 100mm • 4 Draper TX-STAR®: T10, T15, T20, T25 x 100mm • 2 PZ/SL: No.1 x 80 and No.2 x 100mm

Stock No.
81762

2 965T/9

ERGO PLUS® INTERCHANGEABLE VDE TORQUE SCREWDRIVER SET (9 PIECE)

Manufactured and individually certified to EN 60900

Expert Quality, interchangeable VDE torque screwdriver, intended for electrical applications. Perfect for torque-controlled tightening of screws, helping avoid damage to screws and tools whilst ensuring a safe and secure screw connection. The adjustment scope for the torque screwdriver is 1.0 – 5.0 Nm (accuracy +/- 6%). Individually tested to 10,000V and fully compliant to EN60900 standards, permitting use on AC circuits up to 1000V and DC circuits up to 1500V. Suitable for attaching to all existing Draper Expert 965I range screwdrivers, combining versatility with accuracy. The VDE interchangeable blades are made from SVCM steel for added strength and deliver a fast and easy press in auto-lock action with a simple release method. Supplied complete with calibration certificate, a selection of blades suiting all popular applications and a convenient canvas roll for secure transportation and storage. Display packed.

Contents: • 1 Insulated torque screwdriver • 4 plain slot size: 3 x 60, 4.0 x 80, 5.5 x 80 and 6.5 x 100mm • 2 cross slot sizes: No.1 x 80 and No.2 x 100mm • 2 PZ TYPE sizes: No.1 x 80 and No.2 x 100mm

Stock No.
65372

3 965T/1

ERGO PLUS® VDE TORQUE SCREWDRIVER FOR USE WITH INTERCHANGEABLE BLADES



Manufactured and individually certified to EN 60900

Expert Quality, adjustable VDE torque screwdriver, suitable for connecting to all existing Draper Expert 965 interchangeable range screwdrivers blades, supplied complete with calibration certificate. Provides torque-controlled tightening of screws, helping avoid damage to screw heads whilst ensuring a safe and secure connection. The adjustment scope for the torque screwdriver is 1.0 – 5.0 Nm (accuracy +/- 6%). Individually tested to 10,000V and fully compliant to EN60900:2012 standards, permitting use on AC circuits up to 1000V and DC circuits up to 1500V. Display packed.


Stock No.
81763

965i VDE INTERCHANGEABLE SCREWDRIVERS

YOUTUBE.COM/DRAPERTOOLSTV

• Certified to EN 60900 and tested to 10kV

Two interchangeable handles, a high torque handle and a precision handle both with soft grips for added user comfort.



SCVM steel blades, hardened, tempered and chemically blacked



These sets are suitable for attaching to all Draper Expert 965i range of screwdrivers.



DRAPER Expert | 1000V SAFE

2 965I/10

ERGO PLUS® VDE APPROVED FULLY INSULATED INTERCHANGEABLE BLADE SCREWDRIVER SET (10 PIECE)

Manufactured and individually certified to EN 60900

Expert Quality, tested to 10kV, suitable for working on live circuits of 1kV AC and 1.5kV DC. SCVM steel blades hardened, tempered and chemically blackened. Interchangeable insulated blades deep set into handles - precision or high torque types - for total safety. Supplied in storage roll. Display packed.

Contents: • 4 plain slot sizes: 3.0 x 100, 4.0 x 100, 5.5 x 100 and 6.5 x 100mm • 2 cross slot sizes: No.1 and 2 • 2 PZ TYPE: No1 and 2 • Fully insulated high torque screwdriver handle • Fully insulated precision screwdriver handle

Spare blades available - contact the Draper Sales Desk

Stock No.
05721



DRAPER Expert | 1000V SAFE

3 965I/18

ERGO PLUS® VDE APPROVED FULLY INSULATED INTERCHANGEABLE BLADE SCREWDRIVER SET (18 PIECE)

Manufactured and individually certified to EN 60900

Expert Quality, tested to 10kV, suitable for working on live circuits of 1kV AC and 1.5kV DC. SCVM steel blades hardened, tempered and chemically blackened. Interchangeable insulated blades deep set into handles - precision or high torque types - for total safety. Mains tester included in set. Supplied in storage roll. Display packed.

Contents: • 5 plain slot sizes: 3.0 x100, 3.5 x 100, 4.0 x 100, 5.5 x 100 and 6.5 x 100mm • 3 cross slot sizes: No.0, 1 and 2 • 3 PZ TYPE: No.0, 1 and 2 • 4 Draper TX-STAR®: T10, T15, T20 and T25 x 100mm • Mains tester • Fully insulated high torque screwdriver handle • Fully insulated precision screwdriver handle

Spare blades available - contact the Draper Sales Desk

Stock No.
05776

NEW

1000V SAFE



DRAPER Expert

4 965SLIM/6

ERGO PLUS® VDE SLIMLINE APPROVED FULLY INSULATED SCREWDRIVER SET (6 PIECE)

Manufactured and individually certified to EN 60900

Expert Quality, with an insulated sheath the same diameter as the blade, enabling the tip access to deep seated screws found in terminals and switch boards. Tested to 10kV, suitable for working on live circuits of 1kV AC and 1.5kV DC. SCVM steel blades hardened, tempered and chemically blackened. Display packed. Contents: • 3 plain slot sizes: 3.5 x 100, 4.0 x 100, 5.5 x 125mm. • 1 cross slot sizes: No.2 x 100mm • 2 PZ TYPE: No1 x 80mm and No. 2 x 100mm

Stock No.
02167

NEW

DRAPER Expert | 1000V SAFE



5 965SLIM

ERGO PLUS® SLIMLINE VDE APPROVED FULLY INSULATED SCREWDRIVERS

Manufactured and individually certified to EN 60900

Expert Quality, with an insulated sheath the same diameter as the blade, enabling the tip access to deep seated screws found in terminals and switch boards. Tested to 10kV, suitable for working on live circuits of 1kV AC and 1.5kV DC. SCVM steel blades hardened, tempered and chemically blackened.

Stock No.	Blade Type	Blade Tip	Blade Length
02159	Plain Slot	3.5mm	100mm
02160	Plain Slot	4.0mm	100mm
02161	Plain Slot	5.5mm	125mm
02162	Plain Slot	6.5mm	150mm
02163	Cross Slot	No:1	80mm
02164	Cross Slot	No:2	100mm
02165	PZ Type	No:1	80mm
02166	PZ Type	No:2	100mm
02254	PZ/SL Type	No:1	80mm
02256	PZ/SL Type	No:2	100mm



DRAPER Expert | 1000V SAFE

1 9651P

ERGO PLUS® VDE INTERCHANGEABLE SCREWDRIVER BLADES

Manufactured and individually certified to EN 60900

Expert Quality, spare SVCM steel screwdriver blades, suitable for connecting to all existing Draper Expert 965 interchangeable range screwdrivers. Individually tested to 10,000V and fully compliant to EN60900:2012 standards, permitting use on AC circuits up to 1000V and DC circuits up to 1500V. Display packed.

Stock No.	Blade Type	Blade Tip	Blade Length
24737	Plain Slot	3.0mm	100mm
24738	Plain Slot	4.0mm	100mm
24739	Plain Slot	5.5mm	100mm
24743	Cross Slot	No:2	100mm
24745	PZ Type	No:1	80mm
24746	PZ Type	No:2	100mm
16419	PZ/SL Type Extra Slim	No:1	80mm
16420	PZ/SL Type Extra Slim	No:2	100mm

965 VDE ERGO PLUS® DRAPER EXPERT SCREWDRIVERS

- Ergo Plus® design handles for superior grip and comfort.
- VDE approved, fully insulated, manufactured and individually certified to EN 60900
- Tested to 10kV, suitable for working on live circuits of 1kV AC and 1.5kV DC

YOUTUBE.COM/ DRAPERTOOLSTV





1 965

ERGO PLUS® VDE PLAIN SLOT SCREWDRIVERS (DISPLAY PACKED)

Manufactured and individually certified to EN 60900

Expert Quality, tested to 10kV, suitable for working on live circuits of 1kV AC and 1.5kV DC. Blades manufactured from SVCM+ alloy steel hardened, tempered and chemically blacked. Fully insulated ergonomic soft grip handle with deep set blade sheath providing total safety. Display packed on individual storage hangers.

Stock No.	Blade Tip	Blade Length
64367	2.5mm	75mm
64368	3.0mm	100mm
64413	3.5mm	100mm
64414	4.0mm	100mm
64419	5.5mm	125mm
64422	6.5mm	150mm
64426	8.0mm	175mm



2 965CS

ERGO PLUS® VDE CROSS SLOT SCREWDRIVERS (DISPLAY PACKED)

Manufactured and individually certified to EN 60900

Expert Quality, tested to 10kV, suitable for working on live circuits of 1kV AC and 1.5kV DC. Blades manufactured from SVCM+ alloy steel hardened, tempered and chemically blacked. Fully insulated ergonomic soft grip handle with deep set blade sheath for total safety. Display packed on individual storage hangers.

Stock No.	Blade Tip	Blade Length
64427	No.0	60mm
64429	No.1	80mm
64432	No.2	100mm
64433	No.3	150mm



3 965PZ

ERGO PLUS® VDE PZ TYPE SCREWDRIVERS (DISPLAY PACKED)

Manufactured and individually certified to EN 60900

PZ TYPE products are compatible with *Pozidriv®/Supadriv® fixing systems

Expert Quality, tested to 10kV, suitable for working on live circuits of 1kV AC and 1.5kV DC. Blades manufactured from SVCM+ alloy steel hardened, tempered and chemically blacked. Fully insulated ergonomic soft grip handle with deep set blade sheath for total safety. Display packed on individual storage hanger.

Stock No.	Blade Tip	Blade Length
64476	No.0	60mm
64477	No.1	80mm
64484	No.2	100mm
64485	No.3	150mm



4 965PZ/SL

ERGO PLUS® VDE PZ/SL TYPE SCREWDRIVERS (DISPLAY PACKED)

Manufactured and individually certified to EN 60900

PZ TYPE products are compatible with *Pozidriv®/Supadriv® fixing systems

Expert Quality, tested to 10kV, suitable for working on live circuits of 1kV AC and 1.5kV DC. Blades manufactured from SVCM alloy steel hardened, tempered and chemically blacked. Specifically designed for use with electrical screws on RCB & MCB's within distribution and consumer units. Fully insulated ergonomic soft grip handle with deep-set blade sheath for total safety. Display packed in individual storage hangers.

Stock No.	Blade Tip	Blade Length
64489	PZ/SL1	80mm
64495	PZ/SL2	100mm



5 965/4

ERGO PLUS® VDE SCREWDRIVER SET (4 PIECE)

Manufactured and individually certified to EN 60900

Expert Quality, tested to 10kV, suitable for working on live circuits of 1kV AC and 1.5kV DC. Blades manufactured from SVCM+ alloy steel hardened, tempered and chemically blacked. Fully insulated ergonomic soft grip handles with deep-set blade sheath for total safety. Display packed.

Contents:

- 2 plain slot size: 2.5 x 75 and 4.0 x 100mm
- 2 PZ TYPE: No.1 x 80 and No.2 x 100mm

Stock No.
64693



6 965/7

ERGO PLUS® VDE SCREWDRIVER SET (7 PIECE)

Manufactured and individually certified to EN 60900


Expert Quality, tested to 10kV, suitable for working on live circuits of 1kV AC and 1.5kV DC. Blades manufactured from SVCM+ alloy steel hardened, tempered and chemically blacked. Fully insulated ergonomic soft grip handles with deep-set blade sheath for total safety. Display packed.


Contents: • 4 plain slot size: 2.5 x 100, 4.0 x 100, 5.5 x 125 and 6.50 x 150mm • 3 PZ TYPE: No.0 x 60, No.1 x 80 and No.2 x 100mm

Stock No.
64694

960 VDE SCREWDRIVERS

- VDE approved, fully insulated and individually certified to EN 60900
- Tested to 10kV, suitable for working on live circuits of 1kV AC and 1.5kV DC







1 960

VDE APPROVED FULLY INSULATED PLAIN SLOT SCREWDRIVERS (DISPLAY PACKED)

Manufactured and individually certified to EN 60900

Expert Quality, tested to 10kV, suitable for working on live circuits of 1kV AC and 1.5kV DC. Made with SVCM alloy steel blades which are hardened, tempered and chemically blacked. Fully insulated ergonomic soft grip handle with deep set blade sheath for total safety. Display packed in individual storage hanger with barcode on reverse.

Stock No.	Blade Tip	Blade Length
69211	2.5mm	75mm
69212	3.0mm	100mm
69213	4.0mm	100mm
69214	5.5mm	125mm
69215	6.5mm	150mm

2 960B

VDE APPROVED FULLY INSULATED PLAIN SLOT SCREWDRIVERS (SOLD LOOSE)

Stock No.	Blade Tip	Blade Length
69216	2.5mm	75mm
69217	3.0mm	100mm
69218	4.0mm	100mm
69219	5.5mm	125mm
69220	6.5mm	150mm



3 960CS

VDE APPROVED FULLY INSULATED CROSS SLOT SCREWDRIVERS (DISPLAY PACKED)

Manufactured and individually certified to EN 60900

Expert Quality, tested to 10kV, suitable for working on live circuits of 1kV AC and 1.5kV DC. Made with SVCM alloy steel blades which are hardened, tempered and chemically blacked. Fully insulated ergonomic soft grip handle with deep set blade sheath for total safety. Display packed in individual storage hanger with barcode on reverse.

Stock No.	Blade Tip	Blade Length
69221	No.0	60mm
69222	No.1	80mm
69223	No.2	100mm

4 960CSB

VDE APPROVED FULLY INSULATED CROSS SLOT SCREWDRIVERS (SOLD LOOSE)

Stock No.	Blade Tip	Blade Length
69224	No.0	60mm
69225	No.1	80mm
69226	No.2	100mm



5 960PZ

VDE APPROVED FULLY INSULATED PZ TYPE SCREWDRIVERS (DISPLAY PACKED)

Manufactured and individually certified to EN 60900

PZ TYPE products are compatible with *Pozidriv®/Supadriv® fixing systems

Expert Quality, tested to 10kV, suitable for working on live circuits of 1kV AC and 1.5kV DC. Made with SVCM alloy steel blades which are hardened, tempered and chemically blacked Fully insulated ergonomic soft grip handle with deep set blade sheath for total safety. Display packed in individual storage hanger with barcode on reverse.

Stock No.	Blade Tip	Blade Length
69227	No.0	60mm
69228	No.1	80mm
69229	No.2	100mm
75389	No.3	150mm

6 960PZB

VDE APPROVED FULLY INSULATED PZ TYPE SCREWDRIVERS (SOLD LOOSE)

Stock No.	Blade Tip	Blade Length
69230	No.0	60mm
69231	No.1	80mm
69232	No.2	100mm



7 960/4

VDE APPROVED FULLY INSULATED SCREWDRIVER SET (4 PIECE)

Manufactured and individually certified to EN 60900

Expert Quality, tested to 10kV, suitable for working on live circuits of 1kV AC and 1.5kV DC. Made with SVCM alloy steel blades which are hardened, tempered and chemically blacked. Fully insulated ergonomic soft grip handle with deep set blade sheath for total safety. Display packed.

Contents: • 2 plain slot size: 2.5 x 75 and 5.5 x 125mm • 2 PZ TYPE: No.1 and No.2

Stock No.
69233



8 960/7

VDE APPROVED FULLY INSULATED SCREWDRIVER SET (7 PIECE)

Manufactured and individually certified to EN 60900

Expert Quality, tested to 10kV, suitable for working on live circuits of 1kV AC and 1.5kV DC. Made with SVCM alloy steel blades which are hardened, tempered and chemically blacked. Fully insulated ergonomic soft grip handle with deep set blade sheath for total safety. Display packed.

Contents: • 4 plain slot, sizes: 2.5 x 75, 3.0 x 100, 5.5 x 125 and 6.5 x 150mm • 3 PZ TYPE: No.0, No.1 and No.2

Stock No.
88608



1 960/11

VDE APPROVED FULLY INSULATED SCREWDRIVER SET (11 PIECE)

Manufactured and individually certified to EN 60900

Expert Quality, tested to 10kV, suitable for working on live circuits of 1kV AC and 1.5kV DC. Made with SVCM alloy steel blades which are hardened, tempered and chemically blacked. Fully insulated ergonomic soft grip handle with deep set blade sheath for total safety. Packed in blow mould case with see-through lid.

Contents:

- 5 plain slot, sizes: 2.5 x 75, 3.0 x 100, 4.0 x 125, 5.5 x 125 and 6.5 x 150mm
- 3 cross slot, sizes: No.0, No.1 and No.2
- 3 PZ TYPE: No.0, No.1 and No.2

Stock No.
69234



2 VDESET1

VDE APPROVED FULLY INSULATED PLIERS AND SCREWDRIVERS SET (10 PIECE)

Manufactured and individually certified to EN 60900

Expert Quality, tested to 10kV, suitable for working on live circuits of 1kV AC and 1.5kV DC. Pliers are drop forged from chrome vanadium steel correctly hardened and tempered with additionally induction hardened cutting edges. Each of the pliers have been individually tested to 10,000V for safe 1000V AC or 1500V DC live line working. Lacquered finish for corrosion protection with heavy duty, fully insulated, soft grip handles with slip guards. Screwdrivers are made with SVCM alloy steel blades which are hardened, tempered and chemically blacked. Fully insulated ergonomic soft grip handle with deep set blade sheath for total safety. Display packed in blow mould case with see-through lid. Contents:

Pliers:

- 200mm Combination Pliers • 200mm Long Nose Pliers
- 160mm Diagonal Side Cutters

Screwdrivers:

- 3 plain slot, sizes: 2.5 x 75, 4.0 x 100 and 5.5 x 125
- 2 cross slot, sizes: No.1 and No.2
- 2 PZ TYPE: No.1 and No.2

Stock No.
71155



PRODUCT LOCATOR



A wide selection of multimeters are available on pages 666-668



NEW

3 D960/DS

DISPENSER WITH 48 VDE FULLY INSULATED SCREWDRIVERS

Manufactured and individually certified to EN 60900

Expert Quality, freestanding acrylic display of 960 Range VDE Approved Fully Insulated Screwdrivers, tested to 10kV, suitable for working on live circuits of 1kV AC and 1.5kV DC. SVCM alloy steel blades hardened, tempered and chemically blacked. Fully insulated ergonomic soft grip handle with deep set blade sheath for total safety. Carton packed.

Contents:

Plain Slot 2.5 x 75 (5pcs), 3.0 x 100 (5pcs), 4.0 x 100 (4pcs), 5.5 x 125mm (4pcs), 6.5 x 150 (4pcs),

Cross Slot No.0 x 60 (5pcs), No.1 x 80 (4pcs).
No.2 x 100 (4pcs)

PZ TYPE No.0 x 60 (5pcs), No.1 x 80 (4pcs), No.2 x 100 (4pcs)

Stock No.	Approx Display Size L x D
02060	378 x 200mm

"PAUL SAYS" QUALITY ASSURANCE MAKES THE DIFFERENCE



EN60900 is the European Standard for hand tools for live working up to 1000V AC or 1500V DC. Any hand tool for live working must be manufactured and approved to this standard. Unless the tool you purchase has the conformance marks stamped on and is fully certified, it is probably not up to the relevant standards. All Draper electrical screwdrivers have been rigorously tested to EN60900 so you can be sure and safe in the knowledge that these screwdrivers will perform as required.


LIVE LINE WORKING

When working on electrical installations, it is safest to disconnect these systems from the energy supply first. Only a skilled and qualified electrician may work on live installations and then only in conformance with the relevant industrial safety standards.



952 VDE SCREWDRIVERS

VDE approved, fully insulated and individually certified to EN 60900 • Tested to 10kV, suitable for working on live circuits of 1kV AC and 1.5kV DC





1 952

VDE APPROVED FULLY INSULATED SOFT GRIP PLAIN SLOT SCREWDRIVERS (DISPLAY PACKED)

Manufactured and individually certified to EN 60900

VDE approved fully insulated soft grip plain slot screwdrivers tested to 10kV, suitable for working on live circuits up to 1kV AC and 1.5kV DC. Made from hardened, tempered and chemically blacked S2 steel. Display packed on individual storage hanger.

Stock No.	Blade Tip	Blade Length
46515	2.5mm	75mm
46516	3.0mm	100mm
46517	4.0mm	100mm
46518	5.5mm	125mm
46519	6.5mm	150mm
46520	8.0mm	150mm
54272	8.0mm	200mm

2 952B

VDE APPROVED FULLY INSULATED SOFT GRIP PLAIN SLOT SCREWDRIVERS (SOLD LOOSE)

Stock No.	Blade Tip	Blade Length
46521	2.5mm	75mm
46522	3.0mm	100mm
46523	4.0mm	100mm
46524	5.5mm	125mm
46525	6.5mm	150mm
46526	8.0mm	150mm
54273	8.0mm	200mm



7 952/4

VDE APPROVED FULLY INSULATED SOFT GRIP SCREWDRIVER SET (4 PIECE)

Manufactured and individually certified to EN 60900

VDE approved fully insulated screwdrivers tested to 10kV, suitable for working on live circuits up to 1kV AC and 1.5kV DC. Chrome molybdenum steel blades hardened, tempered and chemically blacked. Display packed.

Contents: • 2 plain slot size: 2.5 x 75, and 5.5 x 125mm • 2 PZ TYPE: No.1 x 80 and No. 2 x 100mm

Stock No.
46539



3 952CS

VDE APPROVED FULLY INSULATED SOFT GRIP CROSS SLOT SCREWDRIVERS (DISPLAY PACKED)

Manufactured and individually certified to EN 60900

VDE approved fully insulated soft grip plain slot screwdrivers tested to 10kV, suitable for working on live circuits up to 1kV AC and 1.5kV DC. Made from hardened, tempered and chemically blacked S2 steel. Display packed on individual storage hanger.

Stock No.	Blade Tip	Blade Length
46527	No:0	75mm
46528	No:1	80mm
46529	No:2	100mm

4 952CSB

VDE APPROVED FULLY INSULATED SOFT GRIP CROSS SLOT SCREWDRIVERS (SOLD LOOSE)

Stock No.	Blade Tip	Blade Length
46530	No:0	75mm
46531	No:1	80mm
46532	No:2	100mm



8 952/7

VDE APPROVED FULLY INSULATED SOFT GRIP SCREWDRIVER SET WITH MAINS TESTER (7 PIECE)

Manufactured and individually certified to EN 60900

VDE approved fully insulated screwdrivers tested to 10kV, suitable for working on live circuits up to 1kV AC and 1.5kV DC. S2 steel blades hardened, tempered and chemically blacked. Display packed.

Contents: • 4 plain slot size: 2.5 x 75, 4.0 x 100, 5.5 x 125 and 6.5 x 150mm • 2 PZ TYPE: No.1 x 80 and No. 2 x 100mm • mains tester (to GS/TUV and "Low Voltage Directive 73/23/EEC - amendment 98/68/EEC")

Stock No.
46540



5 952PZ

VDE APPROVED FULLY INSULATED SOFT GRIP PZ TYPE SCREWDRIVERS (DISPLAY PACKED)

Manufactured and individually certified to EN 60900

PZ TYPE products are compatible with *Pozidriv®/Supadriv® fixing systems


VDE approved fully insulated soft grip plain slot screwdrivers tested to 10kV, suitable for working on live circuits up to 1kV AC and 1.5kV DC. Made from hardened, tempered and chemically blacked S2 steel. Display packed on individual storage hanger.

Stock No.	Blade Tip	Blade Length
46533	No:1	80mm
46534	No:2	100mm
46535	No:3	150mm

6 952PZB

VDE APPROVED FULLY INSULATED SOFT GRIP PZ TYPE SCREWDRIVERS (SOLD LOOSE)

Stock No.	Blade Tip	Blade Length
46536	No:1	80mm
46537	No:2	100mm
46538	No:2	150mm



9 952/12

VDE APPROVED FULLY INSULATED SOFT GRIP SCREWDRIVER SET (12 PIECE)

Manufactured and individually certified to EN 60900

VDE approved fully insulated screwdrivers tested to 10kV, suitable for working on live circuits up to 1kV AC and 1.5kV DC. Chrome molybdenum steel blades hardened, tempered and chemically blacked. Display packed.

Contents: • 5 plain slot size: 2.5 x 75, 4.0 x 100, 5.5 x 125, 6.5 x 150 and 8.0 x 150mm • 4 PZ TYPE: No.0 x 75, No.1 x 80, No. 2 x 100 and No: 3 x 150mm • 3 cross slot: No.0 x 75, No.1 x 80 and No. 2 x 100mm

Stock No.
46541

995 HEAVY DUTY SCREWDRIVERS





1 995P
SOFT GRIP PLAIN SLOT PARALLEL TIP SCREWDRIVERS

Expert Quality, SVCM blades which are hardened and satin chrome plated with sand blasted tips. Attached to a soft grip, oil and solvent resistant handle. Display packed.

Stock No.	Blade Tip	Blade Length
34971	3mm	75mm
34972	3mm	100mm
34973	5.5mm	100mm
34974	5.5mm	150mm
34975	5.5mm	200mm



2 995
SOFT GRIP PLAIN SLOT SCREWDRIVERS

Expert Quality, SVCM blades which are hardened and satin chrome plated with sand blasted tips. Attached to a soft grip, oil and solvent resistant handle. Display packed.

Stock No.	Blade Tip	Blade Length
34976	5.5mm	75mm
34977	6.5mm	38mm
34978	6.5mm	100mm
34979	8.0mm	150mm
34981	10mm	250mm



3 995CS
SOFT GRIP CROSS SLOT SCREWDRIVERS

Expert Quality, SVCM blades which are hardened and satin chrome plated with sand blasted tips. Attached to a soft grip, oil and solvent resistant handle. Display packed.

Stock No.	Blade Tip	Blade Length
34982	No:0	75mm
34990	No:1	75mm
34991	No:2	38mm
34992	No:2	100mm
34993	No:3	150mm



4 995PZ
SOFT GRIP PZ TYPE SCREWDRIVERS

PZ TYPE products are compatible with *Pozidriv®/Supadriv® fixing systems

Expert Quality, SVCM blades which are hardened and satin chrome plated with sand blasted tips. Attached to a soft grip, oil and solvent resistant handle. Display packed.

Stock No.	Blade Tip	Blade Length
03457	No:0	75mm
34994	No:1	75mm
34996	No:2	38mm
34999	No:2	100mm
35000	No:2	250mm
35005	No:3	150mm



5 995TX
SOFT GRIP TX-STAR® SCREWDRIVERS

Expert Quality, SVCM+ blades which are hardened and satin chrome plated with sand blasted tips. Attached to a soft grip, oil and solvent resistant handle. Display packed.

Stock No.	Blade Tip	Blade Length
35034	T6	75mm
35039	T7	75mm
35051	T8	75mm
35058	T9	75mm
35071	T10	75mm
35074	T15	100mm
35077	T20	100mm
35080	T25	100mm



6 995TXT
SOFT GRIP TX-STAR® SECURITY SCREWDRIVERS

Expert Quality, SVCM+ blades which are hardened and satin chrome plated with sand blasted tips. Attached to a soft grip, oil and solvent resistant handle. Display packed.

Stock No.	Blade Tip	Blade Length
35137	T10	75mm
35141	T15	100mm
35143	T20	100mm
35145	T25	100mm
35147	T27	100mm
35148	T30	100mm
35150	T40	100mm



SQUARE RECESS FIXINGS ARE IDEAL FOR SECURE FIXING OF GATE FURNITURE ETC.

7 995SQ
SOFT GRIP SQUARE RECESS SECURITY SCREWDRIVERS

Expert Quality, SVCM blades hardened and coated with a black phosphate finish with sand blasted tips. Attached to a oil and solvent resistant soft grip handle. Display packed.

Stock No.	Blade Tip	Blade Length
75365	S1	100mm
35157	S2	100mm
35159	S3	100mm



8 995
450MM EXTRA LONG REACH SOFT GRIP SCREWDRIVERS

Expert Quality, SVCM+ blades which are hardened and satin chrome plated with sand blasted tips. Attached to a soft grip, oil and solvent resistant handle. Display packed.

Stock No.	Blade Tip Type	Blade Tip Size
63592	Plain Slot	8mm
63594	Cross Slot	No.2
63593	PZ Type	No.2



1 995/S6

SOFT GRIP SCREWDRIVER SET (6 PIECE)

Expert Quality, SVCM+ blades which are hardened and satin chrome plated with sand blasted tips. Attached to a soft grip, oil and solvent resistant colour coded handle. Supplied in PVC storage case. Display packed.

Contents: • Plain Slot; 5.5 x 75, 6.5 x 100mm • Cross Slot; No.1 x 75, No.2 x 100mm • PZ Type; No.1 x 75, No.2 x 100mm

Stock No.
63588



2 995/S2

SOFT GRIP SCREWDRIVER SET (8 PIECE)

Expert Quality, SVCM+ blades which are hardened and satin chrome plated with sand blasted tips. Attached to a soft grip, oil and solvent resistant colour coded handle. Supplied in PVC storage case. Display packed.

Contents: • Plain Slot; 3.5 x 75, 5.5 x 100, 6.5 x 100, 8 x 150 • Cross Slot; No.1 x 75, No.2 x 100mm • PZ Type; No.1 x 75, No.2 x 100mm

Stock No.
63589



3 995SQ

7 IN 1 SOFT GRIP RATCHET SCREWDRIVER AND BIT SET

Expert Quality, 7 piece screwdriver with forward and reverse ratcheting action. Manufactured with soft grip two-tone handles for user comfort. Supplied with six 89mm long, 1/4" hex hardened and tempered satin chrome vanadium steel insert bits with sand blasted tips. The bits can also be used in power drivers. Display packed.

Contents:

• Ratchet screwdriver • 2 Plain slot bits 5.0, 6.0mm
• 2 PZ type bits No.1, 2 •2 Cross slot bits No.1, 2

Stock No.
83721




TORQUE SCREWDRIVER SET

4 995TS-1

1-5NM TORQUE SCREWDRIVER KIT

Complies with ISO 6789 Standards

easy set torque feature



Expert Quality, adjustable torque screwdriver, which provides variable precision torque settings. The torque screwdriver is fitted to a comfortable ergonomic soft grip handle for ensuring the user gets an unsurpassed performance. Its extremely accurate +/- 6 % measurements are in accordance with the EN ISO 6789 standard. The simple to operate setting control and easy-to-read scale delivers an ingenious screwdriver essential for precise torque setting. Insert bits can be easily and rapidly changed and are stored in the blow moulded storage case for convenience. Display packed

Contents:

1 x Torque screwdriver
2 x Plain slotted bits 4mm and 5mm
2 x Cross slot bits No.1 and No.2
2 x PZ type bits No.1 and No.2
3 x Hex bits 4, 5 and 6mm
3 x Draper TX-STAR® bits T15, T20 and T25

Stock No.
75170



996 HEAVY DUTY "POUND THRU" SCREWDRIVERS





1 996/PT

'POUND THRU' PLAIN SLOT SOFT GRIP SCREWDRIVERS

Expert Quality, screwdrivers with hardened SVCM satin chrome plated hexagonal blades. Attached to a soft grip, oil and solvent resistant handle with integrated toughened 'Pound Thru' metal cap designed for receiving hammer blows. Display packed.

Stock No.	Blade Tip	Blade Length
35176	5.5mm	75mm
35181	6.5mm	100mm
35183	6.5mm	150mm
35184	8mm	200mm
35186	10mm	250mm



2 996CS/PT

'POUND THRU' CROSS SLOT SOFT GRIP SCREWDRIVERS

Expert Quality, screwdrivers with hardened SVCM+ satin chrome plated hexagonal blades. Attached to a soft grip, oil and solvent resistant handle with integrated toughened 'Pound Thru' metal cap designed for receiving hammer blows. Display packed.

Stock No.	Blade Tip	Blade Length
35210	No: 1	75mm
35223	No: 2	100mm
35225	No: 3	150mm
63595	No: 2	250mm



3 996PZ/PT

'POUND THRU' PZ TYPE SOFT GRIP SCREWDRIVERS

PZ TYPE products are compatible with *Pozidriv®/Supadriv® fixing systems

Expert Quality, screwdrivers with hardened SVCM+ satin chrome plated hexagonal blades. Attached to a soft grip, oil and solvent resistant handle with integrated toughened 'Pound Thru' metal cap designed for receiving hammer blows. Display packed.

Stock No.	Blade Tip	Blade Length
35227	No: 1	75mm
35230	No: 2	100mm
35232	No: 3	150mm
63596	No: 2	250mm



"DAVE SAYS" QUALITY MAKES THE DIFFERENCE

A) "POUND-THRU" ROOTED CAP ALLOWS STRIKING WITH A HAMMER

These screwdrivers have "Pound-thru" SVCM steel, one piece blades that continue through the length of the handle, allowing the screwdrivers to be tapped with a hammer during use - particularly suited for removing stubborn or partially rusted screws.

B) HEXAGONAL SECTION BLADES FOR EXTRA TORQUE

The hexagonal section blades afford extra torque with the use of a spanner when removing stubborn screws.









4 996/PT


'POUND THRU' SOFT GRIP SCREWDRIVER SET (6 PIECE)

Expert Quality, screwdrivers with hardened SVCM+ satin chrome plated hexagonal blades. Attached to a soft grip, oil and solvent resistant handle with integrated toughened 'Pound Thru' metal cap designed for receiving hammer blows. Supplied in a PVC storage case. Display packed.

Contents: • Plain Slot; 5.5 x 75, 6.5 x 100mm • Cross Slot; No.1 x 75, No.2 x 100mm • PZ Type; No.1 x 75, No.2 x 100mm

Stock No.
63590

870 MECHANICS/ENGINEERS SCREWDRIVERS





1 870/1

MECHANIC'S/ ENGINEER'S PLAIN SLOT PARALLEL TIP SCREWDRIVERS (DISPLAY PACKED)

Expert Quality, screwdrivers with hardened SVCM satin chrome plated blades and sand blasted tips. The handle is manufactured from impact-resistant heavy duty 'soft grip' polypropylene that's colour coded for easy recognition.

Stock No.	Blade Tip	Blade Length
55491	3.2mm	75mm
55492	3.2mm	100mm
55493	3.2mm	150mm
55494	5.0mm	75mm
55495	5.0mm	100mm
55496	5.0mm	150mm
55497	5.0mm	200mm
55498	5.0mm	250mm

2 870/1B

MECHANIC'S/ENGINEER'S PLAIN SLOT PARALLEL TIP SCREWDRIVERS (SOLD LOOSE)

Stock No.	Blade Tip	Blade Length
67849	3.2mm	75mm
67850	3.2mm	100mm
67851	3.2mm	150mm
67852	5.0mm	75mm
67853	5.0mm	100mm
67854	5.0mm	150mm
67855	5.0mm	200mm
67856	5.0mm	250mm



3 870

MECHANIC'S/ENGINEER'S PLAIN SLOT FLARED TIP SCREWDRIVERS (DISPLAY PACKED)

Expert Quality, screwdrivers with hardened SVCM satin chrome plated blades and sand blasted tips. The handle is manufactured from impact-resistant heavy duty 'soft grip' polypropylene that's colour coded for easy recognition.

Stock No.	Blade Tip	Blade Length
55485	6.0mm	38mm
55486	6.0mm	100mm+
55487	6.0mm	150mm+
55488	8.0mm	150mm+
55489	9.5mm	200mm+
55490	9.5mm	250mm+

4 870B

MECHANIC'S/ENGINEER'S PLAIN SLOT FLARED TIP SCREWDRIVERS (SOLD LOOSE)

Stock No.	Blade Tip	Blade Length
67843	6.0mm	38mm
67844	6.0mm	100mm+
67845	6.0mm	150mm+
67846	8.0mm	150mm+
67847	9.5mm	200mm+
67848	9.5mm	250mm+



5 870CS

MECHANIC'S/ENGINEER'S CROSS SLOT SCREWDRIVERS (DISPLAY PACKED)

Expert Quality, screwdrivers with hardened SVCM satin chrome plated blades and sand blasted tips. The handle is manufactured from impact-resistant heavy-duty 'soft grip' polypropylene that's colour coded for easy recognition. Most blades have hexagon bolsters which enable extra power to be obtained by use of a spanner.

Stock No.	Blade Tip	Blade Length
55500	No.1	75mm
57449	No.2	38mm+
55501	No.2	100mm+
55502	No.3	150mm+

6 870CSB

MECHANIC'S/ENGINEER'S CROSS SLOT SCREWDRIVERS (SOLD LOOSE)

Stock No.	Blade Tip	Blade Length
67857	No.1	75mm
67858	No.2	38mm
67859	No.2	100mm
67860	No.3	150mm



7 870/1

250mm LONG REACH MECHANIC'S/ENGINEER'S PLAIN SLOT PARALLEL TIP SCREWDRIVER (DISPLAY PACKED)

Expert Quality, screwdrivers with hardened SVCM satin chrome plated blades and sand blasted tips. The handle is manufactured from impact-resistant heavy duty 'soft grip' polypropylene that's colour coded for easy recognition.

Stock No.	Blade Tip
55498	5.0mm

8 870/1B

250mm LONG REACH MECHANIC'S/ ENGINEER'S PLAIN SLOT PARALLEL TIP SCREWDRIVER (SOLD LOOSE)

Stock No.	Blade Tip
67856	5.0mm



9 870

250mm LONG REACH MECHANIC'S/ENGINEER'S PLAIN SLOT FLARED TIP SCREWDRIVER (DISPLAY PACKED)

Expert Quality, screwdrivers with hardened SVCM satin chrome plated blades and sand blasted tips. The handle is manufactured from impact-resistant heavy-duty 'soft grip' polypropylene that's colour coded for easy recognition. Fitted with a hexagon bolster enabling extra power to be obtained by use of a spanner.

Stock No.	Blade Tip
55490	9.5mm

10 870B

250mm LONG REACH MECHANIC'S/ ENGINEER'S PLAIN SLOT FLARED TIP SCREWDRIVER (SOLD LOOSE)

Stock No.	Blade Tip
67848	9.5mm



1 870L/PZ

250mm LONG REACH MECHANIC'S/ENGINEER'S PZ TYPE SCREWDRIVERS (DISPLAY PACKED)

PZ TYPE products are compatible with *Pozidriv®/Supadriv® fixing systems

Expert Quality, screwdrivers with hardened SVCM satin chrome plated blades and sand blasted tips. The handle is manufactured from impact-resistant heavy-duty 'soft grip' polypropylene that's colour coded for easy recognition.

Stock No.	Blade Tip
55508	No.1
55509	No.2

2 870L/PZB

250mm LONG REACH MECHANIC'S/ ENGINEER'S PZ TYPE SCREWDRIVERS (SOLD LOOSE)

Stock No.	Blade Tip
67866	No.1
67867	No.2



3 870PZ

MECHANIC'S/ENGINEER'S PZ TYPE SCREWDRIVERS (DISPLAY PACKED)

PZ TYPE products are compatible with *Pozidriv®/Supadriv® fixing systems

Expert Quality, screwdrivers with hardened SVCM satin chrome plated blades and sand blasted tips. The handle is manufactured from impact-resistant heavy-duty 'soft grip' polypropylene that's colour coded for easy recognition. Some blades have hexagon bolsters which enable extra power to be obtained by use of a spanner.

Stock No.	Blade Tip	Blade Length
55504	No.0	75mm
55505	No.1	75mm
55503	No.2	38mm
55506	No.2	100mm+
55507	No.3	150mm+

4 870PZB

MECHANIC'S/ENGINEER'S PZ TYPE SCREWDRIVERS (SOLD LOOSE)

Stock No.	Blade Tip	Blade Length
67861	No.0	75mm
67862	No.1	75mm
67863	No.2	38mm
67864	No.2	100mm+
67865	No.3	150mm+



5 870/8

MECHANIC'S/ENGINEER'S SCREWDRIVER SET (8 PIECE)

Expert Quality, screwdrivers with hardened SVCM satin chrome plated blades and sand blasted tips. The handle is manufactured from impact-resistant heavy-duty 'soft grip' polypropylene that's colour coded for easy recognition. Some blades have hexagon bolsters enabling extra power to be obtained by use of a spanner. Packed in tray with plastic insert.

Contents: • 3 plain slot size: 6.0 x 38, 6.0 x 100 and 8 x 150mm • 1 plain slot with parallel tip size: 3.2 x 75mm • 2 cross slot: No.1 and 2 • 2 PZ TYPE: No.1 and 2

Stock No.
56772



6 870/16

MECHANIC'S/ ENGINEER'S SCREWDRIVER SET (16 PIECE)

Expert Quality, screwdrivers with hardened SVCM satin chrome plated blades and sand blasted tips. The handle is manufactured from impact-resistant heavy-duty 'soft grip' polypropylene that's colour coded for easy recognition. Some blades have hexagon bolsters enabling extra power to be obtained by use of a spanner. Packed in blow mould case with display sleeve.

Contents:

• 4 plain slot size: 6.0 x 32, 6.0 x 100, 8.0 x 150 and 9.5 x 200mm • 3 plain slot with parallel tips size: 3.2 x 75, 5.0 x 100 and 5.0 x 150mm • 3 cross slot: No.1, 2 and 3 • 1 cross slot chubby: No.2 • 4 PZ-TYPE: No.0, 1, 2 and 3 • 1 PZ-TYPE chubby: No.2

Stock No.
56773



NEW

7 D870/DS

DISPENSER WITH 101 MECHANIC'S/ENGINEER'S PATTERN SCREWDRIVERS

Expert Quality, freestanding acrylic display of 870 Range screwdrivers with hardened SVCM satin chrome plated blades and sand blasted tips. With handles manufactured from impact-resistant heavy-duty 'soft grip' polypropylene that's colour coded for easy recognition. Some blades have hexagon bolsters enabling extra power to be obtained by use of a spanner.

Contents: **Plain slot** 6.0 x 38mm (4pcs), 6.0 x 100mm (4pcs), 8.0 x150mm (4pcs), 9.5 x 200 mm (4pcs), 9.5 x 250 mm (4pcs) **Plain slot - parallel tip** 3.2 x 75mm (10pcs), 3.2 x 100mm (5pcs), 3.2 x 150mm (5pcs), 5.0 x 100mm (4pcs), 5.0 x 150mm (4pcs), 5.0 x 200mm (4pcs), 5.0 x 250 mm (4pcs) **Cross Slot** No.1 x 75mm (4pcs), No.2 x 100mm (4pcs), No.3 x 150mm (4pcs) **PZ TYPE** No.0 x 75mm (5pcs), No.1 x 75mm (4pcs), No.1 x 250mm (4pcs), No.2 x 38mm (4pcs), No.2 x 100mm (8pcs), No.2 x 250mm (8pcs) No.3 x 150mm (4pcs)

Stock No.	Approx Display Size L x D
02061	345 x 270mm

970 GENERAL PURPOSE SCREWDRIVERS





1 970P

GENERAL PURPOSE PLAIN SLOT PARALLEL TIP SCREWDRIVERS (DISPLAY PACKED)

Expert Quality, screwdrivers with hardened SVCM satin chrome plated blades and sand blasted tips. The handle is manufactured from vulcanized 'soft grip' polymer which is colour coded for easy recognition.

Stock No.	Blade Tip	Blade Length
40026	3.2mm	75mm
40027	3.2mm	100mm
40028	5.0mm	100mm
40029	5.0mm	150mm
40030	5.0mm	200mm

2 970PB

GENERAL PURPOSE PLAIN SLOT PARALLEL TIP SCREWDRIVERS (SOLD LOOSE)

Stock No.	Blade Tip	Blade Length
40031	3.2mm	75mm
40032	3.2mm	100mm
43376	5.0mm	75mm
40033	5.0mm	100mm
40034	5.0mm	150mm
40035	5.0mm	200mm



3 970

GENERAL PURPOSE PLAIN SLOT FLARED TIP SCREWDRIVERS (DISPLAY PACKED)

Expert Quality, screwdrivers with hardened SVCM satin chrome plated blades and sand blasted tips. The handle is manufactured from vulcanized 'soft grip' polymer which is colour coded for easy recognition.

Stock No.	Blade Tip	Blade Length
40006	5.0mm	75mm
40007	6.0mm	38mm
40008	6.0mm	100mm
40009	8.0mm	150mm
40010	9.5mm	250mm

4 970B

GENERAL PURPOSE PLAIN SLOT FLARED TIP SCREWDRIVERS (SOLD LOOSE)

Stock No.	Blade Tip	Blade Length
40011	5.0mm	75mm
40012	6.0mm	38mm
40013	6.0mm	100mm
40014	8.0mm	150mm
40015	9.5mm	250mm



5 970CS

GENERAL PURPOSE CROSS SLOT SCREWDRIVERS (DISPLAY PACKED)

Expert Quality, screwdrivers with hardened SVCM satin chrome plated blades and sand blasted tips. The handle is manufactured from vulcanized 'soft grip' polymer which is colour coded for easy recognition.

Stock No.	Blade Tip	Blade Length
40016	No.0	75mm
40017	No.1	75mm
40018	No.2	38mm
40019	No.2	100mm
40020	No.3	150mm

6 970CSB

GENERAL PURPOSE CROSS SLOT SCREWDRIVERS (SOLD LOOSE)

Stock No.	Blade Tip	Blade Length
40021	No.0	75mm
40022	No.1	75mm
40023	No.2	38mm
40024	No.2	100mm
40025	No.3	150mm



7 970PZ

GENERAL PURPOSE PZ TYPE SCREWDRIVERS (DISPLAY PACKED)

PZ TYPE products are compatible with *Pozidriv®/Supadriv® fixing systems

Expert Quality, screwdrivers with hardened SVCM satin chrome plated blades and sand blasted tips. The handle is manufactured from vulcanized 'soft grip' polymer which is colour coded for easy recognition.

Stock No.	Blade Tip	Blade Length
40036	No.1	75mm
40037	No.2	38mm
40038	No.2	100mm
40039	No.2	250mm
40040	No.3	150mm

8 970PZB

GENERAL PURPOSE PZ TYPE SCREWDRIVERS (SOLD LOOSE)

Stock No.	Blade Tip	Blade Length
40041	No.1	75mm
40042	No.2	38mm
40043	No.2	100mm
40044	No.2	250mm
40045	No.3	150mm



9 970

250mm LONG REACH GENERAL PURPOSE PLAIN SLOT FLARED TIP SCREWDRIVER (DISPLAY PACKED)

Expert Quality, screwdrivers with hardened SVCM satin chrome plated blades and sand blasted tips. The handle is manufactured from vulcanized 'soft grip' polymer which is colour coded for easy recognition.

Stock No.	Blade Tip
40010	9.5mm

10 970B

250mm LONG REACH GENERAL PURPOSE PLAIN SLOT FLARED TIP SCREWDRIVER (SOLD LOOSE)

Stock No.	Blade Tip
40015	9.5mm



EXTRA LONG REACH 450mm

1 970L

450mm LONG REACH GENERAL PURPOSE SCREWDRIVERS

Expert Quality, screwdrivers with hardened SVCM satin chrome plated blades and sand blasted tips. The handle is manufactured from vulcanized 'soft grip' polymer which is colour coded for easy recognition. Display packed.

Stock No.	Blade Tip
40802	Plain Slot 6.0mm
40803	Cross Slot No.2
27630	PZ TYPE No.2



2 970PZ

250mm LONG REACH GENERAL PURPOSE PZ TYPE SCREWDRIVERS (DISPLAY PACKED)

PZ TYPE products are compatible with *Pozidriv®/Supadriv® fixing systems

Expert Quality, screwdrivers with hardened SVCM satin chrome plated blades and sand blasted tips. The handle is manufactured from vulcanized 'soft grip' polymer which is colour coded for easy recognition.

Stock No.	Blade Tip
40039	No.2

3 970PZB

250mm LONG REACH GENERAL PURPOSE PZ TYPE SCREWDRIVER (SOLD LOOSE)

Stock No.	Blade Tip
40044	No.2



4 970TX

DRAPER TX-STAR® DRIVERS

Draper TX-STAR® products are compatible with †Torx fixing systems

Expert Quality, screwdrivers with hardened SVCM satin chrome plated blades and sand blasted tips. The handle is manufactured from vulcanized 'soft grip' polymer which is colour coded for easy recognition. Display packed.

Stock No.	Blade Tip	Blade Length
40046	T6	75mm
40047	T7	75mm
40048	T8	75mm
40049	T9	75mm
40050	T10	75mm
40051	T15	100mm
40052	T20	100mm
40053	T25	100mm



5 970TXT

DRAPER TX-STAR® SECURITY DRIVERS

Draper TX-STAR® products are compatible with †Torx fixing systems

Expert Quality, screwdrivers with hardened SVCM satin chrome plated blades and sand blasted tips. The handle is manufactured from vulcanized 'soft grip' polymer which is colour coded for easy recognition. Display packed.

Stock No.	Blade Tip	Blade Length
10862	T10T	75mm
10863	T15T	100mm
10864	T20T	100mm
10865	T25T	100mm
10866	T27T	100mm
10867	T30T	100mm
10868	T40T	100mm

SQUARE RECESS FIXINGS ARE IDEAL FOR SECURE FIXING OF GATE FURNITURE ETC.





6 970SQ

GENERAL PURPOSE SQUARE RECESS SCREWDRIVERS

Expert Quality, screwdrivers with hardened SVCM satin chrome plated blades and sand blasted tips. The handle is manufactured from vulcanized 'soft grip' polymer which is colour coded for easy recognition. Display packed.

Stock No.	Blade Tip	Blade Length
41304	S2	100mm
41305	S3	100mm



7 970/8

GENERAL PURPOSE SCREWDRIVER SET (8 PIECE)

Expert Quality, screwdrivers with hardened SVCM satin chrome plated blades and sand blasted tips. The handle is manufactured from vulcanized 'soft grip' polymer which is colour coded for easy recognition. Packed in blow mould case with see-through lid. Display packed.

Contents:

- 3 plain slot size: 3 x 75, 5 x 100 and 8 x 150mm
- 2 cross slot: No.1 and 2
- 2 PZ TYPE: No.1 and 2
- magnetic pick up tool

Stock No.
40002

NEW



1 D970/DS

DISPENSER WITH 91 GENERAL PURPOSE SCREWDRIVERS

Expert Quality, freestanding acrylic resin display of 91 general purpose screwdrivers with hardened SVCM satin chrome plated blades and sand blasted tips. The handle is manufactured from vulcanized 'soft grip' polymer which is colour coded for easy recognition. Carton packed.

Contents:

Plain slot

6.0 x 38mm (4pcs), 6 x 100mm (8pcs), 8 x150mm (4pcs), 9.5 x 250 mm (4pcs)

Plain slot - parallel tip

3.2 x 75mm (5pcs), 3.2 x 100mm (10pcs), 5.0 x 75mm (4pcs), 5.0 x 100mm (4pcs), 5.0 x 150mm (4pcs), 5.0 x 200mm (4pcs)

Cross Slot


No.1 x 75mm (4pcs), No.2 x 100mm (4pcs), No.3 x 150mm (4pcs)

PZ TYPE

No.1 x 75mm (4pcs), No.2 x 38mm (4pcs), No.2 x 100mm (8pcs), No.3 x 150mm (4pcs), No.2 x 250mm (8pcs)

Stock No.	Approx. Display Size L x D
02054	410 x 280mm

939 "MECHANICS" SCREWDRIVERS





2 939

MECHANIC'S PATTERN PLAIN SLOT SCREWDRIVERS

Expert Quality, satin chrome plated SVCM steel blades, hardened and tempered with sand blasted tip. Some sizes have a hexagon bolster which enables extra power to be obtained by use of a spanner (+). Square matt black handles manufactured from high impact resistant plastic. Display packed.

Stock No.	Blade Tip	Blade Length
19527	5.0mm	75mm
19539	6.0mm	38mm
19529	6.0mm	100mm+
19530	8.0mm	150mm+
19531	9.5mm	200mm+



3 939CS

MECHANIC'S PATTERN CROSS SLOT SCREWDRIVERS

Expert Quality, satin chrome plated SVCM steel blades, hardened and tempered with sand blasted tip. Some sizes have a hexagon bolster which enables extra power to be obtained by use of a spanner (+). Square matt black handles manufactured from high impact resistant plastic. Display packed.

Stock No.	Blade Tip	Blade Length
19540	No.1	38mm
19532	No.1	75mm
19541	No.2	38mm
19533	No.2	100mm+
19534	No.3	150mm+



4 939PZ

MECHANIC'S PATTERN PZ TYPE SCREWDRIVERS

PZ TYPE products are compatible with *Pozidriv®/Supadriv® fixing systems

Expert Quality, satin chrome plated SVCM steel blades, hardened and tempered with sand blasted tip. Some sizes have a hexagon bolster which enables extra power to be obtained by use of a spanner (+). Square matt black handles manufactured from high impact resistant plastic. Display packed.

Stock No.	Blade Tip	Blade Length
19542	No.1	38mm
19535	No.1	75mm
19543	No.2	38mm
19537	No.2	100mm+
19538	No.3	150mm+



1 939TX

MECHANIC'S PATTERN DRAPER TX-STAR® DRIVERS

Draper TX-STAR® products are compatible with †Torx fixing systems

Expert Quality, satin chrome plated SVCM steel blades, hardened and tempered with sand blasted tip. Square matt black handles manufactured from high impact resistant plastic. Display packed.

Stock No.	Blade Tip	Blade Length
19549	T6	75mm
19550	T7	75mm
19551	T8	75mm
19553	T9	75mm



2 939TXT

MECHANIC'S PATTERN DRAPER TX-STAR® SECURITY DRIVERS

Draper TX-STAR® products are compatible with †Torx fixing systems

Expert Quality, satin chrome plated SVCM steel blades, hardened and tempered with sand blasted tip. Square matt black handles manufactured from high impact resistant plastic. Display packed.

Stock No.	Blade Tip	Blade Length
34114	T10T	75mm
34115	T15T	100mm
34116	T20T	100mm
34117	T25T	100mm
34118	T27T	100mm
34119	T30T	115mm
34120	T40T	115mm



3 939SH/SET

MECHANIC'S PATTERN SCREW HOLDING SCREWDRIVER SET (2 PIECE)

Expert Quality, satin chrome plated SVCM steel blades, hardened and tempered. With a push-pull sleeve for holding and releasing screws. Square matt black handles manufactured from high impact resistant plastic. Display packed. Contents: one plain slot (4.5mm tip) and one PZ TYPE No.1

Stock No.	Blade Length
27591	100mm



4 939/6

MECHANIC'S PATTERN SCREWDRIVER SET (6 PIECE)

Expert Quality, satin chrome plated SVCM steel blades, hardened and tempered with sand blasted tip. Some sizes have a hexagon bolster which enables extra power to be obtained by use of a spanner (+). Square matt black handles manufactured from high impact resistant plastic. Display packed.

Contents:

- 2 plain slot size: 6 x 100 and 8 x 150mm
- 2 cross slot: No.1 and 2
- 2 PZ TYPE: No.1 and 2

Stock No.
27029



5 939/11

MECHANIC'S PATTERN SCREWDRIVER SET (11 PIECE)

Expert Quality, satin chrome plated SVCM steel blades, hardened and tempered with sand blasted tip. Some sizes have a hexagon bolster which enables extra power to be obtained by use of a spanner (+). Square matt black handles manufactured from high impact resistant plastic. Display packed.

Contents: • 5 plain slot size: 6.0 x 38, 5.0 x 75, 6.0 x 100 and 8.0 x 150 and 9.5 x 200mm • 2 cross slot: No.1 and 2 • 1 cross slot chubby: No.2 • 2 PZ TYPE: No.1 and 2 • 1 PZ TYPE chubby: No.2

Stock No.
27030



6 939TXT/8

MECHANIC'S PATTERN DRAPER TX-STAR® SECURITY DRIVER SET (8 PIECE)

Draper TX-STAR® products are compatible with †Torx fixing systems

Expert Quality, satin chrome plated SVCM steel blades, hardened and tempered with sand blasted tip. Square matt black handles manufactured from high impact resistant plastic. Display packed.

Contents: T8T, T10T, T15T, T20T, T25T, T27T, T30T and T40T

Stock No.
27017



7 TXT953/11

MECHANIC'S PATTERN DRAPER TX-STAR® SECURITY DRIVER SET (11 PIECE)

Draper TX-STAR® products are compatible with †Torx fixing systems


Expert Quality, satin chrome plated SVCM steel blades, hardened and tempered with sand blasted tip. Square matt black handles manufactured from high impact resistant plastic. Packed in plastic carrying case with transparent lid. Display packed.

Contents: T6T, T7T, T8T, T9T, T10T, T15T, T20T, T25T, T27T, T30T and T40T

Stock No.
53515



"DAVE SAYS" QUALITY MAKES THE DIFFERENCE



COMPATIBILITY OF "DRAPER TX-STAR" AND TORX† - The "Draper TX-STAR" profile is totally compatible with the Torx† fixing system. Users of "Draper TX-STAR" products need have no fear concerning compatibility. All "Draper TX-STAR" products have been thoroughly tested as to their compatibility.

Other Draper TX-STAR products are available; Draper TX-STAR Keys, Draper TX-STAR Screwdriver Bits, Draper TX-STAR Sockets - please see the index at the back of this catalogue.

976 GENERAL PURPOSE SCREWDRIVERS





1 976

PLAIN SLOT FLARED TIP SCREWDRIVERS

Screwdrivers manufactured from chrome vanadium steel with a satin chrome plated finish and a magnetised tip. The screwdriver is fitted with a bi-material soft grip handle providing user comfort, even when used for prolonged periods. The handles have a hanging hole, which can be used to place a 'T' bar through when extra torque is required. Display packed.

Stock No.	Blade Tip	Blade Length
63222	3.0mm	75mm
63256	4.0mm	100mm
63259	5.0mm	100mm
63260	6.0mm	38mm
63311	6.0mm	150mm
63413	6.0mm	450mm
63320	8.0mm	150mm
63322	10mm	250mm



3 976

PZ TYPE SCREWDRIVERS

Screwdrivers manufactured from chrome vanadium steel with a satin chrome plated finish and a magnetised tip. The screwdriver is fitted with a bi-material soft grip handle providing user comfort, even when used for prolonged periods. The handles have a hanging hole, which can be used to place a 'T' bar through when extra torque is required. Display packed.

Stock No.	Blade Tip	Blade Length
63493	No.0	75mm
63495	No.1	75mm
63496	No.2	38mm
63501	No.2	100mm
63504	No.2	250mm
63561	No.2	450mm
63562	No.3	150mm



2 976

CROSS SLOT SCREWDRIVERS

Screwdrivers manufactured from chrome vanadium steel with a satin chrome plated finish and a magnetised tip. The screwdriver is fitted with a bi-material soft grip handle providing user comfort, even when used for prolonged periods. The handles have a hanging hole, which can be used to place a 'T' bar through when extra torque is required. Display packed.

Stock No.	Blade Tip	Blade Length
63484	No.0	75mm
63485	No.1	75mm
63486	No.2	38mm
63488	No.2	100mm
63489	No.2	450mm
63491	No.3	150mm



4 976

TX-STAR® SECURITY SCREWDRIVERS

Screwdrivers manufactured from chrome vanadium steel with a satin chrome plated finish and a magnetised tip. The screwdriver is fitted with a bi-material soft grip handle providing user comfort, even when used for prolonged periods. The handles have a hanging hole, which can be used to place a 'T' bar through when extra torque is required. Display packed.

Stock No.	Blade Tip	Blade Length
63563	T10T	75mm
63564	T15T	100mm
63565	T20T	100mm
63566	T25T	100mm



5 976

EXTRA LONG REACH SCREWDRIVERS (450mm)

Extra long 450mm screwdrivers manufactured from chrome vanadium steel with a satin chrome plated finish and a magnetised tip. The screwdriver is fitted with a bi-material soft grip handle providing user comfort, even when used for prolonged periods. The handles have a hanging hole, which can be used to place a 'T' bar through when extra torque is required.

Stock No.	Blade Tip	Blade Length
63413	PS 6.0mm	450mm
63489	CS No.2	450mm
63561	PZ No.2	450mm





1 976/S4

STUBBY SCREWDRIVER SET (4 PIECE)

Screwdrivers with a satin chrome plated finish and a magnetised tip. The screwdriver is fitted with a bi-material soft grip handle providing user comfort, even when used for prolonged periods. The handles have a hanging hole, which can be used to place a 'T' bar through when extra torque is required. Display packed.

Contents:

- 2 x Plain slot: 5 x 38mm, 6 x 38mm
- 1 x Cross slot: No.2 x 38mm
- 1 x PZ Type: No.2 x 38mm

Stock No.
63567



2 63568

SCREWDRIVER SET (6 PIECE)

Screwdrivers with a satin chrome plated finish and a magnetised tip. The screwdriver is fitted with a bi-material soft grip handle providing user comfort, even when used for prolonged periods. The handles have a hanging hole, which can be used to place a 'T' bar through when extra torque is required. Supplied with wall mountable storage rack. Display packed.

Contents: • 3 x Plain slot: 3 x 75mm, 5 x 100mm, 6 x 150mm

• 3 x Cross slot: No.0 x 75mm, No.1 x 100mm, No.2 x 150mm

Stock No.
63568



3 976/S9

SCREWDRIVER SET (9 PIECE)

Screwdrivers with a satin chrome plated finish and a magnetised tip. The screwdriver is fitted with a bi-material soft grip handle providing user comfort, even when used for prolonged periods. The handles have a hanging hole, which can be used to place a 'T' bar through when extra torque is required. Supplied in robust plastic storage case. Display packed.


Contents:


- 4 x Plain slot: 3 x 75m, 5 x 100mm, 6 x 150mm, 6 x 38mm
- 2 x Cross slot: No.2 x 38mm and No.0 x 75mm
- 3 x PZ Type: No.2 x 38mm, No.1 x 100mm, No.2 x 150mm

Stock No.
63569



975 GENERAL PURPOSE 'POUND THRU' SCREWDRIVERS





1 975

'POUND THRU' PLAIN SLOT SCREWDRIVERS

Screwdrivers with tanged blades preventing them from turning in the handle. Attached with a firmly rooted striking cap, allowing the handle to be struck without damage. Made from chrome vanadium steel that's hardened, tempered and satin chrome plated with a *magnetic tip. The 'soft grip' handle delivers greater user comfort. Display packed.

Stock No.	Blade Tip	Blade Length
40604	5.0mm*	100mm
40475	5.5mm*	100mm
40664	6.0mm*	150mm
40721	8.0mm*	200mm
40746	10mm	250mm
40751	8.0mm*	450mm

2 975

'POUND THRU' CROSS SLOT SCREWDRIVERS

Screwdrivers with tanged blades preventing them from turning in the handle. Attached with a firmly rooted striking cap, allowing the handle to be struck without damage. Made from chrome vanadium steel that's hardened, tempered and satin chrome plated with a *magnetic tip. The 'soft grip' handle delivers greater user comfort. Display packed.

Stock No.	Blade Tip	Blade Length
40779	No.1*	75mm
40780	No.2*	100mm
40781	No.3*	150mm
40783	No.2*	450mm

3 975

'POUND THRU' PZ TYPE SCREWDRIVERS

Screwdrivers with tanged blades preventing them from turning in the handle. Attached with a firmly rooted striking cap, allowing the handle to be struck without damage. Made from chrome vanadium steel that's hardened, tempered and satin chrome plated with a *magnetic tip. The 'soft grip' handle delivers greater user comfort. Display packed.

Stock No.	Blade Tip	Blade Length
40784	No. 1*	75mm
40806	No. 2*	100mm
40807	No. 3*	150mm
40846	No. 2*	450mm

EXTRA LONG REACH 450mm



4 975

EXTRA LONG REACH 'POUND THRU' SCREWDRIVERS (450mm)

Extra long 450mm screwdrivers. The tanged blades prevent turning in the handle. Attached with a firmly rooted striking cap, allowing the handle to be struck without damage. Made from chrome vanadium steel that's hardened, tempered and satin chrome plated with a magnetic tip. The 'soft grip' handle delivers greater user comfort.

Stock No.	Blade Tip	Blade Length
40751	8.0mm*	450mm
40783	No.2*	450mm
40846	No. 2*	450mm



5 975/6

'POUND THRU' SCREWDRIVER SET (6 PIECE)


Screwdrivers with tanged blades preventing them from turning in the handle. Attached with a firmly rooted striking cap, allowing the handle to be struck without damage. Made from chrome vanadium steel that's hardened, tempered and satin chrome plated with a magnetic tip. The 'soft grip' handle delivers greater user comfort. Display packed.

Contents:

- 2 plain slot size: 5 x 100 and 6 x 150mm
- 2 cross slot: No.2 x 100 and No.3 x 150
- PZ TYPE: No.2 x 100 and No.3 x 150

Stock No.
40882

865 SOFT GRIP SCREWDRIVERS





1 865

SOFT GRIP PLAIN SLOT SCREWDRIVERS

Chrome vanadium steel blades hardened, tempered with satin chrome plated finish and sand blasted tips. Soft grip handle with moulded inserts. Display packed in individual storage hanger with barcode on reverse. Display packed.

Stock No.	Blade Tip	Blade Length
48919	3.2mm	75mm
48920	3.2mm	100mm
48922	5.0mm	100mm
48921	6.0mm	38mm
48923	6.0mm	150mm
53508	6.0mm	450mm
48924	8.0mm	150mm
48927	9.5mm	250mm



2 865CS

SOFT GRIP CROSS SLOT SCREWDRIVERS

Chrome vanadium steel blades hardened, tempered with satin chrome plated finish and sand blasted tips. Soft grip handle with moulded inserts. Display packed in individual storage hanger with barcode on reverse. Display packed.

Stock No.	Blade Tip	Blade Length
48931	No.1	75mm
50181	No.2	38mm
48932	No.2	100mm
53502	No.2	450mm
34552	No.3	150mm



3 865PZ

SOFT GRIP PZ TYPE SCREWDRIVERS

Chrome vanadium steel blades hardened, tempered with satin chrome plated finish and sand blasted tips. Soft grip handle with moulded inserts. Display packed in individual storage hanger with barcode on reverse. Display packed.

Stock No.	Blade Tip	Blade Length
48925	No.0	75mm
48926	No.1	75mm
53487	No.1	450mm
48929	No.2	38mm
48928	No.2	100mm
48930	No.2	250mm
69472	No.2	450mm
34549	No.3	150mm

EXTRA LONG REACH 450mm



4 865L

EXTRA LONG REACH SOFT GRIP SCREWDRIVERS (450mm)

Chrome vanadium steel blades hardened, tempered with satin chrome plated finish and sand blasted tips. Soft grip rubber handles with moulded inserts. The long length is ideal for use on vehicle radiator hose clips etc. Display packed on individual storage hanger with barcode on reverse.

Stock No.	Blade Tip
53508	6.0mm Plain Slot
53502	No.2 Cross Slot
53487	No.1 PZ Type
69472	No.2 PZ Type



5 865TX

SOFT GRIP DRAPER TX-STAR® SCREWDRIVERS

Draper TX-STAR products are compatible with †Torx fixing systems

Chrome vanadium steel blades hardened, tempered with satin chrome plated finish and sand blasted tips. Soft grip handle with moulded inserts. Display packed in individual storage hanger with barcode on reverse. Display packed.

Stock No.	Blade Tip	Blade Length
34254	T6	75mm
34258	T7	75mm
34260	T8	75mm
34261	T9	75mm



6 865TXT

SOFT GRIP DRAPER TX-STAR® SECURITY SCREWDRIVERS

Draper TX-STAR products are compatible with †Torx fixing systems

Chrome vanadium steel blades hardened, tempered with satin chrome plated finish and sand blasted tips. Soft grip handle with moulded inserts. Display packed in individual storage hanger with barcode on reverse. Display packed.

Stock No.	Blade Tip	Blade Length
34262	T10T	75mm
34264	T15T	100mm
34266	T20T	100mm
34267	T25T	100mm
34268	T27T	100mm
34269	T30T	115mm
34272	T40T	115mm



7 865/NS

SOFT GRIP NUT SPINNERS

Chrome vanadium steel blades hardened, tempered with satin chrome plated finish. Each socket has a hex on the base providing extra grip when more torque is required. Fitted with soft grip handles with moulded inserts. Display packed.

Stock No.	Socket Size	Blade Length
63381	4mm	150mm
63409	5mm	150mm
63477	6mm	150mm
63498	7mm	150mm
63499	8mm	150mm
63502	9mm	150mm
63506	10mm	150mm
63507	11mm	150mm
63508	12mm	150mm
63509	13mm	150mm







1 865/5

SOFT GRIP SCREWDRIVER SET (5 PIECE)

Chrome vanadium steel blades hardened, tempered with satin chrome plated finish and sand blasted tips. Soft grip handle with moulded inserts. Multiples of eight sets only, supplied in countertop display.

Contents:

- 3 plain slot size: 3.2 x 75, 6.0 x 100 and 8.0 x 150mm
- 2 PZ TYPE: No.1 and 2

Minimum order 8 sets or multiples thereof

Stock No.
09783



2 865/8

SOFT GRIP SCREWDRIVER SET (8 PIECE)

Chrome vanadium steel blades hardened, tempered with satin chrome plated finish and sand blasted tips. Soft grip knurled handle with moulded inserts. Display packed in wall mountable storage rack.

Contents:

- 4 plain slot size: 3.2 x 75, 6.0 x 38, 5.0 x 100 and 8.0 x 150mm
- 1 cross slot: No.1
- 3 PZ TYPE: No.1 and 2 x No.2

Stock No.
48933





3 865/19

SOFT GRIP SCREWDRIVER SET (19 PIECE)

Chrome vanadium satin chrome plated steel blades hardened and tempered with sand blasted tips. Soft grip handles with inserts. Display packed. Display packed.

Contents:

- 8 plain slot screwdrivers size: 3 x 75mm, 3 x 100mm, 4 x 100mm, 5 x 75mm, 5 x 150mm, 6 x 38mm, 6 x 100mm and 8 x 200mm
- 6 cross slot screwdrivers: No.0 (x2), 1, 2 (x2) and 3
- 2 PZ TYPE screwdrivers: No.1and 2
- 2 Draper TX-STAR® drivers size: T10 and T20
- plain slot/cross slot angle screwdriver

Available in singles - order multiples of five sets to get a free dispenser

Stock No.
09548



4 865/44

SOFT GRIP SCREWDRIVER, HEX KEY AND BIT SET (44 PIECE)

Chrome vanadium satin chrome plated steel blades hardened and tempered with sand blasted tips. Soft grip handles with inserts. Display packed.

Contents: • 6 plain slot screwdrivers size: 2 x 3 x 75mm, 5 x 75mm, 5 x 100mm, 6 x 100mm and 8 x 150mm • 4 cross slot screwdrivers size: No.0 x 75mm, No.1 x 75mm, No.1 x 100mm and No.2 x 100mm • 4 PZ TYPE screwdrivers: No.0 x 75, No.1 x 100, No.2 x 100 and No.3 x 150mm • 3 Draper TX-STAR® screwdrivers: T8 x 100, T10 x 100, T15 x 100 • 1 x 1/4" bit driver • 10 x bits plain slot - 5, 6, 7mm, PZ type - no.1, no.2, no3 and Draper TX-STAR® - T7, T8, T9, T10 • 16 Hex Keys, metric: 1.5, 2, 2.5, 3, 4, 5, 5.5, 6mm and imperial 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4"

Stock No.
81294



1 865TX/4

SOFT GRIP DRAPER TX-STAR® SCREWDRIVER SET (4 PIECE)

Draper TX-STAR products are compatible with †Torx fixing systems

Chrome vanadium steel blades hardened, tempered with satin chrome plated finish and sand blasted tips. Soft grip handle with moulded inserts. Display packed.

Contents:

- Sizes: T10, T15,T20, T25

Stock No.
36851



2 865TXT/8

SOFT GRIP TX-STAR® and TX-STAR® SECURITY SCREWDRIVER SET (8 PIECE)

Draper TX-STAR® products are compatible with †Torx fixing systems

Chrome vanadium steel blades hardened, tempered with satin chrome plated finish and sand blasted tips. Soft grip handle with moulded inserts. Display packed.

Contents: T8, T10T, T15T, T20T, T25T, T27T, T30T and T40T

Stock No.
34251



3 865TXT/11

SOFT GRIP TX-STAR® and TX-STAR® SECURITY SCREWDRIVER SET (11 PIECE)

Draper TX-STAR® products are compatible with †Torx fixing systems

Chrome vanadium steel blades hardened, tempered with satin chrome plated finish and sand blasted tips. Soft grip handle with moulded inserts. Display packed.

Contents: T6, T7, T8, T9, T10T, T15T, T20T, T25T, T27T, T30T and T40T

Stock No.
34253



4 865/NS/7

SOFT GRIP NUT SPINNER SET (7 PIECE)


Chrome vanadium steel blades hardened, tempered with satin chrome plated finish. Each socket has a hex on the base providing extra grip when more torque is required. Fitted with soft grip handles with moulded inserts. Display packed.


Contents: 5, 6, 7, 8, 9, 10, 13mm

Stock No.
63510



186 "CABINET" SCREWDRIVERS





1 186

CABINET PATTERN PLAIN SLOT SCREWDRIVERS (DISPLAY PACKED)

Draper Cabinet Pattern handle screwdrivers with chrome vanadium steel blades, correctly hardened and tempered with sand blasted tips. Some sizes are fitted with a hexagon bolster which enables extra power to be obtained by the use of a spanner (+). Flat oval colour coded cabinet pattern handles ensure high torque and user comfort. Display packed in individual storage hanger with barcode on reverse.

Stock No.	Blade Tip	Blade Length
14079	3.2mm	63mm
19785	5.0mm	75mm
14095	6.0mm	38mm
14080	6.0mm	100mm+
14081	8.0mm	150mm+
14082	9.5mm	200mm+
22631	9.5mm	250mm+

2 186B

CABINET PATTERN PLAIN SLOT SCREWDRIVERS (SOLD LOOSE)

Stock No.	Blade Tip	Blade Length
19498	3.2mm	63mm
19830	5.0mm	75mm
19497	6.0mm	38mm
19499	6.0mm	100mm+
19500	8.0mm	150mm+
19501	9.5mm	200mm+
22354	9.5mm	250mm+



3 186CS

CABINET PATTERN CROSS SLOT SCREWDRIVERS (DISPLAY PACKED)


Draper Cabinet Pattern handle screwdrivers with chrome vanadium steel blades, correctly hardened and tempered with sand blasted tips. Some sizes are fitted with a hexagon bolster which enables extra power to be obtained by the use of a spanner (+). Flat oval colour coded cabinet pattern handles ensure high torque and user comfort. Display packed in individual storage hanger with barcode on reverse.

Stock No.	Blade Tip	Blade Length
22632	No.0	75mm
14083	No.1	75mm
14096	No.2	38mm
14084	No.2	100mm+
14085	No.3	150mm+

4 186CSB

CABINET PATTERN CROSS SLOT SCREWDRIVERS (SOLD LOOSE)

Stock No.	Blade Tip	Blade Length
22355	No.0	75mm
19504	No.1	75mm
19503	No.2	38mm
19505	No.2	100mm+
19506	No.3	150mm+



5 186PZ

CABINET PATTERN PZ TYPE SCREWDRIVERS (DISPLAY PACKED)

PZ TYPE products are compatible with *Pozidriv®/Supadriv® fixing systems


Draper Cabinet Pattern handle screwdrivers with chrome vanadium steel blades, correctly hardened and tempered with sand blasted tips. Some sizes are fitted with a hexagon bolster which enables extra power to be obtained by the use of a spanner (+). Flat oval colour coded cabinet pattern handles ensure high torque and user comfort. Display packed in individual storage hanger with barcode on reverse.

Stock No.	Blade Tip	Blade Length
22633	No.0	75mm
14086	No.1	75mm
22634	No.2	38mm
14087	No.2	100mm+
14088	No.3	150mm+

6 186PZB

CABINET PATTERN PZ TYPE SCREWDRIVERS (SOLD LOOSE)

Stock No.	Blade Tip	Blade Length
22356	No.0	75mm
19507	No.1	75mm
22357	No.2	38mm
19508	No.2	100mm+
19509	No.3	150mm+



7 186

250mm LONG PATTERN CABINET PATTERN PLAIN SLOT SCREWDRIVER (DISPLAY PACKED)

Draper Cabinet Pattern handle screwdrivers with chrome vanadium steel blades, correctly hardened and tempered with sand blasted tips. Hexagon bolster which enables extra power to be obtained by the use of a spanner. Flat oval colour coded cabinet pattern handle ensures high torque and user comfort. Display packed in individual storage hanger with barcode on reverse.

Stock No.	Blade Tip
22631	9.5mm

8 186B

250mm LONG PATTERN CABINET PATTERN PLAIN SLOT SCREWDRIVER (SOLD LOOSE)

Stock No.	Blade Tip
22354	9.5mm






"DAVE SAYS" QUALITY MAKES THE DIFFERENCE

The 186 range of cabinet pattern screwdrivers are designed with traditional styled handles influenced by both purpose and manufacturing requirements.

For added torque and control on the larger screwdrivers there is a hex bolster built into the blade for attaching a spanner as illustrated by the image on the right.









1 186/6

CABINET PATTERN SCREWDRIVER SET (6 PIECE)

Draper Cabinet Pattern handle screwdrivers with chrome vanadium steel blades, correctly hardened and tempered with sand blasted tips. Some sizes are fitted with a hexagon bolster which enables extra power to be obtained by the use of a spanner. Flat oval colour coded cabinet pattern handles ensure high torque and user comfort. Display packed.

Contents:

- 4 plain slot size: 6 x 38, 3 x 63, 6 x 100 and 8 x 150mm
- 2 PZ TYPE No.1 and 2

Stock No.
14078

2 186/8

CABINET PATTERN SCREWDRIVER SET (8 PIECE)

Draper Cabinet Pattern handle screwdrivers with chrome vanadium steel blades, correctly hardened and tempered with sand blasted tips. Some sizes are fitted with a hexagon bolster which enables extra power to be obtained by the use of a spanner. Flat oval colour coded cabinet pattern handles ensure high torque and user comfort. Packed in tray with plastic insert.

Contents:

- 5 plain slot size: 6 x 38, 3 x 63, 5 x100, 6 x 100 x 6 and 8 x 150mm
- 2 PZ TYPE No.1 and 2
- 1 PZ TYPE chubby: No.2

Stock No.
14077

3 186/9

CABINET PATTERN SCREWDRIVER SET (9 PIECE)

Draper Cabinet Pattern handle screwdrivers with chrome vanadium steel blades, correctly hardened and tempered with sand blasted tips. Some sizes are fitted with a hexagon bolster which enables extra power to be obtained by the use of a spanner. Flat oval colour coded cabinet pattern handles ensure high torque and user comfort. Display packed in plastic carrying case with transparent lid and insert.

Contents:

- 3 plain slot size: 3 x 63, 6 x 100 and 8 x 150 mm
- 3 cross slot No.0, 1 and 2
- 3 PZ TYPE No.0, 1 and 2

Stock No.
29613

NEW



4 D186

DISPENSER WITH 107 CABINET PATTERN SCREWDRIVERS

Freestanding acrylic resin display of 186 Range of Draper Cabinet Pattern handle screwdrivers with chrome vanadium steel blades, correctly hardened and tempered with sand blasted tips. Some sizes are fitted with a hexagon bolster which enables extra power to be obtained by the use of a spanner. Flat oval colour coded cabinet pattern handles ensure high torque and user comfort. Carton packed.

Contents:

Plain slot 3.2 x 63mm (12pcs), 5.0 x 75mm (10pcs), 6.0 x 38mm (4pcs), 6.0 x 100mm (8pcs), 8.0 x 150mm (8pcs), 9.5 x 200mm (4pcs), 9.5 x 250mm (4pcs)
Cross Slot No.0 x 75mm (6pcs), No.1 x 75mm (5pcs), No.2 x 38mm (4pcs), No.2 x 100mm (8pcs)
PZ TYPE No.0 x 75mm (12pcs), No.1 x 75mm (10pcs), No.2 x 38mm (4pcs), No.2 x 100mm (8pcs)

Stock No.	Approx Display Size L x D
02062	435 x 330mm





1 980/6

'POUND THRU' SCREWDRIVER SET (6 PIECE)

Expert Quality, hexagonal section SVCM steel blades hardened, tempered and satin chrome plated finish with sand blasted tips. Handles are 'soft grip' polymer vulcanized with rooted cap allowing handle to be struck without causing damage. Colour coded handles for easy recognition. Display packed.

Contents:

- 2 plain slot size: 6 x 100 and 8 x 150mm
- 2 cross slot: No.2 and 3
- PZ TYPE: No.2 and 3

Stock No.
40005



2 990/16

ENGINEER'S SCREWDRIVER SET (16 PIECE)

Expert Quality, professional screwdrivers have chrome vanadium steel blades hardened, tempered with satin chrome plated finish and sand blasted tips. The generous size handle is manufactured from high quality transparent PVC. Colour coded handles for easy recognition. Some blades have hexagon bolsters which enable extra power to be applied by use of an open end spanner. Packed in blow mould case with sleeve.

Contents: • 7 plain slot size: 3.0 x 75mm, 5.0 x 150, 6.0 x 38, 6.0 x 100, 8.0 x 150, 9.5 x 200 and 9.5 x 250mm • 3 cross slot: No.1, 2 and 3 • 1 cross slot chubby: No.2 • 4 PZ TYPE: No.0, 1, 2 and 3 • 1 PZ TYPE stubby: No.2

Stock No.
43571



3 990/8

ENGINEER'S SCREWDRIVER SET (8 PIECE)

Expert Quality, professional screwdrivers have SVCM steel blades hardened, tempered with satin chrome plated finish and sand blasted tips. The generous size handle is manufactured from high quality transparent PVC. Colour coded handles for easy recognition. Some blades have hexagon bolsters which enable extra power to be applied by use of an open end spanner. Packed in blow mould case with display sleeve.

Contents: • 4 plain slot size: 5.0 x 75, 6.0 x 38, 6.0 x 100 and 8.0 x 150mm • 2 cross slot: No.1 and 2 • 2 PZ TYPE: No.1 and 2

Stock No.
43940



4 PSS31

SOFT GRIP PRECISION SCREWDRIVER & BIT SET (31 PIECE)

Soft grip handles with swivel top. Chrome vanadium steel hardened blades. Multiples of 12 sets only, supplied in countertop display.

Contents: • 6 plain slot bits size: 1.5, 2.0, 2.5, 3.0, 3.5 and 4.0mm • 4 cross slot bits size: No.00, 0, 1 and 2 • 8 x Draper TX-STAR® bits: T4, T5, T6, T7. T8, T10, T15, T20 • 7 x hexagonal bits size: 1.0, 1.3, 1.5, 2.0, 2.5, 3.0mm • Star bit - 2mm • Round bit - 1mm dia. • Triangle bit - 3mm • Tri-winged security bit - No.0 • Spanner security bit - 2.6mm • Magnetic bit holder

Minimum order 12 sets or multiples thereof

Stock No.
09550



5 PSP16

PRECISION PLIERS AND SCREWDRIVER SET (16 PIECE)

Handy combined set comprising a selection of precision pliers and screwdrivers. Pliers have forged carbon steel heads hardened and tempered with two tone handles. Screwdrivers have hardened chrome vanadium steel blades with satin chrome plated finish and black tips. Storage case with zip fastener. Multiples of eight sets only, supplied in countertop display.

Contents: • 120mm combination pliers • 125mm long nose pliers • 125mm bent nose pliers • 115mm diagonal side cutters • 110mm end cutting pliers • 3 plain slot size screwdrivers: 1.4, 2.4 and 3.0 x 50mm • 3 cross slot screwdrivers size: No.00, 0 and 1 x 50mm • 2 PZ TYPE screwdrivers size: No.0 and 1 x 50mm • 3 Draper TX-STAR® drivers size: T6, T7 and T8 x 50mm

Minimum order eight sets or multiples thereof

Stock No.
48958



6 1064

REVERSIBLE BLADE SCREWDRIVER SET (11 PIECE - GIVING 20 TIP SIZES)

Expert Quality, polypropylene soft grip handle with quick-release hexagon collet for holding double-ended hexagon screwdriver blades. Blades manufactured from S2 steel hardened and tempered with satin chrome finish and black phosphate ends. Display packed in blow mould case.

Contents: • polypropylene handle with 1/4" hexagon blade holder • plain slot reversible blade size: 4.5 and 6.5mm • cross slot reversible blade: No.1 and 2 • PZ TYPE reversible blade: No.1 and 2 • reversible blade 3mm hexagon x 4mm hexagon •reversible blade 5mm hexagon x 6mm hexagon • Draper TX-STAR® reversible blade: T6 x T7 • Draper TX-STAR® reversible blade: T8 x T9 • Draper TX-STAR® reversible blade: T10 x T15 • Draper TX-STAR® reversible blade: T20 x T25 • Draper TX-STAR® reversible blade: T30 x T40

Stock No.
64672



1 PSS6

SOFT GRIP PRECISION SCREWDRIVER SET (6 PIECE)

Expert Quality, hardened and tempered S2 steel blades, satin chrome plated with black tips. Soft grip rubber handles with revolving tops. Overall screwdriver length 40mm. Display packed in plastic case.

Contents:

- 3 plain slot size: 1.5, 2.0 and 3.0mm
- 2 cross slot size: No.00 and 0
- PZ TYPE No.1

Stock No.
78924



2 PSD6

PRECISION SCREWDRIVER SET (6 PIECE)

Expert Quality, chrome vanadium steel blades hardened and tempered with aluminium handles. Display packed in plastic case.

Contents:

- 3 plain slot size: 2.0, 2.4 and 3.0mm
- 3 cross slot: No.00, 0 and 1

Stock No.
03266



3 PS1103

PRECISION SCREWDRIVER SET (6 PIECE)

Hardened steel blades with a chemically blacked finish. Polypropylene handles with swivel top. Display packed in plastic storage case.

Contents:

- 3 plain slot size: 1.4, 1.8 and 2.4mm
- 3 cross slot: No.00, 0 and 1

Stock No.
20644



4 PSS6XL

PRECISION SCREWDRIVER SET (6 PIECE)

The extra long blades offer complete flexibility, ideal for those awkward delicate jobs. Manufactured with hardened chrome vanadium tips and durable soft grip handles. Display packed.

Contents:

3 x plain slot: 2.5, 3.0 and 4.0mm
3 x cross slot: No: 000, 00 and 0

Stock No.
28119



5 PSS9TX

DRAPER TX-STAR® PRECISION SCREWDRIVER SET (9 PIECE)

This 9-piece Draper TX-STAR® set is ideal for use with precise or delicate work. Manufactured with hardened chrome vanadium tips and durable soft grip handles. Display packed.

Contents: 9 x Draper TX-STAR®: T4, T5, T6, T7, T8, T9, T10, T15 and T20

Stock No.
28117



6 PSS12

PRECISION SCREWDRIVER SET (12 PIECE)

This 12-piece set offers complete flexibility for use with precise or delicate work. Manufactured with hardened chrome vanadium tips and durable soft grip handles. Display packed. Contents: • 3 x plain slot: 1.0, 1.5 and 2.0mm • 3 x cross slot: No: 000, 00 and 0 • 6 x Draper TX-STAR®: T5, T6, T7, T8, T9 and T10

Stock No.
28118



7 PS1003/B

PRECISION SCREWDRIVER SET (6 PIECE)

Hardened, precision ground steel blades with nickel plated steel bodies with swivel tops. Display packed in plastic case.

Contents:

- 3 plain slot size: 1.0, 1.4 and 2.0mm
- 3 cross slot: No.00, 0 and 1

Stock No.
14956



8 PS1104F

PRECISION SCREWDRIVER SET (6 PIECE)

Hardened, precision ground steel blades with nickel plated steel bodies with swivel tops. Display packed in plastic case.

Contents: six plain slot screwdrivers size: 1.0, 1.2, 1.8, 2.4, 3.0 and 3.5mm.

Stock No.
80797



9 PS1102/B

PRECISION SCREWDRIVER SET (11 PIECE)

Hardened carbon steel, nickel plated steel bodies with swivel tops. Display packed in plastic case.

Contents:

- 6 plain slot size: 1.0, 1.2, 1.4, 1.8, 2.4 and 3.0mm
- 3 cross slot: No.00, 0 and 1 • awl • pair of tweezers

Stock No.
15631



1 PSS14R

REVERSIBLE PRECISION SCREWDRIVER SET (8 PIECE - giving 14 tip sizes)

Expert Quality, hardened and tempered 8660 steel double-ended blades satin chrome plated with black tips. Rubber handles. Display packed in plastic case.

Contents:

- No.00 cross slot x 2.0mm plain slot
- No.0 cross slot x 2.5mm plain slot
- No.1 cross slot x 3.0mm plain slot
- PZ TYPE No.0 x PZ TYPE No.1
- T5 x T6 Draper TX-STAR®
- T7 x T8 Draper TX-STAR®
- 2mm x 2.5mm hexagon
- rubber handle

Stock No.
78925



2 1241

PLAIN SLOT/PZ TYPE ANGLE SCREWDRIVERS

These screwdrivers are ideal for use in confined areas where clearance is limited. They incorporate two tips set at 90° to the shaft. Manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Display packed.

Stock No.	Blade Length	Plain Slot x PZ TYPE
30847	125mm	5mm x No.1
30855	135mm	6mm x No. 2



3 1241/2

PLAIN SLOT/PZ TYPE ANGLE SCREWDRIVER SET (2 PIECE)

These screwdrivers are ideal for use in confined areas where clearance is limited. They incorporate two tips set at 90° to the shaft. Manufactured from chrome vanadium steel hardened, tempered and chrome plated for corrosion protection. Display packed.

Contents: one 5mm plain slot x No.1 PZ TYPE and one 6mm plain slot x No.2 PZ TYPE screwdriver.

Stock No.
13948

IMPACT SCREWDRIVERS & BITS



4 2800/10

IMPACT SCREWDRIVER SET (12 PIECE)

Expert Quality, with forward/reverse rotation and impact absorbing hand grip. Supplied with bit holder and bits. Bit holder can be removed to use 1/2" socket drive with impact sockets. Overall tool length 170mm. Display packed in steel storage case.

Contents: • impact screwdriver • adaptor 8mm hexagon x 1/2" sq. drive • 2 plain slot bits: 8 and 10mm • 2 cross slot bits: No.2 and 3 • 2 PZ TYPE bits: No.2 and 3 • 4 Draper TX-STAR® bits: T40, T45, T50 and T55

Stock No.	Description
22322	Impact S/driver
30897	Spare Bit Holder



5 2500

IMPACT SCREWDRIVER SET (6 PIECE)

With forward/reverse rotation and chemically blacked knurled hand grip. Supplied with bit holder and four bits. Bit holder can be removed to use 1/2" socket drive with impact sockets. Overall tool length 170mm. Display packed in steel storage case.

Contents: • impact screwdriver • adaptor 8mm hexagon x 1/2" sq. drive • 2 plain slot bits: 8 and 10mm • 2 cross slot bits: No.2 and 3

Stock No.	Description
81519	Impact S/driver
30897	Spare Bit Holder

NEW



6 IMBH32

IMPACT SCREWDRIVER BIT SET (32 PIECE)

Expert Quality 1/4" hex impact screwdriver bit set, manufactured from S2 steel, correctly hardened and tempered with a phosphate finish. Designed for use with impact drivers. Supplied in a plastic case with soft grip detail.

Contents:

- 60mm Magnetic Bit Holder
- 25mm Socket Adaptor
- 30 x 25mm screwdriver bits;
- Plain Slot - 3, 4, 5, 6mm,
- Cross Slot - 2 x No.1, 4 x No.2, 2 x No.3,
- PZ Type - 2 x No.1, 4 x No.2, 2 x No.3,
- Hex - 4, 5, 6mm,
- TX Star - T10, T15, T20, T25,T27, T30, T40

Stock No.
05724

NEW



7 IMBH26

IMPACT SCREWDRIVER BIT SET (26 PIECE)

Expert Quality 1/4" hex impact screwdriver bit set, manufactured from S2 steel, correctly hardened and tempered with a phosphate finish. Designed for use with impact drivers. Supplied in a plastic case with soft grip detail.

Contents: • 60mm Magnetic Bit Holder • 65mm 1/4" hex x 1/4" Sq. Dr. adaptor • 7 x 25mm screwdriver bits; Plain Slot - 5, 6mm, Cross Slot - No.1, No.2, TX Star - T20, T25, Square - S1 • 11 x 50mm Screwdriver bits; Plain Slot - 6mm, Cross Slot - No.1, No.2, PZ Type - No.1, No.2, No.3, TX Star - T20, T25, Square - 2 x S2, S3 • 75mm screwdriver bits; Cross Slot - 3 x No.2, PZ Type - 2 x No.2 • 3 x Magnetic nutdrivers; 6, 8, 10mm

Stock No.
05732



1 2800M/4

IMPACT SCREWDRIVER BIT SET (4 PIECE)

8mm hexagon shank bits suitable for use with Stock Nos. 22322 and 81519 Impact Screwdriver Sets.
Display packed. Contents: • 2 plain slot bits: 8 and 10mm • 2 PZ TYPE bits: No.2 and 3

Stock No.
12542



2 2800M/12

IMPACT SCREWDRIVER BIT SET (12 PIECE)

8mm hexagon shank bits suitable for use with Stock Nos. 22322 and 81519 Impact Screwdriver Sets. Display packed. Contents: • 2 plain slot bits: 8 and 10mm • 2 cross slot bits: No.2 and 3 • 2 PZ TYPE bits: No.2 and 3 • 6 Draper TX-STAR® bits: T30, T35, T40, T45, T50 and T55

Stock No.
59001

NEW



3 HNR

NUT SPINNERS

Chrome vanadium steel blades hardened, tempered with shot blast finish . Each socket has a hex on the base providing extra grip when more torque is required.

Stock No.	Socket Size	Blade Length
75397	6mm	65mm
75549	8mm	65mm
75587	10mm	65mm

NEW



4 IBPZ2/50

NO.2 PZ X 50MM TYPE IMPACT BITS (10 PIECE)

Expert Quality, PZ2 x 50mm impact screwdriver bits. Manufactured from S2 steel which is correctly hardened and tempered. Designed for use with impact drivers. Supplied in a clear plastic storage case. Display packed.

Stock No.
11674

NEW



5 IBPZ2/25

NO.2 PZ X 25MM TYPE IMPACT BITS (25 PIECE)

Expert Quality, PZ2 x 25mm impact screwdriver bits. Manufactured from S2 steel which is correctly hardened and tempered. Designed for use with impact drivers. Supplied in a clear plastic storage case. Display packed.

Stock No.
11677



6 2800M

IMPACT SCREWDRIVER BITS

8mm hexagon shank bits suitable for use with Stock Nos. 22322 and 81519 Impact Screwdriver Sets. Sold loose.

Stock No.	Tip Type	Size
30904	Plain Slot	8mm
30912	Plain Slot	10mm
10818	Plain Slot	12mm
30920	Cross Slot	No.2
30938	Cross Slot	No.3
10820	Cross Slot	No.4
35995	PZ TYPE	No.2
35996	PZ TYPE	No.3
35997	PZ TYPE	No.4
66881	Draper TX-STAR®	T30
66882	Draper TX-STAR®	T35
66883	Draper TX-STAR®	T40
66885	Draper TX-STAR®	T45
66886	Draper TX-STAR®	T50
66887	Draper TX-STAR®	T55



7 865/23

SCREWDRIVER AND BIT SET (23 PIECE)

Chrome plated blade with powerful 1/4" magnetic bit holder. The set is supplied with 20 hardened and tempered 8660 alloy steel 1/4" bits x 25mm long. Display packed. Contents: • screwdriver with 1/4" magnetic holder • adaptor 1/4" sq. drive x 1/4" hexagon • magnetic bit holder 1/4" (F) x 1/4" (M) • 4 plain slot bits size: 4, 5, 6 and 7mm • 3 cross slot bits: No.1, 2 and 3 • 3 PZ TYPE bits: No.1, 2 and 3 • 3 hexagonal bits size: 4, 5 and 6mm • 7 Draper TX-STAR® bits: T10, T15, T20, T25, T27, T30 and T40

Stock No.
43624



8 865/11

RATCHET SCREWDRIVER AND BIT SET (13 PIECE)

Chrome plated powerful 1/4" magnetic bit holder. Ratcheting mechanism has forward, reverse and lock setting. Supplied with 12 hardened and tempered bits in holder with belt clip. Display packed.
Contents: • screwdriver with 1/4" magnetic bit holder • 2 plain slot bits size: 5 and 6mm • 3 cross slot size: 1 and 2 • 3 PZ TYPE bits: No.1 and 2 • 4 Draper TX-STAR® bits: T10, T15, T20 and T25

Stock No.
43640





9 865/BH

BIT HOLDING DRIVER

Magnetic bit holder for 1/4" bits with chrome vanadium steel blade hardened, tempered and chrome plated. Fitted with soft grip handle. Display packed.

Stock No.
43643

NEW



1 7SRS

STUBBY RATCHET SCREWDRIVER AND BIT SET (7 PIECE)

Forward and reverse with locking action and 1/4" bit holder.

Contents:

- ratchet screwdriver with 1/4" magnetic bit holder
- 2 plain slot bits size: 4 and 6mm
- 2 cross slot bits: No.1 and 2
- 2 PZ Type bits: No.1 and 2

Stock No.
01050





3 DISP/CRS24

CHUBBY RATCHET SCREWDRIVER AND BIT SET (7 PIECE)

Forward and reverse with locking action, 1/4" bit holder and six double-ended bits. Multiples of 24 sets only, supplied in countertop display.

Contents: • ratchet screwdriver with 1/4" magnetic bit holder • 3 plain slot/ cross slot bits: 4mm/No.1, 5mm/No.2, 6mm/No.3 • 3 hexagonal/PZ TYPE bits: 4mm/No.1, 5mm/No.2, 6mm/No.3

Minimum order 24 sets or multiples thereof

Stock No.
75065





5 865/14

RATCHET SCREWDRIVER AND BIT SET (13 PIECE)

Screwdriver with ratcheting forward, reverse and lock mechanism. Bits stored in handle for convenience. Multiples of twelve only, supplied in countertop display.

Contents of each screwdriver set:

- 3 plain slot bits size: 5, 6 and 7mm
- 3 PZ TYPE bits: No.1, 2 and 3
- 6 Draper TX-STAR® bits: T6, T7, T8, T9, T10 and T15

Minimum order 12 sets or multiples thereof

Stock No.
43641





2 DISPMTSD/12

PLAIN SLOT/PZ TYPE 6 IN 1 SCREWDRIVER SET

PZ TYPE products are compatible with *Pozidriv®/Supadriv® fixing systems

6 in 1 screwdriver with 114mm reversible 1/4" or 5/16" insert bit holder. Comprises two reversible insert bits, one 1/4" hexagon, 5mm plain slot and No.1 PZ TYPE tips; the other 5/16" hexagon with 7mm plain slot and No.2 PZ TYPE tips, both of which fit into the insert bit holder. When bits are not used the holder becomes a 5/16"AF or 1/4" AF nut driver. Handle manufactured from high impact resistant plastic. Multiples of 12 sets only, supplied in countertop display.

Minimum order 12 sets or multiples thereof

Stock No.
63672





4 RD12D

JOINTED RATCHET SCREWDRIVER AND BIT SET (14 PIECE)

Expert Quality, forward and reverse with locking action and 1/4" bit holder. Clear jointed handle swivels through 180° to a pistol grip to increase torque. Hardened and tempered S2 steel insert bits and bit holder is stored in holder within handle. Multiples of 12 sets only, supplied in countertop display.

Contents: • screwdriver with 1/4" magnetic bit holder • 1/4" male x 1/4" female bit holder • 2 plain slot bits size: 5 and 7mm • 3 Cross slot its: No.1, 2 and 3 • 3 PZ TYPE bits: No.1, 2 and 3 • 4 Draper TX-STAR® bits: T10, T15, T20 and T25. **Minimum order 12 sets or multiples thereof**

Stock No.	Blade Length
40855	60mm





6 865/PRS

SOFT GRIP RATCHET SCREWDRIVER SET (11 PIECE)

Chrome vanadium steel blades hardened, tempered with satin chrome plated finish and sand blasted tips. Soft grip handle with moulded inserts. Multiples of twelve only, supplied in countertop display.

Contents:

- Plain Slot 5mm, 7mm
- Cross Slot No: 2
- PZ Type No: 1, 2, 3
- Draper TX-STAR® T10, T15, T20, T25

Minimum order 12 sets or multiples thereof

Stock No.
38124





1 RBS42

RATCHET SCREWDRIVER AND BIT SET (42 PIECE)

Set includes ratcheting stubby and precision screwdrivers along with 20 1/4" drive hardened and tempered chrome vanadium steel bits and 20 3mm drive precision bits. Supplied in plastic storage case. Display packed.

Contents: • ratcheting screwdriver • precision screwdriver • 4 x 25mm plain slot bits: 3, 4, 5, and 6mm • 4 x 25mm cross slot bits: No: 0, 1, 2 and 3 • 4 x 25mm PZ TYPE bits No: 0, 1, 2 and 3 • 4 x 25mm hexagonal bits: 3, 4, 5, and 6mm • 4 x 25mm Draper TX-STAR® bits: T10, T15, T20 and T25 • 5 x 30mm plain slot bits: 1, 1.5, 2, 2.5 and 3mm • 3 x 30mm cross slot bits: No: 000, 00 and 0 • 2 x 30mm PZ TYPE bits No: 0 and 1 • 5 x 30mm hexagonal bits: 0.7, 0.9, 1.3, 1.5 and 2mm • 5 x 30mm Draper TX-STAR® bits: T6, T7, T8, T9 and T10

Available in singles-order multiples of 12 and receive a free countertop dispenser.

Stock No.
46479





2 RBS25

RATCHET SCREWDRIVER, SOCKET AND BIT SET (25 PIECE)

Screwdriver with special thumb grip which gives up 25% more torque, 1/4" magnetic bit holder and ratchet for forward/reverse and lock. The set comprises 16 insert bits, six 1/4" square drive sockets and 90mm long magnetic bit holder. Multiples of six sets only, supplied in countertop display.

Contents: • screwdriver with 1/4" magnetic bit holder • 1/4" (F) x 1/4" (M) magnetic bit holder 90mm long • 3 plain slot bits size: 4-6mm • 4 cross slot bits: No.0-3 • 4 Draper TX-STAR® bits: T10-T25 • 2 hexagonal bits: 3 and 6mm • 3 square recess bits: S1-S3 •6 x 1/4" sq. dr. sockets size: 5-10mm • 1/4" sq. dr. x 1/4" hex bit adaptor

Minimum order six sets or multiples thereof

Stock No.
31150



3 811SXA

OFFSET RATCHET SCREW AND SOCKET DRIVER SET (17 PIECE)

Offset ratchet screwdriver with 1/4" bit holder and 1/4" square drive male head for driving 1/4" square drive sockets and accessories. Ratchet has selector for forward/reverse and stop. Display packed.

Contents: • offset ratchet screwdriver with 1/4" bit holding facility • 2 plain slot bits size: 5 and 7mm • 2 cross slot bits: No.1 and 2 • 2 PZ TYPE bits: No.1 and 2 • 4 Draper TX-STAR® bits: T10, T15, T20 and T25 • 6 x 1/4" sq. drive carbon steel hexagon sockets size: 5.0, 5.5, 6.0, 7.0, 8.0 and 10.0mm

Stock No.	Overall Length
30781	110mm



4 SS70

SCREWDRIVER, SOCKET AND BIT SET (70 PIECE)

Comprehensive set with a variety of screwdriver and bits and sockets. Packed in blow mould case with display sleeve.

Contents: • 4 plain slot cabinet pattern screwdrivers size: 3 x 75mm, 5 x 75mm, 6 x 100mm and 8 x 150mm • 4 cross slot cabinet pattern screwdrivers: No.0, 1, 2 and 3 • 2 PZ TYPE cabinet pattern screwdrivers: No.1and 2 • 4 plain slot precision screwdrivers 50mm long size: 1.5, 2.0, 2.5 and 3.0mm • 2 cross slot precision screwdrivers 50mm long: No.00 and No.0 • 5 Draper TX-STAR® precision screwdrivers 50mm long size: T8, T9. T10, T15 and T20 • GS approved mains tester • 1/4" magnetic bit holding driver • 5 x 1/4" plain slot insert bits size: 3, 4, 5, 6 and 7mm • 4 x 1/4" cross slot insert bits: No.0-3 • 4 x 1/4" PZ TYPE insert bits: No.0-3 • 6 x 1/4" Draper TX-STAR® bits: T10-T40 • 6 x 1/4" hexagon insert bits size: 2-6mm • 9 x 1/4" sockets size: 5, 6, 7, 8, 9, 10, 11, 12 and 13mm • 9 x 1/4" sockets size: 3/16, 7/32, 3/8, 1/4, 5/16, 11/32, 7/16, 15/32, and 1/2" AF • 245mm (approx.) flexible extension shaft • magnetic pick-up tool • 1/4" (M) x 1/4" (F) bit holder • 1/4" (M) x 1/4" (F) socket adaptor

Stock No.
40850



5 ASDK-1

3 IN 1 ANGLE SCREWDRIVER SET (14 PIECE)

Unique set comprising soft grip handle, 1/4" hexagon angle driving attachment, 1/4" hexagon adaptor torque holder and ten 1/4" insert bits. All elements fit together or can be used singly depending on the application chosen. The hexagon adaptor fits into the handle to form a conventional bit driver; the angle screwdriving attachment with 1/4" hexagon shaft will fit into the handle supplied or a power tool using the 1/4" hexagon adaptor and the torque attachment holds the angle attachment to prevent it spinning whilst screwdriving. Display packed.

Contents: • soft grip handle • 1/4" hexagon angle driving attachment • 1/4" hexagon adaptor • torque holder • 2 plain slot bits size: 4.5 and 6.0mm • 3 cross slot bits: No. 0, 1 and 2 • 5 hexagonal bits: 2.5, 3.0, 4.0, 5.0 and 6.0mm

Stock No.
43984



6 3402/B

1/2" Sq. Dr. METRIC HEXAGONAL BIT SET (7 PIECE)

Expert Quality, bits manufactured from SNCM-V steel hardened and tempered with shot blasted finish. 1/2" square drive holder made from chrome vanadium steel hardened, tempered and chrome plated for corrosion resistance. Display packed.

Contents: • bit holder 1/2" sq. drive • 6 hexagonal bits: 4, 5, 6, 8, 10 and 12 x 30mm long

Stock No.
83565




7 HX7/12M/B

1/2" Sq. Dr. METRIC HEXAGONAL BIT SET (7 PIECE)

Expert Quality, metric bits manufactured from hardened and tempered S2 steel with a shot blasted finish. 1/2" square drive holder made from chrome vanadium steel hardened, tempered and chrome plated for corrosion resistance. Display packed.

Contents: • bit holder 10mm x 1/2" sq. drive • 6 hexagonal bits: 6, 7, 8, 9, 10 and 12mm x 75mm long

Stock No.
83564



1 1/4" HEX. PLAIN SLOT E SHANK INSERT BITS

Chrome vanadium steel hardened, tempered with a shot blasted finish. Supplied in 1, 2, 5 or 10's. Display packed.


Stock No.	Size	Bit Length	Bits per pack
63999	3.0mm	25mm	5
64008	4.5mm	25mm	5
64009	5.5mm	25mm	5
64011	6.0mm	25mm	5
64012	6.5mm	25mm	5
64013	8.0mm	25mm	5
64024	3.0mm	25mm	10
64027	4.5mm	25mm	10
64028	5.5mm	25mm	10
64031	6.0mm	25mm	10
64034	6.5mm	25mm	10
64046	8.0mm	25mm	10
64088	3.0mm	50mm	2
64089	4.5mm	50mm	2
64094	5.5mm	50mm	2
64096	6.0mm	50mm	2
64103	6.5mm	50mm	2
64226	8.0mm	50mm	2
64267	3.0mm	50mm	5
64270	4.5mm	50mm	5
64272	5.5mm	50mm	5
64273	6.0mm	50mm	5
64276	6.5mm	50mm	5
64280	8.0mm	50mm	5
64292	3.0mm	75mm	2
64295	4.5mm	75mm	2
64296	5.5mm	75mm	2
64308	6.0mm	75mm	2
64309	6.5mm	75mm	2
64310	8.0mm	75mm	2
64341	3.0mm	100mm	1
64344	4.5mm	100mm	1
64345	5.5mm	100mm	1
64347	6.0mm	100mm	1
64351	6.5mm	100mm	1
64358	8.0mm	100mm	1



2 1/4" HEX. CROSS SLOT E SHANK INSERT BITS

Chrome vanadium steel hardened, tempered with a shot blasted finish. Supplied in 1, 2, 5 or 10's. Display packed.

Stock No.	Size	Bit Length	Bits per Pack
64017	No.1	25mm	5
64018	No.2	25mm	5
64023	No.3	25mm	5
64060	No.1	25mm	10
64072	No.2	25mm	10
64087	No.3	25mm	10
64232	No.1	50mm	2
64237	No.2	50mm	2
64241	No.3	50mm	2
64287	No.1	50mm	5
64288	No.2	50mm	5
64290	No.3	50mm	5
64314	No.1	75mm	2
64315	No.2	75mm	2
64316	No.3	75mm	2
64364	No.1	100mm	1
64365	No.2	100mm	1
64366	No.3	100mm	1




3 1/4" HEX. PZ TYPE E SHANK INSERT BITS

PZ TYPE products are compatible with *Pozidriv®/Supadriv® fixing systems

Chrome vanadium steel hardened, tempered with a shot blasted finish. Supplied in 1, 2, 5 or 10's. Display packed.


Stock No.	Size	Bit Length	Bits per pack
64014	No.1	25mm	5
64015	No.2	25mm	5
64016	No.3	25mm	5
64047	No.1	25mm	10
64048	No.2	25mm	10
64057	No.3	25mm	10
64227	No.1	50mm	2
64228	No.2	50mm	2
64229	No.3	50mm	2
64281	No.1	50mm	5
64283	No.2	50mm	5
64286	No.3	50mm	5
64311	No.1	75mm	2
64312	No.2	75mm	2
64313	No.3	75mm	2
64361	No.1	100mm	1
64362	No.2	100mm	1
64363	No.3	100mm	1



4 1/4" HEX. HEXAGONAL E SHANK INSERT BITS

Chrome vanadium steel hardened, tempered with shot blast finish. Supplied in 1 or 2's. Display packed.

Stock No.	Size	Bit Length	Bits per pack
63944	1.5mm	25mm	2
63945	2.0mm	25mm	2
63961	2.5mm	25mm	2
63962	3.0mm	25mm	2
63982	4.0mm	25mm	2
63990	5.0mm	25mm	2
63998	6.0mm	25mm	2
64243	1.5mm	50mm	2
64244	2.0mm	50mm	2
64246	2.5mm	50mm	2
64253	3.0mm	50mm	2
64254	4.0mm	50mm	2
64255	5.0mm	50mm	2
64259	6.0mm	50mm	2
64317	1.5mm	75mm	2
64318	2.0mm	75mm	2
64319	2.5mm	75mm	2
64320	3.0mm	75mm	2
64321	4.0mm	75mm	2
64322	5.0mm	75mm	2
64340	6.0mm	75mm	2
64369	1.5mm	100mm	1
64370	2.0mm	100mm	1
64371	2.5mm	100mm	1
64372	3.0mm	100mm	1
64373	4.0mm	100mm	1
64374	5.0mm	100mm	1
64375	6.0mm	100mm	1



5 1/4" HEX. DRAPER TX-STAR® E SHANK INSERT BITS

Draper TX-STAR® products are compatible with †Torx fixing systems

Chrome vanadium steel hardened, tempered with shot blast finish. Supplied in 1 or 2's. Display packed.

Stock No.	Size	Bit Length	Bits per Pack
66338	T6	25mm	2
66421	T7	25mm	2
66426	T8	25mm	2
66427	T9	25mm	2
66428	T10	25mm	2
66429	T15	25mm	2
66430	T20	25mm	2
66431	T25	25mm	2
66434	T27	25mm	2
66435	T30	25mm	2
66437	T40	25mm	2
66481	T6	50mm	2
66483	T7	50mm	2
66484	T8	50mm	2
66485	T9	50mm	2
66486	T10	50mm	2
66487	T15	50mm	2
66488	T20	50mm	2
66489	T25	50mm	2
66490	T27	50mm	2
66491	T30	50mm	2
66624	T40	50mm	2
66827	T6	75mm	2
66829	T7	75mm	2
66830	T8	75mm	2
66843	T9	75mm	2
66845	T10	75mm	2
66847	T15	75mm	2
66848	T20	75mm	2
66849	T25	75mm	2
66851	T27	75mm	2
66852	T30	75mm	2
66853	T40	75mm	2
66905	T6	100mm	1
66906	T7	100mm	1
66907	T8	100mm	1
66908	T9	100mm	1
66911	T10	100mm	1
66913	T15	100mm	1
66929	T20	100mm	1
66938	T25	100mm	1
66940	T27	100mm	1
67006	T30	100mm	1
67014	T40	100mm	1





1 PZ2/20TTC/C

1/4" HEX NO.2 PZ TYPE INSERT BITS IN PLASTIC STORAGE CASE (20 PIECE)

PZ TYPE products are compatible with *Pozidriv®/Supadriv® fixing systems

Expert Quality, 1/4" insert bits 25mm long manufactured from S2 steel in unique plastic storage case. Display packed in plastic case. Contents per case: • 20 PZ TYPE bits: No.2 **Minimum order 12 or multiples thereof**

Stock No.
34220



2 BS50TTC/C

1/4" HEX. ASSORTED INSERT BITS IN PLASTIC STORAGE CASE (20 PIECE)

Expert Quality, assorted bit types 50mm long manufactured from S2 steel in unique plastic storage case. Display packed. Contents per case: • 4 plain slot bits: 5mm • 11 PZ TYPE bits: No.1, 2 and 3

Minimum order 12 or multiples thereof

Stock No.
34221



3

1/4" HEX PZ TYPE INSERT BITS (100 PIECE)

PZ TYPE products are compatible with *Pozidriv®/Supadriv® fixing systems

1/4" insert bits manufactured from chrome vanadium steel in bags of 100.

Stock No.	Part No.	Size	Length
83432	PZ2/25/B	No.2	25mm
04907	PZ3/50/B	No.3	50mm



4 PH2DIMP

CROSS SLOT No.2 DRYWALL DIMPLER SET (10 PIECE)

Easiest and most effective way to install drywall screws. Comprises 25mm Cross Slot No.2 insert bits. Each with depth setting bit tip. Display packed in plastic case.

Stock No.
26457



5 3.720.0

SCHRÖDER MAGNETIC BIT HOLDER

Expert Quality, 1/4" female x 1/4" male magnetic bit holder. For use in power drills and driver handles. Shaft from chrome vanadium steel hardened and tempered. Magnetic bit holder made from chrome plated brass for 6.35mm (1/4") hexagon insert bits in accordance with ISO1173. Packed in polybag.

Stock No.	Overall Length
33812	70mm



6 3.728.0

SCHRÖDER SDS + BIT HOLDER

Expert Quality, SDS+ chrome vanadium shank with female 1/4" adaptor. Magnetic bit holder made from stainless steel for 6.35mm (1/4") hexagon insert bits in accordance with ISO1173. Packed in polybag.

Stock No.	Overall Length
33811	78mm



7

MAGNETIC BIT HOLDERS

1/4" male x 1/4" female magnetic bit holder for use in power drills and driver handles. Shaft (male hexagon) from chrome vanadium steel hardened and tempered with the bit holder (female hexagon) cold forged from stainless steel. Display packed.

Stock No.	Part No.	Overall Length
82407	MH/B	60mm
82408	MH150/B	150mm
82409	MH300/B	300mm



8

BIT HOLDERS WITH 'QUICK RELEASE'

1/4" hex. male x 1/4" female with quick release for use in power drills and driver handles. Carbon steel shaft (male hexagon) hardened and tempered (male hexagon) with the bit holder (female hexagon) from stainless steel. 'Quick release' collet allows bits to be expelled quickly and efficiently. Display packed.

Stock No.	Part No.	Overall Length
82410	MH/QR/60/B	60mm
82411	MH/QR/150/B	150mm



9 B46

1/4" Sq. Dr. x 1/4" HEXAGON BIT ADAPTOR

Manufactured from chrome vanadium steel hardened, tempered with shot blast finish. Spring- loaded ball bearing for secure socket holding. Display packed.

Stock No.	Overall Length
22182	50mm



10 MBH33/B

25mm SCREWDRIVER AND MAGNETIC BIT HOLDER SET (33 PIECE)

25mm long 1/4" bits manufactured from chrome vanadium steel hardened and tempered with a shot blast finish. Bit holder manufactured from zinc alloy steel with chrome plated finish. Supplied in storage case. Display packed. Contents: • 1 x magnetic bit holder • 8 x Plain slot bits size: 3.5 mm (x 3), 5.5mm (x 3) and 6.0mm (x 2)
• 19 x PZ TYPE bits: No.1 (x 5), No.2 (x 10) and No.3 (x 4)
• 2 x Draper TX-STAR® bits: T10 and T20
• 3 x Hexagonal bits size: 4, 5 and 6mm

Stock No.
82386






11 MBH33/50

50mm SCREWDRIVER BIT SET (32 PIECE)

50mm 1/4" bits manufactured from chrome vanadium steel hardened and tempered with a shot blast finish. Supplied in storage case. Display packed.
Contents: • 4 x Plain slot bits size: 4, 5, 6 and 7mm
• 9 x PZ TYPE bits: No.1 (x 2), No.2 (x 3) and No.3 (x 3)
• 6 x Cross slot bits: No.1, No.2 (x 4) and No.3 (x 2)
• 7 x Draper TX-STAR® bits: T10, T15, T20, T25, T27, T30 and T40 • 6 x Hexagonal bits size: 2, 2.5, 3, 4, 5 and 6mm

Stock No.
82387



1 MBH19


SCREWDRIVER AND MAGNETIC BIT HOLDER SET (19 PIECE)

25mm 1/4" bits manufactured from chrome vanadium steel, hardened and tempered with a shot blast finish. Supplied in a convenient storage case which opens up for easy access to the bits. Magnetic bit holder made from zinc alloy steel hardened and tempered with chrome plated finish. Display packed.

Contents:

- 1 x Magnetic bit holder
- 4 x Plain slot - 3, 4.5, 5.5 and 6.0mm
- 3 x PZ Type - No.1, No.2 and No.3
- 4 x Hex - 3, 4, 5 and 6mm
- 7 x Draper TX-STAR® - T10, T15, T20, T25, T27, T30 and T40

Stock No.
82393



2 MBH13

SCREWDRIVER AND MAGNETIC BIT HOLDER SET (13 PIECE)

25mm 1/4" bits manufactured from chrome vanadium steel hardened and tempered with a sand blasted finish. Supplied in a convenient storage case which opens up for easy access to the bits. Magnetic bit holder made from zinc alloy steel with chrome plated finish. Display packed.

Contents:

- 1 x Magnetic bit holder
- 4 x Plain slot - 3, 4, 5 and 6mm
- 4 x Cross slot - No.0, No.1, No.2 and No.3
- 4 x PZ Type - No.1, No.2 (x2) and No.3

Stock No.
82392



3 MBH8

SCREWDRIVER AND MAGNETIC BIT SET (8 PIECE)

25mm 1/4" bits manufactured from chrome vanadium steel, hardened and tempered with a shot blast finish. Supplied in a convenient storage case which opens up for easy access to the bits. Magnetic bit holder made from zinc alloy steel with chrome plated finish. Display packed.

Contents:

- 1 x magnetic bit holder
- 2 x plain slot bits size: 4.0 and 6.0mm
- 2 x cross slot bits: No.1 and No.2
- 3 x PZ TYPE bits: No.1, No.2 and No.3

Stock No.
82391



4 MBH80

SCREWDRIVER AND BIT HOLDER SET (80 PIECE)

25mm and 50mm 1/4" bits manufactured from chrome vanadium steel, hardened and tempered with a sand blasted finish. Bit holder with quick release collet allows bits to be expelled quickly and efficiently. Supplied in plastic storage case with plastic inlay to hold the bits securely. Display packed.

Contents: • 1 x Quick release bit holder 25mm bits • 6 x Plain slot - 3, 4, 5, 5.5, 6 and 7mm • 6 x Cross slot - No.0, No.1, No.2 (x 3) and No.3 • 9 x PZ Type - No.0 (x 2), No.1 (x 2), No.2 (x 3) and No.3 (x 2) • 12 x Hex - 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5, 6, 7 and 8mm • 6 x Security Hex - 2, 2.5, 3, 4, 5 and 6mm • 10 x Draper TX-STAR® - T8, T9, T10, T15, T20, T25, T27, T30, T35 and T40 • 7 x Security Draper TX-STAR® - T10T, T15T, T20T, T25T, T27T, T30T and T35T • 4 x Spanner bit - 4, 6, 8, 10 50mm bits • 5 x Plain Slot - 3, 4, 5, 6, and 7mm • 4 x Cross slot - No.0, No.1, No.2 and No.3 • 4 x PZ type - No.0, No.1, No.2 and No.3 • 6 x Draper TX-STAR® - T10, T15, T20, T25, T27 and T30

Stock No.
82396



5 MBH43


MAGNETIC BIT HOLDER SET (43 PIECE)

25mm 1/4" bits manufactured from chrome vanadium steel, hardened and tempered with a sand blasted finish. Bit holder manufactured from zinc alloy steel with chrome plated finish. Supplied in a heavy duty plastic storage case with plastic inlay to hold the bits securely. Display packed

Contents:

- 1 x Magnetic bit holder
- 11 x Plain slot – 3mm (x 2), 4mm (x 2), 5mm (x 2), 6mm (x 3) and 7mm (x 2)
- 9 x Cross slot – No.0 (x 2), No.1 (x 2), No.2 (x 3) and No.3 (x 2)
- 9 x PZ Type – No.0 (x 2), No.1 (x 2), No.2 (x 3) and No.3 (x 2)
- 5 x Hex - 2, 3, 4, 5, 6mm
- 8 x Draper TX-STAR® - T8, T10, T15, T20, T25, T27, T30 and T40

Stock No.
82394




1 CMBH19

COLOURED SCREWDRIVER BIT SET (19 PIECE)

Expert Quality, 25mm 1/4" bits manufactured from S2 steel, which is hardened and tempered with a satin chrome finish, attached with a plastic coloured ring for easy identification. Supplied in a convenient storage case, which opens up for easy access to the bits. Bit holder with quick release collet allows bits to be expelled quickly and efficiently. Display packed. Contents:

- 1 x Magnetic bit holder
- 4 x Plain slot - 3, 4.5, 5.5 and 6mm
- 3 x PZ Type - No.1, No.2 and No.3
- 4 x Hex - 3, 4, 5 and 6mm
- 7 x Draper TX-STAR® - T10, T15, T20, T25, T27, T30 and T40

Stock No.
82402



2 CMBH13

COLOURED SCREWDRIVER BIT SET (13 PIECE)

Expert Quality, 25mm 1/4" bits manufactured from S2 steel, which is hardened and tempered with a satin chrome finish, attached with a plastic coloured ring for easy identification. Supplied in a convenient storage case, which opens up for easy access to the bits. Bit holder with quick release collet which allows bits to be expelled quickly and efficiently. Display packed.

Contents:

- 1 x Magnetic bit holder
- 4 x Plain slot - 3, 4, 5 and 6mm
- 4 x Cross slot - No.0, No.1, No.2 and No.3
- 4 x PZ Type - No.1, No.2 (x 2) and No.3

Stock No.
82401



3 CMBH8

COLOURED SCREWDRIVER BIT SET (8 PIECE)

Expert Quality, 25mm 1/4" bits manufactured from S2 steel, which is hardened and tempered with a satin chrome finish, attached with a plastic coloured ring for easy identification. Supplied in a convenient storage case, which opens up for easy access to the bits. Bit holder with quick release collet allows bits to be expelled quickly and efficiently. Display packed.

Contents:

- 1 x Quick release bit holder
- 2 x Plain slot - 4 and 6mm
- 2 x Cross slot - No.1 and No.2
- 3 x PZ Type - No.1, No.2 and No.3

Stock No.
82400



4 CMBH60

COLOURED SCREWDRIVER BIT SET (60 PIECE)

Expert Quality, 25mm and 50mm 1/4" bits manufactured from S2 steel, which is hardened and tempered with a satin chrome finish, attached with a plastic coloured ring for easy identification. Bit holder with quick release collet which allows bits to be expelled quickly and efficiently. Supplied in a heavy duty storage case with plastic inlay to hold bits securely. Display packed.

Contents:

- 1 x Magnetic bit holder
- 12 x Plain Slot – 3 (x 2), 4 (x 2), 5 (x 2), 5.5 (x 2), 6 (x 2) and 7mm (x 2)
- 9 x Cross Slot - No.0 (x 2), No.1 (x 2), No.2 (x 3) and No.3 (x 2)
- 13 x PZ type - No.0 (x 3), No.1 (x 3), No.2 (x 4) and No.3 (x 3)
- 10 x Draper TX-STAR® - T8, T9, T10, T15, T20, T25, T27, T30, T35 and T40
- 10 x Hex - 1.5, 2, 2.5, 3, 4, 5, 5.5, 6, 7 and 8mm
- 2 x 50mm Plain Slot Bits – 4mm and 6mm
- 3 x 50mm PZ type Bits - No.1, No.2 and No.3

Stock No.
82405



5 CMBH40

COLOURED SCREWDRIVER BIT SET (40 PIECE)

Expert Quality, 25mm 1/4" bits manufactured from S2 steel, which is hardened and tempered with a satin chrome finish, attached with a plastic coloured ring for easy identification. Bit holder with quick release collet which allows bits to be expelled quickly and efficiently. Supplied in a heavy duty storage case with plastic inlay to hold bits securely. Display packed.

Contents:

- 9 x Plain slot - 3, 4 (x 2), 5 (x 2), 6 (x 3) and 7mm
- 9 x Cross slot - No.0 (x 2), No.1 (x 2), No.2 (x 3) and No.3 (x 2)
- 9 x PZ type - PZ0 (x 2), PZ1 (x 2), PZ2 (x 3) and PZ3 (x 2)
- 7 x Draper TX-STAR® - T8, T10, T15, T20, T25, T30 and T40
- 6 x Hex - 2, 3, 4, 5, 5.5 and 6mm

Stock No.
82404



1 SEC127

BIT HOLDER SET (127 PIECE)

Expert Quality, comprehensive set of 1/4" bits manufactured from chrome vanadium steel, hardened and tempered with a shot blast finish. Bit holder with quick release collet allows bits to be expelled quickly and efficiently. Supplied in a heavy duty storage case with plastic inlay to hold bits securely. Display packed. Contents: 150mm Long Bits • 1 x Plain slot - 6mm • 2 x Cross slot - No.2 and No.3 • 2 x PZ Type - No.2 and No.3 75mm Long Bits • 1 x Plain slot - 5mm • 4 x Cross slot - No.1, No.2 (x 2) and No.3 • 4 x PZ Type - No.1, No.2 (x 2) and No.3 50mm Long Bits • 1 x Plain slot - 4.5mm • 2 x Cross slot - No.2 (x 2) • 2 x PZ Type - No.2 (x 2) 25mm Long Bits • 15 x Plain slot - 3, 4, 4.5 (x 3), 5 (x 3), 5.5 (x 3), 6, 6.5, 7 and 8 • 8 x Cross slot - No.0, No.1, No.2 (x 5) and No.3 • 9 x PZ Type – No.0, No.1, No.2 (x 5) and No.3 (x 2) • 9 x Draper TX-STAR® - T8, T10, T15, T20, T25, T27, T30, T40 and T45 • 7 x Draper TX-STAR® security - T8T, T10T, T15T, T20T, T25T, T30T and T40 • 7 x Metric Hex - 1.5, 2, 2.5, 4, 5, 6 and 7mm • 9 x Imperial Hex - 1/16, 5/64, 3/32, 7/64, 1/8, 5/32, 3/16, 7/32 and 1/4 • 4 x Square - S0, S1, S2, S3 • 14 x Tamper Hex - 2 (x 2), 2.5 (x 2), 3 (x 2), 4 (x 2), 5 (x 2) and 6mm (x 4) • 3 x Draper TX-STAR® - T6, T8 and T10 • 3 x Butterfly - C1, C2 and C3 • 3 x Spline - 5, 6 and 8 • 4 x Wing - 4, 6, 8 and 10 • 4 x Tri Wing - 1, 2, 3 and 4 • 1 x Hook Bit • 1 x 25mm 1/4" square to 1/4" hex drive adaptor • 1 x 50mm 1/4" square to 1/4" hex drive adaptor • 1 x 60mm 1/4" hex magnetic bit holder • 1 x 60mm 1/4" quick change bit holder • 1 x 80mm SDS plus quick change bit holder • 1 x 1/4" square female to 1/4" female socket

Stock No.
82398



3 SEC43

SECURITY SCREWDRIVER BIT SET (43 PIECE)

25mm 1/4" bits manufactured from chrome vanadium steel, hardened and tempered with a shot blast finish. Bit holder manufactured from zinc alloy steel with a chrome plated finish. Supplied in a heavy duty plastic case with plastic inlay to hold bits securely. Display packed.

Contents:

- 1 x Magnetic Bit Holder
- 4 x Cross Slot - No.0, No.1, No.2 and No.3
- 6 x PZ type - No.0, No.1, No.2 (x 2) and No.3 (x 2)
- 3 x Torq - 6, 8 and 10
- 4 x Spanner - 4, 6, 8 and 10
- 4 x Tri-wing - 1, 2, 3 and 4mm
- 6 x Security Hex - 2, 2.5, 3, 4, 5 and 6mm
- 6 x Security Hex - 5/32, 9/64, 1/8, 7/64, 3/32 and 5/64
- 9 x Draper TX-STAR® security - T8T, T10T, T15T, T20T, T25T, T27T, T30T, T35T and T40T

Stock No.
82397





2 MBH45

SECURITY SCREWDRIVER BIT AND DRIVER SET (45 PIECE)

25mm 1/4" bits manufactured from chrome vanadium steel, hardened and tempered with a shot blast finish. Supplied with a 1/4" soft grip driver. Supplied in a heavy duty storage case with plastic inlay to hold bits securely. Display packed.

Contents: • Magnetic soft grip driver • 3 x Tri wing: 1, 2 and 3 • 4 x Spanner: 4, 6, 8 and 10 • 5 x Spline: M4, M5, M6, M8 and M10 • 4 x Square: S0, S1, S2 and S3 • 6 x Security hex (metric): 2, 2.5, 3, 4, 5 and 6mm • 6 x Security hex (imperial): 5/32, 9/64, 1/8, 7/16, 3/32 and 5/64" • 7 x Draper TX-STAR®: T5, T6, T7, T8, T10, T15 and T20 • 9 x Draper TX-STAR® security: T8T, T9T, T10T, T15T, T20T, T25T, T27T, T30T and T40T

Stock No.
82399



4 SEC33/B

SECURITY BIT SET (33 PIECE)

25mm 1/4" bits manufactured from chrome vanadium steel, hardened and tempered with a shot blast finish. Bit holder manufactured from zinc alloy steel with a chrome plated finish. Supplied in a storage case. Display packed.

Contents:

- Magnetic bit holder
- 3 x Torq bits: 6, 8 and 10
- 4 x spanner bits: No. 4, 6, 8 and 10
- 4 x tri-winged bits: No.1, 2, 3 and 4
- 6 x metric hexagonal security bits: 2, 2.5, 3, 4, 5 and 6mm
- 6 x imperial hexagonal security bits: 5/64, 3/32, 7/64, 1/8, 9/64, and 5/32"
- 9 Draper TX-STAR® security: T8T, T10T, T15T, T20T, T25T, T27T, T30T, T35T and T40T

Stock No.
82406



1 TTX/SG/8/B

SOFT GRIP 'T' HANDLE DRAPER TX-STAR® KEY SET (8 PIECE)

Draper TX-STAR® products are compatible with †Torx fixing systems

Expert Quality, high leverage key set with Draper TX-STAR® long arms and security Draper TX-STAR® end short arms. Manufactured from chrome vanadium steel hardened and tempered. Soft grip handles for extra comfort. Supplied with a wall mountable steel storage rack. Display carton. Contents: T9, T10, T15, T20 and T25: long leg 100mm x short leg 13mm T27, T30 and T40: long leg 135mm x short leg 15mm

Stock No.
33872



4 THDH/MM/B

METRIC T-HANDLE HEXAGON KEY SET (10 PIECE)

Manufactured from chrome vanadium steel hardened and tempered with short hex key in moulded T handle. Supplied with enamelled steel stand. Display carton.

Contents: 2.0, 2.5, 3.0, 4.0, 4.5, 5.0, 5.5, 6.0, 8.0 and 10.0mm.

Stock No.
33869



7 4567/LA-MM/B

EXTRA LONG METRIC HEXAGON KEYS

Manufactured from chrome vanadium steel that's hardened and tempered then applied with a chemically blacked protective finish and chamfered ends.

Stock No.	Size	Length
33571	1.5mm	61mm
33572	2.0mm	74mm
33573	2.5mm	83mm
33575	3.0mm	88mm
33576	4.0mm	98mm
33577	5.0mm	113mm
33578	6.0mm	133mm
33579	7.0mm	137mm
33580	8.0mm	147mm
33581	10mm	167mm
33582	12mm	207mm
33583	14mm	230mm
33587	17mm	250mm
33588	19mm	280mm



2 THEX/SG/8/B

SOFT GRIP 'T' HANDLE HEXAGON AND BALL END KEY SET (8 PIECE)

Expert Quality, key set with hexagon ball end on the long blade and conventional hexagon end on the short blade. Manufactured from chrome vanadium steel hardened and tempered. Soft grip handles for extra comfort. Supplied with a wall mountable steel storage rack. Display carton. Contents: • 2.0, 2.5, 3.0 and 4.0mm: long arm 100mm x short arm 13mm • 5 and 6mm: long arm 150mm x short arm 15mm • 8 and 10mm: long arm 200mm x short arm 14mm.

Stock No.
33873



5 THDH/AF/B

IMPERIAL T-HANDLE HEXAGON KEY SET (10 PIECE)

Manufactured from chrome vanadium steel hardened and tempered with short hex key in moulded T handle. Supplied with enamelled steel stand. Display carton.

Contents: 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16 and 3/8"

Stock No.
33871



8 4567-MM/B

METRIC HEXAGON KEYS

Manufactured from chrome vanadium steel that's hardened and tempered then applied with a chemically blacked protective finish and chamfered ends.

Stock No.	Size
33455	1.5mm
33488	2.0mm
33494	2.5mm
33498	3.0mm
33506	3.5mm
33529	4.0mm
33551	5.0mm
33552	5.5mm
33556	6.0mm
33559	7.0mm
33561	8.0mm
33562	9.0mm
33563	10mm
33564	11mm
33565	12mm
33566	13mm
33567	14mm
33568	16mm
33569	17mm
33570	19mm



3 THEX/SG/B

SOFT GRIP 'T' HANDLE HEXAGON AND BALL END KEYS

Expert Quality, keys with hexagon ball end on the long blade and conventional hexagon end on the short blade. Manufactured from chrome vanadium steel hardened and tempered. Soft grip handles for extra comfort. Display packed.

Stock No.	Size	Length
33906	2.0mm	100mm
33907	2.5mm	100mm
33908	3.0mm	100mm
33909	4.0mm	100mm
33910	5.0mm	150mm
33911	6.0mm	150mm
33912	8.0mm	200mm
33913	10mm	200mm



6 KMHK8-MM/B

METRIC HEXAGON KEY SET (8 PIECE)

Manufactured from chrome vanadium steel that's hardened and tempered. Fitted in pocket-size plastic storage holder with non-slip grip.

Contents: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0 and 8.0mm.

Stock No.
33834



1 TKR8M/B

METRIC HEXAGON KEY SET (8 PIECE)

Manufactured from chrome vanadium steel that's hardened and tempered. Each held on key ring holder. Display packed.

Contents: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 5.5 and 6.0mm

Stock No.
33652



2 TKR10A/B

IMPERIAL HEXAGON KEY SET (10 PIECE)

Manufactured from chrome vanadium steel that's hardened and tempered. Each held on key ring holder. Display packed.

Contents: 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16 and 3/8"

Stock No.
33657



3 TKR10M/B

METRIC HEXAGON KEY SET (10 PIECE)

Manufactured from chrome vanadium steel that's hardened and tempered. Each held on key ring holder. Display packed.

Contents: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 5.5, 6.0, 8.0 and 10mm

Stock No.
33655




4 TKR8A/B

IMPERIAL HEXAGON KEY SET (8 PIECE)

Manufactured from chrome vanadium steel that's hardened and tempered. Each held on key ring holder. Display packed.

Contents: 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32 and 1/4"

Stock No.
33653



5 TK14AM/B

METRIC/IMPERIAL HEXAGON KEY SET (14 PIECE)

Manufactured from chrome vanadium steel that's hardened and tempered. Each held on key ring holder. Display packed.

Contents:

Metric = 1.5, 2.0, 3.0, 4.0, 5.0, 5.5 and 6.0mm

Imperial = 1/16, 3/32, 1/8, 5/32, 3/16 and 7/32"

Stock No.
33659



6 TKW7M/B

METRIC HEXAGON POCKET KEY SET (7 PIECE)

Manufactured from chrome vanadium steel that's hardened and tempered. Supplied in steel holder. Display packed.

Contents: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, and 6.0mm

Stock No.
33827



7 LKW7M/B

METRIC HEXAGON KEY SET (7 PIECE)

Hexagon keys manufactured from chrome vanadium steel that's hardened and tempered. Held in plastic storage holder. Display packed.

Contents: 2.0, 3.0, 4.0, 5.0, 6.0, 8.0 and 10.0mm

Stock No.
33690



8 LKW7A/B

IMPERIAL HEXAGON KEY SET (7 PIECE)

Hexagon keys manufactured from chrome vanadium steel that's hardened and tempered. Held in plastic storage holder. Display packed.

Contents: 1/8, 5/32, 3/16, 7/32, 1/4, 5/16 and 3/8"

Stock No.
33693




9 TKW8M/B

METRIC HEXAGON KEY SET (8 PIECE)

Hexagon keys manufactured from chrome vanadium steel that's hardened and tempered. Held in plastic storage holder. Display packed.

Contents: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 5.5 and 6.0

Stock No.
33679



1 TKW8A/B

IMPERIAL HEXAGON KEY SET (8 PIECE)

Manufactured from chrome vanadium steel that's hardened and tempered. Held in plastic storage holder.

Contents: 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32 and 1/4

Stock No.
33685




2 TKW10M/B

METRIC HEXAGON KEY SET (10 PIECE)

Manufactured from chrome vanadium steel that's hardened and tempered. Held in plastic storage holder.

Contents: 2.0, 2.5, 3.0, 4.0, 5.0, 5.5, 6.0, 7.0, 8.0 and 10.0mm

Stock No.
33687



3 TKW10A/B

IMPERIAL HEXAGON KEY SET (10 PIECE)

Manufactured from chrome vanadium steel that's hardened and tempered. Held in plastic storage holder.

Contents: 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16 and 3/8"

Stock No.
33688





4 KW25/B

METRIC/IMPERIAL COMBINED HEXAGON KEY SET (25 PIECE)

Thirteen metric keys standard length and twelve long reach imperial keys. Manufactured from chrome vanadium steel hardened and tempered. Packed in vinyl storage roll.

Contents:

Metric = 1.5, 2.0, 2.5, 3.0, 4.0, 4.5, 5.0, 5.5, 6.0, 7.0, 8.0, 9.0 and 10.0mm;

Imperial = 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16 and 3/8"

Stock No.
33892



5 KW30/B

METRIC/IMPERIAL COMBINED LONG PATTERN HEXAGON KEY SET (30 PIECE)

Manufactured from chrome vanadium steel that's hardened and tempered. The long arm is particularly useful when working in confined spaces and varies in length from 65mm on the 0.7mm/0.028" through to 170mm on the 10mm/ 3/8" size. Display packed in plastic case.

Contents: 0.7, 0.9, 1.3, 1.5, 2.0, 2.5, 3.0, 4.0, 4.5, 5.0, 5.5, 6.0, 7.0, 8.0 and 10.0mm; 0.028, 0.035, 0.050, 1/16, 5/64, 3/32, 7/64, 1/8, 9/64, 5/32, 3/16, 7/32, 1/4, 5/16 and 3/8"

Stock No.
33894



6 ELKW10M/B

METRIC PATTERN HEXAGON KEY SET (10 PIECE)

Manufactured from chrome vanadium steel that's hardened and tempered. Packed in steel case.

Contents: 3 x 124, 4 x 138, 5 x 158, 5.5 x 168, 6 x 178, 8 x 197, 10 x 221, 12 x 248, 14 x 278 and 17 x318mm.

Stock No.
33895





7 HK17

METRIC HEXAGON KEY SET (17 PIECE)

Manufactured from chrome vanadium steel that's hardened and tempered. Comprising two sets; an eight piece set in a fold-out holder with long and short arms and the other a nine piece set with straight arms in a pocket-size holder with non-slip grip. Multiples of six sets only, supplied in countertop display.


Contents:

- Fold-out hexagon key set: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 5.5, 6.0 and 8.0mm.
- Pocket-size hexagon key set: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 5.5, 6.0, 8.0 and 10.0mm.

Minimum order six sets or multiples thereof

Stock No.
31144






1 TBP9M/C

METRIC COLOURED HEXAGON AND BALL END KEY SET (9 PIECE)

Expert Quality, coloured metric ball ended hex keys. Manufactured from chrome vanadium steel, hardened, tempered and chrome plated with a protective coloured rubber coating. Each colour signifies a different size. Supplied in fold-out easy release holder.

Contents: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0 and 10.0mm

Stock No.
66132




2 TKW9M/C

METRIC COLOURED SHORT ARM HEXAGON AND BALL END KEY SET (9 PIECE)

Expert Quality, coloured, short arm, metric ball ended hex keys. Manufactured from chrome vanadium steel, hardened, tempered and chrome plated with a protective coloured rubber coating. Each colour signifies a different size. Supplied in fold-out easy release holder.

Contents: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0 and 10.0mm

Stock No.
66126




3 TBPL9M/C

METRIC COLOURED EXTRA LONG HEXAGON AND BALL END KEY SET (9 PIECE)

Expert Quality, coloured extra long metric ball ended hex keys. Manufactured from chrome vanadium steel, hardened, tempered and chrome plated with a protective coloured rubber coating. Each colour signifies a different size. Supplied in fold-out easy release holder.

Contents: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0 and 10.0mm

Stock No.
66134



4 HB9MM/C


METRIC COLOURED HEXAGON AND BALL END KEY SET (9 PIECE)

Expert Quality, key set with hexagon ball end on the long arm and conventional hexagon end on the short arm. Blades manufactured from S2 steel hardened and tempered with a coloured satin finish. Each colour signifies a different size. Supplied in fold-out easy release holder. Display packed.

Contents: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0 and 10.0mm

Stock No.
22203





HOLDER CAN BE WALL MOUNTED

1 HB9MM

METRIC HEXAGON AND BALL END HEXAGON KEY SET (9 PIECE)

Hexagon keys with ball end on the long arm and conventional ends on short arm. The ball type hexagon tip allows the hexagon key to be used up to 30° angle from the screwhead recess. Manufactured from chrome vanadium steel that's hardened and tempered then applied with a chemically blacked finish. Supplied in fold-out easy release holder which can be wall-mounted.

Contents: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 8.0 and 10.0mm

Stock No.
08380



HOLDER CAN BE WALL MOUNTED


2 HB12AF

IMPERIAL HEXAGON AND BALL END HEXAGON KEY SET (12 PIECE)

Hexagon keys with ball end on the long arm and conventional ends on short arm. The ball type hexagon tip allows the hexagon key to be used up to 30° angle from the screwhead recess. Manufactured from chrome vanadium steel that's hardened and tempered then applied with a chemically blacked finish. Supplied in fold-out easy release holder which can be wall-mounted.

Contents: 1/16, 5/64, 7/64, 9/64, 5/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16 and 3/8".

Stock No.
08381



3 TBPL10M/B

EXTRA LONG METRIC HEXAGON AND BALL END HEXAGON KEY SET (10 PIECE)

Hexagon keys with ball end on the long arm and conventional ends on short arm. The ball type hexagon tip allows the hexagon key to be used up to 30° angle from the screwhead recess. Manufactured from chrome vanadium steel that's hardened and tempered. Held in plastic storage holder.

Contents: 2.0, 2.5, 3.0, 4.0, 5.0, 5.5, 6.0, 7.0, 8.0 and 10.0mm

Stock No.
33719



4 TBTL10A/B

EXTRA LONG IMPERIAL HEXAGON AND BALL END HEXAGON KEY SET (10 PIECE)

Hexagon keys with ball end on the long arm and conventional ends on short arm. The ball type hexagon tip allows the hexagon key to be used up to 30° angle from the screwhead recess. Manufactured from chrome vanadium steel that's hardened and tempered. Held in plastic storage holder.

Contents: 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16 and 3/8"

Stock No.
33723




5 TBP10M/B

METRIC HEXAGON AND BALL END HEXAGON KEY SET (10 PIECE)

Hexagon keys with ball end on the long arm and conventional ends on short arm. The ball type hexagon tip allows the hexagon key to be used up to 30° angle from the screwhead recess. Manufactured from chrome vanadium steel that's hardened and tempered. Held in plastic storage holder. Display packed.

Contents: 2.0, 2.5, 3.0, 4.0, 5.0, 5.5, 6.0, 7.0, 8.0 and 10.0mm

Stock No.
33694



6 TBP10A/B

IMPERIAL HEXAGON AND BALL END HEXAGON KEY SET (10 PIECE)

Hexagon keys with ball end on the long arm and conventional ends on short arm. The ball type hexagon tip allows the hexagon key to be used up to 30° angle from the screwhead recess. Manufactured from chrome vanadium steel that's hardened and tempered. Held in plastic storage holder.

Contents: 1/16, 5/64, 3/32, 1/8, 5/32, 3/16, 7/32, 1/4, 5/16 and 3/8"

Stock No.
33716



7 TKB-MM/B

METRIC HEXAGON AND BALL END HEXAGON KEYS

Hexagon keys with ball end on the long arm and conventional ends on short arm. The ball type hexagon tip allows the hexagon key to be used up to 30° angle from the screwhead recess. Manufactured from chrome vanadium steel that's hardened and tempered. Sold loose.

Stock No.	Size
33591	2.0mm
33601	2.5mm
33602	3.0mm
33603	4.0mm
33604	5.0mm
33605	5.5mm
33612	6.0mm
33615	7.0mm
33617	8.0mm
33618	10mm



8 KMHK8B-M/B

BALL END METRIC HEXAGON KEY SET (8 PIECE)

Manufactured from chrome vanadium steel that's hardened and tempered. The ball end tip allows the hexagon key to be used up to 30° angle from the screwhead recess. Fitted in pocket-size plastic storage holder with non-slip grip. Display packed.


Contents: 1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0 and 8.0mm.

Stock No.
33837

QUALITY STAPLERS AND TACKERS

Our range of stapling, tacking and nailing tools cater for all levels of use. Whether tacking cables, reupholstering furniture or felting a roof, we provide a stapler for the job.

The length of the staple used in the stapler/tacker is an indication of the power of the device. The illustrations on the right identify the key attributes of the staples ie; height, thickness and width of the staple. All of these products can be used as a tacker to drive straight-legged staples into wood or similar materials and those with an anvil can be used as an office stapler as they bend the legs of the staples over, binding the paper together.



Height of the staple | Thickness of the staple | Width of the staple



1 ST1/B

HEAVY DUTY STAPLE GUN/TACKER

Expert Quality, heavy duty model with adjustable power control and slip-on stitch anvil. All steel construction with a nickel plating and a soft grip handle. Uses 6 to 14mm staples and is supplied with 144 x 8mm and 144 x 12mm staples and staple remover. Display packed.

Stock No.	Part No.	Description
63638	ST1/B	Staple Gun/Tacker
13954	1006HD	Staples - 6mm
13955	1008HD	Staples - 8mm
13956	1010HD	Staples - 10mm
13957	1012HD	Staples - 12mm
13958	1014HD	Staples - 14mm



2 ST3/B

WIRING CABLE/TACKER (LOW VOLTAGE WIRES ONLY)

Suitable for fastening low voltage wires, i.e. television/ radio aerial cables and telephone leads. Use 10 and 14mm cable/wiring staples when tacking low voltage wiring cables. Can also be used as a traditional stapler with flat staples 8-12mm.

NB: Not to be used for fastening mains electricity cables.

Stock No.	Part No.	Description
63639	ST3/B	Wiring Tacker
13961	6210	Wiring Staples - 10mm
13962	6214	Wiring Staples - 14mm
66084	ST3/B/FS8	Staples - 8mm
66085	ST3/B/FS10	Staples - 10mm
66088	ST3/B/FS12	Staples - 12mm



NEW

3

ALL-IN-ONE WIRING/CABLE TACKER

Specialist tacker for wires and cables. A lightweight, quick, one-handed alternative to cable clips. Ideal for fastening low voltage cables such as speaker, telephone, antenna or computer cables. For use with round cables 4-6mm or 6-8mm and flat wire 2.5 - 4mm width < 8mm or 4.5 - 6.3mm width< 10.3mm.

Stock No.	Description
01043	Tacker
01045	Staples 4-6mm
01046	Staples 6-8mm



4 ST5/B

TACKER/NAILER

Light yet robust, dual purpose tacker/nailer. Pressed steel body with an ergonomic handle, safety lock system and adjustable power control. Uses 6-14mm staples or 14mm 'I' nails (supplied separately).

Stock No.	Part No.	Description
63650	ST5/B	Stapler/Nailer
13959	1006	Staples - 6mm
13960	1008	Staples - 8mm
48951	10010	Staples - 10mm
48952	10012	Staples -12mm
48953	10014	Staples - 14mm
66089	ST/IN14	'I' Nails - 14mm



5 ST2/B

STAPLE GUN/TACKER

Compact yet robust dual-purpose tacker, which coverts to staple gun. The pressed steel body has a 2-tone painted finish and is attached with a PVC soft grip handle. Suitable for flat crown staples: 4-14mm leg, 11.3mm crown, 0.7mm thickness. Display packed.

Stock No.	Part No.	Description
63660	ST2/B	Staple Gun/Tacker
13959	1006	Staples - 6mm
13960	1008	Staples - 8mm
48951	10010	Staples - 10mm
48952	10012	Staples -12mm
48953	10014	Staples - 14mm



6 STO/1

LIGHTWEIGHT TACKER

Suitable for a wide range of DIY applications including upholstery. Uses 4, 6 and 8mm long light duty staples and is Supplied with 200 x 8mm staples. Display packed.

Stock No.	Part No.	Description
56027	STO/1	Staple Gun
13959	1006	Staples - 6mm
13960	1008	Staples - 8mm



1 RHAMT

ROOFING HAMMER TACKER

Expert Quality, heavy duty roofing hammer tacker, ideal for fitting breather membranes and insulation. Robust enough to be used as a hammer enabling protruding staples or tacks to be pushed home. Chrome plated with ergonomic, strong yet comfortable non slip, handle grip. Quick release button loads two full strips of T50 staples. Fitted with a low staple indicator. Uses staples 6-14mm and ARROW T50 staples.

Stock No.	Part No.	Description
63668	RHAMT	Hammer Tacker
13954	1006HD	Staples - 6mm
13955	1008HD	Staples - 8mm
13956	1010HD	Staples - 10mm
13957	1012HD	Staples - 12mm
13958	1014HD	Staples - 14mm



2 HAMT/B

HAMMER TACKER

Ideal for carpet underlay, roofing felt, breather membrane and foil insulation. Fitted with a power spring and handle grip. Uses Draper 6mm, 8 and 10mm long staples.

Stock No.	Part No.	Description
63667	HAMT/B	Hammer Tacker
13959	1006	Staples -6mm
13960	1008	Staples -8mm
48951	10010	Staples - 10mm





3 SR1

HEAVY DUTY STAPLE REMOVER

For the removal of large heavy gauge staples. Large metal anvil with ergonomic plastic handle. Display packed.

Stock No.
43275






4


STEEL STAPLES

Boxes of general duty staples for use with Draper and other manufacturers staplers/tackers.

Staples - Order number of boxes required (1000 staples per box)

Stock No.	Part No.	Leg Length
13959	1006	6mm
13960	1008	8mm
48951	10010	10mm
48952	10012	12mm
48953	10014	14mm






5


HEAVY DUTY STEEL STAPLES

Boxes of heavy duty staples for use with the following Staple thickness 2mm (approx.). Sold in boxes of 1000 staples per box.

Staples - Order number of boxes required (1000 staples per box)

Stock No.	Part No.	Leg Length
13954	1006HD	6mm
13955	1008HD	8mm
13956	1010HD	10mm
13957	1012HD	12mm
13958	1014HD	14mm






6


CABLE WIRING STAPLES

For use with Draper wiring cable/tacker and other manufacturers similar wiring cable/tackers.

Staples - Order number of boxes required (1000 staples per box)

Stock No.	Part No.	Leg Length
13961	6210	10mm
13962	6214	14mm






7

HEAVY DUTY STEEL STAPLES

Boxes of heavy duty staples for use with Draper and other manufacturers staplers/tackers.

Staples - Order number of boxes required (1000 staples per box)

Stock No.	Part No.	Leg Length
66084	ST3/B/FS8	8mm
66085	ST3/B/FS10	10mm
66088	ST3/B/FS12	12mm



NEW

8

INSULATED CABLE STAPLES

For use with Draper 01043 cable tacker and other manufacturers similar cable tackers.

Staples - Order number of boxes required (100 staples per box)

Stock No.	Size
01045	Staples 4-6mm
01046	Staples 6-8mm





1 PK4

DUAL EDGE POCKET KNIFE

Expert Quality, reinforced nylon handle, dual serrated and smooth edge lockable stainless steel blade. Display packed.

Stock No.	Closed Size
66255	106mm



2 PK7

SHEEPFOOT POCKET KNIFE

Expert Quality, suitable for gardening, wire stripping and various heavy duty cutting applications. Reinforced nylon handle and stainless steel blade. Display packed.

Stock No.	Closed Size
66258	106mm



3 PK6

ELECTRICIANS POCKET KNIFE

Expert Quality, for wire stripping and various heavy duty cutting applications. Reinforced nylon handle. Two wire strippers are located on the stainless steel spear blade. Display packed.

Not for use on LIVE wires

Stock No.	Closed Size
66257	106mm



4 JK1

SLIMLINE PRUNING KNIFE

Suitable for general and gardening cutting applications. Supplied with 350mm long lanyard. Display packed.

Stock No.	Closed Size
67068	100mm



5 D117C

SHOE (OR LEATHER) KNIFE

Flexible polished steel blade, securely held to wood handle with two rivets. Belt Holster available separately (stock number 17589). Display packed.

Stock No.	Description
80201	Knife
17589	Belt Holster





6 D7

HACKING (OR LEAD) KNIFE

Heavy polished steel blade with broad striking back and cutting edge. Handle which is securely fixed with two rivets to the full length blade tang. Belt Holster available separately (stock number 17588). Display packed.

Stock No.	Description
63707	Knife
17588	Belt Holster



7 TK243

RETRACTABLE TRIMMING KNIFE

Retractable pattern with blade lock facility, variable depth cut and Supplied with two notch blade in handle. Half silvered aluminium/half soft grip plastic housing. Display packed.

Stock No.
82835


"SAFE BLADE RETRACTOR" KNIFE


"DAVE SAYS" QUALITY MAKES THE DIFFERENCE



'SAFE BLADE RETRACTOR' FEATURE

This knife has a clever safety feature which retracts the blade immediately the blade disengages from the workpiece, reducing the risk of injury. Safety is our prime concern.





8 TK236Q

SOFT GRIP TRIMMING KNIFE WITH 'SAFE BLADE RETRACTOR' FEATURE

Expert Quality, retractable pattern with special blade feature allows blade to retract automatically when surface contact is lost even when thumb pressure is maintained. Diecast zinc alloy body with anti-slip soft grip handle for user comfort. Supplied with five spare blades. Display packed.

Stock No.
82833



1 TK213

AUTO RETRACTING TRIMMING KNIFE

Retractable pattern complete with a two notch blade which retracts automatically when released. Diecast zinc alloy with enamelled finish. Display packed.

Stock No.
66274



2 TK203

RETRACTABLE TRIMMING KNIFE

Retractable pattern complete with five blades. Diecast zinc alloy with enamelled finish. Display packed.

Stock No.
11529



3 TK219

FIXED BLADE TRIMMING KNIFE

Fixed blade pattern complete with five two notch blades in handle. Die-cast zinc alloy body. Display packed.

Stock No.
23222



SUPPLIED WITH PLASTIC BELT HOLDER



4 TK212

HEAVY DUTY RETRACTABLE TRIMMING KNIFE WITH QUICK CHANGE BLADE FACILITY

Retractable pattern with heavy duty aluminium diecast handle. Blade can be changed by a simple twist of the handle end (no screw). Supplied with plastic belt holder. Display packed.

Stock No.
55059



5 TK237

RETRACTABLE TRIMMING KNIFE

Retractable pattern complete with five two notch blades in holder. Diecast zinc alloy body. Display packed.

Stock No.
02890

LEGAL INFORMATION - KNIVES

WARNING - Knives or other articles with a blade or sharp point must not be sold to persons under age. It's the law (Offensive Weapons Act 1996 and the Violent Crime Reduction Act 2006).





6 TK217/24C

EASY FIND RETRACTABLE TRIMMING KNIVES

Retractable blade trimming knives with red, yellow, green or orange handles. Each knife has two blades in handle. Multiples of 24 only, supplied in countertop display comprising six of each colour.

Minimum order 24 or multiples thereof

Stock No.
75285



DRAPER Expert

7 TK242

FOLDING TRIMMING KNIFE

Expert Quality, anodized body with safety locking mechanism and belt clip. Blade folds back into knife body for safety. Supplied with five spare blades. Display packed.

Stock No.
02896



DRAPER Expert NEW

8 FTKW

FOLDING TRIMMING KNIFE

Expert Quality, with a comfortable smooth hardwood handle. Fitted with a safety locking mechanism and belt clip. Blade is easily and quickly changed by simply pressing a button.

Stock No.
94268





9 FTKC/OG

FOLDING TRIMMING KNIFE


Soft grip body with safety locking mechanism and belt clip. Blade folds back into knife body for safety. Supplied in countertop dispenser in equal quantities of green and orange.

Minimum order 12 or multiples thereof

Stock No.
24424

PRODUCT LOCATOR

Our precision knives work even better when used in conjunction with our cutting mat, which can be found on page 673. Not only does the mat protect the surface you're cutting on, but it helps the blade follow the path you wish to cut and has a self-healing feature, helping prolong the life of the mat.





1 FTK/A

NEW

FOLDING TRIMMING KNIFE

Safety locking mechanism with a blade folds back into the knife body for safety. Featuring a push button locking system that prevents the knife from being opened or closed accidentally. Display packed.

Stock No.
02015



2 FTKB

FOLDING TRIMMING KNIFE

Anodized body with safety locking mechanism and belt clip. Blade folds back into knife body for safety. Display packed.

Stock No.
06866



3 FTKC

FOLDING TRIMMING KNIFE

Safety locking mechanism and belt clip. Blade folds back into knife body for safety. Featuring a push button locking system that prevents the knife from being opened or closed accidentally. Display packed.

Stock No.
24383

4 TK200HD

DISPENSER OF 10 TWO NOTCH TRIMMING KNIFE/ WINDOW SCRAPER BLADES

Reversible polished steel blades with accurately ground cutting edge. Packed in plastic dispenser. Suitable for use with Draper Trimming Knives Stock Nos. 02888, 02889, 02890, 02895, 02896, 08684, 11529, 19961, 31484, 54882, 54883, 55059, 66274, 69020, 71192 and 75285. Also fits Draper Window Scrapers Stock Nos. 13470 and 39004. Display packed.

Stock No.
43388



5 TK200HD/D100

DISPENSER OF 100 TWO NOTCH TRIMMING KNIFE/ WINDOW SCRAPER BLADES

Reversible polished steel blades with accurately ground cutting edge. Packed in plastic dispenser. Suitable for use with Draper Trimming Knives Stock Nos. 02888, 02889, 02890, 02895, 02896, 08684, 11529, 19961, 31484, 54882, 54883, 55059, 66274, 69020, 71192 and 75285. Also fits Draper Window Scrapers Stock Nos. 13470 and 39004. Display packed.

Stock No.
88629



SPARE BLADES FOR TRIMMING KNIVES AND WINDOW SCRAPERS

Reversible polished steel blades with accurately ground cutting edges.

Stock No	Part No	Type	Packed	Suitable for Stock Numbers		
13499	TK200HD	2 notch	5 blades per card	02888 02889 02890 02895 02896 03242 05589 06866 08694 11529 19961 25353 31484 54882 54883 55059 66274 69020 71192 75285		
19837	TK200HD	2 notch	1 box of 100 blades			
73203	WS-SB	2 notch	5 blades per card			
20388	TK200B	2 notch	10 blades per card			
63757	TK200D (hooked)	2 notch	5 blades per card			




"PAUL SAYS" QUALITY ASSURANCE MAKES THE DIFFERENCE

All Draper Tools' 'Premium Gold' trimming knife blades have a thick titanium coating on their (hardened and polished) cutting edge, which delivers greater precision and extra longevity.



"PREMIUM GOLD" TRIMMING KNIFE BLADES




6 TKPG/10

PACK OF 10 'PREMIUM GOLD' TWO NOTCH TRIMMING KNIFE BLADES

Expert Quality, reversible polished heavy-duty steel blades with precision ground and hardened cutting edge. Produces accurate cuts time after time. Packed in plastic dispenser. Display packed.

Stock No.
54222



7 TKPG/10H

PACK OF 10 'PREMIUM GOLD' TWO NOTCH HOOKED TRIMMING KNIFE BLADES

Expert Quality, reversible polished heavy-duty steel blades with precision ground and hardened cutting edge. Produces accurate cuts time after time. Packed in plastic dispenser. Display packed.

Stock No.
54225





1 FS

EASY FIND PACKAGING CUTTERS

Safety cutter for opening boxes, strapping and film. Blade is shielded to prevent personal accidents. Red, yellow, green or orange plastic handles. Length 165mm. Multiples of 24 only, supplied in countertop display comprising six of each colour.

Minimum order 24 or multiples thereof

Stock No.
45278



2 EPC

PACKAGING CUTTER

Soft grip safety cutter with shielded blade preventing personal accidents. Ideal for cutting packaging strapping, film and opening boxes. Display packed.

Stock No.	Description
24308	Cutter
24429	Spare Blades



3 TK244

SOFT GRIP 9mm RETRACTABLE SEGMENT BLADE KNIFE

Expert Quality, for intricate work. Zinc alloy body with soft grip and a twelve segment blade incorporating a metal guide shroud for extra protection. Includes push button blade positioner, segment break off recess and two spare blade strips. Display packed.

Spare blades - order number of strips required. (10 per strip)

Stock No.	Description
82836	Knife
13095	Pack of 10 x 9mm Blades



4 TK245

SOFT GRIP 18mm RETRACTABLE SEGMENT BLADE KNIFE

Expert Quality, zinc alloy body with soft grip and a seven segment blade incorporating a metal guide shroud for extra protection. Includes push button blade positioner, segment break off recess and two spare blade strips. Display packed.

Spare blades - order number of strips required. (10 per strip)

Stock No.	Description
83436	Knife
13094	Strip 10 x 18mm Blades



5 3600A

SOFT GRIP 9mm RETRACTABLE SEGMENT BLADE KNIFE

For intricate work. Impact resistant plastic body with soft grip and a twelve segment blade incorporating a metal guide shroud for extra protection. Includes push button blade positioner, segment break off recess and four spare blade strips. Display packed.

Spare blades - order number of strips required. (10 per strip)

Stock No.	Description
72145	Knife
13095	Pack of 10 x 9mm Blades



6 3500A

SOFT GRIP 18mm RETRACTABLE SEGMENT BLADE KNIFE

Impact resistant plastic body with soft grip and a seven segment blade incorporating a metal guide shroud for extra protection. Includes push button blade positioner, segment break off recess and five spare blade strips. Display packed.

Spare blades - order number of strips required. (10 per strip)

Stock No.	Description
72144	Knife
13094	Pack of 10 x 18mm Blades

LEGAL INFORMATION - KNIVES

WARNING - Knives or other articles with a blade or sharp point must not be sold to persons under age. It's the law (Offensive Weapons Act 1996 and the Violent Crime Reduction Act 2006).



7 PMT9

POCKET MULTI-TOOL (14 FUNCTION)

A multi-tool ideal for everyday use and a host of additional activities. The tool folds down into a canvas storage pouch with belt loops for convenience. Functions: long nose plier, wire cutter, small/medium/large plain slot screwdrivers, file, knife, cross slot screwdriver, bottle opener, can opener, saw, rule, fish descaler, hook remover. Display packed.

Stock No.
32398



8 PMT8

POCKET MULTI-TOOL (13 FUNCTION)

Ideal for everyday use and a host of additional activities. The tool folds down and is stored in a canvas storage pouch fitted with belt loops for convenience. Functions: long nose pliers, wire cutters, wire stripper, file, small knife, larger knife, large/medium/small plain slot screwdrivers, cross slot screwdriver, bottle opener, can opener, saw. Display packed.

Stock No.
32373



1 9008

CARBON FIBRE SHAFT CLAW HAMMERS

Expert Quality, fully polished face solid forged head from fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Carbon fibre shaft fitted with comfortable shock-absorbing double injection PP/TPR grip for anti-vibration protection. Sold Loose.

Stock No.	Weight
26197	450g (16oz)
26199	560g (20oz)



2 8985A

SOLID FORGED ANTI-SHOCK CLAW HAMMERS

Expert Quality, fully polished solid forged head and shaft from one single piece fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Fitted with comfortable shock-absorbing double injection PP/TPR grip for anti-vibration protection. Sold Loose.

Stock No.	Weight
63404	450g (16oz)
63405	560g (20oz)



3 8988

SOLID FORGED SOFT GRIP CLAW HAMMERS

Expert Quality, fully polished solid forged head and shaft from one single piece fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Fitted with comfortable shock-absorbing double injection PP/TPR grip for anti-vibration protection. Sold Loose.

Stock No.	Weight
21283	450g (16oz)
21284	560g (20oz)



4 8960

CLAW HAMMERS

Expert Quality, fully polished solid forged head from fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Hardened tubular shaft fitted with shock absorbing vinyl grip. Sold Loose.

Stock No.	Weight
19249	225g (8oz)*
13975	450g (16oz)
13976	560g (20oz)



5 FG1A

FIBREGLASS SHAFT CLAW HAMMERS

Expert Quality, polished face solid forged head from fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Solid fibreglass core shaft fitted with shock absorbing PP/TPR grip. Sold Loose.

Stock No.	Weight
62163	450g (16oz)
63347	560g (20oz)



6 9001

CLAW HAMMERS

Polished face solid forged head from fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Hardened tubular shaft fitted with shock absorbing vinyl grip. Sold Loose.

Stock No.	Weight
51223	450g (16oz)
63346	560g (20oz)



7 6213

HICKORY SHAFT CLAW HAMMERS

Polished face solid forged head from fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Natural straight grained hickory shaft sanded and lacquered. Sold Loose

Stock No.	Weight
42496	450g (16oz)
42503	560g (20oz)



8 CHS/EFG

450g (16oz) EASY FIND CLAW HAMMERS

Fully polished solid forged head from fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Hardened tubular shaft fitted with Easy Find colour vinyl grip.

Minimum order 16 or multiples thereof

Stock No.
78432

"PAUL SAYS" QUALITY ASSURANCE MAKES THE DIFFERENCE

ALL DRAPER HAMMERS ARE MANUFACTURED GENERALLY IN ACCORDANCE WITH BS876...



...and are regularly tested by our Quality Control Department and independently certified by a fully approved test house. Some of the exhaustive tests are shown below.



Nail extraction test for claw hammer



Soundness of assembly test



Hammer head is sliced to facilitate hardness testing of both the striking face and at 3mm depth



Measuring hardness of the striking face



1 9011

CARBON FIBRE SHAFT BALL PEIN HAMMERS

Expert Quality, polished solid forged head from fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Carbon fibre shaft fitted with comfortable shock-absorbing double injection PP/TPR grip for anti-vibration protection. Sold Loose

Stock No.	Weight
26205	450g (16oz)
26328	680g (24oz)
26331	900g (32oz)



2 FG2A

FIBREGLASS SHAFT BALL PEIN HAMMERS

Expert Quality, polished face solid forged head from fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Solid fibreglass core shaft fitted with shock absorbing PP/TPR grip. Sold Loose.

Stock No.	Weight
63348	450g (16oz)
63349	680g (24oz)
62164	900g (32oz)



3 6210A

GENERAL PURPOSE BALL PEIN HAMMERS

Polished face solid forged head from fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Natural straight grained hickory shaft sanded and lacquered. Sold Loose

Stock No.	Weight
64588	225g (8oz)
64589	340g (12oz)
64590	450g (16oz)
64591	680g (24oz)
64592	900g (32oz)



4 6211A

110g (4oz) BALL PEIN PIN HAMMER

Polished solid forged head from fine grain high carbon steel correctly hardened and tempered, bell, cheeks and pein polished with a lacquer coating for rust protection. Natural straight grained hickory shaft sanded and lacquered. Sold Loose.

Stock No.
64593



5 6212A/L

110g (4oz) CROSS PEIN PIN HAMMER

Polished solid forged head from fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Natural straight grained hickory shaft sanded and lacquered. Sold Loose.

Stock No.
33888



6 6215A

225g (8oz) JOINERS (OR WARRINGTON) HAMMER

Polished solid forged head from fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Natural straight grained hickory shaft sanded and lacquered. Sold Loose.

Stock No.
64595



7 TH7

190g (7oz) MAGNETIC TACK HAMMER

Expert Quality, polished solid forged head from fine grain high carbon steel correctly hardened and tempered, magnetic forked face with a lacquer coating for rust protection. Natural straight grained hickory shaft sanded and lacquered. Sold Loose

Stock No.
19724



8

FIBREGLASS SHAFT CLUB HAMMERS

Expert Quality, polished face solid forged head from fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Solid fibreglass core shaft fitted with shock absorbing PP/TPR grip. Sold Loose.

Stock No.	Part No.	Weight
63350	FG3A	1.0kg (2.2lb)
30672	FG3A/L	1.8kg (4.0lb)



9 FG3/B

FIBREGLASS SHAFT CLUB HAMMERS

Polished face solid forged head from fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Solid fibreglass core shaft fitted with shock absorbing rubber grip. Sold Loose.

Stock No.	Part No.	Weight
81440	FG3/B	1.0kg (2.2lb)
81443	FG3/B	1.8kg (4.0lb)



10 190T

HICKORY SHAFT CLUB HAMMERS

Expert Quality, polished face solid forged head from fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Natural straight grained hickory shaft sanded and lacquered. Sold Loose.

Stock No.	Weight
51281	1.0kg (2.2lb)
51299	1.8kg (4lb)



11 190T/B

HICKORY SHAFT CLUB HAMMERS

Polished face solid forged head from fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Natural straight grained hickory shaft sanded and lacquered. Sold Loose.

Stock No.	Part No.	Weight
81431	190T/B	1.0kg (2.2lb)
81432	190T/B	1.8kg (4lb)



12 DBH

1kg (2.2lb) DEAD BLOW HAMMER

Expert Quality, manufactured from high quality SBR material which is oil and cold resistant. Hollow head has steel particles helping to prevent rebound. Sold loose.

Stock No.
37324



1 CRM/FG

RUBBER HEAD MALLETS WITH FIBREGLASS SHAFTS

Expert Quality, combination mallet with non-marking rubber head. Fitted with a fibreglass shaft. Perfect for use on sensitive surfaces. Sold loose.

Stock No.	Weight
53021	450g (16oz)
53029	620g (24oz)
53035	800g (32oz)




2 RM/NMFG

680g (24oz) NON-MARKING RUBBER HEAD MALLET WITH FIBREGLASS SHAFT

Expert Quality, fibreglass shaft with shock-absorbing rubber hand grip. The non-marking head is ideal for use when using on sensitive or easily marked surfaces. Sold loose.

Stock No.
09119



3 RM750FG

680g (24oz) RUBBER MALLET WITH FIBREGLASS SHAFT

Expert Quality, with rubber head, fibreglass shaft with shock-absorbing rubber hand grip. Particularly useful for use when laying paving, camping etc. Sold loose.

Stock No.
72020



4 RM956/2

HARDWOOD SHAFT RUBBER MALLETS

Manufactured with a heavy duty rubber head, that's securely fitted to a hardwood shaft by a fixed pin. Sold loose

Stock No.	Weight
51095	410G (14.5oz)
78614	620G (24oz)
78615	800G (32oz)



5 DWH/SG

400g (14oz) SOFT GRIP DRYWALL HAMMER

Expert Quality, polished and ground solid forged round face and cutting edge from fine grain carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Fitted with comfortable PP/TPR grip for anti-vibration protection. Sold Loose.

Stock No.
09121



6 9019

BRICKLAYERS HAMMERS

Expert Quality, polished and ground solid forged head and cutting edge from fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Hardened tubular shaft fitted with shock absorbing vinyl grip. Sold Loose.

Stock No.	Weight
00353	450g (16oz)
13964	560g (20oz)



7 DESH

DOUBLE-ENDED SCUTCH HAMMER

Solid forged double ended scutch hammer from fine grain high carbon steel correctly hardened and tempered. Fitted with 1 plain and 1 combed scutch. Hardened tubular shaft fitted with shock absorbing vinyl grip. Sold Loose.

Stock No.
57539



8 BSH

SINGLE ENDED SCUTCH HAMMER

Solid forged single ended scutch hammer, made from fine grain high carbon steel correctly hardened and tempered fully painted with combed scutch fitted and machined face. Natural straight grained hickory shaft sanded and lacquered. Sold Loose.

Stock No.
11504





9 210D

COPPER/RAWHIDE FACED HAMMERS

Expert Quality, with a heavy malleable iron head fitted with a copper and a rawhide face. The copper face is especially suitable for dismantling and assembly work where it will help to avoid damaging component parts. The rawhide face is ideal for use on materials where bruising needs to be avoided. An excellent dual purpose hammer. Shaped wood shaft. Sold loose.

Stock No.	Description
20070	680g (24oz) hammer
20088	1100g (38oz) hammer
20850	Rawhide Face for 20070
21826	Copper Face for 20070
21825	Rawhide Face for 20088
21827	Copper Face for 20088



10 9901R

680g (24oz) SOFT FACED HAMMER

Expert Quality, for use on a wide variety of materials where no surface marking is required. The head is chrome plated and is Supplied with replaceable screw-in 38mm diameter faces of soft plastic and nylon. The unbreakable nylon handle has a nonslip PVC grip. Sold loose.

Stock No.	Part No.	Description
72027	9901R	Hammer
72028	9901AR	Spare Nylon Face
72029	9901BR	Spare Plastic Face



11 305/L

480g (17oz) BEECHWOOD MALLET

Solid head and angled striking faces. Tapered morticed shaft. Average face size 80 x 55mm. Sold loose.

Stock No.
45237



1 FG4S/L

1.8kg (4lb) FIBREGLASS SHORT SHAFT SLEDGE HAMMER

Expert Quality, polished face solid forged head from fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Solid fibreglass core shaft fitted with shock absorbing PP/TPR grip. Sold Loose.

Stock No.	Length
09937	400mm



2 FG4S/B

1.8kg (4lb) FIBREGLASS SHORT SHAFT SLEDGE HAMMER

Polished face solid forged head from fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Solid fibreglass core shaft fitted with shock absorbing rubber grip. Sold Loose.

Stock No.	Length
81436	400mm



3 FG4/L

FIBREGLASS SHAFT SLEDGE HAMMERS

Expert Quality, forged from fine grain carbon steel correctly hardened and tempered with a polished and lacquered head. Fibreglass shaft fitted with comfortable shock-absorbing rubber grip. Sold loose.

Stock No.	Weight
09938	3.2kg (7lb)
09939	4.5kg (10lb)
09940	6.4kg (14lb)



4 FG4/B

FIBREGLASS SHAFT SLEDGE HAMMERS

Forged from high carbon steel correctly hardened and tempered with a polished face. Fitted with a fibreglass shaft attached with a comfortable shock absorbing grip. Sold loose.

Stock No.	Weight
81433	3.2kg (7lb)
81434	4.5kg (10lb)
81435	6.4kg (14lb)



5 6220/L

HICKORY SHAFT SLEDGE HAMMERS

Expert Quality, polished face solid forged head from fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Natural straight grained hickory shaft sanded and lacquered. Sold Loose.

Stock No.	Weight
09948	3.2kg (7lb)
09949	4.5kg (10lb)
09950	6.4kg (14lb)



6 6220/B

HICKORY SHAFT SLEDGE HAMMERS

Polished face, high carbon steel solid forged head, that's correctly hardened and tempered with a lacquer coating for rust protection. Natural straight grained hickory shaft sanded and lacquered. Sold Loose.

Stock No.	Weight
81428	3.2kg (7lb)
81429	4.5kg (10lb)
81430	6.4kg (14lb)



7 CCB/FSC

BUILDERS KIT WITH HICKORY HANDLE (3 PIECE)

Kit comprising of 1kg club hammer with polished face solid forged head, made from fine grain high carbon steel that's correctly hardened and tempered then applied with a lacquer coating for rust protection. Natural straight grained hickory shaft sanded and lacquered. 75mm bolster and 25mm cold chisel both manufactured to BS3066: 1995.

Contents: • 1kg club hammer with hickory handle • 75mm bolster • 25mm cold chisel

Stock No.
26120



SPECIALIST HAMMERS/MALLETS

A 6kg Paviors Rubber Mallet for laying kerbstones, flagstones and paving slabs, and a purpose-designed fencing hammer for driving wooden fence posts into the ground.



1 PM

6kg PAVIORS RUBBER MALLET

Rubber head and hardwood shaft. Overall length 1055mm. Face diameter 125mm. Sold loose.

Stock No.
78453

2 FHFGS/P

5.4kg (12lb) FIBREGLASS SHAFT FENCING HAMMER

Cast iron head with polypropylene coated fibreglass shaft. Head width 130mm. Shock-absorbing rubber grip. Sold loose.

Not to be used to hammer in metal posts

Stock No.
81065

FOUR DIFFERENT SHAFT TYPES AVAILABLE... PEIN/JOINERS, BALL/PEIN, CLAW AND CLUB



3

HICKORY HAMMER SHAFTS

A collection of straight grained hickory hammers shafts. All sanded and waxed for added comfort and strength and supplied with a suitable wedge. Display packed.

Stock No.	Length	Hammer Used With
10941	305mm	Pein/Joiners
31153	400mm	Ball/Pein
10942	330mm	Claw
31149	225mm	Club



4 FG-PH

FIBREGLASS PICK AXE/MATTOCK SHAFT

915mm pick axe shaft, made from high density polyethylene covered fibreglass. The fibreglass core contains 60% continuous unidirectional and longitudinal glass fibres. Attached with a soft grip rubber handle. Sold loose.

Stock No.
85210



5 215/HICK

915mm HICKORY PICK AXE/MATTOCK SHAFT

Straight grained hickory, sanded and waxed. Eye size 78 x 54mm. Sold loose.

Stock No.
05161



6 214

900mm HICKORY SLEDGE HAMMER SHAFT

Straight grained hickory shaft sanded and waxed. Eye size 43 x 30mm. Suitable for all weights of sledge hammer. Sold loose.

Stock No.
67270



7 6225

3.2kg PICK AXE HEAD

Forged steel, chisel and point pattern. Eye size 70 x 50mm. Will accept standard pick axe shafts. Sold loose.

Stock No.	Part No.	Description
13702	6225	Pick Axe Head
05161	215/HICK	Hickory Shaft
82430	215/COMS	Hickory Composite



8 CM

2.27kg MATTOCK HEAD

For chopping tree roots and digging heavy soil. Forged steel with 65mm chisel tip and 90mm wide blade. Eye size 70 x 50mm. Will accept standard pick axe shafts. Sold loose.

Stock No.	Part No.	Description
27590	CM	Mattock Head
05161	215/HICK	Hickory Shaft
82430	215/COMS	Hickory Composite



1 BD8G/E

225 x 60mm ELECTRICIANS BOLSTER WITH SOFT GRIP HAND GUARD

Generally in accordance with BS3066

Expert Quality, hexagonal steel shank chisel with hardened and tempered cutting edge. Fitted with impact absorbing hand protection soft grips. Display packed.

Stock No.
51010



2 BD6G/E

225mm BRICK BOLSTERS WITH SOFT GRIP HAND GUARD

Generally in accordance with BS3066

Expert Quality, hexagonal steel shank chisel with hardened and tempered cutting edge. Fitted with impact absorbing hand protection soft grips. Display packed.

Stock No.	Blade Width
51011	75mm
51022	100mm



3 BD5G/E

COLD CHISELS WITH SOFT GRIP HAND GUARDS

Generally in accordance with BS3066

Expert Quality, hexagonal steel shank chisel with hardened and tempered cutting edge. Fitted with impact absorbing hand protection soft grips. Display packed.

Stock No.	Length	Blade Width
51023	250mm	19mm
51051	250mm	25mm
51024	300mm	25mm



4 BD7/E

250mm PLUGGING CHISEL WITH SOFT GRIP HAND GUARD

Generally in accordance with BS3066

Expert Quality, fluted angled blade chisel designed to remove mortar between bricks. Hexagonal steel shank chisel with hardened and tempered cutting edge. Fitted with impact absorbing hand protection soft grips. Display packed.

Stock No.
51055


"DAVE SAYS" QUALITY MAKES THE DIFFERENCE



Our Brick Bolsters and Cold Chisels have been manufactured, hardened and tempered generally in accordance with BS3066.
This standard of hardening and tempering will ensure that the product will not break or splinter when cutting through masonry. You can be confident that our chisels and bolsters are up to the mark.

SAFETY WARNING:

Do NOT use these chisels and bolsters on metal materials. The recommended chisels when working with this material are specially hardened engineering versions shown on pages 601-603.



5 BD10G/A

300 x 16mm POINT CHISEL WITH HAND GUARD

Generally in accordance with BS3066

Octagonal shank chisel manufactured from hardened and tempered steel. Fitted with impact absorbing hand protection grip. Display packed.

Stock No.
26766



6 BD8G/AP

225 x 60mm ELECTRICIANS BOLSTER WITH HAND GUARD (DISPLAY PACKED)

Generally in accordance with BS3066

Ground cutting edges and octagonal shank. Fitted with impact absorbing hand protection grip. For levering up and cutting through the tongues and grooves of floorboards. Display packed.

Stock No.
64676



8 BD6G/AP

225mm BRICK BOLSTERS WITH HAND GUARD (DISPLAY PACKED)

Generally in accordance with BS3066

Ground cutting edges and octagonal shank. For cutting bricks and composite blocks. Fitted with impact absorbing hand protection grip. Display packed.

Stock No.	Blade Width
64679	75mm
64680	100mm



10 BD5G/AP

COLD CHISELS WITH HAND GUARD (DISPLAY PACKED)

Generally in accordance with BS3066

Octagonal shank chisel manufactured from selected steel with polished cutting edge. Fitted with impact absorbing hand protection grip. Display packed

Stock No.	Length	Blade Width
64681	250mm	19mm
64686	250mm	25mm
64682	300mm	25mm

7 BD8G/A

225 x 60mm ELECTRICIANS BOLSTER WITH HAND GUARD (SOLD LOOSE)

Stock No.
63752

9 BD6G/A

225mm BRICK BOLSTERS WITH HAND GUARD (SOLD LOOSE)

Stock No.	Blade Width
63730	75mm
63733	100mm

11 BD5G/A

COLD CHISELS WITH HAND GUARD (SOLD LOOSE)

Stock No.	Length	Blade Width
63747	250mm	19mm
08576	250mm	25mm
63748	300mm	25mm



1 BD8/A

225 x 60mm ELECTRICIANS BOLSTER (DISPLAY PACKED)

Generally in accordance with BS3066

Ground cutting edges and octagonal shank. For levering up and cutting through the tongues and grooves of floorboards. Display packed.

Stock No.
63751

2 BD8/A

225 x 60mm ELECTRICIANS BOLSTER (SOLD LOOSE)

Stock No.
63750



3 BD6/A

225mm BRICK BOLSTER (DISPLAY PACKED)

Generally in accordance with BS3066

Ground cutting edges and octagonal shank. For cutting bricks and composite blocks. Display packed.

Stock No.	Blade Width
63729	75mm
63732	100mm

4 BD6/A(B)

225mm BRICK BOLSTER (SOLD LOOSE)

Stock No.	Blade Width
63727	75mm
63731	100mm



6 BD5/A

COLD CHISELS (DISPLAY PACKED)

Generally in accordance with BS3066

Octagonal shank chisel from selected steel with polished cutting edge. Display packed.

Stock No.	Length	Blade Width
63735	100mm	10mm
63737	150mm	13mm
63739	200mm	19mm
63741	250mm	19mm
63743	250mm	25mm
64829	300mm	25mm
64838	380mm	25mm
64841	450mm	19mm
64850	450mm	25mm

7 BD5/A(B)

COLD CHISELS (SOLD LOOSE)

Stock No.	Length	Blade Width
63734	100mm	10mm
63736	150mm	13mm
63738	200mm	19mm
63740	250mm	19mm
63742	250mm	25mm
63744	300mm	25mm
63745	380mm	25mm
77607	450mm	19mm
63746	450mm	25mm



NEW SIZE ADDED

8 BD5C/A

SCUTCH CHISELS (DISPLAY PACKED)

Generally in accordance with BS3066

Octagonal shank chisel with recessed end to accept toothed or plain edge scutches. Supplied with one replaceable comb scutch. Display packed.

Stock No.	Size
78203	200 x 25mm
00754	200 x 38mm

9 BD5C/A(B)

SCUTCH HOLDING CHISEL (SOLD LOOSE)

Stock No.	Size
71269	200 x 25mm
00755	200 x 38mm

NEW SIZE ADDED



5

SCUTCHES FOR SCUTCH HOLDING CHISELS/HAMMERS

Plain and comb scutches for use with 25 and 38mm Scutch Holding Chisels and Scutch Hammers. Stock No's. 22266 and 03136 comprises two comb scutches and one plain scutch whilst Stock No's. 54252 and 00756 have comb scutches only. Display packed.

Order number of cards or boxes required

Stock No.	Part No.	Size	Description
22266	SS2C1P	25mm	3 Scutches
03136	SS2C1P38	38mm	3 Scutches
54252	YBD5C/25	25mm	25 Scutches
00756	YBD5D/25	38mm	25 Scutches



10 BD4/AP

225 x 50mm MASONS BOLSTER (DISPLAY PACKED)

Generally in accordance with BS3066

Ground cutting edges and octagonal shank. For cutting stone. Display packed.

Stock No.
84738

11 BD4/A

225 x 50mm MASONS BOLSTER (SOLD LOOSE)

Stock No.
76379



12 BD7/AP

250mm PLUGGING CHISEL (DISPLAY PACKED)

Fluted angled blade chisel designed to remove mortar between bricks. Octagonal shank with ground cutting edge. Display packed.

Stock No.
64828

13 BD7/A

250mm PLUGGING CHISEL (SOLD LOOSE)

Stock No.
78084

INCLUDES METAL STAND



14 CB50

DISPLAY OF 50 BOLSTERS AND CHISELS

Generally in accordance with BS3066

All-metal stand with slots for a mixture of 50 Draper bolsters and chisels. Carton packed with contents as listed. Contents: • 3 x 100mm wide brick bolsters - Stock No.63731 • 3 x 100mm wide brick bolsters with hand guards - Stock No.63733 • 3 x 75mm wide brick bolsters - Stock No.63727 • 3 x 75mm wide brick bolsters with hand guards - Stock No.63730 • 6 x 60mm wide electricians bolsters - Stock No.63750 • 3 x 60mm wide Masons Bolsters - Stock No.76379 • 3 x 200mm scutch holding chisels - Stock No.71269 • 3 x 250mm plugging chisels - Stock No.78084 • 23 x cold chisels size:13 x 150mm (5 off) - Stock No.63736; 19 x 200mm (6 off) - Stock No. 63738; 19 x 250mm (3 off) - Stock No. 63740; 19 x 450mm (3 off) - Stock No.77607; 25 x 250mm (2 off) - Stock No.63742; 25 x 300mm (2 off) - Stock No. 63744; 25 x 450mm (2 off) - Stock No.63746

Stock No.	L x W
78202	580 x 340mm



1 97

OCTAGONAL FLAT COLD CHISELS

Manufactured to DIN 7254B and GS Specifications

Expert Quality, manufactured from special air hardened chrome vanadium steel for long life. The cutting edges are accurately ground, with specially tempered heads. Sold loose.

Stock No.	Length	Blade Width
51538	100mm	10mm
51546	125mm	12mm
51554	150mm	15mm
51570	175mm	20mm



2 95

FLAT COLD CHISELS

Manufactured to DIN 6453

Expert Quality, manufactured from special air hardened chrome vanadium steel for long life. The cutting edges are accurately ground, with specially tempered heads. Sold loose.

Stock No.	Length	Blade Width
51588	100mm	16mm
51596	125mm	18mm
51603	150mm	20mm
51611	180mm	22mm
51629	200mm	25mm
51637	250mm	28mm



3 109

FLAT COLD CHISEL WITH HAND GRIP

Manufactured to DIN 6453

Expert Quality, manufactured from special air hardened chrome vanadium steel for long life. The cutting edges are accurately ground, with specially tempered heads. With heavy moulded impact absorbing hand protection grip. Sold loose.

Stock No.	Length	Blade Width
11152	300mm	32mm



4 104

SPLITTING CHISEL

Expert Quality, special air hardened chrome vanadium steel for long life. The cutting edge is accurately ground, with specially tempered head. Display packed.

Stock No.	Length	Blade Width
13278	240mm	25mm



5 119

OCTAGONAL PARALLEL PIN PUNCHES

Expert Quality, special air hardened chrome vanadium steel for long life. The tips are accurately ground, with specially tempered heads. Sold loose.

Stock No.	Length	Tip Diameter
51645	150mm	2.0mm
51653	150mm	2.5mm
51661	150mm	3.0mm
51679	150mm	3.5mm
51687	150mm	4.0mm
51695	150mm	5.0mm
51702	150mm	6.0mm
51710	150mm	8.0mm




6 119/5

150mm OCTAGONAL PARALLEL PIN PUNCH SET (5 PIECE)

Expert Quality, special air hardened chrome vanadium steel for long life. The tips are accurately ground, with specially tempered head. Display packed.

Contents: Tip diameters of 3.0, 3.5, 4.0, 5.0 and 6.0mm.

Stock No.
13041



7 119K

150mm OCTAGONAL PARALLEL PIN PUNCH SET (6 PIECE)

Expert Quality, special air hardened chrome vanadium steel for long life. The tips are accurately ground, with specially tempered head. Supplied complete in steel magazine type case. Carton packed.

Contents: Tip diameters of 2, 3, 4, 5, 6 and 8mm.

Stock No.
74712



8 99L

LONG TAPER PIN PUNCHES

Expert Quality, engineer's pattern long taper punches, manufactured from special air hardened chrome vanadium steel for long life. Display packed.

Stock No.	Length	Tip Diameter
13415	200mm	3mm
13416	225mm	5mm
13417	250mm	6mm
13418	300mm	8mm



9 100HB

OCTAGONAL CENTRE PUNCHES

Manufactured to DIN 6458

Expert Quality, manufactured from special air hardened chrome vanadium steel for long life. The tips are accurately ground with specially tempered heads. Sold loose.

Stock No.	Length	Tip Diameter
51752	120mm	4mm
51760	120mm	5mm
51778	150mm	5mm



10 5HB

CHISEL AND PUNCH SET (5 PIECE)

Expert Quality, manufactured from special air hardened chrome vanadium steel for long life. The cutting edges and tips are accurately ground, with specially tempered heads. Packed in plastic holder on display card.

Contents:

- flat cold chisel: 20 x 150mm
- 2 parallel pin punches: 3 x 150 and 5 x 150mm
- taper pin punch: 3 x 120mm
- centre punch: 4 x 120mm

Stock No.
13042



1 9011

CARBON FIBRE SHAFT BALL PEIN HAMMERS

Expert Quality, polished solid forged head from fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Carbon fibre shaft fitted with comfortable shock-absorbing double injection PP/TPR grip for anti-vibration protection. Sold Loose.

Stock No.	Weight
26205	450g (16oz)
26328	680g (24oz)
26331	900g (32oz)



2 FG2A

FIBREGLASS SHAFT BALL PEIN HAMMERS

Expert Quality, polished face solid forged head from fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Solid fibreglass core shaft fitted with shock absorbing PP/TPR grip. Sold Loose.

Stock No.	Weight
63348	450g (16oz)
63349	680g (24oz)
62164	900g (32oz)



3 6210A

GENERAL PURPOSE BALL PEIN HAMMERS

Polished face solid forged head from fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Natural straight grained hickory shaft sanded and lacquered. Sold Loose

Stock No.	Weight
64588	225g (8oz)
64589	340g (12oz)
64590	450g (16oz)
64591	680g (24oz)
64592	900g (32oz)

"DAVE SAYS" QUALITY MAKES THE DIFFERENCE



Unlike builders' cold chisels, which are designed to be used on brick and stone, engineers' chisels and punches are made for use on metal. All the heads on our cold chisels and punches are chamfered to slow down the formation of the mushroom shape caused by hammering, although, 'mushrooming' is a necessary feature.





4 622/3/PP

125mm NAILSET, CENTRE PUNCH AND PARALLEL PIN PUNCH SET (3 PIECE)

Chrome vanadium steel hardened and tempered with sandblasted finish. Display packed in plastic holder.

Contents: • Cupped nailset 3mm dia. tip • Centre punch 3mm dia. tip • Parallel pin punch 5/16" tip dia.

Stock No.
72041



5 CP4NP

CHISEL AND PUNCH SET (4 PIECE)

Chrome vanadium steel hardened and tempered with a chemically blacked finish and plastic grips. Display packed.

Contents: • cold chisel: 13 x 175mm • parallel pin punch: 3 x 175mm • taper pin punch: 5 x 175mm • centre punch: 5 x 175mm

Stock No.
26559




6 CP7NP

CHISEL AND PUNCH SET (7 PIECE)

Chrome vanadium steel hardened and tempered with a chemically blacked finish and plastic grips. Supplied in storage roll. Display packed.

Contents: • 3 cold chisels: 10, 13 and 16 x 150mm • 2 taper punches: 3 and 4 x 150mm • centre punch: 10 x 150mm • parallel pin punch: 4 x 150mm

Stock No.
23187



7 CP12NP

CHISEL AND PUNCH SET (12 PIECE)

Chrome vanadium steel hardened and tempered with a chemically blacked finish and plastic grips. Supplied in storage roll. Display packed.

Contents: • 4 cold chisels: 13 x 150, 16 x 180, 19 x 190 and 22 x 205mm • taper punch: 5 x 255mm • 2 parallel pin punches: 4 and 6 x 150mm • 2 parallel taper pin punches: 3 and 6 x 150mm • centre punch: 6 x 150mm • point chisel: 150mm long • cross cut chisel: 150mm long

Stock No.
26557



8 LS

LETTER STAMP SETS

Sets of 26 capital letter stamps manufactured from alloy tool steel, hardened and tempered with a black finish. Packed in plastic box.

Stock No.	Letter Height
37333	1/8"
37334	3/16"
37335	1/4"



9 NS

NUMBER STAMP SETS

Sets of numbers 0-9 manufactured from alloy tool steel, hardened and tempered with a black finish. Packed in plastic box.

Stock No.	Number Height
37336	1/8"
37337	3/16"
37338	1/4"



1 GT808

125mm AUTOMATIC CENTRE PUNCH

High grade steel tip and hardened point. Chrome plated knurled brass body. Display packed.

Stock No.
14158



2 GT807

125mm AUTOMATIC CENTRE PUNCH

Expert Quality, heavy duty spring-loaded hardened steel point. Adjustable striking force. Display packed.

Stock No.
13612



3 622

100mm CUPPED NAILSETS

Square section striking head with knurled body and polished end. Manufactured from carbon steel hardened and tempered. Display packed.

Stock No.	Tip Diameter
84498	2.5
84480	3.0



4 622/4

SET OF 100mm CUPPED NAILSETS (4 PIECE)

Square section striking head with knurled body and polished ends. Carbon steel hardened and tempered. Display packed.

Contents: 1.5, 2.5, 3.0 and 5.0mm.

Stock No.
35480



5 623

100mm CENTRE PUNCHES

Square section striking head with knurled body and polished ends. Manufactured from carbon steel hardened and tempered. Display packed.

Stock No.	Tip Diameter
84464	3mm
84456	4mm
10750	5mm



6 622/623

100mm CUPPED NAILSET AND CENTRE PUNCH SET (2 PIECE)

Square section striking head with knurled body and polished ends. Carbon steel hardened and tempered. Display packed.

Contents: 3mm dia. nailset and centre punch

Stock No.
13509



7 55P

200mm PARALLEL PIN PUNCHES

Long pattern 90mm parallel drive. Display packed.

These punches are true imperial sizes.

Stock No.	Tip Diameter
19675	1/8"
19676	3/16"
19677	1/4"
19678	5/16"
19679	3/8"



9 5P

200mm PARALLEL PIN PUNCH SET (5 PIECE)

Long pattern with 90mm parallel drive. Display packed in storage wallet.

Contents: 1/8, 3/16, 1/4, 5/16 and 3/8" dia.

These punches are true imperial sizes.

Stock No.
19674



8 HP6

HOLLOW PUNCH SET (6 PIECE)

Manufactured from quality carbon steel hardened, tempered and enamel painted. Specifically designed to cut clean holes in leather, paper, plastic, wood, etc. Supplied in tool roll. Display packed.

Contents: 5mm, 6mm, 8mm, 10mm, 11mm and 13mm

Stock No.
25993



GARAGE WORKSHOPS

Most of the tools shown in this 'Engineering sub section of the 'Hand Tools ' section are suitable for use in automotive workshops.

See Section 2 and 3 for our complete range of vehicle repair and service tools and automotive workshop equipment, which complements this sections tools

A host of further tools are included in this section including hand files, dial test indicators and vices for the workbench.



CLASS I & CLASS II MEASURING TAPES

Professional tape measures are classified by their stated class of accuracy as determined by the "Measuring Instruments Directive" with Class I being the highest level providing the best level of precision and tolerance. Accuracy is measured at 20°C and 50 N pull force for steel tapes. Class II tapes are widely used by professional tradesmen.

NEW



1 MTCL1

SOFT GRIP MEASURING TAPES

Manufactured to EC Class I Accuracy

Expert Quality, tough impact resistant ABS case and soft grip. Hold and measure button allows user to lock tape for accurate measurements. Power return nylon-coated steel tape has metric and imperial graduations on both sides and stud centre markings every 16". The self-aligning end hook is fitted with magnets.

Stock No.	Tape Length	Tape Width
82447	5M/16ft	25mm
82465	8M/26ft	25mm

NEW





Double-sided tapes with metric and imperial markings

4 MTMSC

EXTRA WIDE SOFT GRIP MEASURING TAPE

Manufactured to EC Class II Accuracy

Expert Quality, tough impact resistant ABS case with TPR jacket and soft grip. Hold and measure button and end magnet provides easy and accurate measurements. Power return nylon-coated tape has metric and imperial graduations on both sides. Fitted with a belt clip for added user portability.

Stock No.	Tape Length	Tape Width
83633	8M/26ft	27mm

NEW



2 MTAL

MEASURING TAPES

Manufactured to EC Class II Accuracy

Expert Quality, tough impact resistant ABS case. Hold and measure button allows user to lock tape for accurate measurements. Power return nylon-coated tape has metric and imperial graduations. Fitted with a belt clip for added user portability.

Stock No.	Tape Length	Tape Width
83629	3M/10ft	16mm
83630	5M/16ft	25mm
83631	8M/26ft	25mm



5 EMTOTT

MEASURING TAPES

Manufactured to EC Class II Accuracy

Expert Quality, stainless steel case, with soft grip. Fitted with a large positive blade-locking button and belt clip. The nylon-coated blade has clear black and red metric and imperial graduations, metres into cm/mm and feet into inches, 1/8" and 1/16" on both sides and obvious stud centre markings every 16" and a hardwearing yellow coating. The self-aligning end hook assists in providing very accurate internal/external measurements. Display packed.

Stock No.	Tape Length	Tape Width
82807	3M/10ft	16mm
82808	5M/16ft	19mm
82809	8M/26ft	25mm

NEW



3 MTAL

SOFT GRIP MEASURING TAPES

Manufactured to EC Class II Accuracy

Expert Quality, tough impact resistant ABS case. Hold and measure button allows user to lock tape for accurate measurements. Power return nylon-coated tape has metric and imperial graduations. Fitted with a belt clip for added user portability.

Stock No.	Tape Length	Tape Width
83636	5M/16ft	25mm
83649	8M/26ft	25mm



6 EMTRJT

MEASURING TAPES

Manufactured to EC Class II Accuracy

Expert Quality, ABS case with soft grip. Fitted with a large blade-locking button and belt clip. The nylon-coated blade has clear black and red metric and imperial graduations, metres into cm/mm and feet into inches, 1/8" and 1/16" on both sides and obvious stud centre markings every 16" all coated in a hardwearing yellow protective cover. The self-aligning end hook assists in providing extremely accurate internal and external measurements. Display packed.

Stock No.	Tape Length	Tape Width
82813	5M/16ft	25mm
82815	8M/26ft	25mm
82816	10M/33ft	25mm

BRAND YOUR OWN MEASURING TAPE

NOTE: Tapes can only be ordered via a special order form obtainable from the Draper Tools Sales Desk: Tel +44 (0) 23 8049 4333.
Delivery time is usually six weeks from ordering date. Minimum order quantities apply.





1 DMTRQT

MEASURING TAPES

Manufactured to EC Class II Accuracy

Attached with a triple lock blade function (front, side and bottom) and belt clip. The nylon-coated blade has clear black and red metric and imperial graduations, metres into cm/mm and feet into inches, 1/8" and 1/16" on both sides and obvious stud centre markings every 16" all coated in a hard wearing yellow protective cover. The self-aligning end hook assists in providing extremely accurate internal and external measurements. Display packed.

Stock No.	Tape Length	Tape Width
82817	3M/10ft	16mm
82818	5M/16ft	19mm
82819	8M/26ft	25mm



2 DMTPRN

MEASURING TAPES

Large positive blade locking button and belt clip. Power return nylon coated blade has clear black and red graduations, metres into cm/mm and feet into inches, 1/8" and 1/16". Yellow wear resistant coating. Stud centre markings every 16". Self-aligning end hook for very accurate internal/external measurements. Display packed.

Stock No.	Tape Length	Tape Width
82823	5M/16ft	25mm
82824	7.5M/25ft	25mm



3 EMTG

SOFT GRIP MEASURING TAPES

Tough impact resistant ABS case with soft grip, blade locking button and belt clip. Hold and measure button allows user to lock tape for accurate measurements with button on base to control speed of return blade into tape. Power return nylon coated blade has clear black and red graduations, metres into cm/mm and feet into inches, 1/8" and 1/16". Yellow wear resistant coating. Stud centre markings every 16". Self-aligning end hook for very accurate internal/external measurements. Display packed.

Stock No.	Tape Length	Tape Width
75298	3M/10ft	16mm
75299	5M/16ft	19mm
75300	7.5M/25ft	25mm
75301	10M/33ft	25mm



4 EMTC

MEASURING TAPES

Manufactured to EC Class II Accuracy

Plastic tape cases with locking button and belt clip. Power return blade has clear graduations, metres into cm/mm and feet into inches, 1/8", 1/16" and 1/32". Yellow wear resistant coating. Stud centre markings every 16". Self-aligning end hook for accurate internal/external measurements.

Stock No.	Tape Length	Tape Width
75880	3M/10ft	16mm
75881	5M/16ft	19mm
75882	7.5M/25ft	25mm



5 EMTGD

NEW

SOFT GRIP MEASURING TAPES

Manufactured to EC Class II Accuracy

Tough impact resistant ABS cases with soft grip, blade locking buttons on the side and base. The hold and measure buttons allow the user to lock the tape for accurate measurements with the button on base to control speed of return. The nylon coated, matt finished steel blade is marked with clear black and red graduations in metres into cm/mm and feet into inches, 1/8" and 1/16" and stud centre markings every 16". Self-aligning end hook for very accurate internal/external measurements. Supplied in countertop displays. **Minimum order 12 or multiples thereof**

Stock No.	Qty. per Disp	Tape Length	Tape Width
83490	12	5M/16ft	19mm
83494	12	7.5M/25ft	25mm



6 HVMT/DBOX12

NEW

MEASURING TAPES

Manufactured to EC Class II Accuracy

Brightly coloured plastic tape cases with locking button. Power return blade with clear graduations, metres into cm/mm and feet into inches, 1/8", 1/16" and 1/32". The self-aligning end hook helps deliver accurate internal and external measurements. Supplied in three colours (Green, Orange, Yellow) in a countertop display.

Minimum order 12 or multiples thereof

Stock No.	Qty. per Disp.	Tape Length	Tape Width
82435	12	3M/10ft	16mm
82437	12	5M/16ft	19mm
82440	12	7.5M/25ft	25mm



NEW

1 STMT

STEEL MEASURING TAPES

Manufactured to EC Class II Accuracy

Steel measuring tape with metric and imperial graduations. ABS plastic case with a thick rubber bumper and fold down winding handle and steel holding hook on the end of the tape.

Stock No.	Tape Length	Tape Width
82687	20M/66ft	13mm
82686	30M/100ft	13mm



NEW

2 FGMT

FIBREGLASS MEASURING TAPES

Manufactured to EC Class III accuracy

Fibreglass tapes graduated with metres into cm/mm and feet into inches and 1/8" on reverse. Robust polycarbonate plastic case fitted with flush winding handle.

Stock No.	Tape Length	Tape Width
82682	20M/66ft	15mm
82683	30M/100ft	15mm



3 STFG

FIBREGLASS MEASURING TAPES

Expert Quality, fibreglass tapes graduated metres into cm/mm and feet into inches and 1/8" on reverse. ABS plastic case with a plated, flush winding handle and stainless steel holding claw on end of tape. Display packed.

Stock No.	Tape Length	Tape Width
88213	10M/33ft	13mm
88215	20M/66ft	13mm
88216	30M/100ft	13mm



4 SST30

30M/100ft STEEL MEASURING TAPE

Expert Quality, steel tape 13mm wide, graduated metres into cm/mm and feet into inches and 1/8". ABS plastic case with a plated, flush winding handle and stainless steel holding claw on end of tape. Display packed.

Stock No.
88217



NEW

5 FGOST

RAPID REWIND SURVEYORS TAPES

Manufactured to EC Class III accuracy

Fibreglass measuring tape in open reel case fitted with a 4:1 gear ratio handle ensuring a rapid and controlled rewind. The graduations are marked in metric and imperial. Tough polycarbonate case with grab handle.

Stock No.	Tape Length	Tape Width
82753	30M	15mm
82691	50M	15mm



6 STFGC

SURVEYORS TAPES

Manufactured to EC Class III accuracy

Fibreglass tape, graduated from metres into cm/mm and inches into 1/8" on reverse. ABS plastic case with grab handle, winding handle and stainless steel eyelet on end of tape. Display packed.

Stock No.	Tape Length	Tape Width
51089	50M	13mm
51091	100M	13mm

SURVEYORS MEASURING WHEEL





7 MWL

MEASURING WHEEL

Expert Quality, one person operation, automatically records measurements whilst user walks. Suitable for builders, farmers, road contractors etc. Durable lightweight and compact with adjustable handle 600-950mm long, illuminated readout for poor lighting conditions and reset facility on milometer, capable of measurements up to 9999.9M. Supplied with a stand and a durable canvas carrying bag. Display packed.

Stock No.
44238



1

DRAPER Expert

150, 300, 600 & 1000mm





150, 300, 600 & 1000mm 2



1 STAINLESS STEEL RULES

Expert Quality, precision rules manufactured from hardened stainless steel matt chrome plated. The clear black graduations of 0.5mm, mm, 0.5cm, cm and 1/64", 1/50", 1/32", 1/20", 1/16", 1/10", 1/2", and inches on the reverse are permanently etched for long service life. Packed into vinyl wallets. Display packed.


Stock No.	Part No.	Marked Length
22670	SSR6B	150mm & 6"
22671	SSR12B	300mm & 12"
22672	SSR24B	600mm & 24"
22673	SSR36B	1000mm & 36"

2 D19 ALUMINIUM RULES

Extruded from 30mm wide anodized aluminium. Clearly graduated both sides mm/cm, inches, 1/8" and metric/imperial equivalents of length, area, volume and weight. Display packed.

Stock No.	Marked Length
52396	150mm & 6"
52191	300mm & 12"
52190	600mm & 24"
12749	1000mm & 39"

3



3 D26SS 600mm/24" FOLDING STEEL RULE

Double sided, single fold rule with permanently etched graduations of cm/mm and inches, 1/8", 1/16", 1/32" and 1/64". Display packed.

Stock No.	Rule Width
16142	18mm



150, 300mm



4 STEEL RULES

Double sided with hang hole. Permanently etched graduations of cm/mm and inches, 1/8", 1/16", 1/32" and 1/64". Display packed.

Stock No.	Part No.	Marked Length	Rule Width
59633	D17	150mm/6"	19mm
59641	D18	300mm/12"	30mm



5 TR300/B ALUMINIUM TRIANGLE SCALE RULE (300mm)

Ideal for scale drawings interpretations. Scale graduations in 1:20, 1:25, 1:50, 1:75, 1:100 and 1:125. Packed into plastic sleeve.


Stock No.
17686



6 PFR/1M 1M PLASTIC FOLDING RULE

Manufactured from tough, impact resistant ABS plastic with clear graduations of cm/mm one side and 1/16"/inches on the other.

Stock No.	Marked Length
20700	1000mm/39"




7 FRW/III 2M FOLDING WOOD RULE

Manufactured to EC Class III Accuracy

Clear black graduations with solid metal hinges and tips. Graduated cm/mm one side and inches on the other.

Stock No.	Marked Length
20703	2000mm/78"



8 CFCG6 DIGITAL CALIPER GAUGE

General purpose gauge with carbon fibre components fitted with metric/imperial digital LCD display. Can be used for internal and external measurements. Display packed.

Stock No.	Range
24816	150mm & 6"



9 4817PB PLASTIC VERNIER CALIPER

General purpose calipers, marked with both metric and imperial graduations. Able to measure in three ways: internal, external and depth. Display packed.

Stock No.
73863



10 CALIPER GAUGES

General purpose calipers with thumb wheel fine adjustment. Can be used for internal, external and depth measurements. Graduations shown in metric (cm/mm) and imperial inch marks. Display packed.

Stock No.	Part No.	Range
39493	4816	115mm & 4.1/2"
39500	4817	150mm & 6"

THE ULTIMATE RANGE OF ENGINEERING TOOLS

PRECISION ENGINEERING

Pages 609-612



THREADING

Pages 613-616



ADHESIVES

Page 617




FILES

Pages 618-621



VICES AND CLAMPS

Pages 622-625



"DAVE SAYS" QUALITY MAKES THE DIFFERENCE

All our Draper Expert vernier calipers are fully tested by the manufacturer to ensure high levels of accuracy and quality of materials used.

If you specify a Draper vernier caliper you know it's the best!







NEW

1 PVC150D

DUAL READING DIGITAL VERNIER CALIPERS

Expert Quality, manufactured from hardened stainless steel. The extra large display provides metric and imperial reading in 0.01mm and 0.005" graduations. Each caliper has an auto power off feature enabling greater battery life. Supplied with an SR44 battery.

Stock No.	Description
80756	150mm Vernier Caliper
80799	200mm Vernier Caliper
80844	300mm Vernier Caliper
55361	Spare SR44 Battery




NEW

2 PDVC150M/B

DUAL READING DIGITAL VERNIER CALIPER (150MM)

Expert Quality manufactured from hardened stainless steel. The extra large display provides metric and imperial reading in 0.01mm and 0.005" graduations. Each caliper has an auto power off feature enabling greater battery life. Supplied with an SR44 battery.

Stock No.	Description
80859	Vernier Caliper
55361	Spare SR44 Battery



3 PDV150

METRIC DIAL CALIPER

Expert Quality, manufactured from hardened stainless steel. Slider displacements are amplified by a rack and pinion mechanism and indicated on the dial. Four way measurement: internal, external, depth and step. Reading 0.02mm. Slider has lockscrew function. Display packed in plastic storage case.

Stock No.	Range
52417	0-150mm



4 PVC150

VERNIER CALIPER

Expert Quality, manufactured from hardened stainless steel. Reading 0.02mm and 1/1000". Four way measurement: internal, external, depth and step. Satin chrome plated beam with raced edges and thumb lock. Display packed in plastic storage case.

Stock No.	Range
50590	0 -150mm/6"



5

VERNIER CALIPERS

Expert Quality, manufactured from hardened stainless steel. Reading 0.02mm/1/1000". Four way measurement: internal, external, depth and step. Satin scales with fine adjustment. Fine screw adjustment. Display packed in plastic storage case.

Stock No.	Part No.	Range
50605	PVC140F	0-140mm/5.1/2"
52379	PVC200F	0-200mm/8"



6 PTGS

TELESCOPIC GAUGE SET (6 PIECE)

Expert Quality, for measuring of bore diameter and groove width. The spring-loaded plunger expands within the hole. Knurled locking screw allows plunger contacts to be held in position, removed and measured with a micrometer. Satin chrome finish. Supplied in PVC storage wallet with ranges marked.

Contents:

- Gauge range: 8-13mm (5/16 - 1/2") Length: 115mm
- Gauge range: 13-19mm (1/2 - 3/4") Length: 115mm
- Gauge range: 19-31mm (3/4 - 1.1/4") Length: 115mm
- Gauge range: 31-54mm (1.1/4 - 2.1/8") Length: 145mm
- Gauge range: 54-89mm (2.1/8 - 3.1/2") Length: 145mm
- Gauge range: 89-150mm (3.1/2 - 6") Length: 145mm

Stock No.
52416

BORE GAUGE SET

Accurately measures bores, detects tapers or ovality



7 BG50/160

50-160mm BORE GAUGE SET

Expert Quality, accurately measures bores, detect tapers or ovality. 0.01mm accuracy. Display packed in storage case.

Contents:

- 3mm travel dial test indicator • 55mm extension bar • 4 spacer rings size: 0.5, 1.0, 2.0 and 3.0mm
- 12 measuring rods size: 50, 55, 60, 65, 70, 75, 80, 85, 90, 95, 100 and 105mm

Stock No.
02753



1 DEM

DUAL READING DIGITAL EXTERNAL MICROMETERS

Expert Quality, with enamelled frame, heat plates, satin chrome thimble and sleeve. Carbide tipped measuring anvils, lock and ratchet stop. Graduations 0.001mm and 0.0005". Perfectly flat ends for accurate measurements. Supplied with SR44 battery. Display packed in plastic storage case.

Stock No.	Description
46599	M/meter 0-25mm-0-1"
46600	M/meter 25-50mm-1-2"
55361	Spare SR44 Battery



2 PEM

METRIC EXTERNAL MICROMETERS

Expert Quality, with enamelled frame, heat plates, satin chrome thimble and sleeve. Graduations 0.01mm. Carbide tipped anvils, lock and ratchet stop. Supplied in plastic storage case and display packed.

Stock No.	Range
46603	0-25mm
46604	25-50mm
46605	50-75mm
46606	75-100mm

EXTERNAL MICROMETERS

Made with perfectly flat ends that deliver accurate results every time.





3 PEM/4

METRIC EXTERNAL MICROMETER SET (4 PIECE)

Expert Quality, with enamelled frames, heat plates, satin chrome thimble and sleeve. Graduations 0.01mm. Carbide tipped anvils, lock and ratchet stop. Supplied in plastic storage case and display packed. Contents: one each of range; 0-25; 25-50; 50-75 and 75-100mm

Stock No.
46607



4 PDDG

DUAL READING DIGITAL DIAL TEST INDICATOR

Expert Quality, dial diameter 55mm with mounting lug. 0-25mm/0-1" travel. Uses CR2032 battery (supplied). Display packed in plastic storage case.

Stock No.	Graduations
46608	0.01mm/0.005"
12282	Spare CR2032 Battery



5 PDG

DIAL TEST INDICATORS

Expert Quality, reading 0-50. Dial diameter 55mm. Display carton.

Stock No.	Scale	Graduations	Range
51830	Metric	0.01mm	0-10mm
51831	Imperial	0.005"	0-0.1"



6 PDG05M

METRIC DIAL TEST INDICATOR

Expert Quality, reading 0-100 in metric graduations. Range 0-5mm. Dial diameter 41mm. Display carton.

Stock No.	Graduations
51855	0.01mm


7 MS-6

MEASURING SET (6 PIECE)

Useful set of precision measuring instruments. Display carton.

Contents:

- spring divider
- outside caliper
- inside spring caliper
- depth gauge
- slide rule
- sliding caliper



Stock No.
59110



1 PDGS

METRIC DIAL TEST INDICATOR KIT

Ideal all-round kit for engineers and apprentices. Dial test indicators accuracy 0.01mm. Packed in blow mould case with display sleeve.

Contents:

- Metric dial test indicator (0-25mm) with plunger
- Metric dial test indicator (0-1.5mm) with stylus
- Magnetic stand with fine adjustment
- 22 interchangeable tips for dial test indicator with plunger
- 6mm and 8mm stylus' for dial test indicator clamp

Stock No.
46609



2 MB-LDB

MAGNETIC STAND

For use with dial gauges, etc. Powerful magnetic base with on/off switch. Precision ground surface. Display carton.

Stock No.
45276



3 MB-LDFAB

MAGNETIC STAND WITH FINE ADJUSTMENT

For use with dial gauges etc. Powerful magnetic base with on/off switch. Fine adjustment screw for quick and accurate settings. Precision ground surface. Display carton.

Stock No.
45277



4 D62

150mm SPRING DIVIDERS

Fine ground with adjustment by knurled wheel. Display packed.

Stock No.
34196



5 D61

150mm OUTSIDE SPRING CALIPERS

Fine ground with adjustment by knurled wheel. Display packed.

Stock No.
34237



6 D60

150mm INSIDE SPRING CALIPERS

Fine ground with adjustment by knurled wheel. Display packed.

Stock No.
39451



7 401B

20 BLADE METRIC SCREWPITCH GAUGE SET

Folding leaves, individually stamped with accurately formed thread profiles. 20 blades ranging from 0.4, 0.45, 0.5, 0.6, 0.7, 0.75, 0.8, 1.0, 1.25, 1.5, 1.75, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0mm. Sold loose.

Stock No.
51070



8 407B

28 BLADE UNC-UNF SCREWPITCH GAUGE SET

Folding leaves, individually stamped with accurately formed thread profiles. American National Thread UNC-UNF, in the range 4-62TPI. Sold loose.

Stock No.
51071



9 553B

52 BLADE BSW/METRIC SCREWPITCH GAUGE SET

Folding leaves, individually stamped with accurately formed thread profiles. Ranges 4-62BSW and 0.25-6.0mm. Sold loose.

Stock No.
51072

"PAUL SAYS" QUALITY ASSURANCE MAKES THE DIFFERENCE



PRECISION ENGINEERS SQUARES (Stock Nos. 34049 & 34065) - Two of the few Engineers Squares that conform to BS939, workshop grade B for squareness. This guarantees the solid steel stock will never be more or less than ±0.016mm from square. To all intents and purposes... That's square!



1 41

ENGINEER'S PRECISION SQUARES

Manufactured to BS 939 Workshop Grade B for squareness tolerance only

Expert Quality, made with solid steel stock with a hardened, tempered and finely polished blade. The squareness of the blade edges and the stock working face falls within ±0.016mm/0.0064" tolerance. Display packed.

Stock No.	Size
34049	100mm
34065	150mm



2 7324

230mm ENGINEER'S SCRIBER

Double ended hardened scriber with straight and 90° hardened points. Display packed.

Stock No.
34099



3 7325

125mm ENGINEER'S POCKET SCRIBER

Reversible scriber point. Body fitted with pocket clip. Display packed.

Stock No.
34104



4 PCS

150mm CARBIDE TIP POCKET SCRIBER

Plated steel body with carbide tip and pocket clip. For marking on hard and soft materials including steel and ceramics. Display packed.

Stock No.
37349



5 PBPS

UNIVERSAL BEVEL PROTRACTOR SET

Expert Quality, for accurate angle measurement of machines, moulds and jigs. Can also be used for assembling and machining. Fully calibrated to 360° with magnifying glass. Supplied with 300mm plain rule and acute angle attachment. Display packed in hinged plastic case.

Stock No.
52430





6 PDG

PROTRACTOR WITH DEPTH GAUGE

Graduated 0-180° with depth gauge 0-150mm. Display packed.

Stock No.
37342



PRODUCT LOCATOR

Steel rules can be found on page 607.

1 10TDS/A

METRIC TAP AND DIE SET (10 PIECE)

Ideal kit for re-threading. Suitable for cutting threads on mild steel and aluminium. Manufactured from high carbon steel.

Contents:

- 4 metric coarse dies size: 4, 5, 6 and 8mm - 1" O/D
- 4 metric taper taps size: 4, 5, 6 and 8mm - 1" O/D
- die holder 1" O/D
- 'T' type tap wrench capacity M4-M8





Stock No.
79201

2 37M

METRIC TAP AND DIE SET (37 PIECE)

Manufactured from carbon steel. Taps and dies suitable for cleaning and cutting threads on mild steel and aluminium. Supplied with the correct drill bits for tapping. Contents held in plastic insert within steel storage case. Carton packed. Contents:

- 8 metric dies size: 3 x 0.5, 3.5 x 0.6, 4 x 0.7, 5 x 0.8, 6 x 1.0, 8 x 1.25, 10 x 1.50 and 12 x 1.75 - 1" O/D
- 8 metric taper taps: sizes as dies
- 8 metric plug taps (bottoming): sizes as dies
- tap wrench - American pattern 1/2" capacity
- T' type tap wrench 1/4" capacity • die holder 1" O/D
- 8 HSS twist drills size: 2.5, 2.9, 3.3, 4.2, 5.0, 6.8, 8.5 and 10.3mm
- screwpitch gauge



Stock No.
79203

3 52MU

COMBINATION TAP AND DIE SET - METRIC, UNF AND BSP (52 PIECE)

Manufactured from carbon steel. Taps and dies suitable for cleaning and cutting threads on mild steel and aluminium. Supplied with the correct drill bits for tapping. Contents held in plastic insert within steel storage case. Carton packed.

Contents:

- 7 metric dies size: 3 x 0.5, 4 x 0.7, 5 x 0.8, 6 x 1.0, 8 x 1.25, 10 x 1.5 and 12 x 1.75 - 1" O/D
- 5 UNF dies sizes: 1/4, 5/16, 3/8, 7/16 and 1/2 - 1" O/D
- 2 BSP dies size: 1/8" and 1/4" - 1" O/D
- 14 taper taps: sizes as dies
- tap wrench-American pattern 1/2" capacity
- 'T' type tap wrench 1/4" capacity • die holder 1" O/D with guide
- 13 HSS twist drills size: 2.5, 3.3, 4.2, 5.0, 5.5, 6.8, 6.9, 8.5, 8.8, 9.9, 10.3, 11.4 and 11.8mm • screwpitch gauge
- screwdriver • centre punch • 5 screw extractors Nos. 1, 2, 3, 4 and 5



Stock No.
79204

4 75MM

COMBINATION TAP AND DIE SET - METRIC AND BSP (75 PIECE)

Manufactured from carbon steel. Taps and dies suitable for cleaning and cutting threads on mild steel and aluminium. Supplied with the correct drill bits for tapping. Contents held in plastic insert within steel storage case. Carton packed.

Contents:

- 9 metric coarse dies size: 3 x 0.5, 3.5 x 0.6, 4 x 0.7, 4.5 x 0.75, 5 x 0.8, 6 x 1.0, 8 x 1.25, 10 x 1.5 and 12 x 1.75 - 1" O/D
- 8 metric fine dies size: 2 x 0.25, 3 x 0.35, 4 x 0.5, 5 x 0.5, 6 x 0.75, 8 x 1.0, 10 x 1.25 and 12 x 1.25 - 1" O/D
- BSP die 1/8" BSP • 17 metric taper taps: sizes as dies
- 17 metric plug taps (bottoming): sizes as dies • taper tap 1/8" BSP
- tap wrench-American pattern 1/2" capacity
- 'T' type tap wrench 1/4" capacity • die holder 1" O/D with guide
- 17 HSS twist drills size: 1.7, 2.5, 2.6, 2.9, 3.3, 3.5, 4.2, 4.5, 5.0, 5.3, 6.8, 7.0, 8.5, 8.8, 10.3, and 10.7mm
- screwpitch gauge • screwdriver



Stock No.
79205

PRODUCT LOCATOR

See page 112 for more information on the EVA Foam Tap and Die Set









1 45MM

METRIC TAP AND DIE SET (45 PIECE)

Manufactured from tungsten steel. Taps and dies suitable for cleaning and cutting threads on mild steel and aluminium. Supplied with tap wrench and bits for tapping. Packed in blow mould case with display sleeve.

Contents:

- 20 metric dies size: 6 x 1.0, 6 x 0.25, 8 x 1.25, 8 x 1.0, 10 x 1.25, 10 x 1.5, 12 x 1.5, 12 x 1.75, 14 x 1.5, 14 x 2.0, 16 x 1.5, 16 x 2.0, 18 x 1.5, 18 x 2.5, 20 x 1.5, 20 x 2.5, 22 x 1.5, 22 x 2.5, 24 x 1.5 and 24 x 3.0mm
- 20 metric taps: sizes as dies
- tap wrench • 'T' type tap wrench
- die holder • die adaptor • screwdriver

Stock No.
18523

2 ARE-CTA

400ml METAL CUTTING LUBRICANT

For cutting threads using taps and dies as well as drilling, reaming and machining in steels and aluminium. Can also be used to preserve tips on TCT circular saws and router bits. CFC free. Sold loose.

Available in singles - order multiples of 12 to get a free countertop display

Stock No.
76109







3 D26MM/A

CIRCULAR METRIC DIES AND HOLDER SET (6 PIECE)

Popular sizes of 1" O/D circular split dies and die holder. Ideal for clearing threads. Manufactured from carbon steel with cut threads. Display packed.

Contents: 6 x 1.00, 7 x 1.00, 8 x 1.25, 10 x 1.50 and 12 x 1.75mm dies plus 1" O/D die holder.

Stock No.
79197

4 201TR

DIE HOLDERS

Three screw pattern. Display packed.

Stock No.	O/D
14445	13/16"
14446	1"

5 D25-MM/A

METRIC HEXAGON DIE NUT SET (5 PIECE)

Manufactured from carbon steel. Display packed.

Contents: 6 x 1.00, 8 x 1.25, 10 x 1.50, 11 x 1.50 and 12 x 1.75mm.

Stock No.
79198



6 SKC2B

CIRCULAR DIES

Manufactured from high carbon steel with accurately cut coarse threads. Display packed.

Stock No.	Part No.	O/D	Size Coarse
83803	SKC2B	13/16"	2.0 x 0.40
83804	SKC2B	13/16"	2.5 x 0.45
83805	SKC2B	13/16"	3.0 x 0.50
83806	SKC2B	13/16"	3.5 x 0.60
83807	SKC2B	13/16"	4.0x 0.70
83808	SKC2B	13/16"	5.0 x 0.80
83809	SKC2B	1"	6.0 x 1.00
83810	SKC2B	1"	8.0 x 1.25
83812	SKC2B	1"	10 x 1.50
83813	SKC2B	1"	12 x 1.75



7 4522MM/A

METRIC HAND TAP SET (10 PIECE)

Second taper taps manufactured from special high carbon steel with accurately cut threads. Display packed.

Contents: 3 x 0.5, 4 x 0.7, 5 x 0.8, 6 x 1.0, 7 x 1.0, 8 x 1.25, 9 x 1.25, 10 x 1.5, 11 x 1.5 and 12 x 1.75

Stock No.
79200



8 4522UNF/A

UNF HAND TAP SET (10 PIECE)

Second taper taps manufactured from special high carbon steel with accurately cut threads. Display packed.

Contents: 5 x 44, 6 x 40, 8 x 36, 10 x 32, 12 x 28, 1/4" x 28, 5/16" x 24, 3/8" x 24, 7/16" x 20 and 1/2" x 20 (tpi).

Stock No.
79199



1 TDS-28

METRIC TAP AND HSS DRILL SET (28 PIECE)

Taps manufactured to DIN 371 and DIN 376; HSS drills to DIN 338 and ISO 235/1

All-round set comprising seven sizes of tap (taper, secondary and bottoming) and seven HSS drills. Packed in case with display sleeve.

Contents:

- Taper, secondary and bottoming taps size: 3 x 0.5, 4 x 0.7, 5 x 0.8, 6 x 1.0, 8 x 1.25, 10 x 1.5 and 12 x 1.75
- Metric HSS drills size: 2.5, 3.3, 4.2, 5.0, 6.8, 8.5 and 10.2mm

Stock No.
40891




4 4523MM/A

METRIC TAP AND HOLDER SET (6 PIECE)

Popular sizes of carbon steel cut thread taps and 'T' type holder. Display packed.

Contents: 3.5 x 0.60, 4 x 0.70, 6 x 1.00, 8 x 1.25 and 10 x 1.50 taps plus 'T' type tap holder.

Stock No.
79202




5

SCHRÖDER RATCHET 'T' TYPE TAP WRENCHES

Expert Quality, manufactured by Schröder in Germany for Draper Tools. Ratchet action with forward/reverse operation and lock. Two hardened jaws and polished plated finish. Knurled screw on Stock Nos. 45680 and 45698; 20mm hexagon on Stock No.19640. Display packed.

Stock No.	Part No.	Capacity of Square
45680	594	2-5mm
45698	595	4.6-8.0mm
19640	4.003.4	8-12mm
80218	Y594	Sp. 2.5mm Jaws
80219	Y595	Sp. 4.6-8.0mm Jaws
59477	Y4.003.4	Sp. 8-12mm Jaws



2 H29MPTS/B

METRIC HSS TWIST DRILLS FOR METRIC TAPPING

Manufactured to DIN338 and ISO235/1 Specifications

Expert Quality, a selection of metric-sized high speed straight shank twist drills specifically for drilling holes prior to tapping. Display packed one drill per card (sizes 4.2-10.2mm) and two drills per card (sizes 1.6-3.3mm).

Stock No.	Drill Diameter	For Thread
53028	1.6mm	2 x 0.4
53030	2.05mm	2.5 x 0.45
53031	2.5mm	3 x 0.5
53032	3.3mm	4 x 0.7
53033	4.2mm	5 x 0.8
53034	5.0mm	6 x 1.0
53036	6.8mm	8 x 1.25
53038	8.5mm	10 x 1.5
53039	10.2mm	12 x 1.75



3 SKC1B

TAPER AND PLUG HAND TAPS

Manufactured from high carbon steel with accurately cut threads. Packed one of each, taper and plug, (bottoming) on display card.

Stock No.	Size Coarse
83793	2.0 x 0.40
83794	2.5 x 0.45
83795	3.0 x 0.50
83796	3.5 x 0.60
83797	4.0 x 0.70
83798	5.0 x 0.80
83799	6.0 x 1.00
83800	8.0 x 1.25
83801	10 x 1.50
83802	12 x 1.75

'T' TYPE AND BAR TYPE TAP WRENCHES





6 TTW

'T' TYPE TAP WRENCHES

Polished body with knurled and polished barrel. Display packed.

Stock No.	Capacity of Square
45713	2.0-4.0mm
45721	2.0-5.0mm
45739	4.0-6.3mm



7 TW

BAR TYPE TAP WRENCHES

Hardened and tempered jaws, knurled handle with black enamelled finish. Display packed.

Stock No.	Capacity of Square
37329	2.0-12mm
37330	4.25-14.40mm
37331	4.25-17.70mm
37332	6.80-23.25mm



1 DHCK-KIT

METRIC THREAD REPAIR MASTER KIT

Expert Quality, comprehensive kit for repairs and restoration of damaged threads to their original size and condition. High quality stainless steel thread inserts provides stronger assemblies where there is a tapped hole. The inserts can be easily placed using the patented magnetic insert bit holder. Packed in blow mould case with display sleeve. Contents:

- 5 x HSS twist drills size: 5.5, 6.3, 8.3, 10.4 and 12.4mm • 5 x HSS second taps • 5 x tang breaking tools
- Interchangeable insert winder handle • 5 x 1/4" hex. x magnetic screw insert drivers • 2mm hexagon key
- Thread inserts 24 size: M5 x 0.8; 15 size: M6 x 1.0; 10 size M8 x 1.25; 6 size M10 x 1.5; 5 size: M12 x 1.75

Stock No.
21690




2 1B

SCHRÖDER SCREW EXTRACTOR SET (5 PIECE)

Expert Quality, manufactured by Schröder in Germany for Draper Tools. Manufactured from chrome vanadium steel with square drive ends. Packed in plastic case.

Contents: one each of size: 1 (3-6mm), 2 (6-8mm), 3 (8-11mm), 4 (11-14mm) and 5 (14-18mm).

Stock No.	Description
45856	Extractor Set
33070	No.1 Extractor
34730	No.2 Extractor
33071	No.3 Extractor
33072	No.4 Extractor
33073	No.5 Extractor



3 22TF

METRIC THREAD RESTORING FILE

For restoring and cleaning internal or external threads. Thread pitch: 080-100, 175-200, 125-150 and 250-300. Packed in clear plastic tube.

Stock No.
68703



4

RE-THREADING TOOLS

For cleaning out and cutting damaged or malformed threads in electrical boxes and other similar jobs. Manufactured from high speed steel with precision ground threads and an impact resistant PVC handle. Display packed.

Stock No.	Part No.	Size
37923	RT3.5	3.5 x 0.6
37924	RT4	4 x 0.7



5 843B

SCREW EXTRACTOR SET (5 PIECE)

Coarse spiral pattern with square drive end. Manufactured from carbon steel. Packed in plastic case on display card.

Contents: one each of size: 1 (3-6mm), 2 (6-8mm), 3 (8-11mm), 4 (11-14mm) and 5 (14-18mm).

Stock No.
42560



6 ADHCK-A

METRIC THREAD INSERT REFILL PACKS

Expert Quality, packs of stainless steel thread inserts for use with Draper Metric Insert Kits. Display packed.

Stock No.	Size	Coils p/pack
21706	M5 x 0.8	12
21708	M6 x 1.0	12
21709	M8 x 1.25	12
82632	M9 x 1.25	12
21710	M10 x 1.5	12
21711	M12 x 1.75	6



7 DHCK-A

METRIC THREAD REPAIR KITS

Expert Quality, stainless steel inserts restore damaged threads to their original size and condition in any material. Provides stronger assemblies where there is a tapped hole. Eliminates thread wear, corrosion, galling, seizing and rust. Display packed.

Contents: high speed steel drill; insertion mandrel; high speed steel tap; stainless thread inserts

Stock No.	Size	Coils p/pack
21714	M5 x 0.8	3
21715	M6 x 1.0	3
21721	M8 x 1.25	3
82631	M9 x 1.25	3
21723	M10 x 1.5	3
21744	M12 x 1.75	3



8 DB3R

DEBURRING AND CHAMFERING TOOL SET (3 PIECE)

For the removal of swarf and burrs from machined components leaving a clean hole. The 10.5mm diameter countersink is ideal when a chamfered edge is required. The deburring blade is suitable for use in steel, aluminium and plastic. Display packed.

Stock No.
37023

PRODUCT INFORMATION

Draper Tools have a comprehensive collection of product related videos; one of them is our adhesive video, which highlights the benefits of our adhesive range. Find out more at drapertools.com/drapertv

YOUTUBE.COM/DRAPERTOOLSTV



1 DTL222

D222 THREAD LOCK

Ideal for low-strength thread locking on adjusting screws, countersunk head screws and set screws. Very good on low strength metals which could break during disassembly. Low strength break away - 6Nm. Display packed.

Stock No.	Pack Size
24657	50ml



2 DNL243

D243 NUT LOCK

Medium strength (16Nm break away) oil tolerant design for direct application onto parts where a light oily film exists or where surrounding parts contamination is a problem. Display packed.

Stock No.	Pack Size
24660	50ml



3 DSL270

D270 STUD LOCK

High strength (40Nm break away) general purpose adhesive for permanent threaded assemblies. Secures studs up to 13mm, sealing against leakage and corrosion. Chemical resistant while also resisting fuels, lubricants and most industrial liquids and gases. Display packed.

Stock No.	Pack Size
24659	50ml



4 DBF641

D641 BEARING FIT

Single part anaerobic securing compound, designed for fitting cylindrical metal assemblies and cures when confined between the parts. Will secure all types and sizes of bearings, shafts and cylindrical parts. Display packed.

Stock No.	Pack Size
24662	50ml



5 DBSR638

D638 BUSH AND SLEEVE RETAINER

Designed to give high strength retention under cyclic loading. Retains full strength and won't suffer fatigue under load stress. Suited for structural components such as cylindrical parts under load, keys, splines, and structural tubing. Display packed.

Stock No.	Pack Size
24667	50ml



6 DHS542

D542 HYDRAULIC SEAL

D542 for metal threaded fittings especially useful on hydraulic pipes. Used on low, medium and high-pressure lines and cures to form a tough high-pressure seal. Ideal for valves, threaded couplings and adaptors. Display packed.

Stock No.	Pack Size
33321	50ml



7 DMG574

D574 MULTI GASKET

Instant gasket material which forms in place, making almost any size and shape, replacing paper, cork etc. Once applied the assembled parts are usually suitable for immediate low pressure (6 bar) service and once cured can resist 350 bar pressure depending on gap size. Display packed.

Stock No.	Pack Size
24661	50ml



8 DFG515

D515 FLEXIBLE GASKET

Easily applied flexible gasket paste, which forms a tough purple temperature resistant gasket. Its high viscosity and fast curing enables the paste to seal almost any size and shape creating an instant low pressure seal while removing the need for traditional paper or cork gaskets. Display packed.

Stock No.	Pack Size
31908	50ml



9 DFG518

D518 FLEXIBLE GASKET

Easily applied flexible gasket paste ideal for aluminium flanges forming a tough red, temperature resistant gasket. Its high viscosity and fast curing enables the paste to seal almost any size and shape creating an instant low pressure seal while removing the need for traditional paper or cork gaskets. Display packed.

Stock No.	Pack Size
31909	50ml



10 DPW3294

D3294 PLASTIC WELD

A toughened structural adhesive formulated for bonding differing substrates as well as unprepared metals, ceramics, wood, concrete and standard thermoset plastics. The final adhesive bond is designed to be load bearing and resistant to weathering, humidity and temperature variations. Display packed.

Stock No.	Pack Size
24668	28ml



11 DEPR2012

D2012 EPOXY STRUCTURAL ADHESIVE

Two part, cold curing epoxy resin adhesive. Suitable for bonding a wide range of surfaces including steel, aluminium, and galvanised iron. Reacts within five minutes to give a tough resilient bond. Display packed.

Stock No.	Pack Size
24663	28ml



12 DFTRP

FUEL TANK REPAIR PUTTY

Specialist epoxy putty, ideal for patching holes in fuel tanks, radiators, pipes etc. When mixing, the putty turns a unified colour signifying it's ready for use. Hardens and cures in extreme conditions. Bonds to metal, fibreglass, wood, concrete and glass. Display packed.

Stock No.
31033



1 NF6/SG/B

150mm SOFT GRIP NEEDLE FILE SET (6 PIECE)

No. 2 cut files, high carbon steel hardened and tempered with sand blasted finish. Two-tone soft grip handles. Conveniently stored in plastic storage case. Display packed.

Contents: flat parallel, flat taper, half round, three square, square and round files.

Stock No.
83480



2 DF6/SG

150mm SOFT GRIP DIAMOND NEEDLE FILE SET (6 PIECE)

Diamond coated 150 grit. Two-tone soft grip handles. Display packed in plastic case.

Contents: flat parallel, flat tapered, round, half round, square and three square.

Stock No.
47817



3 4885/10D

140mm DIAMOND NEEDLE FILE SET (10 PIECE)

Chromium plated and diamond coated 150 grit. Moulded plastic handles. Display packed in plastic case.

Contents: flat parallel, flat tapered, round, half round, square, three square, oval, crossing, barrette and knife

Stock No.
36326



4 4883/6D

140mm NEEDLE FILE SET (6 PIECE)

Moulded plastic handles. Display packed in plastic storage wallet.

Contents: flat parallel; flat taper; half round; round; square and three square files

Stock No.
82577



5 4884/12D

140mm NEEDLE FILE SET (12 PIECE)

Moulded plastic handles. Display packed.

Contents: 2 x flat hand, 2 x flat taper, taper round,half round, square, triangular, oval, crossing, crochet and knife

Stock No.
82640



6 NF/SET/B

140mm SOFT GRIP NEEDLE FILE SET (6 PIECE)

No. 2 cut files, high carbon steel hardened and tempered with sand blasted finish. Two-tone soft grip handles. Conveniently stored in plastic storage wallet. Display packed.


Contents: flat parallel, flat taper, half round, three square, square and round files.

Stock No.
83982

7 NF

SECOND CUT NEEDLE FILES (BOX OF 12)

For intricate work, Manufactured from high carbon/chrome steel, hardened and tempered to HRC 62-64 files. Sold in boxes of 12 files.

Stock No.	Type	
63391	Flat Parallel	
63392	Flat Taper	
63393	Half Round	
63394	Three Square	
63395	Square	
63396	Round	



8 563B

110mm SWISS FILE HANDLE

For use with needle files. Knurled hand-tightened chuck retains file in handle. Display packed.

Stock No.
29523

PRODUCT LOCATOR

Handles for engineers files are shown on page 620.



"DAVE SAYS" QUALITY MAKES THE DIFFERENCE

FILES - This range of high quality files are suitable for engineers.
The files are manufactured from quality carbon chrome steel that's correctly hardened and tempered, conforming to the British standard.
Always use the correct file for the job in hand - bastard cut for fast metal removal, second cut for general filing and smooth cut for a fine finish.
Needle files are used for detailed work - depending on the type of file, they can be used for metal or wood to remove burrs, irregularities, enlarging holes or slots and for sharpening saws.




IMPORTANT NOTE:


FILES - TRANSIT DAMAGE:

As a result of potential damage to file teeth during transit, we regret that file quantities in boxes (usually 12) are fixed and cannot be broken down.

FILE PROFILES













1 HF/1

HAND FILES - BASTARD CUT

Manufactured in accordance with BS498

With one safe edge. Carbon chrome steel hardened and tempered with rust preventative finish and dipped in rust preventative oil.

Order number of boxes required. (Sold in boxes without handles)

Stock No.	Length	Files per box
60202	150mm (6")	12
60203	200mm (8")	12
60204	250mm (10")	12
60205	300mm (12")	6



2 HF/2

HAND FILES - SECOND CUT

Manufactured in accordance with BS498

With one safe edge. Carbon chrome steel hardened and tempered with rust preventative finish and dipped in rust preventative oil.

Order number of boxes required. (Sold in boxes without handles)

Stock No.	Length	Files per box
60207	150mm (6")	12
60208	200mm (8")	12
60209	250mm (10")	12
60210	300mm (12")	6



3 HF/3

HAND FILES - SMOOTH CUT

Manufactured in accordance with BS498

With one safe edge. Carbon chrome steel hardened and tempered with rust preventative finish and dipped in rust preventative oil.

Order number of boxes required. (Sold in boxes without handles)

Stock No.	Length	Files per box
60212	150mm (6")	12
60213	200mm (8")	12
60214	250mm (10")	12
60215	300mm (12")	6

4 HRF/1

HALF ROUND FILES - BASTARD CUT

Manufactured in accordance with BS498

Carbon chrome steel hardened and tempered with rust preventative finish and dipped in rust preventative oil.

Order number of boxes required. (Sold in boxes without handles)

Stock No.	Length	Files per box
60217	150mm (6")	12
60218	200mm (8")	12
60219	250mm (10")	12
60220	300mm (12")	6



5 HRF/2

HALF ROUND FILES - SECOND CUT

Manufactured in accordance with BS498

Carbon chrome steel hardened and tempered with rust preventative finish and dipped in rust preventative oil.

Order number of boxes required. (Sold in boxes without handles)

Stock No.	Length	Files per box
60222	150mm (6")	12
60223	200mm (8")	12
60224	250mm (10")	12
60225	300mm (12")	6



6 HRF/3

HALF ROUND FILES - SMOOTH CUT

Manufactured in accordance with BS498

Carbon chrome steel hardened and tempered with rust preventative finish and dipped in rust preventative oil.

Order number of boxes required. (Sold in boxes without handles)

Stock No.	Length	Files per box
60227	150mm (6")	12
60228	200mm (8")	12
60229	250mm (10")	12
60230	300mm (12")	6



7 FF/1

FLAT FILES - BASTARD CUT

Manufactured in accordance with BS498

Carbon chrome steel hardened and tempered with rust preventative finish and dipped in rust preventative oil.

Order number of boxes required. (Sold in boxes without handles)

Stock No.	Length	Files per box
60232	150mm (6")	12
60233	200mm (8")	12
60234	250mm (10")	12
60235	300mm (12")	6

8 FF/2

FLAT FILES - SECOND CUT

Manufactured in accordance with BS498

Carbon chrome steel hardened and tempered with rust preventative finish and dipped in rust preventative oil.

Order number of boxes required. (Sold in boxes without handles)

Stock No.	Length	Files per box
60237	150mm (6")	12
60238	200mm (8")	12
60239	250mm (10")	12
60240	300mm (12")	6



9 FF/3

FLAT FILES - SMOOTH CUT


Manufactured in accordance with BS498

Carbon chrome steel hardened and tempered with rust preventative finish and dipped in rust preventative oil.

Order number of boxes required. (Sold in boxes without handles)

Stock No.	Length	Files per box
60242	150mm (6")	12
60243	200mm (8")	12
60244	250mm (10")	12
60245	300mm (12")	6

FILE PROFILES





1 RF/1

ROUND FILES - BASTARD CUT

Manufactured in accordance with BS498

Carbon chrome steel hardened and tempered with rust preventative finish and dipped in rust preventative oil.

Order number of boxes required. (Sold in boxes without handles)

Stock No.	Length	Files per box
60248	150mm (6")	12
60249	200mm (8")	12
60250	250mm (10")	12



2 RF/2

ROUND FILES - SECOND CUT

Manufactured in accordance with BS498

Carbon chrome steel hardened and tempered with rust preventative finish and dipped in rust preventative oil.

Order number of boxes required. (Sold in boxes without handles)

Stock No.	Length	Files per box
60254	150mm (6")	12
60255	200mm (8")	12
60256	250mm (10")	12



3 RF/3

ROUND FILES - SMOOTH CUT

Manufactured in accordance with BS498

Carbon chrome steel hardened and tempered with rust preventative finish and dipped in rust preventative oil.


Order number of boxes required. (Sold in boxes without handles)

Stock No.	Length	Files per box
60258	150mm (6")	12
60259	200mm (8")	12
60260	250mm (10")	12

SAFETY INFORMATION

Never use a file without a handle. Suitable handles are shown opposite.







4 CSFP

150mm CHAINSAW FILE (DISPLAY PACKED)

Manufactured in accordance with BS498

Carbon chrome steel hardened and tempered with rust preventative finish and dipped in rust preventative oil. Display packed.

Stock No.	Diameter
60766	4mm (5/32")


5 CSF

CHAINSAW FILES (SOLD LOOSE)

Order number of boxes required. (boxes of 12 without handles)

Stock No.	Length	Diameter
60296	150mm (6")	4mm (5/32")
60297	200mm (8")	5mm (3/16")
60298	200mm (8")	5.5mm (7/32")

FILE PROFILES





6 DESFP

175mm (7") DOUBLE ENDED SAW FILE (DISPLAY PACKED)

Manufactured in accordance with BS498


For sharpening non hardpoint saw teeth. Supplied with handle (unassembled). Carbon chrome steel hardened and tempered with rust preventative finish and dipped in rust preventative oil. Display packed.

Stock No.
60312

7 DESF

175mm (7") DOUBLE ENDED SAW FILE (SOLD LOOSE)

Stock No.	Files per box
60311	12



8 FOP

GARDEN TOOL FILES

Manufactured in accordance with BS498

Single cut files to give fine/sharp finish to garden tools. Carbon chrome steel hardened and tempered with rust preventative finish and dipped in rust preventative oil. Self handled with hang hole. Display packed.

Stock No.	Length
60306	200mm (8")
60308	250mm (10")



9 563A

PLASTIC FILE HANDLES

For use with Draper files and other manufacturers files. Display packed.

Stock No.	Length
29524	80mm
29525	93mm
29526	110mm





10 563

HARDWOOD FILE HANDLES

Smoothly finished with steel ferrule. For use with Draper files and other manufacturers files. Sold loose.

Stock No.	Length
33487	75mm
33502	100mm
33528	125mm
33544	150mm



1 8106B/3

200mm SOFT GRIP ENGINEER'S FILE SET (3 PIECE)

High carbon steel, hardened and tempered with soft grip handles incorporating hang hole. Display packed.

Contents: flat, half round and round

Stock No.
44963



2 8106B/4

200mm SOFT GRIP ENGINEER'S FILE SET (4 PIECE)

High carbon steel, hardened and tempered with soft grip handles incorporating hang hole. Display packed.

Contents: flat, half round, round and three square

Stock No.
44962



3 8106B/8

200mm SOFT GRIP ENGINEER'S FILE AND RASP SET (8 PIECE)

High carbon steel, hardened and tempered with soft grip handles incorporating hang hole. Supplied in tool roll. Display packed.

Contents: flat, hand, half round, round, square, three square files, half round rasp and round rasp.

Stock No.
44961



4 WFS4

100mm WARDING FILE SET (4 PIECE)

Plastic handles. Display packed.

Contents: flat parallel, round, square and three square.

Stock No.
14184



5 WFS6

100mm WARDING FILE SET (6 PIECE)

Plastic handles. Display packed.

Contents: flat parallel, flat taper, round, square, three square and half round.

Stock No.
14185



6 FCB

210mm FILE CLEANING BRUSH

For the cleaning of files, etc. Filled with file card steel wire 360 points per square inch. Brush width 25mm. Filled Length: 90mm. Beechwood handle. Display packed.


Stock No.
34477


7

SOFT GRIP ENGINEER'S FILES AND RASPS

High carbon steel, hardened and tempered with soft grip handles incorporating hang hole. Improved tooth profile for increased performance.

Stock No.	Type	Size
44952	Flat	200mm
00006	Hand	150mm
44953	Hand	200mm
00007	Hand	250mm
00008	Hand	300mm
00009	Half Round	150mm
44954	Half Round	200mm
00010	Half Round	250mm
00011	Half Round	300mm
00012	Round	150mm
44955	Round	200mm
00013	Round	250mm
44956	Square	200mm
00014	Square	250mm
44957	3 Square	200mm
44958	Cabinet Half Round	200mm
44959	Cabinet Round	200mm
44960	Cabinet Flat	200mm





1
ENGINEER'S BENCH VICES
Quality cast iron body with steel screw and handle. Hardened carbon steel interchangeable jaws. Carton packed.

Stock No.	Part No.	Jaw Width
45230	BV100/L	100mm
45231	BV125/L	125mm
45232	BV150/L	150mm

2 BV2/L
ENGINEER'S BENCH VICES
Good quality grey cast iron with trapezoidal thread lead screw. Hardened carbon steel interchangeable jaws. Carton packed.


Stock No.	Jaw Width
44506	100mm
45783	150mm





3 BV-SB2
SWIVEL BASES FOR ENGINEER'S BENCH VICES
Swivel bases for use with Engineers Bench Vices Stock Nos. 44506 and 45783. Manufactured from good quality grey cast iron with three fixing legs and two clamping blocks. Sold loose.

Stock No.	For Vice
45784	For Stock No. 44506
45785	For Stock No. 45783



4
SOFT JAWS FOR ENGINEER'S VICES
Aluminium with heavy duty soft rubber face to prevent marking. Supplied with heavy duty magnets which stick to the face of the vice jaws. Display packed.

Stock No.	Part No.	Size
14178	SJ100B	100mm
14180	SJ150B	150mm




5 HV100
36mm HAND VICE
Hand held vice for the secure clamping of component parts prior to grinding, drilling, etc. Carton packed.

Stock No.	Jaw Opening
30785	19mm



6 1709T
75mm BENCH VICE
Cast iron with serrated curved jaws. Bench clamping screw 40mm capacity manufactured from zinc plated carbon steel. Display packed.

Stock No.	Jaw Opening
38267	58mm



7 VC50H
55mm HOBBY VICE
Diecast aluminium with plated jaws and bench clamp. Display carton.

Stock No.	Jaw Opening
14145	50mm





8 VAC 10/L
75mm VACUUM VICE
Versatile swivel vice with powerful suction base which fixes to any smooth surface. Swivelling head allows many varied positions. V grooved jaws for holding cylindrical and irregular shapes. Supplied with removable soft rubber safety jaw covers. Display carton.

Stock No.	Jaw Opening
45245	70mm



1 WWV/L

QUICK RELEASE WOODWORKING BENCH VICES

Robust, close grain cast iron woodworking bench vice fitted with quick release mechanism to allow jaw to slide freely along the buttress thread screw. When used with a bench stop, larger workpieces can be held using the adjustable front dog. Carton packed.

Stock No.	Jaw Width
45234	175mm
45235	225mm


2 1708/L

150mm WOODWORKING VICE

Universal bench vice is ideal for the home workshop. Cast iron frame with plated steel screw and slide bars. Carton packed.

Stock No.	Jaw Opening
45233	130mm





3 ANV

4.5kg ANVIL

Single bick cast iron anvil, bolt down pattern. Grey cast iron. Oblong working surface 120 x 65mm. Display carton.

Stock No.
35481






4 DPV70/B

'QUICK ACTION' DRILL PRESS VICE


Manufactured from cast aluminium with hardened jaws. 'Quick action' release at rear of vice allows jaws to be opened quickly. Display carton.


Stock No.	Jaw Width	Jaw Opening
40390	70mm	67mm

3 WAY DRILL PRESS VICE










5 DPV100/3

3 WAY DRILL PRESS VICE

Quality cast iron body with three accurately ground cast iron mounting surfaces for drilling holes at 90°. Precision ground jaws. Carton packed.

Stock No.	Jaw Width	Jaw Opening
64585	85mm	100mm







1 590

SASH CLAMPS

Expert Quality, forged steel with malleable cramping heads with plated Acme Thread screw and sliding flat 'T' bar handle 32 x 6mm. Sold loose.

Stock No.	Capacity Approx.
10959	750mm
10960	1050mm



2 DPGCM

SPEED CLAMP

Single handed operation makes this clamp ideal for speedy work on a multitude of tasks in and around the workshop or home. Display packed.

Stock No.	Capacity Approx.	Throat Depth Approx.
24805	150mm	75mm





3 728F

QUICK ACTION CLAMPS

Heavy duty cramps suitable for general applications. Malleable cast iron jaws with plated carbon steel bar, screw and swivel shoe with plastic cover. Plastic handle. Display packed.

Stock No.	Capacity Approx.	Throat Depth	Clamping Pressure
25362	150mm	50mm	140kg
25363	200mm	50mm	140kg
25364	250mm	80mm	220kg
25365	300mm	120mm	400kg
28796	500mm	120mm	400kg
28797	800mm	120mm	400kg
28798	1000mm	120mm	400kg



4 DPGC(P)

PLASTIC BODY SPEED CLAMPS

One hand operated for speed clamping all kinds of jobs in and around the home and workshop. Display packed.

Stock No.	Capacity Approx.	Throat Depth Approx.
53076	100mm	75mm
88592	150mm	75mm



5 RBC

HEAVY DUTY SOFT GRIP DUAL ACTION CLAMPS

Expert Quality, single-handed versatile clamp for spreading and clamping. Ratchet action trigger with quick-release button, soft grip handles and jaws. Display packed.

Stock No.	Capacity Approx.	Spread Approx.	Clamping Pressure
02373	150mm	425mm	150kg
02374	300mm	575mm	150kg
02375	450mm	740mm	150kg



6 RBSC

DUAL ACTION CLAMPS

Single-handed versatile clamp for spreading and clamping. Ratchet action trigger with quick-release button and ergonomic handles. Display packed.

Stock No.	Capacity Approx.	Spread Approx.	Clamping Pressure
25366	150mm	300mm	50kg
25367	300mm	450mm	50kg
25368	450mm	600mm	50kg
15099	600mm	600mm	50kg




1
C CLAMPS
General purpose cramps. Two welded steel plates with plated screw, handle and swivel shoe. Display packed.

Stock No.	Capacity Approx.	Throat Depth Approx.
04365	75mm	38mm
04366	100mm	42mm



2 CS3
C CLAMP SET (3 PIECE)
Malleable cast iron frame with square thread screw, tommy bar handle and swivel shoe. Contents 25, 50 and 75mm capacity (approx.). Display packed.

Stock No.
36779



3 391G/4
C CLAMP SET (4 PIECE)
Malleable cast iron frame with chrome plated square thread screw, tommy bar handle and swivel shoe. Display packed.
Contents: Two clamps each of sizes 75mm and 100mm capacity (approx.)

Stock No.
38368

4 391GP
C CLAMPS (DISPLAY PACKED)
Malleable cast iron frame with chrome plated square thread screw, tommy bar handle and swivel shoe. Display packed.

Stock No.	Capacity Approx.	Throat Depth Approx.
51952	75mm	50mm
51953	100mm	60mm
51954	150mm	70mm

5 391G/1
C CLAMPS (SOLD LOOSE)

Stock No.	Capacity Approx.	Throat Depth Approx.
51082	75mm	50mm
51083	100mm	60mm
51084	150mm	70mm
51085	200mm	85mm
83460	250mm	90mm
83461	300mm	90mm



DRAPER Expert



6 D209
SOFT GRIP SPRING CLAMPS
Expert Quality, heavy duty polypropylene with soft grip spring-loaded handles. Swivelling jaw ends accommodate different shapes, sizes and surfaces. Display packed.

Stock No.	Capacity Approx.	Throat Depth	Clamping Pressure
25369	50mm	45mm	5kg
25370	70mm	70mm	10kg
25371	100mm	86mm	14kg



7 NSC
SPRING CLAMPS
Multiple use clamps for domestic use. Heavy spring with swivelling jaw ends to accommodate different shapes, sizes and surfaces. Tough durable plastic.
Carton packed.

Stock No.	Capacity Approx.	Throat Depth Approx.
82773	30mm	35mm
82774	34mm	48mm
82775	50mm	58mm
82776	88mm	90mm




8 NSC4/A
SPRING CLAMP SET (4 PIECE)
Fibre and nylon bodies with swivelling jaws to hold a variety of shapes. Display packed.
Contents: four clamps capacity 40mm, throat depth 20mm (approx.)

Stock No.
82777




9
SPRING CLAMPS
General purpose pressed steel clamps with plated finish. Incorporates heavy duty spring. Sold loose.

Stock No.	Part No.	Capacity Approx.
64896	4818	25mm
64903	4819	50mm



10
SPRING CLAMP SETS (2 PIECE)
Sets of general purpose pressed steel clamps with plated finish. Incorporates heavy duty spring. Display packed.

Stock No.	Part No.	Capacity Approx.
13949	4818/2	2 x clamps 25mm
13950	4819/2	2 x clamps 50mm



11 LTD5
5M FLOORING TIE DOWN STRAPS
Flooring strap clamps ideal for joining laminate and hardwood flooring without damaging the boards. Designed to ensure tight and secure flooring, essential when gluing laminate flooring in bathrooms and kitchens.

Stock No.
15205

SOFT GRIP 'POUND THRU' BEVEL EDGE WOOD CHISELS



Full length bevel edged blades


1 DEPTWD

140mm SOFT GRIP 'POUND THRU' BEVEL EDGE WOOD CHISELS

Expert Quality, full length bevel edged blades manufactured from chrome vanadium steel hardened, tempered and finely ground. Solid Impact-resistant soft grip handle allows 'Pound Thru' striking end cap to be struck without causing damage. Display packed.

Stock No.	Blade Width
24402	6mm
24403	10mm
24404	13mm
24405	16mm
24406	19mm
24407	22mm
24408	25mm
24409	28mm
24410	32mm
24411	38mm






2 WCSG

150mm SOFT GRIP BEVEL EDGE WOOD CHISELS

Expert Quality, full length bevel edged blades manufactured from chrome vanadium steel hardened, tempered, finely ground and clear lacquer coated for corrosion protection. Impact-resistant soft grip polypropylene handles with striking caps. All blades have blade guards. Display packed.

Stock No.	Blade Length
89324	6mm
89325	10mm
89326	12mm
89327	16mm
89328	20mm
89330	26mm
89331	32mm





3 DWCSG3

150mm SOFT GRIP BEVEL EDGE WOOD CHISEL SETS (3 PIECE)

Expert Quality, full length bevel edged blades manufactured from chrome vanadium steel hardened, tempered, finely ground and clear lacquer coated for corrosion protection. Impact-resistant soft grip polypropylene handles with striking caps. All blades have blade guards. Multiples of eight sets only, supplied in countertop display.

Contents: 12, 20 and 26mm (blade widths)

Minimum order eight sets or multiples thereof

Stock No.
45865



4 WCSG4

150mm SOFT GRIP BEVEL EDGE WOOD CHISEL SET (4 PIECE)

Expert Quality, full length bevel edged blades manufactured from chrome vanadium steel hardened, tempered, finely ground and clear lacquer coated for corrosion protection. Impact-resistant soft grip polypropylene handles with striking caps. All blades have blade guards. Display packed.

Contents: 6, 12, 20 and 26mm (blade widths)

Stock No.
89726



5 DWCSG

150mm BEVEL EDGE WOOD CHISELS

Full length bevel edged blades manufactured from carbon steel hardened, tempered, finely ground and clear lacquer coated for corrosion protection. Impact-resistant polypropylene handles. All blades have blade guards. Display packed.

Stock No.	Blade Width
83277	6mm
83278	10mm
83285	12mm
83286	16mm
83288	20mm
83291	26mm
83293	32mm



6 DWCSGSET4

150mm BEVEL EDGE WOOD CHISEL SET (4 PIECE)

Full length bevel edged blades manufactured from carbon steel hardened, tempered, finely ground and clear lacquer coated for corrosion protection. Impact-resistant polypropylene handles. All blades have blade guards. Display packed.

Contents: 6, 12, 20 and 26mm (blade widths)

Stock No.
83351



7 DWC

120mm BEVEL EDGE WOOD CHISELS

Blades manufactured from carbon steel hardened and tempered with blade guards. PVC oval handles. Display packed.

Stock No.	Blade Width
69643	12mm
69644	19mm
69645	25mm



8 WCS/4

120mm BEVEL EDGE WOOD CHISEL SET (4 PIECE)

Blades manufactured from carbon steel hardened and tempered with PVC oval shaped handles. Display packed.

Contents:10, 12, 19 and 25mm

Stock No.
69619



1 WCS8/SG

140mm SOFT GRIP WOOD CHISEL KIT (8 PIECE)

Expert Quality, comprising six chisels (blade widths: 6, 12, 20, 26, 32 and 38mm), honing guide and aluminium oxide sharpening stone. Chisels have full length bevel edged blades, manufactured from chrome vanadium steel hardened, tempered, finely ground and clear lacquer coated for corrosion protection. Impact-resistant soft grip polypropylene handles. Display packed in blow mould case.

Stock No.
88605



2 DK

DEMOLITION WRECKING KNIFE

Expert Quality, demolition wrecking knife with 100mm finely honed and hardened blade. The super sharp edges on the front and side combine to provide a tool that performs perfectly as a chisel and a knife, this coupled with the 4mm thick back of the blade allows the blade to be struck without any deformation, providing true cuts time after time. Ideal tool for cutting, scraping, mortise making, splitting wood etc. Display packed.

Stock No.
51000




3 305/L

480g (17oz) BEECHWOOD MALLET

With solid head and angled striking faces. Tapered morticed shaft. Average face size 80 x 55mm. Sold loose.

Stock No.
45237



4

SHARPENING STONES

A range of silicon carbide stones with combination fine and medium sharpening surfaces. Display packed.

Stock No.	Part No.	Size
74697	1004/1	100 x 25 x 12mm
65737	1008/1	200 x 50 x 25mm



5 1008/45A

SHARPENING STONE AND BOX

Comprising Stock No.65737 Sharpening Stone with fine and medium sharpening surfaces and Stock No.29520 impact resistant Sharpening Stone Box. Display packed.

Stock No.	Description
31696	Sharpening Stone and Box
29520	Spare Box

ESSENTIAL TOOL FOR ACCURATE CHISEL HONING




6 HG1

HONING GUIDE

This accurately formed diecast guide will accept bevel edged chisels or plane irons sized 3mm – 67mm, setting them at the correct angle for honing. Display packed.

Stock No.
12400




7 DWS/SET/B

DIAMOND WHETSTONE SET (3 PIECE)

For sharpening chisels, scissors, shears, scrapers, knives etc. Comprises coarse, medium and fine stones. Stone size: 152 x 50 x 4.2mm. Display packed.

Stock No.
26335





1 121SG/EXPT

200mm HEAVY DUTY SOFT GRIP CARPENTER'S PINCERS

Forged from carbon steel hardened and tempered. Soft grip handles with slip guards. Display packed.

Stock No.
72172



2 121S2

175mm CARPENTER'S PINCERS

Forged from high quality steel hardened, tempered, with jaws induction hardened. Ball and claw pattern handles with black paint finish. Display packed.

Stock No.
32732



3 P5A

355mm SMOOTHING PLANE

Expert Quality, cast iron body with precision milled base and faces. Fully adjustable high carbon steel iron hardened, tempered and fully ground. Plastic handle and guidance knob for user comfort. Display carton.

Stock No.	Blade Width
43364	50mm



4 P4/L

250mm SMOOTHING PLANE

Expert Quality, cast iron body with precision milled base and faces. Fully adjustable high carbon steel iron hardened, tempered and fully ground. Wooden handle and guidance knob for user comfort. Supplied with a spare iron. Display carton.

Stock No.	Blade Width
45241	50mm



5

BLOCK PLANES

Pressed steel body with a high carbon steel iron. Display packed.

Stock No.	Part No.	Length	Blade Width
13875	D205	135mm	35mm
13874	D204	163mm	42mm

NEW



6 CBP4

BLOCK PLANE

Block plane with 35mm blade and cast iron body with precision milled base and faces. Fully adjustable blade made from high carbon steel that's been hardened, tempered and fully ground. Traditionally used for end grain planing.

Stock No.	Blade Width
05781	35mm



7 D206

235mm HOBBYIST SMOOTHING PLANE

Pressed steel body with high carbon steel iron. Display packed.

Stock No.	Blade Width
19208	45mm



8 2263D

COMBINED PLANE SET (2 PIECE)

Handy two piece set for the workshop. Display packed.
Contents: Block Plane Stock No.13874 and Hobbyist Smoothing Plane Stock No.19208

Stock No.
19702




9 D200/L

SPOKESHAVE

Cast iron high carbon steel flat face pattern. Display packed.

Stock No.	Length	Blade Width
38156	255mm	55mm




10 8106B

200mm SOFT GRIP HALF ROUND CABINET RASP

Forged from high carbon steel complete with soft grip handle. Display packed.

Stock No.
44958




11 8106B

200mm SOFT GRIP ROUND CABINET RASP

Forged from high carbon steel complete with soft grip handle. Display packed.

Stock No.
44959



12 8106B

200mm SOFT GRIP FLAT CABINET RASP

Forged from high carbon steel complete with soft grip handle. Display packed.

Stock No.
44960



DUAL POSITION HANDLE

1 2829
MULTIRASP PLANE
Diecast body with two position adjustable soft grip handle. Blade length 255mm. Supplied with replaceable high carbon steel blade. Display packed.

Stock No.	Part No.	Description
13848	2829	Plane
13851	2950	Flat Blade
13852	3950	Half Round Blade



2 2529
MULTIRASP PLANE
Diecast body with plastic handle. Blade length 255mm. Supplied with replaceable high carbon steel blade. Display packed.

Stock No.	Part No.	Description
13847	2529	Plane
13851	2950	Flat Blade
13852	3950	Half Round Blade



3 2129
MULTIRASP PLANE
Diecast body with plastic handle. Blade length 255mm. Supplied with replaceable high carbon steel blade. Display packed.

Stock No.	Part No.	Description
13846	2129	Plane
13851	2950	Flat Blade
13852	3950	Half Round Blade



4 2139
MULTIRASP BLOCK PLANE
Compact plane with diecast body. Blade length 140mm. Supplied with replaceable high carbon steel blade. Display packed.

Stock No.	Part No.	Description
13849	2139	Block Plane
13853	3990	Flat Blade

PRODUCT INFORMATION



DUAL POSITION HANDLE

Item No. 1 (Stock No. 13848) features a two position adjustable soft grip handle, ensuring the best possible grip.



5 2111
MULTIRASP SHAVER
Plastic holder with replaceable high carbon steel curved blade size 65 x 40mm. Supplied with spare blade. Display packed.

Stock No.	Overall Length
13855	190mm



6 CA960
SOFT GRIP CARPENTER'S AWL
Chrome plated chrome vanadium steel blade with special soft grip handle. Display packed.

Stock No.	Blade Length
76481	65mm



7 SGHB
SOFT GRIP BRADAWL
Fitted with a soft grip handle improving comfort and performance. Blade has 3mm tip. Display packed.

Stock No.	Blade Length
50998	40mm



8 SGHA
SOFT GRIP AWL
Fitted with a soft grip handle improving comfort and performance. 3mm blade tapering to a fine point. Display packed.

Stock No.	Blade Length
54245	75mm



9 B114A
BRADAWL
Expert Quality, traditional pattern with polished rubberwood handle and nickel plated ferrule. Display packed.

Stock No.	Blade Length
88230	32mm



10 B115A
SQUARE BLADE BRADAWL
Expert Quality, can be used on leather, plastic or wood. traditional pattern with polished rubberwood handle and nickel plated ferrule with square pointed blade. Display packed.

Stock No.	Blade Length
88231	38mm



11 B117
CARPENTER'S AWL
Pointed blade with plastic handle. Display packed.

Stock No.	Blade Length
29408	40mm




12 B118
BRADAWL
Chisel blade with plastic handle. Display packed.

Stock No.	Blade Length
29409	40mm



13 500
CARPENTER'S SCRATCH AWL
A general purpose awl with plated chrome vanadium steel blade and plastic handle. Display packed.

Stock No.	Blade Length
64747	63mm



1 TG3

TWIST GIMLET

Tool steel, firmly fixed to plastic handle. Blade diameter 3mm. Display packed.

Stock No.
29517



2 RP160

PIN SETTING TOOL

Designed to set brads in wallboards or panelling. Pins are held in ram recess and simply set by pushing. Display packed.

Stock No.
12751



3 2021

TACK LIFTER

Bright polished good quality steel claw blade with curved leverage end and plastic handle. Display packed.

Stock No.	Length
64804	195mm



4 54

MARKING AND MORTICE GAUGE

Made from beechwood with hardened spurs and brass slide. Display packed.

Stock No.
64458




5 44

MARKING GAUGE

Made from beechwood with single hardened marking spur and plastic turn screw. Display packed.

Stock No.
64440



6

ADJUSTABLE BEVELS

Expert Quality, with polished hardwood stock with brass ends and wing nut. Fitted with straight and true blued steel blade. Display packed.

Stock No.	Part No.	Length
54233	5C/L190	190mm
54241	5C/L230	230mm



7 5CP

200mm ADJUSTABLE BEVEL

Moulded plastic nonslip stock with tempered steel blade. Chrome plated screw and wing nut. Display packed.

Stock No.
36330



8 7C

COMBINATION SQUARES

Matt black metal stock with polished faces, brass adjusting screw, spirit level and scriber. Aluminium blade graduated (on both sides of the blade) metric on one edge and imperial on the other. Display packed.

Stock No.	Length
34702	150mm
34703	300mm




9 2294

150mm TRY AND MITRE SQUARE

Matt black metal stock with machined faces and spirit level. Polished steel blade is graduated mm and 1/16" on both sides. Display packed.

Stock No.
18952



10 4C/I

CARPENTER'S TRY SQUARES

Manufactured to BS3322 Specifications

Expert Quality, with brass faced, polished beechwood stock. The polished blue steel blade is securely held with three rivets. Display packed.

Stock No.	Length
41375	150mm
41376	230mm

SUPPLIED IN STORAGE POUCH



11 MWWSET

MINI WOODWORK SET (5 PIECE)

All tools are manufactured from solid brass and polished hardwood delivering a professional feel, look and performance. The sliding bevel, dovetail square and try square feature a precision machined blackened steel blade. The set is completed with a portable storage pouch. Display packed.

Stock No.
32272



1 D317

1200mm ADJUSTABLE DRYWALL 'T' SQUARE

Expert Quality, anodized aluminium with metric, imperial and angle markings. Adjustable T head for angle marking and cutting. Display packed.

Stock No.
03078

2 FS400

610 x 403mm CARPENTER'S FRAMING SQUARE

Quality steel, dual marked, metric measurements one side and imperial on the other. Display packed.

Stock No.
89714

3 FSQU

FOLDING SQUARES

Manufactured from anodized aluminium with 45° and 90° angles with metric and imperial markings. For tiling, carpentry, laying of slabs/decking and general layout tasks. Supplied with nylon carrying case. Sold loose.

Stock No.	Size
43761	600mm
43762	1200mm



PROTRACTOR
For measuring and marking angles.



SPIRIT LEVEL
45° with vertical.



CENTRE HEAD
For locating centre lines on cylindrical items.




4 8C

300mm COMBINATION SQUARE WITH CENTRE HEAD AND PROTRACTOR

Matt black metal stock with power coated edges, centre reversible protractor and brass adjusting screws. Protractor incorporates a spirit level and is clearly graduated 0°-180° in both directions. Stock incorporates spirit level and scriber. Aluminium blade is graduated mm and 1/16" one side and 1/2mm and 1/32" on the other. Display packed.

Stock No.
34704




5 RS180

ROOFERS SQUARE

For use in basic roof construction and general woodwork applications. Various measurements marked including rafter angles. Display packed.

Stock No.	Size
89762	178 x 180mm



6 PG125

125mm PROFILE GAUGE

Accurately duplicates internal and external shapes prior to working. Sliding plastic blades quickly copies shape to be profiled. Ideal for tiling, flooring, plumbing and carpet laying applications. Comprises magnetic block with metric and imperial graduations with associated plastic blocks. Display packed.

Stock No.
89719



1 CP/3

CARPENTER'S PENCILS

Traditional pattern broad (medium) lead pencils. Pencil length 174mm. Display packed three pencils per card.

Stock No.
34180



2 CPS2

CARPENTER'S PENCIL SHARPENER

For use with traditional broad pattern carpenter's pencils. Incorporates an abrasive stone for fine points and is designed for use with flat carpenters pencils as well as conventional round profiled pencils. Display packed.

Stock No.
50991



3 CPSSET

CARPENTER'S PENCIL AND SHARPENER SET

Six traditional pattern broad (medium) lead pencils and sharpener. Pencil length 174mm. Special sharpener incorporates an abrasive stone for fine points and is designed for use with flat carpenter's pencils as well as conventional round profiled pencils. Display packed.

Stock No.
50990



4 404

CARPENTER'S RATCHET BRACE

Chrome plated frame with four jaw chuck suitable for bitstock shanks. Plastic handles. Sweep: 255mm. Display packed.

Stock No.
13840



5 4900

HAND DRILL

A general purpose double pinion drill with a plastic back handle, with easy-grip feature and plated three jaw chuck. Chuck capacity 8mm - 5/16". Display packed.

Stock No.	Description
13838	Hand Drill
21386	Chuck



6 4899

PISTOL GRIP HAND DRILL

The pistol design of this drill with fully enclosed gears make it particularly suited for use in educational facilities. This model features bit storage in handle and a three jaw chuck. Chuck capacity 8mm - 3/8". Display packed.

Stock No.	Description
13841	Hand Drill
21386	Chuck




7 4766

35mm HINGE HOLE CUTTER

Manufactured from hardened and tempered tool steel. Display packed.

Stock No.
14037



8 4302B

40-120mm HOLE CUTTER

Combination shank for hand brace or power drill. Speed range 200 rpm when cutting holes above 90mm diameter increasing to 800rpm for 40mm diameter holes. The cutter has an easy to use adjustment nut, graduated beam and hardened pilot point. For wood and plastics, maximum cutting depth 30mm. Display packed.

Stock No.
31950



9

HSS ROSEHEAD COUNTERSINK BITS

Heavy duty countersink bit, made from high speed steel hardened and tempered to 55HRC for longer life. The 90° head incorporates five cutting edges and an 8mm diameter shank. Suitable for use with hand or power drills on hard or softwood, metals and plastics.

Stock No.	Part No.	Head Diameter
19234	HS12	13mm
19235	HS16	16mm



10 DB2

13mm COUNTERSINK BIT

General purpose bit for use on wood or plastics. Suitable for use with hand or power drills. Shank diameter 6mm. Display packed.

Stock No.
92526



11

COUNTERSINK BITS

Manufactured from special tool steel, hardened and tempered to 55HRC for long life. The 90° head incorporates a single finely ground fast cutting edge. Shank 6mm diameter. Suitable for use with hand or power drills on hard or softwood and plastics. Display packed.

Stock No.	Part No.	Head Diameter
10572	CS12	12mm
10573	CS16	16mm



12 H-CS12

13mm HAND-HELD COUNTERSINK BIT

Chemically blacked finish with plastic handle, for use on wood and plastics. Display packed.

Stock No.
19241

DRAPER EXPERT® SUPERCUT® PROFESSIONAL HANDSAWS

YOUTUBE.COM/ DRAPERTOOLSTV

The Draper Expert SC Series saw range sets a benchmark for professional hardpoint saws. From their high quality Japanese carbon steel blades to the extremely sharp, very tough, high performance long lasting teeth - they are Made for The Trade.

DRAPER Expert SUPERCUT

Soft grip ergonomic handle with ridge-free finger line support, and hard wearing cushion grip which allows long periods of use without discomfort. The handle is ultrasonically welded for permanent binding to the blade.

Handle suitable for marking out 45° and 90° cuts







Fine ground blade surface coated in ultra tough lacquer to prevent corrosion and ease friction during sawing. Extremely accurate triple-ground teeth cut on both forward and reverse stroke for speed cutting.



Rigid high quality Japanese carbon steel blade with super hard clear coating to help prevent blade jamming in resinous or damp wood.

Optimum gullet shape for sawdust extraction, with thin kerf for high speed action and minimal breakout.





1 SC550

550mm/22" DRAPER EXPERT SUPERCUT® SOFT GRIP HARDPOINT HANDSAWS

Expert Quality, Japanese high carbon steel hardened, tempered, straightened and stress relieved to ensure blade straightness. Fine ground blade surface coated in ultra-tough lacquer to prevent corrosion and ease friction during sawing. Triple ground tooth design to allow fast cutting and sawdust removal in both forward and reverse action. Each tooth is hardened to prevent tooth snap. Shock-absorbing, ergonomic soft grip handle. Display packed.

Stock No.	Teeth/Points per Inch
49286	7/8 First Fix
49284	11/12 Second Fix



2 SC500

500mm/20" DRAPER EXPERT SUPERCUT® SOFT GRIP HARDPOINT HANDSAWS

Expert Quality, Japanese high carbon steel hardened, tempered, straightened and stress relieved to ensure blade straightness. Fine ground blade surface coated in ultra-tough lacquer to prevent corrosion and ease friction during sawing. Triple ground tooth design to allow fast cutting and sawdust removal in both forward and reverse action. Each tooth is hardened to prevent tooth snap. Shock-absorbing, ergonomic soft grip handle. Display packed.

Stock No.	Teeth/Points per Inch
49290	7/8 First Fix
49288	11/12 Second Fix



Draper Supercut®, the premium saw.

Draper Supercut® saws are Made For The Trade.
Both the first fix and second fix saws are manufactured to last and perform.

MADE FOR THE TRADE



1 SC550/D

550mm/22" DRAPER EXPERT SUPERCUT® SOFT GRIP HARDPOINT HANDSAWS

Expert Quality, Japanese high carbon steel hardened, tempered, straightened and stress relieved to ensure blade straightness. Fine ground blade surface coated in ultra-tough lacquer to prevent corrosion and ease friction during sawing. Triple ground tooth design to allow fast cutting and sawdust removal in both forward and reverse action. Each tooth is hardened to prevent tooth snap. Shock-absorbing, ergonomic soft grip handle. Supplied in countertop display.

Minimum order 12 or multiples thereof

Stock No.	Teeth/Points per inch
49287	7/8 First Fix
49285	11/12 Second Fix




2 SC500/D

500mm/20" DRAPER EXPERT SUPERCUT® SOFT GRIP HARDPOINT HANDSAWS

Expert Quality, Japanese high carbon steel hardened, tempered, straightened and stress relieved to ensure blade straightness. Fine ground blade surface coated in ultra-tough lacquer to prevent corrosion and ease friction during sawing. Triple ground tooth design to allow fast cutting and sawdust removal in both forward and reverse action. Each tooth is hardened to prevent tooth snap. Shock-absorbing, ergonomic soft grip handle. Supplied in countertop display.

Minimum order 12 or multiples thereof

Stock No.	Teeth/Points per inch
49291	7/8 First Fix
49289	11/12 Second Fix





3 SC375

375mm/15" DRAPER EXPERT SUPERCUT® SOFT GRIP HARDPOINT TOOL BOX HANDSAW

Expert Quality, Japanese high carbon steel hardened, tempered, straightened and stress relieved to ensure blade straightness. Fine ground blade surface coated in ultra-tough lacquer to prevent corrosion and ease friction during sawing. Triple ground tooth design to allow fast cutting and sawdust removal in both forward and reverse action. Each tooth is hardened to prevent tooth snap. Shock-absorbing, ergonomic soft grip handle. Display packed.

Stock No.	Teeth/Points per Inch
49292	7/8 First Fix



"DAVE SAYS" QUALITY MAKES THE DIFFERENCE

SUPERCUT® BY NAME... AND SUPER-CUT BY NATURE!

The Draper Supercut® Series of professional handsaws are among the best available on the market today. Specifically developed for use by tradespeople who demand a saw of superior quality and durability. See the list of features below!...

- **JAPANESE STEEL BLADES**
  Each blade is manufactured from Japanese high carbon steel which has been hardened and tempered then 'stress-relieved' by soaking the steel and slowly cooling to ensure blade straightness.
- **TRIPLE GROUND TOOTH DESIGN**
  The triple ground tooth allows fast cutting on forward and reverse cut.
- **FINE GROUND BLADE WITH ULTRA TOUGH LACQUER**
  The blades are finely ground then covered with a thick layer of extremely tough lacquer to reduce friction and prevent corrosion.
- **SOFT GRIP ERGONOMIC HANDLE**
  The handle design has been specially developed to give a comfortable, secure grip suitable for protracted sawing tasks.



4

DRAPER EXPERT SUPERCUT® SOFT GRIP HARDPOINT TENON SAWS

Expert Quality, Japanese high carbon steel hardened, tempered, straightened and stress relieved to ensure blade straightness with steel back for accuracy. Fine ground blade surface coated in ultra-tough lacquer to prevent corrosion and ease friction during sawing. 11tpi/12ppi tooth design to allow fast cutting and sawdust removal in both forward and reverse action. Each tooth is hardened to prevent tooth snap. Shock absorbing ergonomic soft grip handle. Display packed.

Stock No.	Part No.	Length
49281	SC250	250mm/10"
49280	SC300	300mm/12"



5 SC305

300mm/12" DRAPER EXPERT SUPERCUT® SOFT GRIP FLOORBOARD SAW

Expert Quality, Japanese high carbon steel hardened, tempered, straightened and stress relieved to ensure blade straightness. Fine ground blade surface coated in ultra-tough lacquer to prevent corrosion and ease friction during sawing. Main blade 10tpi/11ppi hardpoint opposed tooth design to allow fast cutting and sawdust removal in both forward and reverse action on main blade. Blade end curved with reverse tooth to allow user easy start into floorboards and underfloor cavities. Shock absorbing, ergonomic soft grip handle. Display packed.

Stock No.
49283

DRAPER VENOM® SAWS WITH BITE



- Right performance, right money
- Rigid high quality 1mm carbon steel blade ensuring straightness of cut
- Fast cutting double and triple ground blade options
- Optimum tooth design for effortless cutting
- Lacquered coating to reduce friction and prevent corrosion
- Ergonomic comfort grip handle reduces fatigue
- 45° and 90° guides for marking out

DRAPER VENOM® TRIPLE GROUND TEETH

YOUTUBE.COM/DRAPERTOOLSTV





1 FIRST FIX DRAPER VENOM® TRIPLE GROUND HANDSAWS

Saw blades manufactured from high quality 1mm carbon steel, that's been correctly hardened, tempered, straightened and stress relieved to ensure the blades strength and straightness. The set of the tooth delivers a faster cutting performance with optimal sawdust removal in both forward & reverse motions. The finely ground blade is coated with an ultra-tough lacquer protecting the blade from corrosion whilst easing friction when sawing. The ergonomic soft grip handle guarantees user comfort, even when used for prolonged periods. Display packed.

Stock No.	Part No.	Length	PPI
82201	VST500	500mm	8
82203	VST550	550mm	8

2 SECOND FIX DRAPER VENOM® TRIPLE GROUND HANDSAWS

Saw blades manufactured from high quality 1mm SK5 carbon steel, that's been correctly hardened, tempered, straightened and stress relieved to ensure the blades strength and straightness. The set of the tooth delivers faster cutting with optimal sawdust removal in both forward & reverse motions. The finely ground blade is coated with an ultra-tough lacquer protecting the blade from corrosion whilst easing friction when sawing. The ergonomic soft grip handle guarantees user comfort, even when used for prolonged periods. Display packed.

Stock No.	Part No.	Length	PPI
82202	VST500	500mm	12
82204	VST550	550mm	12

DRAPER VENOM® COLOUR CODING...

The Draper Venom® handsaw range has colour coded handles to help the trade choose the right saw for the right job!

1. FIRST FIX - rough cutting of timbers such as joists, stud partitions ie. hidden frameworks
2. SECOND FIX - fine detail cutting of architrave, skirting, banister rails where the quality and precision of the cut is on view
3. DOUBLE or TRIPLE ground teeth

TRIPLE GROUND

FIRST FIX | SECOND FIX

DOUBLE GROUND

FIRST FIX | SECOND FIX | TENON SAW

YOUTUBE.COM/DRAPERTOOLSTV



1 VST350

FIRST FIX DRAPER VENOM® TRIPLE GROUND TOOL BOX SAW

Saw blades manufactured from high quality 1mm SK5 carbon steel, that's been correctly hardened, tempered, straightened and stress relieved to ensure the blades strength and straightness. The set of the tooth delivers faster cutting with optimal sawdust removal in both forward & reverse motions. The finely ground blade is coated with an ultra-tough lacquer protecting the blade from corrosion whilst easing friction when sawing. The ergonomic soft grip handle guarantees user comfort, even when used for prolonged periods. Display packed.

Stock No.	Length	PPI
82205	350mm	8

VENOM® SAWS FLOOR STANDING MERCHANDISER

- HOLDS 12 SAWS
- STOCK No. FOR MERCHANDISER IS 85550
- MINIMUM ORDER QUANTITY TO GET FREE MERCHANDISER; 30 SAWS OF ANY TYPE
- UNIVERSAL GRAPHICS ENABLE THE DISPLAY OF ALL SAWS (OTHER THAN THE TENON SAW)
- ASK YOUR REPRESENTATIVE FOR DETAILS OR CONTACT OUR SALES OFFICE ON +44 (0)23 8049 4333



YOUTUBE.COM/DRAPERTOOLSTV NEW



2 VSD350

SECOND FIX DRAPER VENOM® DOUBLE GROUND TOOL BOX SAW

Saw blades manufactured from high quality 1mm carbon steel, that's been correctly hardened, tempered, straightened and stress relieved to ensure the blades strength and straightness. The set of the tooth delivers faster cutting with optimal sawdust removal in both forward & reverse motions. The finely ground blade is coated with an ultra-tough lacquer protecting the blade from corrosion whilst easing friction when sawing. The ergonomic soft grip handle guarantees user comfort, even when used for prolonged periods. Display packed.

Stock No.	Length	PPI
80874	350mm	12

YOUTUBE.COM/DRAPERTOOLSTV



3

FIRST FIX DRAPER VENOM® DOUBLE GROUND HANDSAWS

Saw blades manufactured from high quality 1mm SK5 carbon steel, that's been correctly hardened, tempered, straightened and stress relieved to ensure the blades strength and straightness. The set of the tooth delivers faster cutting with optimal sawdust removal in both forward & reverse motions. The finely ground blade is coated with an ultra-tough lacquer protecting the blade from corrosion whilst easing friction when sawing. The ergonomic soft grip handle guarantees user comfort, even when used for prolonged periods. Display packed.

Stock No.	Part No.	Length	PPI
82194	VSD500	500mm	8
82196	VSD550	550mm	8

YOUTUBE.COM/DRAPERTOOLSTV



4

SECOND FIX DRAPER VENOM® DOUBLE GROUND HANDSAWS

Saw blades manufactured from high quality 1mm carbon steel, that's been correctly hardened, tempered, straightened and stress relieved to ensure the blades strength and straightness. The set of the tooth delivers faster cutting with optimal sawdust removal in both forward & reverse motions. The finely ground blade is coated with an ultra-tough lacquer protecting the blade from corrosion whilst easing friction when sawing. The ergonomic soft grip handle guarantees user comfort, even when used for prolonged periods. Display packed.

Stock No.	Part No.	Length	PPI
82195	VSD500	500mm	12
82197	VSD550	550mm	12

YOUTUBE.COM/DRAPERTOOLSTV



5 VSD350

FIRST FIX DRAPER VENOM® DOUBLE GROUND TOOL BOX SAW

Saw blades manufactured from high quality 1mm carbon steel, that's been correctly hardened, tempered, straightened and stress relieved to ensure the blades strength and straightness. The set of the tooth delivers faster cutting with optimal sawdust removal in both forward & reverse motions. The finely ground blade is coated with an ultra-tough lacquer protecting the blade from corrosion whilst easing friction when sawing. The ergonomic soft grip handle guarantees user comfort, even when used for prolonged periods. Display packed.

Stock No.	Length	PPI
82198	350mm	8

YOUTUBE.COM/DRAPERTOOLSTV

NEW



1 VTS350

SECOND FIX DRAPER VENOM® TRIPLE GROUND TOOL BOX SAW

Saw blades manufactured from high quality 1mm carbon steel, that's been correctly hardened, tempered, straightened and stress relieved to ensure the blades strength and straightness. The set of the tooth delivers faster cutting with optimal sawdust removal in both forward & reverse motions. The finely ground blade is coated with an ultra-tough lacquer protecting the blade from corrosion whilst easing friction when sawing. The ergonomic soft grip handle guarantees user comfort, even when used for prolonged periods. Display packed.

Stock No.	Length	PPI
80878	350mm	12

YOUTUBE.COM/DRAPERTOOLSTV



2

DRAPER VENOM® DOUBLE GROUND TENON SAWS

Saw blades manufactured from high quality 1mm carbon steel, that's been correctly hardened, tempered, straightened and stress relieved to ensure the blades strength and straightness. The set of the tooth delivers faster cutting with optimal sawdust removal in both forward & reverse motions. The finely ground blade is coated with an ultra-tough lacquer protecting the blade from corrosion whilst easing friction when sawing. The ergonomic soft grip handle guarantees user comfort, even when used for prolonged periods. Display packed.

Stock No.	Part No.	Length	PPI
82199	VTS250	250mm	12
82200	VTS300	300mm	12

YOUTUBE.COM/DRAPERTOOLSTV



4 VSD500L

DRAPER VENOM® DOUBLE GROUND LAMINATE SAW

Saw blades manufactured from high quality 1mm carbon steel, that's correctly hardened, tempered, straightened and stress relieved to ensure the blades strength and straightness. An ideal saw for use on laminate flooring, formica and beading. The forward cutting set of the teeth delivers faster cutting with optimal sawdust removal. The finely ground blade is coated with an ultra-tough lacquer protecting the blade from corrosion whilst easing friction when sawing. Fitted with an ergonomic soft grip handle that guarantees user comfort, even when used for prolonged periods. Display packed.

Stock No.	Length	PPI
66125	500mm	14

YOUTUBE.COM/DRAPERTOOLSTV



3 VSD305

DRAPER VENOM® DOUBLE GROUND FLOORBOARD SAW

Saw blades manufactured from high quality carbon steel, that's been correctly hardened, tempered, straightened and stress relieved to ensure the blades strength and straightness. The blade has a curved end, which is toothed to allow the start cut into floorboards. The set of the tooth delivers faster cutting with optimal sawdust removal in both forward & reverse motions. The finely ground blade is coated with an ultra-tough lacquer protecting the blade from corrosion whilst easing friction when sawing. The ergonomic soft grip handle guarantees user comfort, even when used for prolonged periods. Display packed.

Stock No.	Length	PPI
16829	305mm	12



5 1290B

345mm GENERAL PURPOSE HARDPOINT HANDSAW

Multi-positional straight back saw, with hardened and tempered steel blade with precision sharpened teeth. The solid six-position soft grip handle is designed for maximum comfort. Display packed.

Stock No.
29265



6 PS240

240mm TRI-CUT PULL SAW

Triple ground pull saw. Manufactured from hardened and tempered carbon steel with a 14TPI bevel tooth design. Attached to a soft grip handle for added user comfort.

Stock No.
15088



7 GS8B

250mm HARDPOINT DOVETAIL SAW

Ultra thin polished 10 TPI blade enhances cutting performance and the reinforced back provides extra rigidity. The soft grip handle improves user comfort. Display packed.

Stock No.	TPI
29266	10





1 MS750
750mm MASONRY SAW
33 tungsten carbide tipped teeth for cutting soft bricks, Thermalite block, etc. High carbon steel non stick coated blade. Hardwood handle is securely fixed to blade and is designed to enhance user comfort and control. Sold loose.

Stock No.
09785




2 1192
150mm SOFT GRIP HARDPOINT PLASTERBOARD SAW
Expert Quality, designed for cutting plasterboard, chipboard or hardboard. 2.4mm cross cut tapered blade with hardened teeth and soft grip two tone handle. Supplied with blade sheath. Display packed.

Stock No.
68482



3 DWS150
150mm SOFT GRIP HARDPOINT PLASTERBOARD SAW
Designed for cutting plasterboard, chipboard or hardboard. Double bevel hardened teeth and soft grip handle for user comfort. Display packed.

Stock No.
02945



4 33
200mm COMPASS SAW
A general purpose saw ideal for use where space is limited. Comprising diecast handle and three interchangeable hardened steel blades suitable for cutting wood, veneer board and mild steel/nonferrous metals respectively. Display packed.

Stock No.
83135



5 8901
COPING SAW
Expert Quality, chrome plated frame with wooden tensioning handle. Blade can be turned through 360° for intricate work. Display packed.

Stock No.
64408




6 8904
COPING SAW WITH SPARE BLADES
Chrome plated frame with wooden handle and Supplied with five assorted blades. Blade can be turned through 360° for intricate work. Display packed.

Stock No.
18052



7 8905
FRETSAW
Expert Quality, plated frame with wooden handle and Supplied with 18tpi blade. Throat depth 295mm. Display packed.

Stock No.	Description
18153	Fretsaw
19316	Spare 18tpi blades (10)



8 2023B
PAD SAW BLADE SET (3 PIECE)
For use with Draper Stock No. 64383 Pad Saw and other standard pad saws. Display packed.
Contents: three blades length: 255mm, 275mm and 300mm

Stock No.
64391




9 297/P
15tpi COPING SAW BLADES
Pinned end blades supplied on display cards of ten. For use with Stock No.18052 and 64408 Coping Saws and other manufacturers coping saws. Display packed.

Stock No.
64416



10 2023
275mm PAD SAW
Expert Quality, with a smoothly turned and polished beechwood handle with brass blade mount. Supplied with general purpose blade. Will also accommodate conventional hacksaw blades. Display packed.

Stock No.
64383



1 PMS/550

550mm PRECISION MITRE SAW

- Workshop saw for the accurate cutting of various angles or mitres on picture frames, architraves etc
- Complete with an array of clamps and stops

Max. cutting width clamped at 45°	115mm
Max. cutting width clamped at 90°	125mm
Max. cutting width unclamped at 90°	170mm
Max. cutting height	100mm
Blade length	550mm
Blade width	45mm
Table length	400mm
Max. reach of adjustable stop	440mm
Gross weight	8.5kg

Stock No.	Description
88192	Mitre Saw
19846	14tpi blade
21626	18tpi blade
21627	24tpi blade

MITRE BOX WITH CLAMP

Two sprung clamps hold workpiece in place to give extra support whilst cutting.

DRAPER Expert

DRAPERTOOLS.COM/DRAPERTV

EXCLUSIVE TO DRAPER TOOLS IN THE UK & EIRE



2 CMB

MITRE BOX WITH CLAMPING FACILITY

Expert Quality, moulded from tough high quality plastic to give exceptional rigidity. Two sprung clamps for holding workpiece. One 45°, 22.5° and 90° guides on the two edges with a side on 45° for larger sections of materials. Two bench edge stops on the underside to prevent movement whilst working. The base has two countersunk slots for permanent fixing to bench. Sold loose.

Stock No.	Length	Internal Width	Height
09789	367mm	116mm	70mm



3 3615A

MINI MITRE BOX

Moulded from tough impact resistant recycled plastic. Two 45° and one 90° guide on both edges and two countersunk holes for fixing to workbench. Ideal for small scale or precision work including model making etc. Sold loose.

Stock No.	Length	Internal Width	Height
48677	200mm	35mm	50mm




4 MB/L

MITRE BOX

Beechwood with two 45° and one 90° guides on both edges. Sold loose.

Stock No.	Length	Internal Width	Height
45238	225mm	70mm	50mm



5 3616

MIDI MITRE BOX

Medium sized box, moulded from tough impact resistant recycled material. Two 45° and one 90° guides on both edges. The base has two countersunk slots for fixing to bench. Sold loose.

Stock No.	Length	Internal Width	Height
31209	290mm	58mm	56mm



6 3617A

MAXI MITRE BOX

Moulded from tough impact resistant recycled plastic. Two 45° and one 90° guide on both edges and two countersunk holes for fixing to workbench. One edge is deeper to facilitate easier cutting. Sold loose.

Stock No.	Length	Internal Width	Height
48678	320mm	100mm	85/120mm



7 3614

MITRE BOX

Moulded from tough high quality plastic to give exceptional rigidity. Two 45° and one 90° guides on the two edges with a side on 45° for larger sections of materials. The base has two countersunk slots for permanent fixing to bench. Sold loose.

Stock No.	Length	Internal Width	Height
10266	360mm	110mm	60mm



8 3618

MEGA MITRE BOX

General purpose box, moulded from tough impact resistant recycled material. One 45°, 60° and 90° guide on both edges. The base has two countersunk slots for fixing to bench. Ideal for the cutting of most sizes of coving, skirting boards etc. Sold loose.

Stock No.	Length	Internal Width	Height
55076	325mm	180mm	60mm

1 4921
HEAVY DUTY SOFT GRIP HACKSAW (300mm)
Expert Quality, ergonomic pattern aluminium frame with a soft grip handle for user comfort. Frame has two sets of blade spigots which allows straight or 45° cutting. Supplied with a 300mm bi-metal blade.




Stock No.
39241

2 4922
HEAVY DUTY SOFT GRIP HACKSAW (300mm)
Expert Quality, manufactured with an aluminium frame attached with a soft grip handle. Frame has two sets of blade spigots which allows straight or 45° cutting. Supplied with a 300mm bi-metal blade.



Stock No.
39244

3 4923
HEAVY DUTY SOFT GRIP HACKSAW (300mm)
Expert Quality, steel frame with aluminium handles. Frame has two sets of blade spigots which allows straight or 45° cutting. Supplied with a 300mm bi-metal blade.



Stock No.
39245

4 4924
HACKSAW (300mm)
Steel frame with an aluminium alloy soft grip handle. Frame has two sets of blade spigots which allows straight or 45° cutting. Supplied with a 300mm HSS blade.



Stock No.
39253

5 4925
HACKSAW (300mm)
Steel tube with an ergonomic soft grip plastic handle. Frame has two sets of blade spigots which allows straight or 90° cutting. Supplied with a 300mm bi-metal blade.



Stock No.
39601

6 HS300
300mm ALUMINIUM HANDY HACKSAW
Handy adjustable aluminium frame for 250mm and 300mm blades. Shaped diecast handle with soft grip for added user comfort. Ideal when a traditional hacksaw is too big or space is at a premium. Supplied with a 300mm carbon steel blade. Sold loose.



Stock No.
33012

300MM BI-METAL HACKSAW BLADES

X2 BLADES



7 736/2
300mm BI-METAL HACKSAW BLADES
Conforms to BS 1919
Expert Quality, saw edge, manufactured from high speed steel strip, electron beam welded to high quality carbon steel backing. Display packed two blades per card.
Order number of cards required. (2 blades per card)

Stock No.	TPI
19344	18
19345	24
38265	32

X10 BLADES



8 736/10
300mm BI-METAL HACKSAW BLADES
Conforms to BS 1919
Expert Quality, saw edge, manufactured from high speed steel strip, electron beam welded to high quality carbon steel backing. Display packed ten blades per card.
Order number of cards required. (10 blades per card)

Stock No.	TPI
19347	18
19348	24
38266	32

PRODUCT LOCATOR
Bowsaws can be found in Gardening, Section 20.

X50 BLADES



9 736/50
300mm BI-METAL HACKSAW BLADES
Conforms to BS 1919
Expert Quality, saw edge, manufactured from high speed steel strip, electron beam welded to high quality carbon steel backing. Packed 50 blades to plastic box.
Order number of boxes required. (50 blades per box)

Stock No.	TPI
19349	18
19350	24
29807	32



X5 BLADES - 18TPI AND 24 TPI


1 735

300mm FLEXIBLE CARBON STEEL HACKSAW BLADES

General purpose blades for cutting mild steel or soft nonferrous metal. Packed five blades - two 18 TPI and three 24 TPI - on display card.

Order number of cards required. (5 blades per card)

Stock No.
74118



2 737

300mm TUNGSTEN CARBIDE EDGE HACKSAW BLADE

Blade with tungsten carbide grit cutting edge for cutting ceramic tiles, glassware, marble and other materials. Fits all conventional hacksaw frames. Display packed.

Stock No.
19328





3 222JH

JUNIOR HACKSAW

Plated steel frame with finger guard. Supplied with blade. Display packed.

Stock No.
49650



4 222JHPC

JUNIOR HACKSAW WITH POWDER COATED FRAME

Plated steel frame with powder coating and finger guard. Supplied with blade. Display packed.

Stock No.
51996

"DAVE SAYS" QUALITY MAKES THE DIFFERENCE



HACKSAW BLADES - Choosing hacksaw blades: Always use the blades that have as many teeth as possible in contact with material e.g. angle iron = 32TPI, square section = 18TPI Blade teeth should always point forward, or as shown by the chevrons on the blades. Our Bi-metal blades combine the longevity of HSS with the flexibility of carbon steel.



HACKSAW BLADE TEETH SHOULD ALWAYS POINT FORWARD - LOOK FOR THE DIRECTION OF THE CHEVRONS ON OUR BLADES



5 1309

MINI SAW

Specially designed for small cutting jobs on metal, wood, etc., where space is limited. Metal frame and shaped plastic handle to improve both operator comfort and control. Supplied with blade. Display packed.

Stock No.
12607



6 JHF/P12

MINI SAW WITH POWDER COATED FRAME

Specially designed for small cutting jobs on metal, wood, etc., where space is limited. Powder coated metal frame with shaped impact resistant plastic handle to improve both operator comfort and control and blade tensioner. Supplied with blade. Display packed.

Stock No.
69292



7 1311

JUNIOR HACKSAW

Expert Quality, 150mm junior hacksaw made with a steel frame with an soft grip plastic handle. Supplied with blade.

Stock No.
41338



8 312JH/EXP


150mm JUNIOR HACKSAW BLADES

Manufactured to BS6271

Expert Quality, general purpose cutting blades with pinned ends. Will fit all junior hacksaw frames. Packed ten blades on display card or in bags of 100 blades.

Order number of cards/bags required. (see table)

Stock No.	Blade Quantity
69305	10 blades per card
69306	100 blades per bag



10 BLADES

9 312JH

150mm JUNIOR HACKSAW BLADES

General purpose cutting blades with pinned ends. Will fit all junior hacksaw frames. Packed ten blades to display card.


Order number of cards required. (10 blades per card)

Stock No.	Blade Type	Blade Qty
11237	Metal Cutting	10 per card
39007	Wood Cutting	10 per card




THREE-IN-ONE!


Cutting straight lines



Cutting angles from 0-45°



Cutting circles from 30-38mm





1 TCM3

3 in 1 TILE CUTTING MACHINE

Expert Quality, three function machine which will cut and break ceramic tiles either in straight lines or at 0°-45°. It also has a hole cutting facility for cutting 30-80mm sized holes in tiles. Maximum cutting capacity 400mm square x 16mm thick. Machine size 700 x 200mm. Display carton.

Stock No.	Description
24693	Tile Cutter
25539	H/cutter & Pilot Drill*
25540	Spare wheel


2 TCM

TILE CUTTING MACHINE

Manufactured to GS and TUV Specifications

Cuts and breaks ceramic tiles in one easy operation. It has a heavy gauge sheet steel base with foam cushion surface, graduated measuring gauge and replaceable tungsten carbide cutting wheel. The tile is placed on foam cushion cutting base and the wheel is drawn across the tile to cut it. Maximum cutting capacity 300mm long x 10mm thick. Machine size 490 x 140mm. Display carton.

Stock No.	Description
38861	Tile Cutter
50462	Spare wheel



3 4914

120mm TILE CUTTER

Plastic handle with extra hard double edged tungsten carbide cutting tip. Display packed.

Stock No.
29521



4 4913

130mm TILE CUTTER

Steel body with tungsten carbide tip. Display packed.

Stock No.
18060

5 TGDSET

TILE AND GLASS DRILLING SET (8 PIECE)

Expert Quality, for use on glass mirrors, floor tiles and quarry tiles. Display packed.

Contents: 3, 4, 5, 6, 7, 8, 9 and 10mm

Must only be used with variable speed power drills



Stock No.
48221

TILE AND GLASS DRILL BITS



6 TGD

TILE AND GLASS DRILL BITS

For use on glass mirrors, floor tiles and quarry tiles. Display packed.

Must only be used with variable speed power drills


Stock No.	Size
31498	3mm
31503	4mm
31507	5mm
31508	6mm
31509	7mm
31510	8mm
31517	9mm
31529	10mm



"DAVE SAYS" QUALITY MAKES THE DIFFERENCE

SPECIAL CUTTING HEAD FROM TUNGSTEN CARBIDE

Used at low speeds in electric or cordless drills these carbide tipped drill bits deliver precise holes in tiles or glass, essential when hanging bathroom and kitchen storage.






1 4906

TILE CUTTING PLIERS (200mm)

Forged from selected tool steel with tungsten carbide tipped cutting edges and spring-loaded handles. Ideal for cutting and trimming ceramic or stone tiles. Display packed.

Stock No.	Jaw Width
50621	16mm



2 TLG3

200mm TILE CUTTING PLIERS

Special 13mm tungsten carbide cutting wheel which scores the surface to be cut. Swivelling top plate aids even break. Cuts and trims glass, ceramic or stone tiles up to 16mm thick. Display packed.

Stock No.
49417




3 8903RS

150mm TILE OR ROD SAW

Deep frame with tungsten carbide blade for cutting ceramic tiles, glassware, marble and other hard materials. Display packed.

Stock No.	Description
14132	Tile Saw
13947	150mm Blade




4

TILE OR ROD SAW BLADES

Tungsten carbide blade for cutting ceramic tiles, glassware, marble and other materials. For all conventional hacksaw frames. Display packed.

Stock No.	Part No.	Description
13947	RS160/1	150mm Blade
13609	RS300	300mm Blade



5 737

300mm TUNGSTEN CARBIDE EDGE HACKSAW BLADE

Blade with tungsten carbide grit cutting edge for cutting ceramic tiles, glassware, marble and other materials. Fits all conventional hacksaw frames. Display packed.

Stock No.
19328



6 4909

GROUT RAKE

For removing old grouting between ceramic or flooring/ quarry tiles. The rake is Supplied with two similar blades. Single blade mounting is used for grout removal from ceramic tiles and double blade mounting for flooring/ quarry tiles. Display packed.

Stock No.	Description
13768	Grout Rake
20623	Pair of Blades



7 TLG4

SOFT GRIP GROUT RAKE

For removing old grouting between ceramic tiles. Soft grip handle for user comfort. Supplied with blade. Display packed.

Stock No.	Description
49419	Grout Rake
49463	Blades (2)



8 TLG5

SOFT GRIP GROUT REMOVER

Removes grout quickly and easily. Soft grip handle for user comfort. Supplied with 4.9mm tungsten carbide blade. Display packed.

Stock No.
49420



9 DGC

180mm DIAMOND GLASS CUTTER

Expert Quality, with 0.024-0.032 karat diamond head (No.4). Stainless steel swivel head, brass shank and wooden handle. Cuts glass up to 8mm thick. Display packed.

Stock No.
35477



10 3G

150mm GLASS CUTTER

Six tungsten carbide wheel glass cutter with nickel plated turret head. Cuts glass up to 4mm thick. Display packed.

Stock No.
63781



11 TLG6

140mm SOFT GRIP HALF ROUND TILING FILE

Carbon steel blade with tungsten carbide surface for tile filing. Soft grip handle for user comfort. Display packed.

Stock No.
49421



12 TLG7

200mm SOFT GRIP FLAT TILING FILE

Carbon steel blade with tungsten carbide surface for both coarse and fine tile filing. Soft grip handle for user comfort. Display packed.

Stock No.
49422



1 GC/SET
GROUT SMOOTHING SET (4 PIECE)
Synthetic wire brush attached to a soft grip handle with blades. Supplied with three flexible silicone grout smoothers. The smoothers are capable of shaping grout in a variety of profiles.

Stock No.
17173



2 SRT
SILICONE SEALANT REMOVAL TOOL
Designed to remove old silicone from around baths, showers or worktops. Manufactured from durable plastic with stainless steel blade, three blades allow the user to remove silicone with push, pull and scrape motion. Display packed.

Stock No.
24237



5 GFSG/A
GROUT FLOAT
Rigid polyurethane with black rubber face. Sold loose.

Stock No.	Length	Width
82788	280mm	140mm



8 4908
175mm ADHESIVE SPREADER AND GROUTER
Serrated edge for spreading tile adhesive with rubber blade for tile grouting. Sold loose.

Stock No.
13615



9 TS2/A
TILE SPACERS
For accurate tile positioning. Display packed.

Stock No.	Depth	Spacers per pack
83112	2mm	250
82757	3mm	250
82758	5mm	250
83374	6mm	250
82760	8mm	150

5-IN-1 SEALANT AND CAULKING TOOL
Attached with a rotating end piece and sealant cartridge opening blade.





3 CT/A
5-IN-1 SEALANT AND CAULKING TOOL
Multi-purpose sealant/caulking tool, manufactured from tough ABS plastic. Fitted with a rotating TPR end piece, that provides four sealant/caulking smoothing options and a sharp blade ideal for cutting caulk or sealant cartridges. Display packed.

Stock No.
82677

4 RGP/SET
SEALANT SMOOTHING SET (4 PIECE)
Flexible ergonomic design for smoothing silicone and grout. Can smooth six different profiles of various sizes. Supplied with storage case. Display packed.



Stock No.
26209



6 WFSG/A
WASH FLOAT
Rigid polyurethane with 30mm deep foam work surface. Sold loose.

Stock No.	Length	Width
16257	280mm	140mm



7 T109SG
SPONGE FACE FLOAT
Rigid polyurethane with 20mm deep foam work surface. Sold loose.

Stock No.	Length	Width
26191	280mm	140mm

WINDOW CLEANING/MOP BUCKET



NEW



10 TBW22
WINDOW CLEANING/MOP BUCKET (22L)
Plastic bucket with raised shelf and heavy duty carrying handle. Fitted with four nylon castors for easy manoeuvrability, Ideal for window cleaners and tilers and other tasks around the home or workplace.

Stock No.
02102



1 DSS/A

7.2 x 1M COTTON DUST SHEET FOR STAIRWAYS

Special dust sheet for use on stairways and in stairwells. Packed in polythene bag.

Stock No.
30940



2 DSLW12/B

3.6 x 2.7M LIGHTWEIGHT COTTON DUST SHEET

Ideal for home decorating. Packed in polythene bag.

Stock No.
89839



3 DSL12/B

3.6 x 2.7M LAMINATED COTTON DUST SHEET

Plastic laminate on one side of sheet. Helps to avoid paint seeping through cotton and damaging furniture and floors. Packed in polythene bag.

Stock No.
83714



4

HEAVY DUTY COTTON DUST SHEETS

Ideal for home decorating. Packed in polythene bag.

Stock No.	Part No.	Size
89914	DS9/B	3.6 x 2.7M
89940	DS12/B	3.6 x 3.6M



5 DSP12A

3.6 x 3.6M POLYTHENE DUST SHEET

Ideal for home decorating. When used with masking tape makes a perfect dust sheet curtain. Packed in polythene bag.

Stock No.
80801



6 CPF/2

CARPET PROTECTIVE FILM (25M)

Adhesive backed protective film for carpets. Each 600mm wide roll protects surfaces against paint spills, dirt and debris and heavy foot traffic. Durable protective film adheres to carpets but is easily removed without leaving any residue or damaging carpet. Display packed.

Stock No.	Length
18018	25M



7 HSPF/2

HARD FLOOR PROTECTIVE FILM

Adhesive backed protective film for hard floors. 600mm wide rolls, which protect against paint spills, dirt, debris and heavy foot traffic. The durable protective film adheres to surfaces but is easily removed without leaving any residue. Display packed.

Stock No.	Length
18019	25M



8 TP-MASKPRO

50M HEAVY DUTY MASKING TAPE

Heavy duty, low tack, easy tear and re-positional heavy duty masking tape. Ideal for professional usage. Can be used for low bake masking applications. Clean peel up to 12 hours after usage. Display packed.

Stock No.	Width
63478	25mm
63479	50mm




9 TP-MASK

50M MASKING TAPE

Easy tear and re-positional. Ideal for decorating, drilling or spraying. Clean peel up to 3 hours after usage. Display packed.

Stock No.	Width
63481	25mm
63480	50mm

DRAPER Expert



10 QS/2

PAIR OF QUICK ACTION TELESCOPIC SUPPORT RODS

Expert Quality, ideal when installing plasterboard on ceilings, or sectioning of rooms when building or painting and decorating is taking place. Its two section heavy duty tubular construction incorporates a 'quick action' ratchet mechanism and sliding lock pin. Minimum rod length 1.45M, maximum rod length 2.5M. The large swivel foot (80 x 60mm) gives good stability. Maximum weight capacity at 90° (vertical) - 50kg and at 65° - 20kg.

Stock No.
88237

11 TR

PAIR OF TELESCOPIC SUPPORT RODS

Ideal when installing plasterboard on ceilings, or sectioning of rooms when building or painting and decorating is taking place. Carbon steel tubes with twist and lock facility. Swivel steel brackets with rubber pads on tube ends for stability whilst working. Minimum rod length 1.66M, maximum rod length 2.8M. The large swivel foot (80 x 60mm) gives good stability. Maximum weight capacity at 90° (vertical) - 50kg and at 45° - 25kg.

Stock No.	Min. Length Approx.	Max. Length Approx.
59473	1660mm	2800mm





1 RDS

RADIAL SANDER

Hook and loop sander suitable for attaching 230mm sanding discs. The protective rubber bumper allows sanding right up to edges without marking. Compatible for use with Stock No. 17160 extension pole (sold separately).

Stock No.	Description
17162	Sander Head
17160	Extension Pole



2 ARDS

HOOK AND LOOP ALUMINIUM OXIDE SANDING DISCS (230mm)

Aluminium oxide abrasive discs, supplied with hook and loop backing for use with hand radial sanders. Assorted pack comprises 2 x 80, 1 x 100 and 1 x 120 grit grades.

Order number of packs required. (5 discs per pack)

Stock No.	Grit Grade
72230	80
72231	100
72232	120
72233	Assorted



3 RDS

ALUMINIUM SANDER HEAD

Cast aluminium sanding head capable of moving and rotating in every direction. The 5mm thick rubber back and two wing nuts secure sanding paper in place. Compatible for use with Stock No. 17160 extension pole (sold separately).

Stock No.	Description
17161	Sander Head
17160	Extension Pole



NEW



4 AHSA

HAND SANDER

Aluminium, with heavy duty EVA base and polypropylene handle. Uses 1/2 sheet abrasive sheets (115 x 280mm). Display packed.

Stock No.
26847



5 6504DP

ASSORTED GLASSPAPER SHEET PACK (280 x 230mm)

A general purpose abrasive sheet for use on woodworking applications.

Packed five sheets per pack.

Contents: 2 x F2; 2 x M2 and 1 x S2

Order number of packs required. (5 sheets per pack)

Stock No.
13099



6 6504DP/10

ASSORTED GLASSPAPER SHEET PACK (115 x 280mm)

A general purpose abrasive 1/2 sheet for use on woodworking applications. Can be used with orbital sanders or hand sanding blocks.

Packed 10 sheets per pack.

Contents: 2 x P120; 4 x P60 and 4 x P40

Order number of packs required. (10 sheets per pack)

Stock No.
74881



7

FLEXIBLE SANDING SPONGES

Dense foam sponge with two different grades of abrasive grit. Ideal for sanding angles, contoured or flat surfaces. Overall size: 102 x 70 x 23mm. Display packed.

Stock No.	Part No.	Grade
10106	SP100FM	Fine/Medium
10109	SP100MC	Medium/Coarse



8 HSB1

SHAPED MINI SANDING BLOCK

Plastic two-piece sanding block for holding sheet sandpaper secure. Fitted with a wing nut, which allows easy changing of the paper whilst locking it in place. The base is equipped with a chamfered edge and a curved face providing flexibility when sanding flat or shaped surfaces. Supplied with a sheet of 120G silicon carbide abrasive paper.

Stock No.	Description
17163	Sanding Block
17164	Spare Glass Paper



9 476/B

SANDING BLOCK (2 PIECE)

Two piece sanding block that's fitted with metal pins to securely sandwich sanding paper in place. Easily change sanding paper when desired by splitting the sanding block apart. Display packed.

Stock No.	Size
15044	130 x 70 x 30mm



10 475

CORK SANDING BLOCK

Manufactured from compressed cork with flat base and bevelled edges. Display packed.

Stock No.	Size
66082	110 x 65 x 30mm



1 HG2000SF
HOT AIR GUN (2000W)
- Variable heat settings
- Three air flow settings
- Stands upright for hands free use
- Supplied with concentrator and hooked nozzles, edge and glass protectors, scraper and 2M cable with BS plug

Power Supply	240V
Heat settings	3-(50°C to 600°C)
Airflow speeds	3
Weight	1.5kg

Stock No.
15225



2 WPS2000
WALLPAPER STEAMER (2000W)
- 60 minutes of use
- 'cool-to-touch' steam hose
- Supplied with 2 in 1 steam plate and 2M cable with BS plug

Voltage	240V
Wattage	2000W
Water Tank Capacity	4.5L
Heating up time	10 mins
Steam Flow	75ml/min
Steam hose length	3m
Weight	1.4kg

Stock No.
84434



3 PS/4SGA
SOFT GRIP SCRAPER WITH GRIP KNOB
Scraper with a four edged, heat treated, hardened, carbon steel blade. The blade has two opposed edges for rough scraping and two edges for fine scraping. Attached with a soft grip handle for user comfort and grip knob, enabling additional pressure to be applied.


Stock No.	Description
17154	Scraper
17155	Spare Blades (2)





4 PS/SG
TUNGSTEN CARBIDE PULL SCRAPER (60MM)
Long handled soft grip pull scraper. Attached with a grip knob for added pressure to be applied. Made with a zinc alloy body and soft grip handle. Fitted with a 60mm wide tungsten carbide blade that's 10 times harder than steel, making it capable of lasting up to 100 times longer.

Stock No.	Description
17156	Scraper
17157	Spare Blade



5 ASTC
METAL SCRAPER
All steel scraper with reversible 50mm double edged blade. Perfectly designed for removing paints, glue, varnish etc on the pull stroke. When attached to a blow torch, burns paint off on the push stroke.

Stock No.	Description
17165	Scraper
17166	Spare Blades



6 731S/SG
SOFT GRIP STRIPPING KNIVES
Fully polished bevelled steel blades, each precision ground, hardened and tempered and attached to a soft grip handle with hang hole. Display packed.

Stock No.	Blade Width
82667	50mm
82668	75mm
82669	100mm
82670	125mm



7 731F/SG
SOFT GRIP FILLING KNIVES
Fully polished flexible steel blades, each precision ground, hardened and tempered and attached to a soft grip handle with hang hole. Display packed.

Stock No.	Blade Width
82658	32mm
82660	50mm
82662	75mm
82664	100mm
82666	125mm



8 731C/SG
38mm SOFT GRIP CHISEL KNIFE
Fully polished steel blade with soft grip handle and hang hole. Display packed.

Stock No.
82672



9 731P/SG
100mm SOFT GRIP PUTTY KNIFE
Fully polished steel blade with soft grip handle and hang hole. Display packed.

Stock No.
82673



10 MS2
SOFT GRIP MULTI FUNCTION SCRAPER
Mirror polished, stainless steel scraper with flat, concave and convex scraping edges, nail puller, paint can and bottle opener. Soft grip ergonomic handle for user comfort and hang hole. Display packed.

Stock No.
82671



1 HDSS
4" SOFT GRIP SCRAPER
Expert Quality, long handled scraper ideal when stripping large areas of wallpaper, flaking paint or tiles. Fitted with a 4" wide, two-sided reversible blade, zinc alloy body and soft grip hollow handle allowing for blade storage. Compatible for use with Stock No. 17160 extension pole (sold separately).

Stock No.	Description
17158	Scraper
17159	Spare Blades (5)
17160	Extension Pole

PRODUCT INFORMATION
This product is compatible for use with Stock No. 17160 extension pole



LEGAL INFORMATION - KNIVES
WARNING - Knives or other articles with a blade or sharp point must not be sold to persons under age. It's the law (Offensive Weapons Act 1996 and the Violent Crime Reduction Act 2006).



2 HDSS
HEAVY DUTY 300mm SOFT GRIP STRIPPER/SCRAPER
Long handled scraper with angled head, which provides extra leverage, ideal when stripping large areas of wallpaper, flaking paint or tiles. Fitted with a 100mm wide, two-sided reversible blade, zinc alloy body and soft grip handle. Spare blades available. Display packed.

Stock No.	Description
41933	Scraper
41935	Spare Blades (5)



3 WS2
WINDOW SCRAPER
Expert Quality, stainless steel with resin handle. For removal of stubborn adhesives etc. Particularly useful for bonded windscreens. Supplied with one double-sided blade 38mm wide. Spare blades in pack of 12 available - Stock No. 65545. Display packed.

Stock No.	Description
65543	Scraper
41936	Spare Blades (5)




4 CSH/SG
200mm SOFT GRIP COMBINATION SHAVE HOOK
Designed for stripping paint from asymmetrical shaped surfaces, ideal for skirting board and other irregular shapes like architrave etc. The 2mm steel blade has four different shaped super sharp edges attached to a 6mm steel shaft, which in turn is fitted to a soft grip handle. Display packed.

Stock No.
82710



5 WS151
150mm WINDOW SCRAPER
Moulded plastic with heavy duty blade and blade guard. Supplied with three spare two notch blades. Spare blades are available separately - see Stock Nos. 13499, 19837, 73203 and 88629. Display packed.

Stock No.
82806



6 WSSG
SOFT GRIP RETRACTABLE WINDOW SCRAPER
Ideal for removing dry paint from glass windows. Blade retracts to safe position. Uses single-edge razor blades. Five supplied in separate packet (included), also available separately - see entry. Display packed.

Stock No.	Description
41934	Scraper
41936	Spare Blades (5)



7 TSH/SG
200mm SOFT GRIP TRIANGULAR SHAVE HOOK
Designed for stripping paint from flat surfaces, ideal for doorframes, windowsills etc. The 2mm steel blade has super sharp edges attached to a 6mm steel shaft, which in turn is fitted to a soft grip handle. Display packed.

Stock No.
82709






8 SSPB
PLASTIC BLADE SAFETY SCRAPER
Plastic scraper, manufactured with a thermoplastic blade making it ideal for use on automotive panels, glass and other surfaces prone to scratching or gouging from traditional steel blades. Supplied with the plastic safety blade installed and two standard metal blades in the handle. Display packed.

Stock No.
82678

DRAPER 'HERITAGE' PAINT BRUSHES



Manufactured using modern techniques reinforced with traditional build qualities, each brush is a blend of pure bristles and luxurious synthetic bristles providing excellent paint pick-up and efficient paint release, while achieving an ultra smooth finish. The filaments are attached to a stainless steel ferrule fitted to a curved beech wood handle.
All these attributes help deliver a smoother, more even coat of paint.



1 PB/BEE/70-30

HERITAGE RANGE PROFESSIONAL PAINT BRUSHES

Expert Quality, Heritage Range paint brushes. Display packed.

Stock No.	Width
82510	25mm
82511	38mm
82512	50mm
82513	75mm



2 PB/BEE/70-30SET

HERITAGE RANGE PROFESSIONAL PAINT BRUSH SET (3 PIECE)

Expert Quality, Heritage Range paint brushes. Display packed.
Contents: brush widths 25, 38, 50 mm

Stock No.
82514



3 PB/BIR/100S

DRAPER EXPERT PAINT BRUSHES

Expert Quality, paint brushes fitted with smooth and polished hardwood handles. Incorporated with a stainless steel ferrule that securely fastens the superior blend of Technofil® filaments, which delivers excellent paint pick up and an ultra smooth finish. Vapour box compatible. Display packed.

Stock No.	Width
82503	25mm
82504	38mm
82505	50mm
82506	63mm
82507	75mm
82508	100mm



4 PB/BIR/100S/SET

DRAPER EXPERT PAINT BRUSH SET (3 PIECE)

Expert Quality, paint brushes fitted with smooth and polished hardwood handles. Incorporated with a stainless steel ferrule that securely fastens the superior blend of Technofil® filaments, which delivers excellent paint pick up and an ultra smooth finish. Vapour box compatible. Display packed.
Contents: brush widths 25, 38 and 50mm

Stock No.
82509



5 PB/60-40

PAINT BRUSHES

Paint brushes incorporated with a stainless steel ferrule that securely fastens the superior blend of natural bristle and synthetic filaments, which combined delivers excellent paint pick up and an smoother finish. Display packed.

Stock No.	Width
82496	12mm
82497	25mm
82498	38mm
82499	50mm
82500	75mm
82501	100mm



6 PB/60-40-SET

PAINT BRUSH SET (5 PIECE)

Paint brushes incorporated with a stainless steel ferrule that securely fastens the superior blend of natural bristle and synthetic filaments, which combined delivers excellent paint pick up and a smoother finish. Display packed.
Contents: brush widths 12, 25, 38, 50 and 75mm

Stock No.
82502



7 PB/SAT/100S

SOFT GRIP HANDLE PAINT BRUSHES

Paint brushes fitted with soft grip handle attached with a stainless steel ferrule, that securely fastens the synthetic filaments. Vapour box compatible. Display packed.

Stock No.	Width
82490	25mm
82491	38mm
82492	50mm
82493	75mm
82494	100mm



8 PB/SAT/100S/SET

SOFT GRIP PAINT BRUSH SET (3 PIECE)

Paint brushes fitted with soft grip handles attached with a stainless steel ferrule, that securely fastens the synthetic filaments. Vapour box compatible. Display packed.
Contents: brush widths 25, 38 and 50mm

Stock No.
82495



"DAVE SAYS" QUALITY MAKES THE DIFFERENCE

TRADITIONAL NATURAL BRISTLES OR MODERN SYNTHETICS

Whether you're a traditionalist favouring natural bristles or you've been converted to modern synthetics, our new range of brushes will help you achieve better decorating results. Our Technofil® bristle blends provide improved paint or varnish pick up and lay off, achieving a smoother finish.

Top-Tip; to keep your brushes in their best shape don't leave them standing in jars of white spirit or cleaner as this spreads the bristles, losing the shape of the brush and reducing its performance. Clean brushes thoroughly and when possible hang brushes to maintain their bristle shape.



1 PB/SET10A/PI

BRUSH SET (10 PIECE)

Artist brush set with wooden handles and pure bristles. Ideal for artistic work or touching up scuff marks on paintwork and general painting in inaccessible locations. Display packed.

Contents: brush circumference 13, 15, 16, 18, 19. 20, 26, 28, 33 and 40mm

Stock No.
82523



2 PB/BIR/100S/ANG

ANGLED PAINT BRUSHES

Expert Quality, hardwood birch handle, square cut, brushed stainless steel ferrule, Technofil® filament mix for high paint pick, efficient release and ultra smooth finish. The angled brush head help achieve extra precision and the long handle provides superb balance. Vapour box compatible. Display packed.

Stock No.	Width
82554	38mm
82555	50mm



3 PB/BIR/100S/RND

ROUND SASH BRUSHES

Expert Quality, sash brushes fitted with smooth and polished hardwood handles. Incorporates a stainless steel ferrule that securely fastens the superior blend of Technofil® filaments, which deliver excellent paint pick up and an ultra smooth finish. Ideal for cutting in around window frames and skirting. Vapour box compatible. Display packed.

Stock No.	Width
82557	18mm
82558	21mm





4 PB/RAD

RADIATOR PAINT BRUSH

Mixed bristle angled radiator brush, perfect for awkward and hard to reach areas. Can be used for both emulsion and gloss. Display packed.

Stock No.
82556



5 PB/PI

HERITAGE RANGE PREPARATION DUSTING BRUSH

Expert Quality, Heritage Range preparation dust brush. Manufactured using modern techniques reinforced with traditional build quality. Removes all dust prior to painting. Each brush has luxurious black bristle blend attached to a stainless steel ferrule that's fitted to a curved wood handle. Display packed.

Stock No.
82517





6 MB/PI

100mm MASONRY BRUSH

Perfect for speedy application when painting on masonry. Attached with a mix of hard wearing pure and synthetic bristles. Vapour box compatible. Display packed.

Stock No.
82522



7 FB/PI

115mm SHED AND FENCE BRUSH

Stiff formulation bristles with soft tips for high paint loading and release. Ideal for sheds, fences, decking etc. Perfect for use with wood stain and preservative as well as paint. Vapour box compatible. Display packed.

Stock No.
82515



8 BB/PI

115mm BLOCK BRUSH

Mixed synthetic filaments for high paint loading and release attached to a plastic handle fitted with hang hole and bucket hook. Ideal for painting or sizing smooth and textured surfaces on masonry and wood. Excellent paint holding capacity. Vapour box compatible. Display packed.

Stock No.
82518



9 CB/PI

150mm CEILING/PASTE BRUSH

High performance paste brush with mixed synthetic filaments for high paste loading and release. Vapour box compatible. Ideal for painting or sizing smooth and textured surfaces. Display packed.

Stock No.
82519




1 RS-P

230mm POLYAMIDE PROFESSIONAL PAINT ROLLER SLEEVES

Expert Quality, suitable for use with 230mm paint roller frames. The high density Polyamide fabric maintains it shape through use, delivering a smooth finish with maximum paint pick-up and little to no fibre loss. The short pile rollers are designed to be used on smooth surfaces while the medium pile rollers are designed for use on semi-smooth surfaces. Sold in a polybag with label.

Stock No.	Size	Pile
82712	38mm	Short
82534	43mm	Short
82715	38mm	Medium
82535	43mm	Medium



2 RS-MF

230mm MICROFIBRE PROFESSIONAL PAINT ROLLER SLEEVES

Expert Quality, suitable for use with 230mm paint roller frames. The high density microfibre fabric maintains it shape through use, delivering a superior cover and smoother finish with maximum paint pick-up and little to no fibre loss. The short pile rollers are designed to be used on smooth surfaces while the medium are for semi-smooth surfaces. Supplied in a polybag with label.

Stock No.	Size	Pile
82717	38mm	Short
82525	43mm	Short
82718	38mm	Medium
82527	43mm	Medium



3 RS-KN

230mm POLYESTER PAINT ROLLER SLEEVES

Suitable for use with 230mm paint roller frames. The woven polyester fabric helps provide a smooth finish with good paint pick-up. The short pile rollers are designed to be used on smooth surfaces, while the medium are for semi-smooth surfaces and the long pile for rough surfaces. Supplied in polybag with label.

Stock No.	Size	Pile
82528	38mm	Short
82531	43mm	Short
82530	38mm	Medium
82529	43mm	Medium
82537	38mm	Long
82536	43mm	Long



4 RS-KN-3

PACK OF THREE 230mm POLYESTER PAINT ROLLER SLEEVES

Suitable for use with 230mm paint roller frames. Triple pack with 2 x medium and 1 x short pile sleeves. The woven polyester fabric helps provide a smooth finish with good paint pick-up. Designed to be used on smooth and semi-smooth surfaces. Polybag with label.

Order number of packs required. (3 per polybag)

Stock No.	Size
82532	38mm
82533	43mm



5 RFK-KN-M

230mm PAINT ROLLER KITS

230mm paint roller frame fitted with medium pile polyester sleeve. Supplied with plastic paint tray. Display packed.

Stock No.	Size
82541	38mm
82542	43mm



6 RT1

230mm PAINT ROLLER TRAY

Ultra sturdy black roller tray with tread marks for even loading. Fitted with a moulded carrying handle for portability and easy storage. Display packed.

Stock No.
82546



7 RF-C-BI

230mm 43mm PAINT ROLLER FRAME

Expert Quality, heavy duty chrome plated cage frame with plastic moulded handle with TPR rubber grip which will accept an extension pole. The roller uses 43mm diameter x 230mm wide push-fit sleeves. Display packed.

Stock No.
82538



8 RF-C-PP

230mm PAINT ROLLER FRAMES

Chrome plated cage frame with plastic moulded handle able to accept extension poles. The roller uses 230mm wide push-fit sleeves. Display packed.

Stock No.	Size
82716	38mm
82539	43mm




9 RF-R-PP

230mm x 38mm PAINT ROLLER FRAMES

Zinc plated frame with plastic moulded handle which will accept an extension pole. The roller uses 38mm diameter x 230mm wide push-fit sleeves. Display packed.

Stock No.
82540

100MM ROLLER SLEEVES



1 RS-MF

100mm MICROFIBRE PAINT ROLLER SLEEVES

Expert Quality, suitable for use with 100mm paint roller frames. The high density microfibre fabric maintains it shape through use, delivering a smooth finish with excellent paint pick-up. Designed to be used on semi-smooth surfaces. Display packed.

Order number of packs required.

Stock No.	Pack Qty
82547	2
82548	10



2 RS-T-M

100mm TIGER STRIPE PAINT ROLLER SLEEVES

Suitable for use with 100mm paint roller frames. The woven fabric roller maintains it shape through use, delivering a smooth finish with reduced fibre loss. Display packed.

Order number of packs required.

Stock No.	Pack Qty
82549	2
82550	10



3 RS-F-M

100mm FOAM PAINT ROLLER SLEEVES

Suitable for use with 100mm paint roller frames. The high density foam delivering a consistent finish. Ideal for gloss work. Display packed.

Order number of packs required.

Stock No.	Pack Qty
82552	2
82553	10



4 RS-MH-M2

100mm SIMULATED MOHAIR PAINT ROLLER SLEEVES

Suitable for use with 100mm paint roller frames. The high quality natural wool mix delivers a superior finish with excellent paint pick-up. Polybag with label.

Order number of packs required. (2 per polybag)

Stock No.
82551

6

PACK OF FIVE DISPOSABLE PAINT TRAY LINERS

Disposable paint roller tray liners. PVC trays with dimples for even paint loading. Display packed.

Stock No.	Part No.	Fits Roller Size
34698	PTL/4	100mm
34693	PTL/9	230mm



7 RFM-S3

100 x 260mm PAINT ROLLER SET (3 PIECE)

Handy set supplied with a 260mm paint roller frame plus sleeves for gloss and emulsion paints. Display packed.

Contents:

- 100 x 260mm paint roller frame
- 100mm tiger stripe paint roller sleeve
- 100mm foam paint roller sleeve

Stock No.
82543



5 RFM-L3

100 x 535mm PAINT ROLLER SET (3 PIECE)

Handy set with 535mm long paint roller frame and two 100mm sleeves for gloss and emulsion paints. Ideal for working behind radiators. Display packed.

Contents:

- 100 x 535mm paint roller frame
- 100mm tiger stripe paint roller sleeve
- 100mm foam paint roller sleeve

Stock No.
82544



8 RFKM-5

100mm PAINT ROLLER KIT (5 PIECE)

Handy kit for use in confined areas. Spare 100mm sleeves are available separately. Display packed.

Contents:

- 100mm paint roller frame
- 100mm synthetic fabric paint roller sleeve
- 100mm foam paint roller sleeve
- paint tray
- paint stirrer

Stock No.
82545

PRODUCT INFORMATION

Multi compatible telescopic pole, the screw head fitting enables it to be used with the following Stock No's 17158, 17161, 17162, 17189 and 17190.





EXTENDING BETWEEN 800-1400MM

1 HDEP

1.4M TELESCOPIC EXTENSION POLE

Telescopic steel extension pole that extends from 0.8-1.4M. Covered with a plastic coating for corrosion protection and fitted with an aluminium thread. The screw fitting attaches to the following stock numbers 17158, 17161, 17162, 17189, 17190.

Stock No.	Min Length	Max Length
17160	800mm	1400mm



2 EPF

STEP-LOCK FIBREGLASS EXTENSION POLE

Lightweight fibreglass and aluminium extension pole with push button lock mechanism. Extends from 0.75-1.2M with a step lock mechanism every 15cm. Attached with a soft grip for added user comfort. Compatible with screw thread or push in rollers and accessories

Stock No.	Min. Length	Max. Length
41573	0.75M	1.2M
41570	1.34M	2.4M



EXTENDING BETWEEN 1150-3000MM

3 EPA300

DECORATORS ALUMINIUM EXTENSION POLE (3M)

Lightweight, three-section aluminium extension pole with "twist and lock" mechanism. Plastic adaptor for use in conjunction with threaded or push-in roller frame handles. Extends from 1.15 to 3.0M, lockable at any length in between.

Stock No.	Min Length	Max Length
41734	1.15M	3.0M



EXTENDING BETWEEN 1100-2000MM

4 EPS200

DECORATORS STEEL EXTENSION POLE (2M)

Two-section steel extension pole with 'twist and lock' mechanism. Plastic adaptor for use in conjunction with threaded or push-in roller frame handles. Extends from 1.10 to 2.0M, lockable at any length in between.

Stock No.	Min Length	Max Length
41792	1.10M	2.0M



5

MIXER PADDLES

Steel mixing paddles suitable for use with electric and cordless drills. 16205 zinc coated, 16203 and 16204 powder coated for corrosion protection.

Stock No.	Suitable for	L x W	Hex
16204	Paint	80 x 400mm	8mm
16203	Paint	100 x 600mm	10mm
16205	Plaster	120 x 600mm	10mm



6

M14 POWER MIXER PADDLES

Paddle mixers suitable for plaster, mortar, paint, cement etc. Manufactured from steel with a protective zinc coating and attached with an M14 thread. Suitable for use with most manufacturers powered mixers.

Stock No.	Suitable for	L x W	Blades
16417	Paint	120 x 600mm	2
16209	Plaster	135 x 600mm	2
16210	Plaster	160 x 600mm	2
16206	Plaster	140 x 600mm	3
16208	Plaster	160 x 600mm	3



7 24PS

DECORATORS STRAIGHT EDGE (600mm)

High impact plastic with stainless steel blade and two hang holes. Ideal for cutting straight edges, smoothing wall coverings or as a paint guard.

Stock No.
17169





1 PSC/A

5L MINI PAINT SCUTTLE

Suitable for use with paint brushes, rollers and paint pads. Sold Loose.

Stock No.
53087



2 PKTLP/A

2.5L PLASTIC PAINT KETTLE

Plastic with non-drip lip and metal handle. Sold loose.

Stock No.
53088



3 WPS/2

300mm DECORATORS SCISSORS

300mm long, decorators wallpaper shears. Attached to ABS plastic handle with 128mm cutting length, stainless steel blades. Display packed.

Stock No.
85662



4 WB/PI

175mm WALLPAPER BRUSH

Paper hanging brush with grooved handle providing extra control in use. Attached with synthetic filaments for durability. Display packed.

Stock No.
82520



5 WFSR/SG

WALLPAPER SEAM ROLLER

Rolls out bubbles and creases without fear of damage to wallpaper. Manufactured with a 38mm plastic roller attached to a soft grip handle. Display packed.

Stock No.
82711



6

WIRE WOOL (150G)

Wire wool manufactured from steel. Ideal for buffing, cleaning, cutting, and removing. Select the grade required. Display packed.

Stock No.	Grade
82581	#00 Fine
82580	#0 Medium Fine
82579	#1 Medium



7 CSTR/B

CARPET STRETCHER (KNEE KICKER)

Five stage adjustable length knee kicker with variable height pins for gripping the carpet when stretching. Soft rubber kneepad gives comfort when 'kicking' carpet up to the skirting board. Display carton.

Stock No.	Min. Length	Max. Length
27943	460mm	540mm





1 CL75

CARPET LAYING BOLSTER

Carpet fitter's bolster, especially useful when fitting carpet on stairs and around skirting boards. An essential tool for all carpet fitters when the need for tucking carpet on stairs or grippers is required. Sold Loose.

Stock No.
15082



2 DPL

DOOR/PANEL LIFTER

Featuring a foot loop and an anti slip area on the main body, which aids door and foot stability. Fitted with a stop at one end helping support the door/panel when fixing in position. Made from die cast aluminium. Display packed.

Stock No.
85631



3 CG2/B

CAULKING GUN

Caulking gun, manufactured with a rotating steel frame for easy access in corners whilst delivering a 9:1 thrust ratio. Capable of accommodating cartridges up to 310ml.

Stock No.
15627



4 CGHD

TRIPLE ROD APPLICATOR GUN

Expert Quality, applicator gun, manufactured with a heavy-duty steel frame attached to a triple plunge rod, which delivers an impressive 16:1 thrust ratio. Ideal for use with polyester resins and other similar viscosity materials.

Stock No.
15630



5 CGSG

SOFT GRIP CAULKING GUN

Expert Quality, soft grip caulking gun, manufactured with a heavy-duty steel frame attached with a heavy duty plunge rod, which delivers an impressive 13:1 thrust ratio. Fitted with a drip less feature helping deliver less waste and mess. Capable of accommodating cartridges up to 380ml.

Stock No.
15629



6 CG2/SK

SKELETON CAULKING GUN

Skeleton frame caulking gun, manufactured with a robust steel frame attached with a plunge rod. Capable of accommodating cartridges up to 350ml.

Stock No.
16238

EXPANDING FOAM GUNS

NEW



7 EFG/2

EXPANDING FOAM GUN

Expert Quality, made from zinc with a steel barrel and trigger. For use with most sizes of expanding foam aerosol canisters. Display packed.

Stock No.
01020



8 EFG

EXPANDING FOAM GUN

Zinc, with steel barrel and trigger. For use with most sizes of expanding foam aerosol canisters. Display packed.

Stock No.
28618

NEW



9 EFG/NOZ

EXPANDING FOAM GUN NOZZLE SET (10 PIECE)

Designed to attach to expanding foam guns including Draper Stock No's 28618 and 01020 and other manufacturers similar tools. Enables filling in hard to reach areas.

Contents: 5 x extension nozzle 5 x tapered nozzle

Stock No.
01021









1 679

ADJUSTABLE PIPE WRENCHES

Expert Quality, traditional pattern wrench. Handle drop forged hardened and tempered. Jaws additionally induction hardened to 55-60 HRC for durability and long life. Frame and handle electrostatically painted. Display packed.

Stock No.	Length	Capacity
78915	200mm	30mm
78916	250mm	40mm
78917	300mm	45mm
78918	350mm	50mm
78919	450mm	65mm
78921	600mm	75mm
78922	900mm	100mm

2 679

ADJUSTABLE PIPE WRENCHES

Traditional pattern wrench forged from hardened and tempered high carbon steel. The top jaw has been sand blasted and lacquered for corrosion protection and have serrated faces to ensure a more secure grip.


Stock No.	Length	Capacity
17184	250mm	25mm
17192	300mm	32mm
17209	350mm	38mm
17217	450mm	50mm
17225	600mm	65mm

3 680

ADJUSTABLE PIPE WRENCHES

Induction hardened, drop forged jaws mounted in folded sheet steel body with serrated opposing teeth to ensure a maximum grip. Display packed.

Stock No.	Length	Capacity (approx.)
90012	175mm	40mm
90026	225mm	45mm
90029	300mm	70mm



4 BW100

15mm-1/2" BSP x 22mm-3/4"BSP BASIN WRENCH

Malleable cast iron wrench with accurately machined jaw faces. Designed for horizontal or vertical use in confined areas on back nuts fitted to taps and basins and other fittings. Display packed.

Stock No.
10876



5 370CP

ADJUSTABLE WRENCHES

Expert Quality, crescent-type wrenches manufactured from chrome vanadium steel hardened, tempered and chrome plated with mirror polished jaws offset at 22°. Display packed.

Stock No.	Length	Capacity
30047	150mm	19mm
30055	200mm	24mm
30063	250mm	30mm
30071	300mm	35mm
71552	375mm	45mm
71544	450mm	52mm
56771	600mm	62mm



6

ADJUSTABLE BASIN WRENCHES

Swivel action universal gripping head with serrated faces. The chrome plated solid steel handle has a sliding tommy bar. Display packed.

Stock No.	Part No.	Max. Union Capacity
68733	18	27mm
56442	18L	40mm





1 3028

245mm WATERPUMP PLIERS WITH SOFT JAWS

Expert Quality, designed for use on decorative or bright plated fittings that can be easily damaged using conventional steel jaws. The jaws are adjustable for securing a variety of shapes to a maximum of 40mm with eight positions. Manufactured from chrome vanadium steel hardened, tempered and chemically blacked. 'Has 'no-nip' feature which prevents handles locking together and damaging users' hands. Cushion-grip handles. Supplied with replacement set of soft jaws. Display packed.

Stock No.	Description
19207	Waterpump Pliers
38907	Set of spare jaws



2 EWPPB1

PUSH BUTTON HEAVY DUTY WATERPUMP PLIERS

Expert Quality, chrome vanadium steel hardened and tempered with chemically blacked finish, featuring multi position adjustments operated by a simple push button and 'no-nip' PVC dipped handles, which prevent the handles from locking together at their largest capacity and nipping the users hands. Display packed.

Stock No.	Capacity	Length
84447	45mm	200mm
84448	53mm	250mm
84449	66mm	300mm



3 EWPH1

HEAVY DUTY SOFT GRIP WATERPUMP PLIERS

Expert Quality, chrome vanadium steel hardened and tempered with chemically blacked finish, featuring multi position adjustments and 'no-nip' soft grip handles, which prevent the handles from locking together at their largest capacity and nipping the users hands. Display packed.

Stock No.	Capacity	Length
84441	45mm	200mm
84442	53mm	250mm
84443	66mm	300mm



4 EWPD1

HEAVY DUTY WATERPUMP PLIERS

Expert Quality, chrome vanadium steel hardened and tempered with chemically blacked finish, featuring multi position adjustments and 'no-nip' PVC dipped handles, which prevent the handles from locking together at their largest capacity and nipping the users hands. Display packed.

Stock No.	Capacity	Length
84444	45mm	200mm
84445	53mm	250mm
84446	66mm	300mm

5 ARPC

AUTOMATIC PIPE CUTTERS

Expert Quality, For cutting copper and plastic pipes. Ideal for work in confined areas. Display packed.

Stock No.	Description
81078	for 15mm O/D pipes
81095	for 22mm O/D pipes
81705	Spare Cutting Wheel

6 APC/A

AUTOMATIC PIPE CUTTERS

For cutting copper and plastic pipes. Ideal for work in confined areas. Display packed.

Stock No.	Description
81113	for 15mm O/D pipes
81114	for 22mm O/D pipes
81124	for 28mm O/D pipes
81324	Spare Cutting Wheel for 81113 and 81114
81328	Spare Cutting Wheel for 81124

NEW





NEW



1 RTC

6-23mm RATCHET ACTION TUBING CUTTER

Expert Quality, adjustable tubing cutter with handle and hardened steel blade. Designed for work in restricted areas as well as normal use. Spare cutting wheel supplied. Display packed.

Available in singles - order multiples of ten to get a free countertop display

Stock No.	Description
69731	Cutter
69774	Cutting Wheel



2 TC28

3-30mm TUBING CUTTER

Expert Quality, adjustable tubing cutter with diecast body, hardened steel blade and two flare groove rollers. The adjusting knob also incorporates a retractable reamer and spare cutting wheel. Display packed.

Stock No.	Description
10580	Cutter
26933	Cutting Wheel



3 TC16

3-22mm MINI TUBING CUTTER

Adjustable, for small bore tubing or in-situ applications where space is limited. Diecast aluminium body, hardened steel blade, two flare groove rollers and deburring reamer in adjusting knob. Display packed.

Stock No.	Description
10579	Cutter
26933	Cutting Wheel



"DAVE SAYS" QUALITY MAKES THE DIFFERENCE

PVC PIPE CUTTERS

There are two kinds of PVC pipe cutters: scissor style and ratcheting style. Scissor style pipe cutters require lots of lower arm and hand strength when cutting larger pipes and for this reason all Draper PVC pipe cutters have a ratcheting mechanism which slowly cuts through the pipe, while using less arm and hand strength.



4 PC100

PLASTIC PIPE/MOULDING CUTTER

Expert Quality, heavy duty trigger operated cutter for cutting plastic pipes (6-35mm O/D) and mouldings. The ratchet blade action reduces distortion to a minimum. The cutter's body is manufactured from diecast aluminium and fitted with a heat treated replaceable stainless steel blade. Display packed.

Stock No.	Description
31985	Pipe Cutter
31987	Cutting Blade





5 HC102

6-25mm RUBBER HOSE AND PIPE CUTTER

Plier-action cutter with diecast zinc alloy body. Fitted with reversible hardened and tempered replaceable steel blade. Length 190mm. Display packed.

Stock No.	Description
54463	Pipe Cutter
54485	Cutting Blade



6 PC142

PLASTIC/VINYL PIPE CUTTER

Trigger operated cutter for cutting plastic and vinyl pipes (3 - 42mm O/D). Safety clip keeps handles closed when not in use. Cutter body is manufactured from diecast aluminium and fitted with a hardened and tempered steel blade. Length 200mm. Display packed.

Stock No.
27632



7 PC38

36mm RUBBER PIPE CUTTER

For cutting flexible hoses and soft rubber tubing from 0-36mm diameter. Cast aluminium body with hardened and tempered carbon steel blade and handle clip. Display packed.

Stock No.	Length
68145	215mm



1

RATCHET PIPE THREADING KITS

Suitable for threading black gas or galvanized iron pipes. Kit comprises four dieheads, two-piece tubular steel handle and compact ratchet head. The compact ratchet head is suitable for working close to walls etc. Cast iron dieheads with alloy steel dies, four chasers per head for a clean accurate thread and four waste holes for quick dispersion of swarf. Packed in blow mould carrying case and display sleeve.

Contents: Metric Set: 16, 20, 25 and 32mm dieheads

Contents: Imperial Set: 1/2", 3/4", 1" and 1.1/4" BSP dieheads

Stock No.	Part No.	Description
22496	PTK/M/2	Metric
22498	PTK/2	Imperial



2 TR210

TAP RESEATING TOOL

For reseating most taps available on the U.K. market. The four plastic threaded guides are designed to fit taps to BS1010 with 18 tpi threads and BS 5412 with BSP threads. Tool is supplied with three zinc plated hardened steel cutters which will repair most popular 12mm (1/2") and 19mm (3/4") taps. Display packed.

Cutter sizes:

17mm (11/16") dia. suitable for some 12mm (1/2") taps.

19mm (3/4") dia. suitable for some 12mm (1/2") taps.

25mm (1") dia. suitable for some 19mm (3/4") taps.

Stock No.	Description
12701	Reseating Tool
21561	17mm Cutter



3 PCD

PIPE CLEANER AND DEBURRER

For internal and external cleaning or deburring of 15 and 22mm diameter steel, copper aluminium and plastic pipes. Steel bristle brushes for cleaning stubborn deposits. Display packed.

Stock No.
90003





4 TB22A

15 and 22mm (O/D) TUBE BENDER

Copper pipe bender for 15mm & 22mm O/D tubes. Heavy duty formers made from die cast heavy gauge steel and rollers from carbon steel that's case hardened. The tubular steel handles with PVC cushion grips provide strength and comfort. Guides made from anodized aluminium. Supplied with canvas storage bag.

Stock No.
65993



5 MTB

8, 10 OR 12mm (O/D) MICRO TUBE BENDER

For use with soft copper tubes. Anodized aluminium guide with 0, 30, 60, 90, 120, 150 and 180° markings. Rollers manufactured from diecast aluminium. Steel handles with PVC grips. Display carton.

Stock No.
72376




6 TP-PTFE

12M PTFE TAPE

For water plumbing applications. In plastic reel with dust cover. Shrink wrapped in singles with label.

Not suitable for use on gas pipework

Stock No.
63389



8 IHS/L

IMMERSION HEATER KEY

For the installation or removal of electric immersion heaters fitted on domestic hot water cylinders with moulded insulation. Manufactured from 3mm thick steel and zinc plated with offset handle. Display packed.

Stock No.	Size
30988	3.3/8 AF/85mm Octagonal


7 BIH

IMMERSION HEATER OR BOX WRENCH

Heavy duty box wrench with tommy bar. For the installation or removal of electric immersion heaters fitted on domestic hot water cylinders with moulded insulation. Sold loose.

Stock No.	Size
13694	3.3/8 AF/85mm Octagonal





1 5660
PIPE BENDING SPRINGS
Square faced internal bending springs. Display packed.

Stock No.	Diameter	Spring Length
68913	15mm	600mm
68921	22mm	600mm

2 596A **NEW**
PIPE AND SINK CLEANER (1.8M)
Fully flexible plated spring steel probe with integral handle. Display packed.

Stock No.	Diameter
65994	6mm

3 597A **NEW**
DRAIN CLEANER (4.7M)
Fully flexible plated spring steel probe with turning handle. Display packed.

Stock No.	Diameter
65995	6mm



5 SP3
DRAIN BLASTER
Designed to clear blocked drains by an injection of water at high pressure to dislodge the blockage. Supplied with 70mm diameter cup suitable for sinks and baths. A 150mm diameter cup for cleaning toilets and urinals is available (Stock No.21838). To use - the Drain Blaster is filled with water, placed over the plughole and water blasted into drain using the plunger. Suitable for recessed wastes only. Display packed.

Stock No.	Description
21837	Drain Blaster
21838	150mm dia. cup



6 SP3
DRAIN BLASTERS
Designed to clear blocked drains by an injection of water at high pressure to dislodge the blockage. Supplied with 70mm diameter cup suitable for sinks and baths. Suitable for recessed wastes only. Suitable for recessed wastes only. Multiples of 12 only, supplied in countertop display. A 150mm diameter cup for cleaning toilets and urinals is also available (Stock No.21838).

Minimum order 12 or multiples thereof

Stock No.	Description
33082	Drain Blaster
21838	150mm dia. cup



4 SP135
135mm SINK PLUNGER
Beech handle 22mm diameter with rubber plunger. Sold loose.

Stock No.	Overall Length
32894	370mm



7 DCU
7.6M DRAIN UNBLOCKER
Remove blockages fast and easy with this simple to use tool. Its robust construction, strong sturdy spring and flexible extension coil effortlessly unclogs blockages from drainage pipes, ideal for kitchen and bathroom sinks and shower traps. Display packed.

Stock No.
85630

8 DR
DRAIN ROD SET (12 PIECE)
Comprising ten rods each 915mm long, double worm screw and plunger. 9M long when fully assembled. Manufactured from polypropylene with brass plated end connections. Display packed.

Stock No.
23540



9 DR/SET
DRAIN ROD SET IN CASE (13 PIECE)
Comprising ten rods each 900mm long, double worm screw, plunger and jointed scraper. 9M long when fully assembled. Manufactured from polypropylene with crimped brass plated end connections. Packed in plastic carrying case, with shoulder strap.

Stock No.	Part No.	Description
53856	DR/SET	Drain Rod Set
10635	DRPA	Spare Plunger
16276	DDS/B	Spare Scraper
16269	DRB/B	Spare Nylon Brush
16268	DWS/B	Spare Worm Screw





1 SCK

835mm COMBINATION STOP COCK KEY

Malleable cast square suitable for 1/2" and 3/4" square heads. 'U' shaped crutch suitable for 1/2" and 3/4" 'T' handled stop cocks. Manufactured from zinc plated mild steel. Display packed.

Stock No.
26420



2 MHK2

130mm MANHOLE KEYS (PAIR)

Pair of manhole keys for the removal of manhole covers. Malleable iron T shaped handles with D shaped key ends. Packed two per display card.

Order number of cards required. (2 per card)

Stock No.
89721






3 DEUK1

PROFESSIONAL UTILITY KEY

Expert Quality, with two square, one triangle and one stepped key profile plus a double-ended 7mm plain/No.2 cross slot insert bit 40mm long. Holder included for 1/4" insert bit. Display packed.

Stock No.
03071







4 DEUK2

UNIVERSAL UTILITY KEY

Expert Quality, with two square, one triangle and one circle with fins key profile plus a double-ended 7mm plain/No.2 cross slot insert bit 40mm long. Holder included for insert bit. Display packed..

Stock No.
03072





5 DEUK3

MASTER UTILITY KEY

Expert Quality, covers most technical locking systems. Four arm configuration with double keys on each arm. Comprises the following key profiles: three squares, three triangles, one circle with fins and one half moon. Supplied with key chain and belt clip. Display packed.

Stock No.
03073





6 PUK

4 WAY SERVICE UTILITY KEY

Suitable for use on gas/electric/water meter cabinets. Display packed.

Stock No.
65393





7 00 11 01

TWIN KEY

Professional Quality, magnetic utility key. Manufactured with 13 essential utility key shapes and a double ended screwdriver bit this utility key is an essential addition for all service personnel. Display packed.

Finned Key: 3.5mm
Half Moon: 6mm
Four Squares: 5, 6-7, 8-9 and 10-11mm
Stepped Square: 6-9mm
Three Triangles: 7-8, 9-10 and 11-12mm
Double-ended 7mm plain/No.2 cross slot insert bit 55mm long

Stock No.
23608



8 RAK/Q

1/2" 3-WAY RADIATOR KEY

Chrome plated hexagon key with square on short arm and two flutes on the 1/2" end of the long arm. Display packed.

Stock No.
82432



9

ZINC RADIATOR KEYS

Square opening keys for use on domestic radiator bleed screws. Manufactured from zinc alloy.

Packed two per display card or two per display box.

Order number of cards/boxes required. (2 in either)

Stock No.	Part No.	Packing
24866	RK	2 per card




NEW

10 RKB/L

BRASS RADIATOR KEY

Square 5.5mm opening keys for use on domestic radiator bleed screws. Display packed.

Stock No.
43799



1 RTK
RELAY TEST LEAD KIT (13 PIECE)

Expert Quality, relay break-out test kit enabling easy connection to relays during test and diagnostic work. Leads allow removal of relay from circuit board for remote in-line live testing. Each wire has male and female spade connectors. All wires measure approximately 350mm in length with a plastic inter-lock mid-section and brass connector for multimeter crocodile clip connection. Supplied in practical storage case. Display packed. Contents:

5 x 3mm small connector test leads (red)
6 x 5mm medium connector test leads (white)
2 x 6.5mm large connector test leads (blue)

Stock No.
64784



2
RETRACTABLE TEST LEADS

Expert Quality, retractable test lead set that permits isolation of electrical circuits when diagnosing electrical faults etc. Each different coloured wire has soldered and crimped terminated ends attached with steel crocodile clips and protective sleeves. Simply wind back into the housing after use. Display packed.

Stock No.	Part No.	Length	Wires
64764	TLR2/10	10ft	2
64766	TLR2/30	30ft	2
64761	TLR3/10	10ft	3
64763	TLR3/20	20ft	3

PRODUCT LOCATOR

Fibre Glass Ladders can be found in section 13 on page 506





1M LENGTH POLES

3 CAKL
1M ROD CABLE ACCESS KIT

Ten 1M metre long reinforced screw-in polyester rods ideal for gaining access to wire and cables under floorboards, ceiling cavities, trunking and the like. Supplied with hook end and flexible joint with ring end. Display packed in storage tube.

Stock No.
45274



330mm LENGTH POLES SUITABLE FOR STORAGE IN A TOOLBOX

4 TCAK
330mm ROD CABLE ACCESS KIT FOR TOOL BOXES

Ten 330mm long reinforced screw-in polyester rods ideal for gaining access to wire and cables under floorboards, ceiling cavities, trunking and the like. Supplied with hook end and flexible joint with ring end. These rods are suitable for storage in an average-sized tool box. Display packed in storage tube.

Stock No.
45275



5 EDTC/B
15M ELECTRICIANS DRAW TAPE IN PLASTIC CASE

Designed for drawing electrical wiring through conduits. Manufactured from oil tempered wire with blackened finish. Housed in convenient rotating plastic storage case with handle. Brake trigger mechanism in handle. The hooked end avoids snagging once the wiring has been attached. Display packed.

Stock No.
56761





6 SBT
SOCKET BOX TEMPLATE

For fast, accurate and consistent positioning of single and double power sockets on plasterboard walls. Spirit level-type vial and height gauge allows level positioning. Display packed.

Stock No.
63955



7
RE-THREADING TOOLS

For cleaning out and cutting damaged or malformed threads in electrical boxes and other similar jobs. Manufactured from high speed steel with precision ground threads and an impact resistant PVC handle. Display packed.

Stock No.	Part No.	Size
37923	RT3.5	3.5 x 0.6
37924	RT4	4 x 0.7



1 GT7

HIGH TEMPERATURE GAS TORCH

Features instant electronic ignition, windproof flame control and a refillable tank. One fill of standard butane lighter fuel will give up to 20 minutes (approx.) continuous work. Display packed.

Stock No.	Length
78773	90mm



2 GT8

BUTANE SOLDERING IRON

Features instant electronic ignition, variable flame control and a refillable tank. Compact single hand operation. One fill of standard butane lighter fuel will give up to 20 minutes (approx.) continuous work (at mid setting). Display packed.

Stock No.	Description
78774	S/Iron 147mm long
87382	Spare Tip



3 GT9

FLAMELESS GAS TORCH

Features instant electronic ignition, adjustable heat and a refillable tank. One fill of standard butane lighter fuel will give up to 20 minutes (approx.) continuous work (at mid setting). Supplied with a dual purpose detachable lid/workstand. Display packed.

Stock No.	Length
78775	115mm





4 GT10

HEAVY DUTY GAS TORCH

This free standing torch features instant electronic ignition, adjustable flame control and a refillable tank. One fill of standard butane lighter fuel will give up to 50 minutes (approx.) continuous work. Display packed.

Stock No.	Height
78776	175mm







5 GT6

2 in 1 SOLDERING IRON AND GAS TORCH

This free standing torch features instant electronic ignition, adjustable flame control, on/off gas switch, and a refillable tank. Soldering tip can also be used as a hot knife. One fill of standard butane lighter fuel will give up to 50 minutes (approx.) continuous work. Display packed.

Stock No.	Description
78772	S/Iron 180mm high
87380	Spare Tip



DRAPER Expert

6

230V PROFESSIONAL SOLDERING IRONS

Manufactured to BS EN 60335-2-45 Specifications

Expert Quality, soldering iron complete with tip, 1.5M (approx.) cable and approved plug. Designed for continuous use in industrial environments. Display packed.

Stock No.	Description
62075	12W Soldering Iron
62074	18W Soldering Iron
62073	25W Soldering Iron
62076	Spare 12W Tip-Fine
62077	Spare 12W Tip-Med
62078	Spare 12W Tip-Large
62079	Spare 18W Tip-Fine
62080	Spare 18W Tip-Med
62082	Spare 18W Tip-Large
62083	Spare 25W Tip-Fine
62084	Spare 25W Tip-Med
62085	Spare 25W Tip-Large



7

230V SOLDERING IRONS

Soldering irons complete with metal stand and 1.1M (approx.) cable and approved plug. Display packed.

Stock No.	Part No.	Description
85354	SI30A	30W Soldering Iron
85355	SI40A	40W Soldering Iron
85356	SI60A	60W Soldering Iron
85357	SI100A	100W Soldering Iron
85995	YSI30A	30W Pointed Tip
85996	YSI30A	30W Flat Tip
85997	YSI30A	30W 45° Tip
85998	YSI40A	40W Pointed Tip
85999	YSI40A	40W Flat Tip
86000	YSI40A	40W 45° Tip
86001	YSI60A	60W Pointed Tip
86002	YSI60A	60W Flat Tip
86003	YSI60A	60W 45° Tip
86004	YSI100A	100W Pointed Tip
86005	YSI100A	100W Flat Tip
86006	YSI100A	100W 45° Tip



1 SI480

48W DIGITAL SOLDERING STATION

Expert Quality, designed for professional electronic use, this multipurpose 48W soldering station is suitable for most soldering tasks. Manufactured with an overheat protection device, digital temperature display and fitted with an adjustable temperature dial operating between 150-420 degrees C, 300 - 790 degrees F. These features enable temperature controlled soldering on heat sensitive components. The soldering iron has a integral metal soldering iron stand and tip sponge. Display packed.

Stock No.	Description
61464	Solder Station
78589	Fine Tip
78590	Medium Tip
78591	Angle Point Tip



2 SI400

40W SOLDERING STATION

Multipurpose 40W soldering station is suitable for most soldering tasks. Manufactured with a overheat protection device fitted with a manually adjustable heat output dial. The soldering iron has an integral soldering iron stand and tip sponge. Display packed.

Stock No.	Description
61478	Solder Station
78592	Replacement Tip



3 SK1

230V SOLDERING KIT

Manufactured to BS EN 60335-2-45 Specifications

Comprising 30W soldering iron, 100W soldering gun both with 1.2M (approx.) cable and approved plug, soldering tip, tube of solder, flux, solder sucker, tweezers, wireholder/pointer and workpiece clamp/magnifier. Packed in blow mould case with display sleeve.

Stock No.
71421



4 SG100

100W 230V SOLDERING GUN KIT

Manufactured to BS EN 60335-2-45 Specifications

Comprising soldering gun with 1.2M (approx.) cable and approved plug, two spare tips, tube of solder and flux. Packed in blow mould case with display sleeve.

Stock No.	Description
71420	Soldering Kit
71927	Spare Tip



5

LEADED FLUX CORED SOLDER

K60/40 tin/lead, supplied in tubes and reels.
Not for use in potable water systems.
Restricted to professional users.

Stock No.	Part No.	Weight	Thickness	Type
19225	SW 1	20g	1.0mm	Tube
44040	SW 2A	100g	1.2mm	Reel
19227	SW 3	250g	1.2mm	Reel

NEW



6

LEAD FREE FLUX CORED SOLDER

98.8% tin/0.7% copper/0.5% silver with rosin flux core. Supplied in tubes and reels.
Not for use in potable water systems.

Stock No.	Part No.	Weight	Thickness	Type
97992	SW 1LF	20g	1.0mm	Tube
97993	SW 2LF	100g	1.2mm	Reel
97994	SW 3LF	250g	1.2mm	Reel



7 SCS

SOLDER SUCKER

For the removal of surplus molten solder during desoldering and soldering operations. The surplus molten solder is sucked into barrel of gun when button is pressed. Aluminium body. Display packed.

Stock No.
23553




8 SIS

SOLDERING IRON STAND

A quality stand with heavy duty metal base. Features a reinforced spring safety holder to prevent flex tangling with spring. Supplied with cleaning sponge.

Stock No.
23554



9 PSM

250 x 250mm ASBESTOS-FREE SOLDERING MAT

Guaranteed asbestos-free

Protects working areas from flame damage and scorching when soldering or using gas torches. Display packed.

Stock No.
30309






1 PK6

ELECTRICIANS POCKET KNIFE

Expert Quality, for wire stripping and various heavy duty cutting applications. Reinforced nylon handle. Two wire strippers are located on the stainless steel spear blade. Display packed.

Not for use on LIVE wires

Stock No.	Closed Size
66257	106mm




2

BLACK INSULATION TAPE

Manufactured to EN60454/Type2 Specifications

Expert Quality PVC self-extinguishing flame resistant tape manufactured under strict quality control.

Stock No.	Part No.	Length	Width
11909	621	20M	19mm
11982	624	33M	19mm




3 619/1

20M x 19mm ROLL OF EARTH PATTERN INSULATION TAPE

Manufactured to EN 60454 Specifications

Expert Quality Self-adhesive PVC earth colour tape. Shrink wrapped and sold loose.

Stock No.
65348



4 619/6

PACK OF 6 MIXED COLOURS 10M x 19mm INSULATION TAPE

Conforms to BS7671 Harmonised Cabling Standards

Expert Quality, PVC self-extinguishing flame resistant tape manufactured under strict quality control. Comprises 2 x black, 1 x grey/brown/blue and yellow & green stripe. Security wrapped six rolls per pack.

Stock No.
90086



8 COLOURS AVAILABLE

5 619

PACKS OF 10M x 19mm INSULATION TAPE

Manufactured to EN60454/Type2 Specifications

Expert Quality, PVC self-extinguishing flame resistant tape manufactured under strict quality control. Brown and grey tape compatible with BS7671:2001 Harmonised Cabling. Ideal for replenishment stock for the Draper Insulation Tape Countertop Display Stock No. 12818. Security wrapped eight rolls per pack.

*** Brown and grey tape compatible with BS7671:2001 Harmonised Cabling.**

Order number of packs required. (8 rolls per pack)

Stock No.	Colour
11910	Black
11911	White
11912	Red
11913	Yellow
11914	Green
11915	Blue
90084	Grey
90085	Brown



6 619MC

PACK OF 8 MIXED COLOURS 10M x 19mm INSULATION TAPE

Manufactured to EN60454/Type2 Specifications

Expert Quality, PVC self-extinguishing flame resistant tape manufactured under strict quality control. Ideal for replenishment stock for the Draper Insulation Tape Countertop Display Stock No. 12818. Comprises 2 x black, 1 x white/red/yellow/green/blue and yellow & green stripe. Security wrapped eight rolls per pack.

Stock No.
68157

7 619DC

COUNTERTOP DISPENSER OF 48 INSULATION TAPE ROLLS 10M x 19mm

Manufactured to EN60454/ Type 2 Specifications

Expert Quality PVC self-extinguishing flame-resistant insulation tape. Eight rolls of each colour: white, green, red, yellow, black and blue.

Order number of dispensers required

Stock No.
12818



DIGITAL MULTIMETER RANGE



DRAPER Expert



1 DMM402

INSULATION RESISTANCE METER

- ***Expert Quality***,
- Auto ranging with analogue bar-graph scale
- Capable of DC voltage, AC voltage, resistance and continuity testing
- Fitted with backlit LCD screen, continuity buzzer, data hold features
- Supplied with 6 AAA batteries and a carry case

DC Voltage	400.0mV/4.000V/40.00V/400.0V/1000V
AC Voltage	400.0mV/4.000V/40.00V/400.0V/1000V
Resistance	400Ω/4KΩ/40KΩ/400KΩ/4MΩ/40MΩ
Insulation Test	100V, 250V, 500V, 1000V
Battery	AAA (supplied)

Stock No.	Description
41834	Insulation Resistance Meter
42088	Probe Set
42093	Temperature Set
42101	Crocodile Clips
42102	Fused Test Probes
42111	Zip Case
61833	Batteries (4 x AAA)



2

ACCESSORIES FOR 400 SERIES MULTIMETERS

Accessories for 400 series multimeters.

Stock No.	Description
42088	Probe Set
42093	Temperature Set
42101	Crocodile Clips
42111	Zip Case
42102	Fused Test Probes



3

ACCESSORIES FOR 200 AND 300 SERIES MULTIMETERS

Accessories for 200 and 300 series multimeters.

Stock No.	Description
42044	Probe Set
42091	Temperature Set
42095	Crocodile Clips
42094	Inductive Clamp
42103	Zip Case

400 SERIES CLAMP METERS



1 DCM400

DIGITAL CLAMP METER (MANUAL-RANGING)

- ***Expert Quality***
- Manual ranging clamp meter
- Capable of voltage, current, resistance, diode and continuity testing
- Maximum jaw-opening diameter of 36mm
- Fitted with backlit LCD screen, auto power off and inspection light

DC Voltage	200mV/2V/20V/200V/600V
AC Voltage	200mV/2V/20V/200V/600V
AC Amps	2A/20A/200A/600A
Resistance	200Ωs/2kΩ/20kΩ/200kΩ/2MΩ/20MΩ
Battery	3 x AAA (supplied)

Stock No.	Description
41864	Clamp Meter
61833	Batteries (4 x AAA)



2 DCM401

DIGITAL CLAMP METER (AUTO-RANGING)

- ***Expert Quality*** • Auto and manual ranging clamp meter capable of voltage, current, resistance, diode, continuity, capacitance, frequency, duty cycle and temperature testing • Maximum jaw-opening diameter of 36mm • Backlit LCD screen • Auto power off and a useful inspection light

DC Voltage	400mV/4V/40V/400V/600V
AC Voltage	400mV/4V/40V/400V/600V
AC Amps	4A/40A/400A/600A
Resistance	400Ω/4kΩ/40kΩ/400kΩ/4MΩ/20MΩ
Capacitance	5nF/50nF/500nF/5µF/50µF/200µF
Frequency	100Hz/1000Hz/10kHz/100kHz/1MHz/10MHz
Temperature	-20 to 1000°C
Battery	3 x AAA (supplied)

Stock No.	Description
41911	Clamp Meter
61833	Batteries (4 x AAA)



3 DCM402

DIGITAL CLAMP METER (AUTO-RANGING)

- ***Expert Quality*** • Auto and manual ranging clamp meter capable of voltage, current, resistance, diode, continuity, capacitance, frequency, duty cycle and temperature testing • Maximum jaw-opening diameter of 36mm • Backlit LCD screen, auto power off, linear bar graph functions and a useful inspection light

DC Voltage	600mV/6V/60V/600V
AC Voltage	6V/60V/600V
DC Amps	60A/600A
AC Amps	60A/600A
Resistance	600Ω/6kΩ/60kΩ/6MΩ/60MΩ
Capacitance	999nF/99.99nF/999.9nF/9.999µF/ 99.99µF/999.9µF/9.999mF/99.99mF
Frequency	100Hz/1000Hz/10kHz/100kHz/1MHz/10MHz
Temp	-50 to 300°C
Battery	3 x AAA (supplied)

Stock No.	Description
41967	Clamp Meter
61833	Batteries (4 x AAA)

400 SERIES MULTIMETERS



4 DMM400

DIGITAL MULTIMETER (MANUAL-RANGING)

- ***Expert Quality*** • Manual ranging capable of voltage, current, resistance, diode, temperature, continuity, capacitance, frequency and duty cycle testing • Fitted with a backlit LCD screen, auto power off, continuity buzzer, data hold, TRMS and low battery display features

DC Voltage	600mV/6V/60V/600V/1000V
AC Voltage	V/60V/600V
DC Amps	60A/600A
AC Amps	60A/600A
Resistance	600Ω/6kΩ/60kΩ/600kΩ/6MΩ/60MΩ
Capacitance	10nF/100nF/1µF/10µF/100µF/1000µF
Frequency	100Hz/1000Hz/10kHz/100kHz/1MHz/10MHz
Temperature	0 to 1000°C
Battery	1 x 6F22 9V battery (supplied)

Stock No.	Description
41823	Multimeter
61837	Battery (PP3)



5 DMM401

DIGITAL MULTIMETER (AUTO-RANGING)

- ***Expert Quality*** • Auto ranging capable of voltage, current, resistance, diode, continuity, capacitance, frequency and temperature testing • Fitted with a backlit LCD screen, auto power off, continuity buzzer, low battery display and data hold, TRMS features

DC Voltage	600mV/6V/60V/600V/1000V
AC Voltage	600mV/6V/60V/600V/750V
DC Amps	6mA/60mA/600mA/20mA
AC Amps	6mA/60mA/600mA/20mA
Resistance	600Ω/6kΩ/60kΩ/600kΩ/6MΩ/60MΩ
Capacitance	10nF/100nF/1µF/10µF/100µF/1000µF
Battery	1 x 6F22 9V battery (supplied)

Stock No.	Description
41824	Multimeter
61837	Battery (PP3)



6 DMM403

PEN TYPE DIGITAL MULTIMETER (MANUAL AND AUTO-RANGING)

- ***Expert Quality***
- Auto and manual ranging capable of voltage, current, resistance, diode, continuity and non contact voltage testing
- Fitted with a backlit LCD, continuity buzzer features and an inspection torch

DC Voltage	200mV/2V/20V/200V/600V
AC Voltage	2V/20V/200V/600V
DC Amps	20mA/200mA
AC Amps	20mA/200mA
Battery	1 x 6F22 9V battery (supplied)

Stock No.	Description
41835	Multimeter
61837	Battery (PP3)

300 SERIES MULTIMETERS



1 DMM300

AUTOMOTIVE DIGITAL MULTIMETER (AUTO AND MANUAL RANGING)

- Auto and manual ranging capable of voltage, current, resistance, diode and continuity testing
- Fitted with a backlit LCD screen, DWELL, Tach, MAX, auto power off, continuity buzzer and data hold features
- Supplied with test leads and case.

DC Voltage	200mV/2V/20V/200V/600V
AC Voltage	200mV/2V/20V/200V/600V
DC Amps	2A/10A
AC Amps	2A/10A
Resistance	200Ω/2kΩ/20kΩ/200kΩs/2MΩ/20MΩ
DWELL	4CYL, 6CYL, 8CYL
TACH	4CYL, 6CYL, 8CYL
Battery	2 x AAA (supplied)

Stock No.	Description
41821	Multimeter
61833	Batteries (4 x AAA)



2 DMM301

AUTOMOTIVE DIGITAL MULTIMETER (AUTO AND MANUAL-RANGING)

- Auto and manual ranging multimeter capable of voltage, current, resistance, diode, temperature and continuity testing • Fitted with a backlit LCD screen, DWELL, Tach, MAX, auto power off, continuity buzzer and data hold features • Supplied with test leads, temp probe, inductive clamp and case

DC Voltage	600mV/6V/60V/600V
AC Voltage	6V/60V/600V
DC Amps	6mA/600mA/6A/10A
AC Amps	6mA/600mA/6A/10A
Resistance	600Ω/6kΩ/60kΩ/600kΩ/6MΩ/60MΩ
Capacitance	40nF/400nF/4µF/40µF/400µF/4000µF
Frequency	9.999Hz - 9.999MHz
Temp	-20 to 1000°C
DWELL	4CYL, 5CYL, 6CYL, 8CYL
TACH	RPM4 120-20000, RPM2 60-20000
Battery	2 x AAA (supplied)

Stock No.	Description
41822	Multimeter
61833	Batteries (4 x AAA)



200 SERIES MULTIMETERS



3 DMM200

DIGITAL MULTIMETER (MANUAL-RANGING)

- Manual ranging capable of voltage, current, hEF and resistance testing
- Fitted with a backlit LCD screen, auto power off, continuity buzzer and data hold features
- Supplied with test leads and case.

DC Voltage	200mV/2V/20V/200V/600V
AC Voltage	200V/600V
DC Amps	2mA/20mA/200mA/10A
Resistance	200Ω/2kΩ/20kΩ/200kΩ/2MΩ
Battery	1 x 6F22 9V battery (supplied)

Stock No.	Description
41817	Multimeter
61837	Battery (PP3)



4 DMM201

DIGITAL MULTIMETER (MANUAL-RANGING)

- Manual ranging capable of voltage, current, hEF, continuity, resistance, temperature and diode testing
- Fitted with a backlit LCD screen, auto power off, continuity buzzer and data hold features
- Supplied with test leads, temp probe and case.

DC Voltage	200mV/2V/20V/200V/600V
AC Voltage	200V/600V
DC Amps	2mA/20mA/200mA/10A
Resistance	200Ω/2kΩ/20kΩ/200kΩ/2MΩ
Temperature	-20 to 1000°C
Battery	1 x 6F22 9V battery

Stock No.	Description
41818	Multimeter
61837	Battery (PP3)



5 DMM202

DIGITAL MULTIMETER (AUTO-RANGING)

- Auto ranging achieving TRMS 5999 counts and voltage, current, hEF, continuity, resistance, temperature, diode and non contact voltage testing • Fitted with a backlit LCD screen, auto power off, continuity buzzer and data hold features • Supplied with test leads and case.

DC Voltage	600mV/6V/60V/600V
AC Voltage	6V/60V/600V
DC Amps	600uA/6000uA/60mA/600mA/6A/10A
AC Amps	600uA/6000uA/60mA/600mA/6A/10A
Resistance	600Ωs/6kΩ/60kΩ/600kΩ/6MΩ/60MΩ
Temperature	-20 to 1000°C
Battery	1 x 6F22 9V battery (supplied)

Stock No.	Description
41820	Multimeter
61837	Battery (PP3)

1 DMM7

DIGITAL MULTIMETER

Measures AC/DC voltage, DC current and resistance. 16 position rotary function and range selector. Supplied with test probes and rubber bump cover and 12V battery.

Stock No.	Description
52320	Multimeter
53549	Crocodile Clips
53548	Probe Set



2 AMM1

POCKET ANALOGUE MULTIMETER

IEC61010 Specifications

- Measures AC/DC voltage, DC current and resistance
- 16 position rotary function and range selector
- Supplied with test probes

Features:

- Measures AC and DC Voltage
- Measures DC current • Measures resistance
- 16 position rotary function and range selector
- Recessed input terminals
- Test probes and lead included • Battery check facility

DC voltage	2.5, 10, 50, 250, 500V (acc. ±5% of full scale)
AC voltage	10, 50, 250, 500V (acc. ±5% of full scale)
DC current	500uA, 10mA, 250m (acc. ±5% of full scale)
Resistance	x10, x1K (acc. ±5%)
Size	64 x 100 x 35mm
Battery	1 x AA (not supplied)

Stock No.	Description
37317	Multimeter
51346	Crocodile Clips
37470	Probe Set
61834	Batteries (4 x AA)



3 BBFC1

BATTERY, BULB, FUSE AND CONTINUITY TESTER

Multi-purpose tester for dry cell 1.5V batteries (AAA, AA, C, D and button-type), 9V batteries (PP3 /6LR61), household and automotive fuses, bulbs (with bayonet fitting and push/screw type torch light bulbs). Readings show up on clear scale. There is also an audible continuity tester via test probes supplied. Size 70 x 145mm. Runs off 1 x 9V PP3/6LR61 battery (supplied). Display packed.

Stock No.	Description
57574	Tester
61837	Battery (PP3)







4 VT2

AC/DC VOLTAGE TESTER

Expert Quality, twin LED indicators identify voltage between 12-600V. Suitable for testing a host of wiring around the home or workplace, vehicle circuitry and electronic equipment etc. Probes fitted to 825mm of VDE approved cable. Display packed.

Stock No.
51957



5 BT1D

BATTERY TESTER

Handy battery tester suitable for AAA, AA, C, D, PP3 and button cell batteries. Display packed.

Stock No.
64514



6 ST-1

13A SOCKET TESTER

Expert Quality, for testing 13A sockets and RCD's rated less than 30mA. Detects the following electrical faults on sockets: true earth error (through LCD); no earth; L and N reverse; L and E reverse; E live; E open; N open and L open. Display packed.

Stock No.
22278



7 ST-2

13A SOCKET TESTER

For testing 13A sockets for the following faults: no Earth; L and N reverse; L and E reverse; Neutral fault and Live fault. Display packed.

Stock No.
34279



"DAVE SAYS" QUALITY MAKES THE DIFFERENCE

Screwdriver type testers contain an indicator in the handle which lights up when the point is touched on voltages between 70-250V and a finger or thumb is placed on the end of the tester to create a circuit.

Non-contact voltage detectors work by sensing the fluctuations in the electric field which surround AC charged objects. This means no contact with the circuit is ever needed giving the user extra safety.





1

EURO MAINS TESTERS

Manufactured to the latest UK and European specifications with integral pocket clip and Neon indicator showing current present between 120 - 250V/ AC. Display packed.

Stock No.	Part No.	Length
64519	EMT1D	150mm



2 MT1D

MULTI-TESTER

Multi-functional tester with plain slot blade for checking wiring without dismantling or having any contact with live parts. Manufactured to the latest UK and European specifications with integral pocket clip and Neon indicator showing current present between 70 - 250V/AC. Display packed.

Stock No.
64517



3

MAINS TESTERS

Manufactured to the latest UK and European specifications with integral pocket clip and Neon indicator showing current present between 120 - 250V. Display packed.

Stock No.	Length
64506	140mm
64510	190mm



4 PDT

PUNCH DOWN TOOL

For telephone and computer network installation and maintenance. Terminates wire and cuts off excess. Suitable for all CW1308 telecom cable. Cable locking, insertion blades and cable shears included. Display packed.

Stock No.
40417



5 VS4

CAT III 1000V NON CONTACT VOLTAGE TESTER

Expert Quality, non contact voltage tester with integrated inspection lamp. Suitable for identifying live wires, broken wires and fault finding. Sensitive voltage detection between the range of 100-600V. Fitted with inspection light on one end and audible/visual indicators. Powered by 2 x AAA batteries (supplied). Display packed.

Stock No.
34278



6 VS3

CAT III 600V NON CONTACT VOLTAGE TESTER

Non contact voltage tester. Suitable for identifying live wires, broken wires and fault finding. Voltage detection between the range of 200-600V. Powered by 2 x AAA batteries (sold separately). Display packed.

Stock No.
34277



NEW

7 SVT

SOCKET AND VOLTAGE TESTERS (600V)

Non contact voltage tester. Suitable for identifying live wires, broken wires and fault finding. Voltage detection between the range of 200-600V. Powered by 2 x AAA batteries (sold separately). 13 amp socket tester used to determine whether the socket wiring is correct.

Stock No.
82384



8 EDTN

ELECTRICIANS NYLON DRAW TAPE (10M)

Designed for drawing electrical cables and flex under floorboards and between floors. Manufactured from non-conductive and non-corrosive 3mm nylon attached with a brass head.

Stock No.
75032



9 RT-100

RELAY TESTER

Expert Quality, relay tester. Used to check 4 and 5 pin electro-mechanical relays. Operated by a 12V vehicle supply.

Stock No.
66249





1 DMSD

COMBINED DISTANCE ESTIMATOR AND STUD DETECTOR WITH LASER POINTER

This handy instrument has an easy-to-read LCD display for measurements and audio function when studs in walls are detected. Built-in calculator works out areas, volumes, metre/feet conversions. Distance range 600mm to 15M (2 - 50ft). Detects studs up to 19mm. Laser class IIA pointer. Powered by a PP3 battery (sold separately). Display packed.

Stock No.	Description
88988	Detector
61837	Battery (PP3)



2 501G

COMBINED METAL, VOLTAGE AND STUD DETECTOR

Detects live or dead electricity cables, metallic water pipes, nails and other metal objects and wood studs in partition walling which can be located without causing surface damage. Maximum depth penetration 27mm. Uses a PP3 size battery sold separately. A detailed instruction leaflet is enclosed with each tool. Display packed.

Stock No.	Description
13818	Detector
61837	Battery (PP3)



3 D389

COMBINED LIVE WIRE, METAL AND STUD DETECTOR

Manufactured to IP52 Specification

Expert Quality, Detects live and dead electricity cables, metallic water pipes, nails and wood studs in partition walling. Buzzer sounds when objects are located. Maximum depth penetration; live AC wires 75mm; metal 75mm: wood 18mm; metal pipes 38mm and copper pipes 30mm. Uses a PP3 size battery (sold separately). Display packed.

Stock No.	Description
22230	Detector
61837	Battery (PP3)





4 MM100

MOISTURE METER

Perfect for measuring water content in wood, plaster and concrete. The LCD display shows moisture content as a percentage. Also able to measure ambient room temperature. Battery included. Display packed.

Stock No.	Description
43618	Meter
55361	Spare LR44 Battery



5 DD1B

DAMP DETECTOR

Hand-held instrument for detecting rising and penetrating damp in foundation walls, floors and timbers. Also suitable for checking dryness of surfaces prior to papering or tiling and also that wood is dry before painting or varnishing. An audible signals detects the presence of damp and humidity. Uses a PP3 battery (sold separately). Display packed.

Stock No.	Description
34873	Detector
61837	Battery (PP3)



1 SS5

SOFT GRIP HOUSEHOLD SCISSOR SET (5 PIECE)

Manufactured from stainless steel with soft grip handles. Display packed.
Contents: 125, 140, 170, 210 and 245mm.

Stock No.
75552



2 SS3

SOFT GRIP HOUSEHOLD SCISSOR SET (3 PIECE)

Manufactured from stainless steel with soft grip handles. Display packed.
Contents: 190mm, 215mm and 245mm.

Stock No.
73962



3 5135

135mm SEWING SCISSORS

Manufactured from stainless steel with plastic handles. Display packed.

Stock No.
20608



4 5210

210mm DRESSMAKING SHEARS

Manufactured from stainless steel with plastic handles. Display packed.

Stock No.
20610



5 SC176

170MM HOUSEHOLD SCISSORS

Manufactured from stainless steel with plastic handles. Display packed.

Stock No.
20601



LEGAL INFORMATION - SCISSORS

WARNING - Knives or other articles with a blade or sharp point must not be sold to persons under age. It's the law (Offensive Weapons Act 1996 and the Violent Crime Reduction Act 2006).



6 733H6

155mm HOUSEHOLD SCISSORS

Forged from selected steel, fully chrome plated and polished. Display packed.

Stock No.
14130



7 WPS/2

300mm DECORATORS SCISSORS

300mm long, decorators wallpaper shears. Attached to ABS plastic handle with 128mm cutting length, stainless steel blades. Display packed.

Stock No.
85662

8 ENG1

ENGRAVER

Battery-powered diamond tipped engraver suitable for engraving most surfaces including, glass, ceramics and metals. Belt-clip and 1.75M (approx.) power lead. Runs off 4 x AA size batteries (sold separately).
Display packed.



Stock No.	Part No.	Description
52345	ENG1	Engraver
52378	YENG1	Spare Tip
61834	DLR6/HD	Batteries (4 x AA)



LEGAL INFORMATION

WARNING - Knives or other articles with a blade or sharp point must not be sold to persons under age.
It's the law (Offensive Weapons Act 1996 and the Violent Crime Reduction Act 2006).



1 HK29

MODELLER'S TOOL KIT (29 PIECE)

Comprehensive tool kit which can be used by modellers, craftworkers, woodcarvers, etc. Packed in blow mould case with display sleeve.

Contents: • 2 handles (8 and 11mm diameter) • heavy duty handle (11mm diameter) • piercing awl • sander • mitre box (138 x 40mm x 30mm) • pair of tweezers • back saw blade • 21 assorted blades

Stock No.
21835




2 HK13

MODELLER'S TOOL KIT (16 PIECE)

Starter kit which can be used by modellers, craftworkers, woodcarvers, etc. Display packed in plastic case.

Contents: • 2 handles (8 and 11mm diameter) • heavy duty handle (11mm diameter) • 13 assorted blades

Stock No.
21834



3 MK1

120mm MODELLING KNIFE

Ideal for craft and hobby applications such as model making, etching, carving, scoring and general paper trimming. Blade is held securely in a four jaw holding device, with a protective blade cap. 8mm diameter handle. Supplied with blade in handle and pack of five assorted blades. Display packed.

Stock No.
31073

SAFETY INFORMATION

When using a cutting mat with (for example) a modellers knife and a straight edge, it is recommended that some sort of protection is worn on the hand holding the straight edge.



4 CT6

CARVING TOOL SET WITH SHARPENING STONE (7 PIECE)

Black finish steel blades hardened and tempered. Ramin handles with sanded finish. Sharpening stone is manufactured from aluminium oxide. Display packed.

Contents: • square chisel • skew chisel (4mm wide blade) • skew chisel (6mm wide blade) • V tool - parting tool • bent gouge (3mm wide blade) • bent gouge (6mm wide blade) • sharpening stone (45 x 15 x 5mm)


Stock No.	Overall Length
31777	135mm

5 CMAT

300 x 450mm CUTTING MAT

For cutting without damaging surfaces. Unique self-healing coated non-slip surface. Ideal for model makers, artists etc. 10mm alignment grid. Cutting Mat thickness 3mm. Shrink wrapped for security.

Stock No.
69335





6 M709A

ROUND MAGNIFIERS

Plastic lightweight magnifiers ideal for engineers, philatelists, etc. Main lens magnification x 3 with inset x 6. Display packed.

Stock No.	Lens Diameter	Length
78474	50mm	125mm
78475	65mm	150mm
78476	70mm	180mm



7 DMAGL

12W 230V FLUORESCENT MAGNIFYING LAMP

Lamp on long reach for domestic and industrial applications including jewellers, dressmakers, beauticians and other crafts where light and magnification is a necessity. Magnification is via a T4 energy saving fluorescent tube with 2 x magnification and 4 x insert lens. Complete with 1.25M (approx.) of cable and 3 pin plug.

Stock No.
05718



8

JEWELLERS EYE GLASS

Display packed.

Stock No.	Part No.	Magnification
21568	MG972	X 2
21569	MG9732	X 3.1/2



1 T257

120mm TWEEZERS

Extra fine curved points. Stainless steel light tension. Display packed.

Stock No.
19672



2 T250

120mm TWEEZERS

Fine points. Stainless steel light tension. Display packed.

Stock No.
19670



3 TWZ4

TWEEZER SET (4 PIECE)

Comprising 114mm long straight; 120mm curved; 105mm spade and 114mm self closing. Manufactured from stainless steel. Display packed.

Stock No.
19850

EASY 3 STAGE OPERATION FOR HOLE PUNCH PLIERS



Punch a hole through the material.



Push the eyelet through the hole.



Then place the ready side of the eyelet in the former and squeeze together.





4 HP

210mm INTERCHANGEABLE HOLE PUNCH AND EYELET PLIERS

This handy tool can be used as a conventional hole punch (6 sizes supplied) on soft materials, or to join soft materials together using the special punch and die head and eyelets supplied. Supplied with a quantity of eyelets. Additional eyelets are available separately - see entry. Display packed.



Stock No.	Description
31096	Hole Punch
31108	500 x 4mm eyelets

5 RP12B

200mm REVOLVING PUNCH PLIERS

Pressed steel frame with plastic coated handles. Revolving head has six punches size: 2.5, 2.9, 3.3, 3.7, 4.1 and 4.5mm. Display packed.


Stock No.
24795

HELPING HAND BRACKET

The ideal tool for precision work, perfect for when another pair of hands is required.

Featuring articulated joints that provide maximum positioning versatility. Attached with powerful crocodile clips, which securely hold work in place while the heavy-duty base provides added stability.

Attached with a large distortion free magnifying glass, enabling effortless work on small items.





6 HH

HELPING HAND BRACKET

Useful bracket suitable for electronic work, model and jewellery making. Complete with fully adjustable holding clips and a 60mm diameter glass magnifying lens (x 2.0 magnification). The solid cast base improves stability. Display packed.

Stock No.
31324

PROFESSIONAL BICYCLE SERVICING TOOLS

Whether it's a commuter or professional racing bicycle, Draper Tools provides a selection of tools and equipment required for day-to-day maintenance and emergency bicycle repair.

From bicycle storage solutions, to pumps, locks and a host of other tools required for bike repairs, we've got all cycling situations covered.







1 BK-CRE2

BICYCLE CHAIN RIVET EXTRACTOR

Separates and joins bicycle chains. A useful tool for any garage or saddlebag. Display packed.

Stock No.
31038



2 BK-CP

BICYCLE CRANK PULLER

For removing splined and square tapered pedal cranks from the bottom bracket. Display packed.

Stock No.
31039



3 BK-SK2

UNIVERSAL BICYCLE SPOKE KEY

Chrome molybdenum with wide driving faces minimise damage to spoke nipples. Display packed.

Stock No.
44039





4 BK-ICP

BICYCLE CABLE TENSIONER

Indispensable cable tensioner makes adjusting bicycle brake or gear cables a breeze. Single handed operation allows the user to grip, tension and hold the cable exactly where you need it. Display packed.

Stock No.
31043



5 BK-CW

BICYCLE CHAIN WHIP

An essential tool for holding the sprockets when removing the cassette on bicycles. Display packed.

Stock No.
31052



1 BK-HP5

TWIN CONNECTOR SOFT GRIP BICYCLE HAND PUMP

Lightweight, with twin valves - for Schrader and Presta Valves. thumb lock ensures pump locks to valve. Soft grip pump handle for user comfort. Supplied with frame clamp and screws. Display packed.

Stock No.
77017



2 BK-PRK2

PUNCTURE REPAIR KIT

Handy kit, ideal for touring. Display packed.

Contents: two nylon tyre levers, five repair patches, file, abrasive paper, adhesive and case.

Stock No.
26790



3 BK-SL1

PVC COATED SHACKLE LOCK

Draper Security Rating: 2

PVC coated for corrosion protection. Supplied with mounting bracket for carrying on bicycle and two keys. Display packed.

Stock No.	Length
59176	A185 x B110 x C210 x D12



4 BK-HOOK1

PAIR OF CYCLE STORAGE HOOKS

PVC coated to protect cycle paint. Display packed.

Stock No.
59243

5 BK-TK5

BICYCLE TOOL KIT

Tool kit supplied with canvas type storage case. Display packed.

Contents:

- 17 function folding multi-tool which includes: six hex. keys, three 1/4 sq. dr. sockets, wrench with spoke key, 1/4 sq. blade, plain slot and cross slot screwdrivers
- Puncture repair kit • 2 tyre levers • Hand pump

Stock No.
73186





6 BK-WS2

BICYCLE WORKSTAND

Heavy duty bicycle workstand with adjustable support brackets for correct positioning. Carton packed.

Stock No.
59304



section 15



KNIPEX

678-680	VDE 8 Range
681-682	VDE Range
683-684	VDE ‘S’ Range
685-689	Pliers and Cutters
690-691	Bolt Cutters
692	Shears and Cutters
693	Cutting Nippers
694-696	General Range
697-698	Electronic Range
699	Antistatic Range
700-701	Circlip Pliers
701-704	Waterpump Pliers
704-705	Miscellaneous Tools

QUALITY GERMAN PLIERS & CUTTERS

Knipex products are manufactured to exacting international standards in one of Germany's largest and most modern tool factories using the latest technology and the finest materials. Cutting edges are induction hardened to guarantee efficient cutting performance and great durability.

Knipex manufacture over 10 million pairs of pliers every year. Stringent quality control ensures that these products are amongst the finest in the world and particularly suited to industrial applications. Alligator®, Cobra®, CoBolt®, SmartGrip® and TwinForce® are patented designs by Knipex KG.



"PAUL SAYS" QUALITY ASSURANCE MAKES THE DIFFERENCE

EN60900 is the European Standard for hand tools for live working up to 1000V AC or 1500V DC. Any hand tool for live working must be manufactured and approved to this standard. Unless the tool you purchase has the conformance marks stamped on them, it is not up to the relevant standards. All Knipex electrical pliers have been rigorously tested to EN60900 so you can be sure safe in the knowledge these tools will perform as required.

1000V-AC
EN 60900

LIVE LINE WORKING

When working on electrical installations, it is safest to disconnect these systems from the energy supply first. Only a skilled and qualified electrician may work on live installations and then only in conformance with the relevant industrial safety standards.

VDE 8 RANGE

This range of pliers and cutters has been manufactured by Knipex for Draper Tools. We have ensured that the specification is second to none - each plier is manufactured to the highest standards of quality and safety.

YOUTUBE.COM/ DRAPERTOOLSTV





1 03 08

VDE FULLY INSULATED COMBINATION PLIERS

Manufactured to DIN ISO 5746 Specifications. Tested to EN 60900

Professional Quality, tested to 10,000V and insulated to 1000V AC and 1500V DC for live line working. Manufactured from special tool steel, oil hardened and tempered. Smoothly ground heads with cutting edges separately induction hardened to 60HRC for cutting hard and soft wires. Heavy insulated handles with slip guards for extra comfort and safety. Display packed.

Stock No.	Overall Length	Cutting Capacities-mm Cable dia.	Cable mm²	Med Wire dia.	Hard Wire dia.
32019	160mm	10.0	16.0	3.1	2.0
31918	180mm	12.0	16.0	3.4	2.2
31920	200mm	13.0	16.0	3.8	2.5

High leverage joint = extra cutting power



2 02 08

VDE FULLY INSULATED HIGH LEVERAGE COMBINATION PLIERS

Manufactured to DIN ISO 5745 Specifications. Tested to EN 60900

Professional Quality, tested to 10,000V and insulated to 1000V AC and 1500V DC for live line working. Manufactured from high grade tool steel, oil hardened and tempered. Smoothly ground heads with cutting edges separately induction hardened to 64HRC for cutting hard and piano wires. Heavy insulated handles with slip guards for extra comfort and safety. Display packed.

Stock No.	Overall Length	Cutting Capacities-mm Cable dia.	Cable mm²	Hard Wire dia.	Piano Wire dia.
32015	180mm	11.5	16.0	2.5	2.0
31861	200mm	13.0	25.0	2.8	2.2
32018	225mm	14.0	25.0	3.0	2.5



3 25 08

VDE FULLY INSULATED LONG NOSE PLIERS

Manufactured to DIN ISO 5745 Specifications. Tested to EN 60900

Professional Quality, tested to 10,000V and insulated to 1000V AC and 1500V DC for live line working. Manufactured from special tool steel, oil hardened and tempered. Smoothly ground heads with cutting edges separately induction hardened to 61HRC for cutting medium wire 2.5mm and hard wire 1.6mm. The flat round jaws have serrated gripping surfaces. Heavy insulated handles with slip guards for extra comfort and safety. Display packed.

Stock No.	Overall Length	Length	Jaw Dimensions W-mm Base	W-mm Tip	Thickness-mm Base	Thickness-mm Tip
31944	160mm	50.0mm	16.5	3.0	9.0	2.5



4 26 18

VDE FULLY INSULATED LONG NOSE PLIERS

Manufactured to DIN ISO 5745 Specifications. Tested to EN 60900

Professional Quality, tested to 10,000V and insulated to 1000V AC and 1500V DC for live line working. Manufactured from vanadium steel, oil hardened and tempered. Smoothly ground cutting edges separately induction hardened to 61HRC for cutting medium 3.2mm and hard wire 2.2mm. Straight, half round jaws have serrated gripping surfaces. Heavy insulated handles with slip guards for extra comfort and safety. Display packed.

Stock No.	Overall Length	Length	Jaw Dimensions W-mm Base	W-mm Tip	Thickness-mm Base	Thickness-mm Tip
32012	200mm	73.0mm	17.5	3.0	9.5	2.5



1 70 08

VDE FULLY INSULATED DIAGONAL SIDE CUTTERS

Manufactured to DIN ISO 5749 Specifications. Tested to EN 60900

Professional Quality, tested to 10,000V and insulated to 1000V AC and 1500V DC for live line working. Manufactured from vanadium electric steel, oil hardened and tempered. Swedish pattern with smoothly ground heads and separately induction hardened cutting edges to 62HRC. Will cut hard, medium-hard and soft wires. Heavy insulated handles with slip guards for extra comfort and safety. Display packed.

Stock No.	Overall Length	Cutting Capacities-mm Soft Wire dia.	Med Hard Wire dia.	Hard Wire dia.
32020	125mm	3.0	2.3	1.5
31925	140mm	4.0	2.5	1.8
31926	160mm	4.0	3.0	2
32021	180mm	4.0	3.0	2.5



2 74 08

VDE INSULATED HIGH LEVERAGE DIAGONAL SIDE CUTTERS

Manufactured to DIN ISO 5749 Specifications. Tested to EN 60900

Professional Quality, tested to 10,000V and insulated to 1000V AC and 1500V DC for live line working. Manufactured from chrome vanadium electric steel, oil hardened and tempered. Smoothly ground heads with cutting edges separately induction hardened to 64HRC for cutting piano, hard and soft wires. The cutter has no conventional centre rivet, but a forged-on pivot which can withstand extra leverage. Heavy insulated handles with slip guards for extra comfort and safety. Display packed.

Stock No.	Overall Length	Cutting Capacities-mm Soft Wire dia.	Med Hard Wire dia.	Hard Wire dia.	Piano dia.
32022	160mm	4.0	3.4	2.5	2.0
31927	180mm	4.0	3.8	2.7	2.2
31929	200mm	4.0	4.2	3.0	2.5


Stock No.32023


Stock No.32014

3 95 18

VDE FULLY INSULATED CABLE SHEARS

Tested to EN 60900

Professional Quality, tested to 10,000V and insulated to 1000V AC and 1500V DC for live line working. Forged from special tool steel, hardened and tempered. Smoothly ground head with cutting edges precision ground and hardened. Suitable for cutting, stripping and dismantling. Heavy insulated handles. With slipguards for extra comfort and safety. Display packed.

Stock No.	Overall Length	Cutting Capacity Cu + Al Cables
32014	165mm	15mm dia.- 50mm^2
32023	200mm	20mm dia. - 70mm^2



4 20 08

VDE FULLY INSULATED FLAT NOSE PLIERS

Manufactured to DIN ISO 5745 Specifications. Tested to EN 60900

Professional Quality, tested to 10,000V and insulated to 1000V AC and 1500V DC for live line working. Manufactured from special tool steel, oil hardened and tempered. Smoothly ground polished head, short flat jaws with serrated gripping surfaces. Heavy insulated handles with slip guards for extra comfort and safety. Display packed.

Stock No.	Overall Length	Jaw Dimensions: Length	W-mm Base	Thickness-mm Base
31968	160mm	30.0mm	17.0	9.5



5 22 08

VDE FULLY INSULATED ROUND NOSE PLIERS

Manufactured to DIN ISO 5745 Specifications. Tested to EN 60900

Professional Quality, tested to 10,000V and insulated to 1000V AC and 1500V DC for live line working. Manufactured from special tool steel, oil hardened and tempered. Short round jaws with smooth gripping surfaces ideal for forming wire loops. Heavy insulated handles with slip guards for extra comfort and safety. Display packed.

Stock No.	Overall Length	Jaw Dimensions: Length	W-mm Base	Thickness-mm Tip
31990	160mm	30.0mm	18.0	3



6 11 08

VDE FULLY INSULATED WIRE STRIPPING PLIERS

Tested to EN 60900

Professional Quality, tested to 10,000V and insulated to 1000V AC and 1500V DC for live line working. Manufactured from special tool steel, oil hardened and tempered. Smoothly ground accurate V shaped polished jaw head with locking adjustable screw for setting to the desired diameter. Can be used for solid or stranded wire up to 5mm (10mm^2) diameter. Internal screw for one hand adjustment. Heavy insulated handles with slip guards for extra comfort and safety. Display packed.

Stock No.	Overall Length
31930	160mm





1 87 28

VDE FULLY INSULATED COBRA® WATERPUMP PLIERS

Manufactured to DIN ISO 8976 Specifications. Tested to EN 60900

Professional Quality, tested to 10,000V and insulated to 1000V AC and 1500V DC for live line working. Manufactured from chrome vanadium electric steel, oil hardened and tempered with smoothly ground jaws, joint faces and an accurately formed box joint. 24 position adjustment. The parallelogram-shaped gripping surfaces have specially hardened teeth to 61HRC for positive grip on pipes and nuts. Heavy insulated handles with slip guards for extra safety. Has 'no-nip' feature which prevents handles locking together and damaging users' hands. Display packed.

Stock No.	Overall Length	Max. Holding Capacities Pipes O/D dia.	Nuts (across flats)
10644	250mm	50mm	46mm



2 88 08


VDE FULLY INSULATED ALLIGATOR® WATERPUMP PLIERS

Manufactured to DIN ISO 8976 Specifications. Tested to EN 60900

Professional Quality, tested to 10,000V and insulated to 1000V AC and 1500V DC for live line working. Manufactured from chrome vanadium electric steel, oil hardened and tempered with smoothly ground jaws, joint faces and an accurately formed box joint. Nine position adjustment. The parallelogram-shaped gripping surfaces have specially hardened teeth to 61HRC for positive grip on pipes and nuts. Heavy insulated handles with slip guards for extra safety. Has 'no-nip' feature which prevents handles locking together and damaging users' hands. Display packed.

Stock No.	Overall Length	Max. Holding Capacities Pipes O/D dia.	Nuts (across flats)
32013	250mm	50mm	46mm

THE SIX FUNCTION PLIERS FROM KNIPEX



3 13 88 200UKSBE

FULLY INSULATED ELECTRICIANS UNIVERSAL INSTALLATION PLIERS

Manufactured to DIN ISO 5745 Specifications. Tested to EN 60900


Professional Quality, for the all-round professional, tested to 10,000V and insulated to 1000V AC and 1500V DC for live line working. Multifunctional electrical installation pliers ideal for gripping flat and round material, bending, deburring, cutting cable, stripping and crimping ferrules; 6 functions in one pair of pliers! Built in shears allow up to 15mm diameter copper cable to be cut. Manufactured from high-grade oil hardened steel with precision ground stripping holes. Separately induction hardened cutting edges give a clean cut every time. Heavy duty insulated handles and slip guards for extra comfort and safety. Display packed.

Stock No.	Overall Length	Stripping Cap. mmØ	Crimp Cable Links mm²	Cutting Cable mmØ
80803	200mm	0.75-2.5mm	0.5-2.5mm	15mm

SPECIAL FEATURES OF THE 'X CUT'

40% LESS EFFORT REQUIRED COMPARED TO HIGH LEVERAGE DIAGONAL SIDE CUTTERS OF SIMILAR LENGTH!

• Item No. 4 has a box-joint design: highest stability with low weight • Doubly supported joint axis for heaviest duty • High cutting capacity with very little effort thanks to the optimum coordination of cutting-edge angle and leverage ratio with laterally staggered pivot point • Large opening width for thicker cables • Cuts precisely, even through fine copper wires • Compact, low-weight construction



4 73 08 160UK

VDE FULLY INSULATED 'X CUT' HIGH LEVERAGE DIAGONAL SIDE CUTTERS

Manufactured to DIN ISO 5746 Specifications. Tested to EN 60900

Professional Quality, tested to 10,000V and insulated to 1000V AC and 1500V DC for live line working. Manufactured from chrome vanadium heavy duty steel, oil hardened and tempered. Smoothly ground heads with separately induction hardened cutting edges for cutting piano and medium hard wires. The cutter has a double supported axis allowing for 40% less effort when cutting compared to high leverage cutters of the same size. Heavy duty moulded handles and slip guards for extra comfort and safety. Display packed.

Stock No.	Overall Length	Cutting Capacities-mm Med Hard Wire dia.	Hard Wire dia.	Piano Wire dia.	Copper/ Plastic
54087	160mm	3.8	2.7	2.2	4.8mm



5 00 20 12

VDE ASSEMBLY PACK (3 PIECE)

Manufactured to DIN ISO 8976 Specifications. Tested to EN 60900

Professional Quality, comprising three commonly used types of pliers. Display packed.

Contents: 180mm Combination Pliers with slipguards; 200mm Long Nose Pliers with slipguards; 160mm Diagonal Side Cutters with slipguards

Stock No.
44948

THE VDE RANGE

Each plier has a chrome plated head

CHROME PLATED HEAD
The chrome plated surface helps protect against corrosion

GRIPPING ZONE
Softer material with better grip where force is applied to prevent slipping



SLIP GUARDS
Specifically designed to avoid spark-over or current passage from the bare pliers to user's hand

EXTRA PROTECTION
To prevent possible damage from being dropped, the handle ends are treated with extra thick insulation



1 03 06

VDE FULLY INSULATED COMBINATION PLIERS

Manufactured to DIN ISO 5746 Specifications. Tested to EN 60900

Professional Quality, tested to 10,000V and insulated to 1000V AC and 1500V DC for live line working. Manufactured from special tool steel, oil hardened and tempered. Smoothly ground chrome plated heads with cutting edges separately induction hardened to 60HRC for cutting medium-hard and hard wire. Heavy two colour insulated handles with slip guards for extra comfort and safety. Display packed.

Stock No.	Overall Length	Cutting Capacities-mm Cable dia.	Cable mm²	Med/Hard Wire dia.	Hard Wire dia.
81204	180mm	12.0	16.0	3.4	2.2
81212	200mm	13.0	16.0	3.8	2.5

High leverage joint = extra cutting power



2 02 06

VDE FULLY INSULATED HIGH LEVERAGE COMBINATION PLIERS

Manufactured to DIN ISO 5746 Specifications. Tested to EN 60900

Professional Quality, tested to 10,000V and insulated to 1000V AC and 1500V DC for live line working. Manufactured from special tool steel, oil hardened and tempered. Smoothly ground chrome plated heads with cutting edges separately induction hardened to 64HRC for cutting hard and piano wire. Heavy two colour insulated handles with slip guards for extra comfort and safety. Display packed.

Stock No.	Overall Length	Cutting Capacities-mm Cable dia.	Cable mm²	Hard Wire dia.	Piano Wire dia.
49168	180mm	11.5	16.0	2.5	2.0
59818	200mm	13.0	25.0	2.8	2.2
49169	225mm	14.0	25.0	3.0	2.5



3 13 86 200SBE

VDE ELECTRICIANS UNIVERSAL INSTALLATION PLIERS

Manufactured to DIN ISO 5745 Specifications. Tested to EN 60900

Professional Quality, for the all-round professional, tested to 10,000V and insulated to 1000V AC and 1500V DC for live line working. Multifunctional electrical installation pliers ideal for gripping flat and round material, bending, deburring, cutting cable, stripping and crimping ferrules; 6 functions in one pair of pliers! Built in shears allow up to 15mm diameter copper cable to be cut. Manufactured from high-grade oil hardened steel with chrome plated head and precision ground stripping holes. Separately induction hardened cutting edges give a clean cut every time. Heavy duty insulated handles and slip guards for extra comfort and safety. Display packed.

Stock No.	Overall Length	Stripping Cap. mmØ	Crimp Cable Links mm²	Cutting Cable mmØ
31460	200mm	0.75-2.5mm	0.5-2.5mm	15mm



4 25 06

VDE FULLY INSULATED LONG NOSE PLIERS

Manufactured to DIN ISO 5745 Specifications. Tested to EN 60900

Professional Quality, tested to 10,000V and insulated to 1000V AC and 1500V DC for live line working. Manufactured from special tool steel, oil hardened and tempered. Smoothly ground chrome plated head with cutting edges separately induction hardened to 60HRC for cutting soft wire 2.5mm and medium wire 1.6mm. Flat-round jaws have serrated gripping surfaces. Heavy two colour insulated handles with slip guards for extra comfort and safety. Display packed.

Stock No.	Overall Length	Jaw Size Length	W-mm Base	W-mm Tip	Thickness-mm Base	Thickness-mm Tip
81238	160mm	50.0mm	16.5	3.0	9.0	2.5



5 26 16

VDE FULLY INSULATED LONG NOSE PLIERS

Manufactured to DIN ISO 5745 Specifications. Tested to EN 60900

Professional Quality, tested to 10,000V and insulated to 1000V AC and 1500V DC for live line working. Manufactured from vanadium steel, oil hardened and tempered. Smoothly ground chrome plated head with cutting edges separately induction hardened to 61HRC for cutting medium-hard wire 3.2mm and hard wire 2.2mm. Straight, long flat-round jaws are serrated for easy grip. Heavy two colour insulated handles with slip guards for extra safety. Display packed.

Stock No.	Overall Length	Jaw Size Length	W-mm Base	W-mm Tip	Thickness-mm Base	Thickness-mm Tip
81246	200mm	73.0mm	17.5	3.0	9.5	2.5



6 26 26 200SB

FULLY INSULATED ANGLED LONG NOSE PLIERS

Manufactured to DIN ISO 5745 Specifications. Tested to EN 60900

Professional Quality, tested to 10,000V and insulated to 1000V AC and 1500V DC for live line working. Manufactured from vanadium steel, oil hardened and tempered. Smoothly ground cutting edges separately induction hardened to 61HRC for cutting medium 3.2mm and hard wire 2.2mm. Straight, half round jaws have serrated gripping surfaces. Heavy insulated handles with slip guards for extra comfort and safety. Display packed.

Stock No.	Overall Length	Jaw Size Length	W-mm Base	W-mm Tip	Thickness-mm Base	Thickness-mm Tip
34056	200mm	73.0mm	17.5	3.0	9.5	2.5



7 13 46 165

DISMANTLING PLIERS

Manufactured to DIN ISO 5745 Specifications. Tested to EN 60900

Professional Quality, tested to 10,000V and insulated to 1000V AC and 1500V DC for live line working. Thanks to its circular cutting edge they enable easier access into deep mounted junction boxes, easily stripping cables without damage. Universally useful, the precision 1.5 and 2.5 mm² wire stripping holes and diagonal cutters used for conductors, wires, small screws and nails. All cutting edges are additionally induction hardened for a longer life. Manufactured from oil-hardened chrome vanadium steel. Perfect for dismantling and stripping round sheathed and damp-proof installation cables.

Stock No.	Overall Length	Stripping Cap. mmØ	Cable Stripping mmØ
14738	165mm	1.5-2.5mm	8-13mm



1 14 26 160SB

VDE FULLY INSULATED DIAGONAL WIRE STRIPPERS AND CUTTERS

Manufactured to DIN ISO 5749 Specifications. Tested to EN 60900

Professional Quality, tested to 10,000V and insulated to 1000V AC and 1500V DC for live line working. Manufactured with two precision stripping holes for single (solid) conductors of 1.5 and 2.5 mm². Chrome plated head with oil hardened cutting edges to 60HRC. Comfortable soft grip insulated handles with slip guards for extra safety. Display packed.

Stock No.	Overall Length	Cutting Capacities-mm Soft Wire dia.	Med Wire dia.
34055	160mm	2.5mm	1.5mm



2 70 06

VDE FULLY INSULATED DIAGONAL SIDE CUTTERS

Manufactured to DIN ISO 5749 Specifications. Tested to EN 60900

Professional Quality, tested to 10,000V and insulated to 1000V AC and 1500V DC for live line working. Manufactured from vanadium electric steel, oil hardened and tempered. Swedish pattern with smoothly ground chrome plated heads and separately induction hardened cutting edges to 62HRC. Will cut hard, medium-hard and soft wires. Heavy two colour insulated handles with slip guards for extra safety. Display packed.

Stock No.	Overall Length	Cutting Capacities-mm Soft Wire dia.	Med/Hard Wire dia.	Hard Wire dia.
81254	140mm	4.0	2.5	1.8
81262	160mm	4.0	2.8	2
18451	180mm	4.0	3.0	2.5



3 74 06

VDE FULLY INSULATED HIGH LEVERAGE DIAGONAL SIDE CUTTERS

Manufactured to DIN ISO 5746 Specifications. Tested to EN 60900

Professional Quality, tested to 10,000V and insulated to 1000V AC and 1500V DC for live line working. Manufactured from chrome vanadium electric steel, oil hardened and tempered. Smoothly ground chrome plated heads with cutting edges separately induction hardened to 64HRC for cutting piano, hard and soft wires. The cutter has no conventional centre rivet, but a forged-on pivot which can withstand extra leverage. Heavy two colour insulated handles with slip guards for extra safety. Display packed.

Stock No.	Overall Length	Cutting Capacities-mm Med/Hard dia.	Hard Wire dia.	Piano Wire dia.
12301	200mm	4.2	3.0	2.5



4 73 06 160SB

VDE 'X CUT' HIGH LEVERAGE DIAGONAL SIDE CUTTERS

Manufactured to DIN ISO 5745 Specifications. Tested to EN 60900

Professional Quality, for the all-round professional, tested to 10,000V and insulated to 1000V AC and 1500V DC for live line working. The cutter has a unique double supported axis, allowing for 40% less effort when cutting compared to similar size diagonal cutters. Manufactured from high-grade oil hardened steel with chrome plated head. Separately induction hardened cutting edges give a clean cut every time. Fitted with heavy duty insulated handles and slip guards. Display packed.

Stock No.	Overall Length	Cutting Capacities-mm Med Wire dia.	Hard Wire dia.	Piano Wire dia.
25885	160mm	3.8	2.7	2.2

SPECIAL FEATURES OF THE 'X CUT'

40% LESS EFFORT REQUIRED COMPARED TO HIGH LEVERAGE DIAGONAL SIDE CUTTERS OF SIMILAR LENGTH!

- Item No. 4 has a box-joint design: highest stability with low weight
- Doubly supported joint axis for heaviest duty
- High cutting capacity with very little effort thanks to the optimum coordination of cutting-edge angle and leverage ratio with laterally staggered pivot point
- Large opening width for thicker cables
- Cuts precisely, even through fine copper wires
- Compact, low-weight construction



5 87 26

VDE COBRA® CHROME WATERPUMP PLIERS

Manufactured to DIN ISO 8976 Specifications. Tested to EN 60900

Professional Quality, manufactured from chrome vanadium electric steel, oil hardened, tempered and chrome plated, with smoothly ground jaws, joint faces and an accurately formed box joint with safety stop. The parallelogram-shaped gripping surfaces have specially hardened teeth to 61HRC for positive grip on pipes and nuts. One hand press button adjustment. Heavy duty moulded handles with slip guards for extra safety. Has 'no-nip' feature which prevents handles locking together and damaging users' hands. Display packed.

Stock No.	Overall Length	Holding Capacities Jaw Positions	Pipes O/D dia.	Nuts (across flats)
34672	250mm	24	50mm	46mm



6 95 36

VDE FULLY INSULATED RATCHET ACTION CABLE CUTTERS

Tested to EN 60900

Professional Quality, tested to 10,000V and insulated to 1000V AC and 1500V DC for live line working. Forged from special grade tool steel. Smoothly ground head with cutting edges precision ground and hardened. One hand operation with two-stage ratchet drive for easy cutting without crushing cables. Insulated handles with slip guards for extra safety and comfort. Sold loose.

NB: These products are NOT suitable for cutting wire rope or steel wire

Stock No.	Overall Length	Cutting Capacity Cu + Al Cables
57677	250mm	32mm dia.-240mm²
55015	280mm	52mm dia.-380mm²



7 95 36

VDE FULLY INSULATED RATCHET ACTION CABLE CUTTER

Tested to EN 60900

Professional Quality, tested to 10,000V and insulated to 1000V AC and 1500V DC for live line working. Forged from special grade tool steel. Smoothly ground head with cutting edges precision ground and hardened. One hand operation with two-stage ratchet drive for easy cutting without crushing cables. Insulated handles with slip guards for extra safety and comfort. Sold loose.

NB: These products are NOT suitable for cutting wire rope or steel wire

Stock No.	Overall Length	Cutting Capacity Cu + Al Cables
25881	320mm	60mm dia.-600mm²

THE 'S' RANGE

The professional electricians tools in this range are insulated for use up to 1000V AC and 1500V DC and tested to conform to the latest regulations and requirements.



LIVE LINE WORKING

When working on electrical installations, it is safest to disconnect these systems from the energy supply first. Only a skilled and qualified electrician may work on live installations and then only in conformance with the relevant industrial safety standards.



1 03 07

FULLY INSULATED 'S' RANGE COMBINATION PLIERS

Manufactured to DIN ISO 5746 Specifications. Tested to EN60900

Professional Quality, tested to 10,000V and insulated to 1000V AC and 1500V DC for live line working. Manufactured from special tool steel, oil hardened and tempered. Smoothly ground chrome plated heads with cutting edges separately induction hardened to 60HRC for cutting medium-hard and hard wire. Heavy 'S' Range plastic dipped insulated handles with slip guards for extra comfort and safety. Display packed.

		Cutting Capacities-mm			
Stock No.	Overall Length	Cable dia.	Cable mm^2	Med Hard Wire dia.	Hard Wire dia.
21452	180mm	12.0	16.0	3.4	2.2
21453	200mm	13.0	16.0	3.8	2.5



2 70 07

FULLY INSULATED 'S' RANGE DIAGONAL SIDE CUTTERS

Manufactured to DIN ISO 5746 Specifications. Tested to EN60900

Professional Quality, tested to 10,000V and insulated to 1000V AC and 1500V DC for live line working. Manufactured from vanadium electric steel, oil hardened and tempered. Swedish pattern with smoothly ground chrome plated head and separately induction hardened cutting edges to 62HRC. Will cut hard, medium-hard and soft wires. Heavy 'S' Range plastic dipped insulated handles with slip guards for extra safety. Display packed.

		Cutting Capacities-mm		
Stock No.	Overall Length	Soft Wire dia.	Med Hard Wire dia.	Hard Wire dia.
21455	180mm	4.0	3.0	2.5



3 26 17

FULLY INSULATED 'S' RANGE LONG NOSE PLIERS

Manufactured to DIN ISO 5746 Specifications. Tested to EN60900

Professional Quality, tested to 10,000V and insulated to 1000V AC and 1500V DC for live line working. Manufactured from vanadium steel, oil hardened and tempered. Smoothly ground chrome plated head with cutting edges separately induction hardened to 61HRC for cutting hard and soft wires. Straight, long flat-round jaws are serrated for easy grip. Heavy 'S' Range plastic dipped insulated handles with slip guards for extra comfort and safety. Display packed.

			Jaw Size			
			W-mm		Thickness-mm	
Stock No.	Overall Length	Length	Base	Tip	Base	Tip
21454	200mm	73.0mm	17.5	3.0	9.5	2.5




4 88 07

FULLY INSULATED 'S' RANGE ALLIGATOR® WATERPUMP PLIERS

Manufactured to DIN ISO 5746 Specifications. Tested to EN60900

Professional Quality, tested to 10,000V and insulated to 1000V AC and 1500V DC for live line working. Manufactured from chrome vanadium electric steel, oil hardened and tempered with smoothly ground chrome plated jaws with joint faces and an accurately formed box joint. Nine position adjustment. The parallelogram-shaped gripping surfaces have specially hardened teeth to 61HRC for positive grip on pipes and nuts. Plastic coated handles with slip guards for extra safety. Has 'no-nip' feature which prevents handles locking together and damaging users' hands. Display packed.

			Holding Capacities
Stock No.	Overall Length	Pipes O/D. dia.	Nuts (across flats)
21923	250mm	50mm	46mm



5 98 62 01

FULLY INSULATED 'S' RANGE SOFT GRIP FLAT NOSE PLIERS

Tested to EN60900

Professional Quality, tested to 10,000V and insulated to 1000V AC and 1500V DC for use in live line working. Manufactured from plastic reinforced with glassfibre for extra strength and durability, the soft grip handles improve user comfort. Designed especially for the removal of fuses, meter assembly and blocking. Sold loose.

Stock No.	Overall Length
06082	180mm



6 98 62 02

FULLY INSULATED 'S' RANGE SOFT GRIP LONG NOSE PLIERS

Tested to EN60900

Professional Quality, tested to 10,000V and insulated to 1000V AC and 1500V DC for use in live line working. Manufactured from plastic, reinforced with glass-fibre for extra strength and durability. Especially useful for the removal of fuses, meter assembly, blocking and are also excellent for use in chemically aggressive environments. Fitted with soft grip handles for improved user comfort. Sold loose.

Stock No.	Overall Length
06083	220mm



1 98 90

FULLY INSULATED 'S' RANGE JUNIOR HACKSAW FRAME

Tested to EN60900

Professional Quality, tested to 10,000V and insulated to 1000V AC and 1500V DC for live line working. Frame with heavy 'S' Range insulated covering. Uses conventional junior hacksaw blades. Display packed.

Stock No.
21912



2 98 52

FULLY INSULATED 'S' RANGE CABLE KNIFE

Tested to EN60900

Professional Quality, tested to 10,000V and insulated to 1000V AC and 1500V DC for live line working. Useful knife with strong comfortable handle, fixed straight blade and protection cap. Heavy 'S' Range insulated handle. Display packed.

Stock No.	Overall Length	Blade Length
21489	185mm	50mm



3 98 54

FULLY INSULATED 'S' RANGE CABLE KNIFE

Tested to EN60900

Professional Quality, tested to 10,000V and insulated to 1000V AC and 1500V DC for live line working. Useful knife with strong comfortable handle, fixed straight blade with insulated back edge to prevent short circuits and protection cap. Heavy 'S' Range insulated handle. Display packed.

Stock No.	Overall Length	Blade Length
18872	180mm	50mm



4 98 53 13

FULLY INSULATED 'S' RANGE DISMANTLING KNIFE

Tested to EN60900

Professional Quality, tested to 10,000V and insulated to 1000V AC and 1500V DC for live line working. Fixed sickle shaped blade knife suitable for cutting sector cables. Strong comfortable handle with protection cap. Heavy 'S' Range insulated handle. Display packed.

Stock No.	Overall Length	Blade Length
21490	180mm	50mm



5 98 55

FULLY INSULATED 'S' RANGE CABLE DISMANTLING KNIFE

Tested to EN60900

Professional Quality, tested to 10,000V and insulated to 1000V AC and 1500V DC for live line working. Fixed sickle shaped blade knife suitable for cutting sector cables. Heavy duty, strong comfortable 'S' Range insulated handle with protective cap. Sold loose.

Stock No.	Overall Length	Blade Length
36296	155mm	38mm

LIVE LINE WORKING

When working on electrical installations, it is safest to disconnect these systems from the energy supply first. Only a skilled and qualified electrician may work on live installations and then only in conformance with the relevant industrial safety standards.





6 98 56

FULLY INSULATED 'S' RANGE CABLE KNIFE

Tested to EN60900

Professional Quality, tested to 10,000V and insulated to 1000V AC and 1500V DC for live line working. Replaceable blade knife with semi-insulated blade and captive blade protector. Heavy 'S' Range insulated handle, 185mm long with 50mm blade. Sold loose.

Stock No.	Description
31885	Cable Knife
57678	Spare Blade



7 92 67

FULLY INSULATED PRECISION TWEEZERS

Tested to EN60900

Professional Quality, blunt tipped straight pattern spring steel tweezers with non reflective nickel plating. Fully insulated handles feature anti slip guards. Display packed.

Stock No.	Overall Length
88810	145mm

LEGAL INFORMATION - KNIVES

WARNING - Knives or other articles with a blade or sharp point must not be sold to persons under age. It's the law (Offensive Weapons Act 1996 and the Violent Crime Reduction Act 2006).

KNIPEX PLIERS AND CUTTERS - GENERAL RANGE

- This group of pliers and cutters covers the non-electrical range including combination pliers, diagonal side cutters, bolt cutters, bolt croppers, cable shears and many specialist types of pliers (see below).
- Generally they have basic plastic coated handles or the comfort grip handles which are designed to reduce fatigue and movement in the hand whilst working.


COMBINATION


LONG NOSE


DIAGONAL SIDE CUTTER



BOLT CUTTERS


WIRE STRIPPERS


END CUTTERS

KNIPEX 'SINGLE' DIPPED HANDLES

The original handle for all Knipex Pliers and cutters. The smooth plastic gives the pliers handle an excellent surface for the hand to grip yet allowing a degree of flexibility when working with the tool.



KNIPEX 'COMFORT GRIP' HANDLES

Some of our pliers and cutters have the improved 'Comfort Grip' handles.

The redesigned two component handles support and complement Knipex's other products with specialist handles - the Draper 8 Series, VDE and 'S' ranges.

Special shaping and distribution of materials are the result of extensive research into the gripping characteristics and flow of movement when working with pliers.

There are two types of material used in the handle - harder where there is less friction to allow movement in the hand and softer where force is applied and slipping in the hand is to be prevented.





1 03 01

COMBINATION PLIERS

Manufactured to DIN ISO 5746 Specifications

Professional Quality, manufactured from special tool steel, oil hardened and tempered. Smoothly ground heads with cutting edges separately induction hardened to 60HRC for cutting hard and soft wires. Plastic coated handles. Display packed.

Stock No.	Overall Length	Cutting Capacities-mm Cable dia.	Cable mm²	Med Hard Wire dia.	Hard Wire dia.
36887	160mm	10.0	16.0	3.1	2.0
36895	180mm	12.0	16.0	3.4	2.2
36902	200mm	13.0	16.0	3.8	2.5
22323	250mm	15.0	25.0	3.8	2.5



2 03 02

COMBINATION PLIERS

Manufactured to DIN ISO 5746 Specifications

Professional Quality, manufactured from special tool steel, oil hardened and tempered. Smoothly ground heads with cutting edges separately induction hardened to 60HRC for cutting hard and soft wires. Heavy duty moulded handles and slip guards for extra comfort and safety. Display packed.

Stock No.	Overall Length	Cutting Capacities-mm Cable dia.	Cable mm²	Med Hard Wire dia.	Hard Wire dia.
49170	160mm	10.0	16.0	3.1	2.0
69574	180mm	12.0	16.0	3.4	2.2
69575	200mm	13.0	16.0	3.8	2.5



3 02 01

HIGH LEVERAGE COMBINATION PLIERS

Manufactured to DIN ISO 5746 Specifications

Professional Quality, one of Knipex's top selling pliers incorporating a high leverage eccentric joint which makes the cutting of wires and cables up to 35% easier on the user, i.e. greater cutting power with less effort. Manufactured from high grade tool steel hardened and tempered with the extra long cutting edges hardened to 64HRC, for cutting piano and hard wires. Plastic coated handles. Display packed.

Stock No.	Overall Length	Cutting Capacities-mm Cable dia.	Cable mm²	Hard Wire dia.	Piano Wire dia.
19587	180mm	11.5	16.0	2.5	2.0
19588	200mm	13.0	25.0	2.8	2.2
19589	225mm	14.0	25.0	3.0	2.5



4 02 02


HIGH LEVERAGE COMBINATION PLIERS

Manufactured to DIN ISO 5746 Specifications

Professional Quality, one of Knipex's top selling pliers incorporating a high leverage eccentric joint which makes the cutting of wires and cables up to 35% easier on the user, i.e. greater cutting power with less effort. Manufactured from high grade tool steel hardened and tempered with the extra long cutting edges hardened to 63HRC, for cutting piano and hard wires. Heavy duty moulded handles and slip guard for extra comfort and safety. Display packed.

Stock No.	Overall Length	Cutting Capacities-mm Cable dia.	Cable mm²	Hard Wire dia.	Piano Wire dia.
49172	180mm	11.5	16.0	2.5	2.0
88153	200mm	13.0	25.0	2.8	2.2
49173	225mm	14.0	25.0	3.0	2.5

THE SIX FUNCTION PLIERS FROM KNIPEX




1 13 92 200SB

ELECTRICIANS UNIVERSAL INSTALLATION PLIERS

Professional Quality, for gripping and bending wire; crimping ferrules and cutting soft medium and hard wire. Unique latching mechanism enables restriction of jaws for detailed working. Built in shears allow up to 15mm diameter copper cable to be cut. Manufactured from high grade oil hardened special tool steel. Smoothly ground head with precision ground stripping holes and cutting edges which are separately induction hardened. Heavy duty moulded handles and slip guards for extra comfort and safety. Display packed.

Stock No.	Overall Length	Stripping Cap. mmø	Crimp Cable Links mm²	Cutting Cable mmø
24376	210mm	0.75-2.5mm	0.5-2.5mm	15mm



2 25 01

LONG NOSE PLIERS

Manufactured to DIN ISO 5745 Specifications

Professional Quality, manufactured from special tool steel, oil hardened and tempered. Smoothly ground heads with cutting edges separately induction hardened to 61HRC for cutting hard wire 1.6mm and medium wire 2.5mm. The flat round jaws have serrated gripping surfaces. Plastic coated handles. Display packed.

Stock No.	Overall Length	Jaw Size Length	W-mm Base	W-mm Tip	Thickness-mm Base	Thickness-mm Tip
55407	140mm	42.0	15.0	2.5	8.0	2.0
55415	160mm	50.0	16.5	3.0	9.0	2.5



3 25 02

LONG NOSE PLIERS

Manufactured to DIN ISO 5745 Specifications

Professional Quality, manufactured from special tool steel, oil hardened and tempered. Smoothly ground heads with cutting edges separately induction hardened to 61HRC for cutting hard wire 1.6mm and medium wire 2.5mm. The flat round jaws have serrated gripping surfaces. Heavy duty moulded handles and slip guards for extra comfort and safety. Display packed.

Stock No.	Overall Length	Jaw Size Length	W-mm Base	W-mm Tip	Thickness-mm Base	Thickness-mm Tip
49171	140mm	42.0mm	15.0	2.5	8.0	2.0
69576	160mm	50.0mm	16.5	3.0	9.0	2.5



4 26 11

LONG NOSE PLIERS

Manufactured to DIN ISO 5745 Specifications

Professional Quality, manufactured from special tool steel, oil hardened and tempered. Smoothly ground head with cutting edges separately induction hardened to 61HRC for cutting hard and soft wire. Straight, long flat-round jaws are serrated for easy grip. Plastic coated handles. Display packed.

Stock No.	Overall Length	Jaw Size Length	W-mm Base	W-mm Tip	Thickness-mm Base	Thickness-mm Tip
55572	200mm	73.0	17.5	3.0	9.5	2.5



5 26 12

LONG NOSE PLIERS

Manufactured to DIN ISO 5745 Specifications

Professional Quality, manufactured from vanadium steel, oil hardened and tempered. Smoothly ground head with cutting edges separately induction hardened to 61HRC for cutting hard and soft wire. Straight jaws and heavy duty moulded handles and slip guards for comfort and extra safety. Display packed.

Stock No.	Overall Length	Jaw Size Length	W-mm Base	W-mm Tip	Thickness-mm Base	Thickness-mm Tip
55580	200mm	73.0mm	17.5	3.0	9.5	2.5



6 29 21

LONG NOSE PLIERS

Manufactured to DIN ISO 5745 Specifications

Professional Quality, manufactured from chrome vanadium electric steel, oil hardened and tempered. Smoothly ground head with fine pointed extra slim flat-round jaws. Serrated gripping surfaces are ideal for small component assembly work. Plastic coated handles. Display packed.

Stock No.	Overall Length	Jaw Size Length	W-mm Base	W-mm Tip	Thickness-mm Base	Thickness-mm Tip
55639	160mm	54mm	14	2.0	9	2




7 26 21

ANGLED LONG NOSE PLIERS

Manufactured to DIN ISO 5745 Specifications

Professional Quality, manufactured from vanadium steel, oil hardened and tempered. Smoothly ground head with cutting edges separately induction hardened to 61HRC for cutting hard and soft wire. 40° angled jaws and plastic coated handles. Display packed.

Stock No.	Overall Length	Jaw Size Length	W-mm Base	W-mm Tip	Thickness-mm Base	Thickness-mm Tip
55598	200mm	73.0mm	17.5	3.0	9.5	2.5



1 26 22

ANGLED LONG NOSE PLIERS

Manufactured to DIN ISO 5745 Specifications

Professional Quality, manufactured from vanadium steel, oil hardened and tempered. Smoothly ground head with cutting edges separately induction hardened to 61HRC for cutting hard and soft wire. 40° angled jaws and heavy duty moulded handles and slip guards for comfort and extra safety. Display packed.

Stock No.	Overall Length	Jaw Size W-mm Base	Tip	Thickness-mm Base	Tip
77004	200mm	73.0mm	17.5	3.0	9.5	2.5




2 31 21

ANGLED NEEDLE NOSE PLIERS

Manufactured to DIN ISO 5743 Specifications

Professional Quality, manufactured from chrome vanadium electric steel, oil hardened and tempered. Smooth precision ground head with 45° angled jaws. Plastic coated handles. Display packed.

Stock No.	Overall Length	Jaw Size Length	W-mm Base	Tip	Thickness-mm Base	Tip
55738	160mm	55.0mm	16.0	2.0	7.5	2.5



3 38 11

FLAT-ROUND MECHANIC'S PLIERS

Manufactured to DIN ISO 5745 Specifications

Professional Quality, manufactured from vanadium electric steel, oil hardened and tempered. Smoothly ground head with precision ground straight flat-round knurled jaws. Plastic coated handles. Display packed.

Stock No.	Overall Length	Jaw Size Length	W-mm Base	Tip	Thickness-mm Base	Tip
55671	200mm	73.0mm	17.5	3.0	9.5	2.5

FOUR FUNCTIONS - STRIPPING; CRIMPING; BENDING AND CUTTING




4 13 02

ELECTRICIANS PLIERS

Professional Quality, for gripping and bending wire; crimping ferrules and cutting soft medium and hard wire. Manufactured from high grade oil hardened special tool steel. Smoothly ground head has precision ground stripping holes and cutting edges which are separately induction hardened to 60HRC. For cutting, stripping, bending and crimping. Heavy duty moulded handles and slip guards for comfort and extra safety. Display packed.

Stock No.	Overall Length	Stripping Cap. mm^2	Crimp Cable Links mm^2
54215	160mm	0.5-0.75, 1.5, 2.5	0.5-2.5



5 00 20 11 E

ASSEMBLY PACK (3 PIECE)

Professional Quality, comprising three commonly used types of pliers. Display packed.

Contents: 180mm Combination Pliers with slipguards; 200mm Long Nose Pliers with slipguards; 160mm Diagonal Side Cutters with slipguards

Stock No.
33778



6 70 01

DIAGONAL SIDE CUTTERS

Manufactured to DIN ISO 5749 Specifications

Professional Quality, manufactured from vanadium electric steel, oil hardened and tempered. Swedish pattern with smoothly ground and separately induction hardened cutting edges to 62HRC. Will cut hard, medium-hard and soft wires. Plastic coated handles. Display packed.

Stock No.	Overall Length	Cutting Capacities-mm Soft Wire dia.	Med Hard Wire dia.	Hard Wire dia.
31612	110mm	3.0	2.0	1.2
55449	125mm	3.0	2.3	1.5
55457	140mm	4.0	2.5	1.8
55465	160mm	4.0	3.0	2
18441	180mm	4.0	3.0	2.5



7 70 02

DIAGONAL SIDE CUTTERS

Manufactured to DIN ISO 5749 Specifications

Professional Quality, manufactured from vanadium electric steel, oil hardened and tempered. Swedish pattern with smoothly ground and separately induction hardened cutting edges to 62HRC. Will cut hard, medium-hard and soft wires. Heavy duty moulded handles and slip guards for extra comfort and safety. Display packed.

Stock No.	Overall Length	Cutting Capacities-mm Soft Wire dia.	Med Hard Wire dia.	Hard Wire dia.
55473	125mm	3.0	2.3	1.5
55481	140mm	4.0	2.5	1.8
55499	160mm	4.0	3.0	2
18442	180mm	4.0	3.0	2.5

KNIPEX TETHERED TOOLS FOR WORKING AT HEIGHT

A comprehensive range of tethered tools for safe working at height is now available from Knipex.

Please ask your local Draper representative for details.







PRODUCT LOCATOR

VDE 'X CUT' HIGH LEVERAGE DIAGONAL SIDE CUTTERS

See page 682 for VDE Fully Insulated 'X CUT' High Leverage Diagonal Side Cutters.





1 73 02 160SB

'X CUT' HIGH LEVERAGE DIAGONAL SIDE CUTTERS

Manufactured to DIN ISO 5749 Specifications

Professional Quality, manufactured from chrome vanadium heavy duty steel, oil hardened and tempered. Smoothly ground heads with separately induction hardened cutting edges for cutting piano and medium hard wires. The cutter has a double supported axis allowing for 40% less effort when cutting compared to high leverage cutters of the same size. Heavy duty moulded handles and slip guards for extra comfort and safety. Display packed.

Stock No.	Overall Length	Cutting Capacities-mm Med Hard Wire dia.	Hard Wire dia.	Piano Wire dia.
24375	160mm	3.8	2.7	2.2

SPECIAL FEATURES OF THE 'X CUT'

- Box-joint design: highest stability with low weight
- Doubly supported joint axis for heaviest duty
- High cutting capacity with very little effort thanks to the optimum coordination of cutting-edge angle and leverage ratio with laterally staggered pivot point
- Large opening width for thicker cables
- Cuts precisely, even through fine copper wires
- Compact, low-weight construction

40% LESS EFFORT REQUIRED COMPARED TO HIGH LEVERAGE DIAGONAL SIDE CUTTERS OF SIMILAR LENGTH!






2 74 01

HIGH LEVERAGE DIAGONAL SIDE CUTTERS

Manufactured to DIN ISO 5749 Specifications

Professional Quality, manufactured from chrome vanadium electric steel, oil hardened and tempered. Smoothly ground heads with cutting edges separately induction hardened to 64HRC for cutting piano and hard wires. The cutter has no conventional centre rivet but a forged-on pivot which gives extra leverage. Plastic coated handles. Display packed.

Stock No.	Overall Length	Cutting Capacities-mm Med Hard Wire dia.	Hard Wire dia.	Piano Wire dia.
55522	160mm	3.4	2.5	2
83888	180mm	3.8	2.7	2.2
80272	200mm	4.2	3.0	2.5
80264	250mm	4.6	3.5	3



3 74 02

HIGH LEVERAGE DIAGONAL SIDE CUTTERS

Manufactured to DIN ISO 5749 Specifications

Professional Quality, manufactured from chrome vanadium electric steel, oil hardened and tempered. Smoothly ground heads with cutting edges separately induction hardened to 64HRC for cutting piano and medium hard wires. The cutter has no conventional centre rivet but a forged-on pivot which gives extra leverage. Heavy duty moulded handles and slip guards for extra comfort and safety. Display packed.

Stock No.	Overall Length	Cutting Capacities-mm Med Hard Wire dia.	Hard Wire dia.	Piano Wire dia.
88145	200mm	4.2	3.0	2.5



4 74 12

HIGH LEVERAGE DIAGONAL SIDE CUTTERS WITH RETURN SPRING

Manufactured to DIN ISO 5749 Specifications

Professional Quality, manufactured from chrome vanadium electric steel, oil hardened and tempered. Smoothly ground heads with cutting edges separately induction hardened to 64HRC for cutting piano and medium hard wires. This model is fitted with a selectable return spring to ease use in repetitive applications. The cutter has no conventional centre rivet but a forged-on pivot which gives extra leverage. Heavy duty moulded handles and slip guards for extra comfort and safety. Display packed.

Stock No.	Overall Length	Cutting Capacities-mm Med Hard Wire dia.	Hard Wire dia.	Piano Wire dia.
44268	160mm	3.4	2.5	2




5 74 21

HIGH LEVERAGE DIAGONAL SIDE CUTTERS WITH 12° ANGLED HEAD

Manufactured to DIN ISO 5749 Specifications

Professional Quality, manufactured from chrome vanadium electric steel, oil hardened and tempered. Smoothly ground heads with cutting edges separately induction hardened to 64HRC for cutting piano and hard wires. The cutter has no conventional centre rivet but a forged-on pivot which gives extra leverage. The special head angled at 12° allows wire to be cut which protrudes from flat surface. Plastic coated handles. Display packed.

Stock No.	Overall Length	Cutting Capacities-mm Med Hard Wire dia.	Hard Wire dia.	Piano Wire dia.
09454	180mm	3.8	2.7	2.2
59813	200mm	4.2	3.0	2.5
09453	250mm	4.6	3.5	3



6 74 22

HIGH LEVERAGE DIAGONAL SIDE CUTTERS WITH 12° ANGLED HEAD

Manufactured to DIN ISO 5749 Specifications

Professional Quality, manufactured from chrome vanadium electric steel, oil hardened and tempered. Smoothly ground heads with cutting edges separately induction hardened to 64HRC for cutting piano and medium hard wires. The cutter has no conventional centre rivet but a forged-on pivot which gives extra leverage. The special head angled at 12° allows wire to be cut which protrudes from flat surface. Heavy duty moulded handles and slip guards for extra comfort and safety. Display packed.

Stock No.	Overall Length	Cutting Capacities-mm Med Hard Wire dia.	Hard Wire dia.	Piano Wire dia.
78428	200mm	4.2	3.0	2.5
34605	250mm	4.6	3.5	3

SPECIAL FEATURES OF TwinForce® PLIERS


- Easy cutting with little strain, cuts 50% easier than traditional diagonal cutters
- Reliably cuts all types of wire, including steel tape
- High degree of stability and zero-backlash due to precisely milled forged-in axles
- Low cutting impact, gentle on hands. The tension on muscles and tendons is relieved for comfortable cutting, repetitive cutting or extremely hard cutting jobs






EXTRA SPECIAL FEATURES

The option to reapply the tool prior to cutting. The Knipex TwinForce® cuts even 4mm thick wire without great effort when reapplied two or three times. Conventional high leverage diagonal cutters either cannot cut these diameters or only with very great effort.



Step 1

Insert the wires as close to the hinge as possible. In case of cutters with very high transmission, the width of the gap between the cutting edges close to the fulcrum may be less than the thickness of the wire. Wires may slip forward when the cutting starts.



Step 2

First make a notch in the wire using the Knipex TwinForce® until the required hand force increases considerably. Now open the pliers and slide the wire backwards towards the joint. Hold the cutting edge in the notches you have made in Step 1.



1 73 72 180F

TWINFORCE® HIGH LEVERAGE DIAGONAL SIDE CUTTERS

Manufactured to DIN ISO 5749 Specifications

Professional Quality, manufactured from chrome vanadium heavy duty steel, oil hardened and tempered. Smoothly ground heads with separately induction hardened cutting edges for cutting piano and medium hard wires. The cutter has Knipex's unique double hinged design allowing for 50% less effort when cutting compared with high leverage diagonal cutters. Fitted with a self-opening mechanism for easy use on repetitive tasks. Heavy duty moulded handles and slip guards for extra comfort and safety. Display packed.

		Cutting Capacities-mm		
Stock No.	Overall Length	Med Hard Wire dia.	Hard Wire dia.	Piano Wire dia.
53975	185mm	4.6	3.2	3




2 73 72 180

TWINFORCE® HIGH LEVERAGE DIAGONAL SIDE CUTTERS

Manufactured to DIN ISO 5749 Specifications

Professional Quality, manufactured from chrome vanadium heavy duty steel, oil hardened and tempered. Smoothly ground heads with separately induction hardened cutting edges for cutting piano and medium hard wires. The cutter has Knipex's unique double hinged design allowing for 50% less effort when cutting compared with high leverage diagonal cutters. Heavy duty moulded handles and slip guards for extra comfort and safety. Display packed.

		Cutting Capacities-mm		
Stock No.	Overall Length	Med Hard Wire dia.	Hard Wire dia.	Piano Wire dia.
24378	185mm	4.6	3.2	3





3 11 02

ADJUSTABLE WIRE STRIPPING PLIERS

Professional Quality, manufactured from special tool steel, oil hardened and tempered. Smoothly ground accurate V shaped jaw head with locking adjustable screw for setting. Can be used for solid or stranded wire up to 5mm (10mm²) diameter. Internal screw for one hand adjustment. Heavy duty moulded handles and slip guards for comfort and grip. Display packed.

Stock No.	Overall Length
12299	160mm




4 11 01

ADJUSTABLE WIRE STRIPPING PLIERS

Professional Quality, manufactured from special tool steel, oil hardened and tempered. Smoothly ground accurate V shaped jaw head with locking adjustable screw for setting. Can be used for solid or stranded wire up to 5mm (10mm²) diameter. Internal screw for one hand adjustment. Plastic coated handles. Display packed.

Stock No.	Overall Length
12298	160mm



5 74 91

HIGH LEVERAGE HEAVY DUTY CENTRE CUTTERS

Manufactured to DIN ISO 5743 Specifications

Professional Quality, manufactured from chrome vanadium electric steel, oil hardened and tempered. Smoothly ground heads with cutting edges separately induction hardened to 64HRC for cutting piano, hard and soft wires. The cutter has no conventional centre rivet but a forged-on pivot which gives extra leverage. Plastic coated handles. Display packed.

		Cutting Capacities-mm			
Stock No.	Overall Length	Soft Wire dia.	Med Hard Wire dia.	Hard Wire dia.	Piano Wire dia.
18476	250mm	5.0	5.0	3.8	3.5





SPECIAL FEATURES OF CoBolt® CUTTERS

Opening spring and transport lock facility available on Items Nos.2, 4 and 6.
Cutting edges of Items Nos. 5 and 6 have a recess to hold thicker wires.

CUTTING FORCE = 20 TIMES MORE THAN THE HAND FORCE APPLIED



"DAVE SAYS" QUALITY MAKES THE DIFFERENCE

The Knipex CoBolt® Cutter Range have a lever action mechanism with a cutting performance 20 times more than traditional cutters - so gentle force equals hard cut!





1 71 01


CoBolt® COMPACT BOLT CUTTERS

NEW 160MM SIZE AVAILABLE

Manufactured to DIN ISO 5743 Specifications

Professional Quality, manufactured from chrome vanadium electric steel, oil hardened and tempered. These cutters will easily cut piano wire, soft solid wire, bolts, nails, rivets and screws. Little hand force is required to cut piano wire through the lever action of the pliers plastic coated handles. Display packed.

Stock No.	Overall Length	Cutting Capacities-mm Soft Wire dia.	Med Hard Wire dia.	Hard Wire dia.	Piano Wire dia.
04592	160mm	5.3	4.4	3.2	3.0
54223	200mm	6.0	5.2	4.0	3.6



2 71 12

CoBolt® COMPACT BOLT CUTTERS WITH SPRUNG HANDLES

Manufactured to DIN ISO 5743 Specifications

Professional Quality, manufactured from chrome vanadium electric steel, oil hardened and tempered. These cutters will easily cut piano wire, soft solid wire, bolts, nails, rivets and screws. Little hand force is required to cut piano wire through the lever action of the pliers. Heavy duty plastic coated handles for comfort, fitted with return spring and locking mechanism. Display packed.

Stock No.	Overall Length	Cutting Capacities-mm Soft Wire dia.	Med Hard Wire dia.	Hard Wire dia.	Piano Wire dia.
49188	200mm	6.0	5.2	4.0	3.6



3 71 21

CoBolt® COMPACT 20° ANGLED HEAD BOLT CUTTERS



Manufactured to DIN ISO 5743 Specifications

Professional Quality, manufactured from chrome vanadium electric steel, oil hardened and tempered. These cutters will easily cut piano wire, soft solid wire, bolts, nails, rivets and screws. Little hand force is required to cut piano wire through the lever action of the pliers. The 20° angle jaw design features a single-sided joint bar and diagonal cutting edge that almost allow flush cutting. Plastic coated handles. Display packed.

Stock No.	Overall Length	Cutting Capacities-mm Soft Wire dia.	Med Hard Wire dia.	Hard Wire dia.	Piano Wire dia.
49190	200mm	6.0	5.2	4.0	3.6



4 71 22

CoBolt® COMPACT 20° ANGLED HEAD BOLT CUTTERS WITH SPRUNG HANDLES



Manufactured to DIN ISO 5743 Specifications

Professional Quality, manufactured from chrome vanadium electric steel, oil hardened and tempered. These cutters will easily cut piano wire, soft solid wire, bolts, nails, rivets and screws. Little hand force is required to cut piano wire through the lever action of the pliers. The 20° angled jaw design features a single-sided joint bar with diagonal cutting edges that almost allow flush cutting. Heavy duty plastic coated handles for comfort, fitted with return spring and locking mechanism. Display packed.

Stock No.	Overall Length	Cutting Capacities-mm Soft Wire dia.	Med Hard Wire dia.	Hard Wire dia.	Piano Wire dia.
49189	200mm	6.0	5.2	4.0	3.6



5 71 31

CoBolt® COMPACT BOLT CUTTERS



Manufactured to DIN ISO 5743 Specifications

Professional Quality, with hole to cut piano wire up to 3.6mm diameter without degrading edge. Ideal for cutting wires holding up suspended ceilings. Manufactured from chrome vanadium electric steel, oil hardened and tempered. These cutters will easily cut piano wire, soft solid wire, bolts, nails, rivets and screws. Little hand force is required to cut piano wire through the lever action of the pliers plastic coated handles. Chemically blacked head with induction hardened jaws to 64HRC. Plastic coated handles. Display packed.

Stock No.	Overall Length	Cutting Capacities-mm Soft Wire dia.	Med Hard Wire dia.	Hard Wire dia.	Piano Wire dia.
53052	200mm	6.0	5.2	4.0	3.6



6 71 32

CoBolt® COMPACT BOLT CUTTERS WITH SPRUNG HANDLES



Manufactured to DIN ISO 5743 Specifications

Professional Quality, manufactured from chrome vanadium electric steel, oil hardened and tempered. These cutters will easily cut piano wire, soft solid wire, bolts, nails, rivets and screws. Little hand force is required to cut piano wire through the lever action of the pliers. Heavy duty plastic coated handles for comfort, fitted with return spring and locking mechanism. Display packed.

Stock No.	Overall Length	Cutting Capacities-mm Soft Wire dia.	Med Hard Wire dia.	Hard Wire dia.	Piano Wire dia.
49197	200mm	6.0	5.2	4.0	3.6











1



BOLT CUTTERS DISPLAY

A point-of-sale display (stock number 28389) for Bolt Cutters (Item No. 1) is available. Please contact your local representative or the Draper Sales Desk on +44 (0)23 8049 4333.



2

1 71 72

BOLT CUTTERS

Professional Quality, drop forged jaws from high performance chrome vanadium steel, with cutting edges hardened to 62HRC. The handles are formed from steel tube ergonomically angled and with a powder coated finish. The use of eccentric bolts allow precise adjustment of the jaws, whilst the overall flat design allows good access to the work. Sold loose.

Stock No.	Overall Length	Cutting Capacities-mm 19HRC	40HRC	48HRC
49192	460mm	8	6	5
49193	610mm	9	8	7
49194	760mm	11	9	8
49195	910mm	13	10	9

2 71 82

REINFORCED CONCRETE WIRE CUTTERS

Professional Quality, drop forged blades and joints from high performance chrome vanadium steel, with cutting edges hardened to 62HRC. The handles are formed from steel tube ergonomically angled and with a powder coated finish. The use of eccentric bolts allow precise adjustment of the jaws, whilst the overall flat design allows good access to the work. Sold loose.

Stock No.	Overall Length	Capacities, Ømm 19HRC	40HRC	48HRC
49196	950mm	11	9	6

KNIPEX

PROFESSIONAL QUALITY PLIERS AND CUTTERS MANUFACTURED IN GERMANY

Don't forget - the whole KNIPEX range is available on special order. Contact your local representative for full details or our Sales Desk on +44 (0)23 8049 4333

QUALITY GERMAN PLIERS AND CUTTERS



1 95 11 165

CABLE SHEARS

Professional Quality, forged from special tool steel, oil hardened and tempered. Smoothly ground head with cutting edges precision ground and hardened. Suitable for cutting, stripping and dismantling. Plastic coated handles. Display packed.

Stock No.	Overall Length	Cutting Capacity Cu + Al Cables
19590	165mm	15mm dia.-50mm^2



2 95 41 165

SPRING-LOADED CABLE SHEARS WITH STRIPPING FUNCTION

Professional Quality, forged from special tool steel, oil hardened and tempered. Smoothly ground head with cutting edges precision ground and hardened. Suitable for cutting, stripping and dismantling. Plastic coated spring opening handles, with lock. Display packed.

Stock No.	Overall Length	Cutting Capacity Cu + Al Cables
82576	165mm	15mm dia.-50mm^2



3 95 22 165

SPRING-LOADED CABLE SHEARS

Professional Quality, forged from special tool steel, oil hardened and tempered. Smoothly ground head with cutting edges precision ground and hardened. Suitable for cutting, stripping and dismantling. Sprung heavy duty moulded handles and slip guards for extra comfort and safety. Display packed.

Stock No.	Overall Length	Cutting Capacity Cu + Al Cables
09448	165mm	15mm dia.-50mm^2



4 95 12

CABLE SHEARS

Professional Quality, forged from special tool steel, oil hardened and tempered. Smoothly ground head with cutting edges precision ground and hardened. Suitable for cutting, stripping and dismantling. Heavy duty moulded handles and slip guards for extra comfort and safety. Display packed.

Stock No.	Overall Length	Cutting Capacity Cu + Al Cables
49174	165mm	15mm dia.-50mm^2



5 95 11

COPPER AND ALUMINIUM CABLE SHEARS

Professional Quality, forged from special tool steel, oil hardened and tempered. Smoothly ground head with cutting edges precision ground and hardened. Special geometry prevents drag marks and fanned out ends. Ideal for cutting copper and aluminium cables, single and multistrand cable. Plastic coated handles with safety stop. Display packed.

NB: This product is not suitable for cutting steel wire and hard drawn copper conductors.

Stock No.	Overall Length	Cutting Capacity Cu + Al Cables
37065	200mm	20mm dia.-70mm^2



6 95 61 190

FORGED WIRE ROPE CUTTERS

Professional Quality, forged head, body and handles with plastic coated handles. Captive opening spring in the joint and the jaw geometry prevents wire rope from fanning out. Also suitable for cable and small diameter round steel. Display packed.

Stock No.	Overall Length	Cutting Capacities Cu + AL Cables	Wire Rope	Round Steel
03047	190mm	7 mm dia.	6mm	2.5mm dia



7 95 62 190

FORGED WIRE ROPE CUTTERS

Professional Quality, forged head, body and handles under heavy duty moulded handles. Captive opening spring in the joint and the jaw geometry prevents wire rope from fanning out. Also suitable for cable and small diameter round steel. Display packed.

Stock No.	Overall Length	Cutting Capacities Cu + AL Cables	Wire Rope	Round Steel
36142	190mm	7mm dia.	6mm	2.5mm dia.

NEW



8 95 62 160SB

WIRE ROPE CUTTERS

Professional Quality, forged head, body and handles under heavy duty moulded handles. Double-mounted box joint design for high level of stability. Cutting edges induction hardened and fitted with an opening spring for convenient working. Display packed.

Stock No.	Overall Length	Cutting Capacities Cu + AL Cables	Wire Rope
04598	160mm	6mm dia.	4mm





1 68 01

END CUTTING NIPPERS (DISPLAY PACKED)

Manufactured to DIN ISO 5748 Specifications

Professional Quality, manufactured from special high grade tool steel, oil hardened and tempered. Smoothly ground heads and faces with cutting edges separately induction hardened to 61HRC for cutting hard or medium-hard wire and soft annealed tie wire used on reinforcing rods. Plastic coated handles. Display packed.

Stock No.	Overall Length	Cutting Capacities-mm Soft Wire dia.	Med/Hard Wire dia.	Hard Wire dia.
55556	160mm	4.0	2.8	2.3
80305	180mm	4.0	3.2	2.5
80313	200mm	4.0	3.5	2.8
53961	280mm	4.5	4.0	3.2

2 68 01

END CUTTING NIPPERS (SOLD LOOSE)

Stock No.	Overall Length	Cutting Capacities-mm Soft Wire dia.	Med/Hard Wire dia.	Hard Wire dia.
75359	200mm	4.0	3.5	2.8



3 00 19 19 V01

COUNTERTOP DISPLAY OF 10 200mm END CUTTING NIPPERS

Manufactured to DIN ISO 5748 Specifications

Professional Quality, in countertop display.

Contents: 10 pairs of Stock No.75359 200mm End Cutting Nippers

Stock No.
10643



4 67 01

HIGH LEVERAGE END CUTTING NIPPERS

Manufactured to DIN ISO 5748 Specifications

Professional Quality, manufactured from chrome vanadium electric steel, oil hardened and tempered. Smoothly ground heads with cutting edges separately induction hardened to 64HRC for cutting piano wire or soft solid wire. Plastic coated handles. Display packed.

Stock No.	Overall Length	Cutting Capacities-mm Soft Wire dia.	Med/Wire dia.	Hard Wire dia.	Piano Wire dia.
18428	140mm	4.0	3.1	2.0	1.5
81709	160mm	4.5	3.4	2.5	2.0
18429	200mm	5.0	3.8	3.0	2.5




5 61 01

EXTRA HIGH LEVERAGE END CUTTING NIPPERS

Manufactured to DIN ISO 5743 Specifications

Professional Quality, special end cutting pliers with 85° angled blades for cutting in confined spaces. Manufactured from vanadium electric steel, oil hardened and tempered. Cutting edges separately induction hardened to 64HRC, for cutting piano wire, rivets, bolts, etc. Plastic coated handles. Display packed.

Stock No.	Overall Length	Cutting Capacities-mm Soft Wire dia.	Med/Wire dia.	Hard Wire dia.	Piano Wire dia.
54220	200mm	1.0 - 6.0	4.0	3.5	3.0 max



6 99 01

STEEL FIXERS/CONCRETING NIPPERS

Manufactured to DIN ISO 9242 Specifications

Professional Quality, manufactured from special tool steel, oil hardened and tempered with smoothly ground jaw faces. Specially for reinforcing wire. Will twist and cut binding wire in one easy operation. Plastic coated handles. Display packed.

Stock No.	Med Wire	Hard Wire	Overall Length
55564	220mm	2.4mm	1.6mm
80321	250mm	2.4mm	1.6mm



7 99 14


HIGH LEVERAGE CONCRETER'S NIPPERS

Manufactured to DIN ISO 9242 Specifications

Professional Quality, manufactured from superior tool steel, oil hardened and tempered with smoothly ground jaw faces. Specially designed for reinforcing wire. Will twist and cut binding wire in one easy operation. Display packed.

Stock No.	Overall Length	Cuts Med Wire	Cuts Hard Wire
34670	250mm	3.3mm	1.8mm
48725	300mm	3.8mm	2.0mm

FOR LEAD AND PLASTICS ONLY



1 72 01

DIAGONAL SIDE CUTTERS FOR PLASTICS AND LEAD

Manufactured to DIN ISO 5743 Specifications

Professional Quality, manufactured from vanadium electric steel, oil hardened and tempered. Smoothly ground head with cutting faces ground flat. Non bevelled edges for cutting sprues off plastic components. Plastic coated handles. Display packed.

Stock No.	Overall Length
13083	140mm
34181	160mm




2 37 11

WATCHMAKERS (OR RELAY ADJUSTING) PLIERS

Manufactured to DIN ISO 9655 Specifications

Professional Quality, manufactured from chrome vanadium electric steel, oil hardened and tempered. Smoothly ground head with flat-wide precision ground jaws. Plastic coated handles. Display packed.

Stock No.	Overall Length	Length	Jaw Size W-mm Base	Jaw Size W-mm Tip	Jaw Size Thickness-mm Base	Jaw Size Thickness-mm Tip
55952	125mm	27.0mm	12.5	2.0	7.0	5.5



3 33 01

DUCK BILL PLIERS

Manufactured to DIN ISO 5743 Specifications

Professional Quality, manufactured from chrome vanadium electric steel, oil hardened and tempered. Smoothly ground head with smooth jaws. Plastic coated handles. Display packed.

Stock No.	Overall Length	Length	Jaw Size W-mm Base	Jaw Size W-mm Tip	Jaw Size Thickness-mm Base	Jaw Size Thickness-mm Tip
55754	160mm	55.0mm	15.0	3.0	7.5	9.0




4 28 01

FLAT NOSE ASSEMBLY PLIERS

Manufactured to DIN ISO 5743 Specifications

Professional Quality, manufactured from high grade special tool steel, oil hardened and tempered. Smoothly ground head with serrated flat-wide jaws which are ideal for small component assembly work. Plastic coated handles. Display packed.

Stock No.	Overall Length
56041	200mm





5 16 30

CABLE SHEATH STRIPPER

Professional Quality, designed to strip cable sheath on cables 6.0 to 29mm dia. Self locking adjustable cutting depth for sheath thickness. Display packed.

Stock No.
51735




6 94 15

RIBBON CABLE CUTTER

Professional Quality, for crush-free cutting of ribbon cable up to 56mm in width. The special anvil has an interchangeable fence angle for perpendicular angled cutting. Opening spring latch with plastic handles. Spare cutting blades are available separately, in packs of five. Sold loose.

Stock No.	Description
51987	Cable Cutter - 215mm
13499	5 blades per display card

HANDLES EXTEND FROM 400mm TO 600mm






7 95 32

RATCHET ACTION TELESCOPIC CABLE SHEARS

Professional Quality, ratchet action with high strength oval section telescopic aluminium handles for cutting soft copper and aluminium cables without crushing the cable. Four handle positions giving handle lengths of 400mm for easy storage, extending to a maximum 600mm for massive leverage. Design caters for working in cramped areas and handles feature hand guards. Sold loose.

Stock No.	Overall Length	Cutting Capacity Cu + Al Cables
36321	570-770mm	38mm dia.




1 95 31

RATCHET ACTION CABLE CUTTERS

Professional Quality, forged from special grade tool steel, hardened and tempered. Smoothly ground head with cutting edges precision ground and hardened. One hand operation with two-stage ratchet drive for easy cutting without crushing cables. Can be used for wire stripping. 280mm long model will also cut 4 x 150mm² aluminium cable. Heavy duty moulded handles and slipguards for extra safety and comfort. Sold loose.

NB: These products are NOT suitable for cutting wire rope or steel wire

Stock No.	Overall Length	Cutting Capacity Cu + Al Cables
18555	250mm	32mm dia.-240mm²
18557	280mm	52mm dia.-380mm²




2 95 32

RATCHET ACTION CABLE CUTTER

Professional Quality, forged from special grade tool steel, hardened and tempered. Smoothly ground head with cutting edges precision ground and hardened. One hand operation with three-stage ratchet drive for easy cutting without crushing cables. Can be used for wire stripping. Heavy duty moulded handles and slipguards for extra safety and comfort. Sold loose.

NB: These products are NOT suitable for cutting wire rope or steel wire

Stock No.	Overall Length	Cutting Capacity
25882	320mm	60mm - 600mm²



3 95 32 315

RATCHET ACTION CABLE CUTTER FOR SWA CABLE

Professional Quality, forged from high-grade special tool steel, oil-hardened with precision ground blades and induction hardened cutting edges, which ensures a smooth cut without any crushing. Its sturdy, easy to use operation easily cuts steel wire armoured cables with a diameter of up to 45 - 380 mm² (e.g. 4 x 95 mm²) using one or two-handed operation. Its innovative three-stage ratchet mechanism delivers a formidably sharp action, guaranteeing much easier cutting through steel wire armoured cables. Display packed.

NB: These products are NOT suitable for cutting ACSR cable and wire rope

Stock No.	Overall Length	Cutting Capacity Cu + Al Cables
82575	315mm	45mm-380mm²



4 16 60 05

105mm COAXIAL CABLE STRIPPER

Professional Quality, designed to strip cable sheath from coaxial TV cables 4.8 to 7.5mm diameter i.e. RG58-59 TV cable. Can be adjusted to strip RG62 TV cable by use of a hexagon key supplied. Display packed.

Stock No.
64953



5 95 05 155SB

15mm ELECTRICIANS CABLE SHEARS

Professional Quality precisely ground blades with fine serration cutting edges made from stainless steel, with integrated cable cutter facility providing extra flexibility. Each pair of scissors is supplied in a convenient belt case. Display packed.

Stock No.
59771

NEW



6 90 22 025SB

TWISTCUT PIPE CUTTER

Professional Quality, for cutting empty or ready-assembled corrugated pipes with Ø of 13 - 32 mm to length. The recessed blades prevent injuries whilst delivering an exact, flush cut, without damaging the internal cables. Cuts on the outside of fluting. Simple insertion of the corrugated pipe for reliable cutting. Slim and ergonomically shaped for work in poorly accessible areas. Double-sided guide for a precise cut.

Stock No.
04600

NEW



Left Handed Version



7

ERGOSTRIP UNIVERSAL 3 IN 1 TOOLS

Professional Quality, 3 in 1 tool with an innovative pistol design, providing easy stripping and longitudinal cutting of wire sheathes. The built-in stripping device enables easy cross section stripping on 0.2, 0.3, 0.8, 1.5, 2.5 and 4mm wires and cables. Fitted with a conical tip enabling easier access in confined areas. A highly versatile tool for fast and precise dismantling and stripping of common round and damp-proof installation cables (e.g. NYM cables 3 x 1.5mm – 5 x 2.5mm, data cable and coax cable). Display packed.

Stock No.	Description
16414	Right Handed
04599	Left Handed



8 16 40 150

CABLE DISMANTLING TOOL

Professional Quality, for the removal of all layers of insulation on cables with diameters over 25mm. The cutting depth can be adjusted from 0-5mm depending on the insulation thickness. Cuts around or along insulation. Supplied in plastic storage case.

Stock No.	Overall Length
51738	150mm





1 12 62

SELF ADJUSTING INSULATION STRIPPER

Professional Quality manufactured in fibreglass reinforced plastic making this tool both light and strong, it is well suited for repetitive tasks where ergonomic design and lightweight are desirable. The tool adjusts to suit the cross section automatically when used with standard insulation cables, preventing damage to the conductor. Repetitive tasks are further eased by an adjustable depth stop allowing consistent stripping from 6 to 18mm. Display packed.

Stock No.	Overall Length	Stripping Capacity
43686	180mm	0.2 - 6.0mm



2 12 40 200

SELF ADJUSTING INSULATION STRIPPER

Professional Quality manufactured in fibreglass reinforced plastic making this tool both light and strong, it is well suited for repetitive tasks where ergonomic design and lightweight are desirable. The tool adjusts to suit the cross section automatically when used with standard insulation cables, preventing damage to the conductor. Repetitive tasks are further eased by an adjustable depth stop allowing consistent stripping from 0.03 to 10mm. Display packed.

Stock No.	Overall Length	Stripping Capacity
88979	200mm	0.03 - 10.0mm



3 97 33 02


MULTICRIMP CRIMPING PLIER

Professional Quality crimping pliers with round magazine and five interchangeable dies for non-insulated open plug type connectors, insulated terminals, plug connectors, butt connectors, insulated and non-insulated end sleeves (ferrules) from 0.25 - 6 mm². Manufactured from oil-hardened chrome vanadium steel fitted with a round magazine that provides sorted and protected storage of interchangeable dies allowing crimping dies to be changed quickly and easily. Sold loose.

Stock No.
07992

ROUND MAGAZINE THAT HOLDS FIVE DIFFERENT DIES

EASILY OPERATED AND QUICK TO CHANGE WITH THE ADDED BENEFIT OF ATTACHING TO BELT








4 97 53

SELF ADJUSTING FERRULE CRIMPING PLIERS

Professional Quality, mixed construction with special steel for stressed parts, oil hardened and tempered. Calibrated in the factory, these crimping pliers are designed to reduce fatigue with repetitive work and feature a self releasing mechanism. Use specifically with insulated ferrules, these crimping pliers produce a square section for optimum contact in the connection. Heavy duty moulded handles and slip guards for extra comfort and safety. Display packed.

Stock No.	Overall Length	Capacity
78433	180mm	0.08-16.0mm²



5 97 52 38

220mm PRECIFORCE CRIMPING PLIERS - 0.25-6.0mm

Professional Quality, mixed construction with special steel for stressed parts, oil hardened and tempered. Calibrated in the factory, these crimping pliers are designed to reduce fatigue with repetitive work and feature a self releasing mechanism. Use specifically with insulated terminals and plug connectors. Heavy duty moulded handles and slip guards for extra comfort and safety. Display packed.

Stock No.	Overall Length	Capacity
41479	220mm	0.25-6.0mm²



6 97 52 36

220mm PRECIFORCE CRIMPING PLIERS - 0.5-6.0mm

Professional Quality, mixed construction with special steel for stressed parts, oil hardened and tempered. Calibrated in the factory, these crimping pliers are designed to reduce fatigue with repetitive work and feature a self releasing mechanism. Use specifically with insulated terminals and plug connectors. Heavy duty moulded handles and slip guards for extra comfort and safety. Display packed.

Stock No.	Overall Length	Capacity
87801	220mm	0.50-6.0mm²



7 97 50 01

SCOTCH LOK® CRIMPING PLIERS

Professional Quality, designed specifically for crimping Scotch Lok® terminals used in the electronic telecommunications and the automotive industries. Manufactured from vanadium tool steel, oil hardened and tempered with smoothly ground jaws. Captive leaf springs between plastic coated handles. Sold loose.

Stock No.	Overall Length	Capacity dia.
32131	150mm	0.4 - 1.1mm

A SPECIAL RANGE OF PLIERS FOR THE ELECTRONICS INDUSTRY



- Highly polished surfaces for rust protection - even better with thin oil cover
- Captive frictionless double spring
- Soft, plastic coated handles for delicate and accurate work in continuous production environment
- Capacity specification of cutter clearly marked on handles to avoid damage which could be caused to cutting edges by misuse
- The precision box joint on this range (except Item Nos. 1-3 this page) allows continuous use without degrading, making them ideal for the electronics assembly industry where a high level of intricate work is required
- The low profile jaws allow precision access to circuit board components
- For a full range listing of electronics pliers contact the Draper Tools Sales Desk on 023 8049 4333 or +44 23 8049 4333 (from outside the UK)



1 78 03

ELECTRONICS SUPER-KNIPS

Manufactured to DIN ISO 9654 Specifications

Professional Quality, manufactured from INOX stainless steel with straight cutting jaws. Smoothly ground polished head with nonbevelled precision ground cutting edges induction hardened to approx. 54HRC. Zero play lap joint with steel rivet gives easy action for repetitive applications. Cushion-grip spring-loaded handles with limiter. Cutting capacities 0.2 - 1.6mm soft wire and 1.0mm medium-hard wire. Display packed.

Stock No.	Overall Length	Cutter Length	Jaw Size W-mm Base	Thickness-mm Through Rivet
72849	125mm	9.0mm	13.5	7.5



2 78 13

ELECTRONICS SUPER-KNIPS

Manufactured to DIN ISO 9654 Specifications

Professional Quality, manufactured from INOX stainless steel with straight cutting jaws. Smoothly ground polished head with nonbevelled precision ground cutting edges induction hardened to approx. 54HRC. Zero play lap joint with steel rivet gives easy action for repetitive applications. Cushion-grip spring-loaded handles with limiter. Cutting capacities 0.2 - 1.6mm soft wire and 1.0mm medium-hard wire, with lead catcher. Display packed.

Stock No.	Overall Length	Length	Jaw Size W-mm Base	Thickness-mm Base
72245	125mm	9.0mm	13.5	7.5



3 78 61

ELECTRONICS SUPER-KNIPS

Manufactured to DIN ISO 9654 Specifications

Professional Quality, manufactured from special tool steel with narrow angled jaws. Smoothly ground burnished head with nonbevelled precision ground cutting edges induction hardened to 64HRC. Zero play lap joint with steel rivet. Will cut diode wire. Cushion-grip spring-loaded handles with limiter. Display packed.

Stock No.	Overall Length	Cutting Capacities-mm Soft Wire dia.	Med/Hard Wire dia.	Hard Wire dia.
12306	125mm	0.2-1.6	1.2	0.6



4 35 12

ELECTRONICS FLAT JAW PLIERS

Manufactured to DIN ISO 9655 Specifications

Professional Quality, for delicate and accurate work in a continuous production environment. Manufactured from special tools steel, oil hardened and tempered. With flat jaws, precision box joint for longevity and cushion-grip spring-loaded handles. Sold loose.

Stock No.	Overall Length	Jaw Length
27698	115mm	22.5mm



5 35 22

ELECTRONICS FLAT-ROUND JAW PLIERS

Manufactured to DIN ISO 9655 Specifications

Professional Quality, for delicate and accurate work in a continuous production environment. Manufactured from special tools steel, oil hardened and tempered. With flat jaws, precision box joint for longevity and cushion-grip spring-loaded handles. Sold loose.

Stock No.	Overall Length	Jaw Length
27699	115mm	22.5mm



6 35 32

ELECTRONICS POINTED-ROUND JAW PLIERS

Manufactured to DIN ISO 9655 Specifications

Professional Quality, for delicate and accurate work in a continuous production environment. Manufactured from special tools steel, oil hardened and tempered. With pointed round jaws, precision box joint for longevity and cushion-grip spring-loaded handles. Sold loose.

Stock No.	Overall Length	Jaw Length
27700	115mm	22.5mm



1 64 02

ELECTRONICS END CUTTING NIPPERS

Manufactured to DIN ISO 9654 Specifications

Professional Quality, for delicate and accurate work in a continuous production environment. Manufactured from special tools steel, oil hardened and tempered. With bevelled jaws, precision box joint for longevity and cushion-grip spring-loaded handles. Maximum cutting capacity 2mm diameter soft wire. Sold loose.

Stock No.	Overall Length	Jaw Length	Cutting Capacities-mm Soft Wire dia.	Med Hard dia.	Hard Wire dia.
27712	115mm	6.0mm	2.0	1	0.6



2 64 32

ELECTRONICS OBLIQUE END CUTTING NIPPERS

Manufactured to DIN ISO 9654 Specifications

Professional Quality, for delicate and accurate work in a continuous production environment. Manufactured from special tools steel, oil hardened and tempered. End diagonal cutter with 15° cutting bevel, precision box joint for longevity and cushion-grip spring-loaded handles. Sold loose.

Stock No.	Overall Length	Jaw Length	Cutting Capacities-mm Soft Wire dia.	Med Hard dia.	Hard Wire dia.
27716	120mm	10mm	1.5	1	0.5



3 77 02

ELECTRONICS DIAGONAL CUTTERS

Manufactured to DIN ISO 9654 Specifications

Professional Quality, for delicate and accurate work in a continuous production environment. Manufactured from special tools steel, oil hardened and tempered. With flush or bevelled cutting jaws, precision box joint for longevity and cushion-grip spring-loaded handles. Sold loose.

Stock No.	Type	Overall Length	Jaw Length	Cutting Capacities-mm Soft Wire dia.	Hard Wire dia.
27721	Flush	115mm	14.0mm	1.6	0.6
27724	Bevelled	130mm	18.0mm	2	0.8



4 77 22

ELECTRONICS DIAGONAL CUTTERS

Manufactured to DIN ISO 9654 Specifications

Professional Quality, for delicate and accurate work in a continuous production environment. Manufactured from special tools steel, oil hardened and tempered. With flush or full flush cutting jaws, precision box joint for longevity and cushion-grip spring-loaded handles. Sold loose.

Stock No.	Type	Overall Length	Jaw Length	Cutting Capacity Med. Hard Wire dia. mm
27723	Full Flush	115mm	14.0mm	1
27725	Flush	130mm	18.0mm	1.5



5 77 32

ELECTRONICS DIAGONAL CUTTERS

Manufactured to DIN ISO 9654 Specifications

Professional Quality, for delicate and accurate work in a continuous production environment. Manufactured from special tools steel, oil hardened and tempered. With tapered bevelled cutting jaws, precision box joint for longevity and cushion-grip spring-loaded handles. Sold loose.

Stock No.	Type	Overall Length	Jaw Length	Cutting Capacities-mm Med. Hard Wire dia.	Hard Wire dia.
27726	Bevelled	115mm	14.0mm	1	0.5



6 77 42

ELECTRONICS DIAGONAL CUTTERS

Manufactured to DIN ISO 9654 Specifications

Professional Quality, for delicate and accurate work in a continuous production environment. Manufactured from special tools steel, oil hardened and tempered. With full flush cutting jaws, precision box joint for longevity and cushion-grip spring-loaded handles. Sold loose.

Stock No.	Overall Length	Jaw Length	Cutting Capacity Soft Wire dia. mm
27727	115mm	14.0mm	1.3
27729	130mm	18.0mm	1.6

KNIPEX TETHERED TOOLS FOR WORKING AT HEIGHT







A comprehensive range of tethered tools for safe working at height is now available from Knipex.

This versatile range can be used in construction, when working on wind turbines, roofing etc.

Please ask your local Draper representative for details.

A SPECIAL RANGE OF PLIERS WITH ANTISTATIC HANDLES



Static electricity can cause damage to electronic circuits and components. The severity of the damage will depend on the sensitivity of the components. In the worst instance, the most sensitive components can be ruined. Static electricity and its effects, can be avoided if an antistatic material is used for the sleeves on the handles. The electrical resistance of the sleeves is between 10^5 and 10^9 Ohms and allows a controlled discharging of the tool as requested by the relevant standards.

Precision box joint for long life. Highly polished surfaces for rust protection - even better with thin oil cover. Captive frictionless double spring on some models. Black soft, plastic coated handles for delicate and accurate work in continuous production environment. Capacity specification of cutter clearly marked on handles to avoid damage which could be caused to cutting edges by misuse. The precision box joint on this range (except Item Nos. 1-3 this page) allows continuous use without degrading, making them ideal for the electronics assembly industry where a high level of intricate work is required. The low profile jaws allow precision access to circuit board components. For a full range listing of electronics pliers contact Draper Tools Sales desk on: (023) 8049 4333 or +44 23 8049 4333 (from outside the U.K.)



1 78 13 125 ESD

ANTISTATIC SUPER-KNIPS

Manufactured to DIN ISO 9654 Specifications

Professional Quality, for delicate and accurate work in a continuous production environment. Manufactured from special tool steel, oil hardened and tempered. With polished head, automatic waste clamp and non bevelled cutting edges for flush cutting. Cushion-grip spring-loaded antistatic handles. Sold loose.

			Cutting Capacities-mm	
Stock No.	Overall Length	Jaw Length	Soft Wire dia.	Med/Hard dia.
55310	125mm	9mm	0.2 - 1.6	1.0



2 78 03 125 ESD

ANTISTATIC SUPER-KNIPS

Manufactured to DIN ISO 9654 Specifications

Professional Quality, for delicate and accurate work in a continuous production environment. Manufactured from special tool steel, oil hardened and tempered. With polished head and non bevelled cutting edges for flush cutting. Cushion-grip spring-loaded electrostatic handles. Sold loose.

			Cutting Capacities-mm	
Stock No.	Overall Length	Jaw Length	Soft Wire dia.	Med/Hard dia.
37069	125mm	9mm	0.2-1.6	1.0



3 78 61 125 ESD

ANTISTATIC SUPER-KNIPS

Manufactured to DIN ISO 9654 Specifications

Professional Quality, for delicate and accurate work in a continuous production environment. Manufactured from special tool steel, oil hardened and tempered. With burnished head and non bevelled cutting edges for flush cutting soft, medium hard and hard wire. Cushion-grip spring-loaded electrostatic handles. Sold loose.

			Cutting Capacities-mm		
Stock No.	Overall Length	Jaw Length	Soft Wire dia.	Med Hard Wire dia.	Hard Wire dia.
37070	125mm	9mm	0.2-1.6	1.2	0.6



4 35 32 115 ESD

ANTISTATIC ROUND JAW PLIERS

Manufactured to DIN ISO 9654 Specifications

Professional Quality, for delicate and accurate work in a continuous environment. Manufactured from special tool steel, oil hardened and tempered. With round jaws, precision box joint for longevity and cushion-grip spring-loaded antistatic handles. Sold loose.

Stock No.	Overall Length	Jaw Length
30650	115mm	22.5mm



5 35 12 115 ESD

ANTISTATIC FLAT JAW PLIERS

Manufactured to DIN ISO 9655 Specifications

Professional Quality, for delicate and accurate work in a continuous production environment. Manufactured from special tool steel, oil hardened and tempered. With flat jaws, precision box joint for longevity and cushion-grip spring-loaded electrostatic handles. Sold loose.

Stock No.	Overall Length	Jaw Length
37066	115mm	22.5mm



6 35 22 115 ESD

ANTISTATIC FLAT-ROUND JAW PLIERS

Manufactured to DIN ISO 9655 Specifications

Professional Quality, for delicate and accurate work in a continuous production environment. Manufactured from special tool steel, oil hardened and tempered. With flat-round jaws, precision box joint for longevity and cushion-grip spring-loaded electrostatic handles. Sold loose.

Stock No.	Overall Length	Jaw Length
37067	115mm	22.5mm




7 77 02 115 ESD

ANTISTATIC DIAGONAL CUTTING NIPPERS

Manufactured to DIN ISO 9654 Specifications


Professional Quality, for delicate and accurate work in a continuous production environment. Manufactured from special tool steel, oil hardened and tempered. With bevelled cutting jaws, precision box joint for longevity and cushion-grip spring-loaded electrostatic handles. Sold loose.

			Cutting Capacities-mm		
Stock No.	Overall Length	Jaw Length	Soft Wire dia.	Med Hard dia.	Hard Wire dia.
37068	115mm	14.0	0.3-1.6	1.2	0.6




PRECISION CIRCLIP PLIERS

This generation of circlip pliers (Item Nos. 1-5) combines the advantages of hot forged pliers with the longevity of cold-drawn highly condensed steel tips. Gives up to ten times longer service life.








Inserted tips of highly condensed spring steel offer optimum stability when loosening tightly fitting circlips.

Spring inside the joint: (only external circlip pliers)

The spring is protected inside the precision screw joint. It doesn't hinder work and can't get dirty or lost.

The slip style head allows use in confined areas.




1 48 11

PRECISION INTERNAL CIRCLIP PLIERS STRAIGHT

Manufactured to DIN ISO 5256C Specifications

Professional Quality, forged from chrome vanadium electric steel, with inserted cold drawn highly condensed spring steel tips for exceptional longevity and precision. Sold loose.

Stock No.	Overall Length	Size	Capacity Inside Ring (size of bore) dia.
75077	140mm	J0	8 - 13mm
75078	140mm	J1	12 - 25mm
75079	180mm	J2	19 - 60mm
75080	225mm	J3	40 - 100mm
75081	320mm	J4	85 - 140mm



2 48 21

PRECISION INTERNAL CIRCLIP PLIERS 90° TIPS

Manufactured to DIN ISO 5256D Specifications

Professional Quality, forged from chrome vanadium electric steel, with inserted cold drawn highly condensed spring steel tips for exceptional longevity and precision. Sold loose.

Stock No.	Overall Length	Size	Capacity Inside Ring (size of bore) dia.
75082	130mm	J01	8 - 13mm
75083	130mm	J11	12 - 25mm
75084	165mm	J21	19 - 60mm
75086	210mm	J31	40 - 100mm
75087	305mm	J41	85 - 140mm



3 49 11

PRECISION EXTERNAL CIRCLIP PLIERS STRAIGHT

Manufactured to DIN ISO 5254A Specifications

Professional Quality, forged from chrome vanadium electric steel, with inserted cold drawn highly condensed spring steel tips for exceptional longevity and precision. These pliers are internally sprung within the precision screw joint. Sold loose.

Stock No.	Overall Length	Size	Capacity Inside Ring (size of shaft) dia.
75088	140mm	A0	3 - 10mm
75089	140mm	A1	10 - 25mm
75090	180mm	A2	19 - 60mm
75091	225mm	A3	40 - 100mm
75092	320mm	A4	85 - 140mm



4 49 21

PRECISION EXTERNAL CIRCLIP PLIERS 90° TIPS

Manufactured to DIN ISO 5254B Specifications

Professional Quality, forged from chrome vanadium electric steel, with inserted cold drawn highly condensed spring steel tips for exceptional longevity and precision. These pliers are internally sprung within the precision screw joint. Sold loose.

Stock No.	Overall Length	Size	Capacity Inside Ring (size of shaft) dia.
75093	130mm	A01	3 - 10mm
75094	130mm	A11	10 - 25mm
75095	165mm	A21	19 - 60mm
75096	210mm	A31	40 - 100mm
75097	305mm	A41	85 - 140mm



5 00 19 57

PRECISION CIRCLIP PLIER SET (4 PIECE)

Professional Quality, comprising four commonly used precision circlip pliers. Supplied with in canvas roll bag. Display packed.

Contents: 140mm Precision Internal Straight Circlip Pliers; 180mm Precision Internal Straight Circlip Pliers; 140mm Precision External Straight Circlip Pliers; 180mm Precision External Straight Circlip Pliers;

Stock No.
43288




6 44 11

INTERNAL CIRCLIP PLIERS STRAIGHT

Manufactured to DIN ISO 5256C Specifications

Professional Quality, manufactured from chrome vanadium electric steel, oil hardened and tempered. Forged straight nonslip tips with plastic coated handles. Display packed.

Stock No.	Overall Length	Size	Capacity Inside Ring (size of bore) dia.
36897	140mm	J0	8-13mm
56132	140mm	J1	12-25mm
56140	180mm	J2	19-60mm
56158	225mm	J3	40-100mm
81006	320mm	J4	85-140mm



7 44 21

INTERNAL CIRCLIP PLIERS 90° TIPS

Manufactured to DIN ISO 5256D Specifications

Professional Quality, manufactured from chrome vanadium electric steel, oil hardened and tempered. Forged 90° tips with plastic coated handles. Display packed.

Stock No.	Overall Length	Size	Capacity Inside Ring (size of bore) dia.
36898	130mm	J01	8-13mm
56166	130mm	J11	12-25mm
56174	170mm	J21	19-60mm
75778	215mm	J31	40-100mm
81014	300mm	J41	85-140mm




1 46 11

EXTERNAL CIRCLIP PLIERS STRAIGHT

Manufactured to DIN ISO 5254A Specifications

Professional Quality, manufactured from chrome vanadium electric steel, oil hardened and tempered. Forged straight nonslip tips with plastic coated handles. Display packed.

Stock No.	Overall Length	Size	Capacity Inside Ring (size of shaft) dia.
81022	140mm	A0	3-10mm
50712	140mm	A1	10-25mm
50720	180mm	A2	19-60mm
77253	210mm	A3	40-100mm
81030	320mm	A4	85-140mm



2 46 21

EXTERNAL CIRCLIP PLIERS 90° TIPS

Manufactured to DIN ISO 5254B Specifications

Professional Quality, manufactured from chrome vanadium electric steel, oil hardened and tempered. Forged 90° tips with plastic coated handles. Display packed.

Stock No.	Overall Length	Size	Capacity Inside Ring (size of shaft) dia.
80917	125mm	A01	3-10mm
50738	125mm	A11	10-25mm
50746	170mm	A21	19-60mm
50754	200mm	A31	40-100mm
80925	300mm	A41	85-140mm

3 00 19 56

CIRCLIP PLIER SET (4 PIECE)

Professional Quality, comprising four commonly used circlip pliers. Supplied with in canvas roll bag. Display packed.

Contents: 180mm Internal Straight Circlip Pliers; 170mm Internal Circlip Pliers with 90° Tips; 180mm External Straight Circlip Pliers and 170mm External Circlip Pliers with 90° Tips



Stock No.
76797




4 45 21

CIRCLIP PLIERS FOR HORSESHOE CLIPS

Manufactured to DIN ISO 5743 Specifications

Professional Quality, chrome vanadium steel, oil hardened and tempered. For fitting and removing horseshoe clips and shaft retaining devices. Plastic coated handles. Display packed.

Stock No.	Overall Length	Tip	Horseshoe Clip opening
54219	200mm	2.2mm	2.2mm





5 87 01E

COBRA® WATERPUMP PLIERS (DISPLAY PACKED)

Manufactured to DIN ISO 8976 Specifications

Professional Quality, manufactured from chrome vanadium electric steel, oil hardened and tempered, with smoothly ground jaws, joint faces and an accurately formed box joint with safety stop. The parallelogram-shaped gripping surfaces have specially hardened teeth to 61HRC for positive grip on pipes and nuts. One hand press button adjustment. Plastic coated handles with slip guards for extra safety. Has 'no-nip' feature which prevents handles locking together and damaging users' hands. Display packed.

Stock No.	Overall Length	Holding Capacities Jaw Positions	Pipes O/D dia.	Nuts (across flats)
09450	125mm	13	27mm	27mm
44267	150mm	11	32mm	30mm
13758	180mm	18	42mm	36mm
13277	250mm	25	50mm	46mm
30737	300mm	30	70mm	60mm

6 87 01

COBRA® WATERPUMP PLIERS (SOLD LOOSE)

Stock No.	Overall Length	Holding Capacities Jaw Positions	Pipes O/D dia.	Nuts (across flats)
75357	250mm	25	50mm	46mm



7 87 01

COBRA® WATERPUMP PLIERS

Manufactured to DIN ISO 8976 Specifications

Professional Quality, manufactured from chrome vanadium electric steel, oil hardened and tempered, with smoothly ground jaws, joint faces and an accurately formed box joint with safety stop. The parallelogram-shaped gripping surfaces have specially hardened teeth to 61HRC for positive grip on pipes and nuts. One hand press button adjustment. Plastic coated handles with slip guards for extra safety. Has 'no-nip' feature which prevents handles locking together and damaging users' hands. Display packed.

Stock No.	Overall Length	Holding Capacities Jaw Positions	Pipes O/D dia.	Nuts (across flats)
13759	400mm	27	90mm	95mm
64952	560mm	20	115mm	120mm

"DAVE SAYS" QUALITY MAKES THE DIFFERENCE



'NO NIP' FEATURE ON WATERPUMP PLIERS

Knipex Waterpump Pliers have a 'no-nip' feature. This means that when the pliers are at their largest capacity the handles will not lock together and 'pinch' the users palm.

1 00 19 19 V02

COUNTERTOP DISPLAY OF 10 250mm COBRA® WATERPUMP PLIERS

Manufactured to DIN ISO 8976 Specifications

Professional Quality, in countertop display.
Contents: 10 pairs of Stock No. 75357 250mm Cobra® Waterpump Pliers.

Stock No.
05769





2 87 02

COBRA® WATERPUMP PLIERS

Manufactured to DIN ISO 8976 Specifications

Professional Quality, manufactured from chrome vanadium electric steel, oil hardened and tempered, with smoothly ground jaws, joint faces and an accurately formed box joint with safety stop. The parallelogram-shaped gripping surfaces have specially hardened teeth to 61HRC for positive grip on pipes and nuts. One hand press button adjustment. Heavy duty moulded handles with slip guards for extra safety. Has 'no-nip' feature which prevents handles locking together and damaging users' hands. Display packed.

Stock No.	Overall Length	Jaw Positions	Holding Capacities: Pipes O/D dia.	Holding Capacities: Nuts (across flats)
88146	250mm	25	50mm	46mm
88147	300mm	30	70mm	60mm

3 00 19 19 V25

COUNTERTOP DISPLAY OF 10 250mm COBRA® QUICKSET WATERPUMP PLIERS

Manufactured to DIN 5231 Specifications

Professional Quality, in countertop display.
Contents: 10 pairs of Stock No. 53952 250mm Cobra® QuickSet Waterpump Pliers.

Stock No.
54045





4 87 21 250

COBRA® QUICKSET WATERPUMP PLIERS

Manufactured to DIN 5231 Specifications

Professional Quality, manufactured from chrome vanadium steel, oil hardened and tempered, with smoothly ground jaw edges and joint faces. The gripping surfaces have specially hardened teeth to 61HRC for positive grip on pipes and nuts. One handed adjustment directly on the workpiece is possible by simply sliding the plier handles. Display packed.

Stock No.	Overall Length	Jaw Positions	Holding Capacities: Pipes O/D dia.	Holding Capacities: Nuts (across flats)
53952	250mm	25	50mm	46mm



5 87 22 250

COBRA® QUICKSET WATERPUMP PLIERS

Manufactured to DIN 5231 Specifications

Professional Quality, manufactured from chrome vanadium steel, oil hardened and tempered, with smoothly ground jaw edges and joint faces. The gripping surfaces have specially hardened teeth to 61HRC for positive grip on pipes and nuts. One handed adjustment on the workpiece is possible by simply sliding the plier handles. Heavy duty moulded handles with slip guards for extra safety. Display packed.

Stock No.	Overall Length	Jaw Positions	Holding Capacities: Pipes O/D dia.	Holding Capacities: Nuts (across flats)
53953	250mm	25	50mm	46mm



6 87 05

COBRA® CHROME WATERPUMP PLIERS

Manufactured to DIN ISO 8976 Specifications

Professional Quality, manufactured from chrome vanadium electric steel, oil hardened, tempered and chrome plated, with smoothly ground jaws, joint faces and an accurately formed box joint with safety stop. The parallelogram-shaped gripping surfaces have specially hardened teeth to 61HRC for positive grip on pipes and nuts. One hand press button adjustment. Heavy duty moulded handles with slip guards for extra safety. Has 'no-nip' feature which prevents handles locking together and damaging users' hands. Display packed.

Stock No.	Overall Length	Jaw Positions	Holding Capacities: Pipes O/D dia.	Holding Capacities: Nuts (across flats)
18498	250mm	25	50mm	46mm



7 87 51

LONG JAW COBRA® WATERPUMP PLIERS

Manufactured to DIN ISO 8976 Specifications

Professional Quality, manufactured from chrome vanadium electric steel, oil hardened and tempered, with smoothly ground long pattern jaws, joint faces and an accurately formed box joint with safety stop. The extra slim head and joint area ensure an ideal access to the workpiece in confined working spaces. The parallelogram-shaped gripping surfaces have specially hardened teeth to 61HRC for positive grip on pipes and nuts. One hand press button adjustment. Plastic coated handles. Has 'no-nip' feature which prevents handles locking together and damaging users' hands. Display packed.

Stock No.	Overall Length	Jaw Positions	Holding Capacities: Pipes O/D dia.	Holding Capacities: Nuts (across flats)
40212	250mm	19	32mm	37mm




8 8501

SMARTGRIP® AUTOMATIC WATERPUMP PLIERS

Manufactured to DIN ISO 8976 Specifications

Professional Quality, manufactured from chrome vanadium electric steel, oil hardened and tempered, with smoothly ground jaws, joint faces and an accurately formed box joint with safety stop. The parallelogram-shaped gripping surfaces have specially hardened teeth to 61HRC for positive grip on pipes and nuts. Self-controlled adjustment on the task simply by squeezing the handles - perfect for frequent changeover to different sized workpieces. Guard prevents the plastic coated handles locking together and nipping user. Sold Loose.

Stock No.	Overall Length	Jaw Positions	Holding Capacities: Pipes O/D dia.	Holding Capacities: Nuts (across flats)
40123	250mm	18	32mm	36mm



1 89 01

GROOVE JOINT WATERPUMP PLIERS

Manufactured to DIN ISO 8976 Specifications

Professional Quality, manufactured from chrome vanadium electric steel, oil hardened and tempered. Smoothly ground jaw faces with accurately milled five position high leverage nonslip groove join with safety stop. No-wear pivot bolt. Teeth hardened to 61HRC. Plastic coated handles with slip guards for extra safety. Has 'no-nip' feature which prevents handles locking together and damaging users' hands. Display packed.

Stock No.	Overall Length	Holding Capacities: Pipes O/D dia.	Holding Capacities: Nuts (across flats)
82898	250mm	33mm	36mm

2 00 19 19 V04

COUNTERTOP DISPLAY OF 10 250mm ALLIGATOR® WATERPUMP PLIERS

Manufactured to DIN ISO 8976 Specifications

Professional Quality, in countertop display.
Contents: 10 pairs of Stock No.75355 250mm Alligator® Waterpump Pliers

Stock No.
05768





3 88 02 SBE


ALLIGATOR® WATERPUMP PLIERS

Manufactured to DIN ISO 8976 Specifications

Professional Quality, manufactured from chrome vanadium electric steel, oil hardened and tempered with smoothly ground jaws, joint faces and an accurately formed box joint with safety stop. Nine position adjustment. The parallelogram-shaped gripping surfaces have specially hardened teeth to 61HRC for positive grip on pipes and nuts. Heavy duty moulded handles with slip guards for extra safety. Has 'no-nip' feature which prevents handles locking together and damaging users' hands. Display packed.

Stock No.	Overall Length	Holding Capacities: Pipes O/D dia.	Holding Capacities: Nuts (across flats)
88148	250mm	50mm	46mm
88150	300mm	70mm	60mm







4 88 01

ALLIGATOR® WATERPUMP PLIERS (DISPLAY PACKED)

Manufactured to DIN ISO 8976 Specifications

Professional Quality, manufactured from chrome vanadium electric steel, oil hardened and tempered with smoothly ground jaws, joint faces and an accurately formed box joint with safety stop. The parallelogram-shaped gripping surfaces have specially hardened teeth to 61HRC for positive grip on pipes and nuts. Plastic coated handles with slip guards for extra safety. Has 'no-nip' feature which prevents handles locking together and damaging users' hands. Display packed.

Stock No.	Overall Length	Holding Capacities: Pipes O/D dia.	Holding Capacities: Nuts (across flats)
59812	180mm	42mm	36mm
10954	250mm	50mm	46mm
81189	300mm	70mm	60mm
34182	400mm	90mm	95mm

5 88 01

ALLIGATOR® WATERPUMP PLIERS (SOLD LOOSE)

Stock No.	Overall Length	Holding Capacities: Pipes O/D dia.	Holding Capacities: Nuts (across flats)
75355	250mm	50mm	46mm
75354	300mm	70mm	60mm

HOSE CLAMP PLIERS

Fitted with rotating jaws which tightly secure the hose clamps shown on the right, allowing for safe removal even within difficult to access areas like engines.









6 85 51

HOSE CLAMP PLIERS

NEW 180MM SIZE AVAILABLE

Manufactured to DIN ISO 8976 Specifications

Professional Quality, exceptionally versatile hose clamp pliers fitted with rotating grip inserts. Used for removing spring band rings, standard or space saving clamps and simple spring wire hose clamps found in older vehicles and household appliances. The quick-set 15 position adjustment provides easy alteration for precise and repetitive working, useful when working with reinforced or very large spring band clamps. Display packed.

Stock No.	Length
79173	180mm
38389	250mm

CLIC AND CLIC R HOSE CLAMPS PLIERS





Designed to open and close clic and clic R hose clamps shown on the right, fitted with rotating jaw inserts for secure gripping of the clamps in any position.



1

250mm HOSE CLAMP PLIERS FOR CLIC AND CLIC R HOSE CLAMPS

Professional Quality, specifically designed to open and close clic and clic R hose clamps, fitted with rotating jaw inserts for secure actuation of clamps in any position. Manufactured from oil hardened chrome vanadium steel, with a slim head design, narrow head width and rotating grip inserts delivering a tool especially useful in confined spaces, makes light work of fuel hoses, vacuum pipes, suction nozzles and a host of other applications. Display packed.

Stock No.	Length
82574	250mm



2 87 41

MULTIPLE SLIP JOINT SPANNER


Manufactured to DIN ISO 5743 Specifications

Professional Quality, manufactured from chrome vanadium electric steel, oil hardened and tempered, with smoothly ground jaws, joint faces and an accurately formed box joint with safety stop. One hand press button adjustment. Plastic coated handles. Display packed.

Stock No.	Overall Length	Jaw Positions	Nuts (across flats)
40125	250mm	15	10-32mm








3 86 03

PLIER WRENCHES

Manufactured to DIN ISO 5743 Specifications

Professional Quality, designed for working on nuts and unions, especially components with finished surfaces, ie. plated or burnished. The unique cam action jaws give a secure and powerful grip which increases as more pressure is applied. The cam also allows the tool to be used with a ratcheting action for speed fastening. Plastic coated handles. Display packed.

Stock No.	Overall Length	Holding Capacity Nuts (across flats)
53974	125mm	23mm
09452	150mm	27mm
59811	180mm	35mm
33814	250mm	46mm
34057	300mm	60mm
46672	400mm	85mm



4 91 51

GLASS NIBBLING PINCERS

Manufactured to DIN ISO 5743 Specifications

Professional Quality, for breaking off narrow strips of glass to a scored line and finishing glass edges. The jaw has serrated gripping edges for delicate work. Manufactured from special tool steel, oil hardened and tempered. Plastic coated handles. Display packed.

Stock No.	Overall Length	Jaw Width
13081	160mm	9.5mm



5 51 01

CARPENTER'S PINCERS

Manufactured to DIN ISO 9243 Specifications

Professional Quality, with lower jaw striking face for driving in tacks and pins. Manufactured from special tool steel, oil hardened and tempered. Smoothly ground jaws with plastic coated handles. Display packed.

Stock No.	Overall Length
87153	210mm




6 90 20 185

185mm HOSE AND CONDUIT CUTTER

Professional Quality, Pipe cutter manufactured from of tough fibreglass reinforced plastic with high-strength special grade steel blade, oil-hardened and tempered. The handles are sprung to open and a safety catch is fitted. Cuts thin walled plastic or rubber pipes and flexible hoses up to 25mm/1" exterior diameter. Spare blades are available. Display packed.

Stock No.	Description
08643	Cutter
09627	Spare Blade





7 90 25

210mm PIPE CUTTER

Professional Quality, high strength steel, this pipe cutter is designed to make light work of cutting plastic and composite pipes up to 40mm diameter using a ratchet action. The galvanised finish will keep the tool rust free under wet working conditions. Spare blades are available. Display packed.

Stock No.	Capacity
67102	26 - 40mm



1 90 70

REVOLVING PUNCH PLIERS

Professional Quality, manufactured from high strength sheet steel, with powder coated head and handles for corrosion protection. Revolving head holds six replaceable punches diameter 2.0, 2.5, 3.0, 3.5, 4.0 and 5.0mm. Ideal for use on leather, plastic and textiles. Display packed.

Stock No.	Overall Length
87161	220mm



2 41 04

CURVED JAW SELF GRIP PLIERS

Professional Quality body manufactured from high strength special grade steel with jaw inserts from drop forged chrome vanadium steel and nickel plated. Serrated gripping surfaces in curved jaws with a quick-release lever. Display packed.

Stock No.	Overall Length	Capacity Round	Capacity Square	Capacity Hexagon
54217	250mm	8-40mm	20mm	8-30mm



3 41 14

PRISM JAW SELF GRIP PLIERS

Professional Quality, body manufactured from high strength special grade steel with jaw inserts from drop forged chrome vanadium steel and nickel plated. Serrated gripping surfaces in double prism jaws for both round and flat sectioned material. Fitted with a quick-release lever. Display packed.

Stock No.	Overall Length	Capacity Round	Capacity Square	Capacity Hexagon
49176	250mm	36mm	36mm	13-36mm



4 41 24

STRAIGHT JAW SELF GRIP PLIERS

Professional Quality, body manufactured from high strength special grade steel with jaw inserts from drop forged chrome vanadium steel and nickel plated. Serrated gripping surfaces in straight jaws with a quick-release lever. Display packed.

Stock No.	Overall Length
54218	225mm



5 00 11 01

TWIN KEY

Professional Quality, magnetic utility key. Manufactured with 13 essential utility key shapes and a double ended screwdriver bit this utility key is an essential addition for all service personnel. Display packed.

Finned Key: 3.5mm, Half Moon: 6mm, Four Squares: 5, 6-7, 8-9 and 10-11mm

Stepped Square: 6-9mm, Three Triangles: 7-8, 9-10 and 11-12mm

Double-ended 7mm plain/No.2 cross slot insert bit 55mm long

Stock No.
23608



CONTENTS AND HOOKS NOT INCLUDED

6 00 19 30

1M (3ft) TOOL BAR WITH CANOPY

Heavy gauge sheet steel with "Knipex" opal and electrical connections to canopy. Hooks not supplied. Carton packed.

Stock No.	Dimensions L x W x H
18909	1000 x 500 x 2200mm

section 16



BUILDING TOOLS

707-711 Hammers
712-713 Bolsters
714-715 Trowels
716 Plastering
717-736 Contractors Tools
737-740 Levels



1 9008

CARBON FIBRE SHAFT CLAW HAMMERS

Expert Quality, fully polished face solid forged head from fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Carbon fibre shaft fitted with comfortable shock-absorbing double injection PP/TPR grip for anti-vibration protection. Sold Loose.

Stock No.	Weight
26197	450g (16oz)
26199	560g (20oz)



2 8985A

SOLID FORGED ANTI-SHOCK CLAW HAMMERS

Expert Quality, fully polished solid forged head and shaft from one single piece fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Fitted with comfortable shock-absorbing double injection PP/TPR grip for anti-vibration protection. Sold Loose.

Stock No.	Weight
63404	450g (16oz)
63405	560g (20oz)



3 8988

SOLID FORGED SOFT GRIP CLAW HAMMERS

Expert Quality, fully polished solid forged head and shaft from one single piece fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Fitted with comfortable shock-absorbing double injection PP/TPR grip for anti-vibration protection. Sold Loose.

Stock No.	Weight
21283	450g (16oz)
21284	560g (20oz)



4 8960

CLAW HAMMERS

Expert Quality, fully polished solid forged head from fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Hardened tubular shaft fitted with shock absorbing vinyl grip. Sold Loose.

Stock No.	Weight
19249	225g (8oz)*
13975	450g (16oz)
13976	560g (20oz)



5 FG1A

FIBREGLASS SHAFT CLAW HAMMERS

Expert Quality, polished face solid forged head from fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Solid fibreglass core shaft fitted with shock absorbing PP/TPR grip. Sold Loose.

Stock No.	Weight
62163	450g (16oz)
63347	560g (20oz)



6 9001

CLAW HAMMERS

Polished face solid forged head from fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Hardened tubular shaft fitted with shock absorbing vinyl grip. Sold Loose.

Stock No.	Weight
51223	450g (16oz)
63346	560g (20oz)




7 6213

HICKORY SHAFT CLAW HAMMERS

Polished face solid forged head from fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Natural straight grained hickory shaft sanded and lacquered. Sold Loose

Stock No.	Weight
42496	450g (16oz)
42503	560g (20oz)



8 CHS/EFG

450g (16oz) EASY FIND CLAW HAMMERS

Fully polished solid forged head from fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Hardened tubular shaft fitted with Easy Find colour vinyl grip.

Minimum order 16 or multiples thereof

Stock No.
78432

"PAUL SAYS" QUALITY ASSURANCE MAKES THE DIFFERENCE



ALL DRAPER HAMMERS ARE MANUFACTURED GENERALLY IN ACCORDANCE WITH BS876...

...and are regularly tested by our Quality Control Department and independently certified by a fully approved test house. Some of the exhaustive tests are shown below.




Nail extraction test for claw hammer



Soundness of assembly test



Hammer head is sliced to facilitate hardness testing of both the striking face and at 3mm depth



Measuring hardness of the striking face



1 6212A/L

110g (4oz) CROSS PEIN PIN HAMMER

Polished solid forged head from fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Natural straight grained hickory shaft sanded and lacquered. Sold Loose.

Stock No.
33888



4

FIBREGLASS SHAFT CLUB HAMMERS

Expert Quality, polished face solid forged head from fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Solid fibreglass core shaft fitted with shock absorbing PP/TPR grip. Sold Loose.

Stock No.	Part No.	Weight
63350	FG3A	1.0kg (2.2lb)
30672	FG3A/L	1.8kg (4.0lb)



6 190T

HICKORY SHAFT CLUB HAMMERS

Expert Quality, polished face solid forged head from fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Natural straight grained hickory shaft sanded and lacquered. Sold Loose.

Stock No.	Weight
51281	1.0kg (2.2lb)
51299	1.8kg (4lb)



2 6215A

225g (8oz) JOINERS (OR WARRINGTON) HAMMER

Polished solid forged head from fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Natural straight grained hickory shaft sanded and lacquered. Sold Loose.

Stock No.
64595



5 FG3/B

FIBREGLASS SHAFT CLUB HAMMERS

Polished face solid forged head from fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Solid fibreglass core shaft fitted with shock absorbing rubber grip. Sold Loose.

Stock No.	Part No.	Weight
81440	FG3/B	1.0kg (2.2lb)
81443	FG3/B	1.8kg (4.0lb)



7 190T/B

HICKORY SHAFT CLUB HAMMERS

Polished face solid forged head from fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Natural straight grained hickory shaft sanded and lacquered. Sold Loose.

Stock No.	Part No.	Weight
81431	190T/B	1.0kg (2.2lb)
81432	190T/B	1.8kg (4lb)



3 TH7

190g (7oz) MAGNETIC TACK HAMMER

Expert Quality, polished solid forged head from fine grain high carbon steel correctly hardened and tempered, magnetic forked face with a lacquer coating for rust protection. Natural straight grained hickory shaft sanded and lacquered. Sold Loose

Stock No.
19724



8 DBH

1kg (2.2lb) DEAD BLOW HAMMER

Expert Quality, manufactured from high quality SBR material which is oil and cold resistant Hollow head has steel particles helping to prevent rebound. Sold loose.

Stock No.
37324





BALL PEIN HAMMERS

Our range of quality Ball Pein hammers, featuring shafts from Carbon Fibre, Fibreglass or straight grain hickory are now shown in Section 14 ‘Handtools’.



1 CRM/FG

RUBBER HEAD MALLETS WITH FIBREGLASS SHAFTS

Expert Quality, combination mallet with non-marking rubber head. Fitted with a fibreglass shaft. Perfect for use on sensitive surfaces. Sold loose.

Stock No.	Weight
53021	450g (16oz)
53029	620g (24oz)
53035	800g (32oz)



2 RM/NMFG

680g (24oz) NON-MARKING RUBBER HEAD MALLET WITH FIBREGLASS SHAFT

Expert Quality, fibreglass shaft with shock-absorbing rubber hand grip. The non-marking head is ideal for use when using on sensitive or easily marked surfaces. Sold loose.

Stock No.
09119



3 RM750FG

680g (24oz) RUBBER MALLET WITH FIBREGLASS SHAFT

Expert Quality, with rubber head, fibreglass shaft with shock-absorbing rubber hand grip. Particularly useful for use when laying paving, camping etc. Sold loose.

Stock No.
72020



4 RM956/2

HARDWOOD SHAFT RUBBER MALLETS

Manufactured with a heavy duty rubber head, that's securely fitted to a hardwood shaft by a fixed pin. Sold loose

Stock No.	Weight
51095	410G (14.5oz)
78614	620G (24oz)
78615	800G (32oz)



5 DWH/SG

400g (14oz) SOFT GRIP DRYWALL HAMMER

Expert Quality, polished and ground solid forged round face and cutting edge from fine grain carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Fitted with comfortable PP/TPR grip for anti-vibration protection. Sold Loose.

Stock No.
09121



6 9019

BRICKLAYERS HAMMERS

Expert Quality, polished and ground solid forged head and cutting edge from fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Hardened tubular shaft fitted with shock absorbing vinyl grip. Sold Loose.

Stock No.	Weight
00353	450g (16oz)
13964	560g (20oz)



7 DESH

DOUBLE-ENDED SCUTCH HAMMER

Solid forged double ended scutch hammer from fine grain high carbon steel correctly hardened and tempered. Fitted with 1 plain and 1 combed scutch. Hardened tubular shaft fitted with shock absorbing vinyl grip. Sold Loose.

Stock No.
57539



8 BSH

SINGLE ENDED SCUTCH HAMMER

Solid forged single ended scutch hammer, made from fine grain high carbon steel correctly hardened and tempered fully painted with combed scutch fitted and machined face. Natural straight grained hickory shaft sanded and lacquered. Sold Loose.

Stock No.
11504





9 210D

COPPER/RAWHIDE FACED HAMMERS

Expert Quality, with a heavy malleable iron head fitted with a copper and a rawhide face. The copper face is especially suitable for dismantling and assembly work where it will help to avoid damaging component parts. The rawhide face is ideal for use on materials where bruising needs to be avoided. An excellent dual purpose hammer. Shaped wood shaft. Sold loose.

Stock No.	Description
20070	680g (24oz) hammer
20088	1100g (38oz) hammer
20850	Rawhide Face for 20070
21826	Copper Face for 20070
21825	Rawhide Face for 20088
21827	Copper Face for 20088



10 9901R

680g (24oz) SOFT FACED HAMMER

Expert Quality, for use on a wide variety of materials where no surface marking is required. The head is chrome plated and is Supplied with replaceable screw-in 38mm diameter faces of soft plastic and nylon. The unbreakable nylon handle has a nonslip PVC grip.

Stock No.	Part No.	Description
72027	9901R	Hammer
72028	9901AR	Spare Nylon Face
72029	9901BR	Spare Plastic Face



11 305/L

480g (17oz) BEECHWOOD MALLET

Solid head and angled striking faces. Tapered morticed shaft. Average face size 80 x 55mm. Sold loose.

Stock No.
45237



1 FG4S/L

1.8kg (4lb) FIBREGLASS SHORT SHAFT SLEDGE HAMMER

Expert Quality, polished face solid forged head from fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Solid fibreglass core shaft fitted with shock absorbing PP/TPR grip. Sold Loose.

Stock No.	Length
09937	400mm



2 FG4S/B

1.8kg (4lb) FIBREGLASS SHORT SHAFT SLEDGE HAMMER

Polished face solid forged head from fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Solid fibreglass core shaft fitted with shock absorbing rubber grip. Sold Loose.

Stock No.	Length
81436	400mm



3 FG4/L

FIBREGLASS SHAFT SLEDGE HAMMERS

Expert Quality, forged from fine grain carbon steel correctly hardened and tempered with a polished and lacquered head. Fibreglass shaft fitted with comfortable shock-absorbing rubber grip. Sold loose.

Stock No.	Weight
09938	3.2kg (7lb)
09939	4.5kg (10lb)
09940	6.4kg (14lb)



4 FG4/B

FIBREGLASS SHAFT SLEDGE HAMMERS

Forged from high carbon steel correctly hardened and tempered with a polished face. Fitted with a fibreglass shaft attached with a comfortable shock absorbing grip. Sold loose.

Stock No.	Weight
81433	3.2kg (7lb)
81434	4.5kg (10lb)
81435	6.4kg (14lb)



5 6220/L

HICKORY SHAFT SLEDGE HAMMERS

Expert Quality, polished face solid forged head from fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Natural straight grained hickory shaft sanded and lacquered. Sold Loose.

Stock No.	Weight
09948	3.2kg (7lb)
09949	4.5kg (10lb)
09950	6.4kg (14lb)



6 6220/B

HICKORY SHAFT SLEDGE HAMMERS

Polished face, high carbon steel solid forged head, that's correctly hardened and tempered with a lacquer coating for rust protection. Natural straight grained hickory shaft sanded and lacquered. Sold Loose.

Stock No.	Weight
81428	3.2kg (7lb)
81429	4.5kg (10lb)
81430	6.4kg (14lb)

7 CCB/FSC

BUILDERS KIT WITH FSC CERTIFIED HICKORY HANDLE (3 PIECE)

Kit comprising of 1kg club hammer with Polished Face solid forged head from fine grain high carbon steel correctly hardened and tempered with a lacquer coating for rust protection. Natural straight grained hickory shaft sanded and lacquered. 75mm bolster and 25mm cold chisel both manufactured to BS3066: 1995. Display packed

Contents: • 1kg club hammer with FSC approved hickory handle • 75mm bolster • 25mm cold chisel

Stock No.
26120





8 1142AST

HAMMER WEDGES (PACK OF 5)

One each of Nos. 1, 3, and 4 and two of No.2.

Stock No.
12241



9 1142/LAST


PACK OF 3 SLEDGE HAMMER WEDGES

One of each size 4A, 4AH and 5.

Stock No.
38994

SPECIALIST HAMMERS/MALLETS

A 6kg Paviors Rubber Mallet for laying kerbstones, flagstones and paving slabs, and a purpose-designed fencing hammer for driving wooden fence posts into the ground.



1 PM

6kg PAVIORS RUBBER MALLET

Rubber head and hardwood shaft. Overall length 1055mm. Face diameter 125mm. Sold loose.

Stock No.
78453

2 FHFGS/P

5.4kg (12lb) FIBREGLASS SHAFT FENCING HAMMER

Cast iron head with polypropylene coated fibreglass shaft. Head width 130mm. Shock-absorbing rubber grip. Sold loose.
Not to be used to hammer in metal posts

Stock No.
81065

FOUR DIFFERENT SHAFT TYPES AVAILABLE... PEIN/JOINERS, BALL/PEIN, CLAW AND CLUB



3

HICKORY HAMMER SHAFTS

A collection of straight grained hickory hammers shafts. All sanded and waxed for added comfort and strength and supplied with a suitable wedge. Display packed.

Stock No.	Length	Hammer Used With
10941	305mm	Pein/Joiners
31153	400mm	Ball/Pein
10942	330mm	Claw
31149	225mm	Club



4 FG-PH

FIBREGLASS PICK AXE/MATTOCK SHAFT

915mm pick axe shaft, made from high density polyethylene covered fibreglass. The fibreglass core contains 60% continuous unidirectional and longitudinal glass fibres. Attached with a soft grip rubber handle. Sold loose.

Stock No.
85210



5 215/HICK

915mm HICKORY PICK AXE/MATTOCK SHAFT

Straight grained hickory, sanded and waxed. Eye size 78 x 54mm. Sold loose.

Stock No.
05161



6 214

900mm HICKORY SLEDGE HAMMER SHAFT

Straight grained hickory shaft sanded and waxed. Eye size 43 x 30mm. Suitable for all weights of sledge hammer. Sold loose.

Stock No.
67270



7 6225

3.2kg PICK AXE HEAD

Forged steel, chisel and point pattern. Eye size 70 x 50mm.
Will accept standard pick axe shafts. Sold loose.

Stock No.	Part No.	Description
13702	6225	Pick Axe Head
05161	215/HICK	Hickory Shaft
82430	215/COMS	Hickory Composite



8 CM

2.27kg MATTOCK HEAD

For chopping tree roots and digging heavy soil. Forged steel with 65mm chisel tip and 90mm wide blade. Eye size 70 x 50mm. Will accept standard pick axe shafts.
Sold loose.

Stock No.	Part No.	Description
27590	CM	Mattock Head
05161	215/HICK	Hickory Shaft
82430	215/COMS	Hickory Composite



1 BD8G/E

225 x 60mm ELECTRICIANS BOLSTER WITH SOFT GRIP HAND GUARD

Generally in accordance with BS3066

Expert Quality, hexagonal steel shank chisel with hardened and tempered cutting edge. Fitted with impact absorbing hand protection soft grips. Display packed.

Stock No.
51010



2 BD6G/E

225mm BRICK BOLSTERS WITH SOFT GRIP HAND GUARD

Generally in accordance with BS3066

Expert Quality, hexagonal steel shank chisel with hardened and tempered cutting edge. Fitted with impact absorbing hand protection soft grips. Display packed.

Stock No.	Blade Width
51011	75mm
51022	100mm



3 BD5G/E

COLD CHISELS WITH SOFT GRIP HAND GUARDS

Generally in accordance with BS3066

Expert Quality, hexagonal steel shank chisel with hardened and tempered cutting edge. Fitted with impact absorbing hand protection soft grips. Display packed.

Stock No.	Length	Blade Width
51023	250mm	19mm
51051	250mm	25mm
51024	300mm	25mm



4 BD7/E

250mm PLUGGING CHISEL WITH SOFT GRIP HAND GUARD

Generally in accordance with BS3066

Expert Quality, fluted angled blade chisel designed to remove mortar between bricks. Hexagonal steel shank chisel with hardened and tempered cutting edge. Fitted with impact absorbing hand protection soft grips. Display packed.

Stock No.
51055


"DAVE SAYS" QUALITY MAKES THE DIFFERENCE

Our Brick Bolsters and Cold Chisels have been manufactured, hardened and tempered generally in accordance with BS3066:1995. This standard of hardening and tempering will ensure that the product will not break or splinter when cutting through masonry. You can be confident that our chisels and bolsters are up to the mark.



SAFETY WARNING:

Do NOT use these chisels and bolsters on metal materials. The recommended chisels when working with this material are specially hardened engineering versions shown on page 583.



5 BD10G/A

300 x 16mm POINT CHISEL WITH HAND GUARD

Generally in accordance with BS3066

Octagonal shank chisel manufactured from hardened and tempered steel. Fitted with impact absorbing hand protection grip. Display packed.

Stock No.
26766



6 BD8G/AP

225 x 60mm ELECTRICIANS BOLSTER WITH HAND GUARD (DISPLAY PACKED)

Generally in accordance with BS3066

Ground cutting edges and octagonal shank. Fitted with impact absorbing hand protection grip. For levering up and cutting through the tongues and grooves of floorboards. Display packed.

Stock No.
64676

7 BD8G/A

225 x 60mm ELECTRICIANS BOLSTER WITH HAND GUARD (SOLD LOOSE)

Stock No.
63752



8 BD6G/AP

225mm BRICK BOLSTERS WITH HAND GUARD (DISPLAY PACKED)

Generally in accordance with BS3066

Ground cutting edges and octagonal shank. For cutting bricks and composite blocks. Fitted with impact absorbing hand protection grip. Display packed.

Stock No.	Blade Width
64679	75mm
64680	100mm

9 BD6G/A

225mm BRICK BOLSTERS WITH HAND GUARD (SOLD LOOSE)

Stock No.	Blade Width
63730	75mm
63733	100mm



10 BD5G/AP

COLD CHISELS WITH HAND GUARD (DISPLAY PACKED)

Generally in accordance with BS3066

Octagonal shank chisel manufactured from selected steel with polished cutting edge. Fitted with impact absorbing hand protection grip. Display packed

Stock No.	Length	Blade Width
64681	250mm	19mm
64686	250mm	25mm
64682	300mm	25mm

11 BD5G/A

COLD CHISELS WITH HAND GUARD (SOLD LOOSE)

Stock No.	Length	Blade Width
63747	250mm	19mm
08576	250mm	25mm
63748	300mm	25mm



1 BD8/A

225 x 60mm ELECTRICIANS BOLSTER (DISPLAY PACKED)

Generally in accordance with BS3066

Ground cutting edges and octagonal shank. For levering up and cutting through the tongues and grooves of floorboards. Display packed.

Stock No.
63751

2 BD8/A

225 x 60mm ELECTRICIANS BOLSTER (SOLD LOOSE)

Stock No.
63750



3 BD6/A

225mm BRICK BOLSTER (DISPLAY PACKED)

Generally in accordance with BS3066

Ground cutting edges and octagonal shank. For cutting bricks and composite blocks. Display packed.

Stock No.	Blade Width
63729	75mm
63732	100mm

4 BD6/A(B)

225mm BRICK BOLSTER (SOLD LOOSE)

Stock No.	Blade Width
63727	75mm
63731	100mm



5 BD5/A

COLD CHISELS (DISPLAY PACKED)

Generally in accordance with BS3066

Octagonal shank chisel from selected steel with polished cutting edge. Display packed.

Stock No.	Length	Blade Width
63735	100mm	10mm
63737	150mm	13mm
63739	200mm	19mm
63741	250mm	19mm
63743	250mm	25mm
64829	300mm	25mm
64838	380mm	25mm
64841	450mm	19mm
64850	450mm	25mm

6 BD5/A(B)

COLD CHISELS (SOLD LOOSE)

Stock No.	Length	Blade Width
63734	100mm	10mm
63736	150mm	13mm
63738	200mm	19mm
63740	250mm	19mm
63742	250mm	25mm
63744	300mm	25mm
63745	380mm	25mm
77607	450mm	19mm
63746	450mm	25mm



NEW SIZE

7 BD5C/A

SCUTCH CHISELS (DISPLAY PACKED)

Generally in accordance with BS3066

Octagonal shank chisel with recessed end to accept toothed or plain edge scutches. Supplied with one replaceable comb scutch. Display packed.

Stock No.	Size
78203	200 x 25mm
00754	200 x 38mm

8 BD5C/A(B)

SCUTCH HOLDING CHISEL (SOLD LOOSE)

Stock No.	Size
71269	200 x 25mm
00755	200 x 38mm



NEW SIZE

9

SCUTCHES FOR SCUTCH HOLDING CHISELS/HAMMERS

Plain and comb scutches for use with 25 and 38mm Scutch Holding Chisels and Scutch Hammers. Stock No's. 22266 and 03136 comprises two comb scutches and one plain scutch whilst Stock No's. 54252 and 00756 have comb scutches only. Display packed.

Order number of cards or boxes required

Stock No.	Part No.	Size	Description
22266	SS2C1P	25mm	3 Scutches
03136	SS2C1P38	38mm	3 Scutches
54252	YBD5C/25	25mm	25 Scutches
00756	YBD5D/25	38mm	25 Scutches



10 BD4/AP

225 x 50mm MASONS BOLSTER (DISPLAY PACKED)

Generally in accordance with BS3066

Ground cutting edges and octagonal shank. For cutting stone. Display packed.

Stock No.
84738

11 BD4/A

225 x 50mm MASONS BOLSTER (SOLD LOOSE)

Stock No.
76379



12 BD7/AP

250mm PLUGGING CHISEL (DISPLAY PACKED)

Fluted angled blade chisel designed to remove mortar between bricks. Octagonal shank with ground cutting edge. Display packed.

Stock No.
64828

13 BD7/A

250mm PLUGGING CHISEL (SOLD LOOSE)

Stock No.
78084

INCLUDES METAL STAND



14 CB50

DISPLAY OF 50 BOLSTERS AND CHISELS

Generally in accordance with BS3066

All-metal stand with slots for a mixture of 50 Draper bolsters and chisels. Carton packed with contents as listed. Contents: • 3 x 100mm wide brick bolsters - Stock No.63731 • 3 x 100mm wide brick bolsters with hand guards - Stock No.63733 • 3 x 75mm wide brick bolsters - Stock No.63727 • 3 x 75mm wide brick bolsters with hand guards - Stock No.63730 • 6 x 60mm wide electricians bolsters - Stock No.63750 • 3 x 60mm wide Masons Bolsters - Stock No.76379 • 3 x 200mm scutch holding chisels - Stock No.71269 • 3 x 250mm plugging chisels - Stock No.78084 • 23 x cold chisels size:13 x 150mm (5 off) - Stock No.63736; 19 x 200mm (6 off) - Stock No. 63738; 19 x 250mm (3 off) - Stock No. 63740; 19 x 450mm (3 off) - Stock No.77607; 25 x 250mm (2 off) - Stock No.63742; 25 x 300mm (2 off) - Stock No. 63744; 25 x 450mm (2 off) - Stock No.63746

Stock No.	L x W
78202	580 x 340mm



1 BTSS/SGW
SOFT GRIP STAINLESS STEEL LONDON PATTERN BRICK TROWEL (275mm)
Expert Quality, stainless steel blade hardened and tempered with lacquered finish. Blade firmly fixed to tang by heavy duty weld. Soft grip handle for user comfort.

Stock No.
82148



2 BT11/SGW
SOFT GRIP LONDON PATTERN BRICK TROWEL (275mm)
Expert Quality, carbon steel blade hardened and tempered with lacquered finish. Blade firmly fixed to tang by heavy duty weld. Soft grip handle for user comfort.

Stock No.
81211



3 PT/SG2
SOFT GRIP POINTING TROWEL (150mm)
Expert Quality, carbon steel blade hardened and tempered with lacquered finish. Blade firmly fixed to tang by heavy duty weld. Soft grip handle for user comfort.

Stock No.
81213



4 GT/SGW
175mm SOFT GRIP GAUGING TROWEL (175mm)
Expert Quality, carbon steel blade hardened and tempered with lacquered finish. Blade firmly fixed to tang by heavy duty weld. Soft grip handle for user comfort.

Stock No.
81214



5 BT/SG2
SOFT GRIP BUCKET TROWEL (140mm)
Expert Quality, carbon steel blade hardened and tempered with lacquered finish. Blade firmly fixed to tang by heavy duty weld. Soft grip handle for user comfort.

Stock No.
81215



'WORN-IN' BLADES

6 PTSSW/SGW
SOFT GRIP STAINLESS STEEL PLASTERING TROWELS
Expert Quality, stainless steel 'worn-in' blade, hardened and tempered with a lacquer finish. Soft grip handle for user comfort.

Stock No.	Length	Width
81200	280mm	119mm
82149	455mm	120mm



7
SOFT GRIP PLASTERING TROWELS
Expert Quality, carbon steel blade, hardened and tempered with lacquered finish. Blades firmly fixed to tang by welded rivets. Soft grip handle for user comfort.

Stock No.	Part No.	Length	Width
81221	PT8/SGW	200mm	75mm
81222	PT11/SGW	280mm	120mm
81223	PT14/SGW	355mm	120mm
81230	PT18/SGW	450mm	120mm



8 FT/SGW
400mm SOFT GRIP FLOORING TROWEL
Expert Quality, carbon steel blade hardened and tempered with a lacquered finish. Blade firmly fixed to tang by welded rivets. Soft grip handle for user comfort.

Stock No.
81218



9 AST11/SGW
SOFT GRIP ADHESIVE SPREADING TROWEL (280mm)
Expert Quality, serrated carbon steel blade, 120mm wide, hardened and tempered with lacquered finish. Blade firmly fixed to tang by welded rivets. Soft grip handle for user comfort. Display packed.

Stock No.
81231

"DAVE SAYS" QUALITY MAKES THE DIFFERENCE



'WORN-IN' BLADE PLASTERING TROWEL
Item No. 6 incorporates a 'worn-in' blade which makes it 'ready-for-use'. The strong riveted construction makes it ideal for use in trade plastering.



NEW



1 BTSG

SOFT GRIP LONDON PATTERN BRICK TROWEL (275mm)

Carbon steel blade hardened and tempered with a lacquered finish. Soft grip handle for user comfort.

Stock No.
81233

NEW



2 PTSGW

SOFT GRIP POINTING TROWEL (150mm)

Carbon steel blade hardened and tempered with lacquered finish. Blade firmly fixed to tang by heavy duty weld. Soft grip handle for user comfort.

Stock No.
81234

NEW



3 GTSGW

SOFT GRIP GAUGING TROWEL (175mm)

Carbon steel blade hardened and tempered with lacquered finish. Soft grip handle for user comfort.

Stock No.
81235

NEW



4 FLT/SGW

140mm SOFT GRIP BUCKET TROWEL (140mm)

Carbon steel blade hardened and tempered with lacquered finish. Soft grip handle for user comfort.

Stock No.
81237

NEW



5 PLTSGW

SOFT GRIP PLASTERING TROWELS

Carbon steel blade, hardened and tempered with lacquered finish. Soft grip handle for user comfort.

Stock No.	Length
81242	280mm
81243	350mm
81255	450mm

NEW



6 FLT/SGW

400mm SOFT GRIP FLOORING TROWEL

Carbon steel blade, hardened and tempered with lacquered finish. Soft grip handle for user comfort.

Stock No.
81241

NEW



7 ASTSGW

SOFT GRIP ADHESIVE SPREADING TROWEL (280mm)

Serrated carbon steel blade, 120mm wide, hardened and tempered with a lacquered finish. Soft grip handle for user comfort.

Stock No.
81256

NEW



8 ETK/3SGW

SOFT GRIP EDGING TROWEL SET (3 PIECE)

Carbon steel blades hardened and tempered with a lacquered finish. Soft grip handle for user comfort.

Contents: 13, 38 and 51mm wide blades

Stock No.
81263

NEW



9 CTS/2PCW

SOFT GRIP CORNER TROWEL SET (2 PIECE)

Expert Quality, for accurate neat finishing when plastering internal and external corners. Carbon steel blades with soft grip handle for user comfort.

Stock No.	Height	Width
81281	150mm	65mm

10 1121

BRICK JOINTER TROWEL

Designed to finish the mortar joints between bricks. Suitable for 13mm and 16mm joints. Manufactured from carbon steel hardened and tempered with a plated finish. Display packed.

Stock No.
20853





1 T104A

GENERAL PURPOSE TROWEL

Polished and lacquered carbon steel blade, fusion welded with five rivets to the moulded polypropylene handle. Display packed.

Stock No.	Length	Width
67143	265mm	115mm



2 T105A

ADHESIVE SPREADING TROWEL

Polished and lacquered carbon steel blade, serrated on two edges and fusion welded with five rivets to the moulded polypropylene handle. Display packed.

Stock No.	Length	Width
67144	265mm	115mm




3 T106

POLYURETHANE FLOATS

Lightweight general purpose float manufactured from rigid polyurethane foam. Sold loose.

Stock No.	Length	Width
13411	280mm	140mm
13412	320mm	180mm



4 T107

PLASTERING FLOAT

Manufactured from high impact polystyrene making it suitable for heavy duty work. Will outlast conventional polyurethane models. Sold loose.

Stock No.	Length	Width
22333	280mm	110mm

NEW




5 PHW

SOFT GRIP ALUMINIUM PLASTERERS HAWK

Expert Quality, manufactured from sheet aluminium with a detachable soft grip handle for user comfort and callous protector.

Stock No.	Size	Thickness
81314	300mm²	1.8mm



6 9025

ABS PLASTERERS HAWK

Rigid ABS and handle with callous protector. Display packed.

Stock No.	Length	Width
40938	330mm	330mm

PLASTERER'S DARBY AND FEATHEREDGES





7 AD

1200mm PLASTERER'S DARBY

For final surface finishing. Extruded aluminium with two handles. Sold loose.

Minimum order two or multiples thereof

Stock No.
89711

8 PD

POLYURETHANE PLASTERER'S DARBY

Made from polyurethane with a raised grip perfect for creating a level finish over a bigger area.

Stock No.	Size
15070	1.2M

9

PLASTERER'S FEATHEREDGES

Tapered edge for smoothing and straightening plasterwork. Flat edge for tamping and smoothing concrete. Lightweight aluminium. Sold loose.

Minimum order two of the same size or multiples thereof

Stock No.	Part No.	Dimensions L x W
89713	FE1200	1200 x 100mm
89712	FE1800	1800 x 100mm

NEW



1 PTF

TYROLEAN FLICKER MACHINE

Easy to use, hand operated wall coating sprayer for the application of Tyrolean and roughcast wall coating on exterior and interior walls. The heavy duty, large capacity plastic body is fitted with an adjustable ratchet pressure bar allowing the mixture to be flicked onto the wall from the sprung tines on the comb rotating on a spindle. Also fitted with a removable reducer plate for small areas of re-touch work.

Stock No.	Description
02171	Flicker Machine
02250	Spare Roller

NEW



2 SSTFR

STAINLESS STEEL TYROLEAN FLICKER MACHINE

Easy to use, hand operated wall coating sprayer for the application of Tyrolean and roughcast wall coating on exterior and interior walls. The heavy duty, large capacity stainless steel body is fitted with an adjustable ratchet pressure bar allowing the mixture to be flicked onto the wall from the sprung tines on the comb rotating on a spindle. Also fitted with a removable reducer plate for small areas of re-touch work.

Stock No.	Description
02168	Flicker Machine
02248	Spare Roller




3 10TK

10" TAPING KNIFE (250MM)

10" (250mm) flexible blue steel blade, that's tempered for strength and lacquered to protect against rust. Fitted to a soft grip handle for comfort and protection with hang-hole for easy storage.

Stock No.
17170



4 SF250/B

250mm x 140mm SCRATCH FLOAT

Rigid general purpose scratch float manufactured with mild steel spikes and fitted with soft grip handle. Sold loose.

Stock No.
82107



5 PLASTBKT

25L PLASTERERS MIXING BUCKET

Thick rigid plastic construction with metal handle. Easy to clean and robust when knocking out used plaster. Sold loose.

Stock No.
12100




6 PST

135mm PLASTERING SCARIFIER

For keying interior and exterior plaster/rendering. Polyurethane handle with steel tines. Display packed.

Stock No.
34276



7

MIXER PADDLES

Steel mixing paddles suitable for use with electric and cordless drills. 16205 zinc coated, 16203 and 16204 powder coated for corrosion protection.

Stock No.	Suitable for	L x W	Hex
16204	Paint	80 x 400mm	8mm
16203	Paint	100 x 600mm	10mm
16205	Plaster	120 x 600mm	10mm



8

M14 POWER MIXER PADDLES

Paddle mixers suitable for plaster, mortar, paint, cement etc. Manufactured from steel with a protective zinc coating and a M14 thread. Suitable for use with most manufacturers powered mixers.

Stock No.	Suitable for	L x W	Blades
16417	Paint	120 x 600mm	2
16209	Plaster	135 x 600mm	2
16210	Plaster	160 x 600mm	2
16206	Plaster	140 x 600mm	3
16208	Plaster	160 x 600mm	3



9 M14SDS

M14 TO SDS+ ADAPTOR

Designed to convert M14 paddles for use with standard SDS+ drills.

Stock No.
16404

TELESCOPIC SUPPORT RODS



1



2

1 QS/2

PAIR OF QUICK ACTION TELESCOPIC SUPPORT RODS

Expert Quality, ideal when installing plasterboard on ceilings, or sectioning of rooms when building or painting and decorating is taking place. Its two section heavy duty tubular construction incorporates a 'quick action' ratchet mechanism and sliding lock pin. Minimum rod length 1.45M, maximum rod length 2.5M. The large swivel foot (80 x 60mm) gives good stability. Maximum weight capacity at 90° (vertical) - 50kg and at 65° - 20kg.

Stock No.
88237

2 TR

PAIR OF TELESCOPIC SUPPORT RODS

Ideal when installing plasterboard on ceilings, or sectioning of rooms when building or painting and decorating is taking place. Carbon steel tubes with twist and lock facility. Swivel steel brackets with rubber pads on tube ends for stability whilst working. Minimum rod length 1.66M, maximum rod length 2.8M. The large swivel foot (80 x 60mm) gives good stability. Maximum weight capacity at 90° (vertical) - 50kg and at 45° - 25kg.

Stock No.	Min. Length Approx.	Max. Length Approx.
59473	1660mm	2800mm



3 MJR2

MORTAR JOINT RAKER

For cleaning old or damaged mortar joints prior to repointing. Cast aluminium handle with integral mortar joint blade to assist with cleaning up brick edges. Variable depth 60mm replaceable spike. 45mm diameter metal wheels. Display packed.

Stock No.
80215



4 BLT

BRICK AND BLOCK LIFTING TONGS

For lifting bricks or blocks in one go. The tongs automatically close when handle is lifted. Adjustable length arms from 400mm to 670mm. Steel construction with soft grip handles for user comfort. Sold loose.

Stock No.
90002







5 LDT

No.2 LEAD DRESSING TOOL

Professional Quality, for use on sheet lead, copper, zinc aluminium etc. Contoured handle gives good knuckle clearance. Working area 175 x 50mm.

Made from good quality beechwood. Packed on hanging tag.

Stock No.	Length
68675	315mm

6 LDTP

LEAD DRESSING TOOL

Specially designed lead dressers tool, intended for beating sheet lead, copper, zinc, aluminium etc. onto flat surfaces. Made from PE plastic.

Stock No.
15091



1 5188A

100g SOLID BRASS PLUMB BOB

Precision machined solid brass plumb bob with 5M (approx.) of nylon line. Display packed.

Stock No.
60698



2 CL30A

CHALK LINE (30M)

ABS body with fold away winding handle, filling hole and self chalking line (average length 30M) with metal end support. Supplied with 113g plastic bottle of blue chalk.

Stock No.	Description
75045	Chalk Line
13703	Sachet of Chalk



3 SCDP2

TWIN SUCTION LIFTER

For the easy lifting of smooth flat surface materials, i.e. glass, marble etc. Manufactured from tough plastic with rubber suction cups. Suction cups 118mm diameter. Maximum lift 40kg; safe working load (S.W.L.) 20kg. Display packed.

Stock No.
71172



4 SCDP3

TRIPLE SUCTION LIFTER

For the easy lifting of smooth flat surface materials, i.e. glass, marble etc. Manufactured from tough plastic with rubber suction cups. Suction cups 118mm diameter. Maximum lift 60kg; safe working load (S.W.L.) 30kg. Display carton.

Stock No.
43846



5 5189

130g STEEL PLUMB BOB

Accurately machined steel plumb bob with corrosion resistant plating and brass screw cap. Weight 130g. (approx.). Display packed.

Stock No.
52172



6 CL30

CHALK LINE

Diecast metal body with angle markings. Fold away winding handle, filling hole and self chalking line (average length 30M) with metal end support. Supplied with sachet of chalk. Display packed.

Stock No.	Description
11528	Chalk Line
13703	Sachet of Chalk





7 PP/100

BAG OF 100 PLASTIC FRAME PACKERS

Ready to use plastic packers. Accurate and more cost effective than hand-cut material. Colour coded sizes for easy identification. Thickness sizes and approximate quantities shown in brackets :1.0mm (20), 2.0mm (20), 3.0mm (20), 4.0mm (20), 5.0mm (10) and 6.0mm (10). Display packed.

Stock No.
44006



8

CHALK FOR CHALK LINES

Plastic bottles of fine chalk for use with Draper and other manufacturers chalk lines. Supplied with funnel for filling. Three colours available. Display packed.

Stock No.	Part No.	Colour
42967	LCB/H	Blue
42975	LCR/H	Red
42983	LCY/H	Yellow



9 D119/L

PAIR OF STEEL LINE PINS

Drop forged 160mm line pins. Chrome plated for protection. Sold as a pair. Display packed.

Stock No.
54261



10 STC

250mm PLASTERER'S LEAF AND SQUARE TOOL

Solid forged steel ground and hardened. Display packed.

Stock No.
90079



11 STE

240mm PLASTERER'S TROWEL AND SQUARE TOOL

Solid forged steel ground and hardened. Display packed.

Stock No.
90083



1
NYLON CHALK LINES

High breaking strain.
Multiples of 12 only, supplied in countertop display.

Minimum order 12 or multiples thereof

Stock No.	Part No.	Length
86920	CLN18	18M
27432	CLN36	36M



2 CL18
18M COTTON CHALK LINE

For use with chalk powder.
Multiples of 12 only, supplied in countertop display.

Available in singles-order 12 or multiples thereof to get a free dispenser.

Stock No.
86921



3 BCLN36
36M BRICK LINE

White braided nylon with a high breaking strain. Multiples of 12 only, supplied in countertop display.

Available in singles-order 12 or multiples thereof to get a free dispenser.

Stock No.
27433



4 BL100HV
100M YELLOW POLYPROPYLENE BRICK LINE

Spool containing polypropylene brick line (approximate length 100M). Display packed.

Minimum order 12 or multiples thereof

Stock No.
27429




5 BL100HV
100M PINK POLYPROPYLENE BRICK LINE

Spool containing polypropylene brick line (approximate length 100M). Display packed.

Minimum order 12 or multiples thereof

Stock No.
27428



6 BL100
100M ORANGE POLYPROPYLENE BRICK LINE

Spool containing polypropylene brick line (approximate length 100M). Display packed.

Minimum order 12 or multiples thereof

Stock No.
27425



7
POLYETHYLENE BRICK LINES

Braided polyethylene brick line manufactured from a strong waterproof cord.

Available in singles-order 12 or multiples thereof to get a free dispenser.

Stock No.	Part No.	Length
86062	BL18	18M
27430	BL36	36M



8 4803
18M POLYPROPYLENE BRICK LINE

One hank (approximate length 18M) packed on display card.

Stock No.
52164



9 4807
6 x 18M NYLON BRICK LINE

White braided nylon (approximate length 6 x 18M) with a breaking strain of 22.5kg. Packed six hanks per display card.

Stock No.
52130



10 RL100
100M RANGING LINE

Ranging line on a rotating spool. Handle shaped to enable it to be pushed into soft ground for use when laying out. Supplied with 100M of orange polypropylene line. Display packed.


Stock No.
28821



11 663CR
30M x 2.5mm POLYETHYLENE RANGING LINE

A tough weather resistant cord ideal for use by builders for marking and setting out. This cord also has a multitude of uses in and around the house and garden. Packed one hank per display card.

Stock No.
03240



12 BLB
BRICK LINE AND BLOCK SET

Comprising two impact resistant plastic guide blocks and approximately 18 metres of polyethylene line. Display packed.

Stock No.
54232



1 BKT

14.8L BUCKETS

Good quality polyethylene with metal carrying handle. Sold loose.

Stock No.	Part No.	Colour
31687	BKT	Black
10636	BKT/Y	Yellow







2

MULTI PURPOSE FLEXIBLE BUCKETS

Multi-purpose rubber tubs made from polypropylene, with an added strengthening agent for providing extra durability. Perfect for carrying water, sand, building and garden rubbish. Ideal for use around the home and garden.

Stock No.	Part No.	Size	Colour
65360	MPFB/26BK	26L	Black
65364	MPFB/26G	26L	Green
65362	MPFB/26Y	26L	Yellow
65365	MPFB/40BK	40L	Black
65371	MPFB/40G	40L	Green
65366	MPFB/40Y	40L	Yellow
65374	MPFB/60BK/B	60L	Black
65377	MPFB/60G/B	60L	Green
65375	MPFB/60Y/B	60L	Yellow





3 PLASTBKT

25L PLASTERERS MIXING BUCKET

Thick rigid plastic construction with metal handle. Easy to clean and robust when knocking out used plaster. Sold loose.

Stock No.
12100





4 MMB

MORTAR MIXING BOARD

Designed for mixing cement and other similar products, this lightweight mixing board restricts spillages on driveways, lawns etc; preventing unsightly stains and keeping the workplace clean. Manufactured from polypropylene with an integral hanging hook and easily portable, sized 950mm x 950mm x 70mm high. Sold loose.

Stock No.
31937

DRAPER 'CONTRACTORS TOOLS' RANGE

Our range of professional contractors tools has been purposely engineered for the trade. Featuring only high quality materials, you can be sure these tools are up to the task.





Spare Solid Wheel
Stock No. 02104




1 PWB

HEAVY DUTY PLASTIC TRAY WHEELBARROW (85L)

Heavy duty wheelbarrow ideal for general builders use. The wheelbarrow is manufactured with a rigid tubular frame and has a 0.8mm gauge tray with an impressive 85-litre capacity. Fitted with a pneumatic tyre. Supplied flat packed with easy to read assembly instruction manual.

Stock No.	Description
17993	Wheelbarrow
17995	Spare Wheel
02104	Solid Spare Wheel



Spare Solid Wheel
Stock No. 02104



2 BWB

METAL TRAY CONTRACTORS WHEELBARROW (85L)

Heavy duty wheelbarrow ideal for general builders use. The wheelbarrow is manufactured with a rigid tubular frame and has a 0.8mm gauge tray with an impressive 85-litre capacity. Each wheelbarrow is attached with a steel rimmed wheel fitted with a pneumatic 350mm tyre for a smoother ride. Supplied flat packed with easy to read assembly instruction manual.

Stock No.	Type
82755	Wheelbarrow
15007	Spare Wheel
02104	Solid Spare Wheel

3

BRASS HOSE CONNECTORS

Connectors made from brass suitable for use with garden hose, sprinklers and taps.

Stock No.	Description
36197	1/2" Tap Connector
36198	3/4" Tap Connector
36228	3/4" Double Tap Connector
36199	1/2" Garden Hose Connector
36201	3/4" Garden Hose Connector
36202	1/2" Hose Connector with Water Stop
36203	1/2" Hose Repair Connector
36205	3/4" Hose Repair Connector
36206	1/2" Two Way Double Male Connector
36236	1/2" Accessory Connector
36218	3/4" Accessory Connector
36238	Brass 3 Way Connector
36219	Brass Spray Nozzle



36197



36203



36219



36198



36199



36206



36218



36202



36228

NEW





4 TABT

TAKE ANYWHERE TAP

Simply screw in the desired location for a simple and convenient water supply. Use a standard garden hose to bring water from a fixed source and connect to the tap. Made from solid brass and can be used as a normal tap.

Stock No.
02251

5

12mm REINFORCED WATERING HOSES

Manufactured in accordance with BS 3746

Heavy duty PVC hose with polyester yarn reinforcement for kink resistance. 2mm minimum wall thickness. Outside layer of hose has extra thick sheathing for use in rugged environments. Shrink wrapped with label.



Stock No.	Part No.	Hose Length
56314	GH4	30M
56315	GH5	50M

160L CEMENT MIXER

UNLIKE MANY SMALLER MACHINES WHERE THE USER HAS TO SPLIT THE BAG, THE 160L DRUM CAPACITY OF THIS MIXER MEANS IT CAN ACCOMMODATE ONE WHOLE 25KG BAG OF CEMENT TO FIVE OF SAND





NEW

1 CM170A

160L CEMENT MIXER (PART ASSEMBLED)

- Tough well engineered construction • Highly reliable IP45 rated 230V induction motor
- Ideally suited for builders, tradesmen and DIY users alike • 160L drum capacity enables the mixer to accommodate a whole 25kg bag of cement to five bags of sand
- Supplied part assembled for convenience and speed, simply attach the stand or wheels then power up and the mixer is ready to use

Capacity	160L
Input Voltage	230V
Motor Wattage	650W
Stand Type	Wheels
Dimensions	1480 x 1150 x 690mm
Weight	64kg

Stock No.
01099

SUPPLIED ON PALLET



part assembly required



supplied with stand

NEW





supplied with stand

SUPPLIED ON PALLET



part assembly required

2 CM140A

130L CEMENT MIXER (PART ASSEMBLED)

- Tough well engineered construction • Highly reliable IP45 rated 230V induction motor
- 130L drum capacity • Supplied part assembled for convenience and speed, simply attach the stand or wheels then power up and the mixer is ready to use

Capacity	130L
Input Voltage	230V
Motor Wattage	650W
Stand Type	Wheels
Dimensions	1480 x 1150 x 690mm
Weight	64kg

Stock No.
01102

FULL ASSEMBLY REQUIRED





supplied with stand

SUPPLIED ON PALLET



full assembly required

3 CM170

160L CEMENT MIXER (FULL ASSEMBLY REQUIRED)


- Tough well engineered construction • Highly reliable IP45 rated 230V induction motor • Ideally suited for builders, tradesmen and DIY users alike • 160L drum capacity enables the mixer to accommodate a whole 25kg bag of cement to five bags of sand. **Full assembly required.**

Capacity	160L
Input Voltage	230V
Motor Wattage	650W
Stand Type	4 leg
Dimensions	1480 x 1150 x 690mm (assembled)
Weight	64kg

Stock No.
17776

FULLY INSULATED SOLID FORGED CONTRACTORS TOOLS

- Individually tested to 10,000 volts, guaranteeing safe working on 1000V fully complying to **BS 8020: 2011** standards.
- Solid forged blade and socket expertly anchored into a fully insulated fibreglass core with hand slip guard.
- Each tool is supplied with a certificate of conformity, which correlates with a unique traceability number embossed on the shaft.





1 INS/CF
FULLY INSULATED SOLID FORGED CONTRACTORS FORK
Expert Quality, Sold loose.

Stock No.	Length
75182	1085mm

3 INS/TTS
FULLY INSULATED SOLID FORGED TRENCHING SHOVEL
Expert Quality, Sold loose.

Stock No.	Length
75173	1045mm

5 INS/DSP
FULLY INSULATED DIGGING SPADE
Expert Quality, Sold loose.

Stock No.	Length
17694	1030mm

2 INS/SMS
FULLY INSULATED SOLID FORGED SQUARE MOUTH SHOVEL
Expert Quality, Sold loose.

Stock No.	Length
75168	1032mm

4 INS/TMS
FULLY INSULATED SOLID FORGED TAPER MOUTH SHOVEL
Expert Quality, Sold loose.

Stock No.	Length
75169	1045mm

6 INS/DS
FULLY INSULATED SOLID FORGED DRAINAGE SHOVEL
Expert Quality, Sold loose.

Stock No.	Length
75175	1135mm

FULLY INSULATED SOLID FORGED CONTRACTORS TOOLS







1 INS/CLS

FULLY INSULATED SOLID FORGED CABLE LAYING SHOVEL

Expert Quality, Sold loose.

Stock No.	Length
82636	1006mm

2 INS/GS

FULLY INSULATED SOLID FORGED GRAFTING SHOVEL

Expert Quality, Sold loose.

Stock No.	Length
82637	1006mm

3 INS/RMS

FULLY INSULATED SOLID FORGED ROUND MOUTH SHOVEL

Expert Quality, Sold loose.

Stock No.	Length
82639	1006mm

4 INS/UGS

FULLY INSULATED UTILITY SHOVEL

Expert Quality, Sold loose.

Stock No.	Length
17695	960mm

5 INS/PHD

FULLY INSULATED POST HOLE DIGGER

Expert Quality, Sold loose.

Stock No.	Length
17696	1730mm

6 INS/CCB

FULLY INSULATED CHISEL END CROWBAR

Expert Quality, Carton packed

Stock No.	Length
84798	1829mm

7 INS/PCB

FULLY INSULATED POINT END CROWBAR

Expert Quality, Carton packed.

Stock No.	Length
84799	1829mm

SOLID FORGED CONTRACTORS TOOLS



1 ASF

SOLID FORGED CONTRACTORS FORK

Expert Quality, all-steel tubular shaft with solid forged tines and socket. Y-dee shaped handle. Sold loose.

Stock No.	Length
64326	1100mm

2 ASS-SM

SOLID FORGED SQUARE MOUTH SHOVEL

Expert Quality, all-steel tubular shaft with solid forged socket. Y-dee shaped handle. Blade width: 250mm and 300mm long. Sold loose.

Stock No.	Length
64327	1000mm

3 ASS-TM

SOLID FORGED TAPER MOUTH SHOVEL

Expert Quality, all-steel tubular shaft with solid forged socket. Y-dee shaped handle. Blade width: 215mm at the base widening to 250mm at the top and 300mm long. Sold loose.

Stock No.	Length
64328	1050mm

4 ASS-RM

SOLID FORGED ROUND MOUTH SHOVEL

Expert Quality, all-steel tubular shaft with solid forged blade and socket. Y-dee shaped handle. Blade width: 250mm and 300mm long. Sold loose.

Stock No.	Length
15071	1000mm

5 ASDS

SOLID FORGED SQUARE MOUTH SPADE

Expert Quality, all-steel tubular shaft with solid forged socket. Y-dee shaped handle. Blade width: 180mm and 290mm long. Sold loose.

Stock No.	Length
23326	990mm

6 ASS-CL

SOLID FORGED CABLE LAYING SHOVEL

Expert Quality, all-steel tubular shaft with solid forged socket. Y-dee shaped handle. Blade width: 114mm at the base widening to 125mm at the top and 280mm long. Sold loose.

Stock No.	Length
64330	1010mm

7 ASNDS

SOLID FORGED DRAINAGE SHOVEL

Expert Quality, all-steel tubular shaft with solid forged socket. Y-dee shaped handle. Blade length 405mm. Sold loose.

Stock No.	Length
64331	1100mm

8 TSASMYD

SOLID FORGED TRENCHING SHOVEL

Expert Quality, all-steel tubular shaft with solid forged socket. Y-dee shaped handle. Blade width: 180mm and 280mm long. Sold loose.

Stock No.	Length
10872	1010mm

9 ASS-GS

SOLID FORGED GRAFTING SHOVEL

Expert Quality, all-steel tubular shaft with solid forged socket. Y-dee shaped handle. Blade width 165mm and 320mm long. Sold loose.

Stock No.	Length
22418	1010mm



SOLID FORGED CONTRACTORS TOOLS WITH ASH SHAFTS*



1 SMSSS-WH

SOLID FORGED SQUARE MOUTH SHOVEL WITH ASH SHAFT

Timber from a Sustainable Managed Forest

Expert Quality, ash shaft with solid forged socket. MYD handle. Blade width: 250mm and 300mm long. Sold loose.

Stock No.	Length
52956	940mm

2 TMSSS-WH/H

SOLID FORGED TAPER MOUTH SHOVEL WITH ASH SHAFT

Timber from a Sustainable Managed Forest

Expert Quality, solid forged socket. Y-Dee handle. Blade width: 215mm at the base widening to 250mm at the top and 300mm long. The ash used in this product is from a sustainable managed forest. Sold loose.

Stock No.	Length
48426	1000mm

3 SMSWH

SOLID FORGED SQUARE MOUTH SPADE WITH ASH SHAFT

Timber from a Sustainable Managed Forest

Expert Quality, ash shaft with solid forged square mouth spade. Y-dee shaped handle. Blade width: 180mm and 290mm long. Sold loose.

Stock No.	Length
07194	990mm

4 ASDS

STEEL SQUARE MOUTH SPADE

Expert Quality, all-steel tubular shaft with socket. Y-dee shaped handle. Blade width: 180mm and 290mm long. Sold loose.

Stock No.	Length
88633	990mm

*Item No. 4 has an all-steel shaft.

5 SMSSS-WHT/H

SOLID FORGED SQUARE MOUTH SHOVEL WITH ASH SHAFT

Timber from a Sustainable Managed Forest

Expert Quality, ash shaft with T grip. Solid forged blade width 250mm and 300mm long. Sold loose.

Stock No.	Length
10873	990mm

6 SWTH

SOLID FORGED SQUARE MOUTH SPADE WITH ASH SHAFT

Timber from a Sustainable Managed Forest

Expert Quality, ash shaft with solid forged square mouth spade. T shaped handle. Blade width: 180mm and 290mm long. Sold loose.

Stock No.	Length
07195	990mm

7 TSWTH/H

SOLID FORGED TRENCHING SHOVEL WITH ASH SHAFT

Timber from a Sustainable Managed Forest

Expert Quality, ash shaft with T grip. Solid forged blade width 180mm and 280mm long. Sold loose.

Stock No.	Length
10878	980mm

8 SMSOS-WH/H

SQUARE MOUTH SHOVEL WITH ASH SHAFT

Timber from a Sustainable Managed Forest

Expert Quality, ash shaft with T grip. Open socket pressed carbon steel blade 250mm wide and 320mm long. Sold loose.

Stock No.	Length
10877	1000mm



9 RMS/H

SOLID FORGED ROUND MOUTH SHOVEL WITH ASH SHAFT

Timber from a Sustainable Managed Forest ***Expert Quality***, ash shaft with T grip. Solid forged blade with tread. Blade width (top) 210mm and 240mm long. Sold loose.

Stock No.	Length
10874	960mm

10 RMSSSTH/H

SOLID FORGED ROUND MOUTH SHOVEL WITH ASH SHAFT

Timber from a Sustainable Managed Forest ***Expert Quality***, ash handle with T grip. Solid forged blade width (top) 250mm and 310mm long. Sold loose.

Stock No.	Length
10875	980mm

CONTRACTORS SHOVELS



1 ILHS

IRISH PATTERN LONG HANDLED SHOVEL

Wood shaft with hardened steel socket and V shaped blade. Sold loose.

Minimum order two or multiples thereof

Stock No.	Length
78430	1600mm

2 RMLHS

FORGED ROUND MOUTH SHOVEL WITH ASH SHAFT

American pattern with ash shaft. Forged blade width (top) 300mm and 238mm long. Sold loose.

Stock No.	Length
10903	980mm

3 BS

SQUARE MOUTH BUILDERS SHOVEL WITH HARDWOOD SHAFT

Pressed steel blade with varnished hardwood shaft and Y-dee shaped handle. Blade width: 240mm and 310mm long. Sold loose.

Stock No.	Length
31391	940mm

4 BS/PYD

SQUARE MOUTH BUILDERS SHOVEL WITH HARDWOOD SHAFT

Carbon steel blade with lacquered hardwood shaft and Y-dee shaped handle. Blade width: 240mm and 320mm long. Sold loose.

Stock No.	Length
10904	1060mm

5 BSFG

SQUARE MOUTH BUILDERS SHOVEL WITH FIBREGLASS SHAFT

Pressed steel blade with fibreglass shaft and Y-dee shaped moulded handle. Blade width: 240mm and 320mm long. Sold loose.

Stock No.	Length
57567	940mm

6 RPSFG

ROUND POINT SHOVEL WITH FIBREGLASS SHAFT

Pressed mild steel blade for strength and durability, with fibreglass shaft and Y-dee shaped handle. Ideal for work in restricted areas. Sold loose.

Stock No.	Length
43216	1020mm

7 BSRPFG

ROUND POINT MINI SHOVEL WITH FIBREGLASS SHAFT

Pressed mild steel blade with fibreglass shaft and Y-dee shaped handle. Ideal for work in restricted areas. Sold loose.

Stock No.	Length
57569	760mm

8 MSRP

ROUND POINT MINI SHOVEL WITH WOOD SHAFT

Pressed mild steel blade with wood shaft and plastic Y-dee shaped handle. Ideal for work in restricted areas.

Stock No.	Length
15072	700mm

9 MSSM

SQUARE MOUTH MINI SHOVEL WITH WOOD SHAFT

Pressed mild steel blade with wood shaft and plastic Y-dee shaped handle. Ideal for work in restricted areas.

Stock No.	Length
15073	700mm



CONTRACTORS SHOVELS AND RAKES















1 SS1000/2

FOLDING STEEL SHOVEL

Carbon steel serrated blade with tubular steel handle. Powder coated to prevent corrosion. Handle is tightened by integral collet - so no need for additional tools. Supplied with vinyl pouch for storage. Display packed.

Stock No.	Min. Length	Max. Length
51002	245mm	580mm

2 MPHDPS

MULTI-PURPOSE POLYPROPYLENE SHOVEL

Heavy duty one piece polypropylene shovel with extra wide blade and forward tilt y-dee shaped handle for user comfort. Ideal for use with wood chips, snow, grain, stable/farm waste and compost. Blade width: 345mm and 380mm long. Sold loose.

Stock No.	Length
19174	1150mm

3 RDMPS

RUBBLE AND DEBRIS/MULTI-PURPOSE ABS SHOVEL WITH HARDWOOD SHAFT

ABS tough plastic spark-free blade with hardwood shaft and moulded 'Y-dee' handle. Ideal for use with wood chips, snow, grain, stable/farm waste, compost, rubble and debris. Deep ridged blade width 360mm at the base narrowing to 170mm (approx.) at the top and 360mm (approx.) long. Sold loose.

Stock No.	Length
19177	1210mm

4 TR

TARMAC RAKE WITH ASH SHAFT

Expert Quality, 16 round tooth head with steel socket and ash shaft. Sold loose.

Minimum order two or multiples thereof

Stock No.	Length
52957	1675mm

5 PLR/A

LANDSCAPING RAKE WITH ASH SHAFT

Expert Quality, professional landscaping rake with a 605mm x 115mm head that has 24 tines. Made from extruded aluminium and attached to a solid ash wood handle. Sold loose.

Stock No.	Length
73355	1460mm

6 PSLB

SMOOTHING LUTE/SPAZZLE WITH ASH SHAFT

Expert Quality, for spreading and smoothing concrete bases. 610mm wide 96mm deep aluminium head with support brackets. Ash shaft. Sold loose.

Stock No.	Length
71260	1480mm



1 PAUG52

52cc PETROL FENCE POST AUGER KIT

• Single person operation for digging multiple 'tidy' holes for fence posts, boreholes, planting hedging and saplings • Maximum hole depth 800mm • Three diameter auger bits supplied (100, 150 and 200mm dia.)

Engine capacity	52cc - 2 stroke
Engine output	1300W max.
Engine speed	3000rpm idle
Torque	2.0Nm
Auger bit diameters	100, 150 and 200mm
Auger bit length	800mm
Weight (head unit only)	9kg

Stock No.	Description
84705	Fence Post Auger
84752	100mm dia. Auger Bit
84754	150mm dia. Auger Bit
84755	200mm dia. Auger Bit



2

FENCE POST AUGERS

For making fence post holes, particularly in heavy or difficult ground. Manufactured from tubular steel with handle and auger screw. Sold loose.

Stock No.	Part No.	Length	Diameter
82846	FPA4	950mm	100mm
24414	FPA/1	1050mm	150mm

3 FPRA

FENCE POST RAMMER

For driving wooden fence posts into the ground without splitting. Tubular steel body 680mm long with handles 520mm long. Diameter of rammer 165mm. Sold loose.

Caution: This product weighs 13kg

Stock No.
26479

EXCLUSIVE TO DRAPER TOOLS IN THE UK & EIRE

YOUTUBE.COM/DRAPERTOOLSTV



4 FWTT

FENCE WIRE TENSIONING TOOL

Expert Quality, for tensioning wire (including barbed wire) up to 4mm diameter prior to stapling onto wooden fencing posts. Manufactured from carbon steel hardened and tempered with 600mm long handle for excellent leverage and a pivoting 'Durbar' steel locating foot to grip any post type whilst straining wire. Display packed.



Stock No.	Length
57547	760mm



5 137A2

260mm CUSHION GRIP FENCING PLIERS

Expert Quality, manufactured from carbon steel with smoothly ground and polished head. Head incorporates a striking face; staple removing hook; pincer and clamp on top jaw; grips on inside of handles for straining and twisting wire and two shear type wire cutters. Cushion grip handles. Display packed.

Stock No.
68450



6 FHFGS/P

5.4kg (12lb) FIBREGLASS SHAFT FENCING HAMMER

Cast iron head with polypropylene coated fibreglass shaft. Head width 130mm. Shock-absorbing rubber grip. Sold loose.

Not to be used to hammer in metal posts

Stock No.
81065



7 PLF

POST LEVEL

Rigid post level made from durable re-inforced ABS plastic. Designed to plumb pipes, posts, level RSJ's and other applications where vertical or horizontal is required. Attached with four powerful magnetic pads for working with steel posts and fitted with a strong elastic band for fixing to non-magnetic surfaces. Two horizontal and one plumb tubular acrylic vials for convenience with an accuracy of 0.1deg (1.75mm/M). Dimensions level 121 x 78mm. Display packed.

Stock No.
75042

CONTRACTORS DIGGING AND FENCING TOOLS*



1 HDS/RD

SCRAPER AND ROOT DIGGER WITH WOOD SHAFT

Expert Quality, for numerous jobs including carpet tile removal, general scraping tasks, chopping and root removal. Hardened sharpened blade size 230 x 180mm that can re-sharpened to maintain cutting edge. Sold loose.

Stock No.	Length
05166	1410mm

*Item No. 7 is Draper, not Draper Expert.

2 LH/FS

LONG HANDLED SOLID FORGED FENCING SPADE

Expert Quality, all-steel tubular shaft with solid forged socket. Blade length 260mm. Sold loose.

Stock No.	Length
21301	1600mm

3 ASDFB

CHISEL POINT FENCING BAR

Expert Quality, perfect for hard to get at roots or other digging activities. Solid forged high carbon steel with taper point and sharpened end. Sold loose.

Stock No.	Length
17678	1800mm

4 TT

4.5kg TARMAC TAMPER WITH STEEL SHAFT

Expert Quality, tubular steel handle. Weighs 4.5kg with a square footprint of 135mm. Sold loose.

Minimum order two or multiples thereof

Stock No.	Length
64379	1140mm

5 PHD/HDMP

HEAVY DUTY POST HOLE DIGGER WITH STEEL HANDLES

Expert Quality, manufactured with solid carbon steel blades and handles. Display carton.

Stock No.	Length
82429	1410mm

6 PHDHDA

HEAVY DUTY POST HOLE DIGGER

Timber from a Sustainable Managed Forest

Expert Quality, heavy duty head, ash handles with rubber grips. Hardened and tempered grab blades. Sold loose.

Stock No.	Length
26478	1480mm

7 PHD1

POST HOLE DIGGER WITH HARDWOOD HANDLES

Hardwood handles with hardened and tempered grab blades. Multiples of two only.

Minimum order two or multiples thereof

Stock No.	Length
34894	1480mm

DRAPER Expert

GROUND BUSTER®

IT DOES EXACTLY WHAT THE NAME SAYS

- It maximises effort and bust through hard ground, concrete, concrete blocks, rocks, solid clay, tree roots and other tough surfaces found during demolition and hole digging.
- A sliding internal weight gives a secondary impact maximising effort and Ground Buster® effectiveness.
- The Ground Buster® is designed to be suitable for use in remote locations where no power supply is available.





PATENTED TECHNOLOGY ANTI JARRING

WHAT GIVES THE GROUND BUSTER® THE EXTRA FORCE?

This is due to the sliding internal weight which gives a secondary impact, maximising effort and Ground Buster® effectiveness

- ✓ Maximises effort
- ✓ Reduces vibration, jarring and recoil/ bounce back
- ✓ Minimises fatigue, thereby increasing productivity
- ✓ A dynamic solution for when power is not available



TAMPING ATTACHMENT FOR STOCK Nos. 18250 AND 20779



SLIDING INTERNAL WEIGHT AND ANTI-JARRING MECHANISM



1.45M, 8kg STOCK No. 18250

1.55M, 10kg STOCK No. 20779

1 GD/HD

GROUND BUSTER®

Expert Quality, ideal for breaking up hard ground, concrete, concrete blocks, rocks, solid clay, tree roots and other tough surfaces found during demolition and hole digging. Heavy duty carbon steel construction with a hardened chisel point. An internal sliding weight built into the shaft gives a secondary impact which helps prevent jarring in the hands, wrists, shoulders, neck and back, it also helps prevent bounce back recoil when in use. Display carton.

Stock No.	Length	Weight
18250	1450mm	8kg
20779	1550mm	10kg
20780	Tamping Attachment	

YOUTUBE.COM/ DRAPERTOOLSTV



1 STEEL MESH CARTS

Steel fabricated cart with fold down sides, foam handle and heavy-duty pneumatic wheels. The handle on Stock No. 85634 easily converts for towing, making light work of moving heavy material. A heavy duty waterproof liner is available separately.

Stock No.	Part No.	Description	Internal Dimensions	Weight Capacity
58552	GMC	Cart	865 x 465 x 210mm	200kg
85634	GMC/450	Cart	1220 x 610 x 274mm	450kg
20760	GMC/L	Liner for 58552	865 x 465 x 210mm	
20768	GMC/450L	Liner for 85634	1220 x 610 x 274mm	
83966	YGMC-WHEEL	Spare wheel for 58552		
41388	YGMC/450-WHEEL	Spare wheel for 58552		

2 TIPPING CARTS

Reinforced steel frame chassis with toughened plastic tray, perfectly suited for a host of activities. The steel handle has a foam comfort grip and the steel sub frame is fitted with heavy-duty pneumatic wheels. The handle on Stock No. 52628 easily converts for towing, making light work of moving heavy material.

Stock No.	Part No.	Dimensions	Weight Capacity	Tipping Tub Size
52628	GTC/HD	1130 x 580 x 1080mm	450kg	120L
58553	GTC	1020 x 510 x 920mm	200kg	75L

NEW



5 TWB/1 1 TONNE BULK WASTE BAG

Manufactured to EN ISO 21898

Nylon bag with reinforced corners and handles. Maximum weight limit of 1000kg and size of 900 x 900 x 800mm. Packed in polythene bag.

Stock No.	Dimensions L x W x H
60064	900 x 900 x 800mm



6 HRPAF HOG RING PLIERS

Expert Quality, for use with hog rings used in vehicle interiors, upholstery and fencing applications. Automatic feed for one hand operation. Soft grip handles for user comfort. Supplied with 100 hog rings. Display packed.

Stock No.	Description
26317	Pliers
28320	Hog Rings (300pcs)



3 POLYETHYLENE TARPAULINS

Made from durable 80gsm mildew resistant PE material. All edges heat treated and re-inforced with cord in the hem. Fitted with aluminium eyelets at metre intervals. Display packed.


Stock No.	Part No.	Size
82652	TAR/2A	3M x 5M
82653	TAR/3A	4M x 6M
82654	TAR/4A	5M x 8M



4 HEAVY DUTY POLYETHYLENE TARPAULINS

Expert Quality, heavy duty tarpaulin made from durable 200gsm mildew resistant PE material. Suitable for applications where a heavier grade tarpaulin and greater protection against the elements is required. All corners reinforced with heavy duty plastic. Fitted with aluminium eyelets at metre intervals. Display packed.

Stock No.	Part No.	Size
82655	TAR/HD1	3M x 5M
82656	TAR/HD2	4M x 6M
82657	TAR/HD3	5M x 8M



7 GK12 EYELET/GROMMET KIT

Enables the repair of tarpaulins or tents when eyelets or grommets are required. Each kit is supplied with 3/8" punch, steel mandrel, anvil, wood backer block and 12 brass grommets. Display packed.

Stock No.	Description
85665	Grommet Kit
85666	Spare Grommets

WRECKING BARS, CROWBARS, DEMOLITION BARS AND PRY BARS



1.5M LONG FOR SUPERIOR LEVERAGE

1 CPDB

CHISEL POINT DIGGING BAR

Perfect for hard to get at roots or other digging activities.
Solid forged high carbon steel with taper point and sharpened end. Sold loose.

Minimum order two or multiples thereof

Stock No.	Length
54221	1.5M

2 CP/P

CHISEL POINT CROWBAR

32mm wide crow bar, forged from high carbon steel, with hardened chisel and point ends. Ideal for exerting pressure to lift and move heavy items and also demolition work.

Stock No.	Length
53074	1.5M



3 UB

DEMOLITION BARS

Ideal for heavy duty building site work i.e. demolition, dismantling timber work etc. Forged carbon steel chemically blacked with chisel end and swan neck. Sold loose.

Stock No.	Length
44450	350mm
44451	600mm
44452	900mm



4 BD9

WRECKING BARS

For dismantling timber work, case opening, etc. and removing nails. Forged high grain steel with chisel end and swan neck. Sold loose.

Stock No.	Length
64846	450mm
64854	600mm
75513	760mm



5 UBSET/3

DEMOLITION BAR SET (3 PIECE)

Ideal for heavy duty building site work i.e. demolition, dismantling timber work etc. Forged carbon steel chemically blacked with chisel end and swan neck. Display packed. Contents: one of each 350, 600 and 900mm long

Stock No.
41378



6 WB5

WRECKING BAR SET (5 PIECE)

Set comprising of two pry bars, two wrecking bars and an aligning bar. All bars are manufactured from high grade steel hardened at both ends. Display packed

Contents: • Pry bar (180mm) • Pry bar (350mm) • Aligning bar (450mm) • Wrecking bar (300mm) • Wrecking bar (450mm)

Stock No.
26123



7 PB

355mm PRY BAR/NAIL PULLER

Flat section with nail puller and chisel ends 35mm wide. Forged from good quality carbon steel hardened, tempered and painted black. Sold loose.

Stock No.
30975



8 NPCB

250mm PRY BAR/NAIL PULLER

Double-ended nail puller with crowfoot and chisel ends. Forged from good quality carbon steel hardened and tempered. Display packed.

Stock No.
36030



9 HB/A


450mm HEEL BAR

Used for levering, positioning and aligning jobs. The long pointed taper can be used for lining up drift. Roll head increases leverage. Manufactured from carbon steel hardened and tempered. Sold loose.

Stock No.
82805

FLOOR SCRAPERS

Quickly remove stubborn residues like carpet tile glue from hard surfaces.



1 LHFS

LONG HANDLED FLOOR SCRAPER

For scraping stubborn residues from hard surfaces. Fitted with a 75 x 200mm reversible, sharp edged steel blade. Attached with a steel handle with soft grip for added comfort. Overall length 1300mm. Sold loose.

Stock No.	Description
88631	Scraper
88635	Spare Blade

2 FSFG

LONG FIBREGLASS HANDLED FLOOR SCRAPERS

For scraping stubborn residues from hard surfaces. Fitted with a reversible, sharp edged steel blade. Attached with a fibreglass handle with soft grip for added comfort. Overall length 1600mm. Sold loose.

Stock No.	Description
54197	12" Scraper
54198	16" Scraper
54199	Spare Blade
54200	Spare Blade



3 CYB/B25/5

330mm YARD BROOM

Polypropylene/Sherbro mix head Supplied with wood shaft 1370mm long x 28mm dia. Sold loose in twos.

Minimum order two or multiples thereof

Stock No.
88618

4 BRM/COCOE

SOFT COCO BROOMS (300mm)

Soft coco broom supplied with support bracket and wooden handle.

Stock No.
01087

5 PBRM/COCOE

SOFT COCO PLATFORM BROOMS (600mm)

Soft coco platform broom supplied with support bracket and wooden handle.

Stock No.
01088

6 PBRM/BASSE

STIFF BASSINE BROOM (600mm)

Heavy duty broom suitable for outdoor use, fully assembled with support bracket and wooden handle

Stock No.
01089





7

STIFF BASSINE BROOM HEADS

Heavy duty, suitable for outdoor use. Handles supplied separately - 23mm Draper Stock No. 43786 or 28mm Draper Stock No. 43787. Option of extra support through use of broom bracket - Draper Stock No. 43789, clamp - Draper Stock No. 43790 or stay - Draper Stock No. 43791. Sold loose.

Stock No.	Part No.	Width	Hole Dia.
43769	BRM/DS	230mm	23mm
43772	BRM/BASS	300mm	23mm
43773	BRM/BASS	450mm	28mm
43775	PBRM/BASS	600mm	28mm

8 BRM/COCO

SOFT COCO BROOM HEADS

Heavy duty, suitable for both indoor and outdoor use. Handles supplied separately - 23mm Draper Stock No. 43786 or 28mm Draper Stock No. 43787. Option of extra support through use of broom bracket - Draper Stock No. 43789, clamp - Draper Stock No. 43790 or stay - Draper Stock No. 43791. Sold loose.

Stock No.	Width	Hole Dia.
43770	300mm	23mm
43771	450mm	28mm
43774	600mm	28mm





1 BRM/SBK

330mm SADDLEBACK BROOM HEAD

Heavy duty, suitable for outdoor use. Handle supplied separately - 28mm Draper Stock No. 43787. Sold loose.

Stock No.
43778

2 BRM/HAN

WOODEN BROOM HANDLES

Handles suitable for small or large broom heads. Sold loose.

Stock No.	Length	Diameter
43786	1220mm	23mm
43787	1525mm	28mm





3 SHTB

SHORT HANDLED TAR BRUSH

For applying all viscous materials especially applying liquid tar to flat roofs or to finish off road repair patches. Handle length 185mm. Sold loose.

Stock No.
43782

4 LHTB

LONG HANDLED TAR BRUSH

For applying all viscous materials especially liquid tar to finish off road repair patches. Handle length 1180mm. Sold loose.

Stock No.
43783





NEW

5 FSQ

RUBBER FLOOR SQUEEGEES

Handle sold separately - 28mm Draper Stock No.43787. Sold loose.

Stock No.	Width
43784	450mm
43794	600mm

6 FSQ/A

FLOOR SQUEEGEES

Moulded plastic frame with single-fold EVA insert provides effective water removal from hard floor surfaces. The all plastic construction is safe to use on delicate tile and marble floors and will not rust. Part of the One-Handle system. Uses handle Stock No. 02086.

Stock No.	Width
02087	450mm
02088	600mm



7 DPAN

DUST PAN

Pressed steel, shovel type dustpan attached to an ash wood handle. Display packed.

Stock No.
15226







8 PBRCK

23mm BROOM HEAD PLASTIC BRACKET

For fixing 23mm diameter handles to smaller flat broom heads. Fixings supplied separately. Sold loose.

Stock No.
43788

9 MBRCK

HEAVY DUTY METAL BROOM BRACKET

Suitable for large broom heads only, the diameter can be adjusted by means of wing nut and screw to take most popular diameter wood handles. Fixings supplied separately. Sold loose.

Stock No.
43789

10 MSTY

BROOM HEAD SUPPORT STAY

Helps to keep broom head steady whilst sweeping. Suitable for flat broom heads only. Fixings supplied separately. Sold loose.

Stock No.
43791







11 HBRM/COCO

255mm SOFT COCO HAND BRUSH

Traditional banister brush, suitable for outdoor and indoor use. Sold loose.

Stock No.
43779

12 HBRM/BASS

255mm STIFF BASSINE HAND BRUSH

Traditional banister brush, suitable for outdoor and indoor use. Sold loose.

Stock No.
43780

13 HS/BASS

200mm STIFF BASSINE SCRUBBING BRUSH

Traditional scrubbing brush suitable for various applications. Sold loose.

Stock No.
43781

OPTI-VISION™ LEVELS

Opti-Vision™ Red Horizontal Vial - creates highly visible red bubble definition for exact placement between the three gradient lines and optimal vision in bright and low light. Around eight times higher contrast ratio than conventional vials. With bridge at horizontal vial for toughness and uninterrupted marking surface.



The side view vial feature allows for improved sight of the vertical vial bubble through the mirror for accurate reading side on, also minimising user discomfort and reading errors.



OPTI-VISION™ VIAL | SIDE VIEW VIAL | REINFORCED PROFILE TO WITHSTAND KNOCKS | RARE EARTH MAGNETS | SHOCKPROOF END CAPS | SOLID ACRYLIC VIALS



1 D905-40PM

OPTI-VISION™ MAGNETIC BOX SECTION ERGO-GRIP™ LEVELS

Expert Quality, tough aluminium box section levels comprising two highly visible 'Opti-Vision' solid acrylic UV resistant vials, a reinforced horizontal vial with gradient lines and a vertical vial with side view into a patented curved profile for enhanced visibility. Electrostatically epoxy powder coated and baked for maximum protection. Fitted with 'Ergo-Grip'™ non-slip handle on 60cm and two on 90cm, oversized bi-material shock absorbing end caps and two rare earth magnets. The base has a finely milled surface. Accuracy 0.5mm per 1M = 0.029° in standard position.

Stock No.	Length
16169	600mm
16170	900mm

OPTI-VISION™ VIAL | SIDE VIEW VIAL | REINFORCED PROFILE TO WITHSTAND KNOCKS | SHOCKPROOF END CAPS | SOLID ACRYLIC VIALS



2 D905-40P

OPTI-VISION™ BOX SECTION ERGO-GRIP™ LEVELS WITH DUAL VIALS

Expert Quality, tough aluminium box section levels comprising two highly visible 'Opti-Vision' solid acrylic UV resistant vials, a reinforced horizontal vial with gradient lines and a vertical vial with side view into a patented curved profile for enhanced visibility. Electrostatically epoxy powder coated and baked for maximum protection. Fitted with 'Ergo-Grip'™ non-slip handle on 60cm and two on 90cm and above, oversized shock absorbing end caps. The base has a finely milled surface up to 120cm (1.8 and 2.0M unground. Accuracy 0.5mm per 1M = 0.029° in standard position.

Stock No.	Length
02320	600mm
02321	900mm
02322	1200mm
06996	1800mm
16171	2000mm
80857	1.2M Storage Bag
80858	1.8M Storage Bag

3 D935

OPTI-VISION™ TORPEDO LEVEL WITH MAGNETIC BASE (250MM)



Expert Quality, heavy duty cast aluminium level torpedo level with highly visible horizontal 'Opti-Vision' solid acrylic UV resistant vial set into the angles surface, one solid acrylic vertical vial and one angle finder solid acrylic vial all set within tough red housings for maximum visibility. Electrostatically epoxy powder coated and baked for maximum protection, shock absorbing end caps. The base has a finely milled surface, a V-groove for levelling pipework and two inset rare earth magnets. Accuracy 0.5mm per 1M = 0.029° in standard position.

Stock No.
16173



SIDE VIEW LEVELS

Items 1, 2 and 3 have a side view vial feature which allows for improved sight of the vertical vial bubble through the mirror for accurate reading side on, also minimising user discomfort and reading errors.



1 DL90

BOX LEVELS WITH MAGNIFIED VIAL AND SIDE VIEW VIAL

33% LARGER VIAL

DRAPER Expert

Expert Quality, aluminium box section levels with side view feature, comprising three highly visible solid acrylic and UV resistant vials, one magnified horizontal vial and two vertical vials, one with side view vial feature, milled base up to 1200mm. The 1.8M is fitted with one horizontal magnified vial and has an unmilled base. All the levels are electrostatically epoxy powder coated and baked for maximum protection. Fitted with shock absorbing end caps. The base has a finely milled surface (1.8M unground). Accuracy 0.5mm per 1M = 0.029° (1800mm 1mm per 1M = 0.057°) in standard position.

Stock No.	Length
75115	600mm
75123	900mm
75127	1200mm
75246	1800mm
82415	1.8M Storage Bag

2 D150-81C

I-BEAM LEVELS WITH SIDE VIEW VIAL

High quality, hardened aluminium girder section levels with three permanently fixed solid acrylic cylindrical shock resistant UV resistant vials, one horizontal, one vertical with side view feature and one 45° vial. Levels electrostatically, epoxy powder coated and baked for maximum protection. Metric/imperial rule on top edge. Fitted with shock absorbing end caps. V-Groove for levelling pipework. Accuracy 1.75mm per 1M = 0.1° in standard position.



Stock No.	Length
41393	600mm
41394	900mm
41395	1200mm

3 DL80

BOX LEVELS WITH SIDE VIEW VIAL

High quality, aluminium box section levels with three permanently fixed, shock resistant, acrylic UV resistant vials, one horizontal vial, one vertical and one 45° vials, one with side view vial feature. Precision milled top and bottom. Levels are electrostatically epoxy powder coated and baked for maximum protection. Fitted with shock absorbing end caps. Accuracy of 0.5mm per 1M = 0.029° in standard position.



Stock No.	Length
75102	600mm
75105	900mm
75106	1200mm
75107	1800mm

4 DL75

BOX LEVELS

Box section levels made from high quality aluminium with three permanently fixed shock resistant acrylic UV resistant vials, 300mm - one horizontal and one vertical vials, 600mm,900mm & 1200mm - one horizontal and two vertical vials, precision milled bottom. V-Groove for levelling pipework. All the levels are electrostatically epoxy powder coated and baked for maximum protection. Fitted with shock absorbing end caps. Accuracy of 0.5mm per 1M = 0.029° in standard position.



Stock No.	Length
75070	300mm
75071	600mm
75073	900mm
75101	1200mm



Lockable, adjustable blade for finding angles in various applications. The clear LCD shows absolute and relative angle options.



1 DAF

DIGITAL ANGLE FINDER (250mm)

Expert Quality, anodized finish with lockable adjustable blade for angle finding in various applications. LCD display with absolute and relative angle option. LCD readout reads 'right way' when turned through 180°. Accuracy 0.1°. Display packed.

Stock No.
74307

The side view vial feature allows for improved sight of the vertical vial bubble through the mirror for accurate reading side on



2 DL30

250mm CAST BOAT LEVEL WITH MAGNETIC BASE AND SIDE VIEW VIAL

Expert Quality, with side view vial. Cast aluminium with three solid acrylic vials, one horizontal, one 45° and vertical side view vial. Special milled base with two rare earth magnets. Accuracy: 0.5mm per 1M = 0.029° in standard position. Display packed.

Stock No.
69550

The side view vial feature allows for improved sight of the vertical vial bubble through the mirror for accurate reading side on



3 DL25

250mm TORPEDO LEVEL WITH MAGNETIC BASE AND SIDE VIEW VIAL

Expert Quality, ABS plastic magnetic 'V' groove level especially useful when levelling pipework. Fitted with three vials: horizontal, 45° and vertical with an accuracy 1.75mm per 1M = 0.1° in standard position. Display packed.

Stock No.
69554



4 DL22

230mm TORPEDO LEVEL WITH MAGNETIC BASE

ABS plastic with a V-groove magnetic strip in the base. Three vials, one horizontal, vertical and 45° vials. Incorporates a V groove in the top, rubber end caps and a hang hole. Vial sensitivity 0.1° with a level accuracy of 1.75mm/M = 0.57° in standard position. Display packed.

Stock No.
79579





5 DBTL

250mm CAST BOAT LEVELS

Horizontal and vertical vials, with precision milled base. Accuracy 1.0mm per 1M = 0.057° in standard position. Multiples of 12 levels only, supplied in countertop display.

Minimum order 12 or multiples thereof

Stock No.
45868



6 DL21

230mm BOAT LEVEL WITH MAGNETIC BASE

Moulded from polystyrene with a magnetic strip in the base. Unbreakable all-round reading horizontal, vertical and 45° vials. Incorporates a V groove in the top and a hang hole. Accuracy 1.75mm per 1M = 0.1° in standard position. Display packed.

Stock No.
69563



7 DL23

MINI LEVEL (100mm)

ABS plastic level with two vials and 0-90° angle finder in body. Accuracy 1.75mm per 1M = 0.1° in standard position. Display packed.

Stock No.
75112



8 DL24

LINE LEVEL (78mm)

ABS plastic, incorporating a pocket clip, line suspension hooks and V grooved ends. Can be used to check any surfaces including pipework. Accuracy 1.75mm per 1M = 0.1° in standard position. Display packed.

Stock No.
75111







1 PLF

POST LEVEL

Rigid post level made from durable re-inforced ABS plastic. Designed to plumb pipes, posts, level RSJ's and other applications where vertical or horizontal is required. Attached with four powerful magnetic pads for working with steel posts and fitted with a strong elastic band for fixing to non-magnetic surfaces. Two horizontal and one plumb tubular acrylic vials for convenience with an accuracy of 0.1deg (1.75mm/M). Dimensions level 121 x 78mm. Display packed.

Stock No.
75042



2 LDM-40M

DISTANCE MEASURER (40M)

Measures distances up to 40M/132ft in metric or imperial. The backlight LED screen displays area, volume and indirect measurements with an accuracy of ±1.5mm. The memory function enables addition, multiplications and subtractions. Uses 2 x AAA batteries (not supplied). Display packed.

Stock No.	Description
15102	Distance Measurer
61833	Batteries (4 x AAA)



3 LLK3

SELF-LEVELLING LASER LEVEL KIT (3 PIECE)

Designed for use where a constant level or repeat level measurements are required. Applications include alignment of windows, dado rails, kitchen units, stairs, outdoor levelling etc. Class 2 laser projects a horizontal, vertical or cross beam lines on surfaces. Accuracy 0.5mm per 1M = 0.029° within the operating distance of 3-8M. Self-levelling range ±6°. Supplied with heavy duty adjustable tripod (max. height 1.18M), rotating laser enhancement glasses and three AAA batteries. Comprehensive instruction manual included. Packed in blow mould carrying case with display sleeve.

Stock No.	Description
88640	Laser Level Kit
65643	Tripod
65644	Glasses
61833	Batteries (4 x AAA)



4 LLK2

400mm ROTATING LASER LEVEL KIT

Designed for use where a constant level or repeat level measurements are required. Applications include alignment of windows, dado rails, kitchen units, stairs, outdoor levelling etc. One horizontal and vertical vial. Operating distance of 3-8M with an accuracy of 0.5mm per 1M = 0.029° in standard position. Supplied with heavy duty adjustable tripod (max. height 1.18M), rotating base marked 360° for mounting level, laser enhancement glasses, two brass 90° line generating glass prisms and two AAA batteries. Supplied with manual. Packed in blow mould carrying case with display sleeve.

Stock No.	Description
69580	Laser Level Kit
65643	Tripod
65644	Glasses
61833	Batteries (4 x AAA)

section 17



PERSONAL PROTECTIVE EQUIPMENT (PPE)

742	Protective Clothing
743-746	Gloves
747-748	Protective Footwear
749-750	Eye Protection
751-752	Face Masks
753	Head and Ear Protection
754	Ear Protection and Harnesses
755	Knee Protection
756	Aprons/Back Support
757	First aid
758	Safe Storage
759-762	Safety Signs
763	Fire Fighting Equipment



1 HVTJA/B

HIGH VISIBILITY JACKETS

Conforms to EN471 and EN343 Class 3

Expert Quality, heavy duty PVC coated polyester outer fabric with high quality reflective tape and quilted lining with inner breast pocket. Jacket has two front pockets with storm flaps, internal wicking strip, concealed hood under collar and knitted inner storm cuffs. Full length two-way heavy duty zip with full length stud fastening storm flap. Display packed.

Stock No.	Size
84720	M
84721	L
84722	XL
84723	XXL



2 HVBJA/B

HIGH VISIBILITY BOMBER JACKETS

Conforms to EN471 and EN343 Class 3

Expert Quality, heavy duty PVC coated polyester outer fabric with high quality reflective tape and quilted lining. Fitted with two front pockets, storm flaps, internal wicking strip, inside telephone pocket and knitted inner storm cuffs. Full length two-way heavy duty zip with full length stud fastening storm flap. Display packed.

Stock No.	Size
84724	M
84725	L
84726	XL
84727	XXL



3 HVOTA/B

HIGH VISIBILITY OVER TROUSERS

Conforms to EN471 and EN343 Class 1

Unisex fitting with fully taped seams and elasticated waistband. Display packed.

Stock No.	Size
84729	M
84730	L
84731	XL
84732	XXL



4 HVWC

HIGH VISIBILITY WAISTCOATS

Conforms to EN471 Class 2

Lightweight tough polyester fabric with high quality reflective strips. Waistcoat has braided edges with convenient front hook and loop fastening. Display packed.

Stock No.	Size
73732	L
73742	XL



5 2PCRS

LIGHTWEIGHT RAIN SUIT (2 PIECE)

A highly durable and lightweight waterproof suit. The jacket has waterproof elasticated cuffs, two pockets with storm flaps, plastic zip with stud fastened storm flap and a drawstring hood making it ideal for extreme weather conditions. The tailored matching trousers have stud fasteners at the ankles and an elasticated waistband. A one size rain suit that fits up to 52" chest and 46" waist.

Stock No.
15043





PRODUCT LOCATOR

Look out for Chainsaw Gloves on page 743 and Safety Boots on page 748.



6 CSJ/N

CHAINSAW JACKETS

Manufactured in accordance with EN381 standards.

Expert Quality, protective jackets made from cotton/nylon mix with anti-cut inlay in accordance with EN381. Packed in polybag.

Stock No.	Size
12048	M
12052	L
12053	XL

7 CST/N

CHAINSAW TROUSERS

Manufactured in accordance with EN381 standards and KWF approved.

Expert Quality, protective trousers made from cotton/nylon mix with anti-cut inlay in accordance with EN381. Packed in polybag.

Stock No.	Size
12054	M
12055	L
12059	XL

PROFESSIONAL WORK GLOVES

"PAUL SAYS" QUALITY ASSURANCE MAKES THE DIFFERENCE



EN388

abrasion resistance
blade cut resistance
tear resistance
puncture resistance

PROTECT YOUR HANDS FROM MORE THAN JUST COLD WEATHER!

Many of our work gloves are independently and rigorously tested to European Standards, including **EN388** which evaluates the protection offered against mechanical risks.

The rating is based on 1-4 or 1-5 (lowest to highest). (x = no test performed).

A = abrasion resistance 1-4
B = blade cut resistance 1-5
C = tear resistance 1-4
D = puncture resistance 1-4





1 CSG

CHAINSAW GLOVES

Manufactured in accordance with EN381-7

Expert Quality, protective gloves for use with chainsaws. Manufactured from close fitting leather with a knitted cotton and silk blend wrists. Packed in polybag.

Stock No.	Size
18014	L/9
18015	XL/10



4.5.4.3



2 CRG

LEVEL 5 CUT RESISTANT GLOVES

Manufactured to BS EN388 Specifications 4.5.4.3

Expert Quality, anti-cut gloves with an elasticised cut resistant fibre knit. The knit provides superior flexibility, breathability and comfort when compared against leather. Essential gloves for operating cutting or abrasion machinery and handling glass. Display packed.

Stock No.	Size
82612	L/9
82614	XL/10





3 KS14/A

355mm LEVEL 5 CUT RESISTANT SLEEVE

Manufactured to BS EN 388 Specifications

Expert Quality, designed to prevent cuts to forearms making them ideal for sheet metal and plate glass work. Thumb slot ensures sleeve will remain in position whilst wearing. 13G polyester with polyurethane cut resistant coating. Display packed.

Stock No.
82591





2.1.3.1

4 PPWG

WEB GRIP WORK GLOVES

Manufactured to BS EN388 Specifications 2.1.3.1

Close fitting work gloves offering high dexterity while working. Made from shape fitting Spandex for a flexible, comfortable fit with a spiderweb patterned palm which offers a high level of grip and dexterity, perfect when handling polished mechanics tools and small components. Soft brow wipe material and padding to the knuckle area offer further comfort while working. Adjustable hook & loop cuff for a comfortable and secure fit.

Stock No.	Size
71114	L/9



2.1.1.1



5 PWG

WORK GLOVES

Manufactured to BS EN388 Specifications 2.1.1.1

Versatile work gloves made from shape-fitting Spandex for a flexible, comfort fit with a synthetic leather palm for durability and grip. Reinforced thumb crotch gives additional protection where it's most needed against wear and tear. Soft brow wipe material and padding to the knuckle area offer further comfort while working. Adjustable hook and loop cuff for a comfortable and secure fit.

Stock No.	Size
71111	L/9



2.1.2.1



6 TFFG

THREE FINGER FRAMER GLOVES

Manufactured to BS EN388 Specifications 2.1.2.1

Work gloves for specialist handling with thumb and two fingers exposed. The synthetic leather palm is coated with an anti-slip PVC overlay providing added grip. The neoprene and spandex back and EVA foam padding to palm delivers added user comfort. Fitted with neoprene cuffs with hook & loop wrist strap fastening. Display packed.

Stock No.	Size
14969	L/9
14971	XL/10




2.1.2.1

1 FLWG

FINGERLESS GLOVES

Manufactured to BS EN388 Specifications 2.1.2.1

Ideal for precision work, these fingerless work gloves are made from synthetic leather with a neoprene and spandex back. The EVA foam padding to the palm delivers added user comfort. Fitted with neoprene cuffs with hook & loop wrist strap fastening. Display packed.

Stock No.	Size
14972	L/9
14973	XL/10




2 HVMGA

HIGH VISIBILITY MECHANIC'S GLOVES

Expert Quality, leather palm and reinforced thumb join. Oil and grease resistant. Latex coated panels to fingertip and palm for extra grip. High visibility back with reflective strips on knuckles and fingers. Elasticated cuffs. Display packed.

Stock No.	Size
27618	L/9
27619	XL/10




3.1.2.1

3 SFPUG

HI-SENSITIVITY (SCREEN TOUCH) GLOVES

Manufactured to EN388.3121

13 gauge polyester gloves with polyurethane coated palms and elasticated wristbands, allowing wearers to operate touch-screen devices without removal of gloves. Display packed.

Stock No.	Size
65813	M/8
65816	L/9
65822	XL/10




2.1.2.1

4 HDLTG

HEAVY DUTY LATEX THERMAL GLOVES

Manufactured to BS EN388 Specifications 2.1.2.1

Seamless gloves with natural latex rubber coated palms and elasticated cuffs. Their good abrasion and tear resistance make them ideal for fabrication and assembly work. Display packed.

Stock No.	Size
82595	XL/10






2.1.4.3

5 HDLGA/B

HEAVY DUTY LATEX COATED WORK GLOVES

Manufactured to BS EN388 Specifications 2143

Multi purpose 10g polyester seamless gloves natural latex coated palms and fingertips providing extra grip and good protection from tears and punctures. Display packed.

Stock No.	Size	Colour	Qty
82721	L/9	Orange	per pair
82603	L/9	Green	per pair
82602	XL/10	Orange	per pair
82604	XL/10	Green	per pair
82751	XL/10	Orange	pack of 10




4.1.2.2

6 RGA/2

RIGGERS GLOVES

Manufactured to BS EN 388 Specifications 4122

Manufactured with split pig leather palm, thumb and knuckle guard, providing excellent abrasion resistance. Cotton backed with elastic expander and double fabric cuff. Display packed.

Stock No.	Size	Quantity
82748	XL/10	per pair
82749	XL/10	Pack of 10




3.1.2.2

7 PGRGL/B

PREMIUM LEATHER GARDENING GLOVES

Manufactured to BS EN 388 Specifications 3.1.2.2

Expert Quality, ideal for heavier work in the garden. The leather palms and cotton backs with double fabric cuff all combine to provide excellent abrasion resistance. Fleece inner lining for user comfort. Display packed.

Stock No.	Size
82609	L/9
82608	XL/10




4.1.4.4

8 HDLIG/B

HEAVY DUTY LEATHER INDUSTRIAL GLOVES

Manufactured to BS EN388 Specifications 4.1.4.4

Heavy duty split leather palm, thumb and knuckle guard. Cotton-backed with elastic wrist band and rubberized cuff.

Stock No.	Size
52324	XL/10





4.2.4.4



1 LWG/B

LARGE WELDERS GAUNTLETS

Manufactured to EN388 4.2.4.4 and EN407 4.1.3.X.4.X Standards

Fully lined leather welding gloves with a total length of 355mm. Display packed.

Stock No.	Size
52336	11



3.1.2.1



2 PVCGA

WET WORK GLOVES

Manufactured to EN388.3121

Expert Quality, heavy fabric glove with PVC dipped coating and knitted wrist bands. Display packed.

Stock No.	Size
27612	XL/10



4.1.2.1



3 PVCG40CM

400mm PVC GAUNTLETS

Manufactured to BS EN420 and EN388 Specifications 4.1.2.1

PVC dipped with open cuff for protection against acid, alkali and grease. Ideal for use when parts cleaning and washing. Display packed.

Stock No.
16229





4 XXGA

NON-SLIP WORK GLOVES

Non-slip gloves manufactured from polyester and cotton with a PVC criss cross nonslip grip. Display packed.

Stock No.	Size	Qty
27606	XL/10	per pair
82750	XL/10	Pack of 10





5 CPDG

NON-SLIP COTTON GLOVES

Made from 100% cotton with knitted wrist and polka dot non-slip palm. Display packed.

Stock No.	Size
27602	L/9



1 GLATHD-50L

HEAVYWEIGHT LATEX GLOVES (BOX OF 50)

Manufactured to EN374 Parts 1, 2 and 3 and EN420 Specifications

Expert Quality, non-sterile, powder free latex single use gloves with extended cuffs for extra protection. Made from 100% natural latex, providing comfort, fit and grip. Ideal for the automotive industry where abrasion is ordinarily an issue. Perfect for tyre-fitting. Textured surface provides grip in wet & oily situations, yet these gloves still allow excellent dexterity, essential when handling small parts.

Allergy advice: This product contains natural rubber latex, which may cause allergic reactions.

Order number of boxes required

Stock No.	Size
63763	L/9



2 NGRHD-50L

HEAVYWEIGHT NITRILE GLOVES (BOX OF 50)

Manufactured to EN374 Parts 1, 2 and 3 and EN420 and EN455 Parts 1, 2, 3 and 4 Specifications

Expert Quality, non-sterile, powder free nitrile single use gloves. Thicker and heavier than standard nitrile gloves and with a textured surface. Ideal for heavy-duty tasks whilst providing enhanced grip and dexterity. Latex and powder-free.

Order number of boxes required

Stock No.	Size
63764	L/9



3 GLAT-10L

LATEX GLOVES (PACK OF 10)

Manufactured to EN455 Parts 1, 2, 3 and 4 and EN374 Parts 1, 2 and 3 and EN420 Specifications and Tested in accordance with EN1186

Non-sterile, powder free latex single use gloves. Made from 100% natural latex, providing comfort, fit and grip. They're highly resistant to biohazards plus common cleaning materials. Tested in accordance with EN1186, making them well-suited for use with all food categories.

Allergy advice: This product contains natural rubber latex, which may cause allergic reactions.

Order number of packs required

Stock No.	Size
63767	L/9



4 NGSB-10L

NITRILE GLOVES (PACK OF 10)

Manufactured to EN455 Parts 1, 2 & 3 and EN374 Parts 2 and 3 Specifications

All-purpose glove ideal for use as a barrier layer. Gloves have the puncture resistance of latex. Guaranteed free from allergenic latex proteins so can be used by personnel with an allergy to latex. Low stress properties reduce hand fatigue.

Order number of packs required

Stock No.	Size
63765	L/9





5 GLAT-100L

LATEX GLOVES (BOX OF 100)

Manufactured to EN455 Parts 1, 2, 3 and 4 and EN374 Parts 1, 2 and 3 and EN420 Specifications and Tested in accordance with EN1186

Non-sterile, powder free latex single use gloves. Made from 100% natural latex, providing comfort, fit and grip. They're highly resistant to biohazards plus common cleaning materials.

Allergy advice: This product contains natural rubber latex, which may cause allergic reactions.

Order number of boxes required

Stock No.	Size
63762	L/9



6 NGSB-100

NITRILE GLOVES (BOX OF 100)

Manufactured to EN455 Parts 1, 2, 3 and 4 and EN374 Parts 1, 2 and 3 and EN420 Specifications and Tested in accordance with EN1186

Nitrile gloves for protecting hands during use of common cleaning materials. Resistant to common hydrocarbons such as vehicle fuel. Ideal for general-purpose use in industrial, janitorial, care and catering.

Order number of boxes required

Stock No.	Size
63759	M/8
63758	L/9



7 NGBLK-100L

WORKSHOP NITRILE GLOVES (BOX OF 100)

Manufactured to EN455 Parts 1, 2, 3 and 4 and EN374 Parts 1, 2 and 3 and EN420 Specifications and Tested in accordance with EN1186

Non-sterile, powder free, nitrile single use glove. Manufactured with full palm and finger texture, aiding work in wet or oily conditions and provides greater puncture resistance than latex or vinyl gloves. Resistant to hydrocarbons found in antifreeze, paint & thinners, petrol, oil etc.

Order number of boxes required

Stock No.
63760



8 GVIN-100L

SOFT VINYL GLOVES (BOX OF 100)

Manufactured to EN455 Parts 1, 2, 3 and 4 and EN374 Parts 1, 2 and 3 and EN420 Specifications and Tested in accordance with EN1186

Powder-free, food-safe, single use gloves. Ideal for short-term, low-risk tasks such as food-handling or light cleaning. Made from vinyl providing a cost-effective alternative to latex or nitrile gloves.

Order number of packs required

Stock No.	Size
63761	L/9

FOOTWEAR PROTECTION GUIDE

Safety footwear has many protective features in addition to the toe protection. The protective properties of the footwear can be identified by the marking on the CE labels found inside the footwear, see table below.

CATEGORY OF PROTECTION	S1	S3	S5 (POLYMERIC UPPER)
SB - SAFETY TOE CAP 200J	✓	✓	✓
P - PENETRATION RESISTANT OUTSOLE COMPLEX	(IF MARKED)	✓	✓
A - ANTISTATIC	✓	✓	✓
FO - FUEL OIL RESISTANT OUTSOLE	✓	✓	✓
E - ENERGY ABSORPTION OF THE HEEL	✓	✓	✓
WRU - WATER RESISTANT UPPER	-	✓	-
CLOSED SEAT REGION	-	✓	✓
CLEATED OUTSOLE	-	✓	✓

ADDITIONAL MARKING	PROTECTION PROPERTY OFFERED
SRA	SLIP RESISTANCE ON TILES WITH SOAPY WATER LUBRICANT
SRC	SLIP RESISTANCE ON TILE WITH SOAPY WATER AND STEEL WITH GLYCEROL LUBRICANT
WR	WHOLE FOOTWEAR WATER RESISTANCE
HRO	HEAT RESISTANT OUTSOLE
HI	HEAT INSULATION
CI	COLD INSULATION



1 NUBSB

NUBUCK STYLE SAFETY BOOTS S1 P SRC

Manufactured to EN ISO 20345 Specifications

Upper shoe made from honey nubuck leather with a mesh fabric lining. Each shoe has an epoxy coated steel toecap, stainless spring steel midsole and a pull on heel tab. For added comfort the footwear has anatomically designed EVA insoles delivering exceptional comfort

VAT exempt in the UK

Stock No.	Size Uk	Size EU
85965	7	41
85967	8	42
85968	9	43
85969	10	44
85970	11	46
85971	12	47
15065	Spare Laces	



2 CHSB

CHUKKA STYLE SAFETY BOOTS-S1-P-SRC

Manufactured to EN ISO 20345 Specifications

Upper boot made from leather with a mesh fabric lining. Each boot has an epoxy coated steel toecap, stainless spring steel midsole. For added comfort the footwear has anatomically designed EVA insoles delivering exceptional comfort.

VAT exempt in the UK

Stock No.	Size Uk	Size EU
85950	7	41
85951	8	42
85952	9	43
85953	10	44
85954	11	46
85955	12	47
16432	Spare Laces	



3 COMSS

100% NON-METALLIC COMPOSITE SAFETY SHOES-S1-P-SRC

Manufactured to EN ISO 20345 Specifications

100% non-metallic shoe featuring an upper made from leather with a mesh fabric lining. Each shoe has a composite toecap, non metallic penetration resistant insole and a pull on heel tab. For added comfort the footwear has anatomically designed EVA insoles delivering exceptional comfort.

Stock No.	Size Uk	Size EU
85956	4	37
85957	5	38
85958	6	40
85959	7	41
85960	8	42
85961	9	43
85962	10	44
85963	11	46
85964	12	47
15063	Spare Laces	





1 WPSB

WATERPROOF SAFETY BOOTS-S3-SRC

Manufactured to EN ISO 20345 Specifications

Upper boot made from leather with a waterproof membrane backed mesh fabric lining. Each boot has an epoxy coated steel toecap, stainless spring steel midsole and a pull on heel loop. For added comfort the footwear has anatomically designed EVA insoles delivering exceptional comfort.

VAT exempt in the UK

Stock No.	Size Uk	Size EU
85978	7	41
85979	8	42
85980	9	43
85981	10	44
85982	11	46
85983	12	47
16432	Spare Laces	



2 COMSB

100% NON-METALLIC COMPOSITE SAFETY BOOTS-S3

Manufactured to EN ISO 20345 Specifications

100% non-metallic boots featuring an upper made from leather with a mesh fabric lining. Each boot has a composite toecap, non metallic penetration resistant insole and a pull on heel loop. For added comfort the footwear has anatomically designed EVA insoles delivering exceptional comfort

VAT exempt in the UK

Stock No.	Size Uk	Size EU
85984	7	41
85985	8	42
85986	9	43
85987	10	44
85988	11	46
85989	12	47
15064	Spare Laces	



3 LWST

TRAINER STYLE SAFETY SHOES S1 P SRC

Manufactured to EN ISO 20345 Specifications

Upper made from suede and mesh fabric lining. Attached with an epoxy coated steel toecap, stainless spring steel midsole and a pull on heel loop. For added comfort the footwear has anatomically designed EVA insoles delivering exceptional comfort.

Stock No.	Size Uk	Size EU
85941	4	37
85942	5	38
85943	6	40
85944	7	41
85945	8	42
85946	9	43
85947	10	44
85948	11	46
85949	12	47
15063	Spare Laces	



4 RIGSB

RIGGER STYLE SAFETY BOOTS

Manufactured to EN ISO 20345 Specifications

Upper boot made from leather with acrylic fur lining. Each boot has an epoxy coated steel toecap, stainless spring steel midsole, padded ankles and a pull on loops. For added comfort the footwear has anatomically designed EVA insoles delivering exceptional comfort.

VAT exempt in the UK

Stock No.	Size Uk	Size EU
85972	7	40
85973	8	42
85974	9	43
85975	10	44
85976	11	46
85977	12	47



5 SWB/C

SAFETY WELLINGTON BOOTS WITH METAL TOECAPS-S5

Manufactured to EN20345; S5

General work wear wellington boots with steel toecap and stainless spring steel midsole ideal for site work. 100% polymeric moulded boot and entirely waterproof.

Rated zero VAT in UK

Stock No.	Size Uk	Size EU
02697	7	40
02698	8	42
02699	9	43
02700	10	44
02701	11	46
02702	12	47



6 CSB/N

CHAINSAW BOOTS

Manufactured in accordance with EN ISO 17249 Class 2

Expert Quality, chainsaw cut resistant boots made from nitrile rubber with a cut resistant inlay. Hand built and vulcanised construction with steel toe caps and stainless spring steel midsoles.

Rated zero VAT in UK

Stock No.	Size UK	Size EU
12060	8	42
12063	9	43
12066	10	44
51510	11	46

SAFETY GLASSES AND GOGGLES PROTECTION GUIDE

All our eyewear is tested in accordance with EN166, EN170 and EN172 standards with various features, such as; anti-mist, UV protection, light-enhancement, flip up lenses, scratch resistance, flexible frames, ratcheting side arms and tinted lenses.

RADIATION PROTECTION RATING (EN170, EN172)				
2	2C or 3	4	5	6
UV Protection (EN170). May affect colour recognition	UV Protection (EN170).The number 2C (previously 3) indicates the filter allows good colour recognition	Infrared Protection (EN171)	Solar Protection (EN172) - 100% UV protection with no infrared protection	Solar Protection (EN172) - 100% UV protection with infrared protection

SHADE RATING (EN170, EN172)			
1.2	1.7	2.5	3.5
Light Transmission 74.4% - 100%	Light Transmission 43.2% - 58.1%	Light Transmission 17.8% - 29.1%	Light Transmission 8.0% - 17.8%

LENS STRENGTH RATING (EN166)			
F	B	A	T
Withstand small objects travelling up to 45 metres per second	Withstand small objects travelling up to 120 metres per second	Withstand small objects travelling up to 190 metres per second	Withstand extreme temperatures

NEW



1 SSP16

CLEAR ANTI-MIST GLASSES

Conforms to EN166, EN170, EN172 specifications: 2C-1.2-F

Expert Quality, lightweight safety glasses with clear polycarbonate wrap-around anti-scratch and anti-fog lenses. Removable foam inner frame with adjustable and removable elastic headband, enabling the eyewear to be used as conventional glasses or basic safety spectacles. The inner headband provides a closer fit, delivering enhanced protection.

Stock No.
02939

NEW



2 SSP15

SMOKED ANTI-MIST GLASSES

Conforms to EN166, EN170, EN172 specifications: 5-3.1-F

Expert Quality, lightweight safety glasses with smoked polycarbonate wrap-around anti-scratch and anti-fog lenses. Removable foam inner frame with adjustable and removable elastic headband, enabling the eyewear to be used as conventional glasses or basic safety spectacles. The inner headband provides a closer fit, delivering enhanced protection.

Stock No.
02938

NEW



3 SSP17

RX INSERT CLEAR ANTI-MIST GLASSES

Conforms to EN166, EN170, EN172 specifications: 2C-1.2-F

Expert Quality, lightweight safety glasses with clear polycarbonate wrap-around anti-scratch and anti-fog lenses with the facility to attach prescription lenses. Soft rubber nosepiece and rubber-tipped arms for a secure and comfortable fit.

Stock No.
03019



4 SG

SAFETY GOGGLES

Conforms to EN166.1.B Specifications

Compact and lightweight PVC frame and tough polycarbonate lens provide protection from flying debris. Vented body keeps air circulating whilst working. Display packed.

Stock No.
51129



5 PSG1

SAFETY GOGGLES

Conforms to EN166.1 B Specifications

Traditional pattern with indirect ventilation, anti-mist impact resistant polycarbonate lens and adjustable elasticated strap. For protection against particles i.e cinders, low grade debris etc. Manufactured from impact resistant polycarbonate. Display packed.

Stock No.
51130



6 SG1

SAFETY GLASSES

Conforms to EN166.1.F. Specifications

Manufactured from impact resistant polycarbonate. Gives clear distortion free viewing. Can be used over conventional spectacles. For use when filing, sanding, planing, routing and many other potentially hazardous jobs involving a risk of eye injury from a low velocity impact. Display packed.

Stock No.
51132



1 SSPY10A

YELLOW ANTI-MIST GLASSES

NEW

Conforms to EN166, EN170, EN172 specifications: 2C-1.2-F

Lightweight safety glasses with yellow tint polycarbonate anti-scratch and anti-fog lenses. The yellow tinted lenses are perfectly suited for working in bright conditions, favoured by painters and decorators when painting white walls. Fitted with a soft rubber nose piece and rubber-tipped arms achieving a secure and comfortable fit.

Stock No.
02935



2 SSP12UVA

CLEAR ANTI-MIST GLASSES

NEW

Conforms to EN166, EN170, EN172 specifications: 2C-1.2-FT

Lightweight safety glasses with clear polycarbonate wrap-around anti-scratch and anti-fog lenses. The sport-style safety glasses are built to withstand extreme temperatures. Fitted with a soft rubber nose piece and rubber-tipped arms achieving a secure and comfortable fit.

Stock No.
02936



3 SSP10A

CLEAR ANTI-MIST GLASSES

NEW

Conforms to EN166, EN170, EN172 specifications: 2C-1.2-FT

Lightweight safety glasses with clear polycarbonate wrap-around anti-scratch and anti-fog lenses. Fitted with a soft rubber nose piece and rubber-tipped arms achieving a secure and comfortable fit.

Stock No.
02937



4 SSP14

SMOKED ANTI-MIST ADJUSTABLE GLASSES

Conforms to EN166 1 FT Specifications: 5-3.1FT

Wrap-around safety glasses with smoked, scratch-resistant lenses that maintain lens strength at extreme temperatures. Rubber nosepad and side arms for added comfort. Display packed.

Stock No.
73752



5 SSP13

CLEAR ANTI-MIST ADJUSTABLE GLASSES

Conforms to EN166 1 F Specifications: 2-1.2F

Safety glasses with clear, scratch-resistant lenses. Two-way adjustable side arms to ensure optimum fit, no matter your face shape and size. Display packed.

Stock No.
73743



6 SSP7UVA

SMOKED ANTI-MIST GLASSES

NEW

Conforms to EN166, EN170, EN172 specifications: 2C-1.2-F

Expert Quality, lightweight safety glasses with smoked polycarbonate wrap-around anti-scratch and anti-fog lens. Soft rubber nosepiece and telescopic arms for a flexible, secure and comfortable fit.

Stock No.
02934



7 SSP8A

CLEAR ANTI-MIST GLASSES

NEW

Conforms to EN166, EN170, EN172 specifications: 2C-1.2-F

Lightweight safety glasses with clear polycarbonate wrap-around anti-scratch and anti-fog lens. Fitted with a soft rubber nose piece and rubber-tipped arms achieving a secure and comfortable fit.

Stock No.
02931



SAFETY GLASSES COUNTERTOP DISPLAY

Two attractive display options for stockist use only - choose the option best suited for your business needs.

OPTION 1

Buy a pre-determined popular selection of 36 pairs and get the display stand free.

OPTION 2

Buy 36 pairs of any combination of spectacles and get the display free. Contact your Draper Representative or the sales desk on +44 (0)23 8049 4333 for this option and ask for a copy of the order form.





8 *SSDS/36

COUNTERTOP DISPLAY OF SIX SAFETY SPECTACLES

Attractive display for six pairs of Draper safety spectacles. Supplied with a predetermined selection of six different safety spectacles, 6 x 02931, 6 x 02934, 6 x 73752, 6 x 02935, 6 x 02936 and 6 x 02937.

Stock No.
23341

PLEASE NOTE: THIS STAND CAN ONLY BE ORDERED WITH OPTION 2 USING A SPECIFIC ORDER FORM OBTAINABLE VIA DRAPER REPRESENTATIVES OR ON THE DRAPER B2B ORDERING SYSTEM. CONTACT THE SALES DESK ON +44 (0)23 8049 4333 AND ASK FOR A COPY OF THE ORDER FORM

PROFESSIONAL FACE MASKS

CE marked face masks reduce the amount of dust you breathe. FFP1, FFP2 & FFP3 have an APF (Assigned Protection Factor) indicating the protection level you get if the masks are worn correctly (reducing particles inhaled by factors of 4, 10 and 20 respectively). If, for example you are exposed to high levels of grain dust or MDF sawdust or will be exposed to the use of aerosols, an FFP3 mask is advisable. Our FFP2 Welding masks have an additional carbon filter, which protects against welding fumes and ozone - a by-product of MIG & TIG welding. Our FFP1 Decorator's mask has a charcoal filter that reduces the effect of paint & varnish odours - often the cause of headaches or dizziness.

CE All masks provided for use at work must be CE marked to show that the product has been tested to a recognised standard

NR Not reusable. If masks are marked NR, they should be used for a single shift only and should be disposed of after use.

FFP1, FFP2, FFP3 are designed to filter out dust and particles. (The higher the number, the more protection given). They must not be used where there is an oxygen-deficient atmosphere or harmful gases & vapours.

FFP1 - APF 4 - when worn correctly will reduce exposure by at least a factor of 4 (filtering efficiency 80%)
FFP2 - APF 10 - when worn correctly will reduce exposure by at least a factor of 10 (filtering efficiency 94%)
FFP3 - APF 20 - when worn correctly will reduce exposure by at least a factor of 20 (filtering efficiency 99%)



1

DISPOSABLE NUISANCE DUST MASKS

Dust masks for protection against non toxic dusts and powders. Suitable only to reduce discomfort caused by exposure to coarse non-toxic particles.

NB: This dust mask is NOT a respiratory protective device and SHOULD NOT be used against fine particles, gases, vapours or paint sprays. It SHOULD NOT be used where a device with European Directive 89/686 or 89/656 is required.

Stock No.	Part No.	Quantity
82477	NFM5	5
82478	NFM50	50



2 FM1

NUISANCE DUST MASK

This aluminium mask can be contoured to fit comfortably around the mouth and nose. Suitable only to reduce discomfort caused by exposure to coarse non-toxic particles where the concentration of the particles does not exceed the maximum permissible exposure. Each mask is Supplied with two replacement pads. Display packed.

NB: This dust mask is NOT a respiratory protective device and SHOULD NOT be used against fine particles, gases, vapours or paint sprays. It SHOULD NOT be used where a device with European Directive 89/686 or 89/656 is required.

Stock No.	Description
24958	Dust Mask
24959	6 Refill Pads



3 FM2

COMFORT MASK SET

Comprising one mask with five filters and sanitary face cloth. For protection against non toxic dusts and powders. Suitable only to reduce discomfort caused by exposure to coarse non-toxic particles where the concentration of the particles does not exceed the maximum permissible exposure. Display packed.

NB: This dust mask is NOT a respiratory protective device and SHOULD NOT be used against fine particles, gases, vapours or paint sprays. It SHOULD NOT be used where a device with European Directive 89/686 or 89/656 is required.

Stock No.	Description
18058	Mask Set
18059	Spare Filter Set





4

FFP1 NR MOULDED DUST MASK

Conforms to EN149-FFP1 Specifications

Lightweight disposable facemasks attached with elasticated straps and adjustable nose clip, which delivers a contoured fit. Display packed.

Stock No.	Part No.	Quantity
82480	FM-FFP1-M5	5
82481	FM20/10/B	10






5

FFP1 NR FOLD FLAT MASKS

Conforms to EN149-FFP1 Specifications

Masks that deliver protection from solids and liquid aerosol variants. Fitted with elasticated straps, which provide a comfortable contoured fit. Display packed

Stock No.	Part No.	Quantity
82563	FM-FFP1-FF	2
82564	FM-FFP1-FF	10



6

FFP1 NR MASKS WITH CHARCOAL ACTIVATED FILTER FOR PAINTING AND DECORATING

Conforms to EN149-FFP1 Specifications

Expert Quality, lightweight disposable face mask with charcoal activated filter for added protection against the effects of paint, varnish and glue odours. The elasticated straps and adjustable nose clip deliver a contoured fit and the easy breathe single exhalation valve combine to provide high levels of user comfort. Display packed.

Stock No.	Part No.	Quantity
82561	FM-FFP1-CH2	2
82562	FM-FFP1-CH10	10



1

FFP2 NR MOULDED MASKS

Conforms to EN149-FFP2 Specifications

Lightweight disposable facemasks with filter attached for added protection. The elasticated straps and adjustable nose clip deliver a contoured fit and the easy breathe single exhalation valve combine to provide high levels of user comfort. Display packed.

Stock No.	Part No.	Quantity
82482	FM25/B	3
82483	FM25/10/B	10



2 FM12PC/B

FFP2 NR MOULDED DUST MASKS (PACK OF THREE)

Conforms to EN149-FFP2 Specifications

Expert Quality, lightweight disposable facemasks with flexible PE mesh shell allowing maximum shape retention and filter for added protection. The elasticated straps (which delivers a contoured fit) and the easy breathe single exhalation valve combine to provide high levels of user comfort. Passes the (optional) Dolomite clogging test. Display packed.

Order number of packs required (3 per pack)

Stock No.
82486



3

FFP2 NR VERTICAL DUST MASK

Conforms to EN149-FFP2 Specifications

Lightweight disposable dust mask with valve for protection against fine dusts and fibres. The elasticated straps, adjustable nose clip and easy breath single exhalation valve deliver a contoured comfortable fit and use. Display packed.

Stock No.	Part No.	Quantity
82565	FM-FFP2-FF	2
82566	FM-FFP2-FF	10



4 FM26

FFP2 NR DUST MASK FOR WELDING

Conforms to EN149-FFP2 Specifications

Expert Quality, lightweight disposable dust mask with carbon filter for protection against welding fumes (fine metal particulates), ozone (produced as a by-product of MIG and TIG welding), organic vapours, fine toxic dust fibres and aqueous mists. The easy breathe single exhalation valve, adjustable nose clip and elasticated straps deliver a contoured comfortable fit for the user, which can be worn under a welding mask/helmet if required. Display packed.

Stock No.	Part No.	Quantity
82484	FM26/B	3
82485	FM26/B	10



5

FFP3 NR MOULDED DUST MASK

Conforms to EN149-FFP3 Specifications



Lightweight disposable facemasks with filter attached for added protection. The elasticated straps and adjustable nose clip deliver a contoured fit and the easy breathe single exhalation valve combine to provide high levels of user comfort. Display packed.

Stock No.	Part No.	Quantity
82567	FM-FFP3-FF	3
82569	FM-FFP3-FF	10



6 FM13PC/B

FFP3 NR MOULDED DUST MASKS (PACK OF TWO)

Conforms to EN149-FFP3 Specifications

Expert Quality, lightweight disposable facemasks with flexible PE mesh shell allowing maximum shape retention and filter for added protection. The elasticated straps (which delivers a contoured fit) and the easy breathe single exhalation valve combine to provide high levels of user comfort. Passes the (optional) Dolomite clogging test. Display packed.

Order number of packs required (2 per pack)

Stock No.
82489



7 FM27/B

FFP3 NR VERTICAL FOLD FLAT MASK

Conforms to EN149-FFP3 Specifications

Lightweight disposable dust mask with valve for protection against very fine dusts, fibres, aqueous mists and oil based mists. The elasticated straps, adjustable nose clip and easy breath single exhalation valve deliver a contoured comfortable fit and use. Display packed.

Stock No.	Part No.	Quantity
82487	FM27/B	2
82488	FM27/B	10

VAPOUR AND DUST FILTER RESPIRATOR

NEW

8 VDFRA1P2

COMBINED VAPOUR AND DUST FILTER RESPIRATOR

Mask conforms to EN140, filters to A1P2

Vapour and dust mask, providing effective protection against vapour and particulates found in industry. Ideal for when working with substances that release VOCs like paints, solvents, resins, varnishes, lacquers, pesticides and adhesives. The twin filters assist when heavy duty manual work demands easy breathing. Display packed.



Stock No.	Description
03021	Respirator
03030	Spare Filters (2)





1 CSH/TA

FORESTRY HELMET

Manufactured in accordance with 89/686/EEC, Norm EN397, EN352 and EN1731

ABS durable shell, complete with face/eye visor, adjustable elasticated chin strap and noise protection ear defenders with SNR rating of 25.9dB. Display packed.

Rated zero VAT in UK

Stock No.	Description
82646	Helmet
82649	Spare Visor



2 SHEMV

SAFETY HELMET, EAR DEFENDERS AND VISOR

Helmet conforms to EN 397 Specifications

Ear Defenders conform to PR EN 352-3 Specifications

Visor conforms to EN 166-3B/EN 1731 F Specifications

Fully adjustable head harness with high density polyethylene shell. Clear polycarbonate visor, also available separately. Ear defenders, SNR Rating 25.9dB. Supplied with fitting and adjustment instructions. Carton packed.

Stock No.	Description
69933	Helmet
71285	Spare Visor



3 FS8

FACESHIELD

Conforms to EN166 and EN1731 Specifications.

Clear polycarbonate. Providing a clear view with adjustable browguard, sweatband and harness. Display packed.

Stock No.	Description
82699	Faceshield
82648	Spare Visor





4 SH1

SAFETY HELMETS

Conforms to EN 397 Specifications

Fully adjustable head harness within an impact tested, high density polyethylene shell. Helmets in standard construction site colours to satisfy the new 'Safety Helmet Colour Standard'. Sold loose.

Rated zero VAT in UK

Stock No.	Colour
51138	Yellow
51139	White
51140	Blue
65705	Orange
65706	Black



5 BMPC1/B

BUMP CAP

Conforms to EN812 Specifications

Baseball cap style with plastic shell providing lightweight head protection. Fitted with ventilation holes for added user comfort.

Stock No.
16279



6 ED

EAR DEFENDERS

Conforms to EN 352-1 Specifications

Lightweight and robust ear defender providing cost-effective protection. Durable high-impact polystyrene. Fully approved against high noise levels during woodwork machinery operation, metalworking, drilling, etc. SNR rating 26dB. Display packed.

Stock No.
51135



7 ED3/A

FOLDABLE EAR DEFENDERS

Conforms to EN 352-1 Specifications

Lightweight and robust ear defender. Its folding design provides convenient, safe storage. Manufactured from durable high-impact plastic. Fully approved for use against high noise levels. SNR Rating 32.1dB. Display packed.

Stock No.
82651



8 ED2/A

HELMET ATTACHABLE EAR DEFENDERS

Conforms to EN 352-1 Specifications

Lightweight and robust ear defender, designed to attach to protective helmets. Manufactured from durable high-impact plastic. Fully approved for use against high noise levels. SNR Rating 25.9dB. Display packed.

Stock No.
82650



"DAVE SAYS" QUALITY MAKES THE DIFFERENCE

Many people are exposed to loud noise at their workplace that could result in damage to their hearing. Noise regulations were imposed, protecting workers from the health risks caused by noise. The aim of the noise regulations is to ensure that workers hearing is protected from excessive noise, which if unchecked could cause them to lose their hearing and/or to suffer from tinnitus (permanent ringing in the ears). Compliance with noise regulations allows workers' hearing to be protected. For further information on the latest noise regulations visit www.hse.gov.uk.



1 EP10/B

EAR PLUGS (PACK OF 10 PAIRS)

Manufactured to EN352-2 SNR 33dB Specifications

Soft PU foam which gives high performance protection. Tapered design which reverts to original shape after use. Display packed.

Stock No.
82448



2 EP50/B

EAR PLUGS (JAR OF 50 PAIRS)

Manufactured to EN352-2 Specifications

Soft PU foam which gives high performance protection. Tapered design which reverts to original shape after use. Display packed 50 pairs in plastic jar.

Stock No.
82449



3 EP2D/B

COUNTERTOP DISPENSER OF EAR PLUGS (200 PAIRS)

Manufactured to EN352-2 Specifications

Soft PU foam which gives high performance protection. Tapered design which reverts to original shape after use. Packed in individual packets for easy dispensing. Shrink wrapped for security.

Stock No.
82450



4 EP1/B

EAR PLUGS

Pre-moulded for secure fit with reversible flanges for easy cleaning. Integral cord prevents plug loss. Supplied in plastic box. Display packed in poly bag with header.

Stock No.
82453



5 KAR/F/B

SAFETY KARABINER

Manufactured to EN362 Safety Specifications

With screwgate fixing. 17mm opening. Display packed.

Stock No.
82472



6 TL-3/B

3KG TOOL LANYARD

For use with tools working at height. High quality woven material. Maximum extension length 1.34M. Display packed.

Stock No.
82474



7 HNS/F/B

SAFETY HARNESS

Manufactured to EN361 Safety Specifications

Expert Quality, fully adjustable leg, shoulder and chest straps. Supplied in canvas storage bag. Display carton.

Stock No.
82471



8 LA/F/B

FALL ARREST LANYARD (2M)

Manufactured to EN Safety Specifications - EN354 webbing and EN362 hooks

Expert Quality, nylon webbing with a spring-loaded hook and karabiner one for clamping to scaffolding and other to attach to harness together with shock-absorbing nylon web strap in plastic sleeve. If user falls the strap will safely extend to prevent massive shock loading and major injury to user. Supplied in draw string storage bag. Display packed.

This is a single-use product - once the web strap has performed its fall arrest function and broken out of its protective sleeve the product CANNOT be used again

Stock No.
82473







1 KP7

FOAM KNEE PADS

Complies with EN 14404

Expert Quality, type 1 foam knee pads with gel-effect cushions. Pads are secured with hook and loop straps. Packed in polythene bag with display card.

Stock No.
43912



2 KP5

LEATHER KNEE PADS

Expert Quality, made from top grain leather with high quality felt inners. Pads are secured with hook and loop straps. Packed in polythene bag with display card.

Stock No.
72932



NEW

3 KP1/B

CELLULAR RUBBER KNEE PADS

Pair of cellular rubber knee pads with strap and metal loop fixing, which helps fasten the knee pads more securely in place. The cellular rubber construction of the knee pads delivers extra comfort and durability, perfect for outside use and damp conditions.

Stock No.
82266



4 KP4

RUBBER KNEE PADS

Dense inner foam with Neoprene rubber covering. Pads are secured with hook and loop straps. Ideal for general purpose tasks particularly in damp conditions. Packed in polythene bag with display card.

Stock No.
58096



5 KPT/B

WORK TROUSER KNEE PADS

For use with work trousers attached with insertable knee pad pockets. Display packed.

Stock No.
34664



6 GK2D

GENERAL PURPOSE KNEELER

Manufactured from easy to clean water-resistant dense foam 25mm thick. Sold loose.

Stock No.	Dimensions
73069	405 x 190mm



1 DO/A

DISPOSABLE COVERALL

One size (XL) hooded disposable coverall with elasticated hood, cuffs, ankles, waistband and zip. Packed in polythene bag with header card.

Stock No.
82454



2 BS2

BOILER SUITS

Elasticated back for comfort and safety. Two breast pockets, open rear trouser pocket, dual side pockets and thigh holster pocket. Designed to fit over normal clothing.

Stock No.	Size
37813	M
37814	L
63980	XL



3 CAPR

COTTON APRON

Heavy duty cotton with neck loop, extra long waist ties and front pocket. Packed in polythene bag with display card.

Stock No.
72930



4 LAPR

LEATHER APRON

Split suede leather with neck loop, front pockets and waist ties. Packed in polythene bag with display card.

Stock No.
09699

5 OS100/B

DISPOSABLE OVERSHOE COVERS (BOX OF 100)

One size overshoes with elastic opening. Made from CPE (chlorinated polyethylene) resistant to damp, liquid splashes and dirt. Supplied in handy dispenser box. Shrink wrapped for security.

Stock No.
66002







6 EBS/2

BACK SUPPORT AND BRACES

Elasticated belt with fully adjustable braces attached with locking clips and hook and loop fastening.

Stock No.	Size
18016	Medium
18017	Large



1 FAKBSI-L/B

LARGE FIRST AID KIT

BS8599-1 Compliant Workplace First Aid Kit.

First aid kit in durable plastic box with carrying handle. Display packed. Contents:

- 40 x Saline wipes • 12 x Large powder-free nitrile gloves
- 8 x Medium sterile first aid dressing 12cm x 12cm
- 1 x Box of 100 washproof plasters
- 4 x Sterile finger dressings 3.5cm x 3.5cm
- 4 x Non-woven triangular bandages 90cm x 90cm x 127cm
- 4 x Pack of six safety pins
- 4 x No.16 sterile eye pads with bandages
- 3 x Emergency thermal blankets 210cm x 130cm
- 2 x Mouth to mouth resuscitators
- 2 x Hydrogel burn dressings 10cm x 10cm
- 2 x Conforming bandages 7.5cm x 4.5M
- 2 x Large sterile first aid dressing 18cm x 18cm pad size
- 1 x Small tuff cut scissors
- 1 x Micro-porous tape 2.5cm x 5M
- 1 x First aid at work guidance leaflet

Stock No.
81290



2 FAKBSI-M/B

MEDIUM FIRST AID KIT

BS8599-1 Compliant Workplace First Aid Kit.

First aid kit in durable plastic box with carrying handle. Display packed. Contents:

- 30 x Saline wipes • 9 x Large powder-free nitrile gloves
- 6 x Medium sterile first aid dressing 12cm x 12cm pad size
- 1 x Box of 60 washproof plasters
- 3 x Non-woven triangular bandage 90cm x 90cm x 127cm
- 3 x No.16 sterile eye pad first aid dressing with bandage
- 3 x Sterile individually wrapped finger dressing 3.5cm x 3.5cm
- 2 x Pack of six safety pins
- 2 x Emergency thermal blanket 210cm x 130cm
- 2 x Hydrogel burn dressing 10cm x 10cm
- 2 x Conforming bandage 7.5cm x 4.5M
- 2 x Large sterile first aid dressing 18cm x 18cm pad size
- 1 x Revive aid mouth to mouth resuscitator
- 1 x Small tuff cut scissors
- 1 x Micro-porous tape 2.5cm x 5M
- 1 x First aid at work guidance leaflet

Stock No.
81289



3 FAKBSI-S/B

SMALL FIRST AID KIT

BS8599-1 Compliant Workplace First Aid Kit.

First aid kit in durable plastic box with carrying handle. Display packed. Contents:

- 20 x Saline wipes • 6 x Large powder-free nitrile gloves
- 4 x Medium sterile first aid dressing 12cm x 12cm pad size
- 1 x Box of 60 washproof plasters
- 2 x Non-woven triangular bandage 90cm x 90cm x 127cm
- 2 x No.16 sterile eye pad first aid dressing with bandage
- 2 x Sterile individually wrapped finger dressing 3.5cm x 3.5cm
- 1 x Pack of six safety pins
- 1 x Emergency thermal blanket 210cm x 130cm
- 1 x Hydrogel burn dressing 10cm x 10cm
- 1 x Conforming bandage 7.5cm x 4.5M
- 1 x Large sterile first aid dressing 18cm x 18cm pad size
- 1 x Revive aid mouth to mouth resuscitator
- 1 x Small tuff cut scissors
- 1 x Microporous tape 2.5cm x 5M
- 1 x First aid at work guidance leaflet

Stock No.
81288

EMERGENCY STERILE EYE WASH STATION

A first line of defence against debris or potentially hazardous substances which have found their way into eyes.



4 EWS-A/B

EMERGENCY STERILE EYE WASH STATION

Ideal for use in office or warehouse. Wall mountable with mirror. 2 x 500ml bottles of single use sterile sodium chloride solution. Carton packed.

Stock No.	Description
81292	Eyewash Station
81293	500ml Eyewash Refill



SAFE STORAGE AND SPILLAGE

A selection of safe storage and spillage products designed for workshop and/or industrial environments.




1 ODC

205L DRUM CRADLE

Expert Quality, for lifting, tilting and manoeuvring 205L (55 gallon) drums around work areas. 65mm diameter wheels with transport handle. Carton packed.

Stock No.
43966



2

SPILL DRIP TRAYS

Expert Quality, manufactured from heavy duty HDPE. Protects workplace when charging and discharging oils, chemicals and other liquids. Can be used with/without non-slip platform. Stackable for easy transportation and storage. Sold loose.




Stock No.	Part No.	Capacity	Dimensions L x W x D
12263	PDT20	20L	595 x 395 x 151
12266	PDT30	30L	797 x 397 x 151

3 PEWF-2

TWO DRUM PE WORKFLOORING

Expert Quality, heavy duty PE slip-resistant polyethylene workfloor for temporary workspace storage of up to two 205L oil drums. To be used for short term storage of 205L drums in vicinity of the application; for long term storage solutions use Stock Nos. 44058/59. Suitable for drum cradles. Can be joined together for larger work areas. Weight 24kg. A ramp is available to access the workfloor - Stock No. 44055. Sold loose.

Stock No.	Dimensions L x W x H
44056	1600 x 800 x 150mm



4 SPILL-2

TWO DRUM SPILL CONTAINMENT PALLET

Expert Quality, heavy duty for the storage of chemical and oil-based products. 100% polyethylene construction for excellent chemical resistance, this pallet assists in the compliance with environmental protection obligations by providing static spill containment. Removable deck for cleaning and inspection. Capacity 250L. Sold loose.

Stock No.	Dimensions L x W x H
44058	1300 x 750 x 400mm



YOUTUBE.COM/DRAPERTOOLSTV

5 SPILL-4

FOUR DRUM SPILL CONTAINMENT PALLET

Heavy duty for the storage of chemical and oil-based products. 100% polyethylene construction for excellent chemical resistance, this pallet assists in the compliance with environmental protection obligations by providing static spill containment. Removable deck for cleaning and inspection. Capacity 250L. Sold loose.

Stock No.	Dimensions L x W x H
44059	1380 x 1290 x 280mm

HAZARD, MANDATORY, SAFETY, PROHIBITION AND FIRE EQUIPMENT SIGNS

BS 5499 STANDARDS...

The BS 5499 standard, specifies the design of Mandatory, Prohibition, Hazard, Safe Condition and Fire Equipment Signs.

Each group of signs specifies a system of shapes and colours for use with appropriate graphical symbols, which demonstrate the action that needs to be taken. All these attributes illustrate the information on the actions, helping prevent or reduce the risk of accidents and for dealing with certain emergencies including the identification of escape routes and the location of fire equipment.





HAZARD SIGNS

Conforms to BS5499 Standard

Manufactured from 1mm PVC with strong adhesive on the back. Signs printed with UV and fade resistant ink.

	Stock No.	Title	Size	Attach Method
1	72225	Danger Electric Shock Risk	200 x 300mm	Adhesive
2	72237	Danger High Voltage	200 x 300mm	Adhesive
3	72352	Danger Highly Flammable Material	200 x 300mm	Adhesive
4	72360	Danger Forklift Trucks	200 x 300mm	Adhesive
5	72395	Danger Fragile Roof	200 x 300mm	Adhesive
6	72439	Warning Wet Floor	200 x 300mm	Adhesive
7	72440	Caution Cleaning In Progress	200 x 300mm	Adhesive
8	72441	Danger Men At Work	200 x 300mm	Adhesive
9	72915	Danger Construction Site and Keep Out	600 x 400mm	Adhesive



MANDATORY SIGNS

Conforms to BS5499 Standard

Manufactured from PVC with strong adhesive on the back. Signs printed with UV and fade resistant ink.

	Stock No.	Title	Size	Attach Method
1	72156	Fire Action Procedure	200 x 300mm	Adhesive
2	72157	Luminescent Fire Action Procedure	200 x 300mm	Adhesive
3	72869	Safety Helmets Must Be Worn In This Area	400 x 600mm	Adhesive
4	72158	Keep Out	200 x 300mm	Adhesive
5	72162	Now Wash Your Hands	300 x 100mm	Adhesive
6	72112	Fire Door Keep Shut	100 x 100mm	Adhesive
7	72104	Protect Your Hands	200 x 300mm	Adhesive
8	72097	Hi-Visibility Clothing Must Be Worn In This Area	200 x 300mm	Adhesive
9	72154	Fire Action Procedure	200 x 300mm	Adhesive
10	72916	No Hat, No Boots, No Job	600 x 400mm	Adhesive
11	72870	Safety Helmets And Protective Footwear Must Be Worn In This Area	600 x 400mm	Adhesive
12	72146	Fire Escape Keep Clear	200 x 300mm	Adhesive
13	72089	Protective Footwear Must Be Worn	200 x 300mm	Adhesive
14	72120	Fire Door Keep Locked Shut	100 x 100mm	Adhesive
15	72080	Eye Protection Must Be Worn	200 x 300mm	Adhesive
16	73102	Use Guards	200 x 50mm	Adhesive
17	73157	Now Wash Your Hands	200 x 50mm	Adhesive
18	72053	Safety Helmets Must Be Worn In This Area	200 x 300mm	Adhesive
19	72913	Keep Out	400 x 600mm	Adhesive
20	72890	All Drivers And Visitors Must Report To Site Office	400 x 600mm	Adhesive
21	72063	Wear Ear Protectors	200 x 300mm	Adhesive
22	73085	Eye Protection Must Be Worn	200 x 50mm	Adhesive
23	73104	Fire Door Keep Shut	200 x 50mm	Adhesive
24	73158	Wear Ear Protection	200 x 50mm	Adhesive



SAFE CONDITION SIGNS

Conforms to BS5499 Standard

Manufactured from PVC with strong adhesive on the back. Signs printed with UV and fade resistant ink.

	Stock No.	Title	Size	Attach Method
1	72458	Fire Exit Keep Clear	300 x 200mm	Adhesive
2	72447	Fire Exit Arrow Right	300 x 200mm	Adhesive
3	72448	Fire Exit Arrow Left	300 x 200mm	Adhesive
4	72449	Fire Exit	300 x 200mm	Adhesive
5	72451	Arrow Right	300 x 200mm	Adhesive
6	72542	First Aid Box, First Aid	300 x 200mm	Adhesive
7	72454	Push Bar To Open	300 x 200mm	Adhesive
8	72600	Luminescent Fire Exit Arrow Down	300 x 200mm	Adhesive
9	72662	Luminescent Fire Exit Arrow Right	300 x 200mm	Adhesive
10	72721	Luminescent Fire Exit Arrow Left	300 x 200mm	Adhesive
11	72446	Fire Exit Arrow Down	300 x 200mm	Adhesive
12	72450	Fire Exit Keep Clear	300 x 200mm	Adhesive
13	72463	Fire Assembly Point	200 x 300mm	Adhesive
14	72534	First Aid	200 x 300mm	Adhesive
15	73164	Running Man Arrow Right	200 x 50mm	Adhesive
16	73165	Running Man Arrow Left	200 x 50mm	Adhesive
17	73201	Running Man Arrow Down	200 x 50mm	Adhesive
18	73213	Fire Exit	200 x 50mm	Adhesive
19	73221	Fire Exit Keep Clear	200 x 50mm	Adhesive
20	73263	First Aid	200 x 50mm	Adhesive
21	73019	Site Safety Notice	600 x 800mm	Screw

1


2


3


4


5


6


7


8


9


10


11


12


13


14


15


16


17


18


PROHIBITION AND FIRE EQUIPMENT SIGNS

Conforms to BS5499 Standard

Manufactured from PVC with strong adhesive on the back. Signs printed with UV and fade resistant ink.

	Stock No.	Title	Size	Attach Method
1	72165	No Smoking	200 x 300mm	Adhesive
2	72166	4 x No Smoking	100 x 150mm	Adhesive
3	72167	Smoking Against The Law	200 x 300mm	Adhesive
4	72169	No Entry	200 x 300mm	Adhesive
5	72936	No Admittance	400 x 600mm	Adhesive
6	72203	No Admittance	200 x 300mm	Adhesive
7	72937	No Unauthorised Persons Beyond This Point	400 x 600mm	Adhesive
8	72934	No Smoking	400 x 600mm	Adhesive
9	72198	No Parking	200 x 300mm	Adhesive
10	72935	No Parking	400 x 600mm	Adhesive
11	73159	No Smoking	200 x 50mm	Adhesive
12	73161	No Entry	200 x 50mm	Adhesive
13	73163	No Parking	200 x 50mm	Adhesive
14	73160	Not Drinking Water	200 x 50mm	Adhesive
15	72442	Fire Extinguisher	200 x 300mm	Adhesive
16	72445	Fire Point	200 x 300mm	Adhesive
17	72598	Luminescent Fire Extinguisher	200 x 300mm	Adhesive
18	72444	2 x Fire Extinguisher	300 x 100mm	Adhesive

SAFETY INFORMATION

FIRE CLASSIFICATIONS
Check which extinguisher is right for your application...

- **A** Fires caused by combustion of solid material: wood • paper • straw • textiles • coal • car tyres
- **B** Fires caused by combustion of liquids or materials that liquefy: petrol • benzene • oils • fats • paints • tar • ether • alcohol stearin • paraffin
- **C** Fires caused by combustion of gases: methane • propane • hydrogen • acetylene • natural gas • city gas

NOT AVAILABLE FOR EXPORT DUE TO CONTENTS



A B C

1 FIRE1B

1kg DRY POWDER FIRE EXTINGUISHER

Approved to BS EN 3-7

Effective on petrol, oil, gas, paint, wood, solvents and electrical equipment. For use on class A, B and C fires, 5A/34B rating. Halon-free. Refillable. Supplied with wall mounting bracket. Suitable for marine use. Display carton.

Stock No.
22185

NOT AVAILABLE FOR EXPORT DUE TO CONTENTS



A B C

2 FIRE2B

2kg DRY POWDER FIRE EXTINGUISHER

BS EN 3-7

Effective on petrol, oil, gas, paint, wood, solvents and electrical equipment. For use on class A, B and C fires, 13A/89B rating. Halon-free. Supplied with wall mounting bracket and pressure gauge. Five year warranty. Display carton.

Stock No.
04939

NOT AVAILABLE FOR EXPORT DUE TO CONTENTS



B C

3 FIRE3B

2kg CARBON DIOXIDE FIRE EXTINGUISHER

BS EN 3-7

Effective on flammable liquids i.e. oil and petrol. Minimises damage when used on electrical equipment. For use on class B and C fires, 34B rating. Supplied with wall mounting bracket. Refillable. Five year warranty. Display carton.

Stock No.
21667

NOT AVAILABLE FOR EXPORT DUE TO CONTENTS



A B

4 FIRE4B

6L FOAM FIRE EXTINGUISHER

Approved to BS EN 3-7

For use on class A and B fires, 13A/144B rating. Particularly suited to Class B fires caused by materials that liquefy when exposed to heat i.e. fats, paints etc. Supplied with wall mounting bracket and pressure gauge. Refillable. Five year warranty. Display carton.

Stock No.
21674

NOT AVAILABLE FOR EXPORT DUE TO CONTENTS



A

5 FIRE5B

9L PRESSURIZED WATER FIRE EXTINGUISHER

Approved to BS EN 3-7

Effective on paper, wood, textiles and similar materials. For use on class A fires, 13A rating. Supplied with wall mounting bracket and pressure gauge. Refillable. Five year warranty. Display carton.

Stock No.
21675



6 FIREST1

SINGLE FIRE EXTINGUISHER STAND

Suitable for fire extinguishers with a maximum diameter of 240mm. Freestanding, for use in public buildings, hotels, offices, schools, food preparation areas etc. Chemical resistant PE for long life. Sold loose.

Stock No.
12272



7 FIREST2

DOUBLE FIRE EXTINGUISHER STAND

Suitable for fire extinguishers with a maximum diameter of 240mm. Freestanding, for use in public buildings, hotels, offices, schools, food preparation areas etc. Chemical resistant PE. Sold loose.

Stock No.
12275



8 FIRE6/B

1.2 x 1.2M FIRE BLANKET

Approved to BS EN 1869

Manufactured from non-flammable woven glass fibre and supplied complete in wall mountable plastic case. Can be used on kitchen fires such as burning oil, chip pans and waste bin fires. Display carton.

Stock No.
36758



section 18



LIGHTING

766-767 Torches
768 Head Lamps
769 Bicycle Lights
770 Worklights
771 Batteries
772 Rechargeable Spotlights
773-775 Inspection Lamps
775 Beacons
776-778 Worklights


ILLUMINATING INFORMATION - TYPES OF LIGHT BULB



COB LEDs (CHIP ON BOARD)

COB (Chip on board) is the current premium LED technology. Compared to SMD LED and cluster LED technology, COB lighting delivers a single source of light providing just one shadow, while multiple lighting technologies such as SMD give shadows for each individual LED. COB lighting also delivers a far greater longevity and brightness for the equivalent amount of energy, while producing a 120° beam of light. In short, less power more direct light.










SMD LEDs (SURFACE MOUNTED DIODE)

Delivering a higher lumen output and longer life than its predecessor, the standard LED, SMD technology provides a 120° beam of light. SMD LEDs continue to improve their lumens per watt output, guaranteeing these small, long-lasting light sources will be around for years to come.





CREE LEDs

Cree LEDs provide greater efficiency and long-term reliability than standard LEDs while also delivering a far superior lumen output and a purer, whiter light. They are one of the lighting market's prominent technologies, they're small, powerful and immensely bright.





STANDARD LEDs

Standard LEDs are extremely reliable, having a 100,000 hours plus life cycle. They are a bright and cost effective light source.

Far from being out-dated, LEDs are still being used because of their high brightness, long lifespan and energy efficiency.





KRYPTON BULBS

Krypton bulbs are an entry-level light source for hand torches. Compared against incandescent light bulbs, they deliver a 70% increase in light output with reduced power consumption, making them cheaper to operate than standard bulbs.



"DAVE SAYS" QUALITY MAKES THE DIFFERENCE



The **CREE LED** (Fig. 1.) is the industry's brightest, highest performance lighting-class LED which produce a purer, whiter light. Draper Tools has incorporated these top-of-the-range LEDs into it's range. Item No. 3 (this page) is a pocket-size torch ideal for emergency use and the other products are torches and headlamps which are ideal for professional use.



CREE (Fig. 1.)



STANDARD (Fig. 2.)



CREE LED TECHNOLOGY

DRAPER Expert

1 AHT/XPG/D

CREE 1 LED ALUMINIUM TORCH (4 x D BATTERIES)

Expert Quality, solid aluminium case with a single ultra bright 250 lumen XPG LED. The easy touch glow-in-the-dark on/off button at the base provides three lighting modes (full beam, half beam and flash mode). Uses 4 D batteries (sold separately). Display packed.

Stock No.	Description
81119	Torch
61836	Batteries (2 x D)



CREE LED TECHNOLOGY

DRAPER Expert

2 AHT/XPG/C

CREE 1 LED ALUMINIUM TORCH (3 x C BATTERIES)

Expert Quality, solid aluminium case with a single ultra bright 250 lumen XPG LED. Easy touch glow-in-the-dark on/off button at base providing three lighting modes (full beam, half beam and flash mode). Uses 3 C batteries (sold separately). Display packed.

Stock No.	Description
81118	Torch
61835	Batteries (2 x C)



CREE LED TECHNOLOGY

DRAPER Expert

3 AHT/XPG/AAA

CREE 1 LED ALUMINIUM TORCH (3 x AAA BATTERIES)

Expert Quality, solid aluminium case with a single ultra bright 200 lumen XPG LED. Easy touch glow-in-the-dark on/off button at base and providing three lighting modes (full beam, half beam and flash mode). Uses 3 AAA batteries (sold separately). Display packed.

Stock No.	Description
81115	Torch
61833	Batteries (4 x AAA)



CREE LED TECHNOLOGY

DRAPER Expert

4 AHT/XPG/AA

CREE 1 LED ALUMINIUM TORCH (2 x AA BATTERIES)

Expert Quality, solid aluminium case with a single ultra bright 200 lumen XPG LED. Easy touch glow-in-the-dark on/off button at base and providing three lighting modes (full beam, half beam and flash mode). Uses 2 AA batteries (sold separately). Supplied with a pocket clip and wrist strap. Display packed

Stock No.	Description
81111	Torch
61834	Batteries (4 x AA)



CREE LED TECHNOLOGY

5 AHT/LED/1WAAA/C

CREE 1 LED TORCH (3 x AAA BATTERIES)

Aluminium case with on/off button and wrist strap. The CREE LED produces a 120 lumens clear beam of brilliant white light. Fitted with a focusing function, which enables both beam and spot light capability and a glow-in-the-dark button and wrist strap. Uses 3 x AAA size batteries (sold separately). Display packed.

Stock No.	Description
81108	Torch
61833	Batteries (4 x AAA)



LED

6 AHT/LED/4

ALUMINIUM TORCH (2 x AA BATTERIES)

Aluminium case with on/off button. The LEDs produces clear beam of 20 lumen light. Fitted with a focusing beam function. Uses 2 x AA size batteries (sold separately). Display packed.

Stock No.	Description
81109	Torch
61834	Batteries (4 x AA)



LED

7 AHT/LED/9

ALUMINIUM TORCH (3 x AAA BATTERIES)

Aluminium case with on/off button. The LEDs produces clear beam of 45 lumen light. Fitted with a focusing beam function. Uses 3 x AAA size batteries (sold separately). Display packed.

Stock No.	Description
81110	Torch
61833	Batteries (4 x AAA)





FOUR COLOURS



LED

8 LT120/AA

3W LED ALUMINIUM POCKET TORCH (1 x AA BATTERY)

Pocket aluminium torch with a single 3W LED producing a powerful 70 lumen beam. Easy touch on/off button at base, beam focus feature and pocket clip. Supplied with AA battery. Multiples of 16 only (4 x 4 colours), supplied in countertop display.

Minimum order 16 or multiples thereof

Stock No.	Description
65983	Torch
61834	Batteries (4 x AA)





1 T2B/19

6V ABS TORCH/LANTERN (1 x PJ996 BATTERY)

Handy 6V torch with 19 LED's. Manufactured with a water resistant ABS housing. Supplied complete with a PJ996 battery. Sold loose.

Stock No.	Description
66014	Torch
62866	PJ996 Battery

LED



2 AT2/1

PJ996 SIZE 6V BATTERY

For Draper Stock Nos. 40121, 59087, 71459, 72091 or 76759 torches and other manufacturers similar torches or any appliance requiring a PJ996 size battery. Available in singles or multiples of six in plain carton.

Minimum order one or six or multiples thereof

Stock No.	Description
62866	Battery (1)
56429	Batteries (6)

IP66 WATERPROOF TORCHES

WATER PROOF

CREE LED TECHNOLOGY



3 WPHT5

5W CREE LED WATERPROOF TORCH (3 X AA BATTERIES)

High quality CREE LED waterproof torch delivering a 265 lumen strong white 350M beam of light. The robust ABS plastic, IP66 case provides waterproof and shock-proofing capabilities while the torch is powered by 3 x AA battery (sold separately). Display packed.

Stock No.	Description
51754	Torch
61834	Batteries (4 x AA)



WATER PROOF

CREE LED TECHNOLOGY



4 WPHT1

1W CREE LED WATERPROOF TORCH (1 X AA BATTERY)

High quality CREE LED waterproof torch delivering a 60 lumen strong white 50M beam of light. The robust ABS plastic, IP66 case provides waterproof and shock-proofing capabilities powered by 1 x AA battery (sold separately). Display packed.

Stock No.	Description
51751	Torch
61834	Batteries (4 x AA)

WATER PROOF



1 WPHT2

3W CREE LED WATERPROOF HEAD LAMP (3 x AAA BATTERIES)

High quality CREE LED waterproof torch delivering a 120 lumen strong white 60M beam of light. The robust ABS plastic, IP66 case provides waterproof and shock-proofing capabilities while the 2 light function torch (full/half) is powered by 3 x AAA batteries (sold separately). Display packed.

Stock No.	Description
51753	Head Lamp
61833	Batteries (4 x AAA)





CREE & COB LED TECHNOLOGY

2 HL14

3W CREE AND COB LED HEAD LAMP (3 X AAA BATTERIES)

Three function head lamp (100% white light/50% white light/red light), fitted with a comfortable adjustable head strap with foam padding. Producing an ultra bright 220 lumen 80M beam of brilliant white light. The ON/OFF button is easily operated. Supplied with 3 x AAA batteries. Display packed.

Stock No.	Description
66019	Head Lamp
61833	Batteries (4 x AAA)



CREE & COB LED TECHNOLOGY

3 HL13

3W CREE AND COB LED HEAD LAMP (3 X AAA BATTERIES)

Fitted with a comfortable adjustable head strap. Producing an ultra bright 130 lumen 20M beam of light. Three light function (full/half/red). The ON/OFF button is easily operated. Supplied with 3 x AAA batteries. Display packed.

Stock No.	Description
66018	Head Lamp
61833	Batteries (4 x AAA)



COB LED

4 HL15

3W CREE LED HEAD LAMP WITH SENSOR (3 X AAA BATTERIES)

Fitted with a comfortable adjustable head strap. Activated by either pressing a button on the unit or by swiping your hand over the motion sensor fitted on the front. Provides a flashing and static red light while also producing an ultra bright 180 lumen 25M beam of brilliant white light. Uses 3 x AAA size batteries (sold separately). Display packed.

Stock No.	Description
66153	Head Lamp
61833	Batteries (4 x AAA)





THREE COLOURS



5 HL13/3W/LE

3W COB LED HEAD LAMP (3 X AAA BATTERIES)

COB LED

Three function head lamp (full/half/flashing), that can be adjusted for different angles of use. Produces a 150 Lumen 30M beam of light. Fitted with a comfortable adjustable head strap. Supplied with 3 x AAA batteries. Display packed.

Minimum order 9 or multiples thereof

Stock No.	Description
65967	Head Lamp
61833	Batteries (4 x AAA)

KRYPTON BULB 70% BRIGHTER



6 HL1

HEAD LAMP (2 x AA BATTERIES)

Lamp with adjustable head positioning and straps with foam pad to prevent chafing to the forehead. Suitable for hands-free work in dark areas, including underwater use. The krypton bulb is 70% brighter than a conventional bulb. Uses two AA size batteries (sold separately). Display carton.

Stock No.	Description
64268	Head Lamp
57631	Replace. Bulbs (2)
61834	Batteries (4 x AA)

Li-ion

COB LED



NEW

7 RHL3

3W RECHARGEABLE COB LED HEAD LAMP

3W rechargeable head lamp, two function head lamp (full/half), that can be adjusted for different angles of use. Producing a maximum 300 Lumen 20M beam of light and manufactured from high impact ABS with a TPE housing. Fitted with a rechargeable Li-ion battery charged via a micro USB socket. A comfortable adjustable elasticated head band, On/Off touch switch and smart motion sensor function.

Stock No.
54374

LED





1 BL1/LED/B

FRONT AND REAR LED BICYCLE LIGHT SET

Super bright LED bicycle lights with various lighting modes. Fitted with quick release mounting clamps and frame protection strips. Front and rear light use 2 x AAA batteries each (sold separately). Display packed.

Stock No.	Description
51748	Lights
61833	Batteries (4 x AAA)





2 BL2/LED/B

LED

FRONT AND REAR LED BICYCLE LIGHT SET

LED bicycle lights with various lighting modes producing 18 lumen output for the front light and 3 lumen output for the rear. Fitted with quick release mounting clamps and frame protection strips. Front light uses 3 x AAA and rear light use 2 x AAA batteries (sold separately). Display packed.

Stock No.	Description
51749	Lights
61833	Batteries (4 x AAA)





3 BL3/LED

LED

FRONT AND REAR LED BICYCLE LIGHT SET

Super bright 75 lumens LED front bicycle light and 1.5 lumen LED rear light with various lighting modes. Fitted with quick release mounting clamp and frame protection strips. Front light uses 3 x AAA batteries and rear light uses 2 x AAA batteries each (sold separately). Display packed.

Stock No.	Description
24815	Lights
61833	Batteries (4 x AAA)





LED

4 LED1

1 LED SAFETY LIGHT (2 x AAA BATTERIES)

Suitable for attaching to clothing or bicycles as an additional visual aid. Providing 1 lumen of light. Supplied with 'quick release' mounting clamp. Flash and permanent mode lights. Uses 2 x AAA batteries (sold separately). Display packed.

Stock No.	Description
69193	Light
61833	Batteries (4 x AAA)

"DAVE SAYS" QUALITY MAKES THE DIFFERENCE

DRAPER BIKE LIGHTS

Draper bike lights are great at adding extra visibility for cyclists, but should be used in conjunction with approved BS36481 or BS6102/3 front lights and BS6102/2 for rear mounted lights.



BATTERIES

We supply batteries for all the bike lights shown here. Please see page 771 for more details. See page 770 for a wind-up torch - no batteries needed!



KRYPTON BULB 70% BRIGHTER

5 BL2

1.8W KRYPTON BICYCLE LIGHT (2 x C BATTERIES)

Universal fitting for most types of bicycles. Supplied with 'quick release' mounting clamp. 360° rotation. Uses 2 x C batteries (sold separately). Display packed.

Stock No.	Description
69203	Light
61835	Batteries (2 x C)

LED





1 WHT/LED3

3 LED WIND UP TORCH

Ideal for emergency use where power is not available. By winding the torch for one minute gives approx. 20 minutes of 4.8 lumens of bright light. Display packed.

Available in singles - order multiples of 12 to get a free countertop display

Stock No.
42989







FOUR COLOURS

COB LED

2 WL/LED/COB/LE/B

3W COB LED ALUMINIUM POCKET TORCH (3 x AA BATTERIES)

Pocket aluminium torch with metallic anodised plating. 300 lumen 3W COB LED. Easy touch on/off button at base, pocket clip and handy magnet on the base. Supplied with 3 x AAA batteries. Multiples of 24 only, supplied in countertop.

Minimum order 24 or multiples thereof

Stock No.	Description
66009	Torch
61833	Batteries (4 x AAA)



COB LED



3 WLCOB

3W COB LED MAGNETIC WORKLIGHT (3 x AAA BATTERIES)

Handy 3 watt COB LED work lamp with on/off push button soft grip finish with useful hanging hook and strong magnet on the back for hands free use. Producing 100 lumens of light. Uses 3 x AAA batteries (supplied). Multiples of six only, supplied in countertop display.

Minimum order six or multiples thereof

Stock No.	Description
66015	Worklight
61833	Batteries (4 x AAA)





THREE COLOURS

COB LED



TILTING BRACKET



4 WLCOB/150

3W COB LED MAGNETIC WORKLIGHT (3 x AAA BATTERIES)

3 watt COB LED work lamp with 3 LED light on the end turning it into a handy torch. Fitted with a soft grip finish on/off push button, a useful tilting bracket and strong magnet on the base for hands free use. Producing 150 lumens lamp and a 12 lumen torch. Uses 3 x AAA batteries (supplied). Multiples of 12 only, supplied in countertop display.

Minimum order 12 or multiples thereof

Stock No.	Description
66016	Worklight
61833	Batteries (4 x AAA)

3W LED FLEXIBLE WORK LAMP WITH MAGNETIC BASE



5 WLFN1

3W LED FLEXIBLE WORK LAMP (2 X AAA BATTERIES)

Highly versatile super bright LED light, can be used for anything from jewellery repair to automotive and workshop work. Delivers an easily adjustable flood light or focused beam producing 130 lumen output, providing ultimate flexibility depending on users requirements. The sturdy clip and strong magnetic base secures while the articulated arm provides easy adjustment for hands free work. Operated by 2 x AAA batteries (sold separately) or by using the supplied 230V power adaptor. Display packed.

Stock No.	Description
51758	Worklamp
61833	Batteries (4 x AAA)

LED





1 DLR03/HD

PACK OF 4 x AAA SIZE HEAVY DUTY ALKALINE BATTERIES

Four AAA-type heavy duty 1.5V batteries for high drain applications such as organisers, electronic games, toys, digital cameras, MP3 players etc. Four batteries per display pack.

Order number of packs required

Stock No.
61833



3 DLR6/HD

PACK OF 4 x AA SIZE HEAVY DUTY ALKALINE BATTERIES

Four AA-type heavy duty 1.5V batteries for high drain applications such as organisers, electronic games, toys, digital cameras, MP3 players etc. Four batteries per display pack.

Order number of packs required

Stock No.
61834



5 DLR14/HD

PACK OF 2 x C SIZE HEAVY DUTY ALKALINE BATTERIES

Two C-type heavy duty 1.5V batteries for high drain applications such as torches, electronic games, toys etc. Two batteries per display pack.

Order number of packs required

Stock No.
61835



2 DLR03/HD24

TRADE PACK OF 24 x AAA SIZE HEAVY DUTY ALKALINE BATTERIES

Six shrink wrapped packs of four AAA-type 1.5V batteries. Carton packed.

Order number of packs required

Stock No.
64247



4 DLR6/HD24

TRADE PACK OF 24 x AA SIZE HEAVY DUTY ALKALINE BATTERIES

Six shrink wrapped packs of four AA-type 1.5V batteries. Carton packed.

Order number of packs required

Stock No.
64248



6 DLR14/HD12

TRADE PACK OF 12 x C SIZE HEAVY DUTY ALKALINE BATTERIES

Six shrink wrapped packs of two C-type 1.5V batteries. Carton packed.

Order number of packs required

Stock No.
64249



7 DLR20/HD

PACK OF 2 x D SIZE HEAVY DUTY ALKALINE BATTERIES

Two D-type heavy duty 1.5V batteries for high drain applications such as torches, electronic games, toys etc. Two batteries per display pack.

Order number of packs required

Stock No.
61836



9 D6LR61/HD

PP3 SIZE HEAVY DUTY ALKALINE BATTERY

One PP3-type heavy duty 9V battery for applications such as smoke alarms, multimeters, clamp meters, detectors etc. One battery per display pack.

Stock No.
61837



11 *BBMCWS

BATTERY BAR COMPLETE WITH 466 HEAVY DUTY ALKALINE BATTERIES

Heavy duty metal countertop display of heavy duty batteries for high drain applications such as personal organisers, electronic games, toys, digital cameras, MP3 players etc. Supplied with stock and hangers. Carton packed.

Contents:

- 40 AAA-type batteries (10 display cards of 4 batteries Stock No. 61833) • 64 AA-type batteries (16 display cards of 4 batteries Stock No. 61834) • 20 C-type batteries (10 display cards of 2 batteries Stock No. 61835) • 16 D-type batteries (8 display cards of 2 batteries Stock No. 61836) • 14 PP3-type batteries (14 display cards of 1 battery Stock No. 61837) • 120 AAA-type batteries (5 trade packs of 24 batteries Stock No. 64247) • 192 AA-type batteries (8 trade packs of 24 batteries Stock No. 64248)

Stock No.	Dimensions L x W x H
78440	300 x 300 x 500mm



8 DLR20/HD12

TRADE PACK OF 12 x D SIZE HEAVY DUTY ALKALINE BATTERIES

Six shrink wrapped packs of two D-type 1.5V batteries. Carton packed.

Order number of packs required

Stock No.
64250







10 BT1D

BATTERY TESTER

Handy battery tester suitable for AAA, AA, C, D, PP3 and button cell batteries. Display packed.

Stock No.
64514

RECHARGEABLE POWERBANK SPOTLIGHTS

Fitted with a USB charger



CREE LED TECHNOLOGY



1 RLED10/3

10W CREE LED RECHARGEABLE SPOTLIGHT WITH POWER BANK

10W Li-ion rechargeable hand torch, attached with 10W main beam on the front and 3W COB on the side. Producing a maximum 850 lumens 420M beam 3 lighting functions (full/half/flash). Made from high quality, impact resistant ABS plastic. Fitted with a Li-ion battery recharged via a micro USB port, can also be used to charge other electrical equipment that use a similar USB output socket (max 5v 1A). The pistol grip handle is attached with 2 legs creating a tripod for stand alone use. Supplied complete with a USB A - micro USB cable and 3pin 230V USB charger and 12V USB charger. Display packed.

Stock No.
66026

Fitted with a USB charger



CREE LED TECHNOLOGY



2 RLED10

10W CREE LED RECHARGEABLE SPOTLIGHT WITH POWER BANK

10W Li-ion rechargeable hand torch. Made from high quality, impact resistant ABS plastic. Producing a maximum 850 lumens 420M beam 2 light function (full/half). Fitted with a Li-ion battery recharged via a micro USB port, can also be used to charge other electrical equipment that use a similar USB output socket (max 5v 1A). Fitted with three function lighting switch (Full/Low/Strobe). Supplied complete with a USB A - micro USB cable and 3 pin 230V USB charger and 12V USB charger. Display packed.

Stock No.
66025



THREE COLOURS



LED

3

3W LED RECHARGEABLE SPOTLIGHT

3W Li-ion rechargeable hand torch producing a 200 Lumen 150M beam of light (full/half) lighting functions. Ideal for camping, caravanning, vehicle breakdowns, security and many other situations. Made from high quality, impact resistant ABS plastic. Supplied with 3 pin 230V AC mains adaptor. Display packed.

Stock No.	Colour
65985	Blue
66012	Green
66013	Orange

CREE LED TECHNOLOGY



4 RLED20

20W CREE LED RECHARGEABLE SPOTLIGHT

20W Li-ion rechargeable hand spotlight producing a maximum 1600 lumens 500M beam 2 lighting functions (full/low). Made from high quality, impact resistant ABS plastic. Fitted with a Li-ion rechargeable battery and attached with two legs creating a tripod for stand alone use. Supplied with a 3 pin BS approved 230V charger and 12 volt charger. Display packed.

Stock No.
66028

CREE LED TECHNOLOGY



5 RLED30

30W CREE LED RECHARGEABLE SPOTLIGHT

30W Li-ion rechargeable hand spotlight producing a maximum 2000 lumens 600M beam 2 lighting functions (full/half). Made from high quality, impact resistant ABS plastic. Fitted with a Li-ion rechargeable battery, two function lighting switch (Full/Low) and attached with two legs creating a tripod for stand alone use and shoulder strap. Supplied with a 3 pin BS approved 230V charger and 12 volt charger. Display packed

Stock No.
66029


SLIMLINE COB LED RECHARGEABLE INSPECTION LAMPS



"DAVE SAYS" QUALITY MAKES THE DIFFERENCE

COB LEDs...

Chip On Board LED's main advantage is their superior light distribution and single light source providing longer battery life and a single shadow. The inspection lamps on this page are all available in three colours have a 180° tilt facility.




MICRO USB


PIVOTING HEAD


THREE COLOURS


ADJUSTABLE SPOTLIGHT FEATURE

COB LED



1

5W SLIMLINE COB LED RECHARGEABLE MAGNETIC INSPECTION LAMPS

- 5W inspection lamp • Additional SMD LED on the face plate transforms the lamp into torch • 3 cycle switch allows half/full/torch features • Rechargeable Li-ion battery provides a 450 lumens inspection light and an 250 lumen torch • Fitted with integrated magnet and pivoting head, allowing the light to be used in any 360° position • Supplied with micro USB to standard USB cable and 3 pin approved USB charger

Battery	3.7V Li-ion Battery
Lumens	COB 450-250
Burn Time	4.5hrs
Charging Time	4hrs
IP rating	IPX4
Size	36.5 x 40.5 x 270mm

Stock No.	Part No.	Colour
65395	RIL/SL450/B	Blue
65410	RIL/SL450/G	Green
65413	RIL/SL450/O	Orange


PIVOTING HEAD


THREE COLOURS

COB LED



2

3W SLIMLINE COB LED RECHARGEABLE MAGNETIC INSPECTION LAMPS

- 3W inspection lamp
- Additional SMD LED's on the face plate transforms the lamp into torch
- 3 cycle switch allows Half/Full/Torch features
- Rechargeable Li-ion battery provides 230 Lumens inspection light and 40 Lumen torch
- Fitted with integrated magnet, hang hook and pivoting head, allowing the light to be used in any 360° position
- Supplied with micro USB to standard USB cable and 3pin approved USB charger

Battery	3.7V Li-ion Battery
Lumens	COB 230-70 SMD-40
Burn Time	3hrs
IP rating	IPX4
Size	55 x 40 x 290mm

Stock No.	Part No.	Colour
65414	RIL/SL230/B	Blue
65415	RIL/SL230/G	Green
65418	RIL/SL230/O	Orange


PIVOTING HEAD


UV LIGHT DETECTS LEAKS

COB LED



3 RIL/SL230/UV

3W SLIMLINE COB LED RECHARGEABLE MAGNETIC INSPECTION LAMP WITH UV TORCH

- 3W inspection lamp
- Additional UV LED on the face plate transforms the lamp into ultra violet torch
- 3 cycle switch allows Half/Full/Torch features
- Rechargeable Li-ion battery provides 230 Lumens inspection light and 40 Lumen torch
- Fitted with integrated magnet and hang hook
- Supplied with micro USB to standard USB cable and 3pin approved USB charger

Battery	3.7V Li-ion Battery
Lumens	COB 230-70
Burn Time	3hrs
IP rating	IPX4
Size	55 x 40 x 290mm

Stock No.
65421

MAGNETIC INSPECTION LAMP WITH UV FEATURE

"DAVE SAYS" QUALITY MAKES THE DIFFERENCE




UV LIGHTS FOR LEAK DETECTION

Fitted with end Ultraviolet LEDs. A useful feature, designed for enabling detection of leaks on cooling systems and air-con systems.





COB LED | Li-ion BATTERY | UV LIGHT DETECTS LEAKS



1 RIL/COBV2

4W COB LED AND UV LED RECHARGEABLE MAGNETIC INSPECTION LAMP

COB (Chip On Board) inspection lamp fitted with a one watt LED and 3 ultraviolet LEDs on the end plate transforming the lamp into torch. The COB face plate LED produces an impressive 350 lumens and the 1W LED delivers 80 lumens. The UV LEDs enable detection of leaks on cooling systems and air-con systems. Powered by a rechargeable Li-ion battery, delivering enhanced battery efficiency. The base is manufactured with integrated magnet and the swivel joint permitting the light to be used in any 360 degree position. Supplied with two hang hooks, 240V charger and 12V charging adaptor. Display packed.



FOUR COLOURS

Stock No.	Part No.	Colour
80962	RIL/COBV2/BL	Blue
80965	RIL/COBV2/GR	Green
80964	RIL/COBV2/OR	Orange
80966	RIL/COBV2/YW	Yellow

SMD LED | Li-ion BATTERY



2 RIL10

SMD LED RECHARGEABLE MAGNETIC INSPECTION LAMP

SMD LED inspection lamp featuring a 180° pivoting head and fitted with 10 SMD LEDs and 7 LEDs on the end plate, which transforms the lamp into torch. The SMD LED produces an impressive 385 lumens and the 7 LEDs deliver a further 30 lumens. Powered by a rechargeable Li-ion battery that delivers enhanced battery efficiency. The Base is manufactured with integrated magnet and the swivel joint. Supplied with two hang hooks, 240V charger and 12V charging adaptor (micro USB input).

Stock No.
71145

LED



3 RIL30E

30 LED RECHARGEABLE MAGNETIC INSPECTION LAMP


Manufactured from heavy duty plastic with swivel joint enabling the light to be focused in any direction, magnetic back and base, rubber bumper preventing damage and hang up hook. Gives up to 18 hours continuous working time between charges - 6 LED 12 lumens torch and five hours - 24 LED 60 lumens floodlight. Uses 3.7V Li-ion internal battery with five hour charging time (approx.). Supplied with BS approved 3 pin 230V charger. Display packed.

Stock No.
24368

AUTOMOTIVE INSPECTION LAMPS

SMD LED





1 RUBL36

36 SMD LED RECHARGEABLE UNDER BONNET MAGNETIC INSPECTION LAMP

Manufactured with magnetic swivel end caps enabling the lamp to be attached to metal surfaces, also fitted with a under bonnet hanger for attaching to car bonnets. Unit can swivel 120° in its holder and switches between 36 SMD's (600 lumens) or 16 SMD's (300 lumens). Fitted with Ni-MH integral battery providing up to four hours continuous usage. Supplied with BS approved 3 pin 230V charger. Display packed.

Stock No.
51328



2 RWB1

12V MAGNETIC BASE ROTATING BEACON

Magnetic rotating beacon suitable for use on NON-ROAD vehicles only. Manufactured with a heavy-duty magnetic base for easy fixing to body work, attached to a transparent amber lens and fitted with a bright halogen bulb. Supplied with coiled cable and a 12v car adaptor. Display packed.

Stock No.
63877



3 RWB2

12/24V MAGNETIC BASE ROTATING BEACON

Manufactured to EN65 Standard

Magnetic rotating beacon fully certified for use on road vehicles. Manufactured with a heavy-duty magnetic base for easy fixing to body work, attached to a transparent amber lens and fitted with a bright halogen bulb. Supplied with coiled cable and a 12v car adaptor. Display packed.

Stock No.
63878



4 RWB3

12/24V SPIGOT BASE ROTATING BEACON

Manufactured to EN65 Standard

Spigot base rotating beacon, fully certified for use on road vehicles. Manufactured with a heavy-duty base attached to a transparent amber lens and fitted with a bright halogen bulb. Supplied with spigot connector for use on 12/24V vehicles fitted with power poles. Display packed.

Stock No.
63879



5 RWB4

12/24V FLEXIBLE SPIGOT BASE ROTATING BEACON

Manufactured to EN65 Standard

Flexible spigot base rotating beacon, fully certified for use on road vehicles. Manufactured with a heavy-duty base attached to a transparent amber lens and fitted with a bright halogen bulb. Supplied with spigot connector for use on 12/24V vehicles fitted with power poles. Display packed.

Stock No.
63880

LED



6 RWB5

12/24V MAGNETIC BASE LED BEACON

Manufactured to EN65 Standard

Magnetic base LED beacon, fully certified for use on road vehicles. Manufactured with a heavy-duty base attached to a transparent amber lens and fitted with a super bright LED cluster producing 400 lumens, with settings for different flashing patterns. Supplied with coiled cable and 12/24V adaptor. Display packed.

Stock No.
63881

LED



7 RWB6

12/24V FLEXIBLE SPIGOT BASE LED BEACON

Manufactured to EN65 Standard

Flexible spigot base LED beacon, fully certified for use on road vehicles. Manufactured with a heavy-duty base attached to a transparent amber lens and fitted with a super bright LED cluster producing 400 lumens with settings for different flashing patterns. Supplied with spigot connector for use on 12/24V vehicles fitted with power poles. Display packed.

Stock No.
63882

NEW







COB LED

1

COB LED RECHARGEABLE WORKLIGHTS

Ultra-bright light output (10W = 800 lumens, 20W = 1600 lumens). The much improved battery life is due to the internal Li-ion battery and low energy COB LED consumption. The frame and housing made from good quality cast aluminium manufactured to IP65 standard. Due to COB LED technology the unit produces very little heat making it ideal for use in confined spaces.

Stock No.	Part No.	Wattage	Output
19546	RWL10LEDD	10W	800 Lumen
19562	RWL20LEDD	20W	1600 Lumen

2

COB LED WORKLAMPS

Manufactured to IP65 Specifications

Flood lamp incorporating COB LED technology, which provides the unit with a highly efficient super bright lumen output. The light housing is made from cast aluminium with a toughened glass lens, and attached to a steel tube floor stand with foam handle, all manufactured to IP65 specifications making them suitable for external use. Supplied complete with 3M VDE cable and plug.

Stock No.	Wattage	Voltage	Lumens
66043	10W	230V	700
66039	10W	110V	700
66045	20W	230V	1300
66044	20W	110V	1300
66048	50W	230V	3250
66046	50W	110V	3250

ULTRA THIN FOLDING SMD WORKLIGHTS





SMD LED



3

SMD LED RECHARGEABLE WORKLIGHTS

Ultra thin folding SMD LED worklight, capable of producing a light output (10W = 600 lumens, 20W = 1200 lumens). 2 light function (full/half). The improved battery life is due to an internal Li-ion battery. The case is manufactured from cast aluminium with a twin hinge mechanism enabling the worklight to fold in variety of positions - ideal when working in confined spaces, whilst doubling over flat for convenient portability and storage. Supplied with 3 pin charger. Display packed.

Stock No.	Part No.	Wattage	Output
65828	SRWL10LED	10W	600 Lumen
65843	SRWL20LED	20W	1200 Lumen

COB LED

1

COB LED WORKLAMPS WITH TRIPOD

Manufactured to IP65 Specifications

Ultra thin flood lights on an adjustable tripod. Incorporating COB LED technology, which provides the unit with a highly efficient super bright lumen output. The light housing is made from cast aluminium with a toughened glass lens, and attached to a steel tube floor stand with foam handle, all manufactured to IP65 specifications making them suitable for external use. Supplied complete with 3M cable and plug.

Stock No.	Wattage	Voltage	Lumens	Height Range
66050	10W	230V	700	880-1710mm
66049	10W	110V	700	880-1710mm
66053	20W	230V	1300	930-1760mm
66051	20W	110V	1300	930-1760mm
66055	50W	230V	6500	965-1850mm
66054	50W	110V	6500	965-1850mm

COB LED

2

TWIN COB LED WORKLAMPS WITH TRIPOD

Manufactured to IP65 Specifications

Ultra thin flood light with twin lights on an adjustable tripod. Incorporating COB LED technology, which provides the unit with a highly efficient super bright lumen output. The light housing is made from cast aluminium with a toughened glass lens, and attached to a steel tube floor stand with foam handle, all manufactured to IP65 specifications making them suitable for external use. Supplied complete with 3M cable and plug.

Stock No.	Wattage	Voltage	Lumens	Height Range
66057	10W	230V	1300	880-1710mm
66056	10W	110V	1300	880-1710mm
66059	20W	230V	2600	930-1760mm
66058	20W	110V	2600	930-1760mm
66061	30W	230V	3900	965-1850mm
66060	30W	110V	3900	965-1850mm









SMD LED

1 RTTL18

18W SMD LED RECHARGEABLE TUBE LIGHT WITH TELESCOPIC TRIPOD

18W telescopic tripod SMD LED tube light. The light produces a maximum 2000 lumen output. The case is manufactured from shock-proof ABS plastic fitted with a translucent tube that houses the SMD LED strips, creating an 360° omni-directional light. Fitted with a rechargeable Li-ion battery, two lighting functions (100%/50%) and attached with a robust metal telescopic tripod. Supplied with a 230V AC mains charger adaptor. Display packed.

Stock No.
66066





110V 230V 110V AND 230V MODELS AVAILABLE

SMD LED

2

SMD LED TUBE WORKLIGHTS WITH TELESCOPIC TRIPOD

360° omni-directional SMD LED tube light with integral telescopic tripod. The case is manufactured from shock-proof ABS plastic fitted with a translucent tube that houses the SMD LED strips. 2 lighting functions (100%/50%) and attached with a robust metal telescopic tripod, power take of socket to chase a chain of lights to be used or to power other rated items. Supplied with 5M BS approved plug and cable. Display packed.

Stock No.	Wattage	Voltage	Lumens	Tube Length
66063	20W	230V	1600	1000
66062	20W	110V	1600	1000
66065	40W	230V	3200	1600
66064	40W	110V	3200	1600

COB LED



3

COB LED SLIMLINE WALL MOUNTED FLOODLIGHTS

Manufactured to IP65 Specifications

COB LED, wall mounted slim bodied flood light. The ultra thin housing is made from cast aluminium with a toughened glass lens and fitted with wall mounting bracket. IP65 specifications suitable for external use. Fitted with 300mm of 3 core cable. Display carton.

Stock No.	Part No.	Wattage	Output
66032	WMCL10W/B	10W	700
66033	WMCL20W/B	20W	1300
66034	WMCL30W/B	30W	1950
66035	WMCL50W/B	50W	3250

COB LED



4


COB LED SLIMLINE WALL MOUNTED FLOODLIGHTS WITH PIR SENSOR

Manufactured to IP65 Specifications

COB LED, wall mounted slim bodied flood light fitted with a sensitive PIR sensor. The ultra thin housing is made from cast aluminium with a toughened glass lens and fitted with wall mounting bracket. IP65 specifications suitable for external use. Fitted with 300mm of 3 core cable. Display carton.

Stock No.	Part No.	Wattage	Lumens
66036	WMCL10W/PIR/B	10W	700
66037	WMCL20W/PIR/B	20W	1300
66038	WMCL30W/PIR/B	30W	1950

section 19



HARDWARE CLEANING & SECURITY

781	Fixings
782-784	Castors
784-785	Wheels
786	Aerosols
787-788	Tapes
789	General Hardware
790-791	Wire Brushes
792-793	Brushes
793-797	Cleaning
798	Sprayers
799-804	Security

HARDWARE CLEANING & SECURITY

FIXINGS

Page 781




GENERAL HARDWARE

Page 789



CASTORS

Pages 782-784



WIRE BRUSHES

Pages 790-791



WHEELS

Pages 784-785



BRUSHES

Pages 792-793



AEROSOLS

Page 786




CLEANING

Pages 793-798



TAPES

Pages 787-788



SECURITY

Pages 799-804





1 HW18

NUT, BOLT AND WASHER ASSORTMENT (780 PIECE)

Assortment of nuts, bolts and washers in carrying case with see-through lid. Compartment sizes can be changed by using dividers supplied. Display packed.

Stock No.
76770



2 HW8

SELF-TAPPING SCREW ASSORTMENT (305 PIECE)

Popular size self-tapping screws with plated finish for corrosion protection. Packed in plastic storage case with label.

Stock No.
61275



3 HW6

PAN HEAD SCREW AND NUT ASSORTMENT (366 PIECE)

Assortment of popular size pan head screws and hexagon nuts with plated finish for corrosion protection. Packed in plastic storage case with label.

Stock No.
61272



4 HW12

NAIL AND PIN ASSORTMENT (485 PIECE)

A selection of popular nails and pins. Includes various panel pins, ring nails, drive nails, round wire nails, lost head nails, square twist nails. Packed in plastic storage case shrink wrapped for security.

Stock No.
69042



5 CIRCLIP/285

INTERNAL AND EXTERNAL CIRCLIP ASSORTMENT (285 PIECE)

Assortment of internal and external circlips in plastic storage case. Display carton.

Stock No.
56379



6 E-CLIP/300

E-CLIP ASSORTMENT (300 PIECE)

Assortment of 300 (approx.) popular metric sized E-Clips in plastic storage case. Display carton.

Stock No.
63941

AUTOMATIC DOOR CLOSERS



7

DOOR CLOSERS

UL Approved

For the automatic closing of doors in domestic, commercial and industrial environments. Suitable for both right and left hand hung doors. Features include latch and close speed adjusters and delay action. (Back check facilities available on Stock No. 62890 only). Supplied with fixings. Display carton.

Stock No.	Part No.	For Door Weight
62894	DC 15/30	15-30kg
62893	DC 25/45	25-45kg
62892	DC 40/65	40-65kg
62890	DC 45/85	45/85kg

"PAUL SAYS" QUALITY ASSURANCE MAKES THE DIFFERENCE

WORKING OUT YOUR LOADING



To calculate the safe working load (SWL) for each castor take the weight of load in kilograms and divide by the number of castors minus one, e.g. 100kg divide by 3 (4 wheels minus 1) = 33kg. So each castor would need to be rated at a maximum S.W.L. of 33kg.



1 602

RUBBER WHEELED SWIVEL BOLT CASTORS

12mm diameter swivel bolt fixing. Non-marking tyres. Sold in polybag with label.

Stock No.	Wheel Diameter	Max. S.W.L.
65470	50mm	50kg
65475	75mm	70kg
65480	100mm	80kg



2 602

RUBBER WHEELED SWIVEL BOLT CASTORS WITH BRAKE

12mm diameter swivel bolt fixing with brake. Non-marking tyres. Sold in polybag with label.

Stock No.	Wheel Diameter	Max. S.W.L.
65471	50mm	50kg
65476	75mm	70kg
65481	100mm	80kg



3 602

RUBBER WHEELED SWIVEL PLATE CASTORS

Swivel plate fixing. Non-marking tyres. Sold in polybag with label.

Stock No.	Wheel Diameter	Max. S.W.L.
65468	50mm	50kg
65473	75mm	70kg
65478	100mm	80kg



4 602

RUBBER WHEELED SWIVEL PLATE CASTORS WITH BRAKE

Swivel plate fixing with brake. Non-marking tyres. Sold in polybag with label.

Stock No.	Wheel Diameter	Max. S.W.L.
65469	50mm	50kg
65474	75mm	70kg
65479	100mm	80kg



5 602

RUBBER WHEELED FIXED PLATE CASTORS

Fixed plate fixing. Non-marking tyres. Sold in polybag with label.

Stock No.	Wheel Diameter	Max. S.W.L.
65472	50mm	50kg
65477	75mm	70kg
65482	100mm	80kg



6 60140B

40mm TWIN NYLON BOLT CASTOR

10mm diameter swivel bolt fixing. Internal use only on furniture etc. Sold in polybag with label.

Stock No.	Max. S.W.L.
65464	25kg



7 60140BB

40mm TWIN NYLON BOLT CASTOR WITH BRAKE

10mm diameter swivel bolt fixing with brake. Internal use only on furniture etc. Sold in polybag with label.

Stock No.	Max. S.W.L.
65465	25kg



8 60140P

40mm TWIN NYLON SWIVEL PLATE CASTOR

Swivel plate fixing. Internal use only on furniture etc. Sold in polybag with label.

Stock No.	Max. S.W.L.
65462	25kg



9 60140PB

40mm TWIN NYLON SWIVEL PLATE CASTOR WITH BRAKE

Swivel plate fixing with brake. Internal use only on furniture etc. Sold in polybag with label.

Stock No.	Max. S.W.L.
65463	25kg



10 60140L

40mm TWIN NYLON SWIVEL PLUG CASTOR

10mm diameter swivel plug fixing. Internal use only on furniture etc. Sold in polybag with label.

Stock No.	Max S.W.L.
65466	25kg



11 60140LB

40mm TWIN NYLON SWIVEL PLUG CASTOR WITH BRAKE

10mm diameter swivel plug fixing with brake. Internal use only on furniture etc. Sold in polybag with label.

Stock No.	Max. S.W.L.
65467	25kg

"DAVE SAYS" QUALITY MAKES THE DIFFERENCE

NYLON VERSUS POLYURETHANE



When making the choice between nylon and polyurethane the usage has to be considered. Polyurethane is for heavy duty applications where a lot of weight is being carried. Nylon will not mark and is generally used for lighter, domestic-type applications.



1 604

NYLON WHEELED SWIVEL BOLT CASTORS

12mm diameter swivel bolt fixing. Quiet running, will not damage floors and have good load carrying capacity. Sold in polybags with label.

Stock No.	Wheel Diameter	Max. S.W.L.
65494	50mm	50kg
65500	75mm	70kg
65505	100mm	125kg



2 604

NYLON WHEELED SWIVEL BOLT CASTORS WITH BRAKE

12mm diameter swivel bolt fixing with brake. Quiet running, will not damage floors and have good load carrying capacity. Sold in polybags with labels.

Stock No.	Wheel Diameter	Max. S.W.L.
65501	75mm	70kg
65506	100mm	125kg



3 604

NYLON WHEELED SWIVEL PLATE CASTORS

Swivel plate fixing. Quiet running, will not damage floors and have good load carrying capacity. Sold in polybags with label.

Stock No.	Wheel Diameter	Max. S.W.L.
65492	50mm	50kg
65497	75mm	70kg
65503	100mm	125kg



4 604

NYLON WHEELED SWIVEL PLATE CASTORS WITH BRAKE

Swivel plate fixing with brake. Quiet running, will not damage floors and have good load carrying capacity. Sold in polybags with label.

Stock No.	Wheel Diameter	Max. S.W.L.
65499	75mm	70kg
65504	100mm	125kg



5 604

NYLON WHEELED FIXED PLATE CASTORS

Fixed plate fixing. Quiet running, will not damage floors and have good load carrying capacity. Sold in polybags with label.

Stock No.	Wheel Diameter	Max. S.W.L.
65496	50mm	75kg
65502	75mm	100kg
65507	100mm	125kg



6 605

POLYURETHANE WHEELED SWIVEL BOLT CASTORS

12mm diameter swivel bolt fixing. High tear strength, up to twice the service life of rubber wheels with good load carrying capacity. Sold in polybags with label.

Stock No.	Wheel Diameter	Max. S.W.L.
65510	50mm	50kg
65515	75mm	70kg
65520	100mm	125kg



7 605

POLYURETHANE WHEELED SWIVEL BOLT CASTORS WITH BRAKE

12mm diameter swivel bolt fixing with brake. High tear strength, up to twice the service life of rubber wheels with good load carrying capacity.
Sold in polybags with label.

Stock No.	Wheel Diameter	Max. S.W.L.
65516	75mm	70kg
65521	100mm	125kg



8 605

POLYURETHANE WHEELED SWIVEL PLATE CASTORS

Swivel plate fixing. High tear strength, up to twice the service life of rubber wheels with good load carrying capacity. Sold in polybags with label.

Stock No.	Wheel Diameter	Max. S.W.L.
65508	50mm	50kg
65513	75mm	70kg
65518	100mm	125kg



9 605

POLYURETHANE WHEELED SWIVEL PLATE CASTORS WITH BRAKE

Swivel plate fixing with brake. High tear strength, up to twice the service life of rubber wheels with good load carrying capacity. Sold in polybags with label.

Stock No.	Wheel Diameter	Max. S.W.L.
65514	75mm	70kg
65519	100mm	125kg



10 605

POLYURETHANE WHEELED FIXED PLATE CASTORS

Fixed plate fixing. High tear strength, up to twice the service life of rubber wheels with good load carrying capacity. Sold in polybags with labels.

Stock No.	Wheel Diameter	Max. S.W.L.
65512	50mm	75kg
65517	75mm	100kg
65522	100mm	125kg

"PAUL SAYS" QUALITY ASSURANCE MAKES THE DIFFERENCE

WORKING OUT YOUR LOADING



To calculate the safe working load (SWL) for each castor take the weight of load in kilograms and divide by the number of castors minus one, e.g. 100kg divide by 3 (4 wheels minus 1) = 33kg.
So each castor would need to be rated at a maximum S.W.L. of 33kg.




1 606

HEAVY DUTY POLYURETHANE WHEELED SWIVEL PLATE CASTORS

Swivel plate fixing. High tear strength, up to twice the service life of rubber wheels with good load carrying capacity. Steel wheel centre, needle roller bearing and grease nipple. Carton packed.

Stock No.	Wheel Diameter	Max. S.W.L.
65523	100mm	250kg
65526	125mm	300kg
65529	160mm	400kg
65532	200mm	500kg



2 606

HEAVY DUTY POLYURETHANE WHEELED SWIVEL PLATE CASTORS WITH BRAKE

Swivel plate fixing with brake. High tear strength, up to twice the service life of than rubber wheels with good load carrying capacity. Steel wheel centre, needle roller bearing and grease nipple. Carton packed.

Stock No.	Wheel Diameter	Max. S.W.L.
65524	100mm	250kg
65527	125mm	300kg
65530	160mm	400kg
65533	200mm	500kg



3 606

HEAVY DUTY POLYURETHANE WHEELED FIXED PLATE CASTORS

Fixed plate fixing. High tear strength, up to twice the service life of rubber wheels with good load carrying capacity. Steel wheel centre, needle roller bearing and grease nipple. Carton packed.

Stock No.	Wheel Diameter	Max. S.W.L.
65525	100mm	250kg
65528	125mm	300kg
65531	160mm	400kg
65534	200mm	500kg

NEW



4 YDSCT/T

SOLID RUBBER WHEEL

Rubber wheel with plastic hub. Sold Loose.

Stock No.	Tyre Dia
68276	70mm

NEW



5 FOR 17993 PWB-F

SOLID RUBBER WHEEL

Rubber wheel with plastic hub. Sold Loose.

Stock No.	Tyre Dia	Hub Dia	Bore Size
17995	360mm	200mm	16mm

"PAUL SAYS" QUALITY ASSURANCE MAKES THE DIFFERENCE



WORKING OUT YOUR LOADING

To calculate the safe working load (SWL) for each castor take the weight of load in kilograms and divide by the number of castors minus one, e.g. 100kg divide by 3 (4 wheels minus 1) = 33kg.
So each castor would need to be rated at a maximum S.W.L. of 33kg.

NEW



6 FOR 17993/82755

SOLID RUBBER WHEEL

Solid rubber wheel with steel hub. Sold Loose.

Stock No.	Tyre Dia	Hub Dia	Bore Size
02104	360mm	200mm	16mm

NEW



7 FOR 31619

SOLID RUBBER WHEEL

Rubber wheel with steel hub. Sold Loose.

Stock No.	Tyre Dia	Hub Dia	Bore Size
02105	320mm	180mm	12mm

NEW



8 YDSCT/T

SOLID RUBBER WHEEL

Rubber wheel with plastic hub. Sold Loose.

Stock No.	Tyre Dia	Hub Dia	Bore Size
45849	160mm	100mm	9mm

PNEUMATIC RUBBER WHEELS

Pneumatic wheels, perfect for use with heavy loads over rough terrain.



NEW



1 YGMC/450-WHEEL

PNEUMATIC RUBBER WHEEL

Pneumatic rubber wheel with steel hub. Sold Loose.

Stock No.	Tyre Dia	Hub Dia	Bore Size
41388	320mm	174mm	16mm

NEW



2 YGMC-WHEEL

PNEUMATIC RUBBER WHEEL

Pneumatic rubber wheel with steel hub. Sold Loose.

Stock No.	Tyre Dia	Hub Dia	Bore Size
83966	258mm	124mm	16mm

NEW



3 FOR 31619 GWB-D

PNEUMATIC RUBBER WHEEL

Pneumatic rubber wheel with steel hub. Sold Loose.

Stock No.	Tyre Dia	Hub Dia	Bore Size
15023	320mm	180mm	12mm

NEW



4 FOR 82755 BWB-F

PNEUMATIC RUBBER WHEEL

Pneumatic rubber wheel with steel hub. Sold Loose.

Stock No.	Tyre Dia	Hub Dia	Bore Size
15007	385mm	220mm	16mm

NEW



5 YDST3

PNEUMATIC RUBBER WHEEL

Rubber wheel with steel hub. Sold Loose.

Stock No.	Tyre Dia	Hub Dia	Bore Size
63358	260mm	75mm	20mm

NEW



6 YDST5

PNEUMATIC RUBBER WHEEL

Rubber wheel with steel hub. Sold Loose.

Stock No.	Tyre Dia	Hub Dia	Bore Size
62021	260mm	55mm	16mm

PRODUCT INFORMATION

COUNTERTOP DISPENSERS

Items Nos. 1-9 on this page are available in convenient countertop dispensers when 12 or multiples thereof are ordered.





1 ARE-CCL/A

400ml CARBURETTOR AND INJECTOR CLEANER

Ideal for cleaning carburettors, injectors and brake parts. Helps prevent stalling and rough idling. CFC free. Sold loose.

Available in singles - order multiples of 12 to get a free countertop display

Stock No.
41922

2 ARE-SIL/A

400ml SILICONE LUBRICANT

Colourless and non-toxic anti-static lubricant ideal for use on metals, plastics, vinyl, rubber and wood. Safe for use on food machinery. CFC free. Sold loose.

Available in singles - order multiples of 12 to get a free countertop display

Stock No.
41923

3 ARE-BCL/A

400ml BRAKE AND CLUTCH CLEANER

Ideal for cleaning all parts of modern brake and clutch systems. Eliminates brake squeal and clutch slip caused by contamination and glazing. CFC free. Sold loose.

Available in singles - order multiples of 12 to get a free countertop display

Stock No.
41925

4 MR-DS

400ml Mr D's MOISTURE DISPERSANT

Dual purpose moisture and penetrating oil, suitable for dispersing moisture from electrical systems and as a general lubricating and penetrating oil. Sold loose.

Available in singles - order multiples of 12 to get a free countertop display

Stock No.
41921

5 ARE-GLV/A

400ml COLD GALVANIZING COMPOUND SPRAY

Protects metals, scaffolding, steel windows, doors, water tanks etc. from rusting. Effective primer coat. Compatible with cellulose paints and withstands hot dip galvanising. CFC free. Sold loose.

Available in singles - order multiples of 12 to get a free countertop display

Stock No.
41920

6 ARE-GRT/A

400ml PENETRATING GRAFFITI REMOVER

Removes graffiti from most porous and non porous surfaces. Highly effective on felt tip pens, ballpoint pens and most paints, inks etc. CFC free. Sold loose.

Available in singles - order multiples of 12 to get a free countertop display

Stock No.
41924

7 ARE-IGR/A

400ml INK AND GUM REMOVER

Ideal for the removal of ink, chewing gum, toffee, glue gum, putty etc. from carpets, upholstery and wood. Leaves surfaces tack-free. CFC free. Sold loose.

Available in singles - order multiples of 12 to get a free countertop display

Stock No.
41926

8 ARE-CTA

400ml METAL CUTTING LUBRICANT

For cutting threads using taps and dies as well as drilling, reaming and machining in steels and aluminium. Can also be used to preserve tips on TCT circular saws and router bits. CFC free. Sold loose.

Available in singles - order multiples of 12 to get a free countertop display

Stock No.
76109

9 ARE-HSA/A

400ml HEAVY DUTY SPRAY ADHESIVE

Suitable for applications where good initial strength is required. Effective on glass, rubber, wood, metals and most lightweight materials. CFC free. Sold loose.

Available in singles - order multiples of 12 to get a free countertop display

Stock No.
41918

10

750ml LINE MARKER SPRAY PAINT

For temporary line marking on many surfaces. Suitable for use on asphalt, concrete, gravel, grass etc. Can be fitted to a trolley or hand-held applicator. Quick drying. CFC free. Supplied with applicator button. Sold loose.

Stock No.	Part No.	Colour
41912	ARE-LM/O/A	Orange
41915	ARE-LM/W/A	White
41916	ARE-LM/Y/A	Yellow
41917	ARE-LM/R/A	Red



LEGAL INFORMATION - PAINT

It is illegal to sell spray paints to anyone under the age of 16.



1 TP-D/SPRO

50M x 50mm HEAVY DUTY DOUBLE SIDED TAPE ROLL

Heavy duty, double sided cloth tape suitable for various applications including fixing carpet to floors. Shrink wrapped in singles with label.

Stock No.
65392




2 TP-D/S/A

18M x 12mm DOUBLE SIDED TAPE ROLL

Double sided tape suitable for various applications including fixing carpet to floors. Shrink wrapped in singles with label.

Stock No.
49427



3 TP-HAZ

33M x 50mm BLACK AND YELLOW HAZARD TAPE ROLL

Diagonally striped durable self adhesive PVC tape for floor and hazard marking. Shrink wrapped in singles with label.

Stock No
63382



4 TP-HAZ.

33M x 50mm RED AND WHITE HAZARD TAPE ROLL

Diagonally striped durable self adhesive PVC tape for floor and hazard marking. Shrink wrapped in singles with label.

Stock No.
69010



5 TP-S/GRIP

BLACK SAFETY GRIP TAPE ROLLS

Heavy duty self adhesive grip tape to help prevent slips and falls. Able to withstand long and arduous use on steps, ladders and slippery outdoor surfaces. Shrink wrapped in singles with label.

Stock No.	Width	Length
63384	50mm	3.7M
66234	50mm	18M



6 TP-S/GRIP/HZ

18M x 50mm BLACK AND YELLOW SAFETY GRIP TAPE ROLL

Heavy duty self adhesive grip tape to help prevent slips and falls. Able to withstand long and arduous use on steps, ladders and slippery outdoor surfaces. Shrink wrapped in singles with label.

Stock No.
65440



7 TP-S/GRIP/Y

18M x 50mm YELLOW SAFETY GRIP TAPE ROLL

Heavy duty self adhesive grip tape to help prevent slips and falls. Able to withstand long and arduous use on steps, ladders and slippery outdoor surfaces. Shrink wrapped in singles with label.

Stock No.
66233




8 TP-BAR

500M x 75mm RED AND WHITE BARRIER TAPE ROLL

A non-adhesive tape for marking out “no-go” areas. Supplied complete in tape dispenser box.

Stock No.
66041



9 TP-BAR

500M x 75mm BLACK AND YELLOW BARRIER TAPE ROLL

A non-adhesive tape for marking out “no-go” areas. Supplied complete in tape dispenser box.

Stock No.
69009




10 TP-PACK

66M x 50mm PACKING (SECURITY) TAPE ROLL

Good quality packing tape for use with Draper Hand-Held Tape Dispenser Stock No .63390 and other manufacturers similar dispensers. Display packed.

Stock No.
63388



11 TP-DUCT/A

GREY DUCT TAPE ROLLS

Good quality strong waterproof cloth tape with multiple uses. Sticks to almost any dry, grease free surface. Shrink wrapped in singles with label.

Stock No.	Length	Width
49430	30M	50mm
49433	33M	100mm



12 TP-DUCT/W/A

30M x 50mm WHITE DUCT TAPE ROLL

Good quality strong waterproof cloth tape with multiple uses. Sticks to almost any dry, grease free surface. Shrink wrapped in singles with label.

Stock No.
49431



1 TP-DUCT/B/A

33M x 50mm BLACK DUCT TAPE ROLL

Good quality strong waterproof cloth tape with multiple uses. Sticks to almost any dry, grease free surface. Shrink wrapped in singles with label.

Stock No.
49432



2 TP-PS

15M x 50mm HEAVY DUTY STRAPPING TAPE

Expert Quality, tape with reinforced glass fibre mesh for extra strength. Ideal for repairing and reinforcing. Shrink wrapped in singles.

Stock No.
65021



3 TP-MASKPRO

50M HEAVY DUTY MASKING TAPE

Heavy duty, low tack, easy tear and re-positional heavy duty masking tape. Ideal for professional usage. Can be used for low bake masking applications. Clean peel up to 12 hours after usage. Display packed.

Stock No.	Width
63478	25mm
63479	50mm



4 TP-MASK

50M MASKING TAPE

Easy tear and re-positional. Ideal for decorating, drilling or spraying. Clean peel up to 3 hours after usage. Display packed.

Stock No.	Width
63481	25mm
63480	50mm



5 TP-PTFE

12M PTFE TAPE

For water plumbing applications. In plastic reel with dust cover. Shrink wrapped in singles with label.

Not suitable for use on gas pipework

Stock No.
63389




6 TP-DIS2/SG

SOFT GRIP HAND-HELD PACKING (SECURITY) TAPE DISPENSER

Expert Quality, suitable for industrial and warehouse environments for sealing boxes, cartons etc. Steel frame construction with patented blade cutting system. Soft grip handle for user comfort. Display packed.

Stock No.	Tape Width
19237	50mm



7 TP-DIS

HAND-HELD PACKING (SECURITY) TAPE DISPENSER KIT

Suitable for industrial and domestic applications for sealing boxes, cartons etc. Steel frame construction with comfortable handle and supplied with two 33M x 50mm reels of packing tape. Display packed.

Stock No.
63390



8 EPC

PACKAGING CUTTER

Soft grip safety cutter with shielded blade preventing personal accidents. Ideal for cutting packaging strapping, film and opening boxes. Display packed.

Stock No.	Description
24308	Cutter
24429	Spare Blades



9 FS

EASY FIND PACKAGING CUTTERS

Safety cutter for opening boxes, strapping and film. Blade is shielded to prevent personal accidents. Red, yellow, green or orange plastic handles. Length 165mm. Multiples of 24 only, supplied in countertop display comprising six of each colour.

Minimum order 24 or multiples thereof

Stock No.
45278

NEW SIZES AVAILABLE



1 662

POLYPROPYLENE ROPE

Multi-purpose rope manufactured from weather-resistant polypropylene. Shrink wrapped in coils.

Stock No.	Length (approx.)	Diameter
04949	50M	10mm
04858	30M	4mm
11673	30M	6mm
22602	20M	8mm
11675	15M	10mm
22604	10M	12mm

NEW



2 RR/Q

REFLECTIVE POLYPROPYLENE ROPE

Reflective rope manufactured from braided weather-resistant polypropylene, which is chemical and mould resistant.

Stock No.	Length (approx.)	Diameter
04882	15M	9mm



DRAPER TV

3 ADS

PROTECTIVE PAD SET (125 PIECE)

EVA pads with adhesive backing for protecting furniture surfaces, worktops, parquet and laminate flooring etc. Five sizes available. Display packed.

Contents:

- 32 pads size: 10mm diameter x 1mm thick
- 36 pads size: 15mm diameter x 2mm thick
- 48 pads size: 20mm diameter x 2mm thick
- 8 pads size: 38mm diameter x 4mm thick
- Square sheet size: 200 x 200mm x 2mm thick

Stock No.
87375



4 CTP1B

NYLON CABLE TIE PACK (200 PIECE)

Robust and hardy cable ties ideal for use in the home, garage and workshop etc. Packed in polythene bag with display card.

Contents: 200 off (approx.) 100 x 2.5mm

Order number of packs required

Stock No.
28887



5 CTP2B

ASSORTED NYLON CABLE TIE PACK (75 PIECE)

Robust and hardy cable ties ideal for use in the home, garage and workshop etc. Packed in polythene bag with display card.

Contents: 25 off (approx.) 100 x 2.5mm; 25 off (approx.) 120 x 4.8mm; 25 off (approx.) 200 x 4.8mm

Order number of packs required

Stock No.
28886



6 CTP3B

ASSORTED NYLON CABLE TIE PACK (200 PIECE)

Robust and hardy cable ties ideal for use in the home, garage and workshop etc. Display packed in storage tube.

Contents: 100 off (approx.) 100 x 2.5mm; 50 off (approx.) 160 x 2.5mm; 50 off (approx.) 190 x 2.5mm

Order number of packs required

Stock No.
28888



7 CTP5B

ASSORTED NYLON CABLE TIE PACK (650 PIECE)

Robust and hardy cable ties ideal for use in the home, garage and workshop etc. Display packed in storage tube. Contents: • 400 off (approx.) 100 x 2.5mm • 100 off (approx.) 160 x 2.5mm • 100 off (approx.) 200 x 4.8mm • 50 off (approx.) 300 x 4.8mm

Order number of packs required

Stock No.
28889









8 C8

LITTER PICKER/PICK UP TOOL

A useful aid allowing small objects to be picked up with minimum bending, or reaching slight objects from shelves. The picker is of lightweight aluminium construction and the rubber faced jaws are easily rotated into any of four positions. Display packed.

Stock No.
47418



1 WB-HD/I

HEAVY DUTY WIRE SCRATCH BRUSHES (310mm)

Expert Quality, industrial wire scratch brushes with wooden stock incorporating a hang hole. Sold loose.

Stock No.	Wire Rows
31548	3 x 15
31563	4 x 15



2 WB-HD/IS/L

HEAVY DUTY 4 ROW WIRE SCRATCH BRUSH WITH SCRAPER (310mm)

Industrial wire scratch brush with wooden stock incorporating a hang hole. Sold loose.

Stock No.	Wire Rows
36176	4 x 15



3 WB

WIRE SCRATCH BRUSHES (290mm)

Wire scratch brushes with wooden stock incorporating a hang hole. Sold loose.

Stock No.	Wire Rows
50934	2 x 15
31569	3 x 15
31570	4 x 15



4 WB/IS

4 ROW WIRE SCRATCH BRUSH WITH SCRAPER (290mm)

Wire scratch brush with wooden stock incorporating a hang hole. Sold loose.

Stock No.	Wire Rows
31573	3 x 15

5 WB-SS/L

STAINLESS STEEL 4 ROW WIRE SCRATCH BRUSH (310mm)

Beech wooden handle incorporating hang hole and wire trim 25mm long. Sold loose.

Stock No.	Wire Rows
50931	4 x 15



6 4860

BRASS WIRE BRUSH (225mm)

Expert Quality, dense brass fill wire brush, securely held in wooden stock. Display packed.

Stock No.	Wire Rows
65670	3 x 16



7 4861

STEEL WIRE BRUSH (225mm)

Tough moulded plastic stock and a hardened, tempered steel wire fill. The brush head is curved to allow cleaning of corners. Display packed.

Stock No.	Wire Rows
11951	2 x 12



8 4864SS

STAINLESS STEEL FILL BRUSH (230mm)

Plastic handle. For aggressive cleaning and removal tasks. Display packed.

Stock No.	Wire Rows
52403	3 x 11



9 4864NF

NYLON FILL BRUSH (230mm)

Plastic handle. For more delicate cleaning and removal tasks. Display packed.

Stock No.	Wire Rows
52307	3 x 11



10 4864BF

BRASS FILL BRUSH (230mm)

Plastic handle. For medium duty use. Display packed.

Stock No.	Wire Rows
52402	3 x 11



11 4864

230mm BRUSH SET (3 PIECE)

Comprising three brushes each with a different fill (brass, nylon and stainless steel) for specific D.I.Y. applications. Display packed.

Stock No.	Wire Rows
26928	3 x 11



1 4863

GENERAL PURPOSE WIRE BRUSH (250mm)

Wire brush designed primarily for cleaning metal prior to welding or removing slag after a weld has been made as well as other brushing applications. The 0.35mm diameter brass steel wire fill is securely held in a heavy duty spine with polypropylene handle. Display packed.

Stock No.
20594



2 WBSC14

WIRE SCRATCH BRUSH WITH SCRAPER (350mm)

Wire scratch brush with carbon steel bristles and a soft grip handle which incorporates a hang hole. Fitted with a steel scraper.

Stock No.	Wire Rows	Length
17179	3 x 19	350mm



3 WBSC14SS

WIRE SCRATCH BRUSH WITH SCRAPER (350mm)

Wire scratch brush with stainless steel bristles and a soft grip handle which incorporates a hang hole. Fitted with a steel scraper.

Stock No.	Wire Rows	Length
17180	3 x 19	350mm



4 WBSC10

WIRE SCRATCH BRUSH WITH SCRAPER (285mm)

Wire scratch brush with carbon steel bristles and a soft grip handle which incorporates a hang hole. Fitted with a steel scraper.

Stock No.	Wire Rows	Length
17182	4 x 11	285mm



5 WBSC14BR

BRASS WIRE SCRATCH BRUSH WITH SCRAPER (350mm)

Wire scratch brush with brass bristles ideal for less aggressive cleaning. Fitted to a soft grip handle which incorporates a hang hole and a steel scraper.

Stock No.	Wire Rows	Length
17181	3 x 19	350mm



6 WBS3 1608

MINI WIDE HEAD BRUSH SET (3 PIECE)

Three 210mm brushes fitted with either robust Nylon, Stainless Steel or Brass bristles, capable of delivering a vigorous scrub and clean. Each brush has two bristle groups in alternative material. The soft grip handle is tapered at the end enabling the handle to be used as a scraper.

Stock No.	Wire Rows	Length
17186	5 x 12	210mm



7 MWBSSG

MINI BRUSH SET (3 PIECE)

Three 210mm brushes fitted with either robust Nylon, Stainless Steel or Brass bristles, capable of delivering a vigorous scrub and clean. Each brush is attached with tip bristles for hard to reach areas and a soft grip handle.

Stock No.	Wire Rows	Length
17183	3 x 8	210mm



8 WB2H

TWO HANDLE WIRE BRUSH (235mm)

Curved pattern with sturdy stainless steel wire bristles. Its curved pattern allows cleaning in hard to reach corners. Manufactured with two soft grip handles.

Stock No.	Wire Rows	Length
17188	5 x 32	235mm



9 WB-PH3

D-HANDLE WIRE BRUSH (160mm)

Curved pattern with four sturdy wire rows. Curved pattern allows cleaning in hard to reach corners. Manufactured with tough robust plastic stock and handle. Display packed.

Stock No.	Wire Rows	Length
31077	4 x 36	160mm





10 HD/SBSS

STAINLESS STEEL BRISTLE SCRUB BRUSH (180mm)

Fitted with robust stainless steel bristles, capable of delivering a vigorous scrub and clean. Attached with a soft grip head and screw hole for enabling a handle to be attached, which transforms the scrub brush to a broom/deck scrubber. Compatible for use with Stock No. 17160 extension pole (sold separately).

Stock No.	Description	Wire Rows	Length
17189	Brush Head	6 x 19	180mm
17160	Extension Pole	–	800-1400mm

NEW



1 BRM/COCOE

SOFT COCO BROOMS (300mm)

Soft coco broom supplied with support bracket and wooden handle.

Stock No.
01087

NEW



2 PBRM/COCOE

SOFT COCO PLATFORM BROOMS (600mm)

Soft coco platform broom supplied with support bracket and wooden handle.

Stock No.
01088

NEW



3 PBRM/BASSE

STIFF BASSINE BROOM (600mm)

Heavy duty broom suitable for outdoor use, fully assembled with support bracket and wooden handle

Stock No.
01089



4 CYB/B25/5

YARD BROOM (330mm)

Polypropylene/Sherbro mix head Supplied with wood shaft 1370mm long x 28mm dia. Sold loose in twos.

Minimum order two or multiples thereof

Stock No.
88618



5

STIFF BASSINE BROOM HEADS

Heavy duty, suitable for outdoor use. Handles supplied separately - 23mm Draper Stock No. 43786 or 28mm Draper Stock No. 43787. Option of extra support through use of broom bracket - Draper Stock No. 43789, clamp - Draper Stock No. 43790 or stay - Draper Stock No. 43791. Sold loose.

Stock No.	Part No.	Width	Hole Dia.
43769	BRM/DS	230mm	23mm
43772	BRM/BASS	300mm	23mm
43773	BRM/BASS	450mm	28mm
43775	PBRM/BASS	600mm	28mm



6 BRM/COCO

SOFT COCO BROOM HEADS

Heavy duty, suitable for both indoor and outdoor use. Handles supplied separately - 23mm Draper Stock No. 43786 or 28mm Draper Stock No. 43787. Option of extra support through use of broom bracket - Draper Stock No. 43789, clamp - Draper Stock No. 43790 or stay - Draper Stock No. 43791. Sold loose.

Stock No.	Width	Hole Dia.
43770	300mm	23mm
43771	450mm	28mm
43774	600mm	28mm



7 BRM/SBK

SADDLEBACK BROOM HEAD (330mm)

Heavy duty, suitable for outdoor use. Handle supplied separately - 28mm Draper Stock No. 43787. Sold loose.

Stock No.
43778



8 SHTB

SHORT HANDLED TAR BRUSH

For applying all viscous materials especially applying liquid tar to flat roofs or to finish off road repair patches. Handle length 185mm. Sold loose.

Stock No.
43782

9 BRM/HAN

WOODEN BROOM HANDLES

Handles suitable for small or large broom heads. Sold loose.

Stock No.	Length	Diameter
43786	1220mm	23mm
43787	1525mm	28mm



1 PBRCK
23mm BROOM HEAD PLASTIC BRACKET
For fixing 23mm diameter handles to smaller flat broom heads. Fixings supplied separately. Sold loose.

Stock No.
43788



2 MBRCK
HEAVY DUTY METAL BROOM BRACKET
Suitable for large broom heads only, the diameter can be adjusted by means of wing nut and screw to take most popular diameter wood handles. Fixings supplied separately. Sold loose.

Stock No.
43789



3 MSTY
BROOM HEAD SUPPORT STAY
Helps to keep broom head steady whilst sweeping. Suitable for flat broom heads only. Fixings supplied separately. Sold loose.

Stock No.
43791



DUST PAN CAN BE FOUND ON PAGE 736

4 HBRM/BASS
STIFF BASSINE HAND BRUSH (255mm)
Traditional banister brush, suitable for outdoor and indoor use. Sold loose.

Stock No.
43780



5 HBRM/COCO
SOFT COCO HAND BRUSH (255mm)
Traditional banister brush, suitable for outdoor and indoor use. Sold loose.

Stock No.
43779



6 HS/BASS
STIFF BASSINE SCRUBBING BRUSH (200mm)
Traditional scrubbing brush suitable for various applications. Sold loose.

Stock No.
43781

FLOOR SQUEEGEES

NEW





7 FSQ/A
FLOOR SQUEEGEES
Moulded plastic frame with single-fold EVA insert provides effective water removal from hard floor surfaces. The all plastic construction is safe to use on delicate tile and marble floors and will not rust. Part of the One-Handle system, for use with handle Stock No. 02086. Display packed.

Stock No.	Width
02087	450mm
02088	600mm

8 FSQ
RUBBER FLOOR SQUEEGEES
Handle sold separately - 28mm Draper Stock No.43787. Sold loose.

Stock No.	Width
43784	450mm
43794	600mm



9 VV1
SHORT HANDLE WASHING BRUSH
Soft bristles with a lightweight plastic handle. Sold loose with swing tag.

Stock No.	Overall Length
44246	210mm



10 VV2
LONG HANDLE WASHING BRUSH
Soft bristles with a lightweight plastic handle. Sold loose with swing tag.

Stock No.	Overall Length
44247	490mm



11 AMH
BROOM OR MOP HANDLE (1.3M)
NEW

Tubular steel broom/mop handle with plastic grip. The powder-coated finish helps protect the handle and the push-button clamp and release mechanism enables simple interchanging of heads. The comfortable handle grip is attached with an integral hang-hole. Part of the One-Handle system, used in conjunction with stock No's 02089, 02091, 02087, 02088, 02084, 02085.

Stock No.
02086

ONE-HANDLE SYSTEM

NEW



1 BWK

SUPER ABSORBENT KENTUCKY MOP HEADS (PACK OF 5)

Pack of 5 highly absorbent disposable Kentucky style mop head. Made from fabric that's more absorbent than cotton allowing floors to be dried quicker. Used in conjunction with Kentucky mop head clip Stock No. 02085. Part of the One-Handle system. Uses handle Stock No. 02086. Display packed.

Stock No.	Description
02091	Mop Heads
02085	Mop Clip

NEW



2 KM

MULTI-YARN KENTUCKY MOP HEADS (PACK OF 3)

Pack of 3 multi-yarn, washable Kentucky style mop head. Used in conjunction with Kentucky mop head clip Stock No. 02085. Part of the One-Handle system. Uses handle Stock No. 02086. Display packed.

Stock No.	Description
02084	Mop Heads
02085	Mop Clip

NEW



3 LHFM

FLAT SURFACE MOP AND COVER

Dust mop frame complete with cotton mop cover, suitable for dry use on hardwood, laminate and tiled floors. The covers have colour-coding tabs to easily identify usage. Easily removed and totally re-washable. Replacement covers available: Stock No. 02090. Part of the One-Handle system. Uses handle Stock No. 02086. Display packed.

Stock No.	Description
02089	Mop
02090	Spare Covers

NEW




4 AMH

BROOM OR MOP HANDLE (1.3M)

Tubular steel broom/mop handle with plastic grip. The powder-coated finish helps protect the handle and the push-button clamp and release mechanism enables simple interchanging of heads. The comfortable handle grip is attached with an integral hang-hole. Part of the One-Handle system, used in conjunction with stock No's 02089, 02091, 02087, 02088, 02084, 02085.

Stock No.
02086





EXTENDS TO 1.4M

5 HDEP

TELESCOPIC EXTENSION POLE

Telescopic steel extension pole that extends from 0.8-1.4M. Covered with a plastic coating for corrosion protection and fitted with an aluminium thread. The screw fitting attaches to the following stock numbers 17158, 17161, 17162, 17189, 17190.

Stock No.	Min Length	Max Length
17160	800mm	1400mm



6 SJ

SYNTHETIC SPONGE

Tough foam, ideal for washing down walls prior to painting or decorating, or for washing vehicles. Shrink wrapped with label.

Stock No.	Dimensions L x W
40418	220 x 120 x 65mm



8 HD/SBN

NYLON BRISTLE SCRUB BRUSH

Fitted with sturdy nylon bristles, which deliver a better scrub and clean. Attached with a soft grip head and screw hole for enabling a handle to be attached, which transforms the scrub brush to a broom/deck scrubber. Compatible for use with Stock No. 17160 extension pole (sold separately).

Stock No.	Description
17190	Brush Head
17160	Extension Pole



9 CCG

CLEANING CADDY/TOTE TRAY

Three compartments, ideal for carrying around cleaning materials, gardening hand tools and other small items. Sold loose.

Stock No.	Dimensions L x W x H
24776	340 x 240 x 130mm

7 C1A/B

BROOM WITH HANDLE

Indoor broom with soft bristles helping to grab fine particles giving a better clean with each sweep, attached with a screw in handle.

Stock No.
75252



1 MBW20

KENTUCKY MOP BUCKET WITH SIDE PRESS WRINGER (20L)

Side press wringer provides equal pressure on mop heads. Suitable for use with all flat mops including Draper Kentucky Mops Stock Nos. 24825 and 24826. Fitted with side fitting metal handle and 50mm castors for easy portability. Wet floor warning sign printed on bucket sides. Carton packed.

Stock No.
24838



2 BW15

PROFESSIONAL MOP BUCKET (15L)

Plastic mop bucket with raised wringer and heavy duty carrying handle. Wet floor warning sign printed on bucket sides. Raised wringer allows overspill to go back into bucket. For use with mops Draper Stock Nos. 24831, 24833 and 24834. Carton packed.

Stock No.
24836



3 GMB

GALVANISED MOP BUCKET (9L)

Traditional style 9L mop bucket, made from galvanised steel.

Stock No.
53245



4 MBG

PLASTIC MOP BUCKET (12L)

With side pouring spout and mop wringer. Ideal for domestic or contract work. Sold loose.

Stock No.
24778



5 GB14

GALVANISED STEEL BUCKET (12L)

Robust and durable multi-purpose bucket. Manufactured from galvanised steel, providing added endurance. Suitable for garden use and a host of other everyday uses.

Stock No.
53241



6 DBG

PLASTIC BUCKET (9L)

Ideal for domestic and contract work. Sold loose.

Stock No.
24777



7 SMH16

PY MOP HEAD WITH PUSH-IN SOCKET

Thick absorbent PY cotton yarn for general use. Suitable for use with Draper Broom/Mop Handle Stock No. 24835. Display packed.

Stock No.	Socket Size
24831	No.16



8 BWM

SUPER ABSORBENT MOP HEAD

Highly absorbent fabric that absorbs up to three times its own weight of liquid allowing floors to be dried quicker. Suitable for use with Draper Broom/Mop Handle Stock No. 24835. Display packed.

Stock No.
24834

NEW



9 WFWS/B

WET FLOOR WARNING SIGN

Essential for all public areas where floor cleaning takes place. 'A' frame construction with warning on both sides. Fitted with an 'A' frame hook for added stability. Display packed.

Stock No.
82134



10 AMH

ALLOY BROOM OR MOP HANDLE (1250mm)

Screw thread for fixing on to mops/broom handles. Supplied with four interchangeable colour coded clips - red, yellow, green and blue to aid easy identification for different janitorial jobs. Display packed.

Stock No.
24835

DRAPER HARD GRAFT™

1 HGW-HD90

TUB OF 90 TUFF TEXTURE HEAVY DUTY DRAPER 'HARD GRAFT' WIPES

Impregnated with an advanced hi-tech cleaning formula providing an industrial-strength cleaning wipe capable of scrubbing a range of hard to remove substances. The dual sided dermatologically tested fabric has both a rough and smooth side, that easily wipe a host of substances including glues, sealants, paints and oils etc. Each sheet is sized 210 x 245mm and designed for cleaning surfaces and tools. Suitable for all trades including construction, decorators, electricians, engineers, farmers, maintenance, mechanics, painters, plumbers, printers and welders etc. Display packed.

Stock No.
84712







2 HGW-100

TUB OF 100 MULTI PURPOSE DRAPER 'HARD GRAFT' WIPES

Impregnated with an advanced hi-tech cleaning formula providing an industrial-strength cleaning wipe capable of cleaning a range of hard to remove substances. The dermatologically tested fabric easily cleans a host of substances including glues, sealants, paints and oils etc. Each sheet is sized 200 x 220mm and designed for cleaning surfaces and tools. Suitable for all trades including construction, decorators, electricians, engineers, farmers, maintenance, mechanics, painters, plumbers, printers and welders etc. Display packed.

Stock No.
84711







3 VV7

CHAMOIS LEATHERS

For cleaning windows, car paintwork and other similar surfaces. Natural oil-dressed chamois leather. Display header card.

Stock No.	Size
44252	Large - 2.5 sq.ft.



4 C7RS

MICROFIBRE CLOTHS (PACK OF 2)

Provides excellent cleaning results without the need of chemicals. Can be washed and re-used up to 500 times. Ideal for a host of industries and around the home. Display packed.

Stock No.	Dimensions
51080	400 x 400mm





5 WB-DG.

300mm SILICONE SQUEEGEE

For wiping surplus liquids from scratch resistant surfaces such as windows etc. Silicone rubber blade and soft grip handle. Display packed.

Stock No.
76482




6 WB

300mm SQUEEGEE

For wiping surplus liquids from scratch resistant surfaces such as windows etc. Neoprene rubber blade and additional serrated edge. Display packed.

Stock No.
69207




7 CWMTN/B

2 in 1 MICROFIBRE CAR WASH MITT

Double sided tight fitting mitt. Its chenille microfibre side aids the removal of dirt and grime while the mesh side enables easy removal of stubborn marks without scratching the surface. Packed on hanging card.

Stock No.
15041



1 TWB3M

FLOW THROUGH TELESCOPIC WASHING BRUSH

For cleaning vehicles, boats, paintwork, conservatories etc. Has on/off water control feature and snap-on hose connector. Display packed.

Stock No.	Min. Length	Max. Length
85068	1260mm	3000mm

2 WB2

TELESCOPIC SQUEEGEE AND SPONGE

200mm neoprene rubber blade on one side and foam sponge on other. Twist and lock handle. Hanging display card.

Stock No.	Min. Length	Max. Length
73860	460mm	725mm





3 VF1D

VACUUM FLASK (1L)

Stainless steel casing with folding handle and shoulder strap. Pop up easy pouring stopper and supplied with lid/cup. Multiples of nine flasks only, supplied in countertop display.

Stock No.
89312





4 VC14C

STAINLESS STEEL MUG (400ml)

Tough plastic inner with integral handle. Sealable lid with ventilation hole. Multiples of 10 mugs only, supplied in countertop dispenser.

Minimum order ten or multiples thereof

Stock No.
23508



5 PWB

WATER CONTAINERS WITH TAPS

Manufactured from high quality translucent virgin HDPE plastic. Suitable for storing and dispensing water. Supplied with integral 360° swivelling tap and easy flow screw vent. Sold loose.

Stock No.	Capacity
23246	9.5L
23247	25L





6 VPS8/B

VEHICLE PRESSURE SPRAYER (10L)

A lightweight pump action sprayer with an 8L working capacity, capable of continual spraying. Ideally suited for spraying a variety of liquids. Fitted with a comfortable shoulder strap. Supplied with a 370mm long fibreglass lance with adjustable pattern nozzle and vehicle cleaning brush.

Stock No.
63109

IMPORTANT

Always reference the chemical manufacturer's guidelines for ensuring EPDM seals are suitable for use with the chemical used.

Spare seals are available, call the Draper helpline on +44 (0) 23 8049 4344 for details.



1 EWS-2EPDM/B

EPDM PUMP SPRAYER (2.5L)

Expert Quality, hand held sprayer with Ethylene Propylene Diene Monomer rubber (EPDM) seals & gaskets. Like all our sprayers, EPDM sprayers can be used for water as well as herbicide and pesticide spraying, but the high quality seals cater for use on so much more including acids, weak alkali and ketones, which are commonly found in resins and coatings. With a working capacity of 2.0 litres and fitted with a high performance pump, adjustable spray pattern tip and a safety pressure release valve. Manufactured from translucent high density polyethylene. Display packed.

Stock No.
82459



2 EWS-10-EPDM/B

EPDM PUMP SPRAYER (10L)

Expert Quality, hand held sprayer with Ethylene Propylene Diene Monomer rubber (EPDM) seals & gaskets. Like all our sprayers, EPDM sprayers can be used for water as well as herbicide and pesticide spraying, but the high quality seals cater for use on so much more including acids, weak alkali and ketones, which are commonly found in resins and coatings. With a working capacity of 8.0 litres and fitted with a high performance pump, adjustable spray pattern tip and a safety pressure release valve. Manufactured from translucent high density polyethylene. Display packed.

Stock No.
82460



3 PS12/B/EPDM

EPDM KNAPSACK PRESSURE SPRAYER (12L)

Expert Quality, backpack sprayer with Ethylene Propylene Diene Monomer rubber (EPDM) seals & gaskets. Like all our sprayers, EPDM sprayers can be used for water as well as herbicide and pesticide spraying, but the high quality seals cater for use on so much more including acids, weak alkali and ketones, which are commonly found in resins and coatings. With a working capacity of 10.0 litres and fitted with a high performance pump, adjustable spray pattern tip and a safety pressure release valve. Manufactured from translucent high density polyethylene. Display packed.

Stock No.
82470

PRODUCT LOCATOR

Brake and clutch cleaner can be found on page 196.



4 EWS-12-EPDM

EPDM TROLLEY PUMP SPRAYER (15L)

Expert Quality, portable sprayer on wheels with Ethylene Propylene Diene Monomer rubber (EPDM) seals & gaskets. Like all our sprayers, EPDM sprayers can be used for water as well as herbicide and pesticide spraying, but the high quality seals cater for use on so much more including acids, weak alkali and ketones, which are commonly found in resins and coatings. With a working capacity of 12.0 litres and fitted with a high performance pump, adjustable spray pattern tip and a safety pressure release valve. Manufactured from translucent high-density polyethylene. Display packed.

Stock No.
82583



KEYED ALIKE VERSION AVAILABLE

Look for the "KEYED ALIKE" block on many of our padlocks. For a small charge we can customize your padlocks as a "keyed alike" version and can supply as many as you require with one combination of lock.

Contact our Help Line on +44 (0)23 8049 4344 for further information on this service.



NOTE: DRAPER TOOLS WILL NOT ACCEPT ANY LIABILITY FOR LOSS OR DAMAGE ARISING FROM INCIDENTS THESE PADLOCKS ARE DESIGNED TO PREVENT

"DAVE SAYS" QUALITY MAKES THE DIFFERENCE

IMPORTANT:

OUR RANGE OF PADLOCKS ARE RATED FROM 1-10 FOR THEIR LEVEL OF SECURITY.

Those at the lower end of the scale should only be used as a deterrent and where the item or site is supervised i.e. sheds, toolboxes and domestic applications. At the top end of the scale are locks for premises that have long periods of non-supervision or where insurance companies set strict requirements.

See page 699 for an explanation of 'Padlock Dimensions' shown in the ordering information of each item.

SECURITY RATING
HIGH
10 9 8 7 6 5 4 3 2 1
BASIC

KEYED ALIKE VERSION AVAILABLE

DRAPER Expert

SECURITY RATING 10



1 8317/73

SOLID STEEL PADLOCK

Draper Security Rating: 10

Expert Quality, hardened steel lock body with concealed hardened steel shackle. Changeable six pin brass cylinder for servicing and re-keying. Lever locking mechanism. Padlock body diameter 73mm, shackle diameter 11mm Supplied with two keys. Key blanks are available separately. Display packed.

Stock No.	Description
64525	73mm diameter
65748	Key Blank - fits all

KEYED ALIKE VERSION AVAILABLE

DRAPER Expert

SECURITY RATING 10



2 8312

HEAVY DUTY SOLID STEEL PADLOCKS WITH SHROUDED SHACKLE

Draper Security Rating: 10

Expert Quality, hardened steel body with electric coating and molybdenum steel shackle. Shrouded shackle for extra protection against attack. Changeable six pin precision tumbler and brass lock cylinder for servicing and re-keying. Bumper to prevent damage to locked item. Supplied with two keys. Key blanks are available separately, contact the Draper Tools Help Line telephone +44 (0)23 8049 4344 for further information.

Stock No.	Padlock Dimensions-mm
64196	A46 x B19 x C25 x D8
64197	A50 x B20 x C25 x D9
64198	A61 x B20 x C28 x D11
65748	Key Blank - fits all

KEYED ALIKE VERSION AVAILABLE

DRAPER Expert

SECURITY RATING 9



3 8311

HEAVY DUTY SOLID STEEL PADLOCKS

Draper Security Rating: 9

Expert Quality, solid steel body with quick change molybdenum steel shackle. Changeable six pin brass lock cylinder for servicing and re-keying. Dual stainless steel ball locking mechanism. Bumper to prevent damage to locked item. Supplied with two keys. Key blanks are available separately. Display packed.

Stock No.	Padlock Dimensions-mm
64192	A46 x B20 x C27 x D8
64193	A54 x B20 x C27 x D9
64194	A61 x B31 x C27 x D11
64195	A70 x B38 x C35 x D12
65748	Key Blank - fits all

KEYED ALIKE VERSION AVAILABLE

DRAPER Expert

SECURITY RATING 9



4 8315

HEAVY DUTY SOLID STEEL PADLOCKS WITH EXTRA LONG SHACKLE

Draper Security Rating: 9

Expert Quality, solid steel body with molybdenum steel extra long shackle. Changeable six pin brass lock cylinder for servicing and re-keying. Dual steel ball locking mechanism. Supplied with two keys. Key blanks are available separately. Display packed.

Stock No.	Padlock Dimensions-mm
64206	A63 x B23 x C25 x D11
64207	A63 x B23 x C50 x D11
64208	A63 x B23 x C75 x D11
65748	Key Blank - fits all

KEYED ALIKE VERSION AVAILABLE

DRAPER Expert

SECURITY RATING 8



5 8314

HEAVY DUTY CLOSE SHACKLE STEEL PADLOCKS

Draper Security Rating: 8


Expert Quality, steel body with hardened steel shackle Changeable six pin precision tumbler and brass lock cylinder for servicing and re-keying. Supplied with two keys. Key blanks are available separately, contact the Draper Tools Help Line telephone +44 (0)23 8049 4344 for further information. Display packed.

Stock No.	Padlock Dimensions-mm
64204	A82 x B27 x C27 x D12
64205	A102 x B48 x C21 x D12
65748	Key Blank - fits all



PRODUCT INFORMATION

Shown under “Padlock Dimensions” in the “information” section of each item.







1 8316/70

70mm STAINLESS STEEL SHIELDED SHACKLE PADLOCK

Draper Security Rating: 6

Stainless steel body with hardened ‘ring of steel’ close shackle. Helps prevent the insertion of jemmies, bolt cutters, etc. Laser welded case to give extra strength and protection in harsh environments. Precision four pin brass cylinder. Padlock body diameter 70mm. Supplied with two keys. A key blank is available. Display packed.

Stock No.	Padlock Dimensions-mm
64209	A70 x B23 x C17 x D10
65747	Key Blank



3 8302

SOLID BRASS PADLOCKS

Draper Security Rating: 5

Solid brass body with hardened steel shackle. Special bumper to prevent damage to locked item. Supplied with two keys. Key blanks are available separately. Display packed.

Stock No.	Padlock Size
64159	21mm
64160	30mm
64161	40mm
64162	50mm
64163	60mm
65751	Key Blank A=21
65708	Key Blank A=30
65709	Key Blank A=40
65710	Key Blank A=50



5 8303

SOLID BRASS PADLOCKS

Draper Security Rating: 4

Solid brass body with hardened steel shackle. Special cover to prevent damage to locked item. Supplied with two keys. Key blanks are available separately. Display packed.

Stock No.	Padlock Dimensions-mm
64164	A32 x B16 x C18 x D5
64165	A42 x B21 x C24 x D6
64166	A52 x B28 x C29 x D8
65708	Key Blank A=32
65709	Key Blank A=42
65710	Key Blank A=52

SECURITY RATING 6



2 8313

CLOSE SHACKLE BRASS PADLOCKS

Draper Security Rating: 6

Solid brass body with hardened steel shackle. Precision tumbler and brass lock cylinder. Key blanks are available separately. Display packed.

Stock No.	Padlock Dimensions-mm
64200	A56 x B16 x C11 x D6
64201	A63 x B18 x C12 x D10
64202	A76 x B24 x C13 x D10
65708	Key Blank A=56
65709	Key Blank A=63,76 or 85

SECURITY RATING 5



4 8302/KA

PACK OF SIX PADLOCKS

Draper Security Rating: 5

Pack of six solid brass bodied padlocks with identical keys. Hardened steel shackle, mushroom tumblers and special bumper to prevent damage to locked item. Supplied with two keys per padlock. Key blanks are available separately. Display packed.

Stock No.	Padlock Dimensions-mm
67659	A40 x B22 x C24 x D6
67663	A60 x B35 x C32 x D9
65709	Key Blank A=40
65710	Key Blank A=60

SECURITY RATING 4



6 8308

LAMINATED STEEL PADLOCKS

Draper Security Rating: 4

Laminated steel body with hardened steel shackle. Precision pin tumbler and brass cylinder. Special cover to prevent damage to locked item. Supplied with two keys. Key blanks are available separately. Display packed.

Stock No.	Padlock Dimensions-mm
64179	A30 x B14 x C15 x D5
64180	A40 x B20 x C18 x D6
64181	A44 x B21 x C22 x D7
64182	A50 x B23 x C22 x D8
64183	A65 x B32 x C29 x D11
65716	Key Blank A=30
65713	Key Blank A=40,44,50 or 65

SECURITY RATING 3





1 8301/42

COMBINATION PADLOCK (THREE NUMBERS)

Draper Security Rating: 3

Three number combination (001-999), that is easily reset by use of tool supplied. Hardened steel shackle. Laminated body 42mm wide. Special cover to prevent damage to locked item. Supplied with resetting tool. Display packed.

Stock No.	Padlock Dimensions-mm
64157	A42 x B23 x C20 x D8
65711	Resetting Tool

SECURITY RATING 3





3 8306/42

COMBINATION PADLOCK (THREE NUMBERS)

Draper Security Rating: 3

Three number combination (001-999), that is easily reset by use of tool supplied. Hardened steel shackle. Special cover to prevent damage to locked item. Incorporates lock cover. Body size 42mm. Supplied with resetting tool. Display packed.

Stock No.	Padlock Dimensions-mm
64174	A42 x B18 x C20 x D8
65711	Resetting Tool

SECURITY RATING 4



6 8307/45L

LAMINATED STEEL PADLOCK WITH EXTRA LONG SHACKLE

Draper Security Rating: 4

Laminated steel body with hardened, plated coating steel shackle, 67mm long. Precision pin tumbler and brass cylinder. Special bumper to prevent damage to locked item. Inside shackle size 18 x 59mm. Supplied with two keys. A key blank is available. Display packed.

Stock No.	Padlock Dimensions-mm
64177	A45 x B18 x C59 x D8
65713	Key Blank

SECURITY RATING 3





2 8301/48

COMBINATION PADLOCK (FOUR NUMBERS)

Draper Security Rating: 3

Four number combination (0001-9999), that is easily reset by use of tool supplied. Hardened steel shackle. Laminated body 48mm wide. Special cover to prevent damage to locked item. Supplied with resetting tool. Display packed.

Stock No.	Padlock Dimensions-mm
64158	A48 x B23 x C23 x D8
65712	Resetting Tool

SECURITY RATING 3





4 8306/48

COMBINATION PADLOCK (FOUR NUMBERS)

Draper Security Rating: 3

Four number combination (0001-9999), that is easily reset by use of tool supplied. Hardened steel shackle. Laminated body with plastic coating. Special cover to prevent damage to locked item. Body size 48mm. Supplied with resetting tool. Display packed.

Stock No.	Padlock Dimensions-mm
64175	A48 x B21 x C22 x D10
65712	Resetting Tool

SECURITY RATING 3



7 SL1

EXTRA LONG SHACKLE LOCK

Draper Security Rating: 3

Hardened steel shackle U-bar with tough vinyl coating. Dual steel ball locking precision tumbler for increased security. Supplied with two keys. Display packed.

Stock No.	Padlock Dimensions-mm
62952	A48 x B18 x C150 x D8



SECURITY RATING 4



5 8307

LAMINATED STEEL PADLOCKS

Draper Security Rating: 4

Laminated steel body with hardened, plated coating steel shackle. Precision pin tumbler and brass cylinder. Special bumper to prevent damage to locked item. Supplied with two keys. Key blanks are available separately. Display packed.

Stock No.	Padlock Dimensions-mm
64176	A45 x B17 x C17 x D8
64178	A54 x B20 x C20 x D10
65713	Key Blank



1 LT100

LAMINATED STEEL PADLOCKS

Draper Security Rating: 3

Laminated zinc plated steel case and brass cylinder. Supplied with two keys. Key blanks are available separately. Display packed.

Stock No.	Padlock Dimensions-mm
14019	A30 x B14 x C16 x D5
14020	A40 x B20 x C23 x D6
14021	A50 x B25 x C31 x D8



2 4822

CLOSE SHACKLE STAINLESS STEEL PADLOCK

Draper Security Rating: 3

Heavy duty stainless steel body with hardened 'ring of steel' close shackle. Helps prevent the insertion of jemmies, bolt cutters, etc. Seamless welded case to give extra strength and protection from the weather. Precision brass tumbler protection. Supplied with two keys. Key blanks are available separately. Display packed.

Stock No.	Padlock Dimensions-mm
22157	A70 x B20 x C18 x D10
25578	Key Blank




3 HDHL-100

HEAVY DUTY HITCH LOCK

Universal trailer hitch lock designed to fit most 50mm trailer hitch heads. The quick and easy operation secures onto the unfastened trailer hitch, which prevents it from being coupled up. Consists of a ball design that fits into the hitch socket and a steel loop to lock the hitch handle, supplied with two keys. Display packed.

Stock No.
81707





4 BK-SL1

PVC COATED SHACKLE LOCK

Draper Security Rating: 2

PVC coated for corrosion protection. Supplied with mounting bracket for carrying on bicycle and two keys. Display packed.

Stock No.	Length
59176	A185 x B110 x C210 x D12



5 MDBL

MOTORCYCLE DISC BRAKE LOCK

The hardened locking pin immobilizes motorbikes by attaching through the brake disc slots or cooling holes. The lock is fitted with a flexible bright coloured reminder cord which attaches to the handle bars whilst also acting as a deterrent. Protective cap helps prevent any debris getting into the key lock cylinder. Supplied with two keys and a carrying pouch. Display packed.

Stock No.	Part No.	Brake Disc Thickness
23260	MDBL/SM	6mm



SOLID STEEL SAFES



1 SAFE12

ELECTRONIC SAFE (8L)

- Solid steel construction
- Easy to use electronic keypad with 6 digit security code
- Pre-drilled fixing holes
- Supplied with fixings, two keys and 4 x AA batteries

Door thickness	4mm
Body thickness	1.5mm
Dimensions (internal)	305 x 140 x 200mm
Dimensions (external)	310 x 200 x 200mm
Weight	6.5kg

Stock No.	Description
38214	Safe
61834	Batteries (4 x AA)



2 SAFE15

KEY SAFE WITH POST SLOT (16L)

- Solid steel safe
- Posting slot which allows credit cards, letters and documents to be put into safe when closed
- Safe has pre-drilled holes and supplied with security fixings and two keys

Door thickness	4mm
Body thickness	2mm
Dimensions (internal)	345 x 190 x 245mm
Dimensions (external)	350 x 250 x 250mm
Weight	10.5kg

Stock No.
38220



3 SAFE10

ELECTRONIC SAFE WITH POSTING SLOT (16L)

- Solid steel construction
- Posting slot allows for credit cards, letters and documents to be put into safe when closed
- Easy to use electronic keypad with 6 digit security code
- Pre-drilled fixing holes
- Supplied with fixings, two keys and 4 x AA batteries

Door thickness	4mm
Body thickness	2mm
Dimensions (internal)	345 x 190 x 245mm
Dimensions (external)	350 x 250 x 250mm
Weight	10.5kg

Stock No.	Description
38212	Safe
61834	Batteries (4 x AA)



4 SAFE11

ELECTRONIC SAFE (16L)

- Solid steel construction
- Easy to use electronic keypad with 6 digit security code
- Pre-drilled fixing holes
- Supplied with fixings, two keys and 4 x AA batteries

Door thickness	4mm
Body thickness	1.5mm
Dimensions (internal)	345 x 190 x 245mm
Dimensions (external)	350 x 250 x 250mm
Weight	8.5kg

Stock No.	Description
38213	Safe
61834	Batteries (4 x AA)



5 SAFE13

ELECTRONIC SAFE (26L)

- Solid steel construction
- Easy to use electronic keypad with 6 digit security code
- Pre-drilled fixing holes
- Supplied with fixings, two keys and 4 x AA batteries

Door thickness	4mm
Body thickness	2mm
Dimensions (internal)	375 x 240 x 295mm
Dimensions (external)	380 x 300 x 300mm
Weight	13.5kg

Stock No.	Description
38216	Safe
61834	Batteries (4 x AA)



6 SAFE14

ELECTRONIC SAFE (44L)

- Solid steel construction
- Easy to use electronic keypad with 6 digit security code
- Pre-drilled fixing holes
- Supplied with fixings, two keys and 4 x AA batteries

Door thickness	4mm
Body thickness	2mm
Dimensions (internal)	345 x 290 x 445mm
Dimensions (external)	350 x 350 x 450mm
Weight	18kg

Stock No.	Description
38218	Safe
61834	Batteries (4 x AA)



1 CB

SMALL CASH BOX

Secure metal cash box. Fitted with plastic internal tray and carry handle. Supplied with two Keys. Sold loose.

Stock No.	Dimensions
38206	200 x 160 x 90mm





2 CB

MEDIUM CASH BOX

Secure metal cash box. Fitted with plastic internal tray and carry handle. Supplied with two Keys. Sold loose.

Stock No.	Dimensions
38207	250 x 180 x 90mm



3 KC/20A

20 HOOK KEY CABINET

Heavy duty steel cabinet with lock for hanging up to 20 keys. Supplied with labels, wall fixings and two keys. Display carton.

Stock No.	Dimensions H x W x D
38209	200 x 160 x 80mm



4 KC/48A

48 HOOK KEY CABINET

Heavy duty steel cabinet with lock for hanging up to 48 keys. Supplied with labels, wall fixings and two keys. Display carton.

Stock No.	Dimensions H x W x D
38210	250 x 180 x 80mm



5 KC/93A

93 HOOK KEY CABINET

Heavy duty steel cabinet with lock for hanging up to 93 keys. Supplied with labels, wall fixings and two keys. Display carton.

Stock No.	Dimensions H x W x D
38211	300 x 240 x 80mm



6 KI/48

KEY TAG ASSORTMENT (48 PIECE)

Coloured plastic tags for keys. For use in key cabinets for quick and easy reference. Eight each of the following colours: orange, black, yellow, green, white and blue. Display packed in polythene bag with header card.

Stock No.
64271







7 KL2

KEY LOCKER

Wall mountable with four digit combination lock. For the secure storage of house or padlock keys and other valuables. Lock can be set to users own code and changed when needed. Heavy duty diecast metal case supplied with fixings. Storage area inside locker 58 x 47 x 25mm (approx.) Display packed.

Stock No.	Dimensions L x W x H
43991	64 x 100 x 33mm

section 20



LANDSCAPING & GARDENING TOOLS

806-808 Heritage Garden tools
809-819 Garden Hand tools
820 Young Gardener tools
821-823 Secateurs
823 Garden Scissors and Knives
824-825 Garden Shears
825-827 Loppers
827-828 Garden Saws
829 Axes
830-834 Landscaping and Fencing
835-836 Gardening PPE and Sundries
837-843 Lawn Maintenance
844-846 Gardening Sundries
847-856 Watering and Spraying
857-859 Lawn Mowers
860 Lawn Rakes
860-861 Hedge Trimmers
862-864 Chainsaws & Equipment
865-866 Brush Cutters and Line Trimmers
867 Cordless Power Tools
868 Garden Blowers/Vacuums
869 Garden Cultivators/Tillers
870 Garden Power Tools & Accessories
871 Cable Reels
872-874 Pressure Washers
875-881 Water Pumps
882 Water Pump Accessories
883 Outdoor

DRAPER HERITAGE, GARDEN TOOLS...

Draper Tools have been supplying quality tools since the company was founded in 1919.

We are proud of our history and have developed a range of heritage gardening tools for the dedicated gardener. These gardening tools are all manufactured using modern techniques reinforced with the traditional build quality delivering the advantages of longevity and comfort, which in turn provides a superior performance.



PRODUCT INFORMATION

All Heritage tools use timber sourced from a sustainable and responsibly managed forests or plantations, so you can be confident in the knowledge that your product has been manufactured with respect and protection for the environment.

1 DDSG/I

STAINLESS STEEL TREADED GARDEN SPADE WITH ASH HANDLE

Manufactured with a fully hardened, tempered and polished stainless steel socket and blade securely fitted to a solid ash handle. Sold loose.

Stock No.	Head Width
83729	180mm

2 DDFG/I

STAINLESS STEEL GARDEN FORK WITH ASH HANDLE

Manufactured with a fully hardened, tempered and polished stainless steel socket and tines securely fitted to a solid ash handle. Sold loose.

Stock No.	Head Width
83728	180mm

3 DBSG/I

STAINLESS STEEL TREADED BORDER SPADE WITH ASH HANDLE

Manufactured using modern techniques reinforced with traditional build quality, this Heritage Range treaded border fork has fully hardened, tempered and polished stainless steel socket and tines, securely fitted to a solid ash handle. Sold loose.

Stock No.	Head Width
83727	140mm

4 DBFG/I

STAINLESS STEEL BORDER FORK WITH ASH HANDLE

Manufactured using modern techniques reinforced with traditional build quality, this Heritage Range border fork has fully hardened, tempered and polished stainless steel socket and tines, securely fitted to a solid ash handle. Sold loose.

Stock No.	Head Width
83726	140mm



1 DGRG/I

STAINLESS STEEL GARDEN RAKE WITH ASH HANDLE

Manufactured with a fully hardened, tempered and polished stainless steel socket and tines securely fitted to a solid ash handle. Sold loose.

Stock No.	Head Width
83730	300mm

2 DGPWG/I

STAINLESS STEEL PATIO WEEDER WITH ASH HANDLE

Patio weeder with a thick, fully hardened, tempered and polished stainless steel blade and socket, which is securely fitted to a solid ash handle. Sold loose.

Stock No.	Head Width
83742	125mm

3 DGCG/I

STAINLESS STEEL CULTIVATOR WITH ASH HANDLE

Manufactured with a fully hardened, tempered and polished stainless steel socket and tines securely fitted to a solid ash handle. Sold loose.

Stock No.	Head Width
83731	100mm

4 DGDHG/1

STAINLESS STEEL DRAW HOE WITH ASH HANDLE

Manufactured with a fully hardened, tempered and polished stainless steel socket and blade securely fitted to a solid ash handle. Sold loose.

Stock No.	Head Width
83741	140mm

5 DDHG/I

STAINLESS STEEL DUTCH HOE WITH ASH HANDLE

Manufactured with a fully hardened, tempered and polished stainless steel socket and blade securely fitted to a solid ash handle. Sold loose.

Stock No.	Head Width
83732	125mm

6 DGLRG/I

STAINLESS STEEL LAWN RAKE WITH ASH HANDLE

Manufactured with a fully hardened, tempered and polished stainless steel socket and tines securely fitted to a solid ash handle. Sold loose.

Stock No.	Head Width
83735	485mm

7 DPH

STAINLESS STEEL POINTED HOE WITH ASH HANDLE

Manufactured with a fully hardened, tempered and polished stainless steel socket and blade securely fitted to a solid ash handle. Sold loose.

Stock No.	Head Width
36672	125mm





8 DGLEG/I

STAINLESS STEEL LAWN EDGER WITH ASH HANDLE

Manufactured with a fully hardened, tempered and polished stainless steel socket and blade securely fitted to a solid ash "T"-grip handle. Sold loose.

Stock No.	Head Width
83734	215mm



1 DGHTTG/I
STAINLESS STEEL TRANSPLANTING TROWEL WITH ASH HANDLE
Manufactured with a fully hardened, tempered and polished stainless steel blade securely fitted to a solid ash handle. Sold loose.

Stock No.	Handle Length
83743	125mm



2 DGHTG/I
STAINLESS STEEL HAND TROWEL WITH ASH HANDLE
Manufactured with a fully hardened, tempered and polished stainless steel blade securely fitted to a solid ash handle. Sold loose.

Stock No.	Handle Length
83744	125mm



3 DPSG/I
STAINLESS STEEL POTTING SCOOP WITH ASH HANDLE
Manufactured with a fully hardened, tempered and polished stainless steel blade securely fitted to a solid ash handle. Sold loose.

Stock No.	Handle Length
83748	125mm



4 DGHFG/I
STAINLESS STEEL HAND WEEDING FORK WITH ASH HANDLE
Manufactured with a fully hardened, tempered and polished stainless steel prongs securely fitted to a solid ash handle. Sold loose.

Stock No.	Handle Length
83746	125mm



5 DGHWG/I
STAINLESS STEEL HAND WEEDER WITH ASH HANDLE
Manufactured with a fully hardened, tempered and polished stainless steel blade securely fitted to a solid ash handle. Sold loose.

Stock No.	Handle Length
83749	125mm



6 DGHCG/I
STAINLESS STEEL HAND CULTIVATOR WITH ASH HANDLE
Manufactured with a fully hardened, tempered and polished stainless steel tines securely fitted to a solid ash handle. Sold loose.

Stock No.	Handle Length
83747	125mm



7 DGHPWG/I
STAINLESS STEEL HAND PATIO WEEDER WITH ASH HANDLE
Manufactured with a fully hardened, tempered and polished stainless steel blade securely fitted to a solid ash handle. Sold loose.

Stock No.	Handle Length
83751	125mm



8 DGHOHG/I
STAINLESS STEEL HAND ONION HOE WITH ASH HANDLE
Manufactured with a fully hardened, tempered and polished stainless steel blade securely fitted to a solid ash handle. Sold loose.

Stock No.	Handle Length
83750	125mm



9 DGHWEG/I
STAINLESS STEEL SPINNAKER HAND WEEDER WITH ASH HANDLE
Manufactured with a fully hardened, tempered and polished stainless steel blade securely fitted to a solid ash handle and provides greater leverage. Sold loose.

Stock No.	Handle Length
83752	125mm





10 GLTFG/I
STAINLESS STEEL FORK WITH ASH HANDLE
Manufactured with stainless steel prongs fitted to a solid ash handle. Sold loose.

Stock No.	Head Size
83739	290 x 180mm

11 GLTTG/I
STAINLESS STEEL TROWEL WITH ASH HANDLE
Manufactured with a stainless steel blade fitted to a solid ash handle. Sold loose.

Stock No.	Head Size
83740	290 x 180mm



ASH HANDLED STAINLESS STEEL FORK & SPADE - IDEAL GIFT SETS

Item Nos. 1 and 2 on this page are supplied in attractive packaging, making them ideal gifts.





1 DFS/ASH-PURE

STAINLESS STEEL FORK AND SPADE SET WITH HAND TROWEL AND FORK SET WITH ASH HANDLES (4 PIECE)

Expert Quality manufactured with fully hardened, tempered and polished stainless steel sockets, tines and blades securely fitted to a solid ash handles. Sold loose.

Stock No.
10348



2 BFS

STAINLESS STEEL BORDER FORK AND SPADE WITH TRANSPLANTING TROWEL AND WEEDER SET WITH ASH HANDLES (4 PIECE)

Expert Quality, manufactured with fully hardened, tempered and polished stainless steel sockets, tines and blades securely fitted to a solid ash handles. Sold loose.

Stock No.
10347



3 FTT/ASH/SET

STAINLESS STEEL HAND FORK AND TROWELS SET WITH ASH HANDLES (3 PIECE)

Expert Quality, stainless steel hardened and tempered, mirror polished with polished steel ferrule and lacquered ash handles. Display packed.

Stock No.
09565

EXTRA LONG HANDLE GARDENING TOOLS

1 DFS-EL/I

EXTRA LONG STAINLESS STEEL GARDEN FORK WITH SOFT GRIP

Soft handgrip, Y-dee handle attached to a steel cored, plastic coated shaft. Fitted with fully hardened, tempered and polished socket and tines. The overall length of 1050mm is beneficial for people 6ft tall and over, allowing a straighter back when digging, giving less strain and more leverage. Sold loose.

Stock No.	Head Size
83753	290 x 180mm

2 DSS-EL/I

EXTRA LONG STAINLESS STEEL GARDEN SPADE WITH SOFT GRIP

Y-dee handle with soft handgrip attached to a plastic coated, steel core shaft. Fitted with fully hardened, tempered and polished socket and blade. The overall length of 1050mm is beneficial for people 6ft tall and over, allowing a straighter back when digging, delivering less strain and more leverage. Sold loose.

Stock No.	Head Size
83754	290 x 180mm





3 307EH/I

STAINLESS STEEL SOFT GRIP GARDEN FORK

Y-dee handle with soft handgrip attached to a plastic coated, steel core shaft. Fitted with fully hardened, tempered and polished socket and tines. Sold loose.

Stock No.	Head Size
83755	280 x 180mm

4 721EH

STAINLESS STEEL SOFT GRIP GARDEN SPADE

Soft handgrip, Y-dee handle attached to a steel cored, plastic coated shaft. Fitted with fully hardened, tempered and polished socket and blade. Sold loose.

Stock No.	Head Size
83756	280 x 180mm

5 306EH/I

STAINLESS STEEL SOFT GRIP BORDER FORK

Soft handgrip, Y-dee handle attached to a steel cored, plastic coated shaft. Fitted with fully hardened, tempered and polished socket and tines. Sold loose.

Stock No.	Head Size
83757	230 x 140mm

6 720EH/I


STAINLESS STEEL SOFT GRIP BORDER SPADE

Soft handgrip, Y-dee handle attached to a steel cored, plastic coated shaft. Fitted with fully hardened, tempered and polished socket and blade. Sold loose.

Stock No.	Head Size
83758	230 x 140mm







1 6104SG/I

STAINLESS STEEL SOFT GRIP GARDEN RAKE

Fitted with fully hardened, tempered and polished 12 tooth head, securely fixed to tubular steel handle with soft grip handle for user comfort. Sold loose.

Stock No.	Head Width
83759	300mm

2 6105SG/I

STAINLESS STEEL SOFT GRIP CULTIVATOR

Fitted with fully hardened, tempered and polished 3 pronged head, securely fixed to tubular steel handle with soft grip handle for user comfort. Sold loose.

Stock No.	Head Width
83760	100mm

3 6103SG/I

STAINLESS STEEL SOFT GRIP DRAW HOE

Fitted with fully hardened, tempered and polished blade securely fixed to tubular steel handle with soft grip handle for user comfort. Sold loose.

Stock No.	Head Width
83761	128mm

4 6102SG/I

STAINLESS STEEL SOFT GRIP DUTCH HOE

Fitted with fully hardened, tempered and polished blade securely fixed to tubular steel handle with soft grip handle for user comfort. Sold loose.

Stock No.	Head Width
83763	128mm

5 6106SG/I

STAINLESS STEEL SOFT GRIP LAWN RAKE

Fitted with fully hardened, tempered and polished tines. The 16 flexible round stainless steel tines are securely fixed to tubular steel handle with soft grip handle for user comfort. Sold loose.

Stock No.	Head Width
83764	485mm

6 6109SG/I

STAINLESS STEEL SOFT GRIP PATIO WEEDER

Fitted with fully hardened, tempered and polished blade, with twin sharp edges, securely fixed to tubular steel handle with soft grip handle for user comfort. Sold loose.

Stock No.	Head Width
83765	80mm



7 6101/I

STAINLESS STEEL LAWN EDGER

Fitted with fully hardened, tempered and polished steel ferrule and half-moon shape blade with turnover treads. Securely fixed to a tubular steel shaft with T hand grip. Sold loose.

Stock No.	Head Width
83762	215mm



1 GSTT2/I

STAINLESS STEEL TRANSPLANTING TROWEL

Fitted with fully hardened, tempered and polished steel ferrule and blade, marked with inch graduations from 1 to 4". Fixed to a plastic handle attached with a leather wrist strap. Sold loose.

Stock No.	Head Width
83766	125mm



2 GST2/I

STAINLESS STEEL HAND TROWEL

Fitted with fully hardened, tempered and polished steel ferrule and blade. Fixed to a plastic handle attached with a leather wrist strap. Sold loose.

Stock No.	Head Width
83767	125mm




3 GSF2/I

STAINLESS STEEL WEEDING FORK

Fitted with fully hardened, tempered and polished steel ferrule and tines, which are fixed to a plastic handle attached with a leather wrist strap Sold loose.

Stock No.	Head Width
83768	125mm



4 GSC2/I

STAINLESS STEEL HAND CULTIVATOR

Fitted with fully hardened, tempered and polished steel ferrule and tines, which are fixed to a plastic handle attached with a leather wrist strap. Sold loose.

Stock No.	Head Width
83771	125mm



5 GSPW2/I

STAINLESS STEEL HAND PATIO WEEDER

Fitted with fully hardened, tempered and polished steel ferrule and blade with has sharp edges for weeding between paving slabs or patio blocks. Fixed to a plastic handle attached with a leather wrist strap. Sold loose.

Stock No.	Head Width
83772	125mm



6 GSP2/I

STAINLESS STEEL HAND WEEDER

Fitted with fully hardened, tempered and polished steel ferrule and blade. Designed to assist with the removal of deep rooted weeds. Fixed to a plastic handle attached with a leather wrist strap. Sold loose.

Stock No.	Head Width
83770	125mm





7 GSFT2/I

STAINLESS STEEL HAND FORK AND TROWEL SET (2 PIECE)

The ideal gift set comprising stainless steel weeding fork and stainless steel hand trowel. Fixed to a plastic handle attached with a leather wrist strap. Attractively packaged in window display box.

Stock No.	Handle Length
83773	125mm



8 6108/I

STAINLESS STEEL LONG 'T' HANDLED FORK

A stainless steel, hardened, tempered and mirror polished head, attached to a tubular steel long handle with plastic 'T' grip. Sold loose.

Stock No.	Handle Length
83774	940mm



9 6107/I

STAINLESS STEEL LONG 'T' HANDLED TROWEL

A stainless steel, hardened, tempered and mirror polished head, attached to a tubular steel long handle with plastic 'T' grip. Sold loose.

Stock No.	Handle Length
83775	940mm

1 A107EH/I
CARBON STEEL GARDEN FORK WITH ASH HANDLE Sold loose.

Stock No.	Handle Length
14301	280 x 130mm

2 A521EH/I
CARBON STEEL GARDEN SPADE WITH ASH HANDLE Sold loose.


Stock No.	Handle Length
14302	280 x 180mm

3 A106EH/I
CARBON STEEL BORDER FORK WITH ASH HANDLE Sold loose.

Stock No.	Handle Length
14304	230 x 140mm

4 A520EH/I
CARBON STEEL BORDER SPADE WITH ASH HANDLE Sold loose.

Stock No.	Handle Length
14305	230 x 140mm



Item Nos. 1 to 4 feature epoxy coated carbon steel, fully hardened and tempered. The ash handles have clear lacquered finish and Y-dee handle.

5 A3078/I
CARBON STEEL GARDEN RAKE WITH ASH HANDLE
Epoxy coated carbon steel, fully hardened and tempered 12 tooth head. Attached to an ash handle with clear lacquered finish. Sold loose.

Stock No.	Head Width
14306	280mm

6 A3079/I
CARBON STEEL CULTIVATOR WITH ASH HANDLE
Epoxy coated carbon steel, fully hardened and tempered three prong head. Attached to an ash handle with clear lacquered finish. Sold loose.

Stock No.	Head Width
14309	125mm

7 A3075/I
CARBON STEEL DUTCH HOE WITH ASH HANDLE
Pressed steel blade with epoxy coated finish. Ash handle with clear lacquered finish. Sold loose.

Stock No.	Blade Width
14308	120mm

8 A3076/I
CARBON STEEL DRAW HOE WITH ASH HANDLE
Pressed steel blade with epoxy coated finish. Ash handle with clear lacquered finish. Sold loose.

Stock No.	Blade Width
14310	150mm

9 A3077/I
CARBON STEEL LAWN RAKE WITH ASH HANDLE
16 flexible round steel tines with epoxy coated finish. Ash handle with clear lacquered finish. Sold loose.

Stock No.	Blade Width
14311	430mm



10 A3074/I
CARBON STEEL LAWN EDGER WITH ASH HANDLE
Half moon shape with turnover treads. Epoxy coated finish. Ash handle with clear lacquered finish and T handle. Sold loose.

Stock No.	Blade Width
14307	215mm



1 A3099/I

CARBON STEEL HEAVY DUTY TRANSPLANTING TROWEL WITH ASH HANDLE

Epoxy coated carbon steel hardened and tempered with plated ferrule and lacquered ash handle. Blade graduations 1-4". Sold loose.

Stock No.	Handle Length
14312	125mm



2 A3089/I

CARBON STEEL HEAVY DUTY HAND TROWEL WITH ASH HANDLE

Epoxy coated carbon steel hardened and tempered with plated ferrule and lacquered ash handle. Sold loose.

Stock No.	Handle Length
14313	125mm




3 A3080/I

CARBON STEEL HEAVY DUTY WEEDING FORK WITH ASH HANDLE

Epoxy coated carbon steel hardened and tempered with plated ferrule and lacquered ash handle. Sold loose.

Stock No.	Handle Length
14314	125mm



4 A3093/I

CARBON STEEL HEAVY DUTY HAND WEEDER WITH ASH HANDLE

Epoxy coated carbon steel hardened and tempered with plated ferrule and lacquered ash handle. Sold loose.

Stock No.	Handle Length
14315	125mm



5 A3094/I

CARBON STEEL HEAVY DUTY HAND CULTIVATOR WITH ASH HANDLE

Epoxy coated carbon steel hardened and tempered with plated ferrule and lacquered ash handle. Sold loose.

Stock No.	Handle Length
14316	125mm



6 A3098/I

CARBON STEEL HEAVY DUTY HAND PATIO WEEDER WITH ASH HANDLE

Epoxy coated carbon steel hardened and tempered with plated ferrule, lacquered ash handle and wrist strap. Sold loose.

Stock No.	Handle Length
24935	125mm

INTERMEDIATE LENGTH GARDENING TOOLS



7 LHSSHF

CARBON STEEL WEEDING FORK WITH INTERMEDIATE LENGTH ASH HANDLE

Carbon steel weeding fork hardened and tempered with lacquered handle. Sold loose.

Stock No.	Handle Length
01776	360mm

8 LHCHT

CARBON STEEL WEEDING FORK WITH INTERMEDIATE LENGTH ASH HANDLE

Carbon steel weeding fork hardened and tempered with lacquered handle. Sold loose.

Stock No.	Handle Length
01777	360mm





9 GCAFT2/I

CARBON STEEL HEAVY DUTY HAND FORK AND TROWEL SET WITH ASH HANDLES (2 PIECE)

The ideal gift set comprising heavy duty carbon steel weeding fork and heavy duty carbon steel hand trowel. Lacquered ash handles, plated ferrules and wrist straps. Attractively packaged in window display box.

Stock No.	Handle Length
83776	125mm





1 GCSHTDD

CARBON STEEL HAND TROWEL WITH HARDWOOD HANDLE

Hardened and tempered carbon steel with a plated ferrule attached to a hardwood handle and wrist strap. Sold loose.

Stock No.	Handle Length
83988	125mm



2 GCSHFDD

CARBON STEEL WEEDING FORK WITH HARDWOOD HANDLE

Hardened and tempered carbon steel prongs with a plated ferrule attached to a hardwood handle and wrist strap. Sold loose.

Stock No.	Handle Length
83990	125mm



3 GCSHCDD

CARBON STEEL HAND CULTIVATOR WITH HARDWOOD HANDLE

Hardened and tempered carbon steel tines with a plated ferrule attached to a hardwood handle and wrist strap. Sold loose.

Stock No.	Handle Length
83991	125mm



4 GCSTTDD

CARBON STEEL TRANSPLANTING TROWEL WITH HARDWOOD HANDLE

Hardened and tempered carbon steel with a plated ferrule attached to a hardwood handle and wrist strap. Sold loose.

Stock No.	Handle Length
83992	125mm



5 GCSTS3DD

CARBON STEEL HAND FORK, CULTIVATOR AND TROWEL WITH HARDWOOD HANDLES

Manufactured from hardened and tempered carbon steel with a plated ferrule attached to a hardwood handles and wrist strap. Display packed.

Stock No.	Handle Length
83993	125mm









1 GCSDF/I

CARBON STEEL GARDEN FORK

Epoxy coated carbon steel, fully hardened and tempered with plastic coated steel cored shaft and plastic Y-dee handle. Sold loose.

Colours of product may vary

Stock No.	Head Size
88789	280 x 180mm

2 GCSDS/I

CARBON STEEL GARDEN SPADE

Epoxy coated carbon steel, fully hardened and tempered with plastic coated steel cored shaft and plastic Y-dee handle. Sold loose.

Colours of product may vary

Stock No.	Head Size
88790	280 x 180mm

3 GCSBF/I

CARBON STEEL BORDER FORK

Epoxy coated carbon steel, fully hardened and tempered with plastic coated steel cored shaft and plastic Y-dee handle. Sold loose.

Colours of product may vary

Stock No.	Head Size
88791	230 x 140mm

4 GCSBS/I

CARBON STEEL BORDER SPADE

Epoxy coated carbon steel, fully hardened and tempered with plastic coated steel cored shaft and plastic Y-dee handle. Sold loose.

Colours of product may vary

Stock No.	Head Size
88792	230 x 140mm

5 GCDF-EL/I

EXTRA LONG CARBON STEEL GARDEN FORK

Epoxy coated carbon steel, fully hardened and tempered with plastic coated steel cored shaft and plastic "Y-dee" handle. The overall length of 1050mm is especially useful for people 6ft tall and over, allowing a straighter back when digging, giving less strain and more leverage. Sold loose.

Colours of product may vary

Stock No.	Head Size
88793	290 x 180mm

6 GCBS-EL/I

EXTRA LONG CARBON STEEL GARDEN SPADE

Epoxy coated carbon steel, fully hardened and tempered with plastic coated steel cored shaft and plastic "Y-dee" handle. The overall length of 1050mm is especially useful for people 6ft tall and over, allowing a straighter back when digging, giving less strain and more leverage. Sold loose.

Colours of product may vary

Stock No.	Head Size
88794	290 x 180mm

7 DSDF/SET

CARBON STEEL GARDEN FORK AND SPADE SET

Carbon steel fully hardened and tempered with plastic coated steel cored shaft with special "Y-dee" handle. Shrink wrapped together for security.

Colours of product may vary

Stock No.	Head Size
83971	280 x 180mm



1 GCSGR/I

CARBON STEEL GARDEN RAKE

Twelve tooth head with epoxy coated finish. Head securely fixed to tubular steel handle. With black plastic hand grip with hang hole. Sold loose. **Colours of product may vary**

Stock No.	Head Width
88795	280mm

2 GCSC/I

CARBON STEEL CULTIVATOR

Three prong head with epoxy coated finish. Head securely fixed to tubular steel handle. With black plastic hand grip with hang hole. Sold loose. **Colours of product may vary**

Stock No.	Head Width
88796	100mm

3 GCSDH/I

CARBON STEEL DRAW HOE

Pressed steel blade with swan neck and epoxy coated finish. Head securely fixed to tubular steel handle. With black plastic hand grip with hang hole. Sold loose.
Colours of product may vary

Stock No.	Head Width
88798	150mm

4 GCSDU/H/I

CARBON STEEL DUTCH HOE

Pressed steel blade with epoxy coated finish. Head securely fixed to tubular steel handle. With black plastic hand grip with hang hole. Sold loose.
Colours of product may vary

Stock No.	Head Width
88799	120mm

5 GCSLR/I

CARBON STEEL LAWN RAKE

Sixteen flexible round steel tines with epoxy coated finish. Head securely fixed to tubular steel handle. With black plastic hand grip with hang hole. Sold loose.
Colours of product may vary

Stock No.	Head Width
88801	480mm





6 GCSLE/I

CARBON STEEL LAWN EDGER

Half-moon shape with turnover treads. Epoxy coated finish with head fixed to tubular steel handle. With black plastic "T" hand grip. Sold loose. **Colours of product may vary**

Stock No.	Head Width
88797	215mm





1 GCHTT/I

CARBON STEEL HEAVY DUTY TRANSPLANTING TROWEL

Epoxy coated carbon steel hardened and tempered with plated ferrule, leather wrist strap and plastic handle. Blade marked with inch graduations from 1 to 4". Sold loose. **Colours of product may vary**

Stock No.	Handle Length
88805	125mm



2 GCHT/I

CARBON STEEL HEAVY DUTY HAND TROWEL

Epoxy coated carbon steel hardened and tempered with plated ferrule, leather wrist strap and plastic handle. Sold loose. **Colours of product may vary**

Stock No.	Handle Length
88806	125mm



3 GCHF/I

CARBON STEEL HEAVY DUTY WEEDING FORK

Epoxy coated carbon steel hardened and tempered with plated ferrule, leather wrist strap and plastic handle. Sold loose. **Colours of product may vary**

Stock No.	Handle Length
88807	125mm



4 GCHW/I

CARBON STEEL HEAVY DUTY HAND WEEDER

Special tool for the removal of deep rooted weeds, ie. daisies, dandelions, etc. Epoxy coated carbon steel hardened and tempered with plated ferrule, leather wrist strap and plastic handle. Sold loose.

Colours of product may vary

Stock No.	Handle Length
88808	125mm



5 GCHC/I

CARBON STEEL HEAVY DUTY HAND CULTIVATOR

Epoxy coated carbon steel hardened and tempered with plated ferrule, leather wrist strap and plastic handle. Sold loose.

Colours of product may vary

Stock No.	Handle Length
88809	125mm



6 DCTT-EL/I

CARBON STEEL LONG 'T' HANDLED TROWEL

Carbon steel head hardened and tempered with gun metal grey finish. Tubular steel long handle with plastic 'T' grip securely fixed to handle. Sold loose.

Colours of product may vary

Stock No.	Handle Length
88803	940mm

7 DCTF-EL/I

CARBON STEEL LONG 'T' HANDLED FORK

Carbon steel head hardened and tempered with gun metal grey finish. Tubular steel long handle with plastic 'T' grip securely fixed to handle. Sold loose.

Colours of product may vary

Stock No.	Handle Length
88804	940mm





8 GCFT2

CARBON STEEL HEAVY DUTY HAND FORK AND TROWEL SET (2 PIECE)

The ideal gift set comprising Heavy Duty Carbon Steel Weeding Fork and Heavy Duty Carbon Steel Hand Trowel. Tough plastic handles, plated ferrules and leather wrist straps. Attractively packaged in window display box.

Colours of product may vary

Stock No.
65960

PRODUCT LOCATOR

Ash handle tools are shown on pages 813 and 814.

FORK AND SPADE SET



9 EF/DSDF/SET

CARBON STEEL GARDEN FORK AND SPADE SET

Carbon steel fully hardened and tempered with high visibility plastic coated steel cored shaft with special "Y-dee" handle. Shrink wrapped together for security.

Stock No.	Head Size
16566	280 x 180mm



1 EF/GFT3

GARDENING HAND TOOL SET (3 PIECE)

Set comprises hand fork, hand trowel and transplanting trowel. Fitted with hardened and tempered blades. Sold loose.

Available in singles - order multiples of 10 sets to get a free countertop display

Stock No.
83972





2 GPT

PLASTIC HAND TROWEL

Tough matt finish plastic with hang hole in handle. Multiples of 50 only, supplied in countertop display.

Minimum order 50 or multiples thereof

Stock No.	Overall Length
53162	260mm





3 GPF

PLASTIC HAND FORK

Tough matt finish plastic with hang hole in handle. Multiples of 50 only, supplied in countertop display.

Minimum order 50 or multiples thereof

Stock No.	Overall Length
53163	260mm





4 GSSTSGD12DD

STAINLESS STEEL SOFT GRIP HAND TROWEL

Hardened and tempered stainless steel, mirror polished with hang hole and soft grip handle for user comfort. Multiples of 12 only, supplied in countertop display.

Minimum order 12 or multiples thereof

Stock No.
28273





5 GSSFSGD12DD

STAINLESS STEEL SOFT GRIP HAND FORK

Hardened and tempered stainless steel, mirror polished with hang hole and soft grip handle for user comfort. Multiples of 12 only, supplied in countertop display.

Minimum order 12 or multiples thereof

Stock No.
28287



6 GSFTPW

STAINLESS STEEL SOFT GRIP FORK, TROWEL AND WEEDER SET (3 PIECE)

An ideal gift set comprising of a fork, trowel and a hand weeder, all made from heavy duty stainless steel that's been hardened, tempered, mirror polished and fitted with hang hole. The soft grip handles provide added user comfort, even when used for prolonged periods. Attractively packaged in window display box.

Stock No.	Handle Length
27436	140mm

NEW

7 GMPT

MULTI PURPOSE GARDEN TOOL

Used for a host of gardening activities. Able to be used as a transplanting trowel, whilst the notched tip makes a highly efficient weed lifter. Each blade has a serrated edge designed to be used as a saw to cut through small roots and the incorporated string/twine cutter can be especially useful. The honed edge is ideal for easing plants out of pots and the soft grip handle provides added user comfort. Each multi tool is attached with imperial measurements on the highly polished steel blade. An essential gardening tool supplied in a handy waterproof pouch.

Stock No.
02139












YOUNG GARDENER RANGE

A fantastic range of gardening tools designed specifically for the young gardener.
All the products in this range are proper tools, not toy versions and should be used under supervision.

All are manufactured from carbon steel, hardened and tempered with a gun metal finish.





1 YG/DF

YOUNG GARDENER DIGGING FORK WITH ASH HANDLE

Carbon steel digging fork designed for the young gardening enthusiast. Correctly hardened and tempered with lacquered ash handle. Sold loose.

Stock No.	Handle Length
20680	600mm

2 YG/DS

YOUNG GARDENER DIGGING SPADE WITH ASH HANDLE

Carbon steel digging spade designed for the young gardening enthusiast. Correctly hardened and tempered with lacquered ash handle. Sold loose.

Stock No.	Handle Length
20686	600mm







HANDLE LENGTH 860mm



HANDLE LENGTH 860mm

3 YG/GR

YOUNG GARDENER RAKE WITH ASH HANDLE

Carbon steel rake designed for the young gardening enthusiast, correctly hardened and tempered with lacquered ash handle and wrist strap. Sold loose.


Stock No.	Handle Length
20690	860mm


4 YG/DH

YOUNG GARDENER DUTCH HOE WITH ASH HANDLE

Carbon steel dutch hoe designed for the young gardening enthusiast, correctly hardened and tempered with lacquered ash handle and wrist strap. Sold loose.

Stock No.	Handle Length
20689	860mm





HANDLE LENGTH 860mm

5 YG/LR

YOUNG GARDENER LAWN RAKE WITH ASH HANDLE

Carbon steel lawn rake designed for the young gardening enthusiast, correctly hardened and tempered with lacquered ash handle and wrist strap. Sold loose.

Stock No.	Handle Length
20688	860mm



6 YG/HT

YOUNG GARDENER HAND TROWEL WITH ASH HANDLE

Carbon steel hand trowel designed for the young gardening enthusiast, correctly hardened and tempered with lacquered ash handle and wrist strap. Sold loose.

Stock No.	Overall Length
20707	235mm




7 YG/HF

YOUNG GARDENER WEEDING FORK WITH ASH HANDLE

Carbon steel weeding fork designed for the young gardening enthusiast, correctly hardened and tempered with lacquered ash handle and wrist strap. Sold loose.

Stock No.	Overall Length
20697	235mm



8 YG/HC

YOUNG GARDENER HAND CULTIVATOR WITH ASH HANDLE

Carbon steel hand cultivator designed for the young gardening enthusiast, correctly hardened and tempered with lacquered ash handle and wrist strap. Sold loose.

Stock No.	Overall Length
20692	235mm



9 YG/GG

YOUNG GARDENER GLOVES

Leather palm, fingertips and knuckle strap. Display packed.

Stock No.	Size
28589	6
26316	7



1 GSHERB

STAINLESS STEEL BYPASS SECATEURS WITH ASH HANDLES (210mm)

Manufactured with a fully hardened, tempered and polished stainless steel blades securely fitted to solid ash handles. Sold loose.

Stock No.
85188



2 GBSE

DELUXE BYPASS SECATEURS (200mm)

Expert Quality, forged aluminium handled secateurs. The SK5 high carbon steel blades have a non-stick coating offering a superior long lasting performance whilst giving a silky smooth operation. The incorporated thumb-lock helps secure blades in the locked position. Display packed.

Stock No.
36755



3 GASE

DELUXE ANVIL SECATEURS (200mm)

Expert Quality, forged aluminium handled secateurs. The SK5 high carbon steel blades have a non-stick coating offering a superior long lasting performance whilst giving a silky smooth operation. The incorporated thumb-lock helps secure blades in the locked position. Display packed.

Stock No.
36756



4 GSEXTA

2 IN 1 ANVIL PATTERN RATCHET PRUNER AND MINI LOPPER

Expert Quality, this distinctive 2 in 1 easy to use tool is both a pruner and a pair of mini loppers. Manufactured with non-stick coated toughened steel blades producing a smooth clean-cut every time. The anvil action and steel blades provide a maximum cutting capacity of 20mm while the attached soft grip telescopic handles deliver comfort even when used for prolonged periods. Display packed.

Stock No.	Pruner Length	Lopper Length
36543	225mm	290mm



5 GSEXTB

2 IN 1 BYPASS PATTERN PRUNER AND MINI LOPPER

Expert Quality, distinctive 2 in 1 easy to use tool is both a bypass pruner and a pair of mini loppers. The spring loaded handles and non-stick coated toughened steel blades deliver a smooth clean-cut action every time. Fitted with soft grip telescopic handles which offer comfort even when used for prolonged periods whilst providing a 20mm cutting capacity. Display packed.

Stock No.	Pruner Length	Lopper Length
36542	225mm	290mm

"DAVE SAYS" QUALITY MAKES THE DIFFERENCE

PRUNERS/MINI LOPPERS...



The extendable handles on both the 2 in 1 Anvil Pattern Pruner/Mini Lopper Stock No: 36543 and the 2 in 1 Bypass Pattern Pruner/Mini Lopper Stock No: 36542 turn these tools into the ultimate gardening assistant.

The razor sharp cutting edges guarantee supreme performance enhanced by the flexibility of their 2 in 1 functionality. Every gardener's tool collection should include either Stock No: 36543 or 36542.





6 G886/PR

BYPASS PATTERN SECATEURS (210mm)

Stainless steel blades with redwood handles and locking latch. Display packed.

Stock No.
45317



7 36

NON-SLIP PRUNING SECATEURS (180mm)

Aluminium alloy handled secateurs with non-slip grip. The SK5 high carbon steel blades have a non-stick coating giving a silky smooth operation. Spring loaded handles and thumb-lock help secure blades in the locked position. Display packed.

Stock No.
36550



8 GSDA1B

NON-SLIP BYPASS SECATEURS (180mm)

Aluminium alloy handled secateurs with non-slip grip. The SK5 high carbon steel blades have a non-stick coating giving a silky smooth operation. Spring loaded handles and thumb-lock help secure blades in the locked position. Display packed.

Stock No.
36548



9 GSDA1A

NON-SLIP ANVIL SECATEURS (180mm)

Aluminium alloy handled secateurs with non-slip grip. The SK5 high carbon steel blades have a non-stick coating giving a silky smooth operation. Spring loaded handles and thumb-lock help secure blades in the locked position. Display packed.

Stock No.
36547



"DAVE SAYS" QUALITY MAKES THE DIFFERENCE

CHOOSING THE CORRECT TYPE OF SECATEURS

With such an extensive choice of secateurs in the Draper range, selecting your ideal pair of secateurs entirely depends on your preference. For example, bypass secateurs have blades that pass each other, delivering a smooth cutting action on softer stems and branches, while for use on sturdier woody stems; anvil pattern secateurs provide a better solution. We even have a ratchet action model, which allows you to cut a small branch with slower smaller steps - and as you would expect from Draper Tools, all our secateurs are fully guaranteed, so you can have confidence the choice you make will fulfil your needs and last.



1 G885B/SG

SOFT GRIP BYPASS PATTERN SECATEURS (200mm)

General purpose with one non-stick coated blade for smooth corrosion-free operation. Soft grip spring-loaded handles for user comfort and thumb lock for secure locking of the blades. Slider button for two jaw opening positions. Display packed.

Stock No.
45316



3 GBSD

COMPACT BYPASS PATTERN SECATEURS (175mm)

Secateurs with high carbon steel blades non-stick coated for smooth corrosion-free operation. The spring-loaded handles have plastic grips, a wrist strap and thumb lock for secure locking of the blades. Display packed.

Stock No.
83969



5 G808

SOFT GRIP BYPASS PATTERN SECATEURS (215mm)

Bypass action secateurs with non-stick coated toughened steel blades. Delivers a smooth clean cutting action every time and fitted with soft grip handles, which provide user comfort even when used for prolonged periods. Display packed.

Stock No.
83973



2 G885A/SG

SOFT GRIP ANVIL PATTERN SECATEURS (200mm)

General purpose with one non-stick coated blade for smooth corrosion-free operation. Soft grip spring-loaded handles for user comfort thumb lock for secure locking of the blades. Slider button for two jaw opening positions. Display packed.

Stock No.
45315



4 GASD

COMPACT ANVIL PATTERN SECATEURS (175mm)

Secateurs with high carbon steel blade non-stick coated for smooth corrosion-free operation. The spring-loaded handles have plastic grips, a wrist strap and thumb lock for secure locking of the blades. Display packed.

Stock No.
83970



6 G808

SOFT GRIP ANVIL PATTERN SECATEURS (215mm)

Anvil action secateurs with non-stick coated toughened steel blades. Delivers a smooth clean cutting action every time and fitted with soft grip handles, which provide user comfort even when used for prolonged periods. Display packed.

Stock No.
83974



7 EFG808DD

BYPASS PATTERN SECATEURS (210mm)

Teflon coated steel blade with aluminium anti-slip Easy Find coloured handles. Display packed.

Stock No.
83994







8 EFSECBP

BYPASS PATTERN SECATEURS (170mm)

Steel blade with thumb lock and anti-slip Easy Find colour handles. Multiples of 12 only in different colours; green, lilac, pink and blue (three of each colour) supplied in countertop display.

Minimum order 12 or multiples thereof

Stock No.
16570



1 G804

ANVIL PATTERN RATCHET ACTION SECATEURS (190mm)

General purpose with one hardened and tempered carbon steel non-stick coated moving blade. Plastic handles for user comfort. Ratchet mechanism for easier and improved cutting efficiency. Display packed.

Stock No.
34478



2 G812

SOFT GRIP PRECISION STRAIGHT PRUNING SECATEURS (165mm)

Ideal for pruning bonsai, dead heading, thinning of soft stem branches, shrubs and flower stems. Straight stainless steel blades hardened and tempered. The spring loaded handles have soft grip inserts and locking lever. Display packed.

Stock No.
73728



3 G813

SOFT GRIP PRECISION CURVED PRUNING SECATEURS (165mm)

Ideal for pruning bonsai, dead heading, thinning of soft stem branches, shrubs and flower stems. Curved stainless steel blades hardened and tempered. The spring loaded handles have soft grip inserts and locking lever. Display packed.

Stock No.
73729

MULTI-SHARPENER





4 GMS

T.C.T. MULTI-SHARPENER

For sharpening blades of garden tools including SECATEURS, grafting knives, loppers. 22mm long T.C.T. blade. Oil storage feature in handle. Display packed.

Stock No.	Length
76765	120mm







5 G1811A

TOPIARY SHEARS (345mm)

Straight edged blade. Ideal for trimming and training shrubs, bushes and small trees. Double bow handles and unique hand grip position give accurate cutting especially when shaping trees and bushes. Display packed.

Stock No.
84050

6 G1812

TOPIARY SHEARS WITH WOOD HANDLES (300mm)

Straight edged blade. Ideal for trimming and training shrubs, bushes and small trees. Unique hand grip position gives accurate cutting especially when shaping trees and bushes. Display packed.

Stock No.
76774



7 GS/TP2

SOFT GRIP GARDEN SCISSOR SET (2 PIECE)

Comprises two pruning scissors, one straight blade type 165mm long and one curved blade type 143mm long. Carbon steel blades hardened and tempered with soft grip handles for user comfort. Display packed.

NB: For use on soft-stemmed plants only

Stock No.
18299



8 JK1

SLIMLINE PRUNING KNIFE

Suitable for general and gardening cutting applications. Supplied with 350mm long lanyard. Display packed.

Stock No.	Closed Size
67068	100mm



9 GBKHER/A

BUDDING KNIFE WITH OAK HANDLE

Stainless steel blade budding knife with oak handle. Traditional style budding knife with a 80mm blade and an overall length of 200mm.

Stock No.	Closed Size
17558	120mm



1 G1805G
STRAIGHT EDGE GARDEN SHEARS WITH ASH HANDLES (230mm)
Manufactured with non-stick blades hardened, tempered and finely ground for smoother easier cutting. Fitted with a blade tensioning feature, polished ferrules and solid ash handles. Sold loose.

Stock No.
36791

2 G1806G
WAVE EDGE GARDEN SHEARS WITH ASH HANDLES (230mm)
Manufactured with non-stick blades hardened, tempered and finely ground for smoother easier cutting. Fitted with a blade tensioning feature, polished ferrules and solid ash handles. Sold loose.

Stock No.
36792

3 GHS406SG
STRAIGHT EDGE GARDEN SHEARS WITH ASH HANDLES (230mm)
Straight edge non-stick blades hardened, tempered and finely ground. Antique finish solid ash handles with shock absorbers. Display packed.

Stock No.
36784



4 GHSWT/EXPG
TELESCOPIC SOFT GRIP WAVE EDGE GARDEN SHEARS
Expert Quality, wave edge 200mm smooth cut shears. Blades manufactured from hardened carbon steel, fitted with blade tensioning facility and buffer stops. Its tubular aluminium construction combines strength with lightness whilst the soft grip extendable handles increase from 430 to 550mm. Display packed.

Stock No.	Min. Length	Max. Length
36778	650mm	850mm

5 GHSST/EXPG
TELESCOPIC SOFT GRIP STRAIGHT EDGE GARDEN SHEARS
Expert Quality, straight edge 200mm smooth cut shears. Blades manufactured from hardened carbon steel, fitted with blade tensioning facility and buffer stops. Its tubular aluminium construction combines strength with lightness whilst the soft grip extendable handles increase from 430 to 550mm. Display packed.

Stock No.	Min. Length	Max. Length
36780	650mm	850mm

6 GHSS/EXPG
SOFT GRIP STRAIGHT EDGE GARDEN SHEARS
Expert Quality, straight edge 200mm smooth cut shears. The non-stick coated, hardened and finely ground blades continually provide a sharp, smooth, corrosion-free operation. The tubular steel handles with soft grips provide both comfort and strength and are fitted with a blade tensioning facility and buffer stops. Sold loose.

Stock No.
37975



7 GHSDD
SOFT GRIP STRAIGHT EDGE GARDEN SHEARS (190mm)
Shears with non-stick hardened and tempered straight edge blades. Manufactured with triangular steel handles with soft grips and shock bumpers for user comfort. Display packed.

Stock No.
36800



8 EF-GHSY
GARDEN SHEARS (190mm)
Fitted with carbon steel 190mm blades and strong tubular steel soft grip handles these shears give a smooth and effortless cut. Display packed.

Stock No.
83975



9 360SGG
360° GARDEN SHEARS (320mm)
Hand operated shears with 360° handle action which allows horizontal (0°) through to vertical (90°) usage. The 150mm blades are precision ground, heat treated and non-stick coated for smooth corrosion-free protection. Incorporates thumb lock on handle and blade tensioner. One blade is fixed to allow grass trimming close to walls. Display packed.

Stock No.
36793



1 GSLHDD

100mm GRASS SHEARS WITH STEEL HANDLES

The non-stick coated, hardened and finely ground blades continually provide a sharp, smooth, corrosion-free operation. The 1000mm long tubular steel handles with soft grip provide both comfort and strength. Sold loose.

Stock No.
83980

2 BSLHDD

100mm BORDER SHEARS WITH STEEL HANDLES

The non-stick coated, hardened and finely ground blades continually provide a sharp, smooth, corrosion-free operation. The 1000mm long tubular steel handles with soft grip provide both comfort and strength. Sold loose.

Stock No.
83979

DRAPER Expert



DRAPER Expert



3 GBLS/EXPG

TELESCOPIC SOFT GRIP BYPASS RATCHET ACTION LOPPERS WITH ALUMINIUM HANDLES

Expert Quality, shears with hardened and tempered non-stick coated blades. Manufactured from flat tubular aluminium with extendable handles and soft grips. The handles extend from 510mm to 695mm by depressing a button on the handles. Display packed.

Stock No.	Min. Length	Max. Length	Capacity Dia.
36819	510mm	695mm	45mm

4 GALS/EXPG

TELESCOPIC SOFT GRIP ANVIL RATCHET ACTION LOPPERS WITH ALUMINIUM HANDLES

Expert Quality, shears with hardened and tempered non-stick coated blades. Manufactured from flat tubular aluminium with extendable handles and soft grips. The handles extend from 520mm to 695mm by depressing a button on the handles. Display packed.

Stock No.	Min. Length	Max. Length	Capacity Dia.
36826	520mm	695mm	45mm

DRAPER Expert GEAR ACTION



DRAPER Expert GEAR ACTION



5 GGABL/AH/AQ

HIGH LEVERAGE GEAR ACTION SOFT GRIP BYPASS LOPPER WITH ALUMINIUM HANDLES

Expert Quality, Japanese SK-5 steel blades, one non stick coated, for high performance cutting. Flat tubular aluminium handles with shock absorbers. The gear mechanism gives 30% increased performance for the smooth cutting of woody plants including bamboo, cotoneaster, holly, etc. The lightweight construction and gear action is ideally suited for easier cutting of harder wood when cutting at height and the user has shoulder or arm problems. Display packed.

Stock No.	Length	Capacity Dia.
03310	685mm	45mm

6 GGAAL/AH/AQ

HIGH LEVERAGE GEAR ACTION SOFT GRIP ANVIL LOPPER WITH ALUMINIUM HANDLES

Expert Quality, Japanese SK-5 steel blades, one non stick coated, for high performance cutting. Flat tubular aluminium handles with shock absorbers. The gear mechanism gives 30% increased performance for the rough cutting of woody plants including bamboo, cotoneaster, holly, etc. The lightweight construction and gear action is ideally suited for easier cutting of harder wood when cutting at height and the user has shoulder or arm problems. Display packed.

Stock No.	Length	Capacity Dia.
03312	685mm	50mm

RATCHET ACTION

RATCHET ACTION

LEVER ACTION



1 G33DD

TELESCOPIC RATCHET ACTION BYPASS LOPPERS WITH STEEL HANDLES

With hardened and tempered blades, one non-stick coated for smooth corrosion-free operation. The ratchet action allows the cutting of larger diameter branches with less physical strength. High leverage telescopic tubular handles with soft grips. Handles extend from 450 to 800mm using a simple twist and lock action. Display packed.

Stock No.	Min. Length	Max. Length	Capacity Dia.
36833	450mm	800mm	45mm

2 G32DD

TELESCOPIC RATCHET ACTION ANVIL LOPPERS WITH STEEL HANDLES

With hardened and tempered blades, one non-stick coated for smooth corrosion-free operation. Five notch ratchet action for improved cutting efficiency. High leverage telescopic tubular handles with soft grips. Handles extend from 450 to 800mm using a simple twist and lock action. Display packed.

Stock No.	Min. Length	Max. Length	Capacity Dia.
36837	450mm	800mm	45mm

3 G26DD

TELESCOPIC HEAVY DUTY LEVER ACTION ANVIL LOPPERS WITH STEEL HANDLES

Blades hardened and tempered with one non-stick coated for smooth corrosion-free operation. High leverage telescopic tubular handles with soft grips. Shears extend from 610 to 930mm using a simple twist and lock action. Display packed.

Stock No.	Min. Length	Max. Length	Capacity Dia.
36838	610mm	930mm	38mm

LEVER ACTION

LEVER ACTION



4 GBLDD

LEVER ACTION BYPASS LOPPERS WITH STEEL HANDLES (710mm)

Hardened and tempered non-stick blades for corrosion-free operation. Triangular steel handles with soft grips for user comfort. Display packed.

Stock No.
36842

5 GALDD

LEVER ACTION ANVIL LOPPERS WITH STEEL HANDLES (710mm)

Hardened and tempered blades, one non-stick coated for corrosion-free operation. Tubular steel handles with soft grips for user comfort. Display packed.

Stock No.	Capacity Dia.
36843	65mm

6 EF-GBLDD

BYPASS PATTERN LOPPERS

Fitted with carbon steel blades and tubular steel soft grip handles providing exceptional performance. Display packed.

Stock No.
83981

3 PIECE LOPPER, SHEARS AND SECATEURS SET

7 GLSS/SET

LOPPER, SHEARS AND SECATEURS SET (3 PIECE)

Loppers 610mm long fitted with carbon steel blades and high leverage tubular handles. 535mm garden shears with tubular handles. Secateurs 203mm long with ergonomically shaped handles. All tools have soft grips for user comfort. Display packed

Stock No.
28210







1 GULHPL/AQ

1.55M UNIVERSAL TREE AND BUSH CUTTER

Expert Quality, incorporates eight position head anodized aluminium pole with heavy duty hand grip. Japanese SK5 carbon steel blades, one non-stick coated, hardened and tempered. Hand grip on pole shaft operates cutting blade by a simple up and down motion. Display packed.

Stock No.	Capacity Dia.
03316	25mm

2 G1200/EXP

PROFESSIONAL TREE PRUNER WITH TELESCOPIC HANDLE

Expert Quality, incorporates four position lock telescopic aluminium profile pole extending from 1.5M to 2.5M with heavy duty hand grip, detachable curved pruning saw blade 355mm long and nylon cord-operated cutting blade. Display packed.

Stock No.	Capacity Dia.
45334	32mm

3 G1100

TREE PRUNER WITH TELESCOPIC HANDLE

Incorporates twist and lock telescopic pole extending from 1.37 to 2.50M with detachable curved pruning saw blade 355mm long and rope-operated cutting blade. Carton packed.

Stock No.	Capacity Dia.
33855	32mm



4 D181/EXP

FOLDING PRUNING SAWS

Expert Quality, with super sharp triangular-shaped teeth for fast wet wood cutting. Safety lock on blade to prevent accidental closure whilst cutting and closed when not in use. Soft grip handle for user comfort. Display packed.

Stock No.	Description
44993	210mm Saw
44994	270mm Saw

5 FPS210

FOLDING PRUNING SAW (230mm)

Super sharp teeth and taper ground rust-resistant blade which folds back into handle when not in use. Soft grip handle with plastic guard on handle to protect blade when not in use. Blade safety lock holds blade open securely whilst in-use and closed whilst out-of-use. Display packed.

Stock No.
43860

6 GS17/EXP

SOFT GRIP PRUNING SAW (500mm)

Expert Quality, curved saw with hardened and tempered large and small teeth. The small teeth for starting the cut and the larger for fast wet wood cutting. Soft grip handle for user comfort. Supplied with teeth protector. Display packed.

Stock No.
44997



"DAVE SAYS" QUALITY MAKES THE DIFFERENCE

CHOOSING THE RIGHT PERSONAL PROTECTIVE EQUIPMENT

Wearing the right PPE is important in all trades and gardening is no exception.

For example when cutting branches either by hand or with chainsaws, full protective equipment is vital to safeguard against accidents.

A full and comprehensive collection of our PPE equipment including clothing, footwear, protective head and face equipment, masks, eye wear and gloves etc, can be found in section 17 of this catalogue on pages 741-763.



1

BOW SAWS

Expert Quality, rigid oval tubular frame with soft grip handle and hand guard. Hardpoint saw blade with induction hardened teeth. Sold loose.

Stock No.	Part No.	Size
37171	GBS300	300mm
36563	GBS600	600mm
36564	GBS750	750mm

2

BOW SAWS

Rigid oval tubular frame with quick release tension lever. Hardpoint saw blade with induction hardened teeth. Sold loose.

Stock No.	Part No.	Description
35989	D140A	600mm Saw
35990	D140A	750mm Saw
81088	B140	Spare 600mm Blade
74910	B140	Spare750mm Blade

3

PRUNING SAW (530mm)

Rigid tubular steel frame, tapered for use in confined areas, with quick release blade tension lever. Hardpoint saw blade with induction hardened teeth. Sold loose.

Stock No.	Part No.	Description
35988	D139A	Saw
84430	B139	Spare Blade

LOG SPLITTING STAR WEDGE

The broad striking head allows for quick and easy log splitting, making this an invaluable tool for repeated or continuous work.









4 LSW/R

LOG SPLITTING STAR WEDGE (1.7kg)

Effective log splitting wedge with extra broad striking shoulder for making easy work of splitting logs. Manufactured from drop forged steel with a heat treated and hardened tip. Use with a sledge hammer or splitting maul. Display packed.

Stock No.
58682



5 LS6LB

LOG SPLITTER (2.7kg)

Log splitting head manufactured from hardened steel. For use with sledge hammers or splitting maul. Sold loose.

Stock No.
43859



1 1502/L

YANKEE PATTERN HAND AXE (680g)

Manufactured generally in accordance with BS 2945

Expert Quality, forged carbon steel head hardened and tempered. Accurately ground edges lacquered finish and edge cover. Straight grained hickory shaft securely fixed with timber wedge and steel ring. Sold loose.

Stock No.
09945

2 FG5/L

FIBREGLASS SHAFT FELLING AXES

Manufactured generally in accordance with BS2945

Expert Quality, forged from fine grain carbon steel correctly hardened and tempered with a polished head. Fibreglass shaft fitted with comfortable shock-absorbing rubber grip. Sold loose.

Stock No.	Weight	Length
09941	0.68kg	415mm
09942	1.60kg	860mm
09943	2.00kg	860mm

3 1500A

HAND AXE (560g)

Finely balanced head forged from carbon steel, hardened and tempered with the faces ground and lacquered. Plated tubular steel shaft fitted with nonslip rubber grip. Sold loose.

Stock No.
62166

4 GAXE

HAND AXE (600G)

Forged from good quality steel, correctly hardened and tempered in accordance with BS2945 standards. The head has a highly polished cutting edge attached to a straight grain hickory shaft. Display packed.

Stock No.
83978

5 FA/L

YANKEE PATTERN FELLING AXES

Manufactured generally in accordance with BS 2945

Expert Quality, finely balanced long-handled axe with hardened and tempered forged carbon steel head with accurately ground edges, lacquered finish and edge cover. Straight grained hickory shaft securely fixed with timber wedge and steel ring. Sold loose.

Stock No.	Weight	Length
09946	1.1kg	700mm
09947	2.0kg	800mm

6 FG6/L

FIBREGLASS SHAFT LOG SPLITTING MAUL (2.7kg)

Manufactured generally in accordance with BS876 and BS 2945

Expert Quality, forged from fine grain carbon steel correctly hardened and tempered with a polished head. Fibreglass shaft fitted with comfortable shock-absorbing rubber grip. Sold loose.

Stock No.
09944

7 LSM/L

LOG SPLITTING MAUL (2.7kg)

Expert Quality, forged from fine grain carbon steel correctly hardened and tempered with a polished head. Straight grained hickory shaft. Sold loose.

Stock No.
14414







DRAPER Expert GROUND BUSTER

it does exactly what the name says...

- IT MAXIMISES EFFORT AND BUST THROUGH HARD GROUND, CONCRETE, CONCRETE BLOCKS, ROCKS, SOLID CLAY, TREE ROOTS AND OTHER TOUGH SURFACES FOUND DURING DEMOLITION AND HOLE DIGGING.
- A SLIDING INTERNAL WEIGHT GIVES A SECONDARY IMPACT MAXIMISING EFFORT AND GROUND BUSTER® EFFECTIVENESS.
- THE GROUND BUSTER® IS DESIGNED TO BE SUITABLE FOR USE IN REMOTE LOCATIONS WHERE NO POWER SUPPLY IS AVAILABLE.







WHAT GIVES THE GROUND BUSTER® THE EXTRA FORCE?

TECHNOLOGY PATENTED ANTI JARRING


This is due to the sliding internal weight, which delivers a powerful secondary impact, maximising effort and Ground Buster® effectiveness

- ✓ MAXIMISES EFFORT
- ✓ REDUCES VIBRATION, JARRING AND RECOIL/ BOUNCE BACK
- ✓ MINIMISES FATIGUE, THEREBY INCREASING PRODUCTIVITY
- ✓ A DYNAMIC SOLUTION FOR WHEN POWER IS NOT AVAILABLE


EXCLUSIVE TO DRAPER TOOLS IN THE UK & EIRE



Tamping attachment for Stock Nos. 18250 and 20779



Sliding internal weight and anti-jarring mechanism



DRAPER Expert

YOUTUBE.COM/ DRAPERTOOLSTV

1 GD/HD

GROUND BUSTER®

Expert Quality, ideal for breaking up hard ground, concrete, concrete blocks, rocks, solid clay, tree roots and other tough surfaces found during demolition and hole digging. Heavy duty carbon steel construction with a hardened chisel point. An internal sliding weight built into the shaft gives a secondary impact which helps prevent jarring in the hands, wrists, shoulders, neck and back, it also helps prevent bounce back recoil when in use. Display carton.

Stock No.	Length	Weight
18250	1450mm	8kg
20779	1550mm	10kg
20780	Tamping Attachment	



1 INS/PHD

FULLY INSULATED POST HOLE DIGGER

Manufactured and individually certified to BS8020 standard.

Expert Quality, fully insulated post hole digger designed for working on or near live cable and wires. Individually tested to 10,000 volts, guaranteeing safe working on 1,000V and complying to the BS 8020 standards. Manufactured with an epoxy fibreglass core and attached to a fully enclosed insulated shaft. Each post hole digger is supplied with a certificate of conformity, which correlates with a unique traceability number embossed on the shaft. Sold loose.

Stock No.	Length
17696	1730mm

2 PHD/HDMP

HEAVY DUTY POST HOLE DIGGER WITH STEEL HANDLES

Expert Quality, manufactured with solid carbon steel blades and handles. Display carton.

Stock No.	Length
82429	1410mm

3 PHDHDA

HEAVY DUTY POST HOLE DIGGER

Expert Quality, heavy duty head, ash handles with rubber grips. Hardened and tempered grab blades. Sold loose.

Stock No.	Length
26478	1480mm

4 PHD1

POST HOLE DIGGER WITH HARDWOOD HANDLES

Hardwood handles with hardened and tempered grab blades. Multiples of two only.

Minimum order two or multiples thereof

Stock No.	Length
34894	1480mm

5 LH/FS

LONG HANDLED SOLID FORGED FENCING SPADE

Expert Quality, all-steel tubular shaft with solid forged socket. Blade length 260mm. Sold loose.

Stock No.	Length
21301	1600mm

6 ASDFB

CHISEL POINT FENCING BAR

Expert Quality, perfect for hard to get at roots or other digging activities. Solid forged high carbon steel with taper point and sharpened end. Sold loose.

Stock No.	Length
17678	1800mm

7 CP/P

CHISEL POINT CROWBAR

32mm wide crow bar, forged from high carbon steel, with hardened chisel and point ends. Ideal for exerting pressure to lift and move heavy items and also demolition work.

Stock No.	Length
53074	1.5M



1 FPRA

FENCE POST RAMMER

For driving wooden fence posts into the ground without splitting. Tubular steel body 680mm long with handles 520mm long. Diameter of rammer 165mm. Sold loose.

Caution: This product weighs 13kg

Stock No.
26479

2

FENCE POST AUGERS

For making fence post holes, particularly in heavy or difficult ground. Manufactured from tubular steel with handle and auger screw. Sold loose.

Stock No.	Part No.	Length	Diameter
82846	FPA4	950mm	100mm
24414	FPA/1	1050mm	150mm





3 137A2

260mm CUSHION GRIP FENCING PLIERS

Expert Quality, manufactured from carbon steel with smoothly ground and polished head. Head incorporates a striking face; staple removing hook; pincer and clamp on top jaw; grips on inside of handles for straining and twisting wire and two shear type wire cutters. Cushion grip handles. Display packed.

Stock No.
68450



4 FWTT

FENCE WIRE TENSIONING TOOL

Expert Quality, for tensioning wire (including barbed wire) up to 4mm diameter prior to stapling onto wooden fencing posts. Manufactured from carbon steel hardened and tempered with 600mm long handle for excellent leverage and a pivoting 'Durbar' steel locating foot to grip any post type whilst straining wire. Display packed.

Stock No.	Length
57547	760mm

5 PLF

POST LEVEL

Rigid post level made from durable re-inforced ABS plastic. Designed to plumb pipes, posts, level RSJ's and other applications where vertical or horizontal is required. Attached with four powerful magnetic pads for working with steel posts and fitted with a strong elastic band for fixing to non-magnetic surfaces. Two horizontal and one plumb tubular acrylic vials for convenience with an accuracy of 0.1deg (1.75mm/M). Dimensions level 121 x 78mm. Display packed.

Stock No.
75042





6 HDS/RD

SCRAPER AND ROOT DIGGER WITH WOOD SHAFT

Expert Quality, for numerous jobs including carpet tile removal, general scraping tasks, chopping and root removal. Hardened sharpened blade size 230 x 180mm that can re-sharpened to maintain cutting edge. Sold loose.

Stock No.	Length
05166	1410mm



7 BS

SQUARE MOUTH BUILDERS SHOVEL WITH HARDWOOD SHAFT

Pressed steel blade with varnished hardwood shaft and Y-dee shaped handle. Blade width: 240mm and 310mm long. Sold loose.

Stock No.	Length
31391	940mm



1 215/HICK

915mm HICKORY PICK AXE/MATTOCK SHAFT

Straight grained hickory, sanded and waxed. Eye size 78 x 54mm. Sold loose.

Stock No.
05161



2 215/COMS

915mm HARDWOOD PICK AXE/MATTOCK SHAFT

Hardwood shaft made from straight grained ash, sanded and waxed with fibreglass composite head. For pick axes and mattocks with eye size 78 x 54mm. Sold loose.

Stock No.
82430



3 FG-PH

FIBREGLASS PICK AXE/MATTOCK SHAFT

915mm pick axe shaft, made from high density polyethylene covered fibreglass. The fibreglass core contains 60% continuous unidirectional and longitudinal glass fibres. Attached with a soft grip rubber handle. Sold loose.

Stock No.
85210



4 PM

6kg PAVIORS RUBBER MALLET

Rubber head and hardwood shaft. Overall length 1055mm. Face diameter 125mm. Sold loose.

Stock No.
78453



5 FHFGS/P

5.4kg (12lb) FIBREGLASS SHAFT FENCING HAMMER

Cast iron head with polypropylene coated fibreglass shaft. Head width 130mm. Shock-absorbing rubber grip. Sold loose.

Not to be used to hammer in metal posts

Stock No.
81065





6 6225

3.2kg PICK AXE HEAD

Forged steel, chisel and point pattern. Eye size 70 x 50mm. Will accept standard pick axe shafts. Sold loose.

Stock No.	Part No.	Description
13702	6225	Pick Axe Head
05161	215/HICK	Hickory Shaft
82430	215/COMS	Hickory Composite





7 CM

2.27kg MATTOCK HEAD

For chopping tree roots and digging heavy soil. Forged steel with 65mm chisel tip and 90mm wide blade. Eye size 70 x 50mm. Will accept standard pick axe shafts. Sold loose.

Stock No.	Part No.	Description
27590	CM	Mattock Head
05161	215/HICK	Hickory Shaft
82430	215/COMS	Hickory Composite

8 FG1PM

400g FIBREGLASS MINI MATTOCK AND PICK

Strong yet lightweight, perfect for use where it's not practical to use a full sized tool. Manufactured with a drop forged steel head, heat treated and tempered for durability and attached to a soft grip fibreglass handle. Ideal for gardening, root cutting, landscaping etc. Display packed.


Stock No.
83463

9 FG1MC

400g FIBREGLASS MINI MATTOCK AND CUTTER

Strong yet lightweight, perfect for use where it's not practical to use a full sized tool. Manufactured with a drop forged steel head, heat treated and tempered for durability and attached to a soft grip fibreglass handle. Ideal for gardening, root cutting, landscaping etc. Display packed.

Stock No.
83464



1 HF

3 PRONG HOE FORK

Fully hardened and tempered and securely fitted to a 48" hardwood handle.

Stock No.	Length
17559	195mm

2 DH

DIGGING HOE

A well-balanced hoe that's heavy-duty and easy-to-use yet sharp enough to cut through tree roots and thick turf. The robust head is light yet sharp and the smooth hardwood handle helps deliver a well-balanced hoe, perfect when removing roots and vegetation. Sold Loose.

Stock No.	Description
85632	Hoe
17536	Spare Stock

3 AF4PMF/I

4 PRONG MANURE FORK WITH WOOD SHAFT

Forged head 230mm wide. Sold loose.

Stock No.	Length
63579	1550mm

4 AF10PSF/I

10 PRONG MANURE FORK WITH WOOD SHAFT AND MYD HANDLE

Forged head size; length 420mm and width 380mm. Sold loose.

Stock No.	Length
63578	1120mm

5 10PPF

10 PRONG POTATO FORK WITH WOOD SHAFT AND MYD HANDLE

Forged head size; length 420mm and width 365mm. Sold loose.

Stock No.	Length
34227	1120mm

6 MPHDPS

MULTI-PURPOSE POLYPROPYLENE SHOVEL

Heavy duty one piece polypropylene shovel with extra wide blade and forward tilt y-dee shaped handle for user comfort. Ideal for use with wood chips, snow, grain, stable/farm waste and compost. Blade width: 345mm and 380mm long. Sold loose.

Stock No.	Length
19174	1150mm

7 RDMPS

RUBBLE AND DEBRIS/MULTI-PURPOSE ABS SHOVEL WITH HARDWOOD SHAFT

ABS tough plastic spark-free blade with hardwood shaft and moulded 'Y-dee' handle. Ideal for use with wood chips, snow, grain, stable/farm waste, compost, rubble and debris. Deep ridged blade width 360mm at the base narrowing to 170mm (approx.) at the top and 360mm (approx.) long. Sold loose.

Stock No.	Length
19177	1210mm



8 PLR/A

LANDSCAPING RAKE WITH ASH SHAFT

Expert Quality, professional landscaping rake with a 605mm x 115mm head that has 24 tines. Made from extruded aluminium and attached to a solid ash wood handle. Sold loose.

Stock No.	Length
73355	1460mm

9 PSLB

SMOOTHING LUTE/SPAZZLE WITH ASH SHAFT

Expert Quality, for spreading and smoothing concrete bases. 610mm wide 96mm deep aluminium head with support brackets. Ash shaft. Sold loose.

Stock No.	Length
71260	1480mm



4543

1 CRG
LEVEL 5 CUT RESISTANT GLOVES

Manufactured to BS EN388 Specifications 4.5.4.3

Expert Quality, anti-cut gloves with an elasticised cut resistant fibre knit. The knit provides superior flexibility, breathability and comfort when compared against leather. Essential gloves for operating cutting or abrasion machinery and handling glass. Display packed.

Stock No.	Size
82612	L/9
82614	XL/10



2 KS14/A
355mm LEVEL 5 CUT RESISTANT SLEEVE

Manufactured to BS EN 388 Specifications

Expert Quality, designed to prevent cuts to forearms making them ideal for sheet metal and plate glass work. Thumb slot ensures sleeve will remain in position whilst wearing. 13G polyester with polyurethane cut resistant coating. Display packed.

Stock No.
82591


3122


3 PGRGL/B
PREMIUM LEATHER GARDENING GLOVES

Manufactured to BS EN 388 Specifications 3.1.2.2

Expert Quality, ideal for heavier work in the garden. The leather palms and cotton backs with double fabric cuff all combine to provide excellent abrasion resistance. Fleece inner lining for user comfort. Display packed.

Stock No.	Size
82609	L/9
82608	XL/10


4122


4 RGA/2
RIGGERS GLOVES

Manufactured to BS EN 388 Specifications 4122

Manufactured with split pig leather palm, thumb and knuckle guard, providing excellent abrasion resistance. Cotton backed with elastic expander and double fabric cuff. Display packed.

Stock No.	Size	Quantity
82748	XL/10	per pair
82749	XL/10	Pack of 10


3122


5 GGHD
HEAVY DUTY GARDENING GLOVES

Manufactured to BS EN 388 Specifications 3122

Expert Quality, delivering good all-round protection ideal for heavy duty gardening and landscaping jobs. Manufactured from pig split leather providing a tough and effective pair of gloves with excellent abrasion and puncture resistance, attached with breathable elasticated back and open cuffs ensuring hand comfort whilst retaining dexterity. Display packed.

Stock No.	Size
82625	M/8
82626	L/9
82627	XL/10


4122


6 GGMD
MEDIUM DUTY GARDENING GLOVES

Manufactured to BS EN 388 Specifications 4122

Expert Quality, delivering good all-round protection for gardening and landscaping tasks. Manufactured from pig split leather providing a tough and effective pair of gloves with excellent abrasion resistance and the breathable elasticated back and open cuffs ensure hands remain comfortable. Display packed.

Stock No.	Size
82620	M/8
82622	L/9
82623	XL/10


2143


7 HDLGA/B
HEAVY DUTY LATEX COATED WORK GLOVES

Manufactured to BS EN388 Specifications 2143

Multi purpose 10g polyester seamless gloves natural latex coated palms and fingertips providing extra grip and good protection from tears and punctures. Display packed.

Stock No.	Size	Colour	Qty
82721	L/9	Orange	per pair
82603	L/9	Green	per pair
82602	XL/10	Orange	per pair
82604	XL/10	Green	per pair
82751	XL/10	Orange	pack of 10


4122


8 LGR
GARDENING RIGGER GLOVES

Manufactured to BS EN388 Specifications 4122

Ideal for light duty work around the garden or when potting. Tough and effective gloves with excellent abrasion protection, manufactured with a comfortable cotton lining. Display packed.

Stock No.	Size
82618	M/8




9 LGLD
LIGHT DUTY GARDENING GLOVES

Mauve cotton back with polka dot pattern palm and elastic expander. Colours may vary. Display packed.

Stock No.	Size
82616	Medium





1 KP5
LEATHER KNEE PADS
Expert Quality, made from top grain leather with high quality felt inners. Pads are secured with hook and loop straps. Packed in polythene bag with display card.

Stock No.
72932



3 KP4
RUBBER KNEE PADS
Dense inner foam with Neoprene rubber covering. Pads are secured with hook and loop straps. Ideal for general purpose tasks particularly in damp conditions. Packed in polythene bag with display card.

Stock No.
58096



2 KP7
FOAM KNEE PADS
Complies with EN 14404
Expert Quality, type 1 foam knee pads with gel-effect cushions. Pads are secured with hook and loop straps. Packed in polythene bag with display card.

Stock No.
43912



4 KBV2/G
FOAM KNEE PADS
Thick foam knee pads with hard shell polyester caps. Pads are secured with hook and loop straps. Packed in polythene bag with display card.

Stock No.
18263




5 4838
230mm FLAT TAPERED SCYTHE STONE
Manufactured from silicon carbide. Display packed.

Stock No.
65779



6 191
300mm ROUND TAPERED SCYTHE STONE
Cigar pattern, manufactured from aluminium oxide A96. Sold loose.

Stock No.
65787




7 BT2
BAG TIE TWISTER
Designed for efficient closing of reinforcing or sack ties. Manufactured with a heavily moulded grip and a drop forged carbon steel hook. The accurately machined spindle gives this tool a smooth easy return action for those repetitive tasks. Display packed.

Stock No.	Length
31059	260mm



8 663
30M RANGING LINE
A tough weather resistant cord ideal for use by builders for marking and setting out. This cord also has a multitude of uses in and around the house and garden. Packed one hank per display card.

Stock No.
27894



9 FOP
GARDEN TOOL FILES
Manufactured in accordance with BS498
Single cut files to give fine/sharp finish to garden tools. Carbon chrome steel hardened and tempered with rust preventative finish and dipped in rust preventative oil. Self handled with hang hole. Display packed.

Stock No.	Length
60306	200mm (8")
60308	250mm (10")

1 GLADD

LAWN AERATOR

Tubular steel construction, with five prongs 12mm diameter. Powder coated finish. Carton packed.

Stock No.	Dimensions L x H
30565	290 x 930mm

2 GT/SG

SOFT GRIP HANDLE GARDEN TILLER

Ideal for turning top soil, reducing strain to back muscles. Six tines with footplate. Tubular steel with soft grip handles for user comfort. Sold loose.

Stock No.	Length
28163	820mm

3 3082LH/ST

LONG HANDLED BULB PLANTER

Long handled planter manufactured from chrome plated carbon steel. Bulb planter has foot treads to assist planting in heavy soil conditions. Bulb planter diameter 60mm. Sold loose.

Stock No.	Length
05165	965mm

4 TGB

TELESCOPIC ALUMINIUM BROOM

Ideal for sweeping leaves and other garden debris. Head size 320 x 320mm. Sold loose.

Stock No.	Min Length	Max Length
28160	650mm	1090mm

5 WWB

TWIN HEAD TELESCOPIC PAVING BRUSH SET

Telescopic set with two interchangeable wire brush heads. A large six row head and a smaller three row head, both fabricated with steel wire bristles. Perfect for removing weeds, moss, sand etc. from paving blocks, crazy paving and patios. Plastic handle extends between 800 and 1400mm. Sold loose.

Stock No.	Description
58683	Paving Brush Set
83842	Three Row Head

Item No. 5 includes this smaller, three row head, ideal for weed removal between block paving etc.



YOUTUBE.COM/DRAPERTOOLSTV



WIRE BRISTLE PAVING BRUSH

An ideal tool for quick and easy moss removal.



7 WWB

PAVING BRUSH

Three row head with converging wire bristles. For removing weeds, moss, sand etc. in between paving blocks, crazy paving and similar surfaces. Ash shaft 1200mm long (approx.) with head 100mm wide. Sold loose.

Stock No.	Length
04491	1200mm





6 3082

BULB PLANTER

Designed for planting bulbs or plants in turf or heavy soil. Turf core or soil discharged when spring-loaded handles released. Depths of 50mm and 100mm clearly marked on side of planter. Bulb planter diameter 60mm. Chrome plated steel with plastic handle. Display packed.

Stock No.
21861






8 3084

DIBBER

Diecast with pointed end with 'L' shaped handle. Designed to give maximum torque and operator comfort. Planting depth 210mm. Display packed.

Stock No.
36981




9 GR/A

GARDEN SOIL SIEVE

Measuring 365mm diameter and with a 12 x 7mm mesh, it's perfect for removing stones from soil and aerating soil or compost. Its powder coated steel fabrication will deliver years of faithful gardening service. Display packed.

Stock No.	Diameter
17998	365mm



1 3083
ADJUSTABLE LAWN RAKE
Fifteen flexible round tines mounted in a heavy gauge pressed steel frame and zinc plated for corrosion protection. Spread - open 570mm, closed 190mm. Fitted with a tubular steel handle with adjusting/locking lever and plastic grips. Sold loose.

Stock No.
21862

2 3083LP
EXTRA WIDE PLASTIC LEAF RAKE
30 tooth rake with head securely fixed to varnished natural wood handle. Sold loose.

Stock No.	Head Width
34875	700mm

3 3083P
PLASTIC LEAF RAKE
23 tooth rake with head securely fixed to varnished natural wood handle. Sold loose.

Stock No.	Head Width
31069	550mm



4 LG/HD
LEAF GRABBER
Allows the user to collect leaves without bending. Manufactured with tubular steel handles fitted with PVC soft grips and a strong polypropylene head. Display packed.

Stock No.
82899



5 LC/HD
HEAVY DUTY LEAF COLLECTORS (PAIR)
Scoop-shaped with soft hand grips. Impact-resistant heavy duty polypropylene. Polybag with label.

Stock No.
76762



TWO COLOURS



6 BKT
14.8L BUCKETS
Good quality polyethylene with metal carrying handle. Sold loose.

Stock No.	Part No.	Colour
31687	BKT	Black
10636	BKT/Y	Yellow



THREE COLOURS



7
MULTI PURPOSE FLEXIBLE BUCKETS
Multi-purpose rubber tubs made from polypropylene, with an added strengthening agent for providing extra durability. Perfect for carrying water, sand, building and garden rubbish. Ideal for use around the home and garden.

Stock No.	Part No.	Size	Colour
65360	MPFB/26BK	26L	Black
65364	MPFB/26G	26L	Green
65362	MPFB/26Y	26L	Yellow
65365	MPFB/40BK	40L	Black
65371	MPFB/40G	40L	Green
65366	MPFB/40Y	40L	Yellow
65374	MPFB/60BK/B	60L	Black
65377	MPFB/60G/B	60L	Green
65375	MPFB/60Y/B	60L	Yellow



1 GS

21" GARDEN SWEEPER

A lightweight, yet robust lawn sweeper for clearing leaves, grass and gardening debris. The 21" working width easily collects the debris and catches it in a collection bag by means of the four height adjustable nylon brushes. Manufactured with a steel chassis and housed in plastic body. Display packed.

Stock No.
82754



2 GLM38

HAND LAWN MOWER

A sturdy yet lightweight mower that's simple and effective in producing a well-mown lawn. The steel drum has five blades and adjustable cutting height between 18mm-45mm. Fitted with lightweight robust plastic wheels. Display packed

Stock No.
84749



3 GLR

500mm GARDEN LAWN ROLLER

Easy to use, fillable garden roller, just fill with water or sand. The all steel welded drum provides a robust and hardy lawn roller and its enamelled finish helps protect it from the elements. Drum size is 390mm in diameter and 550mm width. Display packed.

Stock No.
82778





4 GLAWDD

450mm ROLLING LAWN AERATOR

Easy to use, hand pushed lawn aerator, fitted with a galvanised steel drum, which has a total of 27 spikes designed for piercing the soil and improving the soil drainage. Display packed.

Stock No.
83983

GARDEN WHEELBARROW

A tough garden wheelbarrow with 0.7mm thick steel and rolled edge. The pneumatic tyre delivers a smooth ride.



5 GWB

65L GALVANISED WHEELBARROW

Galvanised wheelbarrow, perfect for general use. The 65-litre, 0.7mm galvanised steel tray is fitted to a rigid tubular frame and attached with a pneumatic tyre for a smoother ride. Supplied flat packed with easy to read assembly instruction manual.

Stock No.	Description
31619	Wheelbarrow
15023	Spare Wheel
02105	Solid Spare Wheel





1 PWB

HEAVY DUTY PLASTIC TRAY WHEELBARROW (85L)

Heavy duty wheelbarrow ideal for general builders use. The wheelbarrow is manufactured with a rigid tubular frame and has a 0.8mm gauge tray with an impressive 85-litre capacity. Fitted with a pneumatic tyre. Supplied flat packed with easy to read assembly instruction manual.

Stock No.	Description
17993	Wheelbarrow
17995	Spare Wheel
02104	Solid Spare Wheel



2 BWB

METAL TRAY CONTRACTORS WHEELBARROW (85L)

Heavy duty wheelbarrow ideal for general builders use. The wheelbarrow is manufactured with a rigid tubular frame and has a 0.8mm gauge tray with an impressive 85-litre capacity. Each wheelbarrow is attached with a steel rimmed wheel fitted with a pneumatic 350mm tyre for a smoother ride. Supplied flat packed with easy to read assembly instruction manual.

Stock No.	Description
82755	Wheelbarrow
15007	Spare Wheel
02104	Solid Spare Wheel

Assembly Required

YOUTUBE.COM/ DRAPERTOOLSTV



3

Assembly Required



4

3

STEEL MESH CARTS

Steel fabricated cart with fold down sides, foam handle and heavy-duty pneumatic wheels.
The handle on Stock No. 85634 easily converts for towing, making light work of moving heavy material. A heavy duty waterproof liner is available separately.

Stock No.	Part No.	Description	Internal Dimensions	Weight Capacity
58552	GMC	Cart	865 x 465 x 210mm	200kg
85634	GMC/450	Cart	1220 x 610 x 274mm	450kg
20760	GMC/L	Liner for 58552	865 x 465 x 210mm	-
20768	GMC/450L	Liner for 85634	1220 x 610 x 274mm	-
83966	YGMC-WHEEL	Spare wheel for 58552	-	-
41388	YGMC/450-WHEEL	Spare wheel for 58552	-	-

4

TIPPING CARTS

Reinforced steel frame chassis with toughened plastic tray, perfectly suited for a host of activities. The steel handle has a foam comfort grip and the steel sub frame is fitted with heavy-duty pneumatic wheels. The handle on Stock No. 52628 easily converts for towing, making light work of moving heavy material.

Stock No.	Part No.	Dimensions	Weight Capacity	Tipping Tub Size
52628	GTC/HD	1130 x 580 x 1080mm	450kg	120L
58553	GTC	1020 x 510 x 920mm	200kg	75L

NEW







1 FC

FOLDING CART

Portable folding cart manufactured with a steel frame and enclosed with a robust fabric lining. Fitted with four solid wheels and attached with a soft-grip handle for added user comfort. With a maximum load capacity of 75kg, the 9.5kg lightweight frame belies its integral strength. When fully expanded the large 89.5 x 53 x 11.4cm size is big enough for most jobs whilst the folded down compacted size of 73 x 53 x 20cm enables easy storage.

Stock No.
02138





2 GKS

FOLDING KNEELER AND SEAT

Expert Quality, sturdy tubular iron frame with folding legs/hand rails. Double-sided pad acts as seat (plastic) or kneeler (foam). Useful for planting, painting and other household tasks. Maximum carrying weight 125kg (19.1/2 stone). Display carton.

Stock No.	Dimensions L x W x H
64970	540 x 250 x 400mm





3 GKS/1

KNEELER AND SEAT

Heavy duty impact-resistant plastic frame with rubber inset seat and foam kneeler. Compartment under seat size 300 x 140 x 45mm deep, to store hand tools. Multi-uses around the home and garden including planting, painting and other many household tasks. Maximum carrying weight 90kg (14 stone). Sold loose.

Available in singles - order multiples of 6 to get a free display

Stock No.	Dimensions L x W x H
76763	570 x 380 x 180mm





4 GRT/DD

GARDENER'S TOOL CART AND SEAT

Ideal for garden related activities. The sturdy plastic fabrication doubles up as a gardeners tool box and a convenient seat. Complete with two handles and removable compartment tray. Carton packed

Stock No.	Dimensions L x W x H
60852	560 x 230 x 270mm





5 GKSD

FOLDING KNEELER AND SEAT

Sturdy tubular steel frame with folding legs. Padded knee cushion for extra comfort. Useful for planting, painting and other household tasks. Maximum carrying weight 100kg. Display carton.

Stock No.	Dimensions L x W x H
27435	560 x 240 x 445mm

"DAVE SAYS" QUALITY MAKES THE DIFFERENCE

GALVANISED STEEL



The galvanising process is the application of a protective zinc coating to steel. The protective zinc coating prevents the steel from rusting, by acting as a sacrificial material which corrodes before the steel. The zinc coating, when intact, prevents corrosive substances from reaching the underlying steel and lasts between 50 to 75 years in many environments.



1 GLI

GALVANISED GARDEN INCINERATOR (85L)

85 litre traditional garden incinerator, made from galvanised steel. Total height (including lid and leg) 800mm. Suitable for everyday use.

Stock No.
53253

2 GMI

GALVANISED MINI INCINERATOR (15L)

Traditional style mini incinerator, made from galvanised steel. Suitable for everyday use.

Stock No.
53250



1



2



3 GB85

GALVANISED DUST BIN (85L)

85 litre traditional dustbin, made from galvanised steel. Total height (including lid) 690mm. Suitable for everyday use.

Stock No.
53254



4 GB14

GALVANISED STEEL BUCKET (12L)

Robust and durable multi-purpose bucket. Manufactured from galvanised steel, providing added endurance. Suitable for garden use and a host of other everyday uses.

Stock No.
53241



5 GWC9

GALVANISED WATERING CAN (9L)

Traditional style watering can, made from galvanised steel. Suitable for everyday use.

Stock No.
53234

Assembly Required





1 TC

180L COMPOST TUMBLER

Polypropylene barrel in frame with handle. Tumbling action accelerates composting process. Compost usually available in 6-8 weeks. Overall size: 770 x 750 x 750mm. Carton packed.

Stock No.
07212





2 GCB

GARDEN CADDY

The lightweight design of this caddy provides easy manoeuvrability and its 65L capacity makes it extremely versatile and suitable for a variety of tasks in the garden.

Stock No.	Dimensions L x W x H
78643	500x 500 x 905mm





3 PUTB/D

GENERAL PURPOSE POP UP TIDY BAG (175L)

Collapsible general purpose tidy bags made from tough waterproof polyester with two carrying handles. Collapses to convenient compact size. Display packed.

Stock No.	Size	Volume
34041	560 x 720mm	175L

NEW



4 TWB/1

1 TONNE BULK WASTE BAG

Manufactured to EN ISO 21898

Polypropylene bag with reinforced corners and handles. Maximum weight limit of 1000kg and size of 900 x 900 x 800mm. Packed in polythene bag.

Stock No.	Dimensions L x W x H
60064	900 x 900 x 800mm





1 GK2

GARDENER'S KNEELER

Manufactured from easy to clean water-resistant dense foam 25mm thick. Sold loose.

Stock No.	Dimensions
30310	405 x 180mm





2 DGK

GENERAL PURPOSE KNEELER

Manufactured from easy to clean water-resistant dense foam 20mm thick. Three colours available: pink, pale green and pale blue. Multiples of nine only, three of each colour, supplied in countertop display.

Minimum order nine or multiples thereof

Stock No.	Dimensions
47416	405 x 180mm



3 TT50CN

50M GARDEN TYING WIRE

Plastic tie wire reinforced with steel wire. Supplied on plastic reel with cutter. Display packed.

Stock No.
33017





4 GTW

100M ROLLS OF GARDEN TWINE

Biodegradable green twist jute. Each roll contains 100M (approx.) of twine. Multiples of 12 rolls only, supplied in countertop display.

Minimum order 12 or multiples thereof

Stock No.
40398





5 CTP75

ASSORTED NYLON GARDEN TIE PACKS ON DISPLAY/HANGER STRIP

Pack of 75 garden ties suitable for use in the garden, garage, home, workshop etc. Multiples of 12 packs, supplied on a clip system designed to hang down tool bars etc.

Contents:

- 25 off (approx.) 95 x 2.5mm (L x W)
- 25 off (approx.) 120 x 4.8mm (L x W)
- 25 off (approx.) 190 x 4.8mm (L x W)

Minimum order 12 packs or multiples thereof

Stock No.
61026



6 FB/PI

115mm SHED AND FENCE BRUSH

Stiff formulation bristles with soft tips for high paint loading and release. Ideal for sheds, fences, decking etc. Perfect for use with wood stain and preservative as well as paint. Vapour box compatible. Display packed.

Stock No.
82515



TWO SIZES AVAILABLE





7

WEED CONTROL MATTING

For the control of weeds when used under gravel, stones, patios, decking and other similar locations. Manufactured from polypropylene cellulose. Display packed.


Available in singles - order 12 and get a free dispenser

Stock No.	Part No.	Size W x L
18353	WG8	1.5M x 8M
18363	WG20	1M x 20M



Typical barbecue for use with both covers





1 OC1

BARBECUE COVERS

Heavy duty polyethylene with steel plated eyelets. Polybag with header.

Available in singles - order ten and get a free dispenser

Stock No.	Part No.	Dimensions L x W x H
76222	OC1	900 x 600 x 900mm
76228	OC2	1500 x 1000 x 1250mm







2 OC9

HEAVY DUTY CHIMINEA COVERS

Protective heavy duty polyethylene cover for chimineas and other garden equipment. Cover has steel plated eyelets on the bottom edge with a pull cord for tightening. Display packed.

Available in singles - order ten and get a free dispenser


Stock No.	Chiminea Height
12909	1310mm
12910	1780mm







Ideal for covering rotary clothes lines and parasols




3 OC7


PARASOL/ROTARY LINE COVER

Dual purpose cover with full length zip. Suits most parasols/umbrella sizes. Heavy duty polyethylene. Polybag with header.

Available in singles - order ten and get a free dispenser

Stock No.	Dimensions L x H
76233	250 x 1500mm





Typical bench type for use with this cover


4 OC5

GARDEN BENCH/SEAT COVER

Heavy duty polyethylene with steel plated eyelets. Polybag with header.

Available in singles - order ten and get a free dispenser

Stock No.	Dimensions L x W x H
76231	1900 x 650 x 960mm







Typical table for use with this cover

5 OC4

OUTDOOR TABLE COVER

Heavy duty polyethylene with steel plated eyelets. Polybag with header.

Available in singles - order ten and get a free dispenser

Stock No.	Dimensions L x W
76230	1000 x 750mm





Typical patio set for use with this cover

6 OC6

SMALL PATIO SET COVERS

Ideal for small square or circular tables and up to four chairs. Heavy duty polyethylene with steel plated eyelets. Polybag with header.

Available in singles - order ten and get a free dispenser

Stock No.	Part No.	Dimensions L x W
12913	OC13	1500 x 900mm
76232	OC6	1900 x 800mm




Typical patio set for use with this cover

1 OC11

OVAL PATIO SET COVER

Ideal for oval tables and up to four chairs. Heavy duty polyethylene with steel plated eyelets. Polybag with header.

Available in singles - order ten and get a free dispenser

Stock No.	Dimensions L x W x H
12911	2300 x 1650 x 900mm




Typical patio set for use with this cover

2

LARGE PATIO SET COVERS

Ideal for patio tables with oval ends and up to eight chairs. Heavy duty polyethylene with steel plated eyelets. Polybag with header.

Available in singles - order ten and get a free dispenser

Stock No.	Part No.	Dimensions L x W x H
12912	OC12	2700 x 2200 x 1000mm
76234	OC8	2780 x 2040 x 1060mm



3

SWING SEAT/HAMMOCK SEAT COVERS

Heavy duty polyethylene with steel plated eyelets. The smaller cover suits two seater versions and the larger three seat versions. Polybag with header.

Available in singles - order six and get a free dispenser

Stock No.	Part No.	Dimensions L x W x H
12916	OC15	1980 x 1300 x 1900mm
12917	OC16	2260 x 1450 x 2180mm







4 OC14

CHAIR STACK COVER

To cover chair stacks in the garden or patio. Minimum height of chairs 600mm up to 1000mm. The number of chairs that can be covered depends on the chair's configuration. Heavy duty polyethylene with steel plated eyelets. Polybag with header.

Available in singles - order ten and get a free dispenser

Stock No.	Height
12914	600-1000mm

5

POLYETHYLENE TARPAULINS

Made from durable 80gsm mildew resistant PE material. All edges heat treated and reinforced with cord in the hem. Fitted with aluminium eyelets at metre intervals. Display packed.



Stock No.	Part No.	Size
82652	TAR/2A	3M x 5M
82653	TAR/3A	4M x 6M
82654	TAR/4A	5M x 8M

6

HEAVY DUTY POLYETHYLENE TARPAULINS

DRAPER Expert

Expert Quality, heavy duty tarpaulin made from durable 200gsm mildew resistant PE material. Suitable for applications where a heavier grade tarpaulin and greater protection against the elements is required. All corners reinforced with heavy duty plastic. Fitted with aluminium eyelets at metre intervals. Display packed.



Stock No.	Part No.	Size
82655	TAR/HD1	3M x 5M
82656	TAR/HD2	4M x 6M
82657	TAR/HD3	5M x 8M

NEW



1 TABT

TAKE ANYWHERE TAP

Simply screw in the desired location for a simple and convenient water supply. Use a standard garden hose to bring water from a fixed source and connect to the tap. Made from non rusting solid brass for longevity.

Stock No.
02251



2 GWB9/H

BRASS WATERING ACCESSORY SET (4 PIECE)

Comprising 3/4" BSP Tap Connector Stock No. 36198, 1/2" Hose Connector Stock No. 36199, 1/2" Hose Connector with Water Stop Stock No. 36202 and Stock No. 36219 Spray Nozzle. Display packed.

Stock No.
36223



3 GWBR-3PC

BRASS AND RUBBER HOSE CONNECTOR SET (3 PIECE)

Hose connection set made from high quality brass with rubber overmolding. Comprising a tap connector for 1/2" or 3/4" taps and two 1/2" hose connectors, one with water-stop feature.

Stock No.
24529



4 GWBR-HM

BRASS AND RUBBER HOSE JOINER/ MENDER (1/2")

Connectors made from high quality brass with rubber overmolding.

Stock No.
24538



5 GWBR-TC

BRASS AND RUBBER TAP CONNECTORS (1/2" - 3/4")

Connectors made from high quality brass with rubber overmolding.

Stock No.
24646



6 GWBR-TC-1

BRASS AND RUBBER TAP CONNECTOR (1")

Connectors made from high quality brass with rubber overmolding.

Stock No.
27697

BRASS CONNECTORS FOR THE DRAPER WATERING SYSTEM

Description	Part No.	
BRASS 1/2" BSP TAP CONNECTOR Stock No.36197	GWB1/H	
BRASS 3/4" BSP TAP CONNECTOR Stock No.36198	GWB1A/H	
BRASS 3/4" BSP DUAL TAP CONNECTOR Stock No.36228	GW44/H	
BRASS 1/2" HOSE CONNECTOR Stock No.36199	GWB2/H	
BRASS 3/4" HOSE END CONNECTOR Stock No.36201	GWB2A/H	
BRASS 1/2" HOSE CONNECTOR WITH WATER STOP Stock No.36202	GWB3/H	
BRASS 1/2" HOSE REPAIR CONNECTOR Stock No.36203	GWB4/H	
BRASS 3/4" HOSE REPAIR CONNECTOR Stock No.36205	GWB4A/H	
BRASS 1/2" TWO WAY COUPLING Stock No.36206	GWB5/H	
BRASS 1/2" BSP ACCESSORY CONNECTOR Stock No.36236	GWB6/H	
BRASS 3/4" BSP ACCESSORY CONNECTOR Stock No.36218	GWB6A/H	
BRASS THREE WAY CONNECTOR Stock No.36238	GWB7/H	
BRASS SPRAY NOZZLE Stock No.36219	GWB8/H	



1 GWPPWS
WATERING ACCESSORY SET (4 PIECE)
Watering set, comprising off an adjustable hose nozzle, tap connector for 1/2" or 3/4" tap and a pair of 1/2" hose connectors, one with water-stop feature.

Stock No.
25995



2 GWMTC-1
MULTI-TAP CONNECTOR
Allows garden hoses to be connected to a wide variety of sink taps Supplied with a choice of washers to suit most spout sizes whilst protecting taps from scratching or chipping.

Stock No.
24869



3 GWMTC-3
LOCK ON MULTI-TAP CONNECTOR
Allows garden hoses to be connected to a wide variety of sink taps.

Stock No.
24960



4 GWMTC-2
90º RIGHT ANGLE LOCK ON MULTI-TAP CONNECTOR
Allows garden hoses to be connected to a wide variety of sink taps.

Stock No.
24919


24664



24681


24865

5
SOFT GRIP CONNECTORS
Soft grip bi-material body with metal screw clamp to ensure hoses are tightly gripped. Universal click on system compatible with all Draper watering products.

Stock No.	Description
24664	Hose Connector (1/2")
24681	Tap Connector With Stop Feature (1/2")
24865	Hose Mender (1/2")

PLASTIC CONNECTORS FOR THE DRAPER WATERING SYSTEM

Description	Part No.	
1/2" BSP HOSE CONNECTOR Stock No.25901	GWPPHC	
1/2" BSP HOSE CONNECTOR WITH STOP FEATURE Stock No.25902	GWPPHC2	
1/2" BSP GARDEN HOSE MENDER Stock No.25904	GWPPHM	
3/4" BSP TAP CONNECTOR (TWIN PACK) Stock No.25905	GWPPMC2	
3/4" BSP OUTDOOR TAP CONNECTORS (TWIN PACK) Stock No.25906	GWPPTC2	
3/4" BSP ADJUSTABLE TAP CONNECTORS (TWIN PACK) Stock No.25907	GWPPATC2	
1/2" HOSE REPAIR CONNECTOR Stock No.25909	GWPPTC-1	
TWO-WAY HOSE CONNECTOR (TWIN PACK) Stock No.25910	GWPPHC-2	
3-WAY HOSE CONNECTOR Stock No.25913	GWPPHC-3	
SOFT GRIP ADJUSTABLE SPRAY NOZZLE Stock No.26244	GWPPSN	
4-WAY HOSE CONNECTOR Stock No.26333	GWPPTC4	
2-WAY TAP CONNECTOR Stock No.26391	GWPPTC-2	



1 GWSG-J

ADJUSTABLE JET SPRAY GUN

Lightweight yet durable jet spray gun with lockable trigger flow for comfortable use over longer periods. Jet sprays from fine mist to powerful spray.

Stock No.
25216



2 GWPPJSG

ADJUSTABLE JET SOFT GRIP SPRAY GUN

Lightweight yet durable adjustable jet spray gun with soft grip handle and position lock.

Stock No.
26330



3 GWSG-AJ

3 PATTERN ALUMINIUM SPRAY GUN

High quality aluminium body jet spray gun with brass fitting for added durability. The 3 pattern sprays suits a variety of watering needs.

Stock No.
25296



4 GWSG-A7P

7 PATTERN ALUMINIUM SPRAY GUN

High quality aluminium body jet spray gun with brass fitting for added durability. The 7 pattern sprays suits most watering needs.

Stock No.
25342



5 GWSG-7P

7 PATTERN SPRAY GUN

Lightweight yet durable jet spray gun with lockable trigger flow for comfortable use over longer periods. The 7 pattern sprays suits most watering needs.

Stock No.
25293



6 GWPPSG7

7 PATTERN SOFT GRIP SPRAY GUN

Lightweight yet durable jet spray gun with lockable trigger and soft grip handle. Deliver comfortable use even when used for long periods. The 7 pattern sprays suits all watering needs.

Stock No.
26246



7 GWB10

7 PATTERN SPRAY GUN WITH BRASS CONNECTOR

Expert Quality, seven pattern spray gun with a cast aluminium body and contoured rubber grip. The grip trigger has locking loop for convenience. The adjustable nozzle has seven spray patterns: flat, jet, shower, centre (gentle flow), mist, soaker and cone. Display packed.

Stock No.
68464

NEW



8 GWB10/A

8 PATTERN SPRAY GUN

Lightweight yet durable spray gun with lockable trigger flow for comfortable use over longer periods. Manufactured from cast aluminium with a soft grip handle and brass fitting. The 8 pattern sprays (centre, flat, shower, mist, stream, full, vertical and cone) suits most watering needs.

Stock No.
01068

WASHING/GARDEN SPRAY GUN

Includes a 100ml reservoir to hold liquid soap or pesticide/fertiliser

NEW





9 GWCWG/2B

8 PATTERN SPRAY GUN

Eight pattern gun with trigger grip handle and reservoir to hold liquid soap or pesticide/fertiliser. Reservoir holds 100ml/3.1/2 oz of liquid with control button to alter mix. Ideal for fertilising gardens or washing cars. Nozzle can be adjusted to give eight patterns: shower, mist, cone, rinse, stream, flat, centre and jet.

Stock No.
82131



1 GWSL-S
SHOWER LANCE
A 670mm single pattern shower wand, ideal for watering hanging baskets or inaccessible borders.

Stock No.
25399

2 GWSL-L
EXTENDABLE SHOWER LANCE
A 7-pattern telescopic watering lance, ideal for watering hanging baskets or inaccessible borders. Extends between 900-1300mm.

Stock No.	Min. Length (approx)	Max. length (approx)
25467	900mm	1300mm

NEW

3 GWPPSG7/5
SPRAY GUN KIT (5 PIECE)
Garden spray kit containing a 7-pattern spray gun and the necessary fittings for attaching a hose. All pieces used with 1/2" hoses.
Contents:
- 7 pattern spray gun
- Tap adaptor
- Adaptor
- 1/2" hose connector
- 1/2" hose connector

Stock No.
00801





"DAVE SAYS" QUALITY MAKES THE DIFFERENCE

CHOOSING THE DRAPER WATERING SYSTEM

Our water timers save the user time and hassle while also helping save money from their water bill. So with a choice of water timers to choose from, which water timer do you need?

A mechanical timer is perfect for simple hose and sprinkler setups or perforated irrigation hoses. Just set the run time and put your feet up, the water will switch itself off when the time's up.

Electronic timers are best suited for irrigation and drip watering systems. The ball valve timer is a good 'set and forget' system, ideal for morning and evening watering times and for when you're away on holiday and with a battery life of around 5 months. For the pros, the solenoid timer is your best bet, with a higher quality valve and extended battery life, the solenoid water timer delivers time and time again.





4 WTM1
MECHANICAL WATER TIMER
Single outlet mechanical water timer. Functions just like an egg timer with up to 120 minutes watering time. Fixes directly to tap and easily sets to turn water on/off while attached to the tap. Fitted with 3/4" hose connector and 3/4" BSP tap connector, ideally suited for use with perforated irrigation hoses and sprinklers.
Display packed.

Stock No.
36748



5 WTBV1
ELECTRONIC BALL VALVE WATER TIMER
Single outlet electronic water timer, capable of delivering one or two watering sessions per day. Attached with a clear LCD screen for easy setup and operated by 2 x AA batteries (sold separately). Fitted with 3/4" hose connector and 3/4" BSP tap connector fixing directly on to the tap. Ideally suited for use with irrigation and sprinklers systems. Display packed.

Stock No.
36750



6 WTSOL1
ELECTRONIC SOLENOID WATER TIMER
Expert Quality, single outlet electronic water timer, providing flexible watering frequency and length of watering session possibilities. Attached with a manual override, clear LCD screen for easier setup operated by 1 x 9V battery (sold separately). Fitted with 3/4" hose connector and 3/4" BSP tap connector fixing directly onto the tap. Perfect for professional and dedicated gardeners. Display packed.

Stock No.
36754

1 GWOS-3IN1

3-IN-1 OSCILLATING SPRINKLER

Fully adjustable to allow just enough watering where you need it. Fitted with flow control and 3 spray options: 19, 12 or 6 hole to suit a variety of garden areas, including large and small lawns. Made from durable, impact-resistant plastic base and fitted with a screen filter washer for added gear protection.

Stock No.
25089



2 DGOS

OSCILLATING SPRINKLER

17 hole sprinkler with position oscillation adjustment. Manufactured from strong impact resistant ABS plastic and aluminium. Fitted with an adjustable spray pattern facility. Supplied with 1/2" BSP brass hose adaptor and sprinkler hole cleaner. Display carton.

Stock No.
36865



NEW 3 GOS/B

OSCILLATING SPRINKLER

17 hole sprinkler made from impact-resistant plastic and capable of adjustable spray patterns. Supplied with 1/2" BSP hose adaptor and sprinkler hole cleaner.

Stock No.
01022





4 GWIS1

IMPULSE SPRINKLER

Waters circles or part circles up to a radius of approximately 14M. Made with a high quality metal construction and fitted with a zinc spike for added stability when in use.

Stock No.
25091



5 GW2A

REVOLVING 3-ARM SPRINKLER

Manufactured from impact-resistant plastic. 3 arm revolving plastic sprinkler with 33cm diameter plastic base. The adjustable arms enable changing angles for pattern, speed and coverage up to a radius of 5.8M. Fitted with a ground spike ensuring sprinkler stability.

Stock No.
27757



6 GWHGS

GARDEN HOSE GUIDE

Plastic garden hose guide with rollers designed to help eliminate kinks and twists in garden hoses. Fitted with a zinc spike, which secures the hose guide into the ground.

Stock No.
25070



7 GWHGWM

WALL MOUNTED GARDEN HOSE GUIDE

Guides hoses around the garden, avoids damage to flowers and shrubs. Easily mountable to wall or garden structures. Help prevent hose damage from sharp corners.

Stock No.
25086





1
REINFORCED WATERING HOSES (12mm)
Manufactured in accordance with BS 3746

Heavy duty PVC hose with polyester yarn reinforcement for kink resistance. 2mm minimum wall thickness. Outside layer of hose has extra thick sheathing for use in rugged environments. Shrink wrapped with label.

Stock No.	Part No.	Hose Length
56314	GH4	30M
56315	GH5	50M



2
GREEN WATERING HOSES (12mm)
Manufactured in accordance with BS 3746

PVC hose with polyester yarn reinforcement for kink resistance. Easy clean surface. Minimum wall thickness 2mm. Shrink wrapped with label.

Stock No.	Part No.	Hose Length
56311	GH1	15M
56312	GH2	30M
56313	GH3	50M



3
EVERFLOW WATERING HOSE (25M)

Delivers an unstoppable watering flow. The hose is developed with EVERCORE® patented technology ensuring a constant water flow despite knots or kinks. Can even withstand vehicles parked or driven across. 25M length with internal diameter of 12.5mm.

Stock No.	Colour
63627	Green
63629	Yellow



4 GH7
PERFORATED SOAKER HOSE KIT (15M)

12mm diameter perforated sprinkler hose designed to be laid permanently in garden borders to irrigate plants as required. Hose lays on or under the garden soil and water seeps through holes to irrigate the surrounding area. Supplied with two way coupling and two 1/2" hose connectors, one with water stop. Shrink wrapped with label.

Stock No.
68261



5 GH2/GW16
GARDEN HOSE KIT (30M)
Hose Manufactured in accordance with BS 3746

Ideal starter kit comprising a 30M PVC hose with 12mm diameter and a five piece spray gun kit. The hose has polyester yarn reinforcement for kink resistance, easy clean surface with a minimum wall thickness of 2mm. The spray gun kit comprises of a five spray pattern gun, two hose connectors and an accessory connector. Shrink wrapped with descriptive label.

Stock No.
56447



AVAILABLE IN 10M AND 30M LENGTHS

6
GARDEN RECOIL HOSE KITS

Hose kits comprising 10M or 30M (working lengths) 3/8" diameter recoil hose, 1/2" tap connector and five pattern spray gun. Display packed.

Stock No.	Part No.	Length
83984	GCH1DD	10M
83986	GCH2DD	30M



7 RGH20
RETRACTABLE GARDEN HOSE REEL (20M)

Wall mountable tough plastic case with rewind action. Supplied with 180° swivel wall mounting bracket with fixings, 20M 1/2" PVC hose with a working/burst pressure of 8/24 bar, 3/4" BSP fittings and a 'stop anywhere' function. Fitted with an internal rewind guide helping prevent tangling.

Stock No.
15046



8 GWMHRS/B
MINI HOSE REEL SET(10M)

This 10m mini hose reel set is perfect for use in gardens and patios. It's practical and compact design combines with a hardy spray gun and 10 metres of reinforced hose. Supplied on a carrying reel that facilitates easy transportation while also providing convenient storage for the hose. Display packed.

Stock No.
24997



9 GWMHRS2
MINI HOSE REEL SET(10M)

This 10m mini hose reel set is perfect for use in gardens and patios. It's practical and compact design combines with a hardy spray gun and 10 metres of reinforced hose. Supplied on a carrying reel that facilitates easy transportation while also providing convenient storage for the hose. Display packed.

Stock No.
25002



1 GHRS

WIND-UP GARDEN HOSE REEL KIT (25M)

Plastic frame with drum and wind-up handle. Flow through design with 1/2" hose connector. Supplied with 25M of 12mm hose; 3 x 1/2" hose connectors; 1/2" hose connector with water stop feature; 3/4" BSP tap connector with 1/2" BSP reducer and adjustable spray nozzle. Carton packed.

Stock No.
36211



2 GWPHR

GARDEN HOSE REEL (50M)

Rust and corrosion resistant frame with tough plastic snap together parts. Floor standing with wall mountable brackets supplied separately. Attached with an easy-turn crank handle and hose connector terminal for tidy, drip-free storage. Reel holds approximately 50 metres.

Stock No.	Description
25067	Garden Reel
63642	Brackets



3 GWHR

GARDEN HOSE REEL (45M)

Rust and corrosion resistant frame with tough plastic snap together parts. Floor standing with wall mountable brackets supplied separately (Stock No. 63642). Reel helps keep hoses tidy and prevents hoses from kinking. Reel holds approximately 45 metres.

Stock No.
25068
63642

GARDEN HOSE CARTS



4 GWPHC

GARDEN HOSE REEL CART (50M)

Lightweight frame with tough plastic snap together parts. Reel helps keep hoses tidy and prevents hoses from kinking. Reel has adjustable height facility and holds approximately 50 metres.

Stock No.
25049



5 GWHC

GARDEN HOSE REEL CART (45M)

Rust and corrosion resistant frame with tough plastic snap together parts. Reel helps keep hoses tidy and prevents hoses from kinking. Reel has adjustable height facility and holds approximately 45 metres.

Stock No.
25060



NEW

6 GHTS

GARDEN HOSE TROLLEY KIT (15M)

Flow through design with 1/2" - 3/4" tap connectors. Fitted with a 7 pattern spray gun attached to a water stop hose connector. Supplied with 15M of 12mm bore garden hose. The tubular steel frame has a tough plastic drum with wind-up handle.

Stock No.
01024

HANGING BASKET "UP DOWN" CHAIN

Allows easy access for watering and maintaining hanging baskets.

EXTENDS 500mm




1 HBUD

HANGING BASKET 'UP DOWN' CHAIN

For easy access to watering and maintaining hanging baskets. Robust case housing with steel zinc plated hook. Nylon strapping 'chain' extends to 500mm. Maximum weight 9kg. Display packed.

Stock No.
45419





2 GWC9

GALVANISED WATERING CAN (9L)

Traditional style watering can, made from galvanised steel. Suitable for everyday use.

Stock No.
53234



3 PWC1500

PLASTIC WATERING CAN (1.5L)

Ideal for smaller watering tasks or where the weight of a larger can would be inconvenient, for example, hanging baskets. Long thin spout effortlessly reaches awkward areas. Sold loose.

Stock No.
84293



4

PLASTIC WATERING CANS

For use in the garden, green house and window boxes etc. Sold loose.

Stock No.	Part No.	Capacity
84294	PWC5A	5L
84296	PWC9	9L



5 PWS600

PLASTIC SPRAY BOTTLE (500ml)

With trigger action spray. Sold loose.

Stock No.
82462

NEW



6 PWS1000/B

PLASTIC SPRAY BOTTLE (1000ml)

With trigger action spray. Sold loose.

Stock No.
80620



7 GS125A

PRESSURE SPRAYER (1.8L)

Extra lightweight handheld sprayer has a pump action facility for continual spraying. The 1.8 litre bottle capacity has an actual working capacity of 1.5 litres the other 0.3 litres is the air reserve which enables the pressurisation of the canister. Ideally suited for spraying a variety of liquids e.g. water, herbicides, pesticides, insecticides, fungicides and solvent-free treatments. Display packed

Stock No.
82463



8 PS2.0

PRESSURE SPRAYER (2.5L)

This extra lightweight handheld sprayer has a pump action facility for continual spraying. Ideally suited for spraying a variety of liquids e.g. water, herbicides, pesticides, insecticides, fungicides and solvent-free treatments. Display packed

Stock No.
82467



1 GS5AK

PRESSURE SPRAYER (6.25L) WITH MINI SPRAYER (900ml)

Extra lightweight handheld sprayer has a pump action facility for continual spraying. The 6.25 litre bottle capacity has an actual working capacity of 5.0 litres the other 1.25 litres is the air reserve which enables the pressurisation of the canister. Ideally suited for spraying a variety of liquids e.g. water, herbicides, pesticides, insecticides, fungicides and solvent-free treatments. Supplied with a 900ml mini sprayer.

Stock No.
82464



2

PRESSURE SPRAYERS

This extra lightweight handheld sprayer has a pump action facility for continual spraying. Ideally suited for spraying a variety of liquids e.g. water, herbicides, pesticides, insecticides, fungicides and solvent-free treatments. Display packed

Stock No.	Part No.	Volume
82468	PS6.25/B	6.25L
82469	PS10/B	10L



3 PS12K

KNAPSACK PRESSURE SPRAYER (12L)

High performance, one piece blow moulded 12 litre sprayer. Fitted with adjustable padded shoulder straps on the back for comfort and portability, high performance pump and safety pressure release valve. Manufactured from translucent high density polyethylene and supplied with a 1.5M long hose and fibreglass lance fitted with an adjustable spray pattern tip.

Stock No.
63056



4 EWS-2EPDM/B

EPDM PUMP SPRAYER (2.5L)

Expert Quality, hand held sprayer with Ethylene Propylene Diene Monomer rubber (EPDM) seals & gaskets. Like all our sprayers, EPDM sprayers can be used for water as well as herbicide and pesticide spraying, but the high quality seals cater for use on so much more including acids, weak alkali and ketones, which are commonly found in resins and coatings. With a working capacity of 2.0 litres and fitted with a high performance pump, adjustable spray pattern tip and a safety pressure release valve. Manufactured from translucent high density polyethylene. Display packed.

Stock No.
82459

IMPORTANT

Always reference the chemical manufacturer's guidelines for ensuring EPDM seals are suitable for use with the chemical used.

Spare seals are available, call the Draper helpline on +44 (0) 23 8049 4344 for details.



5 EWS-12-EPDM

EPDM TROLLEY PUMP SPRAYER (15L)

Expert Quality, portable sprayer on wheels with Ethylene Propylene Diene Monomer rubber (EPDM) seals & gaskets. Like all our sprayers, EPDM sprayers can be used for water as well as herbicide and pesticide spraying, but the high quality seals cater for use on so much more including acids, weak alkali and ketones, which are commonly found in resins and coatings. With a working capacity of 12.0 litres and fitted with a high performance pump, adjustable spray pattern tip and a safety pressure release valve. Manufactured from translucent high-density polyethylene. Display packed.

Stock No.
82583



6 EWS-10-EPDM/B

EPDM PUMP SPRAYER (10L)

Expert Quality, hand held sprayer with Ethylene Propylene Diene Monomer rubber (EPDM) seals & gaskets. Like all our sprayers, EPDM sprayers can be used for water as well as herbicide and pesticide spraying, but the high quality seals cater for use on so much more including acids, weak alkali and ketones, which are commonly found in resins and coatings. With a working capacity of 8.0 litres and fitted with a high performance pump, adjustable spray pattern tip and a safety pressure release valve. Manufactured from translucent high density polyethylene. Display packed.

Stock No.
82460



7 PS12/B/EPDM

EPDM KNAPSACK PRESSURE SPRAYER (12L)

Expert Quality, backpack sprayer with Ethylene Propylene Diene Monomer rubber (EPDM) seals & gaskets. Like all our sprayers, EPDM sprayers can be used for water as well as herbicide and pesticide spraying, but the high quality seals cater for use on so much more including acids, weak alkali and ketones, which are commonly found in resins and coatings. With a working capacity of 10.0 litres and fitted with a high performance pump, adjustable spray pattern tip and a safety pressure release valve. Manufactured from translucent high density polyethylene. Display packed.

Stock No.
82470

REPLACEMENT BROADCAST LANCE NOZZLES (STOCK No.35446) AVAILABLE FOR ITEM Nos. 2 & 3

REPLACEMENT LANCES (STOCK No.35168) AVAILABLE FOR ITEM Nos. 1, 2 & 3



Item Nos. 2 & 3 have extra lances for broadcast spraying

1 SS37L

12V DC ATV SPOT SPRAYER (37L)

- ***Expert Quality*** • Mounts to any all terrain vehicle (ATV)
- Powered by 12V battery or connected via electric 12V ATV supply
- Pressure activated diaphragm pump
- Trigger operated lance with heavy droplet pattern for minimal spray drift in windy conditions
- Tank manufactured from special chemical resistant polymers for extra long life
- Can be used for spraying fertilizer, weed killer, de-icer and ethylene glycol products
- Supplied with switch for remote operation
- Tank dimensions: length 711mm; width 305mm; height 279mm
- Weight 4.1kg (empty)

Maximum flow rate	3.8L/min
Maximum pressure	40psi (2.76bar)
Spray pattern	Stream/Cone
Hose length	4.5M
Tank dimensions	711 x 305 x 279mm
Weight	4.1kg (empty)

Stock No.
34674

2 SS60L

12V DC ATV SPOT/ BROADCAST SPRAYER (60L)

- ***Expert Quality*** • Mounts to any all terrain vehicle (ATV) by fixing straps supplied
- Supplied with two lances: one attached to tank bracket for broadcast spraying and the second with a trigger for hand operation
- Powered by 12V battery or connected via electric 12V ATV supply
- Pressure activated diaphragm pump
- Trigger operated lance with heavy droplet pattern for minimal spray drift in windy conditions
- Tank manufactured from special chemical resistant polymers for extra long life
- Can be used for spraying fertilizer, weed killer, de-icer and ethylene glycol products
- Supplied with remote switch for operating away from the ATV
- Tank dimensions: length 864mm; width 368mm; height 419mm
- Weight 8.4kg (empty)

Maximum flow rate (b/cast lance)	8.3L/min
Maximum pressure (b/cast lance)	70psi (4.86bar)
Maximum flow rate (hand lance)	3.8L/min
Maximum pressure (hand lance)	40psi (2.76bar)
Spray pattern (both lances)	Stream/Cone
Hose length	4.5M
Tank dimensions	864 x 368 x 419mm
Weight	8.3kg (empty)

Stock No.
34676

3 SS98L

12V DC ATV SPOT/BROADCAST SPRAYER (98L)

- ***Expert Quality*** • Mounts to any all terrain vehicle (ATV) by fixing straps supplied
- Supplied with two lances: one attached to tank bracket for broadcast spraying and the second with a trigger for hand operation
- Powered by 12V battery or connected via electric 12V ATV supply
- Pressure activated diaphragm pump
- Trigger operated lance with heavy droplet pattern for minimal spray drift in windy conditions
- Tank manufactured from special chemical resistant polymers for extra long life
- Can be used for spraying fertilizer, weed killer, de-icer and ethylene glycol products
- Supplied with remote switch for operating away from the ATV
- Tank dimensions: length 864mm; width 368mm; height 622mm
- Weight 9.9kg (empty)

Maximum flow rate (b/cast lance)	8.3L/min
Maximum pressure (b/cast lance)	70psi (4.86bar)
Maximum flow rate (hand lance)	3.8L/min
Maximum pressure (hand lance)	40psi (2.76bar)
Spray pattern (both lances)	Stream/Cone
Hose length	4.5M
Tank dimensions	864 x 368 x 622mm
Weight	9.9kg (empty)

Stock No.
34677







4 BS45M

EXTENDABLE BOOM SPRAYER (2.7 - 4.5M)

The 2.7M boom connects to Draper Stock Nos. 34674, 34676 and 34677 all terrain vehicle (ATV) crop sprayers. Spray width when fully deployed 4.5M. The flexible boom arms remove kinking and alleviates breaking of the pressure hose. Foldable for access through hedgerows and gates. Connected by loop/pin type hitch. Can also be used in conjunction with a trigger operated lance via the twin connectors. Suitable for spraying fertilizer, weed killer, de-icer and ethylene glycol products. Display carton.

Stock No.
07572

PETROL LAWN MOWERS



1 LMP400
400mm SELF-PROPELLED PETROL MOWER (135CC/4HP)

- Cutting width 400mm • Self-propelled with clutch operated gearbox • 4 stroke petrol engine • 10 height adjustments • Throttle lever with choke • Steel chassis
- Foldaway handle • 50L collection bag

Engine	4HP
Displacement	118cc
Speed (no load)	2800r/min
Cutting width	400mm
Cutting heights	10 (25-75mm)
Advised max. cutting area:	450M² (approx.)
Grass collection capacity	50L
Fuel tank capacity	1.5L
Weight (dry)	31.5kg

Stock No.	Part No.	Description
08400	LMP400	Mower
12285	AGP400	Spare Blade

YOUTUBE.COM/ DRAPERTOOLSTV

SUPPLIED ON PALLET



2 LMP401
400mm PETROL MOWER (135CC/4HP)

- Cutting width 400mm • 4 stroke petrol engine • 10 height adjustments • Throttle lever with choke • Steel chassis
- Foldaway handle • 50L collection bag

Engine	4HP
Displacement	118cc
Speed (no load)	2800r/min
Cutting width	400mm
Cutting heights	10 (25-75mm approx.)
Advised max. cutting area	450M² (approx.)
Grass collection capacity	50L
Fuel tank capacity	1.5L
Weight (dry)	31.5kg

Stock No.	Part No.	Description
08401	LMP401	Mower
12285	AGP400	Spare Blade

YOUTUBE.COM/ DRAPERTOOLSTV

SUPPLIED ON PALLET



3 LMP400PD
400mm PETROL MOWER (99CC/2.4HP)

NEW

- Robust plastic deck
- 40L grass collection box
- Cutting width 400mm
- Supplied with service toolkit

SUPPLIED ON PALLET

Engine	2.4HP
Displacement	99cc
Speed (no load)	2800r/min
Cutting width	400mm
Cutting heights	5 (25-75mm approx.)
Advised max. cutting area	400M² (approx.)
Grass collection capacity	40L
Fuel tank capacity	0.8L
Weight (dry)	18kg

Stock No.
02580



1 LMP405

460mm SELF PROPELLED PETROL MOWER (139CC/3.5HP)

NEW

SUPPLIED ON PALLET

- Robust steel deck
- Mulching function
- Side discharge
- Single lever height adjustment
- Self propelled
- Cutting width 460mm
- Supplied with service toolkit

Engine	3.5HP
Displacement	139cc
Speed (no load)	2950r/min
Cutting width	460mm
Cutting heights	5 (25-75mm approx.)
Advised max. cutting area	450M² (approx.)
Grass collection capacity	50L
Fuel tank capacity	1.2L
Weight (dry)	32kg

Stock No.
66172



2 LMP404

460mm PETROL MOWER (139CC/3.5HP)

NEW

SUPPLIED ON PALLET

- Robust steel deck
- Mulching function
- Side discharge
- Single lever height adjustment
- Hand push
- Cutting width 460mm
- Supplied with service toolkit

Engine	3.5HP
Displacement	139cc
Speed (no load)	2950r/min
Cutting width	460mm
Cutting heights	5 (25-75mm approx.)
Advised max. cutting area	450M² (approx.)
Grass collection capacity	50L
Fuel tank capacity	1.2L
Weight (dry)	32kg

Stock No.
66171



3 LMP406

500mm PETROL MOWER (173CC/5HP)

NEW

SUPPLIED ON PALLET

- Robust steel deck
- Mulching function
- Side discharge
- Single lever height adjustment
- Self propelled
- Cutting width 500mm
- Supplied with service toolkit

Engine	5HP
Displacement	173cc
Speed (no load)	2850r/min
Cutting width	500mm
Cutting heights	5 (25-75mm approx.)
Advised max. cutting area	550M² (approx.)
Grass collection capacity	50L
Fuel tank capacity	1.2L
Weight (dry)	35kg

Stock No.
66173



1 LM32

ROTARY LAWN MOWER (1300W)

NEW



- Advised max. cutting area: 400M² approx.
- 320mm cutting width
- Three cutting heights
- Foldaway handle for easy storage
- Grass collection box
- Supplied with 10M (approx.) cable and approved plug

Voltage	230V
Wattage	1300W
Speed (no load)	3300r/min
Cutting width	320mm
Cutting heights	3 (30-60mm approx.)
Advised max. cutting area	400M² approx.
Grass collection box capacity	30L
Cable length	10M (approx.)
Weight	10.3kg

Stock No.
56102

2 LM36

ROTARY LAWN MOWER (1500W)

NEW



- Advised max. cutting area: 500M² approx.
- 360mm cutting width
- Six cutting heights
- Foldaway handle for easy storage
- Grass collection box
- Supplied with 10M (approx.) cable and approved plug

Voltage	230V
Wattage	1500W
Speed (no load)	3600r/min
Cutting width	360mm
Cutting heights	6 (20-70mm approx.)
Advised max. cutting area	500M² approx.
Grass collection box capacity	40L
Cable length	10M (approx.)
Weight	13.9kg

Stock No.
56098

3 LM42

ROTARY LAWN MOWER (1800W)

NEW



- Advised max. cutting area: 600M² approx.
- 420mm cutting width
- Six cutting heights
- Foldaway handle for easy storage
- Grass collection box
- Supplied with 10M (approx.) cable and approved plug

Voltage	230V
Wattage	1800W
Speed (no load)	3600r/min
Cutting width	420mm
Cutting heights	6 (20-70mm approx.)
Advised max. cutting area	600M² approx.
Grass collection box capacity	40L
Cable length	10M (approx.)
Weight	14.9kg

Stock No.
56097

LAWN RAKE/HEDGE TRIMMERS



"DAVE SAYS" QUALITY MAKES THE DIFFERENCE

To look after your lawn properly you should mow your lawn once a week throughout the summer. The lawn will also benefit from a vigorous raking to remove any dead matter, moss and weeds, which can disfigure the lawn.



1 LAR1200

330mm 2 in 1 LAWN RAKER/SCARIFIER (1200W)

VDE Safety Switch

- Maintains lawns in pristine condition • 2-in-1 lawn raker/scarifier
- Featuring two easily interchangeable cassette drums, adjustable handle height and rear collection bag • Provides outstanding manoeuvrability
- Fitted with 10 metres of cable and approved plug

Speed	3400r/min
Drum width	330mm
Scarifier cartridge	14 blades
Rake cartridge	Multiple tine
Blade height positions	4 (-5 to 10mm)
Grass collection bag capacity	40L
Cable length	10M (approx.)

Stock No.
36644

2 LR400B

300mm LAWN RAKE (400W)

VDE Safety Switch

- Removes matted grass, moss, leaves and other dead material to encourage healthy grass growth • 300mm raking width • Rear roller with height adjustment
- Foldaway handle • Front soft bag collector
- Supplied with 12M (approx.) cable and approved plug

Speed	2350r/min
Raking width	300mm
Cutting height	0-10mm
Collection capacity	20L
Cable length	12M (approx.)
Weight (machine only)	7kg

Stock No.
82765

PETROL HEDGE TRIMMER

Relish the power of our petrol hedge trimmer. It's lightweight and easy-to-use, with a variety of features that help make this formidable hedge trimmer tough enough for most hedges.





3 HTP256

500mm PETROL HEDGE TRIMMER (22.5cc)


- 2 stroke petrol engine
- Easy start priming bulb
- 180° three position rotating back handle for user comfort
- Double-sided dual reciprocating blade for enhanced cutting efficiency
- Supplied with 0.5L 2 stroke mixing bottle, "T" type socket spanner 13mm/19mm attached to a 7mm plain slot screwdriver, 8mm/10mm open ended spanner and 4mm hex key

Engine capacity	22.5cc - 2 stroke
Engine output	750W
Cutting blade length	500mm
Max. cutting diameter	up to 30mm
Speed	7000r/min
Fuel tank capacity	0.6L
Dimensions	1070 x 230 x 240mm
Weight (dry)	5.5kg

Stock No.
32319

Rotating and adjustable handle positions

1





Rotating handle positions



2



3



1 HT650A

HEDGE TRIMMER (600W)

- 610mm fully hardened dual action blades
- Fitted with a rotating rear handle that also moves up and down
- The metal gears, mechanical syncro, two-handed safety switch with hand guard and "quick stop" blade braking
- Reliable machine perfect for everyday use
- Supplied with a blade storage sheath and fitted with 10M (approx.) cable and approved plug

Voltage	230V
Cutting blade length	610mm
Max. cutting diameter	up to 20mm
Cutting strokes	1400/min
Weight	3.7kg

Stock No.
45936

2 HT550A

HEDGE TRIMMER (550W)

- 510mm hardened dual action blades
- Fitted with a rotating rear handle
- 20mm cutting diameter
- Fitted with metal gears, mechanical syncro, two-handed safety switch with hand guard and "quick stop" blade braking
- Reliable machine perfect for everyday use
- Supplied with a blade storage sheath and fitted with 10M (approx.) cable and approved plug

Voltage	230V
Cutting blade length	510mm
Max. cutting diameter	up to 20mm
Cutting strokes	1400/min
Weight	3.55kg

Stock No.
45932

3 HT5003

HEDGE TRIMMER (600W)

- 550mm fully hardened dual action blades
- Fitted with metal gears, mechanical syncro, two-handed safety switch with hand guard and "quick stop" blade braking
- Supplied with a blade storage sheath and fitted with 6M (approx.) cable and approved plug

Voltage	230V
Cutting blade length	550mm
Max. cutting diameter	up to 16mm
Cutting strokes	1600/min
Weight	2.9kg

Stock No.
45920

LONG REACH POLESAW AND HEDGE TRIMMER

4 LRPS800

LONG REACH POLESAW AND HEDGE TRIMMER (800W)

- Aluminium telescopic shaft • Adjustable D type front handle • Adjustable soft grip rear handle • 8 position hedge trimmer head • 4 position polesaw head
- Quick change head mechanism • Adjustable shoulder harness • Oregon Chain & Bar • Dual harness support points • 7M cable • Self oiling chain with 125ml oil reservoir • Chain tensioning tool

Motor	800w
Max cutting diameter	15mm (hedge trimmer)
Cutting Length	410mm (hedge trimmer)
Chain Saw Bar size	20cm
Telescopic shaft	785 to 1270mm
Weight	5.2 kg as Pole Saw
Weight	5.8 kg as Hedge Trimmer

Stock No.
78597



Interchangeable Polesaw/Hedge Trimmer function.

OREGON

Features Oregon® Chain and Bar



Features Oregon® Chain and Bar



1 CSP2625

250mm PETROL CHAINSAW WITH OREGON® CHAIN AND BAR (25.4cc)

- 2 stroke petrol engine • Walbro carburettor • Rapid reaction chain brake
- Anti-vibration handle • Oregon® chain and bar • Automatic adjustable chain lubrication
- Lightweight and ideal for pruning smaller branches when a larger machine/chain bar is not needed • Supplied with chain/bar guard, 2 stoke mixing bottle, chainsaw file, plain slot screwdriver and combination box spanner and screwdriver

Engine capacity	25.4cc - 2 stroke
Engine output	850W (1.1HP)
Bar length	250mm
Max engine speed	10000min
Chain pitch	9.525mm (3/8")
Chain gauge	1.27mm
Fuel tank capacity	230ml
Oil tank capacity	160ml
Weight	3.7kg

Stock No.
15042

Features Oregon® Chain and Bar

NEW



2 CSP3940

400mm PETROL CHAINSAW WITH OREGON® CHAIN AND BAR (37cc)

- 2 stroke petrol engine • Walbro carburettor • Manual choke • Safety throttle lever • Rapid reaction chain brake • Priming bulb • Anti-vibration handle • Oregon® chain and bar • Automatic chain lubrication • Supplied with: blade sheath; 2 stroke mixing bottle; 14-19mm box spanner/screwdriver and chainsaw file

Engine capacity	37.2cc - 2 stroke
Engine output	1300W (1.73HP)
Bar length	400mm
Max engine speed	11000r/min
Chain pitch	9.525mm (3/8")
Chain gauge	1.27mm
Fuel tank capacity	310ml
Oil tank capacity	210ml
Weight	6kg

Stock No.
02567

Features Oregon® Chain and Bar



3 CSP45450

450mm PETROL CHAINSAW WITH OREGON® CHAIN AND BAR (45cc)

- 2 stroke petrol engine • Professional internal drive sprocket • Safety throttle lever
- Manual choke • Rapid reaction chain brake • Priming bulb • Anti-vibration handle
- Oregon® chain and bar • Automatic adjustable chain lubrication • Supplied with: chain bar cover, multi-tool tool kit, 2 stroke mixing bottle. Display carton.

Engine capacity	45cc - 2 stroke
Engine output	1800W (2.4HP)
Bar length	450mm
Max engine speed	11000min
Chain pitch	9.525mm (3/8")
Chain gauge	1.27mm
Fuel tank capacity	560ml
Oil tank capacity	260ml
Weight	5.2kg

Stock No.
75186

Features Oregon® Chain and Bar



4 CSP52500

450mm PETROL CHAINSAW WITH OREGON® CHAIN AND BAR (49.3cc)

- 2 stroke petrol engine • Professional internal drive sprocket • Safety throttle lever
- Manual choke • Rapid reaction chain brake • Priming bulb • Anti-vibration handle
- Oregon® chain and bar • Automatic adjustable chain lubrication • Supplied with: chain bar cover, multi-tool tool kit, 2 stroke mixing bottle. Display carton.

Engine capacity	49.3cc - 2 stroke
Engine output	2000W (2.4HP)
Bar length	500mm
Max engine speed	11000min
Chain pitch	9.525mm (3/8")
Chain gauge	1.27mm
Fuel tank capacity	560ml
Oil tank capacity	260ml
Weight	5.2kg

Stock No.
75188

Features Oregon® Chain and Bar



Features Oregon® Chain and Bar



1 CS1800A

400mm CHAINSAW WITH OREGON® CHAIN AND BAR (1800W)

- Patented quick 'tool free' chain tensioning device, allows the chain to be re-tensioned without the need for spanners
- Attached with anti-vibration Oregon® chain and bar, mechanical safety brake, automatic chain lubrication, sprocket nose bar, fell handle and lock-off safety switch
- Fitted with a slowdown brake of less than 0.5 seconds
- Supplied with blade protection sheath and 4M (approx.) cable and approved plug

Voltage	230V
Engine output	1800W
Bar length	405mm
Max chain speed	810M/min
Chain pitch	9.525mm (3/8")
Chain gauge	1.3mm
Oil tank capacity	90ml
Weight	5kg

Stock No.
81564

2 CS1600A

350mm CHAINSAW WITH OREGON® CHAIN AND BAR (1600W)

- Patented quick 'tool free' chain tensioning device, allows the chain to be re-tensioned without the need for spanners
- Attached with anti-vibration Oregon® chain and bar, mechanical safety brake, automatic chain lubrication, sprocket nose bar, fell handle and lock-off safety switch
- Chain lubrication level indicator
- Fitted with a slowdown brake of less than 0.5 seconds
- Supplied with blade protection sheath and 4M (approx.) cable and approved plug

Voltage	230V
Engine output	1600W
Bar length	356mm
Max chain speed	810M/min
Chain pitch	9.525mm (3/8")
Chain gauge	1.3mm
Oil tank capacity	90ml
Weight	5kg

Stock No.
81565



See how to use our log stands on:
YOUTUBE.COM/DRAPERTOOLSTV



3 AGP101

150Kg LOG STAND

- Manually operated easily transportable log stand • Fast and secure log gripping teeth allow for speedy and efficient log sawing • Designed for use with chainsaws or manual cutting saws • Powder coated steel frame • Capable of holding logs, branches etc, up to 150Kg

Max. log length	4M
Min. log diameter	50mm
Max. log diameter	250mm
Max. log weight	150kg
Dimensions	1100 x 380 x 900mm
Weight	12kg

Stock No.
32273





4 AGP102

300KG HEAVY DUTY LOG STAND

- Manually operated easily transportable log stand • Simple semi-automatic chain tensioning system allows for quick secure loading of logs • Designed for use with chainsaws or manual cutting saws e.g. bow saws • Powder coated steel frame and robust gripping teeth • Capable of holding logs, branches etc, up to 300Kg

Max. log length	6M
Min. log diameter	50mm
Max. log diameter	360mm
Max. log weight	300kg
Dimensions	320 x 500 x 750mm
Weight	13.5kg

Stock No.
32274



1 CSB/N

CHAINSAW BOOTS

Manufactured in accordance with EN ISO 17249 Class 2

Expert Quality, chainsaw cut resistant boots made from nitrile rubber with a cut resistant inlay. Hand built and vulcanised construction with steel toe caps and stainless spring steel midsoles.

Rated zero VAT in UK

Stock No.	Size UK	Size EU
12060	8	42
12063	9	43
12066	10	44
51510	11	46



4 CST/N

CHAINSAW TROUSERS

Manufactured in accordance with EN381 standards and KWF approved.

Expert Quality, protective trousers made from cotton/nylon mix with anti-cut inlay in accordance with EN381. Packed in polybag.

Stock No.	Size
12054	M
12055	L
12059	XL



5 CSJ/N

CHAINSAW JACKETS

Manufactured in accordance with EN381 standards.

Expert Quality, protective jackets made from cotton/nylon mix with anti-cut inlay in accordance with EN381. Packed in polybag.

Stock No.	Size
12048	M
12052	L
12053	XL



2 CSH/TA

FORESTRY HELMET

Manufactured in accordance with 89/686/EEC, Norm EN397, EN352 and EN1731

ABS durable shell, complete with face/eye visor, adjustable elasticated chin strap and noise protection ear defenders with SNR rating of 25.9dB. Display packed.

Rated zero VAT in UK

Stock No.	Description
82646	Helmet
82649	Spare Visor

6 CSFP

150mm CHAINSAW FILE

Manufactured in accordance with BS498

Carbon chrome steel hardened and tempered with rust preventative finish and dipped in rust preventative oil. Display packed.

Stock No.	Diameter
60766	4mm (5/32")







3 CSG

CHAINSAW GLOVES

Manufactured in accordance with EN381-7

Expert Quality, protective gloves for use with chainsaws. Manufactured from close fitting leather with a knitted cotton and silk blend wrists. Packed in polybag.

Stock No.	Size
18014	L/9
18015	XL/10

NEW



7 GTH1

SAFETY HARNESS FOR GRASS AND BRUSH CUTTERS

Expert Quality, cushioned shoulder pads and fully adjustable straps give a secure and comfortable fit. Provides even weight distribution reducing user fatigue. Fitted with quick release clips and a protective thigh plate. Display packed.

Stock No.
50077



8 AGP13

1L TWO STROKE OIL

To ISO EGD, JASO FC and API TC

Specially formulated semi-synthetic oil for high performance air cooled two stroke engines i.e. chainsaws, brush cutters and other horticultural equipment. Suitable for use with leaded and unleaded fuel. Sold loose.

Stock No.
21032



9 TSMIX

1L TWO STROKE MIXING BOTTLE

High quality HDPE plastic with rigid screw-on plastic cap. Sold loose.

Stock No.
14447









1 GTP34

PETROL BRUSH CUTTER AND LINE TRIMMER (32.5cc)

- 2 stroke petrol engine
- Choke for easy starting
- On/off switch with safety throttle lever and lock on for starting
- Bike handle for comfortable use
- Shoulder harness with 'quick release' mechanism
- Supplied with: three tooth brush cutting blade (fitted); tap 'n' go double line spool; 8/10mm spanner; 17/19mm box spanner; 4 and 5mm hexagon keys and 1.5L 2 stroke mixing bottle, shoulder strap/harness.

Engine capacity	32.5cc - 2 stroke
Engine output	1000W max.
Engine Speed	8200r/min max.
Fuel tank capacity	0.9L
Brush cutting capacity	255mm
Trimming capacity	440mm
Shaft length	1500mm
Weight (dry)	7.2kg

Stock No.
80880

2 GTP32

PETROL 2 in 1 GARDEN TOOL (33cc)

Conforms to EPA Euro II emission regulations

- Two attachments for different tasks around the garden
- 2 stroke petrol engine
- Easy start recoil system • Electronic ignition • Choke for easy starting
- On/off switch with operator safety trigger
- Split shaft for ease of transport
- Adjustable D type soft grip handle
- 'Tap and Go' line feed
- Single strap shoulder harness with quick-release mechanism

Supplied with attachments; line trimmer/ hedge trimmer

Engine capacity	33cc - 2 stroke
Engine output	1000W max
Engine speed	7500r/min max
Fuel tank capacity	0.9L
Line cutting capacity	420mm
Line	2.5M x 2.5mm
Shaft length	1330mm
Weight (dry)	6kg

Stock No.
16056

3 GTP7

FOUR STROKE PETROL BRUSH CUTTER (31cc)

Conforms to EPA Euro II emission regulations 2008

- 4 stroke petrol engine provides less noise and pollution
- Fitted with a shoulder strap for added user comfort
- Split shaft for ease of transport
- Adjustable D type handle
- Highly efficient motor increasing fuel economy
- Lower vibration
- Supplied with line trimming head, 3-tooth cutting blade and a service tool kit

Engine capacity	31cc - 4 stroke
Engine output	1100W max.
Engine speed	8200r/min max.
Fuel tank capacity	0.75L
Cutting capacity	470mm
Line	5M x 2.2mm
Shaft length	1100mm
Weight (dry)	8.8kg

Stock No.
69301

4 GTP27

PETROL LINE TRIMMER (25cc)

Conforms to EPA Euro II emission regulations 2008

- Conforms to EPA Euro II emission regulations 2008
- 2 stroke petrol engine
- Recoil starting system
- Electronic ignition
- Split shaft for ease of transport
- Adjustable D type handle
- 'Tap and Go' line feed

Engine capacity	25cc - 2 stroke
Engine output	800W max
Engine speed	7500r/min max
Fuel tank capacity	0.6L
Cutting capacity	430mm
Line	2 x 3M x 2mm
Shaft length	1500mm
Weight (dry)	4.5kg

Stock No.
31087

THE ULTIMATE 4 IN 1 PETROL GARDEN TOOL



1 GTP33

PETROL 4 in 1 GARDEN TOOL (32.5cc)

Conforms to EPA Euro II emission regulations • Conforms to EPA Euro II emission regulations 2008 • Four attachments for different tasks around the garden • 2 stroke petrol engine • Easy start recoil system • Electronic ignition • Choke for easy starting • On/off switch with operator safety trigger • Split shaft for ease of transport • Adjustable D type soft grip handle • 'Tap and Go' line feed • Single strap shoulder harness with quick-release mechanism • Supplied with attachments; grass trimmer/brush cutter, pruner/saw, hedge trimmer and extension pole

Engine capacity	32.5cc - 2 stroke
Engine output	1000W max
Engine speed	7500r/min max
Fuel tank capacity	0.6L
Weight (dry)	5.9kg

Stock No.	Description
84706	4 in 1 Garden Tool
84756	Spare Strimmer Attachment
84759	Spare Extension Pole
84758	Spare Pruner Attachment
84757	Spare Hedge Trimmer Attachment

2 GT2318

GRASS TRIMMERWITHDOUBLE LINE FEED (250W)

- Double line - tap'n'go feed system
- Fitted with trigger guard, support handle and line cutter guard, 6M (approx.) cable and approved plug

Cutting width	220mm
Speed	12,000r/min
Line feed system	Double feed
Line length	6M (1.2mm dia.)
Weight	1.63kg

Stock No.
45923

3 GT530B

GRASS TRIMMER WITH DOUBLE LINE FEED (550W)

- 550W foot operated tilting motor
- Capable of cutting under obstacles
- Auto feed system
- Fitted with an aluminium telescopic shaft, soft grip front handle and rear handle (both anti-vibration), flower guard, edging roller, protective guard.
- 6M (approx.) cable and approved plug

Cutting width	300mm
Speed	9600r/min
Line feed system	Double feed
Line length	6M (1.2mm dia.)
Weight	2.7kg

Stock No.
45927





4 CGS7.2

CORDLESS GRASS AND HEDGE SHEAR KIT (7.2V)

- Hassle free, lightweight and compact cordless trimmer
- 1.3Ah lithium battery enables grass and hedge trimming
- Tool free blade change feature
- Supplied with grass and hedge shearing attachments and a charger

Voltage	7.2V
Battery amperage	1.3Ah
Hedge blade length	190mm
Grass cutting width	100mm max
Weight with Battery	460g

Stock No.
53216

CORDLESS GARDEN POWER TOOLS

YOUTUBE.COM/ DRAPERTOOLSTV

Our cordless gardening range is a selection of gardening equipment which all share the same battery and charger, the benefit of this is you can combine any of the tools from this range without having to pay twice for the batteries or chargers, helping both the environment and saving money.

"DAVE SAYS" QUALITY MAKES THE DIFFERENCE






Charge level indicator light



18V 2Ah lithium-ion batteries

The Li-ion batteries supplied with our cordless gardening range are brimming with the latest technology, achieving the highest standards in battery efficiency, safety and performance. The Lithium-ion construction ensures they're always ready for use and suffer no memory loss or self-discharge and their 2Ah capacity delivers masses of power.

15 mmØ



1 GTC18LI

18V CORDLESS LI-ION GRASS TRIMMER

- Uses a common 2.0Ah lithium battery and charger to the Hedge Trimmer and Leaf Blower in the 18V range
- 60 minute continuous run time
- Anti-vibration rear handle
- Front support handle
- 4 position tilting head
- Flip down flower guard
- Telescopic shaft
- 180 degree rotating head for edging
- Supplied with 10 pcs nylon blades, battery and charger



Voltage	18v DC
No Load speed	8500r/min
Cutting Width	250mm
Weight with battery	2.3kg

Stock No.	Description
75212	Grass Trimmer
80628	Spare 18V Battery
80629	Spare Charger

2 HTC18LI

18V CORDLESS LI-ION HEDGE TRIMMER WITH BATTERY CHARGER

- Hassle free, lightweight and compact cordless hedge trimmer • Supplied with battery and charger • Uses a common 2.0Ah Lithium battery and fast charger to the Grass Trimmer and Leaf Blower in the 18V range

Voltage	18V DC
Blade length	510mm
Cutting Capacity	15mm max
Blade Speed	1200r/min
Weight with Battery	5.6kg

Stock No.	Description
75291	Hedge Trimmer
80628	Spare 18V Battery
80629	Spare Charger

3 BLC18LI

18V CORDLESS LI-ION BLOWER WITH BATTERY AND CHARGER

- 2.0Ah Lithium Battery • Fast Charger
- Compact and lightweight design
- Battery power level indicator
- Common battery and charger to the Grass Trimmer and Hedge Trimmer in the 18V range




Voltage	18V DC
Wind speed	140 mph 57m/s
Tube length	480mm
Weight with Battery	1.6kg

Stock No.	Description
75220	Blower + Batt/Charger
80628	Spare 18V Battery
80629	Spare Charger

4 BLC18

18V CORDLESS LI-ION BLOWER (BARE - REQUIRES BATTERY AND CHARGER)

- Compact and lightweight design
- Battery power level indicator
- Common battery and charger to the Grass Trimmer and Hedge Trimmer in the 18V range



Machine only (requires battery and charger)

Voltage	18V DC
Wind speed	140 mph 57m/s
Tube length	480mm
Weight with Battery	1.6kg

Stock No.	Description
75226	Blower Only
80628	Spare 18V Battery
80629	Spare Charger





1 BP33

BACKPACK PETROL BLOWER (33cc)

• 2 stroke petrol engine • Engine mounted on anti-vibration dampers
• Adjustable padded shoulder straps • Lightweight - weighs only 7kg
• Supplied with: 40mm concentrator nozzle, extension tube and 2 stroke mixing bottle

Engine capacity	33cc - 2 stroke
Engine speed	2800-8000r/min max
Fuel tank capacity	0.65L
Weight (inc. nozzles)	7.0kg

Stock No.
29297



2 BVP26

PETROL VACUUM/BLOWER (25.4cc)

• 2 stroke petrol engine • Easy push and fit tubes
• Adjustable shoulder strap • 30L collection bag

Engine capacity	25.4cc - 2 stroke
Engine speed	7500r/min max.
Collection bag capacity	30L
Fuel tank capacity	0.65L
Weight (inc. nozzles)	5.8kg

Stock No.
32301



3 BV2500

VACUUM/BLOWER AND MULCHER (3000W)

Features:
• Powerful 3000W motor
• Variable air flow setting up to 260Km/h
• Convenient 'Vacuum to Blow' control lever
• Adjustable front support handle
• Vacuum/blower tube with support wheel for easy manoeuvrability
• 35L collection bag
• Supplied with collection bag, shoulder strap, 10M (approx.) cable and approved plug

Air speed (blowing)	270km/h
Air flow speed	13.2m³/min
Mulching ratio	10:1
Collection bag capacity	35L
Weight (machine only)	3.0kg

Stock No.
82104

1 CP165

PETROL CULTIVATOR/TILLER (161cc)

- Effective in all soil types
- Four robust blades
- 360mm working width
- Adjustable tilling depth up-to 260mm depth
- Handlebar steering
- Variable speed four stroke petrol motor
- 'Dead man's safety handle' stops blades immediately hand controls are released
- Supplied with spark plug wrench and fuel filling funnel

Engine start	Recoil
Displacement	161cc
Speed (no load)	3600r/min
Tilling width	560mm
Tilling depth	260mm
Blade diameter	260mm
Blade quantity	6
Fuel tank capacity	1.3L
Weight (dry)	32kg

Stock No.
04604



NEW

SUPPLIED ON PALLET

2 CP145

PETROL CULTIVATOR/TILLER (141cc)

- Effective in all soil types
- Four robust blades
- 360mm working width
- Adjustable tilling depth up-to 260mm depth
- Handlebar steering
- Variable speed four stroke petrol motor
- 'Dead man's safety handle' stops blades immediately hand controls are released
- Supplied with spark plug wrench and fuel filling funnel

Engine start	Recoil
Displacement	141cc
Speed (no load)	3600r/min
Tilling width	360mm
Tilling depth	260mm
Blade diameter	260mm
Blade quantity	4
Fuel tank capacity	1.3L
Weight (dry)	32kg

Stock No.
04603



NEW

SUPPLIED ON PALLET

3 MT254

PETROL CULTIVATOR/TILLER (42.7cc)

Features:

- Prepares soil for flowers or vegetables
- Four robust blades effective in all soil types
- 320mm working width
- Height adjustable skid allows tilling depth changes up-to 150mm depth
- Handlebar steering

Engine start	Recoil
Displacement	42.7cc
Speed (no load)	3600r/min
Tilling width	320mm
Tilling depth	150mm
Blade diameter	150mm
Blade quantity	4
Fuel tank capacity	1.2L
Weight (dry)	15.5kg

Stock No.
32329



NEW

PRODUCT LOCATOR

See Page 832 for a level that ensures fence posts are upright when being erected.
See Page 833 for a Fibreglass Shaft Fencing Hammer.



1 PAUG52

52cc PETROL FENCE POST AUGER KIT

- Single person operation for digging multiple 'tidy' holes for fence posts, bore holes, planting hedging and saplings
- Maximum hole depth 800mm
- Three diameter auger bits supplied (100, 150 and 200mm dia.)

Engine capacity	52cc - 2 stroke
Engine output	1300W max.
Engine speed	3000rpm idle
Torque	2.0Nm
Auger bit diameters	100, 150 and 200mm
Auger bit length	800mm
Weight (head unit only)	9kg

Stock No.	Description
84705	Fence Post Auger
84752	100mm dia. Auger Bit
84754	150mm dia. Auger Bit
84755	200mm dia. Auger Bit

2 GS2402

GARDEN SHREDDER (2400W)

No-volt switch

Features:

- Twin blade cutting device
- Sturdy portable design, supplied with wheels and transport handle
- Reversible blade
- Emergency stop brake and restarting protection
- Suitable for shredding foliage with a maximum twig thickness of 40mm diameter
- Quick release housing interlock for removal of blockages
- No-volt switch
- Full width push stick
- Collection bag
- Supplied with wheels, 3M (approx.) of cable and approved plug



COLLECTION BAG INCLUDED

Power	230V
Cutting thickness (max)	40mmØ.
Noise level	107dB (A)
Speed (no load)	3500r/min
Weight	12kg

Stock No.
35900

RCD PROTECTION

"DAVE SAYS" QUALITY MAKES THE DIFFERENCE



When using devices inside and out it is essential that they are connected to the electrical supply through and RCD. Essentially the RCD detects when the electric current is not balanced between the phase and neutral conductors. Such an imbalance is sometimes caused by current leakage through the body of the person who is on the ground and accidentally touching the live part of a circuit. A lethal shock can ensue in these circumstances. RCD's are designed to disconnect the supply quickly to avoid this happening.

3 RCD3

RCD ADAPTOR

Tested to BS 1363 and IEC 61540



- Tested to BS 1363 and IEC 61540
- For standard 13A socket
- Rated trip current 30mA
- Trip speed 30Ms (typical)
- Double pole RCD contact break.

Rated voltage	230 - 250V/AC
Load	3120W (max.)
Maximum operating current	13A
Rated trip current	30mA
Trip speed	30mS (typical)

Stock No.
69307

4 RCD4

IN LINE RCD

Tested to BS 1363 and IEC 61540



- Ideal for garden power products
- Tested to BS 1363 and IEC 61540
- Wired between the appliance and mains plug
- Reset and test light facility
- Rated trip current 30mA
- Trip speed 30Ms (typical)

Rated voltage	230 - 250V/AC
Load	3840W (max.)
Maximum operating current	16A
Rated trip current	30mA
Trip speed	30mS
Protection class	IP55.

Stock No.
89301



1

RETRACTABLE ELECTRIC CABLE REELS

Integral ceiling/wall bracket with easily detachable impact resistant case. The bracket swivels through 180° helping keep work spaces free from unwanted lengths of cable. Fitted with thermal cut out switch and patented position lock which allows the user to stop the cable at any point. Supplied with 1.5mm² cable.

Stock No.	Part No.	Length
15051	RCR10	10M
15052	RCR20	20M

NEW





2 DCR1010D

230V TWIN SOCKET CABLE REEL

Complies with BS1363A and EN61242 Specifications

Robust, easy wind action with built-in hand grip and twin socket. Fitted with a thermal cut out switch. 1.5mm² cable, maximum load 10A*. Fitted with approved plug. Sold loose.

***Maximum load fully unwound. If the extension cable is used not fully unwound then the max. load is reduced to 4.17A.**

Stock No.	Cable Reel Length
02126	10M Reel

NEW





3

230V FOUR SOCKET INDUSTRIAL CABLE REELS

Complies with BS1363A and EN61242 Specifications

Industrial quality with a four socket plate. Sturdy metal frame with easy wind handle. Fitted with thermal cut out switch. 25M cable reel has 1.25mm² cable and 50M cable reel has 1.5mm² cable, maximum load 13A*. Fitted with approved plug. Sold loose.

***Maximum load fully unwound. If the extension cable is used not fully unwound then the max. load is reduced to 4.17A.**

Stock No.	Part No.	Cable Length
02121	DCR2513ID	25M Reel
02120	DCR5013ICE	50M Reel

NEW





4 DCR25HDA

230V INDUSTRIAL FOUR SOCKET CABLE REEL (25M)

Complies with BS1363A and EN61242 Specifications

Industrial quality four socket cable reel. Attached with a metal frame and easy wind action. Fitted with thermal cut out switch. 2.5mm² cable, maximum load 13A*. Fitted with approved plug. Sold loose.

***Maximum load fully unwound. If the extension cable is used not fully unwound then the max. load is reduced to 5.22A.**

Stock No.	Cable Length
02122	25M Reel

NEW





5 DCR2513E

230V FOUR SOCKET CABLE REELS

Complies with BS1363A and EN61242 Specifications

Four socket cable reel attached with a sturdy plastic case with integrated carry handle and easy wind action. Fitted with thermal cut out switch. 1.5mm² cable, maximum load 13A*. Fitted with approved plug. Sold loose.

***Maximum load fully unwound. If the extension cable is used not fully unwound then the max. load is reduced to 4.17A.**

Stock No.	Part No.	Cable Length
02127	DCR1510D	15M Reel
02119	DCR2513E	25M Reel





6 DCR2510RCDC

25M 230V FOUR SOCKET GARDEN CABLE REEL WITH RCD ADAPTOR

Complies with EN61242 Specifications.

RCD plug and metal frame carrying handle. RCD rated trip current 30mA and trip speed 30Ms (typical). Ideal for use in the garden and home. Four childproof socket outlets, gated for safety. 1.0mm² cable, maximum load 10A*. Sold loose.

***Maximum load fully unwound. If the extension cable is used not fully unwound then the max. load is reduced to 5A**

Stock No.
26341



"DAVE SAYS" QUALITY MAKES THE DIFFERENCE

Our 230V cable reels comply with the latest EN61242 standard. This standard requires all cable reels are fitted with an integral thermal cut-out switch. The switch provides the user with added safety while ensuring the cable reel is also protected against electrical burn out, thus prolonging the life of the cable.



THERMAL CUT-OUT



"DAVE SAYS" QUALITY MAKES THE DIFFERENCE

AUTOMATIC 'TOTAL STOP' ENERGY SAVING FEATURE

All our electric pressure washers have a total stop feature - this device automatically switches off the machine when the trigger is released

The total stop feature helps save electricity and water, while also extending the life of the pump and motor.

All Draper products are fully guaranteed, giving you complete peace of mind.

TOTAL STOP FEATURE

TOTAL STOP FEATURE



1 PW1530

PRESSURE WASHER WITH TOTAL STOP FEATURE (1500W)

- Compact and portable
- Perfect for cleaning decking, patios, garden furniture, bicycles, cars etc
- Automatic total stop system
- Supplied with 3M of hose and gun and adjustable jet nozzle

Working pump pressure	70bar (1015psi)
Max. pump pressure	105bar (1523psi)
Flow rate	5.0L/min (300L/hour)
Water feed temp	max 40.C
Power cable	5M
Weight	6kg

Stock No.	Description
83405	Pressure Washer
83703	Jet/Fan Nozzle
83704	Turbo Nozzle
83705	Right Angle Nozzle
83706	Fixed Brush
83707	Lance
83708	Detergent Bottle
83709	Patio Cleaning Head
83710	3M Hose
83711	5M Hose
83713	Trigger

TOTAL STOP FEATURE



2 PW1740

PRESSURE WASHER WITH TOTAL STOP FEATURE (1700W)

- Compact and portable
- Perfect for cleaning vehicles, caravans, motor vans, driveways, boats etc
- Automatic total stop system
- Supplied and fitted with 5M of high-pressure hose, gun, lance, adjustable jet nozzle, fixed brush, angle nozzle and detergent bottle

Working pump pressure	90bar (1305psi)
Max. pump pressure	135bar (1958psi)
Flow rate	5.5L/min (330L/hour)
Water feed temp	max 40.C
Power cable	5M
Weight	7kg

Stock No.	Description
83406	Pressure Washer
83703	Jet/Fan Nozzle
83704	Turbo Nozzle
83705	Right Angle Nozzle
83706	Fixed Brush
83707	Lance
83708	Detergent Bottle
83709	Patio Cleaning Head
83710	3M Hose
83711	5M Hose
83713	Trigger

TOTAL STOP FEATURE



3 PW1930

PRESSURE WASHER WITH TOTAL STOP FEATURE (1900W)

- Power and portability
- Perfect for cleaning vehicles, caravans, motor vans, driveways, boats etc
- Automatic total stop system
- Supplied and fitted with 5M of high-pressure hose, gun, lance, adjustable jet nozzle, fixed brush, angle nozzle and detergent bottle

Working pump pressure	90bar (1305psi)
Max. pump pressure	135bar (1958psi)
Flow rate	6.5L/min (390L/hour)
Water feed temp	max 40.C
Power cable	5M
Weight	10kg

Stock No.	Description
83407	Pressure Washer
83703	Jet/Fan Nozzle
83704	Turbo Nozzle
83705	Right Angle Nozzle
83706	Fixed Brush
83707	Lance
83708	Detergent Bottle
83709	Patio Cleaning Head
83710	3M Hose
83711	5M Hose
83713	Trigger

QUALITY PRESSURE WASHER ACCESSORIES

1 PATIO CLEANER

Removes mosses, lichen and algae from patios, walls and most hard surfaces. For use with hand and pressure washers. Supplied in plastic containers.

Stock No.	Part No.	Volume
52597	PWPC1A	1L
52693	PWPC5A	5L





TOTAL STOP FEATURE



TOTAL STOP FEATURE NEW





Supplied with 5 in 1 multifunctional nozzle

2 PW2200
PRESSURE WASHER WITH TOTAL STOP FEATURE (2200W)

- Power and portability
- Perfect for cleaning vehicles, caravans, motor vans, driveways, boats etc
- Automatic total stop system
- Supplied and fitted with 5M of high-pressure hose, gun, lance, pin for cleaning nozzle, patio lance, fixed brush, angle nozzle and turbo nozzle

Working pump pressure	110bar (1595psi)
Max. pump pressure	165bar (2393psi)
Flow rate	5.5L/min (330L/hour)
Water feed temp	max 40.C
Power cable	5M
Weight	10.5kg

Stock No.	Description
83414	Pressure Washer
83703	Jet/Fan Nozzle
83704	Turbo Nozzle
83705	Right Angle Nozzle
83706	Fixed Brush
83707	Lance
83709	Patio Cleaning Head
83710	3M Hose
83711	5M Hose
83713	Trigger

3 PW2800E
PRESSURE WASHER WITH TOTAL STOP FEATURE (2800W)

- Heavy duty pressure washer
- Perfect for cleaning larger vehicles or large areas
- Fitted with an induction motor for longer life
- Durable brass pump head
- Automatic total stop system
- Supplied with 10M of heavy duty reinforced steel hose on a hose reel, quick release gun, 5 in 1 multifunctional nozzle, detergent tank, turbo nozzle and patio cleaner

Working pump pressure	130bar (1885psi)
Max. pump pressure	180bar (2610psi
Flow rate	8.5L/min (510L/hour)
Water feed temp	max 40.C
Power cable	5M
Weight	23.5kg

Stock No.	Description
97776	Pressure Washer
14438	Turbo Lance
14439	Fixed Brush
14440	Rotating Brush
53827	Gun
53840	Lance



1 PPW650

PETROL PRESSURE WASHER (6.5HP)

- ***Expert Quality***
- For use where no mains power available
- 4 stroke petrol engine
- Working pump pressure 168bar; flow rate 7.9L/min (474L/hour): weight 30kg
- Supplied with 8M of heavy-duty hose, high-pressure metal trigger, detergent bottle, 1/2 inch plastic hose adaptor, five different nozzles and a fuel funnel with hose

Engine	6.5HP
Working pump pressure	168bar (2430psi)
Max. pump pressure	186bar (2700psi)
Flow rate	7.9L/min (474L/hr)
Displacement	196cc
Speed (no load)	3350-3550r/min
Weight (dry)	30kg

Stock No.	Description
83818	Pressure Washer
83820	Heavy Duty Gun
83822	8M High Pressure Hose
83824	Lance



2 PPW1300

PETROL PRESSURE WASHER (13HP)

- ***Expert Quality***
- For use where no mains power available
- Brass pump head with pressure regulator
- 4 stroke petrol engine
- Working pump pressure: 234bar; flow rate: 12L/min (720L/hour): weight 55kg
- Supplied complete with 10M HP rubber hose with steel reinforcement, metal gun, 5 piece nozzle set, 1/2 inch plastic hose adaptor and a fuel funnel with hose.

Caution: Owing to the water pressure produced by this machine, it is unsuitable for use on domestic vehicles

Engine	13HP
Working pump pressure	234bar (3400psi)
Max pressure	262bar (3800psi)
Flow rate	12L/min (720L/hr)
Displacement	389cc
Speed (no load)	3350-3550r/min
Weight (dry)	55kg

Stock No.	Description
83819	Pressure Washer
83821	Heavy Duty Gun
83823	8M High Pressure Hose
83824	Lance



WATER PUMP QUICK REFERENCE TABLE

YOUTUBE.COM/ DRAPERTOOLSTV



Stock No.	30024	30062	30070	25359	64275	52064	35264	35463
Type.	Fountain Pump	Fountain Pump	Fountain Pump	Water Pump	Water Pump	Water Pump	Dirty Water Pump	Dirty Water Pump
Voltage	230V	230V	230V	230V	230V	110/230V	110/230V	230V
Maximum output	23L/min	60L/min	80L/min	100L/min	120L/min	120L/min	120L/min	120L/min
Maximum head height	1.8M	2.8M	3M	6M	6M	6M	6M	6M
Motor	22W	55W	75W	250W	200W	200W	200W	200W
Float Switch	No	No	No	Yes	Yes	Yes	Yes	No
Output aperture diameter	N/A	N/A	N/A	25mm	25mm	25mm	25mm	25mm
Max particle diameter	N/A	N/A	N/A	5mm	4mm	4mm	4mm	4mm
Hose adaptor diameter	N/A	N/A	N/A	19mm	19mm	19mm	19mm	19mm
Page Number	876	876	876	876	876	876	876	877



Stock No.	35465	61584	61668	61621	61667	25360	52066	35467
Type.	Water Pump	Water Pump	Water Pump	Dirty Water Pump	Dirty Water Pump	Dirty Water Pump	Dirty Water Pump	Dirty Water Pump
Voltage	230V	230V	230V	230V	230V	230V	110/230V	110/230V
Maximum output	144L/min	191L/min	108L/min	166L/min	200L/min	208L/min	235L/min	235L/min
Maximum head height	7M	9.5M	7M	8.5M	9.5M	8M	8.5M	8.5M
Motor	350W	550W	350W	550W	750W	750W	700W	700W
Float Switch	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Output aperture diameter	25mm	32mm	32mm	32mm	32mm	32mm	32mm	32mm
Max particle diameter	4mm	3mm	3mm	30mm	30mm	30mm	30mm	30mm
Hose adaptor diameter	19mm	19mm	19mm	19mm	19mm	19mm	19mm	19mm
Page Number	877	877	877	877	877	878	878	878



Stock No.	64274	69690	87961	87962	78779	78780	36327
Type.	Dirty Water Pump	Dirty Water Pump	Water Pump	Water Pump	Deep Water Pump	Deep Water Pump	Water Butt Pump
Voltage	230V	230V	230V	230V	230V	230V	230V
Maximum output	235L/min	320L/min	120L/min	195L/min	90L/min	95L/min	40L/min
Maximum head height	8.5M	11M	6.5M	9M	24M	36M	11M
Motor	700W	1000W	300W	600W	750W	1000W	350W
Float Switch	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Output aperture diameter	32mm	38mm	32mm	32mm	32mm	32mm	N/A
Max particle diameter	30mm	36mm	5mm	5mm	4mm	4mm	3mm
Hose adaptor diameter	19mm	19mm	19mm	19mm	25mm	25mm	19mm
Page Number	878	878	878	878	879	879	879



1 FP1600

1500L/HOUR FOUNTAIN PUMP (22W)

- Suitable for fountains in ornamental ponds
- Capable of oxygenating the fishpond
- Maximum head height of 1.8M
- Supplied with three fountain heads

Voltage	230V
Maximum head height	1.8M
Maximum output	1500L/hour
Motor wattage	22W
Fountain heads	3
Cable length	10M

Stock No.
30024



2 FP3100

3000L/HOUR FOUNTAIN PUMP (55W)

- Suitable for fountains in ornamental ponds
- Capable of oxygenating the fishpond
- Maximum head height of 2.8M
- Supplied with three fountain heads

Voltage	230V
Maximum head height	2.8M
Maximum output	3000L/hour
Motor wattage	55W
Fountain heads	3
Cable length	10M

Stock No.
30062



3 FP4100

4000L/HOUR FOUNTAIN PUMP (75W)

- Suitable for fountains in ornamental ponds
- Capable of oxygenating the fishpond
- Maximum head height of 3M
- Supplied with three fountain heads

Voltage	230V
Maximum head height	3M
Maximum output	4000L/hour
Motor wattage	75W
Fountain heads	3
Cable length	10M

Stock No.
30070



4 SWP110SS

STAINLESS STEEL SUBMERSIBLE WATER PUMP WITH FLOAT SWITCH (250W)

- For general usage around the home and garden
- Ideal for irrigating gardens, draining cellars/basements and powering waterfalls/fountains
- Float switch automatically cuts pump off when water has dropped to the required level
- Supplied with stepped hose adaptor, 10M (approx.) cable and approved plug

Voltage	230V
Maximum output	100L/min
Maximum head height	6M
Motor	250W
Float Switch	Yes
Output aperture diameter	25mm
Max particle diameter	5mm
Hose adaptor diameter	19mm

Stock No.
25359



5 SWP120ASS

STAINLESS STEEL BODY SUBMERSIBLE WATER PUMP WITH FLOAT SWITCH (200W)

- DIY/domestic use in and around the home and garden
- Ideal for irrigating gardens, draining cellars/basements and powering waterfalls/fountains
- Ceramic shaft for long life, thermal overload protection and float switch which automatically cuts pump off when water level has dropped
- Supplied with 19mm diameter hose adaptor
- 10M (approx) of cable and approved plug

Voltage	230V
Maximum output	120L/min
Maximum head height	6M
Motor	200W
Float Switch	Yes
Output aperture diameter	25mm
Max particle diameter	4mm
Hose adaptor diameter	19mm

Stock No.
64275



6 SWP120A

SUBMERSIBLE WATER PUMPS WITH FLOAT SWITCH (200W)

- DIY/domestic use in and around the home and garden
- Ideal for irrigating gardens, draining cellars/basements and powering waterfalls/fountains
- Ceramic shaft for long life, thermal overload protection and float switch which automatically cuts pump off when water level has dropped
- Supplied with 19mm diameter hose adaptor
- 10M (approx) of cable

Voltage	110/230V
Maximum output	120L/min
Maximum head height	6M
Motor	200W
Float Switch	Yes
Output aperture diameter	25mm
Max particle diameter	4mm
Hose adaptor diameter	19mm

Stock No.	Voltage
52064	110V
35464	230V



1 SWP120

SUBMERSIBLE WATER PUMP (200W)

- DIY/domestic use in and around the home and garden
- Ideal for irrigating gardens, draining cellars/basements and powering waterfalls/fountains
- Ceramic shaft for long life and has thermal overload protection
- Supplied with 19mm diameter hose adaptor
- 10M (approx) of cable and approved plug

Voltage	230V
Maximum output	120L/min
Maximum head height	6M
Motor	200W
Float Switch	No
Output aperture diameter	25mm
Max particle diameter	4mm
Hose adaptor diameter	19mm

Stock No.
35463



2 SWP144A

SUBMERSIBLE WATER PUMP WITH FLOAT SWITCH (350W)

- For general usage around the home and garden
- Ideal for irrigating gardens, draining cellars/basements and powering waterfalls/fountains
- Ceramic shaft for long life, thermal overload protection and float switch which automatically cuts pump off when water level has dropped
- Supplied with 19mm diameter hose adaptor
- 10M (approx) of cable and approved plug

Voltage	230V
Maximum output	144L/min
Maximum head height	7M
Motor	350W
Float Switch	Yes
Output aperture diameter	25mm
Max particle diameter	4mm
Hose adaptor diameter	19mm

Stock No.
35465



3 SWP200

SUBMERSIBLE WATER PUMP WITH FLOAT SWITCH (550W)

- Ideal for pumping out clean water for general irrigation and other similar applications
- Fitted with thermal overload protection and float switch that automatically turns the water pump off when water level has dropped
- 10M (approx.) cable and approved plug

Voltage	230V
Maximum output	191L/min
Maximum head height	9.5M
Motor	550W
Float Switch	Yes
Output aperture diameter	32mm
Max particle diameter	3mm
Hose adaptor diameter	19mm

Stock No.
61584



4 SWP112

SUBMERSIBLE WATER PUMP WITH FLOAT SWITCH (350W)

- Ideal for pumping out clean water for general irrigation and other similar applications
- 10M (approx.) cable and approved plug
- Fitted with thermal overload protection and float switch

Voltage	230V
Maximum output	108L/min
Maximum head height	7M
Motor	350W
Float Switch	Yes
Output aperture diameter	32mm
Max particle diameter	3mm
Hose adaptor diameter	19mm

Stock No.
61668



5 SWP170DW

SUBMERSIBLE DIRTY WATER PUMP WITH FLOAT SWITCH (550W)

- Ideal for pumping out inspection pits, ditches and footings where suspended solids may be present, general irrigation and other similar applications
- Fitted with thermal overload protection and float switch that automatically turns the water pump off when water level has dropped
- 10M (approx) of cable and approved plug

Voltage	230V
Maximum output	166L/min
Maximum head height	8.5M
Motor	550W
Float Switch	Yes
Output aperture diameter	32mm
Max particle diameter	30mm
Hose adaptor diameter	19mm

Stock No.
61621



6 SWP210DW

SUBMERSIBLE DIRTY WATER PUMP WITH FLOAT SWITCH (750W)

- Ideal for pumping out inspection pits, ditches and footings where suspended solids may be present, general irrigation and other similar applications
- Fitted with thermal overload protection and float switch that automatically turns the water pump off when water level has dropped
- 10M (approx) of cable and approved plug

Voltage	230V
Maximum output	200L/min
Maximum head height	9.5M
Motor	750W
Float Switch	Yes
Output aperture diameter	32mm
Max particle diameter	30mm
Hose adaptor diameter	19mm

Stock No.
61667



1 SWP210DWSS

STAINLESS STEEL SUBMERSIBLE DIRTY WATER PUMP WITH FLOAT SWITCH (750W)

- For pumping out inspection pits, ditches and footings where solids may be present; general irrigation and other heavy duty applications
- Ideal for irrigating gardens, draining cellars/basements
- Float switch automatically cuts pump off when water has dropped to the required level
- Supplied with stepped hose adaptor, 10M (approx.) cable and approved plug

Voltage	230V
Maximum output	208L/min
Maximum head height	8M
Motor	750W
Float Switch	Yes
Output aperture diameter	32mm
Max particle diameter	30mm
Hose adaptor diameter	19mm

Stock No.
25360

110V AND 230V MODELS AVAILABLE



2 SWP235ADW

SUBMERSIBLE DIRTY WATER PUMPS WITH FLOAT SWITCH (700W)

- For pumping out inspection pits, ditches and footings where solids may be present, general irrigation and other heavy duty applications
- Ceramic shaft for long life, thermal overload protection and float switch which automatically turns pump off when water level has dropped
- 10M (approx) of cable

Voltage	110/230V
Maximum output	235L/min
Maximum head height	8.5M
Motor	700W
Float Switch	Yes
Output aperture diameter	32mm
Max particle diameter	30mm
Hose adaptor diameter	19mm

Stock No.	Voltage
52066	110V
35467	230V



3 SWP235ADWSS

STAINLESS STEEL BODY SUBMERSIBLE DIRTY WATER PUMP WITH FLOAT SWITCH (700W)

- For pumping out inspection pits, ditches and footings where solids may be present; general irrigation and other heavy duty applications
- Ceramic shaft for long life, thermal overload protection and float switch which automatically turns pump off when water level has dropped
- 10M (approx) of cable and approved plug

Voltage	230V
Maximum output	235L/min
Maximum head height	8.5M
Motor	700W
Float Switch	Yes
Output aperture diameter	32mm
Max particle diameter	30mm
Hose adaptor diameter	19mm

Stock No.
64274



4 SWP320ADW

SUBMERSIBLE DIRTY WATER PUMP WITH FLOAT SWITCH (1000W)

- 11M head height
- Float switch
- Motor: 1000W
- 38mm dia. output aperture
- Passes solids up to 30mm
- 10M (approx) of cable and approved plug

Voltage	230V
Maximum output	320L/min
Maximum head height	11M
Motor	1000W
Float Switch	Yes
Output aperture diameter	38mm
Max particle diameter	36mm
Hose adaptor diameter	19mm

Stock No.
69690

INTEGRAL FLOAT SWITCH



5 SWP125IFS

SUBMERSIBLE WATER PUMP WITH INTEGRAL FLOAT SWITCH (300W)

- For general usage around the home and garden
- Ideal for irrigating gardens, draining cellars/basements, tight bore holes and powering waterfalls/fountains
- Ceramic shaft for long life, thermal overload protection and integral float switch which automatically cuts pump off when water level has dropped
- Supplied with 19mm diameter hose adaptor
- 10M (approx) of cable and approved plug

Voltage	230V
Maximum output	120L/min
Maximum head height	6.5M
Motor	300W
Float Switch	Yes
Output aperture diameter	32mm
Max particle diameter	5mm
Hose adaptor diameter	19mm

Stock No.
87961

INTEGRAL FLOAT SWITCH



6 SWP195IFS

SUBMERSIBLE WATER PUMP WITH INTEGRAL FLOAT SWITCH (600W)

- For general usage around the home and garden
- Ideal for irrigating gardens, draining cellars/basements, tight bore holes and powering waterfalls/fountains
- Ceramic shaft for long life, thermal overload protection and integral float switch which automatically cuts pump off when water level has dropped
- Supplied with 19mm diameter hose adaptor
- 10M (approx) of cable and approved plug

Voltage	230V
Maximum output	195L/min
Maximum head height	9M
Motor	600W
Float Switch	Yes
Output aperture diameter	32mm
Max particle diameter	5mm
Hose adaptor diameter	19mm

Stock No.
87962



1 DSWP750

DEEP WATER SUBMERSIBLE WELL PUMP WITH FLOAT SWITCH (750W)

- For use in areas where a large head height or high pressure is required ie pumping out wells etc.
- Pumps up to 10M deep; max. head height 24M
- Thermal overload protection and float switch which automatically turns pump off when water level has dropped
- 15M (approx.) cable and approved plug

Voltage	230V
Maximum output	90L/min
Maximum head height	24M
Motor	750W
Float Switch	Yes
Output aperture diameter	32mm
Max particle diameter	4mm
Hose adaptor diameter	25mm

Stock No.
78779





2 DSWP1000

DEEP WATER SUBMERSIBLE WELL PUMP WITH FLOAT SWITCH (1000W)

- 1000W motor for use in areas where a large head height or high pressure is required ie. pumping out wells etc.
- Pumps up to 10M deep; max. head height 36M
- Thermal overload protection and float switch which automatically turns pump off when water level has dropped
- 15M (approx.) cable and approved plug

Voltage	230V
Maximum output	95L/min
Maximum head height	36M
Motor	1000W
Float Switch	Yes
Output aperture diameter	32mm
Max particle diameter	4mm
Hose adaptor diameter	25mm

Stock No.
78780

3 WBP2A

SUBMERSIBLE WATER BUTT PUMP WITH FLOAT SWITCH (350W)

- Perfect for emptying water butts when watering garden plants
- Supplied with three piece aluminium swan neck extension pipe, adjustable flow control feature and snap on connector
- Float switch automatically turns pump off when water level has dropped
- Maximum head height 11M
- Supplied with 10M (approx.) cable and approved plug





Voltage	230V
Maximum output	40L/min
Maximum head height	11M
Motor	350W
Float Switch	Yes
Output aperture diameter	N/A
Max particle diameter	3mm
Hose adaptor diameter	19mm

Stock No.
36327

PRODUCT INFORMATION

Surface water pumps should never be submerged - they must be mounted on a flat surface and where there is no possibility of water or rain splashing onto the pump.



1 SP50

SURFACE MOUNTED PUMP (700W)

- Ceramic working parts for long life
- Self-priming with 25mm/1" diameter output aperture

Voltage	230V
Maximum output	50L/min
Maximum head height	40M
Motor	700W
Float Switch	No
Output aperture diameter	25mm
Max particle diameter	N/A
Hose adaptor diameter	25mm

Stock No	Description
56225	Pump
56389	4M Hose
56390	7M Hose



2 SP76

SURFACE MOUNTED PUMP (1000W)

- Self-priming • Manufactured from tough corrosion resistant materials for durability • Fitted with weather-proof on/off switch and thermal overload protection
- Supplied with one 25mm diameter output elbow and fitted with 1.5M(approx.) cable

Voltage	230V
Maximum output	76L/min
Maximum head height	45M
Motor	1000W
Float Switch	No
Output aperture diameter	25mm
Max particle diameter	N/A
Hose adaptor diameter	25mm

Stock No	Description
31555	Pump
34036	Non-Return Valve



3 SP100/4

MULTISTAGE SURFACE MOUNTED PUMP (1000W)

- Ceramic working parts for long life
- Self-priming with 25mm/1" dia. output aperture

Voltage	230V
Maximum output	100L/min
Maximum head height	48M
Motor	1000W
Float Switch	No
Output aperture diameter	25mm
Max particle diameter	N/A
Hose adaptor diameter	25mm

Stock No	Description
56227	Pump
56389	4M Hose
56390	7M Hose



4 BP1

BOOSTER PUMP (800W)

- 24L steel bodied tank ideal for industrial and domestic water applications
- Extremely quiet
- Automatic start/stop to ensure continuity of water pressure and to prevent from running dry

Voltage	230V
Motor	800W
Maximum output	53L/min
Maximum head height	40M
Float Switch	No
Output aperture diameter	25mm
Hose adaptor diameter	25mm
Weight (machine only)	15.2kg

Stock No.
64987



5 BP2A

STAINLESS STEEL BODY BOOSTER PUMP (800W)

- 20L stainless steel bodied tank ideal for industrial and domestic water applications
- Extremely quiet operation
- Automatic start/stop to ensure continuity of water pressure and to prevent from running dry

Voltage	230V
Motor	800W
Maximum output	53L/min
Maximum head height	40M
Float Switch	No
Output aperture diameter	25mm
Hose adaptor diameter	25mm
Weight (machine only)	15.2kg

Stock No.	Description
31561	Booster Pump
34035	Output Elbow



1 PWP27

PETROL WATER PUMP (85L/min 2.4HP)

- ***Expert Quality*** • For pumping water in locations where mains power is not available
- Self priming • Ideal for pumping out footings, flooded premises and large ponds
- Powered by a 2.5HP four stroke petrol engine
- Easy pull start • Hose outlet size: 25mm
- Supplied with two metal hose couplings, suction filter and box spanner

Do not operate water pump in enclosed spaces

Maximum head height	10M
Max. head height (suction)	6M
Maximum output	85L/min
Suction aperture	25mm
Output aperture	25mm
Engine	2.5HP - 4 stroke
Displacement	98cc
Start	recoil
Fuel tank capacity	1.4L
Weight	11kg

Stock No.
87680



2 PWP52

PETROL WATER PUMP (500L/min 4.8HP)

- ***Expert Quality*** • For pumping water in locations where mains power is not available
- Self priming • Ideal for pumping out footings, flooded premises and large ponds
- Powered by a 7HP four stroke petrol engine
- Heavy duty tubular steel frame with coated finish
- Easy pull start • Hose outlet size: 50mm
- Supplied with two metal hose couplings, suction filter and box spanner

Do not operate water pump in enclosed spaces

Maximum head height	25M
Max. head height (suction)	8M
Maximum output	500L/min
Suction aperture	50mm
Output aperture	50mm
Engine	4.8HP - 4 stroke OHV
Displacement	196cc
Start	recoil
Fuel tank capacity	3.6L
Weight	24kg

Stock No.
64065



3 PWP82T

PETROL TRASH WATER PUMP (750L/min 7HP)

- ***Expert Quality*** • For pumping water in locations where mains power is not available
- Self priming • Ideal for pumping out footings, flooded premises and large ponds
- Extra wide diameter outlet aperture allows the pumping of solids and waste up to 27mm diameter
- Powered by a 7HP four stroke petrol engine • Heavy duty tubular steel frame with coated finish • Easy pull start
- Hose outlet size: 75mm • Supplied with two metal hose couplings, suction filter and box spanner

Do not operate water pump in enclosed spaces

Maximum head height	26M
Max. head height (suction)	7M
Maximum output	750L/min
Suction aperture	75mm
Output aperture	75mm
Engine	7HP - 4 stroke
Displacement	196cc
Start	recoil
Fuel tank capacity	3.6L
Weight	35kg

Stock No.
16128

"DAVE SAYS" QUALITY MAKES THE DIFFERENCE

When reliability in emergencies situations and adverse weather conditions is of paramount importance, our petrol-powered water pumps have demonstrated time and time again that they are invaluable for removing large amounts of water.







4 PWP81

PETROL WATER PUMP (1000L/min 7HP)

- ***Expert Quality***
- For pumping water in locations where mains power is not available
- Ideal for pumping out footings, flooded premises and large ponds
- Powered by a 7HP four stroke petrol engine
- Heavy duty tubular steel frame with coated finish
- Easy pull start • Hose outlet size: 80mm
- Supplied with two metal hose couplings, suction filter and box spanner

Do not operate water pump in enclosed spaces

Maximum head height	30M
Max. head height (suction)	7M
Maximum output	1000L/min
Suction aperture	75mm
Output aperture	75mm
Engine	7HP - 4 stroke OHV
Displacement	210cc
Start	recoil
Fuel tank capacity	3.6L
Weight	30kg

Stock No.
24580





1 APWP

10M SOLID WALL PVC SUCTION HOSES

Clear hose walls for ease of checking fluid transfer. Strong spiral reinforcement, flexible for ease of positioning. For use with Draper petrol-powered water pumps and other manufacturers similar products. Supplied polythene wrapped.

Stock No.	Size
20469	25mm/1"
20470	50mm/2"
20471	75mm/3"

***36990 AND 53204 ARE SUPPLIED WITH ADAPTOR**



2

HEAVY DUTY LAYFLAT HOSES

Heavy-duty hoses manufactured with a reinforced black liner enabling the hose to withstand a higher bursting pressure. Packed in polybag.

Stock No.	Part No.	Hose L x D	Colour
28703	ASWP2	5M x 25mm	blue
36990	ASWP3A	5M x 25mm	yellow
53204	ASWP4A	5M x 32mm	yellow
45343	ASWP3A	10M x 25mm	yellow
36947	ASWP4	10M x 32mm	yellow
73171	ASWP5	10M x 38mm	yellow



3

LAYFLAT HOSES

For use with submersible water pumps. Packed in polybag.

Stock No.	Part No.	Hose Length x Diameter
80719	ASWP6A	10M x 50mm
80720	ASWP7A	10M x 75mm



4 ASH

HOSE COUPLING ADAPTORS

ABS construction with unique cam locking mechanism with internal rubber seal. For use with flexible suction hoses used with Draper petrol-powered water pumps. Carton packed.

Stock No.	Diameter
23200	25mm (1")
23201	50mm (2")
23202	75mm (3")



5 ASHC

HOSE CLAMPS

Double wire ensures greater security than a standard hose clamp. Screw and brace mechanism tightens the clamp into place. Sold in pairs. Display packed.

Stock No.	Capacity
22598	25 - 29mm
22599	53 - 59mm
22601	76 - 82mm



6 FVS

FOOT VALVE STRAINERS

For use with flexible suction hoses used with Draper petrol-powered water pumps. Reduces oversized solids from entering pump and acts as a non-return valve. Display packed.

Stock No.	For Hose ID
19547	25mm/1"
19548	50mm/2"
19552	75mm/3"



1 VF1D

VACUUM FLASK (1L)

Stainless steel casing with folding handle and shoulder strap. Pop up easy pouring stopper and supplied with lid/cup.

Stock No.
89312



2 VC14C

STAINLESS STEEL MUG (400ml)

Tough plastic inner with integral handle. Sealable lid with ventilation hole.

Stock No.
23508



3 PWB

WATER CONTAINERS WITH TAPS

Manufactured from high quality translucent virgin HDPE plastic. Suitable for storing and dispensing water. Supplied with integral 360° swivelling tap and easy flow screw vent. Sold loose.

Stock No.	Capacity
23246	9.5L
23247	25L

CONCERTINA AND FOLDING GAZEBOS

4

3M x 3M CONCERTINA GAZEBOS

Manufactured from durable splash proof material. Steel legs and easy build up concertina frame for easy erection with guy ropes and floor pegs for rigidity. Ideal for commercial, domestic and outside work projects. Height to centre 2.5M. Packed in storage bag for easy portability. Sold loose.
Warning: Not to be used in extreme weather conditions

Stock No.	Part No.	Colour
76940	GAZ2	Blue
12889	GAZ2G	Green

5

2 x GAZEBO SIDE PANELS - 3M x 1.9M

Two splashproof sides size 3M x 1.9M for Draper Gazebos Stock Nos. 12889 and 76940. Will also suit other manufacturers similar-sized gazebos. Polybag with header.

Stock No.	Part No.	Colour
02577	AGAZ1B	Blue
12892	AGAZ1BG	Green



6

3M x 3M FOLDING GAZEBOS

Foldable heavy duty gazebo manufactured from durable splash proof material. Steel legs and frames to provide extra strength with guy ropes and floor pegs for rigidity. Ideal for garden use and outside DIY projects. Height to centre 3M. Packed in storage bag for easy portability. Sold loose.
Warning: Not to be used in extreme weather conditions

Stock No.	Part No.	Colour
76942	GAZ4	Blue
12891	GAZ4G	Green



FEATURES OF ALL DRAPER GAZEBOS...



Guy ropes to provide stability.



Concertina frame for rigidity.



Precise locking action.



STORAGE BAGS

All Draper Gazebos will fold down to a convenient carrying size - ideal for moving to remote locations and are packed in a holdall storage bag.



Metric Sizes

Wrench Openings				Ø Thread				
				metric sizes to DIN			ISO R272 1968	
Nominal Size mm	minimum size-mm to DIN 475/2	maximum size-mm to DIN 475/2, row 1	maximum size-mm to DIN 475/2, row 2	standard hexagon	small hexagon	large hexagon	standard hexagon	small hexagon
3	3.02	3.08		1.2, 1.4				
3.2	3.22	3.28		1.6			1.6	
3.5	3.52	3.60		1.7				
4	4.02	4.12		2			2	
4.5	4.52	4.62		2.3				
5	5.02	5.12		2.5, 2.6			2.5	
5.5	5.52	5.62		3			3	
6	6.03	6.15		3.5				
7	7.03	7.15		4			4	
8	8.03	8.15	8.18	5	6		5	
9	9.03	9.15	9.18					
10	10.04	10.19	10.24	6	8		6	
11	11.04	11.19	11.24	7			7	
12	12.04	12.24	12.30					8
13	13.04	13.24	13.30	8	10		8	
14	14.05	14.27	14.35					10
15	15.05	15.27	15.35	10				
16	16.05	16.27	16.35	(Kfz)				
17	17.05	17.30	17.40	10	12		10	12
18	18.05	18.30	18.40					
19	19.06	19.36	19.46	12	16		12	14
20	20.06	20.36	20.46					
20.8	20.86	21.16	21.26					
21	21.06	21.36	21.46					
22	22.06	22.36	22.46	14		12	14	16
23	23.06	23.36	23.46					
24	24.06	24.36	24.46	16	20		16	18
25	25.06	25.36	25.46					
26	26.08	26.48	26.58					
27	27.08	27.48	27.58	18		16	18	20
28	28.08	28.48	28.58					
29	29.08	29.48	29.58					
30	30.08	30.48	30.58	20	24		20	22
32	32.08	32.48	32.58	22		20	22	24
33	33.08	33.48	33.58					
36	36.10	36.60	36.70	24	30	22	24	27
38	38.10	38.60	38.70					
41	41.10	41.60	41.70	27		24	27	30
42	42.10	42.60	42.70					
46	46.10	46.60	46.70	30	36	27	30	33
50	50.10	50.60	50.70	33			33	36
54	54.10	54.60	54.70					
55	55.12	55.72	55.92	36	42		36	39
58	58.12	58.72	58.92					
60	60.12	60.72	60.92	39			39	
63	63.12	63.72	63.92					
65	65.12	65.72	65.92	42	48		42	
67	67.12	67.72	67.92					
70	70.12	70.72	70.92	45			45	
71	71.12	71.72	71.92					
75	75.15	75.85	76.15	48	56		48	
77	77.15	77.85	78.15					
80	80.15	80.85	81.15	52			52	
85	85.15	85.85	86.15	56			56	
90	90.15	90.85	91.15	60			60	
95	95.15	95.85	96.15	64			64	
100	100.15	100.85	101.15	68			68	
105	105.20	106.00	106.40	72			72	
110	110.20	111.00	111.40	76			76	
115	115.20	116.00	116.40	80			80	
120	120.20	121.00	121.40	85			85	
125	125.20	126.00	126.40					
130	130.20	131.00	131.40	90			90	
135	135.20	136.00	136.40	95			95	
140	140.20	141.00	141.40					
145	145.20	146.00	146.40	100			100	
150	150.25	151.25		105			105	
155	155.25	156.25		110			110	
160	160.25	161.25						
165	165.25	166.25					115	
170	170.25	171.25						
175	175.25	176.25					120	
180	180.25	181.25					125	
185	185.25	186.25					130	
190	190.25	191.25					135	
195	195.25	196.25						
200	200.25	201.25					150	
210	210.25	211.35					150	
220	220.30	221.50						
230	230.30	231.50						

American Sizes

Wrench Openings			Ø Thread							
			ISO R 272 1962		Unified Standard		American Standard B 18. 2. 1972			
							Nuts		Bolts & Screws	
Nominal Size AF	decimal-inch	decimal-metric	Bolts	Nuts	normal series BS 1768	heavy series BS 1769	finished thick series	regular square series	heavy series	finished and regular bolt series, hex. head cap screws	finished and heavy bolt series
1/8	.1250	3.18	No.2								
5/32	.1563	3.97		No.0,1							
3/16	.1875	4.76	No.3,4,5	No.2,3							
13/64	.2031	5.16									
7/32	.2188	5.56									
15/64	.2344	5.95									
1/4	.2500	6.35	No.6,8	No.4							
17/64	.2656	6.75									
9/32	.2813	7.14								No.10	
5/16	.3125	7.94	No.10,12	No.5,6							
11/32	.3438	8.73		No.8							
3/8	.3750	9.52		No.10							
13/32	.4062	10.32									
7/16	.4375	11.11	1/4	No.12 1/4	1/4		1/4	1/4		1/4	
1/2	.5000	12.70	5/16	5/16	5/16		5/16		1/4	5/16	
17/32	.5313	13.49									
9/16	.5625	14.29	3/8	3/8	3/8		3/8	5/16	5/16	3/8	
19/32	.5938	15.08									
5/8	.6250	15.87	7/16		7/16			3/8		7/16	
21/32	.6563	16.67									
11/16	.6875	17.46		7/16			7/16		3/8		
3/4	.7500	19.05	1/2	1/2	1/2		1/2	7/16	7/16	1/2	
25/32	.7813	19.84									
13/16	.8125	20.64	9/16		9/16			1/2		9/16	
7/8	.8750	22.22		9/16		1/2	9/16	9/16	1/2		1/2
15/16	.9375	23.81	5/8	5/8	5/8		5/8		9/16	5/8	
31/32	.9688	24.61									
1	1.0000	25.40						5/8			
1 1/16	1.0625	26.99				5/8			5/8		5/8
1 1/8	1.1250	28.57	3/4	3/4	3/4		3/4	3/4		3/4	
1 3/16	1.1875	30.16									
1 1/4	1.2500	31.75				3/4			3/4		3/4
1 5/16	1.3125	33.34	7/8	7/8	7/8		7/8	7/8		7/8	
1 3/8	1.3750	34.92									
1 7/16	1.4375	36.51				7/8			7/8		7/8
1 1/2	1.5000	38.10	1	1	1		1	1		1	
1 5/8	1.6250	41.28				1			1		1
1 11/16	1.6875	42.86	1 1/8	1 1/8	1 1/8		1 1/8	1 1/8		1 1/8	
1 3/4	1.7500	44.45									
1 13/16	1.8125	46.04				1 1/8			1 1/8		1 1/8
1 7/8	1.8750	47.62	1 1/4	1 1/4	1 1/4		1 1/4	1 1/4		1 1/4	
2	2.0000	50.80				1 1/4			1 1/4		1 1/4
2 1/16	2.0625	52.39	1 3/8	1 3/8	1 3/8		1 3/8	1 3/8		1 3/8	
2 1/16	2.1875	55.56				1 3/8			1 3/8		1 3/8
2 1/4	2.2500	57.15	1 1/2	1 1/2	1 1/2		1 1/2	1 1/2		1 1/2	
2 3/8	2.3750	60.32				1 1/2			1 1/2		1 1/2
2 7/16	2.4375	61.91					1 5/8	1 5/8		1 5/8	
2 5/8	2.5625	65.09							1 5/8		1 5/8
2 5/8	2.6250	66.67	1 3/4	1 3/4	1 3/4		1 3/4	1 3/4		1 3/4	
2 3/4	2.7500	69.85				1 3/4			1 3/4		1 3/4
2 13/16	2.8125	71.44					1 7/8	1 7/8		1 7/8	
2 15/16	2.9375	74.61							1 7/8		1 7/8
3	3.0000	76.20	2	2	2		2	2		2	
3 1/8	3.1250	79.37				2			2		2
3 3/8	3.3750	85.72					2 1/4	2 1/4		2 1/4	
3 1/2	3.5000	88.90							2 1/4		2 1/4
3 3/4	3.7500	95.25					2 1/2	2 1/2		2 1/2	
3 7/8	3.8750	98.42							2 1/2		2 1/2
4 1/8	4.1250	104.77					2 3/4	2 3/4		2 3/4	
4 1/4	4.2500	107.95							2 3/4		2 3/4
4 1/2	4.5000	114.30					3	3		3	
4 5/8	4.6250	117.47							3		3
4 7/8	4.8750	123.82								3 1/4	
5	5.0000	127.00							3 1/4		
5 1/4	5.2500	133.35							3 1/2	3 1/2	
5 3/8	5.3750	136.52							3 1/2		
5 5/8	5.6250	142.87							3 3/4	3 3/4	
5 3/4	5.7500	146.05							3 3/4		
6	6.0000	152.40							4	4	
6 1/8	6.1250	155.57							4		

British Sizes

Ø Thread		Wrench Openings	
Nominal Size BA / WW	BS 916, BS 1083	decimal-inch	decimal-metric
10BA		.117	2.97
9BA		.131	3.33
8BA		.152	3.86
7BA		.172	4.37
6BA		.193	4.90
5BA		.220	5.59
4BA		.248	6.30
1/16	3/32	.256	6.50
3BA		.282	7.16
3/32	1/8	.297	7.54
2BA		.324	8.23
1/8	3/16	.340	8.64
1BA		.365	9.27
0BA		.413	10.49
3/16	1/4	.445	11.30
1/4	5/16	.525	13.33
5/16	3/8	.600	15.24
3/8	7/16	.710	18.03
7/16	1/2	.820	20.83
1/2	9/16	.920	23.37
9/16	5/8	1.010	25.65
5/8	11/16	1.100	27.94
11/16	3/4	1.200	30.48
3/4	7/8	1.300	33.02
13/16	15/16	1.390	35.31
7/8	1	1.480	37.59
1	1 1/8	1.670	42.42
1 1/8	1 1/4	1.860	47.24
1 1/4	1 3/8	2.050	52.07
1 3/8	1 1/2	2.220	56.39
1 1/2	1 5/8	2.410	61.21
1 5/8	1 3/4	2.580	65.53
1 3/4	2	2.760	70.10
2	2 1/4	3.150	80.01
	2 1/2	3.550	90.17
	2 3/4	3.890	98.80
	3	4.180	106.17
	3 1/4	4.530	115.06
	3 1/2	4.850	123.19
	3 3/4	5.180	131.57
	4	5.550	140.97
	4 1/2	6.380	162.05
	5	7.300	185.42
	5 1/2	8.350	212.09

Stock No.	Barcode Chck Digit	Dealer Code	Cat. Page	Seq. No.
00005	0	D	65	1
00006	7	D	621	7
00007	4	D	621	7
00008	1	D	621	7
00009	8	D	621	7
00010	4	D	621	7
00011	1	D	621	7
00012	8	D	621	7
00013	5	D	621	7
00014	2	D	621	7
00041	8	H	173	1
00092	0	P	290	3
00137	8	H	258	4
00145	3	H	258	3
00153	8	H	258	4
00161	3	H	258	4
00179	8	H	258	9
00187	3	H	258	5
00195	8	H	258	5
00202	3	H	258	5
00210	8	H	258	5
00228	3	H	258	6
00236	8	H	258	10
00244	3	H	258	8
00252	8	H	257	10
00260	3	H	258	12
00286	3	H	258	7
00335	8	H	256	2
00353	2	D	596	6
00369	3	H	256	1
00385	3	H	255	3
00434	8	H	262	2
00442	3	H	262	2
00450	8	H	262	2
00468	3	H	262	2
00476	8	H	262	2
00484	3	H	262	2
00492	8	H	262	2
00509	3	H	262	2
00517	8	H	262	2
00525	3	H	262	2
00533	8	H	262	2
00541	3	H	262	2
00567	3	H	262	2
00575	8	H	262	2
00583	3	H	262	2
00587	1	P	317	1
00588	8	P	316	1
00591	8	H	262	2
00592	5	P	389	1
00593	2	P	389	5
00594	9	P	389	3
00595	6	P	390	3
00608	3	P	390	1
00616	8	H	262	2
00624	3	H	262	2
00632	8	H	262	2
00640	3	H	262	2
00646	5	P	390	5
00649	6	P	393	2
00658	8	H	262	2
00666	3	H	262	2
00674	8	H	262	2
00682	3	H	262	1
00690	8	H	262	1
00707	3	H	262	1
00715	8	H	262	1
00723	3	H	262	1
00731	8	H	262	1
00749	3	H	262	1
00754	7	D	600	7
00755	4	D	600	8
00756	1	D	600	9
00757	8	H	262	1
00765	3	H	262	1
00773	8	H	262	1
00781	3	H	262	1
00799	8	H	262	1
00801	8	D	850	3
00806	3	H	262	1
00814	8	H	262	1
00822	3	H	262	1
00830	8	H	262	1
00848	3	H	262	1
00856	8	H	262	1
00864	3	H	262	1
00872	8	H	262	1
00880	3	H	262	1
00898	8	H	262	1
00905	3	H	262	1
01020	2	D	655	7
01021	9	D	655	9
01022	6	D	851	3
01024	0	D	853	9
01028	8	H	262	3
01032	5	D	201	5
01033	2	D	201	5
01036	3	H	262	4
01043	1	D	588	3
01044	8	H	262	4
01045	5	D	588	3
01046	2	D	588	3
01050	9	D	576	1
01052	3	H	262	3
01053	0	D	161	1
01054	7	D	251	6
01060	8	H	262	4
01061	5	P	458	4
01062	2	D	180	1
01063	9	D	53	6
01064	6	D	53	6
01065	3	D	53	6
01068	4	D	849	9
01071	4	D	176	1
01072	1	D	231	4
01078	3	H	263	5
01082	0	D	231	6
01086	8	H	263	6
01087	5	D	735	4
01088	2	D	735	5
01089	9	D	735	6
01093	6	D	155	4
01094	3	H	263	7
01095	0	D	155	3
01096	7	D	155	1
01099	8	P	723	1
01101	8	H	263	4
01102	5	P	723	2
01105	6	P	216	2
01106	3	P	215	1
01119	3	H	262	6
01127	8	H	262	7
01135	3	H	262	5
01143	8	H	262	5
01151	3	H	262	5
01169	8	H	263	1
01185	8	H	263	2
01218	3	H	267	7
01276	3	H	267	6
01375	3	H	268	1
01383	8	H	268	1
01391	3	H	268	1
01408	8	H	268	1
01416	3	H	268	1
01424	8	H	268	1
01466	8	H	268	1
01482	8	H	268	1
01557	3	H	268	1
01581	8	H	268	1
01606	8	H	268	1
01622	8	H	268	1
01630	3	H	268	1
01648	8	H	268	1
01664	8	H	268	1
01771	3	H	268	1
01774	4	P	328	1
01776	8	D	814	7
01777	5	D	814	8
01781	2	D	447	2
01782	9	D	447	2
01783	6	D	447	2
01784	3	D	447	2
01785	0	D	447	2
01786	7	D	447	1
01787	4	D	447	1
01788	1	D	447	1
01789	8	H	268	1
01790	4	D	447	1
01791	1	D	447	1
01792	8	D	447	1
01793	5	D	447	1
01794	2	D	447	1
01795	9	D	447	1
01796	6	D	447	1
01797	3	H	267	5
01798	0	P	204	1
01803	1	P	240	1
01804	8	H	267	5
01805	5	P	240	2
01806	2	P	240	3
01807	9	P	208	1
01811	6	P	216	1
01812	3	H	267	5
01813	0	P	219	3
01814	7	P	219	2
01815	4	P	219	1
01816	1	P	407	3
01817	8	P	407	2
01820	8	H	267	5
01838	3	H	267	5
01846	8	H	267	5
01854	3	H	267	5
01862	8	H	267	5
01870	3	H	267	5
01888	8	H	267	5
01896	3	H	267	5
01903	8	H	267	5
01911	3	H	267	5
01929	8	H	267	5
01937	3	H	267	5
01945	8	H	267	5
01953	3	H	267	5
01961	8	H	267	5
01979	3	H	267	5
01987	8	H	267	5
01995	3	H	267	5
02000	3	H	267	5
02015	7	D	592	1
02016	4	P	339	3
02017	1	P	339	2
02018	8	H	267	5
02019	5	P	339	1
02026	3	H	267	5
02034	8	H	267	5
02042	3	H	267	5
02050	8	H	267	5
02054	6	D	562	1
02060	7	D	553	0
02061	4	D	559	7
02062	1	D	571	4
02063	8	P	412	2
02068	3	H	267	5
02076	8	H	267	5
02078	2	P	213	2
02079	9	P	213	1
02080	5	P	212	2
02081	2	P	212	1
02082	9	P	217	5
02084	3	D	794	2
02085	0	D	794	1
02086	7	D	793	11
02087	4	D	736	6
02088	1	D	736	6
02089	8	D	794	3
02090	4	D	794	3
02091	1	D	794	1
02092	8	H	267	5
02093	5	P	217	3
02102	4	D	644	10
02104	8	P	722	1
02105	5	P	784	8
02106	2	D	447	1
02107	9	D	447	1
02108	6	D	447	1
02109	3	H	267	5
02110	9	D	447	1
02111	6	D	447	1
02115	4	P	278	4
02116	1	P	278	3
02117	8	H	267	5
02118	5	D	454	2
02119	2	P	455	4
02120	8	P	455	3
02121	5	P	455	3
02122	2	P	455	2
02124	6	P	457	1
02125	3	H	267	5
02126	0	P	455	5
02127	7	P	455	4
02138	3	P	841	1
02139	0	D	819	7
02150	5	P	147	3
02159	8	D	550	1
02160	4	D	550	1
02161	1	D	550	1
02162	8	D	550	1
02163	5	D	550	1
02164	2	D	550	1
02165	9	D	550	1
02166	6	D	550	1
02167	3	D	550	2
02168	0	D	717	2

Stock No.	Barcode Chck Digit	Dealer Code	Cat. Page	Seq. No.
02171	0	D	717	1
02248	9	D	717	2
02250	2	D	717	1
02251	9	D	722	5
02254	0	D	550	1
02256	4	D	550	1
02299	1	D	442	4
02300	4	D	442	4
02301	1	D	442	4
02302	8	D	442	5
02303	5	D	442	5
02304	2	D	442	5
02309	7	D	442	6
02310	3	D	442	6
02311	0	D	442	6
02312	7	D	442	6
02313	4	D	442	7
02314	1	D	442	7
02315	8	D	442	7
02320	2	D	737	2
02321	9	D	737	2
02322	6	D	737	2
02325	7	P	149	6
02330	1	P	401	2
02337	0	P	400	2
02339	4	P	149	5
02341	7	P	401	3
02342	4	P	149	7
02343	1	P	401	1
02373	8	D	624	5
02374	5	D	624	5
02375	2	D	624	5
02567	1	P	862	2
02577	0	H	883	5
02580	0	P	857	3
02589	3	H	269	2
02597	8	H	269	2
02604	3	H	269	2
02610	4	P	222	2
02611	1	P	222	1
02612	8	H	269	2
02620	3	H	269	2
02697	5	H	748	5
02698	2	H	748	5
02699	9	H	748	5
02700	2	H	748	5
02701	9	H	748	5
02702	6	H	748	5
02713	2	P	149	8
02715	6	H	260	3
02716	3	H	260	3
02753	8	D	609	7
02880	1	D	524	2
02890	0	D	591	5
02896	2	D	591	7
02898	6	D	450	2
02912	9	D	450	2
02919	8	D	450	2
02920	4	D	450	2
02921	1	D	450	2
02922	8	D	450	2
02923	5	D	450	1
02926	6	D	450	1
02927	3	D	450	1
02928	0	D	450	1
02930	3	D	450	1
02931	0	D	750	7
02934	1	D	750	6
02935	8	D	750	1
02936	5	D	750	2
02937	2	D	750	3
02938	9	D	749	2
02939	6	D	749	1
02945	7	D	638	3
02984	6	H	497	8
02985	3	H	498	6
02987	7	H	499	1
03019	4	D	749	3
03021	7	D	752	8
03024	8	H	265	8
03030	9	D	752	8
03040	8	H	265	9
03047	7	H	692	6
03068	2	H	498	7
03069	9	H	499	2
03071	2	D	661	3
03072	9	D	661	4
03073	6	D	661	5
03078	1	D	631	1
03082	8	H	265	4
03090	3	H	265	5
03107	8	H	265	6
03115	3	H	265	7
03131	3	H	266	1
03136	8	D	600	9
03138	2	H	498	4
03155	9	D	437	2
03157	3	H	266	2
03222	8	H	266	4
03230	3	H	266	4
03240	2	D	720	11
03243	3	P	486	1
03248	8	H	266	4
03256	3	H	266	4
03258	7	P	174	4
03264	8	H	266	4
03266	2	D	573	2
03272	3	H	266	4
03298	3	H	266	4
03305	8	H	266	4
03310	2	D	825	5
03312	6	D	825	6
03313	3	H	266	4
03316	4	D	827	1
03322	5	D	184	10
03339	3	H	266	4
03347	8	H	266	4
03355	3	H	266	4
03363	8	H	266	4
03371	3	H	266	4
03389	8	H	266	4
03397	3	H	266	4
03404	8	H	266	4
03412	3	H	266	4
03420	8	H	266	4
03438	3	H	266	4
03457	4	D	555	4
03461	1	P	214	4
03462	8	H	266	3
03463	5	P	214	3
03467	3	P	214	2
03470	3	H	266	3
03488	8	H	266	3
03494	9	P	214	1
03496	3	H	266	3
03503	8	H	266	3
03511	3	H	266	3
03529	8	H	266	3
03537	3	H	266	3
03545	8	H	266	3
03553	3	H	266	3
03561	8	H	266	3
03564	9	D	509	3
03579	3	H	266	3
03587	8	H	266	3
03595	3	H	266	3
03602	8	H	266	3
03609	7	D	517	1
03610	3	H	266	3
03628	8	H	266	3
03636	3	H	266	3
03637	0	D	438	2
03644	8	H	266	3
03652	3	H	266	3
03660	8	H	266	3
03678	3	H	266	3
03686	8	H	266	3
03694	3	H	266	3
03701	8	H	266	3
03719	3	H	266	3
03724	7	P	213	3
03727	8	H	266	3
03735	3	H	266	5
03743	8	H	266	5
03751	3	H	266	5
03769	8	H	266	5
03777	3	H	266	5
03785	8	H	266	5
03793	3	H	266	5
03800	8	H	266	5
03818	3	H	266	5
03826	8	H	266	5
03834	3	H	266	5
03850	3	H	266	5
03868	8	H	266	5
03876	3	H	266	5
04197	8	H	267	3
04212	8	H	267	1
04220	3	H	267	4
04238	8	H	267	4
04246	3	H	267	4
04254	8	H	267	4
04265	4	D	185	9
04288	3	D	509	1
04311	8	H	267	2
04319	4	D	510	1
04329	3	H	267	2
04337	8	H	267	2
04345	3	H	267	2
04353	8	H	267	2
04361	3	H	267	2
04365	1	D	625	1
04366	8	D	625	1
04379	8	H	267	2
04380	4	D	509	2
04387	3	H	267	2
04395	8	H	267	2
04452	8	H	269	3
04460	3	H	269	3
04470	2	P	228	4
04486	3	H	269	5
04491	7	D	837	7
04494	8	H	269	5
04501	3	H	269	5
04519	8	H	269	5
04527	3	H	269	5
04535	8	H	269	5
04551	8	H	269	5
04592	1	H	690	1
04593	8	P	129	4
04594	5	P	130	4
04596	9	P	131	4
04597	6	P	132	4
04598	3	H	692	8
04599	0	H	695	7
04600	3	H	695	6
04603	4	P	869	2
04604	1	P	869	1
04612	6	P	488	6
04613	3	D	324	5
04615	7	D	528	5
04616	4	D	528	6
04619	5	H	73	4
04661	4	D	337	1
04662	1	D	337	1
04663	8	D	337	1
04664	5	D	337	1
04666	9	D	337	1
04692	8	P	502	3
04858	8	D	789	1
04882	3	D	789	2
04907	3	D	579	3
04939	4	D	763	2
04949	3	D	789	1
04954	7	D	245	1
04960	8	D	73	1
04961	5	D	73	1
04962	2	D	73	1
04963	9	D	73	1
04964	6	D	73	1
04965	3	D	73	1
04966	0	D	73	1
04967	7	D	73	1
04969	1	D	73	1
04970	7	D	73	1
04971	4	D	73	1
04972	1	D	73	1
04991	2	P	211	1
04992	9	P	211	2
04994	3	P	211	4
04995	0	P	211	3
04996	7	P	210	3
04998	1	D	69	1
04999	8	D	69	1
05000	0	D	64	1
05001	7	D	69	1
05002	4	D	69	1
05003	1	D	64	1
05004	8	D	69	1
05005	5	D	64	1
05006	2	D	69	1
05007	9	D	69	1
05008	6	D	64	1
05009	3	D	64	1
05010	9	D	69	1
05011	6	D	64	1
05012	3	D	64	1
05013	0	D	64	1
05014	7	D	64	1
05015	4	D	69	1
05016	1	D	64	1
05017	8	D	69	1

Stock No.	Barcode Chck Digit	Dealer Code	Cat. Page	Seq. No.
05018	5	D	69	1
05019	2	D	69	1
05021	5	D	69	1
05022	2	D	64	1
05023	9	D	69	1
05024	6	D	69	1
05025	3	D	69	1
05027	7	D	69	1
05028	4	D	69	1
05029	1	D	69	1
05030	7	D	69	1
05031	4	D	69	1
05032	1	D	69	1
05033	8	D	69	1
05034	5	D	69	1
05035	2	D	69	1
05036	9	D	69	1
05037	6	D	69	1
05038	3	D	69	1
05039	0	D	69	1
05040	6	D	69	1
05041	3	D	69	1
05042	0	D	69	1
05043	7	D	69	1
05044	4	D	69	1
05045	1	D	69	1
05049	9	D	69	2
05050	5	D	69	2
05051	2	D	69	2
05052	9	D	69	2
05053	6	D	69	2
05054	3	D	69	2
05055	0	D	69	2
05056	7	D	64	1
05057	4	D	69	2
05058	1	D	69	2
05059	8	D	64	1
05060	4	D	69	2
05061	1	D	69	2
05062	8	D	64	1
05063	5	D	64	2
05064	2	D	64	2
05065	9	D	64	2
05066	6	D	69	2
05067	3	D	64	2
05068	0	D	69	2
05069	7	D	69	2
05070	3	D	69	2
05071	0	D	69	2
05072	7	D	69	2
05073	4	D	69	2
05074	1	D	69	2
05075	8	D	69	2
05076	5	D	69	2
05077	2	D	69	2
05078	9	D	69	2
05079	6	D	69	2
05080	2	D	69	2
05081	9	D	69	2
05082	6	D	69	2
05083	3	D	69	2
05084	0	D	69	2
05085	7	D	69	2
05086	4	D	69	2
05087	1	D	69	2
05088	8	D	69	2
05089	5	D	69	2
05090	1	D	69	2
05091	8	D	69	2
05095	6	P	346	4
05096	3	P	352	3
05097	0	P	346	6
05098	7	D	70	3
05099	4	D	70	3
05100	7	D	70	3
05101	4	D	70	3
05102	1	D	70	3
05103	8	D	70	3
05104	5	D	70	3
05105	2	D	70	3
05106	9	D	70	3
05107	6	D	70	3
05108	3	D	70	3
05109	0	D	70	3
05110	6	D	70	3
05111	3	D	70	3
05112	0	D	70	3
05113	7	D	70	3
05114	4	D	70	3
05115	1	D	70	3
05116	8	D	70	3
05117	5	D	70	3
05118	2	D	70	3
05119	9	D	70	3
05120	5	D	70	3
05121	2	D	70	3
05122	9	D	70	3
05123	6	D	70	3
05124	3	D	70	3
05125	0	D	70	3
05126	7	D	70	3
05127	4	D	70	3
05128	1	D	70	3
05129	8	D	70	3
05130	4	D	70	3
05131	1	D	70	3
05132	8	D	70	4
05133	5	D	70	4
05134	2	D	70	4
05135	9	D	70	4
05136	6	D	70	4
05137	3	D	70	4
05138	0	D	70	4
05139	7	D	70	4
05140	3	D	70	4
05141	0	D	70	4
05142	7	D	70	4
05143	4	D	70	4
05144	1	D	70	4
05145	8	D	70	4
05146	5	D	70	4
05147	2	D	70	4
05148	9	D	70	4
05149	6	D	70	4
05150	2	D	70	4
05151	9	D	70	4
05152	6	D	70	4
05153	3	D	70	4
05154	0	D	70	4
05155	7	D	70	4
05156	4	D	70	4
05157	1	D	70	4
05158	8	D	70	4
05159	5	D	70	4
05161	8	D	598	5
05165	6	D	837	3
05166	3	H	731	1
05178	6	P	484	5
05179	3	P	485	2
05180	9	P	484	3
05184	7	D	64	2
05185	4	D	64	2
05186	1	D	64	2
05187	8	D	64	2
05188	5	D	64	2
05189	2	D	64	2
05190	8	D	64	2
05191	5	D	64	2
05192	2	D	64	2
05193	9	D	64	2
05202	8	H	268	2
05210	3	H	268	4
05227	1	P	493	3
05229	5	P	493	4
05230	1	P	493	1
05231	8	P	493	2
05327	8	H	268	3
05335	3	H	268	3
05343	8	H	268	3
05351	3	H	268	3
05369	8	H	268	3
05377	3	H	268	3
05385	8	H	268	3
05393	3	H	268	3
05400	8	H	268	3
05442	8	H	268	5
05468	8	H	268	5
05476	3	H	268	5
05515	9	D	324	6
05516	6	D	324	6
05517	3	D	306	6
05524	1	D	544	4
05543	2	P	483	1
05544	9	P	483	1
05554	8	D	69	3
05555	5	D	69	3
05556	2	D	70	5
05557	9	D	70	5
05558	6	D	70	5
05559	3	D	70	5
05560	9	D	69	4
05561	6	D	70	6
05567	8	H	268	7
05573	9	P	316	2
05582	1	P	247	3
05583	8	P	247	2
05591	3	P	247	2
05597	5	P	247	1
05601	9	P	247	1
05622	4	D	441	7
05638	5	P	274	1
05666	8	H	269	1
05674	3	H	269	1
05682	8	H	269	1
05690	3	H	269	1
05707	8	H	269	1
05709	2	D	320	11
05715	3	H	269	1
05718	4	D	673	7
05720	7	D	81	2
05721	4	D	550	3
05724	5	D	64	8
05726	9	H	178	4
05731	3	H	269	1
05732	0	D	64	7
05749	8	H	269	1
05757	3	H	269	1
05768	9	H	703	2
05769	6	H	702	1
05776	4	D	550	4
05781	8	D	628	6
05822	8	H	269	1
05830	3	H	269	1
05856	3	H	269	1
05872	3	H	269	1
05880	8	H	269	1
05905	8	H	269	1
05955	3	H	269	1
06001	6	D	188	5
06010	8	H	269	1
06052	8	H	268	6
06060	3	H	268	6
06071	9	D	188	5
06072	6	D	188	5
06073	3	D	188	5
06074	0	D	188	6
06078	8	H	268	6
06082	5	H	683	5
06083	2	H	683	6
06086	3	H	268	6
06119	8	H	268	6
06127	3	H	268	6
06151	8	H	268	6
06177	8	H	268	6
06200	3	H	268	6
06218	8	H	268	6
06226	3	H	268	6
06242	3	H	268	6
06250	8	H	268	6
06268	3	H	268	6
06276	8	H	268	6
06284	3	H	268	6
06292	8	H	268	6
06317	8	H	268	6
06325	3	H	268	6
06333	8	H	268	6
06341	3	H	268	6
06359	8	H	268	6
06367	3	H	268	6
06489	2	P	366	4
06791	6	P	337	2
06792	3	P	337	2
06797	8	P	491	3
06798	5	P	491	4
06839	5	D	73	2
06840	1	D	73	2
06841	8	D	73	2
06842	5	D	73	2
06843	2	D	73	2
06844	9	D	73	2
06845	6	D	73	2
06846	3	D	73	2
06847	0	D	73	2
06849	4	D	73	2
06850	0	D	73	2
06851	7	D	73	2
06852	4	D	73	3
06853	1	D	73	3
06854	8	D	73	3
06855	5	D	73	3
06857	9	D	73	3
06858	6	D	73	3

Stock No.	Barcode Chck Digit	Dealer Code	Cat. Page	Seq. No.
06859	3	D	73	3
06860	9	D	73	3
06861	6	D	73	3
06862	3	D	73	3
06863	0	D	73	3
06865	4	D	73	3
06866	1	D	592	2
06867	8	D	65	2
06868	5	D	65	2
06869	2	D	65	2
06870	8	D	65	2
06871	5	D	65	2
06873	9	D	65	2
06874	6	D	65	2
06875	3	D	65	2
06876	0	D	65	2
06877	7	D	65	2
06878	4	D	65	2
06879	1	D	65	2
06881	4	D	65	3
06882	1	D	65	3
06883	8	D	65	3
06884	5	D	65	3
06885	2	D	65	3
06886	9	D	65	3
06887	6	D	65	3
06888	3	D	65	3
06889	0	D	65	3
06890	6	D	65	3
06891	3	D	65	3
06892	0	D	65	3
06900	2	D	342	1
06901	9	D	342	1
06902	6	D	342	1
06903	3	D	342	1
06904	0	D	342	1
06906	4	D	342	1
06907	1	D	342	1
06908	8	D	342	1
06909	5	D	342	1
06910	1	D	342	1
06911	8	D	342	1
06912	5	D	342	1
06946	0	D	366	4
06948	4	D	366	4
06949	1	D	366	4
06950	7	D	366	4
06951	4	D	366	4
06952	1	D	366	4
06953	8	D	366	4
06954	5	D	366	4
06955	2	D	366	4
06996	5	D	737	2
07012	1	D	64	4
07013	8	D	64	4
07014	5	D	64	4
07015	2	D	65	4
07016	9	D	65	4
07017	6	D	65	4
07018	3	D	65	4
07019	0	D	64	3
07020	6	D	65	5
07021	3	D	65	6
07022	0	D	65	6
07023	7	D	65	6
07033	6	H	73	5
07034	3	H	73	6
07041	1	D	69	7
07042	8	D	69	7
07043	5	D	69	7
07044	2	D	69	7
07045	9	D	70	7
07046	6	D	70	7
07047	3	D	532	1
07048	0	D	532	1
07049	7	D	532	1
07050	3	D	532	2
07051	0	D	532	2
07052	7	D	532	2
07053	4	D	532	6
07054	1	D	177	4
07055	8	D	532	6
07056	5	D	532	7
07179	1	D	234	5
07194	4	H	727	3
07195	1	H	727	6
07200	2	D	171	4
07210	1	H	80	6
07211	8	H	80	7
07212	5	P	843	1
07213	2	P	332	4
07214	9	P	332	5
07216	3	P	332	1
07218	7	D	189	1
07257	6	D	189	2
07258	3	D	442	9
07259	0	D	442	9
07260	6	D	442	9
07261	3	D	442	9
07263	7	P	248	2
07265	1	P	246	1
07266	8	P	246	2
07568	3	D	189	3
07571	3	P	332	3
07572	0	P	856	4
07606	2	P	246	1
07610	9	D	189	1
07629	1	P	488	3
07630	7	P	488	4
07635	2	P	488	5
07664	2	D	189	2
07709	0	P	247	4
07741	0	D	189	3
07826	4	D	189	1
07875	2	D	189	2
07992	6	H	696	3
08115	8	D	189	3
08169	1	D	323	11
08170	7	D	322	4
08215	5	D	322	9
08372	5	D	322	9
08380	0	D	587	1
08381	7	D	587	2
08400	5	P	857	1
08401	2	P	857	2
08576	7	D	599	11
08643	6	H	704	6
08710	5	P	334	5
09111	9	P	334	4
09113	3	P	334	3
09119	5	D	596	2
09121	8	D	596	5
09125	6	P	335	2
09139	3	P	334	2
09160	7	P	334	1
09408	0	P	335	1
09433	2	P	333	5
09435	6	P	333	4
09436	3	P	333	3
09448	6	H	692	3
09450	9	H	701	5
09452	3	H	704	3
09453	0	H	688	5
09454	7	H	688	5
09461	5	D	438	2
09462	2	D	438	2
09463	9	D	438	2
09464	6	D	438	2
09465	3	D	438	2
09466	0	D	438	2
09467	7	D	438	2
09468	4	D	438	2
09469	1	D	438	2
09470	7	D	438	2
09471	4	D	438	2
09472	1	D	438	2
09473	8	D	438	2
09474	5	D	438	2
09475	2	D	438	2
09476	9	D	438	2
09477	6	D	438	2
09478	3	D	438	2
09479	0	D	438	2
09481	3	D	438	2
09483	7	D	438	2
09484	4	D	438	2
09486	8	D	438	2
09487	5	D	438	2
09488	2	D	438	2
09489	9	D	438	2
09490	5	D	438	2
09491	2	D	438	2
09492	9	D	438	2
09493	6	D	438	2
09494	3	D	438	2
09495	0	D	438	2
09496	7	D	438	2
09497	4	D	438	2
09499	8	D	438	2
09525	4	D	438	2
09536	0	P	360	2
09539	1	H	178	6
09543	8	P	360	1
09544	5	P	160	4
09548	3	D	568	3
09550	6	D	572	4
09565	0	D	809	3
09582	7	D	322	8
09583	4	D	322	8
09584	1	D	322	8
09585	8	D	322	8
09627	5	H	704	6
09699	2	D	322	2
09706	7	P	298	4
09707	4	P	298	2
09708	1	P	298	3
09709	8	P	298	1
09783	8	D	568	1
09785	2	D	638	1
09789	0	D	639	2
09896	5	P	353	1
09937	5	D	597	1
09938	2	D	597	3
09939	9	D	597	3
09940	5	D	597	3
09941	2	D	829	2
09942	9	D	829	2
09943	6	D	829	2
09944	3	D	829	6
09945	0	D	829	1
09946	7	D	829	5
09947	4	D	829	5
09948	1	D	597	5
09949	8	D	597	5
09950	4	D	597	5
09951	1	P	504	3
10106	1	D	646	7
10109	2	D	646	7
10195	5	D	156	4
10249	5	H	269	3
10263	1	D	156	6
10266	2	D	639	7
10347	8	D	809	2
10348	5	D	809	1
10358	4	D	405	4
10409	3	D	150	1
10572	4	D	428	5
10573	1	D	428	5
10579	3	D	171	9
10580	9	D	658	2
10582	3	P	227	4
10583	0	P	227	1
10598	4	P	227	2
10599	1	P	227	3
10604	2	P	174	7
10635	6	P	660	9
10636	3	D	721	1
10643	1	H	693	3
10644	8	H	680	1
10645	5	P	161	4
10750	6	D	603	5
10773	5	P	352	1
10784	1	D	236	1
10818	3	D	575	6
10820	6	D	575	6
10862	6	D	85	6
10863	3	D	85	6
10864	0	D	85	6
10865	7	D	85	6
10866	4	D	85	6
10867	1	D	85	6
10868	8	D	85	6
10872	5	H	726	8
10873	2	H	727	5
10874	9	H	727	9
10875	6	H	727	10
10876	3	D	656	4
10877	0	H	727	8
10878	7	H	727	7
10903	6	H	728	2
10904	3	H	728	4
10913	5	D	154	1
10915	9	D	154	1
10916	6	D	154	1
10941	8	D	598	3
10942	5	D	598	3
10954	8	H	703	4
10959	3	D	624	1
10960	9	D	624	1
11080	3	H	257	5
11082	7	H	257	9
11083	4	H	257	8

Stock No.	Barcode Chck Digit	Dealer Code	Cat. Page	Seq. No.
11084	1	H	257	6
11085	8	H	257	6
11086	5	H	257	6
11087	2	H	257	7
11090	2	H	257	10
11091	9	H	257	1
11092	6	H	257	1
11093	3	H	257	1
11094	0	H	257	1
11095	7	H	257	1
11096	4	H	257	1
11097	1	H	257	1
11098	8	H	257	1
11099	5	H	257	1
11100	8	H	257	1
11101	5	H	257	1
11102	2	H	257	1
11103	9	H	257	1
11124	4	H	257	3
11125	1	H	257	3
11126	8	H	257	3
11127	5	H	257	3
11128	2	H	257	3
11152	7	D	601	3
11174	9	P	114	3
11237	1	D	641	9
11402	3	P	115	3
11504	4	D	596	8
11505	1	P	117	3
11506	8	P	118	3
11509	9	P	119	3
11523	5	P	122	4
11528	0	D	719	6
11529	7	D	591	2
11533	4	P	127	1
11534	1	D	171	7
11541	9	P	127	2
11673	7	D	789	1
11674	4	D	64	6
11675	1	D	789	1
11677	5	D	64	5
11702	4	D	154	3
11755	0	D	154	6
11786	4	D	154	8
11807	6	D	154	5
11899	1	D	69	2
11903	5	D	537	8
11909	7	D	665	2
11910	3	D	665	5
11911	0	D	665	5
11912	7	D	665	5
11913	4	D	665	5
11914	1	D	665	5
11915	8	D	665	5
11929	5	D	536	7
11930	1	H	259	2
11931	8	H	259	2
11932	5	H	259	2
11933	2	H	259	2
11934	9	H	259	2
11935	6	H	259	2
11936	3	H	259	2
11937	0	H	259	2
11938	7	H	259	2
11939	4	H	259	2
11940	0	H	259	2
11951	6	D	790	7
11953	0	P	249	1
11954	7	D	156	7
11960	8	D	154	7
11961	5	P	249	2
11964	6	P	249	3
11966	0	P	248	5
11967	7	P	248	6
11982	0	D	665	2
12014	7	D	490	1
12015	4	D	490	2
12039	0	P	180	1
12040	6	P	180	1
12041	3	P	180	1
12042	0	P	180	1
12043	7	P	180	1
12044	4	P	136	1
12045	1	P	136	4
12048	2	H	742	6
12052	9	H	742	6
12053	6	H	742	6
12054	3	H	742	7
12055	0	H	742	7
12056	7	P	136	3
12059	8	H	742	7
12060	4	H	748	6
12063	5	H	748	6
12066	6	H	748	6
12076	5	D	200	1
12100	7	D	717	5
12104	5	P	249	1
12123	6	P	249	2
12142	7	P	249	3
12164	9	P	248	5
12195	3	P	248	6
12241	7	D	710	8
12242	4	D	151	3
12243	1	D	151	3
12263	9	P	758	2
12266	0	P	758	2
12271	4	D	220	1
12272	1	P	763	6
12275	2	P	763	7
12282	0	D	610	4
12285	1	D	857	1
12298	1	H	689	4
12299	8	H	689	3
12301	8	H	682	3
12306	3	H	697	3
12389	6	D	544	7
12400	8	D	627	6
12492	3	D	536	8
12535	7	D	534	1
12536	4	D	534	2
12538	8	D	534	3
12540	1	D	534	4
12542	5	D	575	1
12543	2	D	534	5
12544	9	D	534	6
12607	1	D	641	5
12701	6	D	659	2
12737	5	D	67	2
12739	9	D	67	2
12740	5	D	67	2
12741	2	D	67	2
12742	9	D	67	2
12743	6	D	67	2
12744	3	D	67	2
12745	0	D	67	2
12746	7	D	67	2
12748	1	D	67	2
12749	8	D	607	2
12750	4	D	244	4
12751	1	D	630	2
12771	9	D	244	7
12818	1	D	665	7
12824	2	D	69	3
12889	1	H	883	4
12891	4	H	883	6
12892	1	H	883	5
12909	6	D	845	2
12910	2	D	845	2
12911	9	D	846	1
12912	6	D	846	2
12913	3	D	845	6
12914	0	D	846	4
12916	4	D	846	3
12917	1	D	846	3
12925	6	H	266	3
12949	2	D	539	1
12950	8	D	539	1
12951	5	D	539	1
12952	2	D	539	1
12953	9	D	539	1
12954	6	D	539	1
12955	3	D	539	1
12956	0	D	539	1
13041	2	D	601	6
13042	9	D	601	10
13064	1	P	218	1
13066	5	P	218	1
13069	6	P	218	1
13070	2	P	218	1
13072	6	P	218	1
13073	3	P	218	1
13074	0	P	218	1
13081	8	H	704	4
13083	2	H	694	1
13094	8	D	593	4
13095	5	D	593	3
13099	3	D	646	5
13103	7	P	218	1
13104	4	P	218	1
13105	1	P	218	1
13107	5	P	218	2
13117	4	P	218	2
13126	6	P	218	2
13157	0	D	151	7
13183	9	D	77	1
13184	6	D	77	1
13277	5	H	701	5
13278	2	D	601	4
13381	9	P	232	3
13411	3	D	716	3
13412	0	D	716	3
13415	1	D	601	8
13416	8	D	601	8
13417	5	D	601	8
13418	2	D	601	8
13420	5	P	232	5
13425	0	D	233	1
13428	1	D	423	7
13430	4	D	233	1
13449	6	D	233	1
13450	2	D	233	1
13482	3	D	528	6
13499	1	D	592	8
13509	7	D	603	6
13519	6	P	333	2
13520	2	P	333	1
13554	7	D	547	5
13555	4	D	547	5
13556	1	D	547	5
13557	8	D	547	5
13609	4	D	643	4
13612	4	D	603	2
13615	5	D	644	8
13656	8	D	542	3
13657	5	D	542	2
13658	2	D	542	4
13694	0	D	659	7
13702	2	D	598	7
13703	9	D	719	2
13710	7	H	265	3
13758	9	H	701	5
13759	6	H	701	7
13762	6	D	67	1
13768	8	D	643	6
13771	8	D	236	12
13773	2	P	354	2
13801	2	D	352	2
13818	0	D	671	2
13836	4	D	298	1
13837	1	D	298	1
13838	8	D	632	5
13840	1	D	632	4
13841	8	D	632	6
13843	2	D	298	2
13844	9	D	298	2
13845	6	D	298	2
13846	3	D	629	3
13847	0	D	629	2
13848	7	D	629	1
13849	4	D	629	4
13851	7	D	629	1
13852	4	D	629	1
13853	1	D	629	4
13855	5	D	629	5
13867	8	D	151	2
13868	5	D	151	2
13874	6	D	628	5
13875	3	D	628	5
13886	9	P	344	2
13887	6	P	344	3
13906	4	D	228	1
13907	1	D	228	1
13908	8	D	228	2
13909	5	D	228	2
13913	2	D	164	5
13914	9	D	164	6
13947	7	D	643	3
13948	4	D	574	3
13949	1	D	625	10
13950	7	D	625	10
13954	5	D	588	1
13955	2	D	588	1
13956	9	D	588	1
13957	6	D	588	1
13958	3	D	588	1
13959	0	D	588	4
13960	6	D	588	4
13961	3	D	588	2
13962	0	D	588	2
13964	4	D	596	6
13975	0	D	594	4
13976	7	D	594	4

Stock No.	Barcode Chck Digit	Dealer Code	Cat. Page	Seq. No.
14000	8	D	539	1
14001	5	D	539	1
14003	9	D	539	1
14004	6	D	539	1
14007	7	D	547	5
14008	4	D	547	5
14009	1	D	547	5
14010	7	D	547	5
14011	4	D	547	5
14012	1	D	547	5
14013	8	D	547	7
14014	5	D	547	7
14015	2	D	547	7
14016	9	D	547	7
14019	0	D	802	1
14020	6	D	802	1
14021	3	D	802	1
14027	5	D	320	1
14037	4	D	428	1
14040	4	D	538	1
14077	0	D	571	2
14078	7	D	571	1
14079	4	D	570	1
14080	0	D	570	1
14081	7	D	570	1
14082	4	D	570	1
14083	1	D	570	3
14084	8	D	570	3
14085	5	D	570	3
14086	2	D	570	5
14087	9	D	570	5
14088	6	D	570	5
14095	4	D	570	1
14096	1	D	570	3
14099	2	D	65	6
14101	2	D	67	2
14102	9	D	67	2
14104	3	D	67	2
14106	7	D	67	8
14107	4	D	67	8
14130	2	D	672	6
14132	6	D	643	3
14145	6	D	622	7
14156	2	D	53	8
14158	6	D	603	1
14159	3	D	164	8
14172	2	D	175	5
14173	9	D	166	4
14178	4	D	622	4
14180	7	D	622	4
14184	5	D	621	4
14185	2	D	621	5
14193	7	P	284	2
14197	5	P	284	3
14199	9	P	282	3
14210	1	P	282	1
14213	2	P	121	1
14214	9	P	121	2
14215	6	P	121	3
14217	0	P	121	4
14252	1	P	122	1
14253	8	D	354	3
14254	5	D	354	3
14255	2	D	343	3
14258	3	P	283	4
14259	0	D	354	3
14260	6	D	354	3
14262	0	D	354	3
14264	4	D	354	3
14266	8	P	283	1
14301	6	D	813	1
14302	3	D	813	2
14304	7	D	813	3
14305	4	D	813	4
14306	1	D	813	5
14307	8	D	813	10
14308	5	D	813	7
14309	2	D	813	6
14310	8	D	813	8
14311	5	D	813	9
14312	2	D	814	1
14313	9	D	814	2
14314	6	D	814	3
14315	3	D	814	4
14316	0	D	814	5
14404	4	D	343	3
14414	3	D	829	7
14427	3	P	122	2
14428	0	P	416	1
14436	5	D	354	3
14438	9	P	373	3
14439	6	P	373	3
14440	2	P	373	3
14443	3	P	122	3
14444	0	P	117	1
14445	7	D	614	4
14446	4	D	614	4
14447	1	D	864	9
14448	8	D	317	5
14455	6	P	160	3
14492	1	D	354	3
14494	5	P	118	1
14504	1	D	354	3
14505	8	D	354	3
14514	0	H	268	6
14515	7	H	268	6
14527	0	P	119	1
14531	7	H	268	6
14532	4	D	343	3
14540	9	D	354	3
14546	1	P	117	2
14565	2	H	269	5
14566	9	H	269	5
14568	3	H	269	5
14570	6	H	269	5
14571	3	H	269	5
14572	0	H	269	5
14573	7	H	269	3
14580	5	P	118	2
14583	6	P	119	2
14585	0	P	115	1
14586	7	P	115	2
14587	4	P	114	1
14588	1	P	114	2
14589	8	P	125	1
14604	8	P	125	2
14606	2	P	125	3
14607	9	P	292	3
14608	6	P	293	4
14609	3	P	293	1
14709	0	P	487	6
14715	1	D	489	5
14716	8	D	489	5
14717	5	D	489	5
14738	0	H	681	7
14744	1	D	452	3
14898	1	P	125	4
14910	0	P	125	5
14937	7	P	125	6
14956	8	D	573	7
14957	5	D	79	1
14958	2	P	126	1
14959	9	D	79	1
14960	5	D	79	1
14961	2	D	79	1
14962	9	D	79	1
14963	6	D	79	1
14964	3	D	79	1
14965	0	D	79	1
14966	7	D	79	1
14967	4	D	79	1
14969	8	D	743	6
14970	4	P	126	2
14971	1	D	743	6
14972	8	D	191	7
14973	5	D	191	7
14978	0	P	126	3
15007	6	P	722	2
15023	6	P	785	3
15040	3	P	126	4
15041	0	D	197	6
15042	7	P	862	1
15043	4	H	742	5
15044	1	D	646	9
15046	5	D	853	1
15047	2	D	302	1
15048	9	D	302	2
15049	6	D	302	2
15050	2	D	302	3
15051	9	P	455	1
15052	6	P	455	1
15063	2	H	747	3
15064	9	H	748	2
15065	6	H	747	1
15066	3	P	187	7
15067	0	P	187	8
15070	0	D	716	8
15071	7	H	726	4
15072	4	H	728	8
15073	1	H	728	9
15078	6	D	502	5
15082	3	D	655	1
15085	4	D	199	5
15086	1	D	237	4
15087	8	H	75	2
15088	5	D	637	6
15091	5	D	718	6
15098	4	P	409	3
15099	1	D	624	6
15101	1	D	139	1
15102	8	D	740	2
15110	3	P	126	5
15123	3	P	123	1
15126	4	D	178	3
15127	1	D	178	2
15128	8	D	178	1
15162	2	H	257	4
15205	6	D	625	11
15222	3	P	123	2
15224	7	H	258	1
15225	4	P	416	2
15227	8	H	258	1
15228	5	H	258	1
15229	2	H	258	1
15231	5	H	258	1
15233	9	H	258	1
15234	6	H	258	1
15235	3	H	258	1
15289	6	H	259	3
15294	0	H	259	1
15295	7	H	259	1
15296	4	H	259	1
15297	1	H	259	1
15298	8	H	259	1
15299	5	H	259	1
15300	8	H	259	1
15301	5	H	259	1
15302	2	H	259	1
15303	9	H	259	1
15304	6	H	259	1
15305	3	H	259	1
15306	0	H	259	1
15307	7	H	259	1
15308	4	H	259	1
15309	1	H	259	1
15310	7	H	259	1
15311	4	H	259	1
15312	1	H	259	1
15313	8	H	259	1
15314	5	H	259	1
15315	2	H	259	1
15316	9	H	259	1
15317	6	H	259	1
15318	3	H	259	1
15320	6	H	259	1
15321	3	H	259	1
15322	0	H	259	1
15323	7	H	259	1
15356	5	H	254	1
15372	5	H	255	2
15551	4	H	263	3
15553	8	H	263	3
15554	5	H	263	3
15555	2	H	263	3
15627	6	D	655	3
15629	0	D	655	5
15630	6	D	655	4
15631	3	D	573	9
15636	8	P	417	2
16048	8	P	400	1
16056	3	P	865	4
16057	0	P	315	3
16066	2	P	382	4
16128	7	P	380	3
16136	2	D	171	1
16137	9	D	171	1
16139	3	D	171	1
16142	3	D	607	3
16143	0	P	383	4
16152	2	D	231	5
16153	9	D	245	2
16155	3	P	243	9
16156	0	P	244	1
16157	7	P	242	6
16161	4	D	171	1
16169	0	D	737	1
16170	6	D	737	1
16171	3	D	737	2
16173	7	D	737	3
16175	1	D	72	6
16179	9	D	236	5
16180	5	D	181	5

Stock No.	Barcode Chck Digit	Dealer Code	Cat. Page	Seq. No.
16183	6	P	148	5
16187	4	D	142	1
16188	1	D	142	2
16189	8	D	142	3
16191	1	D	142	4
16192	8	D	142	5
16193	5	D	142	6
16194	2	D	143	5
16195	9	D	143	2
16196	6	D	143	3
16197	3	D	143	4
16198	0	D	142	7
16199	7	D	142	8
16200	0	D	142	9
16201	7	D	143	1
16203	1	D	653	5
16204	8	D	653	5
16205	5	D	653	5
16206	2	D	405	4
16208	6	D	405	4
16209	3	D	405	4
16210	9	D	405	4
16211	6	D	525	6
16216	1	D	141	1
16229	1	D	745	3
16230	7	P	174	2
16234	5	P	174	3
16238	3	D	655	6
16246	8	D	82	6
16252	9	P	182	1
16253	6	P	182	2
16254	3	P	400	1
16255	0	P	400	1
16257	4	D	644	6
16261	1	D	198	4
16262	8	D	198	4
16263	5	D	198	4
16264	2	D	198	4
16266	6	D	198	4
16268	0	P	660	9
16269	7	P	660	9
16276	5	P	660	9
16279	6	D	753	5
16282	6	D	54	2
16283	3	D	54	2
16284	0	D	54	2
16285	7	D	54	3
16286	4	D	54	4
16287	1	D	55	2
16288	8	D	54	5
16289	5	D	54	5
16290	1	D	54	5
16291	8	D	54	5
16292	5	D	54	5
16293	2	D	54	5
16294	9	D	54	5
16295	6	D	54	5
16296	3	D	54	6
16297	0	D	55	1
16298	7	D	55	3
16300	7	D	55	3
16302	1	D	55	3
16303	8	D	55	3
16304	5	D	55	3
16305	2	D	55	3
16307	6	D	55	4
16308	3	D	55	5
16309	0	D	89	7
16310	6	D	89	8
16311	3	D	89	6
16312	0	D	90	5
16313	7	D	90	5
16315	1	D	90	5
16316	8	D	90	5
16317	5	D	90	5
16318	2	D	90	5
16319	9	D	90	5
16320	5	D	90	5
16321	2	D	90	5
16323	6	D	90	5
16324	3	D	90	5
16325	0	D	90	5
16327	4	D	90	5
16329	8	D	91	1
16331	1	D	90	6
16332	8	D	90	1
16333	5	D	90	2
16334	2	D	91	2
16338	0	D	91	3
16339	7	D	90	3
16340	3	D	90	4
16341	0	D	91	4
16342	7	D	91	5
16343	4	D	91	7
16344	1	D	92	5
16345	8	D	92	7
16346	5	D	92	6
16347	2	D	92	8
16349	6	D	92	3
16350	2	D	92	4
16353	3	D	91	6
16354	0	H	24	3
16355	7	H	24	4
16356	4	D	171	1
16359	5	H	27	4
16361	8	H	27	3
16362	5	H	31	2
16363	2	H	31	3
16364	9	H	37	2
16365	6	H	24	2
16366	3	H	24	1
16367	0	H	27	1
16368	7	H	31	1
16369	4	D	42	1
16370	0	D	42	2
16371	7	D	42	3
16373	1	D	42	4
16374	8	D	43	1
16375	5	D	43	2
16376	2	D	43	3
16377	9	D	43	4
16395	3	P	207	1
16398	4	D	47	5
16399	1	D	47	6
16400	4	D	48	5
16401	1	D	48	6
16402	8	D	49	5
16403	5	D	49	6
16404	2	D	405	3
16406	6	D	215	2
16407	3	P	215	2
16414	1	H	695	7
16417	2	D	405	4
16419	6	D	550	1
16420	2	D	550	1
16422	6	P	137	1
16423	3	P	163	1
16424	0	D	59	7
16425	7	D	60	6
16426	4	D	61	6
16427	1	D	57	4
16428	8	D	57	4
16429	5	D	57	4
16432	5	H	747	2
16434	9	P	297	5
16435	6	P	297	5
16436	3	P	297	5
16437	0	P	297	5
16440	0	H	33	1
16441	7	H	34	2
16442	4	H	22	1
16443	1	H	22	2
16444	8	H	22	3
16445	5	H	22	4
16446	2	H	23	2
16448	6	H	23	3
16449	3	H	26	1
16451	6	H	26	3
16452	3	H	29	1
16453	0	H	29	3
16454	7	H	30	2
16456	1	H	30	3
16457	8	H	35	2
16458	5	H	36	1
16459	2	H	35	3
16460	8	H	36	3
16461	5	H	36	2
16462	2	H	37	1
16464	6	H	23	1
16465	3	H	26	2
16466	0	H	29	2
16467	7	H	30	1
16468	4	H	21	1
16469	1	H	21	3
16470	7	H	25	1
16472	1	H	25	2
16473	8	H	28	1
16474	5	H	28	2
16475	2	H	35	1
16476	9	H	21	2
16478	3	H	28	3
16479	0	H	41	1
16480	6	H	41	2
16481	3	H	41	3
16482	0	H	40	1
16483	7	H	40	2
16484	4	H	32	2
16485	1	H	34	1
16486	8	H	32	1
16487	5	D	47	1
16488	2	D	47	3
16490	5	D	47	2
16491	2	D	47	4
16492	9	D	48	1
16493	6	D	48	3
16494	3	D	48	2
16495	0	D	48	4
16496	7	D	49	1
16498	1	D	49	3
16499	8	D	49	2
16500	1	D	49	4
16508	7	D	50	1
16509	4	D	50	1
16510	0	D	50	1
16511	7	D	50	1
16513	1	D	50	1
16514	8	D	50	1
16515	5	D	50	1
16516	2	D	50	1
16517	9	D	50	2
16518	6	D	50	2
16519	3	D	50	2
16521	6	D	50	2
16522	3	D	50	2
16523	0	D	50	2
16524	7	D	50	2
16525	4	D	50	2
16526	1	D	50	2
16527	8	D	50	3
16528	5	D	50	3
16529	2	D	50	3
16530	8	D	50	3
16531	5	D	50	7
16532	2	D	50	7
16533	9	D	50	7
16534	6	D	50	7
16535	3	D	50	7
16536	0	D	50	7
16537	7	D	50	7
16539	1	D	50	7
16540	7	D	50	7
16541	4	D	50	7
16542	1	D	50	7
16543	8	D	50	7
16544	5	D	50	7
16545	2	D	50	7
16547	6	D	50	7
16548	3	D	50	8
16549	0	D	50	8
16550	6	D	50	8
16551	3	D	50	8
16552	0	D	50	8
16566	7	D	818	9
16570	4	D	822	8
16571	1	D	50	8
16572	8	D	50	8
16573	5	D	50	8
16574	2	D	50	8
16575	9	D	50	8
16576	6	D	50	8
16577	3	D	50	8
16578	0	D	51	1
16579	7	D	51	1
16580	3	D	51	1
16581	0	D	51	1
16582	7	D	51	1
16583	4	D	51	1
16584	1	D	51	1
16585	8	D	51	1
16586	5	D	51	1
16587	2	D	51	1
16595	7	D	51	5
16597	1	D	51	5
16598	8	D	51	5
16600	8	D	51	5
16601	5	D	51	5
16602	2	D	51	5
16604	6	D	51	5
16605	3	D	51	5
16606	0	D	51	5
16607	7	D	51	5
16608	4	D	51	5

Stock No.	Barcode Chck Digit	Dealer Code	Cat. Page	Seq. No.
16609	1	D	51	5
16610	7	D	51	5
16612	1	D	51	5
16613	8	D	51	5
16614	5	D	51	5
16615	2	D	51	5
16616	9	D	51	5
16617	6	D	51	5
16618	3	D	51	5
16619	0	D	51	5
16620	6	D	51	5
16622	0	D	51	5
16623	7	D	51	5
16624	4	D	51	6
16625	1	D	51	6
16626	8	D	51	6
16627	5	D	51	6
16628	2	D	51	6
16630	5	D	51	6
16631	2	D	51	6
16632	9	D	51	6
16633	6	D	51	6
16634	3	D	51	6
16635	0	D	51	6
16636	7	D	51	6
16638	1	D	51	6
16639	8	D	51	6
16640	4	D	51	6
16642	8	D	52	1
16643	5	D	52	1
16646	6	D	52	1
16647	3	D	52	1
16648	0	D	52	1
16649	7	D	52	1
16650	3	D	52	1
16651	0	D	52	1
16652	7	D	52	1
16654	1	D	52	1
16655	8	D	52	1
16656	5	D	52	1
16657	2	D	52	1
16659	6	D	52	1
16660	2	D	52	1
16672	5	D	436	6
16690	9	D	52	5
16691	6	D	52	5
16692	3	D	52	5
16694	7	D	52	5
16696	1	D	52	5
16697	8	D	52	5
16698	5	D	52	5
16699	2	D	52	5
16700	5	D	52	5
16701	2	D	52	5
16703	6	D	52	5
16704	3	D	52	5
16705	0	D	52	5
16706	7	D	52	5
16707	4	D	52	5
16708	1	D	52	5
16711	1	D	59	4
16712	8	D	59	4
16713	5	D	59	4
16714	2	D	59	4
16716	6	D	59	3
16717	3	D	59	3
16718	0	D	59	3
16719	7	D	59	3
16720	3	D	59	2
16721	0	D	59	2
16722	7	D	59	2
16723	4	D	59	2
16724	1	D	60	3
16725	8	D	60	3
16726	5	D	60	3
16727	2	D	60	3
16731	9	D	60	3
16732	6	D	60	3
16733	3	D	60	3
16734	0	D	60	2
16735	7	D	60	2
16737	1	D	60	2
16738	8	D	60	2
16739	5	D	60	2
16740	1	D	60	2
16741	8	D	60	2
16742	5	D	60	1
16743	2	D	60	1
16744	9	D	60	1
16745	6	D	60	1
16746	3	D	60	1
16747	0	D	60	1
16748	7	D	60	1
16749	4	D	61	3
16750	0	D	61	3
16751	7	D	61	3
16752	4	D	61	3
16753	1	D	61	3
16754	8	D	61	2
16755	5	D	61	2
16756	2	D	61	2
16757	9	D	61	2
16758	6	D	61	2
16759	3	D	61	1
16761	6	D	61	1
16762	3	D	61	1
16763	0	D	61	1
16764	7	D	61	1
16765	4	D	59	6
16766	1	D	59	5
16767	8	D	60	5
16768	5	D	60	4
16769	2	D	61	5
16770	8	D	61	4
16772	2	D	53	2
16773	9	D	53	2
16774	6	D	53	2
16775	3	D	53	1
16776	0	D	53	1
16777	7	D	53	1
16778	4	D	53	4
16779	1	D	53	4
16780	7	D	53	4
16781	4	D	53	3
16782	1	D	53	3
16783	8	D	53	3
16784	5	D	53	5
16785	2	D	62	2
16786	9	D	62	1
16787	6	D	62	2
16788	3	D	62	1
16789	0	D	62	2
16790	6	D	62	1
16791	3	D	58	5
16792	0	D	58	4
16793	7	D	58	5
16794	4	D	58	4
16795	1	D	58	5
16796	8	D	58	4
16797	5	D	63	1
16798	2	D	63	1
16799	9	D	63	1
16800	2	D	63	1
16801	9	D	63	1
16802	6	D	58	1
16803	3	D	58	1
16804	0	D	58	1
16805	7	D	58	1
16806	4	D	58	2
16807	1	D	58	1
16808	8	D	58	1
16809	5	D	54	1
16810	1	D	54	1
16811	8	D	54	1
16812	5	D	61	7
16813	2	D	61	7
16814	9	D	61	7
16815	6	D	62	3
16816	3	D	63	1
16817	0	D	63	1
16818	7	D	58	5
16821	7	D	57	8
16822	4	D	57	7
16823	1	P	507	3
16825	5	P	507	2
16826	2	P	507	1
16827	9	P	508	2
16829	3	D	637	3
16835	4	D	436	6
16906	1	H	267	5
16922	1	H	267	5
17003	6	D	436	6
17022	7	H	268	3
17024	1	H	268	3
17026	5	H	268	3
17028	9	H	268	3
17030	2	H	268	3
17032	6	H	268	3
17038	8	H	269	4
17039	5	D	436	6
17076	0	D	436	6
17110	1	P	505	3
17111	8	P	328	2
17125	5	P	400	3
17129	3	P	400	5
17132	3	P	400	4
17135	4	P	400	6
17141	5	D	414	4
17143	9	D	414	4
17145	3	D	414	4
17146	0	D	414	4
17152	1	D	414	4
17154	5	D	647	3
17155	2	D	647	3
17156	9	D	647	4
17157	6	D	647	4
17158	3	D	648	1
17159	0	D	648	1
17160	6	D	646	1
17161	3	D	646	3
17162	0	D	646	1
17163	7	D	646	8
17164	4	D	646	8
17165	1	D	647	5
17166	8	D	647	5
17169	9	D	653	7
17170	5	D	717	3
17173	6	D	644	1
17179	8	D	791	2
17180	4	D	791	3
17181	1	D	791	5
17182	8	D	791	4
17183	5	D	791	7
17184	2	D	656	2
17186	6	D	791	6
17188	0	D	791	8
17189	7	D	791	10
17190	3	D	794	7
17192	7	D	656	2
17204	7	P	508	1
17209	2	D	656	2
17217	7	D	656	2
17225	2	D	656	2
17250	4	H	266	3
17251	1	H	266	3
17252	8	H	266	3
17253	5	H	266	3
17255	9	H	266	3
17257	3	H	266	3
17259	7	H	266	3
17262	7	H	266	3
17265	8	H	266	4
17272	6	H	266	4
17275	7	D	171	1
17277	1	H	266	4
17280	1	H	266	4
17282	5	H	266	4
17284	9	H	266	4
17287	0	H	266	4
17289	4	H	266	4
17293	1	H	266	4
17295	5	H	266	4
17302	0	H	266	4
17345	7	D	436	6
17391	4	D	436	6
17399	0	D	436	6
17426	3	D	437	3
17427	0	D	437	2
17428	7	D	437	2
17429	4	D	437	2
17430	0	D	437	2
17432	4	D	437	2
17433	1	D	437	2
17434	8	D	437	2
17435	5	D	437	2
17536	9	D	834	2
17542	0	D	437	2
17543	7	D	51	1
17544	4	D	51	1
17545	1	D	51	1
17546	8	D	50	7
17551	2	D	293	2
17552	9	D	293	2
17553	6	D	293	2
17554	3	D	293	2
17555	0	D	293	2
17558	1	D	823	9
17559	8	D	834	1
17568	0	P	456	1
17569	7	P	456	1
17570	3	P	457	2
17571	0	P	457	2

Stock No.	Barcode Chck Digit	Dealer Code	Cat. Page	Seq. No.
17573	4	P	456	2
17574	1	P	456	3
17588	8	D	590	6
17589	5	D	590	5
17640	3	D	436	6
17678	6	D	731	3
17681	6	P	330	1
17682	3	P	329	3
17684	7	P	329	2
17685	4	P	329	1
17686	1	D	607	5
17694	6	H	724	5
17695	3	H	725	4
17696	0	H	725	5
17739	4	P	406	2
17759	2	D	77	8
17764	6	P	123	3
17775	2	P	332	2
17776	9	P	723	3
17987	9	P	502	4
17993	0	P	722	1
17995	4	P	722	1
17998	5	D	837	9
18014	1	H	743	1
18015	8	H	743	1
18016	5	D	756	6
18017	2	D	756	6
18018	9	D	645	6
18019	6	D	645	7
18052	3	D	638	6
18053	0	D	435	1
18058	5	D	751	3
18059	2	D	751	3
18060	8	D	642	4
18140	7	D	231	2
18153	7	D	638	7
18160	5	D	543	1
18250	3	P	732	1
18263	3	D	836	4
18299	2	D	823	7
18353	1	D	844	1
18363	0	D	844	1
18428	6	H	693	4
18429	3	H	693	4
18441	5	H	687	6
18442	2	H	687	7
18451	4	H	682	2
18476	7	H	689	5
18498	9	H	702	6
18523	8	H	614	1
18549	8	D	422	6
18550	4	D	425	4
18551	1	D	425	5
18555	9	H	695	1
18557	3	H	695	1
18560	3	D	437	7
18561	0	D	431	2
18872	7	H	684	3
18909	0	H	705	6
18937	3	D	452	8
18952	6	D	630	9
19152	9	D	177	5
19174	1	H	729	2
19177	2	H	729	3
19192	5	P	344	4
19193	2	D	183	3
19207	6	D	657	1
19208	3	D	628	7
19222	9	P	230	2
19225	0	D	664	5
19227	4	D	664	5
19234	2	D	428	3
19235	9	D	428	3
19237	3	D	788	6
19241	0	D	632	12
19249	6	D	594	4
19258	8	D	502	6
19316	5	D	638	7
19328	8	D	641	2
19344	8	D	640	7
19345	5	D	640	7
19347	9	D	640	8
19348	6	D	640	8
19349	3	D	640	9
19350	9	D	640	9
19497	1	D	570	2
19498	8	D	570	2
19499	5	D	570	2
19500	8	D	570	2
19501	5	D	570	2
19503	9	D	570	4
19504	6	D	570	4
19505	3	D	570	4
19506	0	D	570	4
19507	7	D	570	6
19508	4	D	570	6
19509	1	D	570	6
19527	5	D	562	2
19529	9	D	562	2
19530	5	D	562	2
19531	2	D	562	2
19532	9	D	562	3
19533	6	D	562	3
19534	3	D	562	3
19535	0	D	562	4
19537	4	D	562	4
19538	1	D	562	4
19539	8	D	562	2
19540	4	D	562	3
19541	1	D	562	3
19542	8	D	562	4
19543	5	D	562	4
19546	6	P	776	1
19547	3	D	381	7
19548	0	D	381	7
19549	7	D	85	1
19550	3	D	85	1
19551	0	D	85	1
19552	7	D	381	7
19553	4	D	85	1
19562	6	P	776	1
19563	3	P	133	1
19566	4	P	133	3
19572	5	P	133	2
19576	3	P	133	4
19587	9	H	685	3
19588	6	H	685	3
19589	3	H	685	3
19590	9	H	692	1
19640	1	D	615	5
19646	3	D	534	9
19647	0	D	534	8
19670	8	D	674	2
19672	2	D	674	1
19674	6	D	603	8
19675	3	D	603	7
19676	0	D	603	7
19677	7	D	603	7
19678	4	D	603	7
19679	1	D	603	7
19702	6	D	628	8
19724	8	D	595	7
19730	9	D	321	4
19735	4	D	536	9
19754	5	H	78	6
19756	9	H	78	7
19773	6	P	221	3
19779	8	D	541	1
19785	9	D	570	1
19787	3	P	221	2
19788	0	P	221	1
19789	7	P	321	4
19830	6	D	570	2
19837	5	D	592	8
19846	7	D	639	1
19850	4	D	674	3
19862	7	D	158	3
20070	2	D	596	9
20088	7	D	596	9
20388	8	D	592	8
20469	4	D	381	2
20470	0	D	381	2
20471	7	D	381	2
20486	1	P	250	1
20487	8	P	250	2
20492	2	P	250	3
20493	9	P	250	5
20514	1	P	367	1
20515	8	P	367	2
20523	3	P	367	4
20529	5	P	368	1
20582	0	P	175	1
20594	3	D	320	10
20601	8	D	672	5
20608	7	D	672	3
20610	0	D	672	4
20612	4	D	499	6
20623	0	D	643	6
20644	5	D	573	3
20680	3	D	820	1
20686	5	D	820	2
20688	9	D	820	5
20689	6	D	820	4
20690	2	D	820	3
20692	6	D	820	8
20697	1	D	820	7
20700	8	D	607	6
20703	9	D	607	7
20707	7	D	820	6
20760	2	D	733	1
20768	8	D	733	1
20779	4	P	732	1
20780	0	P	732	1
20850	0	D	596	9
20853	1	D	715	10
20962	0	D	368	2
20963	7	D	368	2
21006	0	D	360	1
21032	9	D	864	8
21283	5	D	594	3
21284	2	D	594	3
21285	9	H	271	1
21286	6	H	271	1
21287	3	H	271	1
21289	7	H	271	2
21291	0	H	271	2
21292	7	H	271	2
21293	4	H	271	2
21294	1	H	271	3
21295	8	H	271	3
21296	5	H	271	3
21298	9	H	271	4
21299	6	H	271	4
21300	9	H	271	4
21301	6	H	731	2
21307	8	P	358	1
21353	5	P	504	2
21386	3	D	632	5
21452	5	H	683	1
21453	2	H	683	1
21454	9	H	683	3
21455	6	H	683	2
21489	1	H	684	2
21490	7	H	684	4
21526	3	P	298	5
21534	8	D	368	2
21561	4	D	659	2
21568	3	D	673	8
21569	0	D	673	8
21626	0	D	639	1
21627	7	D	639	1
21658	1	P	494	3
21659	8	P	494	1
21663	5	P	494	2
21667	3	D	763	3
21674	1	D	763	4
21675	8	D	763	5
21690	1	P	616	1
21706	9	P	616	6
21708	3	P	616	6
21709	0	P	616	6
21710	6	P	616	6
21711	3	P	616	6
21714	4	P	616	7
21715	1	P	616	7
21716	8	D	244	11
21717	5	D	244	11
21718	2	D	244	11
21719	9	D	244	11
21720	5	D	244	11
21721	2	P	616	7
21723	6	P	616	7
21744	1	P	616	7
21825	7	D	596	9
21826	4	D	596	9
21827	1	D	596	9
21831	8	D	288	5
21833	2	D	141	1
21834	9	D	673	2
21835	6	D	673	1
21837	0	D	660	5
21838	7	D	660	5
21861	5	D	837	6
21862	2	D	838	1
21912	4	H	684	1
21923	0	H	683	4
22157	8	D	802	2
22182	0	D	428	6
22185	1	D	763	1
22192	9	D	141	1
22203	2	D	586	4
22204	9	D	87	5

Stock No.	Barcode Chck Digit	Dealer Code	Cat. Page	Seq. No.
22213	1	D	156	3
22216	2	D	354	3
22230	8	D	671	3
22231	5	D	139	9
22232	2	D	151	4
22264	3	P	232	2
22265	0	P	232	1
22266	7	D	600	9
22267	4	D	175	4
22272	8	D	53	7
22277	3	D	139	8
22278	0	D	669	6
22291	9	P	485	4
22295	7	P	491	5
22296	4	D	489	3
22299	5	D	489	4
22301	5	P	300	1
22317	6	D	304	2
22322	0	D	574	4
22323	7	H	685	1
22333	6	D	716	4
22349	7	D	169	5
22354	1	D	570	2
22355	8	D	570	4
22356	5	D	570	6
22357	2	D	570	6
22412	8	P	279	1
22414	2	P	291	1
22415	9	P	285	4
22418	0	H	726	9
22457	9	D	330	3
22463	0	P	275	1
22489	0	D	171	5
22490	6	D	233	2
22491	3	D	234	1
22492	0	D	183	1
22493	7	D	237	5
22494	4	P	241	1
22495	1	P	173	2
22496	8	D	659	1
22498	2	D	659	1
22592	7	D	185	1
22596	5	D	185	3
22597	2	D	185	2
22598	9	D	381	6
22599	6	D	381	6
22601	6	D	381	6
22602	3	D	789	1
22604	7	D	789	1
22631	3	D	570	1
22632	0	D	570	3
22633	7	D	570	5
22634	4	D	570	5
22670	2	D	607	1
22671	9	D	607	1
22672	6	D	607	1
22673	3	D	607	1
22791	4	P	357	3
23017	4	H	76	1
23079	2	D	539	3
23187	4	D	602	6
23189	8	D	303	1
23190	4	D	303	1
23191	1	D	303	1
23192	8	D	303	1
23193	5	P	159	2
23200	0	D	381	5
23201	7	D	381	5
23202	4	D	381	5
23211	6	P	507	4
23216	1	P	220	4
23222	2	D	591	3
23236	9	P	167	3
23238	3	P	157	5
23242	0	P	230	4
23245	1	P	200	2
23246	8	D	188	9
23247	5	D	188	9
23248	2	P	238	2
23251	2	P	167	2
23253	6	P	220	3
23254	3	D	159	1
23257	4	P	160	1
23258	1	D	237	3
23259	8	D	237	3
23260	4	D	802	5
23264	2	D	188	3
23302	1	P	220	5
23304	5	P	160	1
23306	9	P	220	4
23310	6	P	170	1
23311	3	P	170	2
23312	0	P	170	4
23313	7	P	170	5
23314	4	P	492	4
23317	5	P	492	5
23320	5	P	492	6
23326	7	H	726	5
23341	0	D	750	8
23354	0	D	351	5
23355	7	D	351	5
23358	8	D	351	5
23359	5	D	351	5
23360	1	D	351	5
23420	2	P	160	2
23508	7	D	797	4
23540	7	P	660	8
23553	7	D	664	7
23554	4	D	664	8
23608	4	H	661	7
23612	1	P	238	4
23692	3	H	271	8
23709	8	H	271	8
23717	3	H	271	8
23725	8	H	271	8
23733	3	H	271	8
23759	3	H	271	7
23767	8	H	271	7
23775	3	H	271	5
23783	8	H	271	5
23793	7	P	399	4
23984	9	P	383	2
23987	0	P	383	3
24237	5	D	644	2
24308	2	D	593	2
24311	2	D	195	1
24317	4	D	171	6
24326	6	P	309	9
24327	3	H	259	4
24329	7	P	309	3
24330	3	P	309	5
24331	0	P	309	7
24332	7	P	309	1
24333	4	P	309	10
24334	1	P	309	4
24335	8	H	259	4
24336	5	P	309	6
24337	2	P	309	8
24338	9	P	309	2
24342	6	D	188	8
24343	3	H	259	4
24351	8	H	259	4
24368	6	D	774	3
24369	3	H	259	4
24375	4	H	688	1
24376	1	H	686	1
24378	5	H	689	2
24383	9	D	592	3
24385	3	H	259	4
24391	4	P	247	5
24392	1	P	366	3
24393	8	D	366	3
24394	5	D	366	3
24395	2	D	366	3
24397	6	D	366	3
24400	3	H	259	4
24402	7	D	626	1
24403	4	D	626	1
24404	1	D	626	1
24405	8	D	626	1
24406	5	D	626	1
24407	2	D	626	1
24408	9	D	626	1
24409	6	D	626	1
24410	2	D	626	1
24411	9	D	626	1
24414	0	H	730	2
24418	8	H	259	4
24424	9	D	591	9
24429	4	D	593	2
24433	1	D	442	3
24434	8	H	259	4
24441	6	P	186	3
24442	3	H	259	4
24443	0	P	186	4
24445	4	P	186	5
24446	1	D	139	3
24450	8	H	259	4
24476	8	H	259	4
24484	3	H	259	4
24492	8	H	259	4
24509	3	H	259	4
24517	8	H	259	4
24525	3	H	259	4
24529	1	D	847	3
24533	8	H	259	3
24538	3	D	847	4
24541	3	H	259	3
24559	8	H	259	3
24561	1	P	247	4
24567	3	H	259	3
24575	8	H	259	3
24577	2	D	320	6
24580	2	P	380	4
24583	3	H	259	3
24591	8	H	259	3
24608	3	H	259	3
24616	8	H	259	3
24624	3	H	259	3
24632	8	H	259	3
24640	3	H	259	3
24646	5	D	847	5
24657	1	D	192	1
24658	8	H	259	3
24659	5	D	192	3
24660	1	D	192	2
24661	8	D	193	1
24662	5	D	192	5
24663	2	D	193	7
24664	9	D	848	5
24665	6	D	193	4
24666	3	H	259	3
24667	0	D	192	6
24668	7	D	193	6
24669	4	D	193	9
24674	8	H	259	3
24681	6	D	848	5
24682	3	H	259	3
24690	8	H	259	3
24693	9	H	642	1
24707	3	H	259	3
24715	8	H	259	3
24723	3	H	259	3
24731	8	H	259	3
24737	0	D	550	1
24738	7	D	550	1
24739	4	D	550	1
24743	1	D	550	1
24745	5	D	550	1
24746	2	D	550	1
24749	3	H	259	3
24757	8	H	259	3
24765	3	H	259	3
24771	4	D	245	5
24773	8	H	259	3
24774	5	D	245	5
24776	9	D	794	9
24777	6	D	795	6
24778	3	D	795	4
24781	3	H	259	1
24795	0	D	545	5
24799	8	H	259	5
24805	6	D	624	2
24806	3	H	259	5
24807	0	P	507	5
24808	7	P	507	6
24814	8	H	259	5
24815	5	D	769	3
24816	2	D	607	8
24822	3	H	259	5
24830	8	H	259	5
24831	5	D	795	7
24834	6	D	795	8
24835	3	D	795	10
24836	0	D	795	2
24838	4	D	795	1
24848	3	H	259	5
24856	8	H	259	5
24864	3	H	259	5
24865	0	D	848	5
24866	7	D	661	9
24869	8	D	848	2
24872	8	H	259	5
24880	3	H	259	5
24893	3	D	82	1
24894	0	D	82	1
24896	4	D	82	1
24897	1	D	82	1
24898	8	H	259	5
24899	5	D	422	2
24900	8	D	422	4
24902	2	D	423	4

Stock No.	Barcode Chck Digit	Dealer Code	Cat. Page	Seq. No.
24903	9	D	425	3
24904	6	D	426	3
24905	3	D	422	3
24906	0	D	422	5
24907	7	D	422	7
24909	1	D	425	2
24912	1	P	505	1
24913	8	P	505	2
24917	6	P	492	5
24919	0	D	848	4
24935	0	D	814	6
24958	9	D	751	2
24959	6	D	751	2
24960	2	D	848	3
24972	5	D	524	2
24973	2	P	278	5
24974	9	P	278	2
24975	6	P	278	1
24978	7	P	277	3
24980	0	P	277	4
24981	7	P	277	2
24997	8	D	853	2
25002	8	D	853	3
25049	3	D	853	7
25060	8	D	853	8
25067	7	D	853	5
25068	4	D	853	6
25070	7	D	851	6
25086	8	D	851	7
25089	9	D	851	1
25091	2	D	851	4
25119	3	H	259	2
25135	3	H	259	2
25186	5	D	352	2
25187	2	D	352	2
25188	9	D	352	2
25189	6	D	352	2
25190	2	D	352	2
25191	9	D	352	2
25216	9	D	849	1
25293	0	D	849	5
25296	1	D	849	3
25342	5	D	849	4
25354	8	P	249	4
25355	5	P	249	5
25359	3	P	376	4
25360	9	P	377	6
25362	3	D	624	3
25363	0	D	624	3
25364	7	D	624	3
25365	4	D	624	3
25366	1	D	624	6
25367	8	D	624	6
25368	5	D	624	6
25369	2	D	625	6
25370	8	D	625	6
25371	5	D	625	6
25383	8	H	260	7
25391	3	H	260	7
25396	8	H	74	6
25397	5	H	74	4
25399	9	D	850	1
25408	8	H	260	7
25416	3	H	261	8
25424	8	H	261	4
25432	3	H	261	2
25440	8	H	261	2
25458	3	H	261	2
25466	8	H	261	5
25467	5	D	850	2
25474	3	H	261	6
25490	3	H	261	3
25498	9	D	442	1
25499	6	D	442	1
25500	9	D	442	1
25501	6	D	442	1
25502	3	D	442	1
25503	0	D	442	1
25504	7	D	442	1
25505	4	D	442	1
25506	1	D	442	1
25507	8	H	261	3
25508	5	D	442	1
25509	2	D	442	1
25510	8	D	442	2
25511	5	D	442	2
25512	2	D	442	2
25513	9	D	442	2
25515	3	H	263	2
25523	8	H	263	2
25531	3	H	258	11
25537	5	D	438	1
25539	9	D	642	1
25540	5	D	642	1
25549	8	H	258	11
25578	8	D	802	2
25760	7	D	354	3
25761	4	D	354	3
25762	1	D	354	3
25764	5	D	343	3
25765	2	D	354	3
25766	9	D	354	3
25767	6	D	354	3
25768	3	D	354	3
25790	4	D	305	12
25792	8	D	306	2
25793	5	D	305	12
25794	2	D	306	2
25795	9	D	306	2
25796	6	D	306	2
25798	0	D	306	10
25799	7	D	306	10
25800	0	D	306	10
25801	7	D	306	10
25802	4	D	306	10
25803	1	D	307	11
25805	5	D	307	11
25810	9	D	307	11
25811	6	D	307	11
25813	0	D	307	13
25814	7	D	306	4
25815	4	D	306	4
25816	1	D	306	6
25817	8	D	306	8
25818	5	D	306	8
25819	2	D	306	12
25820	8	H	258	1
25821	5	D	306	12
25822	2	D	307	2
25823	9	D	307	6
25824	6	D	307	4
25825	3	D	307	4
25826	0	D	307	4
25827	7	D	307	4
25832	1	D	305	11
25834	5	D	306	1
25835	2	D	305	11
25836	9	D	306	1
25837	6	D	306	1
25838	3	H	258	1
25839	0	D	306	1
25840	6	D	306	9
25841	3	D	306	9
25842	0	D	306	9
25843	7	D	306	9
25844	4	D	306	9
25845	1	D	307	10
25846	8	H	258	1
25847	5	D	307	10
25852	9	D	307	10
25853	6	D	307	10
25854	3	H	258	1
25855	0	D	307	12
25856	7	D	306	3
25857	4	D	306	3
25858	1	D	306	5
25859	8	D	306	7
25860	4	D	306	7
25861	1	D	306	11
25862	8	H	258	2
25863	5	D	306	11
25864	2	D	307	1
25865	9	D	307	5
25866	6	D	307	3
25867	3	D	307	3
25868	0	D	307	3
25869	7	D	307	3
25870	3	H	258	2
25881	9	H	682	7
25882	6	H	695	2
25885	7	H	682	4
25888	8	H	258	2
25896	3	H	258	2
25901	4	D	848	6
25902	1	D	848	6
25903	8	H	258	2
25904	5	D	848	6
25905	2	D	848	6
25906	9	D	848	6
25907	6	D	848	6
25909	0	D	848	6
25910	6	D	848	6
25911	3	H	258	2
25912	0	D	409	3
25913	7	D	848	6
25914	4	D	409	3
25922	9	D	489	8
25924	3	D	489	9
25925	0	D	489	7
25928	1	D	423	2
25929	8	H	258	2
25930	4	H	260	1
25931	1	H	253	1
25932	8	H	253	2
25935	9	H	258	3
25937	3	H	258	2
25945	8	H	258	2
25953	3	H	258	2
25961	8	H	258	2
25976	2	D	409	3
25979	3	H	258	2
25989	2	P	299	4
25993	9	D	603	9
25994	6	D	228	3
25995	3	D	848	1
25996	0	D	175	6
26011	9	P	249	4
26026	3	H	260	1
26057	7	D	414	5
26072	0	D	414	5
26073	7	D	414	5
26074	4	D	414	5
26075	1	D	414	5
26079	9	D	414	5
26080	5	D	414	5
26083	6	D	414	5
26085	0	D	414	5
26086	7	D	414	5
26087	4	D	414	5
26088	1	D	414	5
26093	5	D	414	5
26097	3	D	414	5
26098	0	D	414	5
26101	7	D	414	5
26106	2	D	414	5
26108	6	D	414	5
26110	9	D	414	5
26114	7	D	414	5
26115	4	D	414	5
26116	1	D	414	5
26117	8	D	414	5
26118	5	D	414	5
26119	2	D	414	5
26120	8	D	597	7
26123	9	D	734	6
26124	6	D	414	5
26128	4	D	414	5
26129	1	D	414	5
26130	7	D	414	5
26191	8	D	644	7
26197	0	D	594	1
26199	4	D	594	1
26205	2	D	595	1
26209	0	D	644	4
26244	1	D	848	6
26246	5	D	849	6
26314	1	D	169	3
26316	5	D	820	9
26317	2	D	183	4
26318	9	D	151	8
26319	6	D	138	5
26320	2	D	138	5
26327	1	D	245	4
26328	8	D	595	1
26330	1	D	849	2
26331	8	D	595	1
26333	2	D	848	6
26335	6	D	627	7
26341	7	P	871	6
26391	2	D	848	6
26420	9	D	661	1
26439	1	H	71	2
26447	6	D	454	5
26457	5	D	579	4
26458	2	D	454	6
26478	0	H	731	6
26479	7	H	730	3
26482	7	D	524	1
26502	2	D	56	5
26503	9	D	56	5
26504	6	D	56	5
26505	3	D	56	6

Stock No.	Barcode Chck Digit	Dealer Code	Cat. Page	Seq. No.
26506	0	D	56	6
26507	7	D	56	6
26513	8	H	271	9
26514	5	D	56	1
26515	2	D	56	1
26516	9	D	56	1
26517	6	D	56	2
26521	3	H	271	9
26522	0	D	56	2
26534	3	D	454	7
26536	7	D	454	7
26537	4	D	454	8
26557	2	D	602	7
26559	6	D	602	5
26566	4	D	56	2
26590	9	D	56	7
26591	6	D	56	7
26662	3	H	271	6
26669	2	D	141	1
26670	8	H	271	6
26695	1	H	79	5
26696	8	H	79	4
26697	5	H	79	3
26704	0	D	56	3
26710	1	D	56	3
26722	4	D	56	3
26723	1	D	57	5
26724	8	D	57	5
26733	0	D	57	5
26766	8	D	599	5
26779	8	D	57	2
26790	3	D	676	2
26800	9	D	57	2
26807	8	D	414	5
26808	5	D	414	5
26809	2	D	414	5
26810	8	D	57	1
26817	7	D	57	1
26820	7	D	444	1
26823	8	D	444	1
26824	5	D	444	1
26825	2	D	287	1
26826	9	D	444	2
26827	6	D	444	2
26829	0	D	444	2
26832	0	D	444	2
26834	4	D	444	2
26847	4	D	646	4
26852	8	D	444	2
26861	0	D	444	2
26864	1	D	444	2
26865	8	D	444	2
26871	9	D	344	1
26872	6	D	444	8
26875	7	D	444	6
26876	4	D	444	6
26877	1	D	444	3
26878	8	D	67	4
26880	1	D	67	4
26881	8	D	67	4
26882	5	D	67	4
26883	2	D	67	4
26884	9	D	67	4
26885	6	D	67	4
26886	3	D	67	4
26887	0	D	67	4
26889	4	D	67	4
26890	0	D	67	4
26892	4	D	67	4
26894	8	D	67	4
26895	5	D	444	3
26899	3	D	444	3
26901	3	D	444	3
26902	0	D	444	3
26916	7	D	141	1
26928	0	D	790	11
26930	3	D	444	5
26931	0	D	284	5
26932	7	D	284	5
26933	4	D	171	9
26934	1	D	444	5
26940	2	D	444	5
26997	6	D	444	10
27017	0	D	85	3
27029	3	D	563	4
27030	9	D	563	5
27045	3	D	444	9
27077	4	D	444	7
27142	9	D	69	2
27295	2	D	306	12
27298	3	D	176	9
27425	3	D	720	6
27428	4	D	720	5
27429	1	D	720	4
27430	7	D	720	7
27432	1	D	720	1
27433	8	D	720	3
27435	2	D	841	5
27436	9	D	819	6
27590	8	D	598	8
27591	5	D	563	3
27602	8	D	745	5
27606	6	D	745	4
27612	7	D	745	2
27618	9	D	191	6
27619	6	D	191	6
27628	8	P	345	3
27630	1	D	561	1
27632	5	D	658	6
27634	9	P	217	4
27694	3	D	89	5
27696	7	D	89	4
27697	4	D	847	6
27698	1	H	697	4
27699	8	H	697	5
27700	1	H	697	6
27712	4	H	698	1
27716	2	H	698	2
27721	6	H	698	3
27723	0	H	698	4
27724	7	H	698	3
27725	4	H	698	4
27726	1	H	698	5
27727	8	H	698	6
27729	2	H	698	6
27732	2	P	484	2
27757	5	D	851	5
27814	5	P	167	4
27818	3	P	167	4
27839	8	D	546	1
27842	8	D	546	3
27843	5	D	547	2
27844	2	D	546	2
27845	9	D	546	5
27847	3	D	546	6
27848	0	D	547	1
27849	7	D	546	4
27871	8	P	174	8
27894	7	D	836	8
27940	1	D	287	4
27941	8	D	288	5
27942	5	D	288	5
27943	2	D	654	7
28051	3	D	306	11
28108	4	D	438	1
28109	1	D	354	3
28110	7	D	354	3
28112	1	D	343	3
28117	6	D	573	5
28118	3	D	573	6
28119	0	D	573	4
28160	2	D	837	4
28163	3	D	837	2
28210	4	D	826	7
28273	9	D	819	4
28287	6	D	819	5
28320	0	D	183	4
28420	7	D	67	1
28446	7	D	67	1
28454	2	D	67	1
28462	7	D	67	1
28470	2	D	67	1
28488	7	D	67	1
28496	2	D	67	1
28503	7	D	67	1
28511	2	D	67	1
28529	7	D	67	1
28545	7	D	67	1
28561	7	D	67	1
28589	1	D	820	9
28618	8	D	655	8
28660	7	D	69	1
28694	2	D	69	1
28703	1	D	381	3
28719	2	D	69	1
28735	2	D	69	1
28743	7	D	69	1
28777	2	D	69	1
28796	3	D	624	3
28797	0	D	624	3
28798	7	D	624	3
28814	4	P	200	4
28815	1	P	200	3
28816	8	D	237	1
28819	9	D	183	2
28820	5	D	173	4
28821	2	D	720	10
28833	5	P	172	5
28836	6	P	172	4
28837	3	P	172	6
28853	3	P	382	1
28878	6	D	546	2
28879	3	D	546	3
28881	6	H	71	3
28882	3	D	164	4
28886	1	D	789	5
28887	8	D	789	4
28888	5	D	789	6
28889	2	D	789	7
28967	7	D	81	3
29082	6	D	448	1
29083	3	D	448	1
29117	5	D	233	2
29119	9	D	233	2
29129	8	D	233	2
29130	4	D	233	2
29133	5	D	233	2
29147	2	D	233	2
29155	7	D	233	2
29159	5	D	233	2
29163	2	D	233	2
29171	7	D	233	2
29183	0	D	233	2
29186	1	D	233	2
29187	8	D	233	2
29265	3	D	637	5
29266	0	D	637	7
29297	4	P	868	1
29355	1	P	276	5
29408	4	D	629	11
29409	1	D	629	12
29422	0	D	362	2
29424	4	D	362	3
29517	3	D	630	1
29520	3	D	627	5
29521	0	D	642	3
29523	4	D	618	8
29524	1	D	620	9
29525	8	D	620	9
29526	5	D	620	9
29545	6	H	77	3
29546	3	H	77	5
29547	0	H	77	4
29548	7	H	77	6
29613	2	D	571	3
29620	0	P	346	3
29621	7	P	347	1
29760	3	D	58	7
29804	4	D	345	1
29807	5	D	640	9
29907	2	D	82	7
30024	2	P	876	1
30038	9	D	304	1
30047	1	D	82	3
30055	6	D	82	3
30062	4	P	876	2
30063	1	D	82	3
30070	9	P	876	3
30071	6	D	82	3
30309	0	D	664	9
30310	6	D	844	2
30348	9	D	284	5
30349	6	D	284	5
30357	1	P	94	3
30427	1	P	299	1
30479	0	D	347	3
30565	0	D	837	1
30595	7	D	299	2
30612	1	P	215	3
30630	5	H	72	4
30631	2	D	72	5
30638	1	D	72	5
30640	4	D	72	5
30646	6	D	72	5
30650	3	H	699	4
30672	5	D	595	8
30722	7	D	451	4
30736	4	P	342	3
30737	1	H	701	5
30743	2	D	347	4
30745	6	D	451	4
30746	3	D	451	4

Stock No.	Barcode Chck Digit	Dealer Code	Cat. Page	Seq. No.
30750	0	D	451	5
30752	4	D	94	3
30767	8	H	80	4
30768	5	H	80	3
30769	2	D	174	3
30770	8	D	174	2
30771	5	D	174	3
30773	9	D	174	2
30775	3	D	451	5
30781	4	D	577	3
30784	5	D	167	1
30785	2	D	622	5
30787	6	D	451	5
30812	5	D	451	5
30819	4	D	171	8
30820	0	D	451	5
30822	4	D	236	3
30823	1	P	158	4
30824	8	D	153	3
30825	5	D	236	7
30826	2	D	185	8
30831	6	D	185	7
30832	3	P	149	1
30834	7	D	185	5
30838	5	D	185	6
30847	7	D	574	2
30850	7	D	451	5
30851	4	D	451	5
30852	1	D	451	5
30853	8	D	451	5
30854	5	D	59	1
30855	2	D	574	2
30869	9	D	67	4
30870	5	D	67	2
30878	1	P	219	6
30881	1	P	219	5
30883	5	P	219	4
30888	0	P	229	5
30897	2	D	574	4
30904	7	D	575	6
30905	4	D	59	1
30912	2	D	575	6
30920	7	D	575	6
30938	2	D	575	6
30940	5	D	645	1
30948	1	D	59	1
30975	7	D	734	7
30988	7	D	659	8
31002	9	D	74	1
31003	6	D	74	1
31004	3	D	74	1
31005	0	D	74	1
31006	7	D	74	1
31007	4	D	74	1
31008	1	D	74	1
31009	8	D	74	1
31010	4	D	74	1
31011	1	D	74	1
31012	8	D	74	1
31013	5	D	74	1
31014	2	D	74	1
31015	9	D	74	1
31018	0	D	74	1
31019	7	D	74	1
31020	3	D	74	1
31022	7	D	74	1
31023	4	D	74	1
31024	1	D	74	1
31025	8	D	74	1
31026	5	D	74	1
31027	2	D	74	1
31028	9	D	74	1
31033	3	D	193	8
31037	1	H	38	1
31038	8	D	675	1
31039	5	D	675	2
31043	2	D	675	4
31052	4	D	675	5
31057	9	H	38	2
31059	3	D	836	7
31069	2	D	838	3
31070	8	H	38	3
31073	9	D	673	3
31077	7	D	791	9
31085	2	H	496	1
31087	6	P	865	2
31091	3	D	39	4
31096	8	D	545	6
31108	8	D	545	6
31132	3	D	39	4
31137	8	D	39	4
31143	9	D	39	1
31144	6	D	585	7
31149	1	D	598	3
31150	7	D	577	2
31153	8	D	598	3
31156	9	D	39	1
31164	4	D	39	1
31167	5	H	79	2
31209	2	D	639	5
31231	3	P	158	2
31232	0	D	490	4
31235	1	P	345	1
31237	5	D	39	1
31240	5	D	489	6
31242	9	P	217	2
31251	1	D	236	4
31253	5	P	276	4
31254	2	P	276	1
31258	0	D	39	1
31262	7	P	458	1
31263	4	P	458	2
31264	1	P	458	3
31317	4	D	241	4
31318	1	P	185	4
31324	2	D	674	6
31325	9	D	39	1
31391	4	H	728	3
31419	5	D	81	9
31420	1	D	81	9
31421	8	D	81	9
31422	5	D	81	9
31423	2	D	81	9
31424	9	D	81	9
31425	6	D	81	9
31426	3	D	81	9
31427	0	D	81	9
31428	7	D	81	9
31431	7	D	81	9
31432	4	D	81	9
31435	5	D	39	1
31460	7	H	681	3
31469	0	D	39	1
31473	7	D	39	1
31479	9	P	217	1
31481	2	P	216	3
31485	0	D	39	1
31489	8	D	320	5
31490	4	D	39	1
31491	1	D	39	1
31492	8	D	39	1
31494	2	D	39	2
31495	9	D	177	1
31498	0	D	423	6
31500	0	D	39	2
31503	1	D	423	6
31507	9	D	423	6
31508	6	D	423	6
31509	3	D	423	6
31510	9	D	423	6
31513	0	D	67	1
31515	4	D	39	2
31517	8	D	423	6
31529	1	D	423	6
31548	2	D	790	1
31555	0	P	379	2
31556	7	D	39	2
31558	1	D	39	2
31561	1	P	379	5
31563	5	D	790	1
31569	7	D	790	3
31570	3	D	790	3
31571	0	D	39	2
31573	4	D	790	4
31591	8	H	496	2
31593	2	H	497	2
31595	6	H	497	3
31612	0	H	687	6
31615	1	D	39	2
31619	9	P	839	5
31660	1	D	39	2
31687	8	D	721	1
31696	0	D	627	5
31697	7	D	39	2
31698	4	D	39	2
31714	1	D	39	2
31720	2	D	39	2
31724	0	D	39	2
31740	0	D	39	2
31748	6	D	39	2
31756	1	D	39	3
31777	6	D	673	4
31784	4	D	39	3
31785	1	D	39	3
31788	2	D	39	3
31789	9	D	39	3
31835	3	D	39	3
31843	8	D	39	3
31861	2	H	678	2
31864	3	D	39	3
31869	8	D	39	3
31880	3	D	39	3
31882	7	D	39	3
31885	8	H	684	6
31908	4	D	193	2
31909	1	D	193	3
31912	1	D	234	3
31913	8	P	229	4
31918	3	H	678	1
31920	6	H	678	1
31921	3	P	229	3
31925	1	H	679	1
31926	8	H	679	1
31927	5	H	679	2
31929	9	H	679	2
31930	5	H	679	6
31937	4	D	721	4
31941	1	D	39	3
31944	2	H	678	3
31950	3	D	428	2
31951	0	D	39	3
31953	4	D	39	3
31954	1	D	39	3
31961	9	D	39	3
31964	0	D	39	3
31967	1	D	171	3
31968	8	H	679	4
31977	0	D	450	5
31985	5	D	658	4
31987	9	D	658	4
31988	6	D	39	3
31990	9	H	679	5
31991	6	H	75	3
31993	0	D	75	4
31994	7	D	75	4
31995	4	D	75	4
31996	1	D	75	4
31997	8	D	75	4
32000	4	D	39	3
32012	7	H	678	4
32013	4	H	680	2
32014	1	H	679	3
32015	8	H	678	2
32017	2	D	39	3
32018	9	H	678	2
32019	6	H	678	1
32020	2	H	679	1
32021	9	H	679	1
32022	6	H	679	2
32023	3	H	679	3
32042	4	D	39	5
32048	6	D	39	5
32054	7	D	354	3
32055	4	D	354	3
32057	8	D	343	3
32058	5	D	354	3
32078	3	D	39	5
32079	0	D	39	5
32098	1	D	39	5
32102	5	D	39	5
32103	2	D	39	5
32131	5	H	696	7
32142	1	D	39	5
32144	5	D	39	5
32272	5	D	630	11
32273	2	P	863	3
32274	9	P	863	4
32284	8	P	326	2
32285	5	P	326	3
32286	2	P	327	2
32287	9	P	327	4
32301	2	P	868	2
32319	7	P	860	3
32329	6	P	869	3
32373	9	D	593	8
32398	2	D	593	7
32427	9	D	50	4
32449	1	D	50	4
32453	8	D	50	4
32487	3	D	50	4
32536	8	D	50	4
32562	7	D	50	4

Stock No.	Barcode Chck Digit	Dealer Code	Cat. Page	Seq. No.
32569	6	D	50	4
32633	4	D	50	4
32661	7	D	50	6
32667	9	D	140	4
32675	4	D	50	6
32732	4	D	545	3
32761	4	D	50	6
32762	1	D	50	6
32766	9	D	51	2
32767	6	D	51	2
32768	3	D	51	2
32769	0	D	51	2
32770	6	D	51	2
32771	3	D	51	2
32772	0	D	51	2
32776	8	D	51	2
32777	5	D	51	2
32778	2	D	51	2
32780	5	D	51	2
32781	2	D	51	2
32786	7	D	51	2
32797	3	D	51	2
32800	0	D	51	2
32818	5	D	51	4
32819	2	D	51	4
32822	2	D	51	4
32823	9	D	51	4
32894	9	D	660	4
32955	7	D	51	4
32965	6	D	51	4
32990	8	D	51	4
33007	2	D	155	2
33012	6	D	640	6
33013	3	D	51	4
33017	1	D	844	4
33036	2	D	51	4
33038	6	D	52	2
33057	7	D	535	6
33070	6	D	616	2
33071	3	D	616	2
33072	0	D	616	2
33073	7	D	616	2
33079	9	D	542	5
33081	2	D	452	7
33082	9	D	660	6
33089	8	D	52	2
33093	5	D	52	2
33095	9	D	52	2
33097	3	D	52	2
33105	5	D	52	2
33125	3	D	52	2
33136	9	D	52	2
33160	4	D	52	2
33167	3	D	52	2
33202	1	D	52	2
33231	1	D	52	2
33289	2	D	52	2
33290	8	D	52	2
33319	6	D	141	1
33320	2	D	168	5
33321	9	D	192	4
33322	6	H	83	2
33323	3	H	83	3
33325	7	D	83	5
33326	4	D	83	5
33327	1	D	83	5
33328	8	D	83	5
33329	5	D	83	5
33330	1	D	83	5
33331	8	D	83	5
33332	5	D	83	5
33333	2	D	83	5
33334	9	D	83	5
33335	6	D	83	5
33336	3	D	83	5
33337	0	D	83	5
33338	7	D	83	5
33339	4	D	83	5
33340	0	D	83	5
33341	7	D	83	5
33342	4	D	83	5
33343	1	D	83	5
33344	8	D	83	5
33345	5	D	83	5
33346	2	D	83	5
33348	6	D	83	5
33349	3	D	83	5
33350	9	D	83	5
33351	6	D	83	5
33352	3	D	83	5
33353	0	D	83	5
33354	7	D	83	5
33355	4	D	83	5
33356	1	D	83	5
33357	8	D	83	5
33359	2	D	83	5
33360	8	D	83	5
33361	5	D	83	5
33363	9	D	83	5
33365	3	D	83	5
33366	0	D	83	5
33368	4	D	52	2
33369	1	D	83	5
33370	7	D	52	2
33372	1	D	52	2
33418	6	D	52	2
33441	4	D	52	2
33442	1	D	52	2
33455	1	D	583	8
33487	2	D	620	10
33488	9	D	583	8
33494	0	D	583	8
33498	8	D	583	8
33502	2	D	620	10
33506	0	D	583	8
33518	3	D	52	2
33528	2	D	620	10
33529	9	D	583	8
33544	2	D	620	10
33551	0	D	583	8
33552	7	D	583	8
33556	5	D	583	8
33559	6	D	583	8
33561	9	D	583	8
33562	6	D	583	8
33563	3	D	583	8
33564	0	D	583	8
33565	7	D	583	8
33566	4	D	583	8
33567	1	D	583	8
33568	8	D	583	8
33569	5	D	583	8
33570	1	D	583	8
33571	8	D	583	7
33572	5	D	583	7
33573	2	D	583	7
33575	6	D	583	7
33576	3	D	583	7
33577	0	D	583	7
33578	7	D	583	7
33579	4	D	583	7
33580	0	D	583	7
33581	7	D	583	7
33582	4	D	583	7
33583	1	D	583	7
33586	2	D	52	2
33587	9	D	583	7
33588	6	D	583	7
33591	6	D	587	7
33593	0	D	52	2
33594	7	D	52	2
33599	2	D	52	3
33600	5	D	52	3
33601	2	D	587	7
33602	9	D	587	7
33603	6	D	587	7
33604	3	D	587	7
33605	0	D	587	7
33606	7	P	168	3
33608	1	D	52	3
33609	8	D	52	3
33612	8	D	587	7
33615	9	D	587	7
33617	3	D	587	7
33618	0	D	587	7
33619	7	D	86	5
33621	0	D	86	5
33623	4	D	86	5
33624	1	D	86	5
33625	8	D	86	5
33628	9	D	86	5
33632	6	D	86	5
33633	3	D	87	3
33634	0	D	87	3
33638	8	D	87	3
33639	5	D	87	3
33641	8	D	52	3
33642	5	D	87	3
33644	9	D	52	3
33647	0	D	87	3
33648	7	D	87	3
33651	7	P	353	2
33652	4	D	584	1
33653	1	D	584	4
33655	5	D	584	3
33657	9	D	584	2
33659	3	D	584	5
33660	9	D	52	3
33661	6	D	52	3
33667	8	H	66	1
33679	1	D	584	9
33685	2	D	585	1
33687	6	D	585	2
33688	3	D	585	3
33690	6	D	584	7
33693	7	D	584	8
33694	4	D	587	5
33716	3	D	587	6
33719	4	D	587	3
33723	1	D	587	4
33724	8	D	52	3
33725	5	D	52	3
33726	2	D	52	3
33727	9	D	52	3
33728	6	D	52	3
33729	3	D	52	3
33730	9	D	52	4
33731	6	D	52	4
33732	3	D	52	4
33733	0	D	52	4
33734	7	D	52	4
33735	4	D	52	4
33737	8	D	86	6
33738	5	D	86	8
33739	2	D	86	7
33740	8	D	86	9
33741	5	D	52	4
33743	9	D	87	1
33746	0	P	291	5
33748	4	D	87	2
33772	9	D	52	4
33778	1	H	687	5
33785	9	P	300	4
33787	3	D	52	4
33788	0	D	52	4
33802	3	D	52	4
33811	5	D	427	2
33812	2	D	428	7
33814	6	H	704	3
33826	9	D	86	3
33827	6	D	584	6
33834	4	D	583	6
33836	8	D	320	4
33837	5	D	587	8
33838	2	D	52	4
33840	5	D	86	4
33841	2	D	52	4
33855	9	D	827	3
33858	0	D	52	4
33861	0	P	250	4
33865	8	D	52	4
33869	6	D	583	4
33871	9	D	583	5
33872	6	D	86	2
33873	3	D	583	2
33879	5	D	445	6
33880	1	D	445	6
33886	3	D	324	5
33888	7	D	595	5
33892	4	D	585	4
33893	1	P	342	1
33894	8	D	585	5
33895	5	D	585	6
33897	9	D	86	1
33898	6	D	86	1
33899	3	D	86	1
33900	6	D	86	1
33901	3	D	86	1
33902	0	D	86	1
33903	7	D	86	1
33904	4	D	86	1
33905	1	D	86	1
33906	8	D	583	3
33907	5	D	583	3
33908	2	D	583	3
33909	9	D	583	3
33910	5	D	583	3
33911	2	D	583	3
33912	9	D	583	3
33913	6	D	583	3
34023	1	P	337	1
34032	3	H	71	1

Stock No.	Barcode Chck Digit	Dealer Code	Cat. Page	Seq. No.
34035	4	P	379	5
34036	1	P	379	2
34039	2	D	88	4
34041	5	D	843	3
34049	1	D	612	1
34052	1	D	88	4
34053	8	D	194	1
34054	5	D	194	1
34055	2	H	682	1
34056	9	H	681	6
34057	6	H	704	3
34065	1	D	612	1
34066	8	D	88	4
34099	6	D	612	2
34104	7	D	612	3
34112	2	D	88	4
34114	6	D	85	2
34115	3	D	85	2
34116	0	D	85	2
34117	7	D	85	2
34118	4	D	85	2
34119	1	D	85	2
34120	7	D	85	2
34132	0	D	88	4
34133	7	D	88	5
34180	1	D	632	1
34181	8	H	694	1
34182	5	H	703	4
34183	2	D	155	6
34184	9	D	155	5
34186	3	D	88	5
34187	0	D	88	5
34195	5	D	88	5
34196	2	D	611	4
34204	4	D	88	5
34207	5	D	88	5
34220	4	D	579	1
34221	1	D	579	2
34227	3	H	834	4
34236	5	H	77	7
34237	2	D	611	5
34251	8	D	84	7
34253	2	D	84	8
34254	9	D	84	4
34256	3	D	322	7
34257	0	D	322	7
34258	7	D	84	4
34259	4	D	322	7
34260	0	D	84	4
34261	7	D	84	4
34262	4	D	84	5
34264	8	D	84	5
34265	5	D	88	5
34266	2	D	84	5
34267	9	D	84	5
34268	6	D	84	5
34269	3	D	84	5
34270	9	D	88	6
34272	3	D	84	5
34274	7	D	88	6
34276	1	D	717	6
34277	8	D	670	6
34278	5	D	670	5
34279	2	D	669	7
34285	3	D	88	6
34327	0	D	88	6
34334	8	D	63	3
34335	5	D	63	4
34336	2	D	63	3
34337	9	D	63	3
34339	3	D	63	4
34340	9	D	88	6
34341	6	D	63	4
34342	3	D	63	5
34343	0	D	63	5
34345	4	D	88	6
34347	8	D	321	5
34358	4	D	321	3
34372	0	D	88	6
34383	6	P	274	2
34400	0	P	243	8
34402	4	D	88	6
34412	3	D	88	1
34415	4	D	88	3
34451	2	D	88	2
34477	2	D	621	6
34478	9	D	823	1
34487	1	D	93	6
34496	3	D	62	4
34511	3	D	55	7
34515	1	D	55	6
34549	6	D	567	3
34552	6	D	567	2
34553	3	P	321	3
34561	8	D	49	7
34566	3	D	49	8
34570	0	P	94	1
34571	7	D	93	5
34583	0	P	321	3
34605	9	H	688	6
34664	6	H	755	5
34670	7	H	693	7
34672	1	H	682	5
34674	5	P	856	1
34676	9	P	856	2
34677	6	P	856	3
34679	0	D	304	3
34681	3	D	304	3
34682	0	D	304	3
34683	7	D	276	3
34684	4	D	276	3
34693	6	D	652	6
34698	1	D	652	6
34702	5	D	630	8
34703	2	D	630	8
34704	9	D	631	4
34730	8	D	616	2
34742	1	D	433	1
34744	5	D	433	1
34746	9	D	433	1
34755	1	D	433	1
34756	8	D	433	1
34757	5	D	433	1
34758	2	D	433	1
34759	9	D	433	1
34760	5	D	433	1
34761	2	D	433	1
34762	9	D	433	1
34765	0	D	433	1
34766	7	D	433	1
34767	4	D	433	1
34768	1	D	433	1
34769	8	D	433	1
34770	4	D	433	1
34771	1	D	433	1
34772	8	D	433	1
34773	5	D	433	1
34774	2	D	433	1
34775	9	D	433	1
34776	6	D	433	1
34777	3	D	433	1
34778	0	D	433	1
34780	3	D	433	1
34782	7	D	433	2
34783	4	D	433	2
34784	1	D	433	2
34785	8	D	433	2
34786	5	D	433	2
34788	9	D	433	2
34789	6	D	433	2
34790	2	D	433	2
34791	9	D	433	2
34792	6	D	433	2
34793	3	D	433	2
34794	0	D	433	2
34795	7	D	433	2
34796	4	D	433	2
34797	1	D	433	2
34798	8	D	433	2
34799	5	D	433	2
34800	8	D	433	2
34801	5	D	433	2
34802	2	D	433	2
34804	6	D	433	2
34805	3	D	433	2
34806	0	D	433	2
34807	7	D	433	2
34808	4	D	433	2
34809	1	D	433	2
34812	1	D	433	2
34813	8	D	433	2
34814	5	D	433	2
34815	2	D	433	2
34865	7	D	433	4
34866	4	D	433	4
34867	1	D	433	4
34868	8	D	433	4
34869	5	D	433	4
34870	1	D	433	4
34873	2	D	671	4
34875	6	D	838	2
34881	7	D	433	4
34892	3	D	433	4
34893	0	D	433	4
34894	7	H	731	7
34915	9	D	433	4
34932	6	D	433	4
34940	1	D	433	4
34943	2	D	433	4
34950	0	D	433	4
34951	7	D	433	4
34952	4	D	433	4
34953	1	D	433	4
34954	8	D	433	4
34961	6	D	433	4
34964	7	P	94	4
34965	4	D	433	4
34967	8	D	433	4
34969	2	D	433	4
34970	8	D	433	4
34971	5	D	555	1
34972	2	D	555	1
34973	9	D	555	1
34974	6	D	555	1
34975	3	D	555	1
34976	0	D	555	2
34977	7	D	555	2
34978	4	D	555	2
34979	1	D	555	2
34981	4	D	555	2
34982	1	D	555	3
34983	8	D	433	3
34984	5	D	433	3
34985	2	D	433	3
34986	9	D	433	3
34987	6	D	433	3
34988	3	D	433	3
34989	0	D	433	3
34990	6	D	555	3
34991	3	D	555	3
34992	0	D	555	3
34993	7	D	555	3
34994	4	D	555	4
34996	8	D	555	4
34999	9	D	555	4
35000	1	D	555	4
35005	6	D	555	4
35006	3	D	323	7
35008	7	D	323	8
35010	0	D	323	9
35013	1	D	77	1
35017	9	D	323	10
35018	6	D	323	12
35019	3	D	323	12
35023	0	D	324	6
35026	1	D	324	6
35028	5	D	324	6
35031	5	D	324	1
35032	2	D	324	1
35033	9	D	324	1
35034	6	D	84	1
35035	3	D	324	4
35036	0	D	324	4
35037	7	D	324	4
35038	4	D	324	4
35039	1	D	84	1
35040	7	D	324	4
35042	1	D	324	3
35044	5	D	324	3
35049	0	D	324	3
35050	6	D	324	3
35051	3	D	84	1
35052	0	D	324	3
35054	4	D	324	3
35058	2	D	84	1
35071	1	D	84	1
35074	2	D	84	1
35077	3	D	84	1
35080	3	D	84	1
35087	2	D	436	1
35089	6	H	80	5
35090	2	D	436	1
35093	3	D	436	1
35096	4	D	436	1
35098	8	D	183	6
35100	8	D	153	4
35102	2	D	436	1
35105	3	D	324	7
35107	7	D	324	9
35108	4	D	324	8
35109	1	D	324	10
35111	4	D	436	1

Stock No.	Barcode Chck Digit	Dealer Code	Cat. Page	Seq. No.
35120	6	D	436	1
35123	7	D	436	1
35128	2	D	436	1
35135	0	D	436	1
35137	4	D	84	2
35141	1	D	84	2
35143	5	D	84	2
35145	9	D	84	2
35147	3	D	84	2
35148	0	D	84	2
35150	3	D	84	2
35157	2	D	555	7
35159	6	D	555	7
35176	3	D	557	1
35181	7	D	557	1
35183	1	D	557	1
35184	8	D	557	1
35186	2	D	557	1
35210	4	D	557	2
35223	4	D	557	2
35225	8	D	557	2
35227	2	D	557	3
35230	2	D	557	3
35232	6	D	557	3
35266	1	D	321	6
35267	8	D	321	6
35268	5	D	321	6
35287	6	D	77	2
35295	1	D	77	2
35302	6	D	77	2
35310	1	D	77	2
35328	6	D	77	2
35336	1	D	77	2
35343	9	D	434	11
35344	6	D	77	2
35345	3	D	434	11
35347	7	D	434	12
35352	1	D	77	1
35360	6	D	77	1
35367	5	D	537	6
35368	2	D	537	6
35369	9	D	537	6
35370	5	D	537	7
35371	2	D	537	7
35372	9	D	537	7
35373	6	D	538	2
35378	1	D	77	1
35385	9	D	541	6
35386	6	D	77	1
35394	1	D	77	1
35396	5	D	153	8
35463	4	P	376	1
35464	1	P	376	2
35465	8	P	376	5
35467	2	P	377	3
35477	1	D	643	9
35480	1	D	603	4
35481	8	D	623	3
35518	1	D	67	5
35519	8	D	67	2
35521	1	D	141	1
35569	3	P	367	3
35570	9	H	495	5
35574	7	D	541	9
35582	2	P	226	1
35631	7	D	544	1
35649	2	D	544	1
35657	7	D	544	1
35708	6	D	448	3
35711	6	D	448	3
35712	3	D	448	3
35737	6	P	130	1
35738	3	P	132	1
35739	0	P	131	1
35740	6	P	130	2
35741	3	P	132	2
35742	0	P	131	2
35743	7	P	130	3
35744	4	P	132	3
35745	1	P	131	3
35746	8	P	129	1
35748	2	D	545	1
35756	7	D	545	1
35807	6	D	161	2
35877	9	P	146	1
35878	6	P	146	3
35879	3	P	146	6
35880	9	P	146	5
35881	6	P	148	2
35883	0	P	148	1
35884	7	P	147	1
35885	4	P	146	4
35886	1	P	146	2
35887	8	P	147	4
35888	5	P	147	5
35889	2	P	147	6
35891	5	P	148	3
35892	2	P	148	4
35900	4	P	870	2
35988	2	D	828	3
35989	9	D	828	2
35990	5	D	828	2
35995	0	D	575	6
35996	7	D	575	6
35997	4	D	575	6
36005	5	D	177	3
36030	7	D	734	8
36053	6	D	63	3
36054	3	D	63	4
36056	7	D	63	4
36057	4	D	63	5
36060	4	D	450	5
36061	1	D	450	5
36062	8	D	450	5
36064	2	D	450	5
36069	7	D	351	6
36071	0	D	351	6
36073	4	D	351	6
36074	1	D	351	6
36075	8	D	351	6
36080	2	D	449	3
36081	9	D	449	3
36082	6	D	449	3
36083	3	D	449	3
36084	0	D	449	3
36092	5	D	539	6
36142	7	H	692	7
36169	4	D	152	4
36174	8	D	152	5
36176	2	D	790	2
36180	9	D	232	3
36197	7	D	722	3
36198	4	D	722	3
36199	1	D	722	3
36200	4	D	534	7
36201	1	D	722	3
36202	8	D	722	3
36203	5	D	722	3
36205	9	D	722	3
36206	6	D	722	3
36211	0	D	853	4
36218	9	D	722	3
36219	6	D	722	3
36223	3	D	847	2
36228	8	D	722	3
36236	3	D	722	3
36238	7	D	722	3
36296	7	H	684	5
36321	6	H	694	7
36326	1	D	618	3
36327	8	P	378	6
36330	8	D	630	7
36542	5	D	821	5
36543	2	D	821	4
36547	0	D	821	9
36548	7	D	821	8
36550	0	D	821	7
36563	0	D	828	1
36564	7	D	828	1
36583	8	D	140	5
36631	6	P	234	4
36632	3	P	174	6
36633	0	P	174	5
36639	2	D	141	1
36644	6	P	860	1
36668	2	D	352	4
36669	9	D	352	4
36671	2	D	352	4
36672	9	D	807	7
36702	3	D	167	5
36748	1	D	850	4
36750	4	D	850	5
36754	2	D	850	6
36755	9	D	821	2
36756	6	D	821	3
36758	0	D	763	8
36778	8	D	824	4
36779	5	D	625	2
36780	1	D	824	5
36784	9	D	824	3
36791	7	D	824	1
36792	4	D	824	2
36793	1	D	824	9
36800	6	D	824	7
36819	8	D	825	3
36826	6	D	825	4
36833	4	D	826	1
36837	2	D	826	2
36838	9	D	826	3
36842	6	D	826	4
36843	3	D	826	5
36851	8	D	569	1
36865	5	D	851	2
36887	7	H	685	1
36895	2	H	685	1
36897	6	H	700	6
36898	3	H	700	7
36902	7	H	685	1
36923	2	D	153	1
36924	9	D	77	1
36925	6	D	77	1
36926	3	D	77	1
36927	0	D	77	1
36929	4	D	77	1
36930	0	D	77	1
36931	7	D	77	1
36932	4	D	77	2
36933	1	D	77	2
36934	8	D	77	2
36935	5	D	77	2
36937	9	D	77	2
36938	6	D	77	2
36947	8	D	381	3
36954	6	D	79	1
36955	3	D	79	1
36956	0	D	79	1
36957	7	D	79	1
36958	4	D	79	1
36959	1	D	79	1
36981	2	D	837	8
36990	4	D	381	3
37023	8	D	616	8
37058	0	P	210	2
37065	8	H	692	5
37066	5	H	699	5
37067	2	H	699	6
37068	9	H	699	7
37069	6	H	699	2
37070	2	H	699	3
37152	5	D	544	2
37157	0	P	210	1
37171	6	D	828	1
37188	4	P	209	2
37190	7	P	209	1
37316	1	D	171	12
37317	8	D	669	2
37324	6	D	595	12
37329	1	D	615	7
37330	7	D	615	7
37331	4	D	615	7
37332	1	D	615	7
37333	8	D	602	8
37334	5	D	602	8
37335	2	D	602	8
37336	9	D	602	9
37337	6	D	602	9
37338	3	D	602	9
37342	0	D	612	6
37349	9	D	612	4
37439	7	D	153	2
37470	0	D	669	2
37517	2	D	81	8
37519	6	D	81	8
37520	2	D	81	8
37522	6	D	81	8
37523	3	D	81	8
37524	0	D	81	8
37525	7	D	81	8
37526	4	D	81	8
37527	1	D	81	8
37528	8	D	81	8
37529	5	D	81	8
37530	1	D	81	8
37531	8	D	81	8
37532	5	D	81	8
37533	2	D	81	8
37534	9	D	81	8
37535	6	D	81	8
37536	3	D	81	8
37537	0	D	81	8
37538	7	D	81	8
37539	4	D	81	8

Stock No.	Barcode Chck Digit	Dealer Code	Cat. Page	Seq. No.
37657	5	D	547	6
37658	2	D	547	6
37659	9	D	547	6
37813	5	H	756	2
37814	2	H	756	2
37825	8	P	241	3
37826	5	P	241	2
37827	2	D	305	6
37828	9	D	305	5
37829	6	D	305	6
37830	2	D	305	5
37831	9	D	305	6
37832	6	D	305	5
37833	3	D	305	6
37834	0	D	305	5
37835	7	D	305	6
37836	4	D	305	5
37837	1	D	305	6
37838	8	D	305	5
37839	5	D	305	8
37840	1	D	305	7
37841	8	D	305	8
37842	5	D	305	7
37844	9	D	304	9
37847	0	H	66	5
37871	5	D	236	6
37923	1	D	616	4
37924	8	D	616	4
37975	0	D	824	6
38010	7	P	343	2
38012	1	P	343	1
38015	2	P	369	1
38016	9	D	183	6
38096	1	P	485	3
38114	2	P	491	1
38116	6	P	491	2
38124	1	D	576	6
38126	5	P	357	2
38150	0	D	438	2
38151	7	D	438	2
38152	4	D	438	2
38153	1	D	438	2
38154	8	D	438	2
38155	5	D	438	2
38156	2	D	628	9
38185	2	D	168	5
38186	9	D	345	1
38187	6	D	168	5
38191	3	D	168	5
38193	7	D	168	5
38194	4	D	168	5
38195	1	D	168	5
38198	2	D	168	5
38199	9	D	168	5
38200	2	D	168	5
38201	9	D	168	5
38202	6	D	168	5
38205	7	D	169	4
38206	4	D	804	1
38207	1	D	804	2
38209	5	D	804	3
38210	1	D	804	4
38211	8	D	804	5
38212	5	P	803	3
38213	2	P	803	4
38214	9	P	803	1
38216	3	P	803	5
38218	7	P	803	6
38220	0	P	803	2
38248	4	D	337	3
38249	1	D	337	3
38250	7	D	337	3
38251	4	D	337	3
38252	1	D	337	3
38254	5	P	251	4
38255	2	P	341	1
38265	1	D	640	7
38266	8	D	640	8
38267	5	D	622	6
38271	2	D	321	1
38274	3	D	541	4
38275	0	D	541	5
38276	7	D	541	4
38277	4	D	541	5
38281	1	D	303	2
38282	8	D	303	2
38285	9	D	303	2
38298	9	D	303	2
38306	1	D	303	2
38321	4	D	235	1
38322	1	D	235	1
38323	8	D	235	1
38324	5	D	235	1
38325	2	D	235	1
38326	9	D	235	1
38327	6	D	235	1
38328	3	D	235	1
38329	0	D	234	6
38331	3	D	303	2
38332	0	D	303	2
38334	4	D	303	2
38335	1	D	303	2
38336	8	D	303	2
38337	5	D	303	2
38338	2	D	303	2
38339	9	D	303	2
38340	5	D	303	2
38344	3	D	303	2
38351	1	D	495	1
38356	6	D	303	3
38360	3	D	303	3
38361	0	D	303	3
38362	7	D	244	12
38368	9	D	625	3
38369	6	H	66	2
38371	9	D	162	2
38384	9	D	162	3
38385	6	D	162	3
38386	3	D	162	3
38389	4	H	703	6
38392	4	D	321	2
38453	2	D	324	5
38600	0	P	157	2
38601	7	D	159	3
38606	2	D	421	3
38607	9	D	421	3
38608	6	D	421	3
38609	3	D	421	3
38610	9	D	421	3
38611	6	D	421	3
38612	3	D	421	3
38613	0	D	421	3
38615	4	D	421	3
38616	1	D	421	3
38620	8	D	421	3
38621	5	D	421	3
38622	2	D	421	3
38623	9	D	421	3
38624	6	D	421	3
38639	0	D	421	3
38646	8	D	421	3
38647	5	D	421	3
38648	2	D	421	3
38650	5	D	421	3
38651	2	D	421	3
38655	0	D	421	3
38657	4	D	421	3
38658	1	D	421	3
38659	8	D	421	3
38670	3	D	421	3
38671	0	D	421	3
38684	0	D	421	3
38705	2	D	421	2
38708	3	D	421	2
38709	0	D	421	2
38710	6	D	421	2
38715	1	D	421	2
38719	9	D	421	2
38789	2	D	421	2
38799	1	D	421	2
38802	8	D	421	2
38804	2	D	421	2
38805	9	D	421	2
38806	6	D	421	2
38807	3	D	421	2
38808	0	D	421	2
38809	7	D	421	2
38811	0	D	421	2
38812	7	D	421	2
38813	4	D	421	2
38814	1	D	421	2
38815	8	D	421	2
38816	5	D	421	2
38817	2	D	421	2
38818	9	D	421	2
38819	6	D	421	2
38820	2	D	421	2
38821	9	D	421	2
38822	6	D	421	2
38823	3	D	421	2
38824	0	D	421	5
38825	7	D	421	5
38826	4	D	421	5
38827	1	D	421	5
38828	8	D	421	5
38829	5	D	421	5
38830	1	D	421	5
38831	8	D	421	5
38832	5	D	421	5
38833	2	D	421	5
38835	6	D	421	5
38836	3	D	421	5
38837	0	D	421	5
38838	7	D	421	5
38839	4	D	421	5
38840	0	D	421	5
38841	7	D	421	5
38842	4	D	421	5
38843	1	D	421	5
38844	8	D	421	5
38845	5	D	421	5
38847	9	D	421	5
38848	6	D	421	5
38851	6	D	421	5
38858	5	D	421	5
38859	2	D	164	7
38860	8	D	207	5
38861	5	H	642	2
38863	9	D	421	5
38889	9	D	421	4
38896	7	D	537	2
38899	8	D	421	4
38902	5	D	421	4
38907	0	D	657	1
38912	4	D	421	4
38916	2	D	193	5
38921	6	D	421	4
38924	7	D	421	4
38990	2	D	421	4
38994	0	D	710	9
38995	7	D	536	2
38996	4	D	536	3
38997	1	D	536	5
38998	8	D	536	4
38999	5	D	536	6
39001	4	D	421	4
39003	8	D	421	4
39007	6	D	641	9
39008	3	D	421	4
39034	2	D	421	4
39035	9	D	421	4
39036	6	D	421	4
39044	1	D	421	4
39046	5	D	141	1
39047	2	D	141	1
39048	9	D	141	1
39049	6	D	141	1
39052	6	D	421	4
39053	3	D	421	4
39059	5	D	421	4
39060	1	D	421	4
39067	0	D	421	4
39068	7	D	421	4
39071	7	D	421	4
39073	1	D	421	4
39074	8	D	421	4
39078	6	D	421	4
39079	3	D	421	4
39083	0	D	421	4
39085	4	D	421	1
39088	5	D	421	1
39091	5	D	421	1
39092	2	D	421	1
39093	9	D	421	1
39098	4	D	421	1
39116	5	D	421	1
39133	2	D	421	1
39154	7	D	421	1
39222	3	D	421	1
39223	0	D	157	4
39224	7	D	539	8
39226	1	H	75	5
39227	8	D	421	1
39229	2	D	421	1
39230	8	D	421	1
39231	5	D	421	1
39232	2	D	421	1
39233	9	D	421	1
39234	6	D	421	1
39235	3	D	421	1
39236	0	D	421	1
39237	7	D	421	1

Stock No.	Barcode Chck Digit	Dealer Code	Cat. Page	Seq. No.
39238	4	D	421	1
39239	1	D	421	1
39240	7	D	421	1
39241	4	D	640	1
39242	1	D	421	1
39243	8	D	499	7
39244	5	D	640	2
39245	2	D	640	3
39247	6	D	421	1
39248	3	D	421	1
39249	0	D	421	1
39250	6	D	421	1
39251	3	D	421	1
39252	0	D	421	1
39253	7	D	640	4
39256	8	D	421	1
39257	5	D	421	1
39258	2	D	540	2
39259	9	D	425	7
39260	5	D	425	7
39263	6	D	425	7
39264	3	D	425	7
39268	1	D	425	7
39443	2	D	425	7
39451	7	D	611	6
39493	7	D	607	10
39500	2	D	607	10
39590	3	D	176	11
39591	0	D	176	10
39601	6	D	640	5
39643	6	D	425	7
39651	1	D	425	7
39669	6	D	156	5
39766	2	D	425	7
40002	7	D	561	7
40005	8	D	572	1
40006	5	D	560	3
40007	2	D	560	3
40008	9	D	560	3
40009	6	D	560	3
40010	2	D	560	3
40011	9	D	560	4
40012	6	D	560	4
40013	3	D	560	4
40014	0	D	560	4
40015	7	D	560	4
40016	4	D	560	5
40017	1	D	560	5
40018	8	D	560	5
40019	5	D	560	5
40020	1	D	560	5
40021	8	D	560	6
40022	5	D	560	6
40023	2	D	560	6
40024	9	D	560	6
40025	6	D	560	6
40026	3	D	560	1
40027	0	D	560	1
40028	7	D	560	1
40029	4	D	560	1
40030	0	D	560	1
40031	7	D	560	2
40032	4	D	560	2
40033	1	D	560	2
40034	8	D	560	2
40035	5	D	560	2
40036	2	D	560	7
40037	9	D	560	7
40038	6	D	560	7
40039	3	D	560	7
40040	9	D	560	7
40041	6	D	560	8
40042	3	D	560	8
40043	0	D	560	8
40044	7	D	560	8
40045	4	D	560	8
40046	1	D	85	5
40047	8	D	85	5
40048	5	D	85	5
40049	2	D	85	5
40050	8	D	85	5
40051	5	D	85	5
40052	2	D	85	5
40053	9	D	85	5
40084	3	D	425	7
40087	4	H	265	1
40088	1	D	425	7
40090	4	H	265	1
40091	1	D	425	7
40097	3	H	265	1
40105	5	D	234	2
40107	9	D	425	7
40123	9	H	702	8
40125	3	H	704	2
40130	7	P	365	2
40131	4	P	365	3
40133	8	P	187	4
40145	1	D	364	2
40146	8	D	364	2
40147	5	D	364	2
40150	5	D	364	2
40151	2	D	364	2
40152	9	D	364	2
40153	6	D	364	2
40155	0	D	364	2
40157	4	D	364	2
40175	8	D	364	2
40180	2	P	248	1
40181	9	P	248	3
40212	0	H	702	7
40390	5	D	341	3
40395	0	D	425	7
40398	1	D	844	5
40405	6	D	426	4
40406	3	D	353	3
40417	9	D	670	4
40418	6	D	197	8
40467	4	D	436	5
40468	1	D	436	5
40469	8	D	436	5
40470	4	D	436	5
40471	1	D	424	4
40475	9	D	566	1
40576	3	P	247	3
40592	3	P	247	5
40604	3	D	566	1
40617	3	D	425	7
40664	7	D	566	1
40671	5	D	425	7
40714	9	D	425	7
40721	7	D	566	1
40746	0	D	566	1
40751	4	D	566	1
40754	5	H	496	3
40755	2	H	496	4
40767	5	H	498	1
40779	8	D	566	2
40780	4	D	566	2
40781	1	D	566	2
40783	5	D	566	2
40784	2	D	566	3
40793	4	D	425	7
40798	9	D	425	7
40799	6	D	425	7
40802	3	D	561	1
40803	0	D	561	1
40806	1	D	566	3
40807	8	D	566	3
40809	2	D	425	7
40810	8	D	425	7
40811	5	D	425	7
40812	2	D	425	7
40813	9	D	425	7
40814	6	D	425	7
40815	3	D	425	7
40816	0	D	425	7
40817	7	D	425	7
40818	4	D	425	7
40819	1	D	425	7
40820	7	D	425	7
40821	4	D	425	7
40822	1	D	425	7
40823	8	D	426	2
40824	5	D	426	2
40825	2	D	426	2
40826	9	D	426	2
40827	6	D	426	2
40828	3	D	426	2
40829	0	D	426	2
40830	6	D	426	2
40831	3	D	426	2
40832	0	D	426	2
40833	7	D	426	2
40834	4	D	426	2
40835	1	D	426	2
40836	8	D	426	2
40837	5	D	426	2
40838	2	D	426	2
40839	9	D	426	2
40840	5	D	426	2
40841	2	D	426	2
40842	9	D	426	2
40843	6	D	426	2
40844	3	D	426	2
40845	0	D	426	2
40846	7	D	566	3
40848	1	D	426	2
40850	4	D	577	4
40855	9	D	576	4
40882	5	D	566	5
40885	6	D	450	7
40891	7	D	615	1
40919	8	D	426	2
40920	4	D	426	2
40928	0	D	427	7
40929	7	D	427	8
40930	3	D	427	9
40938	9	D	716	6
40947	1	D	426	2
41026	2	D	140	1
41065	1	D	426	2
41067	5	D	433	1
41068	2	D	433	1
41069	9	D	433	1
41070	5	D	433	1
41071	2	D	433	1
41072	9	D	433	1
41073	6	D	433	1
41074	3	D	433	1
41075	0	D	433	1
41076	7	D	433	1
41077	4	D	433	1
41078	1	D	433	1
41079	8	D	433	1
41080	4	D	433	1
41081	1	D	433	1
41082	8	D	433	1
41083	5	D	433	1
41084	2	D	433	1
41085	9	D	433	1
41086	6	D	433	1
41087	3	D	433	1
41088	0	D	433	1
41089	7	D	433	1
41090	3	D	433	1
41091	0	D	433	1
41092	7	D	433	1
41093	4	D	433	1
41094	1	D	433	1
41095	8	D	433	1
41096	5	P	280	1
41099	6	P	281	1
41112	2	D	426	2
41113	9	D	426	2
41144	3	D	433	1
41145	0	D	433	1
41219	8	D	426	2
41220	4	D	426	2
41251	8	D	426	2
41273	0	D	426	2
41289	1	D	426	2
41291	4	D	426	2
41294	5	D	426	2
41296	9	D	426	2
41299	0	D	426	2
41300	3	D	426	2
41302	7	D	426	2
41303	4	D	426	2
41304	1	D	561	6
41305	8	D	561	6
41338	6	D	641	7
41363	8	D	426	2
41375	1	D	630	10
41376	8	D	630	10
41378	2	D	734	5
41388	1	D	733	1
41389	8	D	241	5
41393	5	D	738	2
41394	2	D	738	2
41395	9	D	738	2
41427	7	D	445	2
41428	4	D	445	2
41429	1	D	445	2
41431	4	D	445	4
41432	1	D	445	3
41433	8	D	445	3
41434	5	D	445	7
41435	2	D	445	5
41436	9	D	445	8
41437	6	D	445	9
41438	3	D	445	9
41439	0	D	445	10

Stock No.	Barcode Chck Digit	Dealer Code	Cat. Page	Seq. No.
41440	6	D	445	11
41441	3	D	446	1
41442	0	D	446	1
41443	7	D	446	3
41444	4	D	446	3
41445	1	D	446	3
41446	8	D	446	3
41447	5	D	446	2
41449	9	D	446	2
41450	5	D	446	2
41473	4	D	426	2
41475	8	D	437	4
41477	2	D	437	4
41479	6	H	696	5
41482	6	D	58	3
41504	5	D	437	4
41505	2	D	437	4
41507	6	D	437	4
41508	3	D	437	4
41511	3	D	437	4
41518	2	D	364	2
41529	8	D	437	4
41552	6	D	437	4
41563	2	D	81	7
41568	7	D	81	7
41569	4	D	81	7
41570	0	D	653	2
41573	1	D	653	2
41590	8	D	437	4
41597	7	D	437	4
41685	1	D	364	2
41734	6	D	653	3
41784	1	D	437	4
41785	8	D	437	4
41786	5	D	437	4
41787	2	D	437	4
41788	9	D	437	4
41789	6	D	437	4
41790	2	D	423	3
41791	9	D	423	3
41792	6	D	653	4
41793	3	D	423	3
41794	0	D	423	3
41795	7	D	423	3
41796	4	D	423	3
41797	1	D	423	3
41798	8	D	423	3
41799	5	D	423	3
41800	8	D	423	3
41801	5	D	423	3
41803	9	P	157	3
41817	6	D	668	3
41818	3	D	668	4
41820	6	D	668	5
41821	3	D	138	2
41822	0	D	138	3
41823	7	D	667	4
41824	4	D	667	5
41834	3	D	666	1
41835	0	D	667	6
41864	0	D	667	1
41911	1	D	667	2
41912	8	D	786	10
41915	9	D	786	10
41916	6	D	786	10
41917	3	D	786	10
41918	0	D	786	9
41920	3	D	786	5
41921	0	D	196	1
41922	7	D	196	3
41923	4	D	786	2
41924	1	D	786	6
41925	8	D	196	2
41926	5	D	786	7
41933	3	D	648	2
41934	0	D	648	6
41935	7	D	648	2
41936	4	D	183	7
41967	8	D	138	1
42044	5	D	138	2
42088	9	D	138	1
42091	9	D	138	3
42093	3	D	138	1
42094	0	D	138	2
42095	7	D	138	3
42101	5	D	138	1
42102	2	D	666	1
42103	9	D	138	2
42111	4	D	666	1
42397	2	P	167	6
42496	2	D	594	7
42503	7	D	594	7
42560	0	D	616	5
42599	0	P	174	4
42604	1	D	436	5
42617	1	D	449	9
42618	8	D	449	9
42619	5	D	449	9
42620	1	D	449	9
42621	8	D	449	9
42933	2	P	321	1
42941	7	P	321	1
42967	7	D	719	8
42975	2	D	719	8
42983	7	D	719	8
42989	9	D	770	1
43043	7	D	353	5
43044	4	D	353	5
43045	1	D	353	5
43046	8	D	353	5
43047	5	D	353	5
43049	9	D	353	5
43050	5	D	353	5
43134	2	P	297	2
43135	9	P	300	5
43136	6	P	228	6
43137	3	P	228	5
43216	5	H	728	6
43275	2	D	589	3
43286	8	D	138	6
43288	2	H	700	5
43320	9	D	323	6
43326	1	P	280	4
43364	3	D	628	3
43376	6	D	560	2
43388	9	D	592	4
43571	5	D	572	2
43613	2	D	84	6
43615	6	D	168	4
43618	7	D	671	5
43620	0	P	182	6
43624	8	D	575	7
43640	8	D	575	8
43641	5	D	576	5
43643	9	D	575	9
43650	7	D	231	7
43686	6	H	696	1
43706	1	D	427	4
43707	8	D	427	5
43708	5	D	427	6
43709	2	D	427	3
43710	8	D	427	3
43711	5	D	427	3
43712	2	D	427	3
43713	9	D	427	3
43714	6	D	427	3
43715	3	D	427	3
43716	0	D	427	3
43718	4	D	56	4
43722	1	D	56	4
43741	2	D	56	4
43761	0	D	631	3
43762	7	D	631	3
43769	6	D	735	7
43770	2	D	735	8
43771	9	D	735	8
43772	6	D	735	7
43773	3	D	735	7
43774	0	D	735	8
43775	7	D	735	7
43778	8	D	736	1
43779	5	D	736	10
43780	1	D	736	11
43781	8	D	736	12
43782	5	D	736	3
43783	2	D	736	4
43784	9	D	736	5
43785	6	P	397	1
43786	3	D	736	2
43787	0	D	736	2
43788	7	D	736	7
43789	4	D	736	8
43791	7	D	736	9
43793	1	D	533	6
43794	8	D	736	5
43799	3	D	661	10
43846	4	D	184	7
43847	1	D	184	8
43853	2	D	245	6
43859	4	D	828	5
43860	0	D	827	5
43862	4	D	451	6
43863	1	D	236	10
43904	1	D	231	3
43912	6	D	755	1
43923	2	D	228	1
43940	9	D	572	3
43949	2	D	228	2
43958	4	P	242	5
43960	7	P	242	4
43961	4	D	244	6
43962	1	D	244	5
43963	8	D	244	12
43964	5	D	244	12
43965	2	D	244	12
43966	9	P	758	1
43967	6	P	232	6
43976	8	P	201	2
43982	9	D	244	10
43984	3	D	577	5
43986	7	D	230	3
43991	1	D	804	7
44001	6	D	156	8
44005	4	P	502	2
44006	1	D	719	7
44011	5	H	270	1
44012	2	H	270	1
44013	9	H	270	1
44014	6	H	270	1
44015	3	H	270	1
44016	0	H	270	1
44017	7	H	270	1
44018	4	H	270	1
44019	1	H	270	2
44039	9	D	675	3
44040	5	D	664	5
44051	1	D	543	9
44052	8	D	543	8
44053	5	D	543	7
44056	6	P	758	3
44058	0	P	758	4
44059	7	P	758	5
44134	1	D	362	4
44138	9	D	531	1
44139	6	D	531	1
44141	9	D	531	2
44142	6	D	531	1
44143	3	D	531	2
44145	7	D	531	3
44146	4	D	531	3
44199	0	D	81	9
44201	0	D	81	9
44203	4	D	81	9
44238	6	H	606	7
44246	1	D	793	9
44247	8	D	793	10
44252	2	D	197	9
44256	0	D	307	9
44267	6	H	701	5
44268	3	H	688	4
44342	0	D	448	4
44344	4	D	448	4
44351	2	D	423	1
44352	9	D	323	5
44450	2	D	734	3
44451	9	D	734	3
44452	6	D	734	3
44454	0	D	415	3
44455	7	D	415	3
44456	4	D	415	3
44457	1	D	415	3
44458	8	D	415	3
44459	5	D	415	3
44460	1	D	415	3
44461	8	D	415	3
44462	5	D	415	3
44463	2	D	415	3
44464	9	D	415	3
44465	6	D	415	3
44466	3	D	415	3
44467	0	D	415	3
44469	4	D	415	3
44470	0	D	415	3
44471	7	D	415	3
44472	4	D	415	3
44473	1	D	415	3
44474	8	D	415	3
44475	5	D	415	3
44476	2	D	415	3
44477	9	D	415	3
44478	6	D	415	3
44479	3	D	415	3

Stock No.	Barcode Chck Digit	Dealer Code	Cat. Page	Seq. No.
44480	9	D	415	3
44481	6	D	415	3
44482	3	D	415	3
44483	0	D	415	3
44485	4	D	415	3
44486	1	D	415	3
44488	5	D	415	3
44506	6	H	622	2
44912	5	D	454	3
44948	4	H	680	5
44952	1	D	621	7
44953	8	D	621	7
44954	5	D	621	7
44955	2	D	621	7
44956	9	D	621	7
44957	6	D	621	7
44958	3	D	621	7
44959	0	D	621	7
44960	6	D	621	7
44961	3	D	621	3
44962	0	D	621	2
44963	7	D	621	1
44993	4	D	827	4
44994	1	D	827	4
44997	2	D	827	6
45001	5	D	452	6
45018	3	P	246	2
45230	9	H	622	1
45231	6	H	622	1
45232	3	H	622	1
45233	0	D	623	1
45234	7	H	623	2
45235	4	H	623	2
45236	1	D	320	9
45237	8	D	596	11
45238	5	D	639	4
45241	5	D	628	4
45245	3	D	622	8
45274	3	D	662	3
45275	0	D	662	4
45276	7	D	611	2
45277	4	D	611	3
45278	1	D	593	1
45315	3	D	822	2
45316	0	D	822	1
45317	7	D	821	6
45334	4	D	827	2
45343	6	D	381	3
45348	1	D	317	3
45362	7	D	531	4
45419	8	D	854	1
45680	2	D	615	5
45698	7	D	615	5
45713	7	D	615	6
45721	2	D	615	6
45739	7	D	615	6
45783	0	H	622	2
45784	7	D	622	3
45785	4	D	622	3
45849	3	D	784	9
45856	1	D	616	2
45860	8	D	354	3
45863	9	D	354	3
45864	6	D	531	5
45865	3	D	626	3
45868	4	D	739	5
45881	3	D	341	2
45901	8	D	354	3
45920	9	P	861	3
45923	0	P	866	2
45924	7	D	354	3
45927	8	P	866	3
45932	2	P	861	2
45934	6	D	354	3
45936	0	P	861	1
45976	6	D	446	11
46294	0	D	446	12
46295	7	D	447	7
46296	4	D	447	3
46297	1	D	447	3
46298	8	D	447	3
46299	5	D	447	3
46300	8	D	447	3
46335	0	D	40	3
46441	8	D	350	2
46442	5	D	350	2
46443	2	D	350	2
46444	9	D	350	2
46445	6	D	350	2
46449	4	D	182	7
46479	1	D	577	1
46515	6	D	554	1
46516	3	D	554	1
46517	0	D	554	1
46518	7	D	554	1
46519	4	D	554	1
46520	0	D	554	1
46521	7	D	554	2
46522	4	D	554	2
46523	1	D	554	2
46524	8	D	554	2
46525	5	D	554	2
46526	2	D	554	2
46527	9	D	554	3
46528	6	D	554	3
46529	3	D	554	3
46530	9	D	554	4
46531	6	D	554	4
46532	3	D	554	4
46533	0	D	554	5
46534	7	D	554	5
46535	4	D	554	5
46536	1	D	554	6
46537	8	D	554	6
46538	5	D	554	6
46539	2	D	554	7
46540	8	D	554	8
46541	5	D	554	9
46598	9	D	245	3
46599	6	D	610	1
46600	9	D	610	1
46603	0	D	610	2
46604	7	D	610	2
46605	4	D	610	2
46606	1	D	610	2
46607	8	D	610	3
46608	5	D	610	4
46609	2	D	611	1
46672	6	H	704	3
46795	2	D	176	5
47044	0	H	76	5
47063	1	P	331	2
47100	3	P	331	1
47101	0	P	330	4
47105	8	P	330	3
47416	5	D	844	3
47418	9	D	789	8
47564	3	P	288	4
47565	0	P	288	1
47566	7	P	288	2
47568	1	P	281	4
47569	8	P	287	1
47570	4	P	287	5
47572	8	P	287	3
47616	9	P	289	2
47617	6	P	286	1
47622	0	P	285	1
47648	0	D	494	4
47807	1	P	243	6
47808	8	P	232	4
47809	5	P	243	4
47810	1	P	243	3
47811	8	P	243	1
47812	5	P	231	1
47813	2	P	243	2
47814	9	P	243	5
47817	0	D	618	2
48014	2	D	353	4
48030	2	D	353	4
48056	2	D	353	4
48072	2	D	353	4
48080	7	D	353	4
48198	9	D	289	3
48199	6	D	289	3
48200	9	D	289	4
48201	6	D	286	2
48202	3	D	286	2
48203	0	D	286	2
48205	4	D	286	2
48206	1	D	286	2
48207	8	D	286	2
48208	5	D	287	6
48209	2	D	287	6
48210	8	D	287	6
48216	0	D	140	3
48221	4	D	423	5
48325	9	D	140	2
48329	7	H	33	2
48344	0	P	224	3
48345	7	D	50	5
48346	4	P	224	3
48347	1	P	224	3
48348	8	P	224	3
48371	6	D	50	5
48413	3	P	279	3
48426	3	H	727	2
48444	7	D	50	5
48499	7	P	368	2
48556	7	D	368	2
48560	4	D	368	2
48561	1	D	368	2
48562	8	D	368	2
48566	6	P	486	7
48567	3	D	50	5
48670	0	D	50	5
48671	7	D	50	5
48677	9	D	639	3
48678	6	D	639	6
48725	7	H	693	7
48914	5	D	50	5
48919	0	D	567	1
48920	6	D	567	1
48921	3	D	567	1
48922	0	D	567	1
48923	7	D	567	1
48924	4	D	567	1
48925	1	D	567	3
48926	8	D	567	3
48927	5	D	567	1
48928	2	D	567	3
48929	9	D	567	3
48930	5	D	567	3
48931	2	D	567	2
48932	9	D	567	2
48933	6	D	568	2
48942	8	D	50	5
48951	0	D	588	4
48952	7	D	588	4
48953	4	D	588	4
48958	9	D	572	5
49010	3	D	50	5
49015	8	D	51	3
49016	5	D	51	3
49017	2	D	51	3
49018	9	D	51	3
49129	2	H	270	3
49168	1	H	681	2
49169	8	H	681	2
49170	4	H	685	2
49171	1	H	686	3
49172	8	H	685	4
49173	5	H	685	4
49174	2	H	692	4
49176	6	H	705	3
49188	9	H	690	2
49189	6	H	690	4
49190	2	H	690	3
49192	6	H	691	1
49193	3	H	691	1
49194	0	H	691	1
49195	7	H	691	1
49196	4	H	691	2
49197	1	H	690	6
49212	1	D	447	6
49280	0	D	634	4
49281	7	D	634	4
49283	1	D	634	5
49284	8	D	633	1
49285	5	D	634	1
49286	2	D	633	1
49287	9	D	634	1
49288	6	D	633	2
49289	3	D	634	2
49290	9	D	633	2
49291	6	D	634	2
49292	3	D	634	3
49294	7	D	446	8
49301	2	D	446	7
49387	6	D	51	3
49417	0	D	643	2
49419	4	D	643	7
49420	0	D	643	8
49421	7	D	643	11
49422	4	D	643	12
49427	9	D	787	2
49430	9	D	787	11
49431	6	D	787	12
49432	3	D	788	1
49433	0	D	787	11
49457	6	D	51	3
49459	0	D	51	3
49463	7	D	643	7

Stock No.	Barcode Chck Digit	Dealer Code	Cat. Page	Seq. No.
49480	4	D	51	3
49481	1	D	51	3
49482	8	D	51	3
49483	5	D	51	3
49484	2	D	51	3
49650	1	D	641	3
49905	2	D	544	3
50002	4	D	543	2
50021	5	P	351	2
50022	2	D	44	5
50048	2	D	44	6
50067	3	D	44	1
50077	2	P	864	7
50087	1	D	428	10
50094	9	P	229	2
50104	5	P	511	1
50114	4	D	44	2
50151	9	D	44	3
50158	8	D	44	4
50160	1	D	45	5
50176	2	D	45	6
50181	6	D	567	2
50188	5	D	45	1
50193	9	D	45	2
50195	3	D	45	3
50197	7	D	45	4
50201	1	D	46	5
50213	4	D	46	6
50236	3	D	46	1
50241	7	D	525	1
50243	1	D	525	1
50245	5	D	525	2
50246	2	D	525	3
50247	9	D	525	3
50248	6	D	525	4
50249	3	D	525	4
50250	9	D	525	4
50251	6	D	525	5
50253	0	D	525	5
50256	1	D	526	1
50293	6	D	526	3
50424	4	D	46	2
50462	6	D	642	2
50493	0	D	46	3
50541	8	D	46	4
50548	7	D	58	6
50579	1	D	58	6
50583	8	D	58	6
50590	6	D	609	4
50605	7	D	609	5
50621	7	D	643	1
50648	4	H	254	3
50649	1	H	254	2
50650	7	H	255	1
50670	5	D	57	6
50679	8	D	57	6
50687	3	D	57	6
50712	2	H	701	1
50720	7	H	701	1
50738	2	H	701	2
50746	7	H	701	2
50754	2	H	701	2
50802	0	D	324	5
50803	7	D	324	5
50813	6	D	170	7
50814	3	D	170	7
50924	9	P	513	1
50931	7	D	790	5
50934	8	D	790	3
50941	6	D	438	1
50958	4	D	450	6
50959	1	D	450	6
50961	4	D	450	6
50962	1	D	450	6
50963	8	D	450	6
50965	2	D	369	1
50966	9	D	369	1
50967	6	D	369	1
50968	3	D	369	1
50969	0	D	369	1
50970	6	D	369	1
50971	3	D	369	1
50976	8	P	366	1
50977	5	P	366	2
50984	3	D	154	9
50985	0	D	366	1
50988	1	D	366	1
50989	8	D	366	1
50990	4	D	632	3
50991	1	D	632	2
50998	0	D	629	7
51000	9	D	627	2
51002	3	D	186	6
51010	8	D	599	1
51011	5	D	599	2
51022	1	D	599	2
51023	8	D	599	3
51024	5	D	599	3
51051	1	D	599	3
51055	9	D	599	4
51070	2	D	611	7
51071	9	D	611	8
51072	6	D	611	9
51080	1	D	197	10
51082	5	D	625	5
51083	2	D	625	5
51084	9	D	625	5
51085	6	D	625	5
51089	4	D	606	6
51091	7	D	606	6
51095	5	D	596	4
51129	7	D	749	4
51130	3	D	749	5
51132	7	D	749	6
51135	8	D	753	6
51138	9	D	753	4
51139	6	D	753	4
51140	2	D	753	4
51177	8	P	128	2
51178	5	H	75	1
51179	2	H	74	5
51223	2	D	594	6
51281	2	D	595	10
51286	7	P	515	1
51299	7	D	595	10
51328	4	P	775	1
51346	8	D	669	2
51384	0	D	305	2
51385	7	D	305	2
51401	4	D	305	1
51402	1	D	305	1
51403	8	D	305	2
51404	5	D	305	1
51406	9	D	305	2
51407	6	D	305	1
51408	3	D	305	2
51409	0	D	305	1
51410	6	D	305	2
51411	3	D	305	1
51412	0	D	305	4
51414	4	D	305	3
51415	1	D	305	4
51416	8	D	305	3
51417	5	D	305	4
51418	2	D	305	3
51499	1	P	317	2
51510	3	H	748	6
51536	3	D	176	6
51538	7	D	601	1
51541	7	D	176	7
51546	2	D	601	1
51548	6	D	176	4
51550	9	D	176	8
51554	7	D	601	1
51570	7	D	601	1
51588	2	D	601	2
51596	7	D	601	2
51603	2	D	601	2
51611	7	D	601	2
51629	2	D	601	2
51637	7	D	601	2
51645	2	D	601	5
51653	7	D	601	5
51661	2	D	601	5
51679	7	D	601	5
51687	2	D	601	5
51690	2	P	128	1
51695	7	D	601	5
51701	5	D	152	1
51702	2	D	601	5
51710	7	D	601	5
51713	8	D	152	2
51720	6	D	152	3
51727	5	D	152	7
51729	9	D	152	8
51731	2	D	152	6
51735	0	H	694	5
51738	1	H	695	8
51748	0	D	769	1
51749	7	D	769	2
51751	0	D	767	4
51752	7	D	601	9
51753	4	D	768	1
51754	1	D	767	3
51758	9	D	770	5
51760	2	D	601	9
51762	6	P	170	7
51763	3	D	153	5
51764	0	D	153	6
51765	7	D	139	6
51766	4	D	151	6
51767	1	D	151	5
51778	7	D	601	9
51830	2	D	610	5
51831	9	D	610	5
51844	9	D	150	3
51845	6	D	150	3
51846	3	D	150	3
51847	0	D	150	3
51855	5	D	610	6
51874	6	D	188	2
51875	3	D	188	1
51880	7	D	170	7
51934	7	P	186	1
51945	3	D	188	4
51952	1	D	625	4
51953	8	D	625	4
51954	5	D	625	4
51957	6	D	140	8
51967	5	D	74	2
51968	2	D	74	2
51973	6	D	74	2
51977	4	D	74	2
51987	3	H	694	6
51996	5	D	641	4
51999	6	D	74	2
52001	5	D	74	2
52002	2	D	74	2
52003	9	D	74	2
52004	6	D	74	2
52005	3	D	74	2
52006	0	D	74	2
52008	4	D	74	2
52009	1	D	74	3
52010	7	D	74	3
52011	4	D	74	3
52012	1	D	74	3
52013	8	D	74	3
52014	5	D	74	3
52016	9	D	74	3
52017	6	D	74	3
52018	3	D	74	3
52019	0	D	74	3
52020	6	D	74	3
52021	3	D	74	3
52022	0	D	74	3
52024	4	D	74	3
52025	1	D	74	3
52026	8	D	74	3
52027	5	D	74	3
52030	5	P	248	4
52064	0	P	376	2
52066	4	P	377	3
52068	8	D	347	5
52069	5	D	347	5
52070	1	D	347	5
52072	5	P	503	1
52130	2	D	720	9
52164	7	D	720	8
52172	2	D	719	5
52190	6	D	607	2
52191	3	D	607	2
52220	0	D	186	1
52254	5	D	341	2
52283	5	D	291	2
52305	4	D	156	1
52306	1	D	149	4
52307	8	D	790	9
52320	7	D	669	1
52321	4	D	182	3
52324	5	D	744	8
52329	0	D	157	7
52334	4	D	169	7
52336	8	D	322	3
52345	0	D	672	8
52378	8	D	672	8
52379	5	D	609	5
52396	2	D	607	2
52402	0	D	790	10
52403	7	D	790	8
52406	8	D	533	4
52407	5	D	533	4

Stock No.	Barcode Chck Digit	Dealer Code	Cat. Page	Seq. No.
52408	2	D	533	4
52416	7	D	609	6
52417	4	D	609	3
52430	3	D	612	5
52576	8	D	158	5
52581	2	D	161	5
52582	9	D	161	3
52589	8	D	535	7
52590	4	D	535	8
52597	3	D	373	1
52612	3	D	351	7
52616	1	D	139	7
52628	4	P	733	2
52630	7	D	446	4
52631	4	D	446	4
52632	1	D	446	4
52633	8	D	446	4
52634	5	D	446	5
52635	2	D	446	5
52636	9	D	446	5
52637	6	D	446	5
52638	3	D	446	5
52662	8	D	302	4
52663	5	D	302	4
52669	7	D	341	2
52679	6	D	82	2
52680	2	D	82	2
52681	9	D	82	2
52682	6	D	82	2
52683	3	D	82	2
52684	0	D	82	2
52693	2	D	373	1
52938	4	D	341	2
52956	8	H	727	1
52957	5	H	729	4
52982	7	D	434	2
52983	4	D	434	3
52984	1	D	434	5
52992	6	D	434	6
52997	1	D	434	7
53005	2	P	351	1
53021	2	D	596	1
53028	1	D	615	2
53029	8	D	596	1
53030	4	D	615	2
53031	1	D	615	2
53032	8	D	615	2
53033	5	D	615	2
53034	2	D	615	2
53035	9	D	596	1
53036	6	D	615	2
53037	3	H	256	3
53038	0	D	615	2
53039	7	D	615	2
53040	3	P	342	2
53041	0	D	422	1
53042	7	D	422	1
53043	4	D	422	1
53044	1	D	422	1
53045	8	H	264	2
53049	6	D	422	1
53050	2	D	422	1
53051	9	D	422	1
53052	6	H	690	5
53053	3	H	264	2
53055	7	D	434	9
53056	4	D	434	10
53059	5	D	422	1
53060	1	D	422	1
53061	8	H	264	2
53062	5	D	422	1
53063	2	D	422	1
53064	9	D	422	1
53065	6	D	422	1
53068	7	D	422	1
53074	8	D	734	2
53076	2	D	624	4
53078	6	D	422	1
53082	3	P	313	3
53084	7	P	313	2
53085	4	D	235	1
53086	1	P	157	6
53087	8	D	654	1
53088	5	D	654	2
53089	2	P	215	4
53090	8	D	251	5
53092	2	P	223	1
53093	9	P	218	3
53094	6	P	223	2
53095	3	P	221	5
53162	2	D	819	2
53163	9	D	819	3
53201	8	D	526	4
53204	9	D	381	3
53205	6	P	512	1
53209	4	D	39	5
53216	2	P	866	4
53219	3	P	514	1
53234	6	H	842	5
53241	4	H	795	5
53245	2	H	795	3
53250	6	H	842	2
53253	7	H	842	4
53254	4	H	842	3
53257	5	P	516	1
53352	7	P	137	5
53487	6	D	567	3
53502	6	D	567	2
53508	8	D	567	1
53515	6	D	85	4
53548	4	D	669	1
53549	1	D	669	1
53827	0	P	373	3
53840	9	P	373	3
53856	0	P	660	9
53858	4	P	373	3
53871	3	D	423	8
53875	1	P	487	1
53876	8	P	487	2
53878	2	P	487	3
53880	5	P	487	4
53887	4	P	487	5
53890	4	P	484	4
53925	3	P	326	1
53926	0	P	327	1
53952	9	H	702	4
53953	6	H	702	5
53961	1	H	693	1
53974	1	H	704	3
53975	8	H	689	1
54045	7	H	702	3
54051	8	P	503	2
54053	2	P	503	3
54087	7	H	680	4
54197	3	D	735	2
54198	0	D	735	2
54199	7	D	735	2
54200	0	D	735	2
54215	4	H	687	4
54217	8	H	705	2
54218	5	H	705	4
54219	2	H	701	4
54220	8	H	693	5
54221	5	D	734	1
54222	2	D	592	6
54223	9	H	690	1
54225	3	D	592	7
54229	1	P	200	5
54232	1	D	720	12
54233	8	D	630	6
54241	3	D	630	6
54243	7	P	200	6
54245	1	D	629	8
54252	9	D	600	9
54253	6	P	365	1
54261	1	D	719	9
54264	2	D	539	4
54265	9	D	539	4
54266	6	D	539	4
54267	3	D	539	4
54268	0	D	539	4
54269	7	D	539	4
54270	3	D	539	4
54271	0	D	539	4
54272	7	D	554	1
54273	4	D	554	2
54279	6	D	76	3
54280	2	D	76	3
54281	9	D	76	3
54282	6	D	76	3
54283	3	D	76	3
54284	0	D	76	3
54285	7	D	76	3
54286	4	D	76	3
54287	1	D	76	3
54288	8	D	76	3
54289	5	D	76	3
54290	1	D	76	3
54291	8	D	76	3
54292	5	D	76	3
54293	2	D	76	3
54294	9	D	76	3
54295	6	D	76	3
54297	0	D	76	3
54300	7	D	76	3
54302	1	D	76	3
54303	8	D	76	3
54367	0	D	170	3
54370	0	D	170	6
54371	7	D	138	4
54374	8	D	768	7
54404	2	D	308	1
54405	9	D	308	1
54406	6	D	308	1
54407	3	D	308	1
54408	0	D	308	1
54409	7	D	308	1
54410	3	D	308	3
54411	0	D	308	3
54412	7	D	308	3
54413	4	D	308	3
54414	1	D	308	2
54415	8	D	308	2
54416	5	D	308	2
54417	2	D	308	2
54418	9	D	308	2
54419	6	D	308	2
54420	2	D	308	2
54421	9	D	308	2
54422	6	D	308	4
54423	3	D	308	4
54424	0	D	308	4
54425	7	D	308	4
54426	4	D	308	4
54437	0	D	189	1
54438	7	D	302	6
54439	4	D	302	6
54440	0	D	302	6
54447	9	D	189	2
54463	9	D	162	4
54485	1	D	162	4
54488	2	D	452	9
54500	1	D	220	2
54503	2	D	150	7
54514	8	D	86	1
54523	0	D	437	2
54551	3	D	437	2
54555	1	D	437	2
54556	8	D	437	2
54557	5	D	437	2
54558	2	D	437	2
54600	8	D	188	1
54627	5	P	94	2
54634	3	D	436	2
54651	0	H	66	7
54665	7	D	351	4
54666	4	D	351	4
54667	1	D	351	4
54679	4	D	351	4
54687	9	D	351	4
54721	0	P	218	5
54722	7	P	218	4
54783	8	P	492	1
54809	5	P	492	2
54811	8	P	492	3
54818	7	D	140	6
54925	2	P	488	1
54956	6	P	405	1
54957	3	D	540	4
55015	9	H	682	6
55059	3	D	591	4
55060	9	D	305	10
55061	6	D	305	9
55076	0	D	639	8
55108	8	D	154	2
55109	5	P	300	2
55304	4	P	275	4
55305	1	P	275	3
55310	5	H	699	1
55313	6	P	274	4
55315	0	P	274	3
55319	8	P	218	6
55334	1	P	401	7
55338	9	P	388	2
55343	3	P	388	3
55361	7	D	176	10
55375	4	P	388	6
55407	2	H	686	2
55415	7	H	686	2
55449	2	H	687	6
55457	7	H	687	6
55465	2	H	687	6

Stock No.	Barcode Chck Digit	Dealer Code	Cat. Page	Seq. No.
55473	7	H	687	7
55478	2	P	391	1
55481	2	H	687	7
55485	0	D	558	3
55486	7	D	558	3
55487	4	D	558	3
55488	1	D	558	3
55489	8	D	558	3
55490	4	D	558	3
55491	1	D	558	1
55492	8	D	558	1
55493	5	D	558	1
55494	2	D	558	1
55495	9	D	558	1
55496	6	D	558	1
55497	3	D	558	1
55498	0	D	558	1
55499	7	H	687	7
55500	0	D	558	5
55501	7	D	558	5
55502	4	D	558	5
55503	1	D	559	3
55504	8	D	559	3
55505	5	D	559	3
55506	2	D	559	3
55507	9	D	559	3
55508	6	D	559	1
55509	3	D	559	1
55517	8	P	389	2
55519	2	P	389	4
55522	2	H	688	2
55536	9	H	260	2
55540	6	D	141	1
55556	7	H	693	1
55561	1	P	389	6
55564	2	H	693	6
55572	7	H	686	4
55580	2	H	686	5
55591	8	D	162	7
55592	5	D	162	7
55598	7	H	686	7
55604	5	P	390	4
55639	7	H	686	6
55641	0	D	53	9
55657	1	P	390	2
55671	7	H	687	3
55679	3	D	76	3
55680	9	D	76	3
55681	6	D	76	3
55682	3	D	76	3
55683	0	D	76	3
55684	7	D	78	1
55685	4	D	78	1
55687	8	D	78	1
55688	5	D	78	1
55690	8	D	78	1
55691	5	D	78	1
55692	2	D	78	1
55693	9	D	78	1
55694	6	D	78	1
55695	3	D	78	1
55696	0	D	78	1
55698	4	D	78	1
55699	1	D	78	1
55700	4	D	78	1
55701	1	D	78	1
55702	8	D	78	1
55703	5	D	78	1
55705	9	D	78	1
55706	6	D	78	1
55707	3	D	78	1
55708	0	D	78	1
55709	7	D	78	2
55710	3	D	78	2
55711	0	D	78	2
55713	4	D	78	2
55714	1	D	78	2
55715	8	D	78	2
55716	5	D	78	2
55717	2	D	78	2
55718	9	D	78	2
55719	6	D	78	2
55721	9	D	78	2
55722	6	D	78	2
55723	3	D	78	2
55724	0	D	78	2
55725	7	D	78	2
55726	4	D	78	2
55727	1	D	78	2
55728	8	D	78	2
55729	5	D	78	2
55730	1	D	78	2
55731	8	D	78	2
55738	7	H	687	2
55740	0	P	390	6
55741	7	P	391	2
55754	7	H	694	3
55806	3	D	541	3
55876	6	P	391	3
55887	2	P	393	1
55898	8	P	393	3
55907	7	P	393	4
55913	8	P	393	5
55952	7	H	694	2
56027	1	D	588	6
56041	7	H	694	4
56097	4	P	859	3
56098	1	P	859	2
56102	5	P	859	1
56124	7	P	335	3
56132	2	H	700	6
56135	3	P	335	4
56137	7	D	236	11
56140	7	H	700	6
56141	4	D	245	8
56158	2	H	700	6
56166	7	H	700	7
56174	2	H	700	7
56177	3	D	228	3
56191	9	P	165	1
56222	0	D	77	1
56224	4	P	201	4
56225	1	P	379	1
56227	5	P	379	3
56244	2	D	150	4
56246	6	D	150	5
56247	3	D	150	4
56248	0	D	150	5
56249	7	D	150	5
56250	3	D	150	5
56311	1	D	852	2
56312	8	D	852	2
56313	5	D	852	2
56314	2	D	722	4
56315	9	D	722	4
56345	6	D	194	2
56360	9	P	402	4
56369	2	P	402	2
56375	3	D	195	6
56376	0	D	195	7
56377	7	D	194	3
56379	1	D	195	8
56380	7	D	195	4
56381	4	D	195	2
56382	1	P	403	4
56383	8	D	542	1
56385	2	D	435	3
56387	6	D	434	2
56388	3	D	434	8
56389	0	D	379	1
56390	6	D	379	1
56398	2	H	78	5
56401	9	D	434	1
56402	6	D	434	4
56404	0	P	403	2
56405	7	P	403	1
56406	4	P	405	2
56407	1	P	404	1
56409	5	P	404	4
56411	8	P	404	3
56415	6	D	536	3
56416	3	D	536	2
56417	0	D	536	3
56418	7	D	536	2
56420	0	D	536	4
56421	7	D	536	5
56422	4	D	536	4
56423	1	D	536	5
56427	9	P	405	2
56429	3	D	767	2
56442	2	D	656	6
56447	7	D	852	5
56457	6	P	406	6
56480	4	P	406	5
56488	0	P	406	4
56618	1	D	533	5
56627	3	D	234	7
56680	8	P	407	1
56733	1	P	410	4
56748	5	D	177	2
56760	7	P	410	3
56761	4	D	662	5
56768	3	P	410	2
56771	3	D	82	3
56772	0	D	559	5
56773	7	D	559	6
56774	4	D	63	2
56776	8	P	410	1
56778	2	D	63	2
56786	7	P	408	3
56791	1	P	408	2
57096	6	D	317	4
57341	7	P	408	1
57375	2	D	317	5
57449	0	D	558	5
57483	4	P	409	2
57539	8	D	596	7
57547	3	D	730	4
57551	0	D	317	6
57552	7	D	317	6
57555	8	P	293	3
57563	3	P	292	2
57567	1	H	728	5
57569	5	H	728	7
57574	9	D	669	3
57624	1	D	322	5
57631	9	D	768	6
57677	7	H	682	6
57678	4	H	684	6
57681	4	P	412	1
57691	3	P	413	3
57768	2	D	539	7
57798	9	D	139	5
57800	9	D	290	4
57801	6	D	290	4
57802	3	D	290	4
57803	0	D	290	4
57804	7	D	290	4
57817	7	D	244	2
57839	9	P	413	2
57841	2	D	244	3
57859	7	D	244	8
57875	7	D	244	9
57941	9	P	413	1
58096	5	D	755	4
58097	2	P	413	4
58130	6	P	95	1
58138	2	P	95	2
58139	9	P	95	3
58140	5	P	95	4
58287	7	P	412	4
58300	3	P	415	1
58307	2	P	415	2
58328	7	P	416	3
58380	5	H	265	1
58388	1	H	265	1
58389	8	H	265	1
58397	3	H	265	1
58410	9	H	265	1
58539	7	P	95	1
58540	3	P	95	3
58552	6	P	733	1
58553	3	P	733	2
58555	7	D	354	3
58556	4	D	354	3
58561	8	D	343	3
58562	5	D	354	3
58563	2	D	354	3
58564	9	D	343	3
58599	1	H	265	1
58600	4	H	265	1
58601	1	H	265	1
58608	0	D	446	11
58609	7	D	446	11
58610	3	D	448	2
58617	2	D	448	2
58618	9	D	448	2
58619	6	D	448	2
58620	2	D	446	11
58667	7	D	447	9
58682	0	D	828	4
58683	7	D	837	5
58697	4	P	362	6
58698	1	H	265	1
58699	8	H	265	2
58700	1	H	265	2
58701	8	H	265	2
58702	5	H	265	2
58703	2	H	265	2
58708	7	D	53	9
58709	4	D	53	9
58710	0	D	53	9

Stock No.	Barcode Chck Digit	Dealer Code	Cat. Page	Seq. No.
58711	7	D	53	9
58712	4	H	265	2
58714	8	H	265	2
58721	6	H	257	2
58722	3	H	257	2
58723	0	H	257	2
58724	7	H	257	2
58726	1	H	257	2
58727	8	H	257	2
58728	5	H	257	2
58729	2	H	257	2
58730	8	H	257	2
58731	5	H	257	2
58732	2	H	257	2
58733	9	H	257	2
58734	6	H	257	2
58747	6	H	260	4
58750	6	H	260	5
58752	0	H	260	6
58930	2	H	265	2
58931	9	H	265	2
58980	7	D	544	2
58981	4	D	544	2
58983	8	H	265	2
59001	8	D	575	2
59083	4	D	290	4
59084	1	H	265	2
59086	5	H	265	2
59104	6	D	233	2
59105	3	D	450	3
59106	0	D	450	3
59107	7	D	450	3
59108	4	D	450	3
59109	1	D	450	3
59110	7	D	610	7
59123	7	P	229	1
59176	3	D	676	3
59243	2	D	676	4
59246	3	D	502	7
59304	0	D	676	6
59463	4	D	449	6
59464	1	D	449	6
59465	8	D	449	6
59466	5	D	449	6
59467	2	D	449	6
59470	2	D	435	4
59473	3	D	645	11
59477	1	D	615	5
59633	1	D	607	4
59641	6	D	607	4
59771	0	H	695	5
59781	9	P	297	3
59802	1	P	297	4
59810	6	P	297	6
59811	3	H	704	3
59812	0	H	703	4
59813	7	H	688	5
59816	8	P	297	7
59818	2	H	681	2
59822	9	D	292	1
59823	6	D	292	1
59824	3	D	292	1
59825	0	D	292	1
59826	7	D	292	1
59827	4	D	292	1
59828	1	D	292	1
59829	8	D	292	1
59830	4	D	292	1
59831	1	D	292	1
59832	8	D	292	1
59833	5	D	293	2
59834	2	D	293	2
59835	9	D	293	2
59836	6	D	293	2
59837	3	D	293	2
59838	0	D	293	2
59839	7	D	293	2
59872	4	D	67	5
59873	1	D	67	5
59874	8	D	67	5
59875	5	D	67	5
59876	2	D	67	5
59877	9	D	67	5
59878	6	D	67	5
59879	3	D	67	5
59880	9	D	67	5
59881	6	D	67	5
59882	3	D	67	5
59883	0	D	67	5
59884	7	D	67	5
59885	4	D	67	5
60064	9	H	733	5
60202	5	D	619	1
60203	2	D	619	1
60204	9	D	619	1
60205	6	D	619	1
60207	0	D	619	2
60208	7	D	619	2
60209	4	D	619	2
60210	0	D	619	2
60212	4	D	619	3
60213	1	D	619	3
60214	8	D	619	3
60215	5	D	619	3
60217	9	D	619	4
60218	6	D	619	4
60219	3	D	619	4
60220	9	D	619	4
60222	3	D	619	5
60223	0	D	619	5
60224	7	D	619	5
60225	4	D	619	5
60227	8	D	619	6
60228	5	D	619	6
60229	2	D	619	6
60230	8	D	619	6
60232	2	D	619	7
60233	9	D	619	7
60234	6	D	619	7
60235	3	D	619	7
60237	7	D	619	8
60238	4	D	619	8
60239	1	D	619	8
60240	7	D	619	8
60242	1	D	619	9
60243	8	D	619	9
60244	5	D	619	9
60245	2	D	619	9
60248	3	D	620	1
60249	0	D	620	1
60250	6	D	620	1
60254	4	D	620	2
60255	1	D	620	2
60256	8	D	620	2
60258	2	D	620	3
60259	9	D	620	3
60260	5	D	620	3
60296	4	D	620	5
60297	1	D	620	5
60298	8	D	620	5
60306	0	D	620	8
60308	4	D	620	8
60311	4	D	620	7
60312	1	D	620	6
60474	6	H	71	4
60559	0	P	393	6
60698	6	D	719	1
60740	2	D	535	1
60741	9	D	535	5
60742	6	D	535	2
60743	3	D	535	3
60744	0	D	535	4
60766	2	D	620	4
60812	6	D	544	2
60852	2	D	841	4
60918	5	D	198	4
60921	5	D	198	4
60943	7	D	198	4
60950	5	D	198	4
60952	9	D	198	4
60953	6	D	198	4
60954	3	D	198	4
60955	0	D	198	4
60956	7	D	198	4
60957	4	D	198	2
60958	1	D	198	2
60960	4	D	198	8
60961	1	D	198	1
60962	8	D	198	3
60963	5	D	198	3
60964	2	D	198	5
60965	9	D	198	7
60966	6	D	198	6
60968	0	D	198	6
60969	7	D	198	9
60970	3	D	198	9
60977	2	P	215	4
60979	6	P	201	3
60981	9	P	166	2
60982	6	P	166	1
60983	3	P	239	3
60985	7	P	239	2
60987	1	P	239	1
60988	8	P	361	2
60989	5	P	361	3
60990	1	P	362	1
61009	9	D	368	3
61026	6	D	844	6
61033	4	P	223	3
61034	1	H	81	1
61229	1	D	188	7
61240	6	D	449	1
61241	3	D	449	1
61242	0	D	449	1
61243	7	D	449	1
61247	5	D	236	2
61258	1	D	225	1
61259	8	D	225	1
61263	5	D	225	1
61264	2	D	225	1
61265	9	D	225	1
61266	6	D	225	2
61272	7	D	781	3
61275	8	D	781	2
61276	5	D	149	3
61277	2	D	149	2
61290	1	D	225	2
61298	7	D	225	2
61301	4	D	225	2
61307	6	D	225	2
61310	6	D	225	3
61312	0	D	225	3
61315	1	D	225	3
61317	5	D	225	3
61323	6	D	225	3
61337	3	D	225	4
61347	2	D	225	4
61355	7	D	225	4
61363	2	D	225	4
61371	7	D	225	5
61389	2	D	225	5
61396	0	D	225	5
61397	7	D	225	5
61429	5	P	291	4
61464	6	D	664	1
61478	3	D	664	2
61498	1	D	317	7
61526	1	D	317	7
61584	1	P	377	1
61621	3	P	377	2
61667	1	P	377	5
61668	8	P	376	6
61770	8	P	368	3
61829	3	P	216	3
61833	0	D	771	1
61834	7	D	771	3
61835	4	D	771	5
61836	1	D	771	7
61837	8	D	771	9
61995	5	D	317	7
62021	0	D	501	1
62073	9	D	663	6
62074	6	D	663	6
62075	3	D	663	6
62076	0	D	663	6
62077	7	D	663	6
62078	4	D	663	6
62079	1	D	663	6
62080	7	D	663	6
62082	1	D	663	6
62083	8	D	663	6
62084	5	D	663	6
62085	2	D	663	6
62163	7	D	594	5
62164	4	D	595	2
62166	8	D	829	3
62226	9	D	543	5
62324	2	D	543	6
62866	7	D	767	1
62890	2	D	781	7
62892	6	D	781	7
62893	3	D	781	7
62894	0	D	781	7
62952	7	D	801	7
63056	1	D	855	3
63109	4	D	197	5
63116	2	D	67	7
63191	9	H	107	2
63196	4	H	107	4
63215	2	H	107	5
63216	9	H	105	1
63218	3	H	107	3

Stock No.	Barcode Chck Digit	Dealer Code	Cat. Page	Seq. No.
63222	0	D	564	1
63256	5	D	564	1
63258	9	D	530	2
63259	6	D	564	1
63260	2	D	564	1
63262	6	H	106	1
63263	3	H	105	2
63268	8	H	105	3
63301	2	H	107	1
63309	8	H	106	2
63311	1	D	564	1
63313	5	H	106	3
63320	3	D	564	1
63322	7	D	564	1
63341	8	D	354	3
63342	5	D	354	3
63343	2	D	354	3
63344	9	D	354	3
63345	6	D	343	3
63346	3	D	594	6
63347	0	D	594	5
63348	7	D	595	2
63349	4	D	595	2
63350	0	D	595	8
63356	2	D	307	8
63357	9	D	307	7
63358	6	D	501	2
63359	3	H	108	1
63367	8	D	448	4
63368	5	D	448	4
63369	2	D	448	4
63370	8	D	448	4
63371	5	D	448	4
63372	2	D	448	4
63376	0	H	83	1
63379	1	H	108	2
63381	4	D	81	5
63382	1	D	787	3
63384	5	D	787	5
63388	3	D	787	10
63389	0	D	659	6
63390	6	D	788	7
63391	3	D	618	7
63392	0	D	618	7
63393	7	D	618	7
63394	4	D	618	7
63395	1	D	618	7
63396	8	D	618	7
63399	9	H	109	3
63400	2	H	108	3
63403	3	H	108	4
63404	0	D	594	2
63405	7	D	594	2
63406	4	H	109	1
63409	5	D	81	5
63410	1	D	187	2
63413	2	D	564	1
63415	6	H	101	2
63469	9	D	447	4
63476	7	D	235	1
63477	4	D	81	5
63478	1	D	196	6
63479	8	D	196	6
63480	4	D	196	7
63481	1	D	196	7
63482	8	H	101	4
63483	5	H	101	1
63484	2	D	564	2
63485	9	D	564	2
63486	6	D	564	2
63487	3	H	101	3
63488	0	D	564	2
63489	7	D	564	2
63490	3	H	101	5
63491	0	D	564	2
63493	4	D	564	3
63494	1	H	104	2
63495	8	D	564	3
63496	5	D	564	3
63497	2	H	104	3
63498	9	D	81	5
63499	6	D	81	5
63500	9	H	104	4
63501	6	D	564	3
63502	3	D	81	5
63503	0	H	110	1
63504	7	D	564	3
63505	4	H	110	2
63506	1	D	81	5
63507	8	D	81	5
63508	5	D	81	5
63509	2	D	81	5
63510	8	D	81	6
63511	5	D	414	3
63512	2	H	110	3
63513	9	H	111	2
63514	6	H	109	2
63515	3	H	109	4
63516	0	H	111	1
63517	7	H	103	1
63519	1	H	103	2
63520	7	H	112	1
63521	4	H	102	2
63522	1	H	102	1
63523	8	H	102	4
63524	5	H	102	3
63525	2	D	199	3
63526	9	H	102	5
63527	6	D	199	3
63528	3	H	104	1
63529	0	D	199	3
63530	6	H	99	5
63532	0	H	99	1
63534	4	H	99	2
63535	1	H	99	3
63537	5	H	100	1
63539	9	H	100	2
63540	5	H	99	4
63541	2	D	527	5
63543	6	H	112	2
63545	0	D	199	7
63547	4	H	112	3
63561	0	D	564	3
63562	7	D	564	3
63563	4	D	84	3
63564	1	D	84	3
63565	8	D	84	3
63566	5	D	84	3
63567	2	D	565	1
63568	9	D	565	2
63569	6	D	565	3
63574	0	D	199	8
63575	7	D	199	2
63578	8	H	834	5
63579	5	H	834	3
63588	7	D	556	1
63589	4	D	556	2
63590	0	D	557	4
63592	4	D	555	8
63593	1	D	555	8
63594	8	D	555	8
63595	5	D	557	2
63596	2	D	557	3
63627	3	D	852	3
63629	7	D	852	3
63630	3	D	449	7
63631	0	D	449	7
63632	7	D	449	7
63633	4	D	449	7
63634	1	D	449	7
63637	2	D	545	4
63638	9	D	588	1
63639	6	D	588	2
63642	6	D	853	5
63650	1	D	588	4
63660	0	D	588	5
63667	9	D	589	2
63668	6	D	589	1
63669	3	P	315	4
63672	3	D	576	2
63674	7	P	457	2
63675	4	P	457	5
63676	1	P	457	4
63677	8	P	457	4
63678	5	P	457	3
63687	7	D	437	2
63697	6	D	437	2
63707	2	D	590	6
63720	1	P	456	1
63722	5	P	456	5
63723	2	P	456	1
63725	6	P	456	4
63727	0	D	600	4
63729	4	D	600	3
63730	0	D	599	9
63731	7	D	600	4
63732	4	D	600	3
63733	1	D	599	9
63734	8	D	600	6
63735	5	D	600	5
63736	2	D	600	6
63737	9	D	600	5
63738	6	D	600	6
63739	3	D	600	5
63740	9	D	600	6
63741	6	D	600	5
63742	3	D	600	6
63743	0	D	600	5
63744	7	D	600	6
63745	4	D	600	6
63746	1	D	600	6
63747	8	D	599	11
63748	5	D	599	11
63750	8	D	600	2
63751	5	D	600	1
63752	2	D	599	7
63757	7	D	592	8
63758	4	D	746	6
63759	1	D	746	6
63760	7	D	191	4
63761	4	D	746	8
63762	1	D	191	3
63763	8	D	191	1
63764	5	D	191	2
63765	2	D	746	4
63767	6	D	746	3
63770	6	D	164	3
63779	9	P	457	2
63781	2	D	643	10
63866	6	D	532	8
63868	0	D	543	4
63877	2	D	775	2
63878	9	D	775	3
63879	6	D	775	4
63880	2	D	775	5
63881	9	D	775	6
63882	6	D	775	7
63924	3	P	457	6
63925	0	D	433	5
63940	3	P	456	6
63941	0	D	195	9
63943	4	D	195	5
63944	1	D	578	4
63945	8	D	578	4
63955	7	D	662	6
63961	8	D	578	4
63962	5	D	578	4
63980	9	H	756	2
63982	3	D	578	4
63990	8	D	578	4
63998	4	D	578	4
63999	1	D	578	1
64008	9	D	578	1
64009	6	D	578	1
64011	9	D	578	1
64012	6	D	578	1
64013	3	D	578	1
64014	0	D	578	3
64015	7	D	578	3
64016	4	D	578	3
64017	1	D	578	2
64018	8	D	578	2
64023	2	D	578	2
64024	9	D	578	1
64027	0	D	578	1
64028	7	D	578	1
64031	7	D	578	1
64034	8	D	578	1
64038	6	D	420	1
64039	3	D	420	3
64040	9	D	448	4
64044	7	D	420	2
64045	4	D	425	6
64046	1	D	578	1
64047	8	D	578	3
64048	5	D	578	3
64049	2	D	426	1
64050	8	D	437	1
64057	7	D	578	3
64058	4	D	488	2
64060	7	D	578	2
64065	2	P	380	2
64072	0	D	578	2
64087	4	D	578	2
64088	1	D	578	1
64089	8	D	578	1
64094	2	D	578	1
64096	6	D	578	1
64103	1	D	578	1
64157	4	D	801	1
64158	1	D	801	2
64159	8	D	800	3

Stock No.	Barcode Chck Digit	Dealer Code	Cat. Page	Seq. No.
64160	4	D	800	3
64161	1	D	800	3
64162	8	D	800	3
64163	5	D	800	3
64164	2	D	800	5
64165	9	D	800	5
64166	6	D	800	5
64174	1	D	801	3
64175	8	D	801	4
64176	5	D	801	5
64177	2	D	801	6
64178	9	D	801	5
64179	6	D	800	6
64180	2	D	800	6
64181	9	D	800	6
64182	6	D	800	6
64183	3	D	800	6
64192	5	D	799	3
64193	2	D	799	3
64194	9	D	799	3
64195	6	D	799	3
64196	3	D	799	2
64197	0	D	799	2
64198	7	D	799	2
64200	7	D	800	2
64201	4	D	800	2
64202	1	D	800	2
64204	5	D	799	5
64205	2	D	799	5
64206	9	D	799	4
64207	6	D	799	4
64208	3	D	799	4
64209	0	D	800	1
64210	6	P	298	6
64226	7	D	578	1
64227	4	D	578	3
64228	1	D	578	3
64229	8	D	578	3
64232	8	D	578	2
64237	3	D	578	2
64241	0	D	578	2
64243	4	D	578	4
64244	1	D	578	4
64246	5	D	578	4
64247	2	D	771	2
64248	9	D	771	4
64249	6	D	771	6
64250	2	D	771	8
64253	3	D	578	4
64254	0	D	578	4
64255	7	D	578	4
64259	5	D	578	4
64267	0	D	578	1
64268	7	D	768	6
64270	0	D	578	1
64271	7	D	804	6
64272	4	D	578	1
64273	1	D	578	1
64274	8	P	377	4
64275	5	P	376	3
64276	2	D	578	1
64280	9	D	578	1
64281	6	D	578	3
64283	0	D	578	3
64286	1	D	578	3
64287	8	D	578	2
64288	5	D	578	2
64290	8	D	578	2
64292	2	D	578	1
64295	3	D	578	1
64296	0	D	578	1
64308	0	D	578	1
64309	7	D	578	1
64310	3	D	578	1
64311	0	D	578	3
64312	7	D	578	3
64313	4	D	578	3
64314	1	D	578	2
64315	8	D	578	2
64316	5	D	578	2
64317	2	D	578	4
64318	9	D	578	4
64319	6	D	578	4
64320	2	D	578	4
64321	9	D	578	4
64322	6	D	578	4
64326	4	H	726	1
64327	1	H	726	2
64328	8	H	726	3
64329	5	D	539	5
64330	1	H	726	6
64331	8	H	726	7
64333	2	D	540	7
64335	6	D	251	7
64336	3	D	541	8
64340	0	D	578	4
64341	7	D	578	1
64342	4	D	541	7
64344	8	D	578	1
64345	5	D	578	1
64347	9	D	578	1
64351	6	D	578	1
64358	5	D	578	1
64361	5	D	578	3
64362	2	D	578	3
64363	9	D	578	3
64364	6	D	578	2
64365	3	D	578	2
64366	0	D	578	2
64367	7	D	551	1
64368	4	D	551	1
64369	1	D	578	4
64370	7	D	578	4
64371	4	D	578	4
64372	1	D	578	4
64373	8	D	578	4
64374	5	D	578	4
64375	2	D	578	4
64379	0	H	731	4
64383	7	D	638	10
64391	2	D	638	8
64408	7	D	638	5
64413	1	D	551	1
64414	8	D	551	1
64416	2	D	638	9
64419	3	D	551	1
64422	3	D	551	1
64426	1	D	551	1
64427	8	D	551	2
64429	2	D	551	2
64432	2	D	551	2
64433	9	D	551	2
64440	7	D	630	5
64458	2	D	630	4
64476	6	D	551	3
64477	3	D	551	3
64484	1	D	551	3
64485	8	D	551	3
64489	6	D	551	4
64495	7	D	551	4
64503	9	D	302	7
64506	0	D	670	3
64508	4	D	303	4
64510	7	D	670	3
64514	5	D	669	5
64517	6	D	670	2
64519	0	D	670	1
64525	1	D	799	1
64533	6	P	316	3
64534	3	P	94	8
64535	0	P	94	9
64573	2	P	136	2
64585	5	D	341	4
64588	6	D	595	3
64589	3	D	595	3
64590	9	D	595	3
64591	6	D	595	3
64592	3	D	595	3
64593	0	D	595	4
64595	4	D	595	6
64599	2	P	163	3
64604	3	H	76	4
64605	0	H	76	2
64607	4	H	78	3
64609	8	H	78	4
64615	9	P	163	4
64622	7	P	164	1
64672	2	D	572	6
64673	9	P	95	5
64676	0	D	599	6
64679	1	D	599	8
64680	7	D	599	8
64681	4	D	599	10
64682	1	D	599	10
64686	9	D	599	10
64693	7	D	551	5
64694	4	D	551	6
64747	7	D	629	13
64760	6	D	495	1
64761	3	D	137	7
64763	7	D	137	7
64764	4	D	137	7
64766	8	D	137	7
64784	2	D	662	1
64804	7	D	630	3
64828	3	D	600	12
64829	0	D	600	5
64838	2	D	600	5
64841	2	D	600	5
64846	7	D	734	4
64850	4	D	600	5
64854	2	D	734	4
64896	2	D	625	9
64903	7	D	625	9
64952	5	H	701	7
64953	2	H	695	4
64970	9	D	841	2
64987	7	P	379	4
64993	8	D	190	4
64997	6	D	190	4
65000	2	D	190	3
65002	6	D	190	3
65017	0	P	280	3
65018	7	P	282	4
65019	4	P	282	2
65021	7	D	788	2
65030	9	P	281	6
65034	7	P	281	3
65059	0	P	286	3
65069	9	P	286	4
65084	2	P	285	3
65130	6	P	288	3
65132	0	P	289	1
65137	5	P	288	6
65138	2	P	283	5
65139	9	P	284	1
65142	9	P	290	2
65297	6	D	187	2
65348	5	D	665	3
65360	7	D	721	2
65362	1	D	721	2
65364	5	D	721	2
65365	2	D	721	2
65366	9	D	721	2
65371	3	D	721	2
65372	0	D	549	2
65374	4	D	721	2
65375	1	D	721	2
65377	5	D	721	2
65392	8	D	787	1
65393	5	D	661	6
65395	9	D	773	1
65396	6	P	276	2
65410	9	D	773	1
65413	0	D	773	1
65414	7	D	773	2
65415	4	D	773	2
65418	5	D	773	2
65421	5	D	773	3
65440	6	D	787	6
65462	8	D	782	8
65463	5	D	782	9
65464	2	D	782	6
65465	9	D	782	7
65466	6	D	782	10
65467	3	D	782	11
65468	0	D	782	3
65469	7	D	782	4
65470	3	D	782	1
65471	0	D	782	2
65472	7	D	782	5
65473	4	D	782	3
65474	1	D	782	4
65475	8	D	782	1
65476	5	D	782	2
65477	2	D	782	5
65478	9	D	782	3
65479	6	D	782	4
65480	2	D	782	1
65481	9	D	782	2
65482	6	D	782	5
65492	5	D	783	3
65494	9	D	783	1
65496	3	D	783	5
65497	0	D	783	3
65499	4	D	783	4
65500	7	D	783	1
65501	4	D	783	2
65502	1	D	783	5
65503	8	D	783	3
65504	5	D	783	4
65505	2	D	783	1

Stock No.	Barcode Chck Digit	Dealer Code	Cat. Page	Seq. No.
65506	9	D	783	2
65507	6	D	783	5
65508	3	D	783	8
65510	6	D	783	6
65512	0	D	783	10
65513	7	D	783	8
65514	4	D	783	9
65515	1	D	783	6
65516	8	D	783	7
65517	5	D	783	10
65518	2	D	783	8
65519	9	D	783	9
65520	5	D	783	6
65521	2	D	783	7
65522	9	D	783	10
65523	6	D	784	1
65524	3	D	784	2
65525	0	D	784	3
65526	7	D	784	1
65527	4	D	784	2
65528	1	D	784	3
65529	8	D	784	1
65530	4	D	784	2
65531	1	D	784	3
65532	8	D	784	1
65533	5	D	784	2
65534	2	D	784	3
65537	3	D	183	6
65538	0	D	183	6
65543	4	D	183	7
65547	2	D	184	2
65548	9	D	184	2
65643	1	D	740	3
65644	8	D	740	3
65670	7	D	790	6
65673	8	P	230	1
65705	6	D	753	4
65706	3	D	753	4
65708	7	D	800	2
65709	4	D	800	2
65710	0	D	800	3
65711	7	D	801	1
65712	4	D	801	2
65713	1	D	800	6
65716	2	D	800	6
65737	7	D	627	4
65747	6	D	800	1
65748	3	D	799	1
65751	3	D	800	3
65779	7	D	836	5
65787	2	D	836	6
65813	8	D	744	3
65816	9	D	744	3
65822	0	D	744	3
65828	2	P	776	3
65843	5	P	776	3
65860	2	D	417	3
65960	9	D	818	8
65964	7	D	341	2
65965	4	D	341	2
65967	8	D	768	5
65983	8	D	766	8
65985	2	D	772	3
65993	7	D	659	4
65994	4	D	660	2
65995	1	D	660	3
66002	5	D	756	5
66009	4	D	770	2
66012	4	D	772	3
66013	1	D	772	3
66014	8	D	767	1
66015	5	D	770	3
66016	2	D	770	4
66018	6	D	768	3
66019	3	D	768	2
66025	4	D	772	2
66026	1	D	772	1
66028	5	D	772	4
66029	2	D	772	5
66032	2	P	778	3
66033	9	P	778	3
66034	6	P	778	3
66035	3	P	778	3
66036	0	P	778	4
66037	7	P	778	4
66038	4	P	778	4
66039	1	P	776	2
66041	4	D	787	8
66043	8	P	776	2
66044	5	P	776	2
66045	2	P	776	2
66046	9	P	776	2
66048	3	P	776	2
66049	0	P	777	1
66050	6	P	777	1
66051	3	P	777	1
66053	7	P	777	1
66054	4	P	777	1
66055	1	P	777	1
66056	8	P	777	2
66057	5	P	777	2
66058	2	P	777	2
66059	9	P	777	2
66060	5	P	777	2
66061	2	P	777	2
66062	9	P	778	2
66063	6	P	778	2
66064	3	P	778	2
66065	0	P	778	2
66066	7	P	778	1
66082	7	D	646	10
66084	1	D	588	2
66085	8	D	588	2
66088	9	D	588	2
66089	6	D	588	4
66090	2	D	424	2
66125	1	D	637	4
66126	8	D	586	2
66132	9	D	586	1
66134	3	D	586	3
66135	0	D	87	7
66143	5	D	87	6
66153	4	D	768	4
66155	8	P	175	2
66171	8	P	858	2
66172	5	P	858	1
66173	2	P	858	3
66198	5	D	156	2
66202	9	H	261	1
66233	3	D	787	7
66234	0	D	787	5
66240	1	P	238	3
66241	8	P	238	3
66248	7	D	137	6
66249	4	D	670	9
66255	5	D	590	1
66257	9	D	590	3
66258	6	D	590	2
66274	6	D	591	1
66338	5	D	83	4
66421	4	D	83	4
66426	9	D	83	4
66427	6	D	83	4
66428	3	D	83	4
66429	0	D	83	4
66430	6	D	83	4
66431	3	D	83	4
66434	4	D	83	4
66435	1	D	83	4
66437	5	D	83	4
66481	8	D	83	4
66483	2	D	83	4
66484	9	D	83	4
66485	6	D	83	4
66486	3	D	83	4
66487	0	D	83	4
66488	7	D	83	4
66489	4	D	83	4
66490	0	D	83	4
66491	7	D	83	4
66499	3	P	286	4
66624	9	D	83	4
66804	5	P	346	2
66827	4	D	83	4
66829	8	D	83	4
66830	4	D	83	4
66843	4	D	83	4
66845	8	D	83	4
66847	2	D	83	4
66848	9	D	83	4
66849	6	D	83	4
66851	9	D	83	4
66852	6	D	83	4
66853	3	D	83	4
66881	6	D	575	6
66882	3	D	575	6
66883	0	D	575	6
66885	4	D	575	6
66886	1	D	575	6
66887	8	D	575	6
66905	9	D	83	4
66906	6	D	83	4
66907	3	D	83	4
66908	0	D	83	4
66911	0	D	83	4
66913	4	D	83	4
66929	5	D	83	4
66938	7	D	83	4
66940	0	D	83	4
67006	2	D	83	4
67014	7	D	83	4
67068	0	D	590	4
67102	1	H	704	7
67143	4	D	716	1
67144	1	D	716	2
67256	1	D	187	1
67270	7	D	598	6
67335	3	H	264	2
67351	3	H	264	2
67377	3	H	264	2
67385	8	H	264	2
67393	3	H	264	2
67400	8	H	264	1
67418	3	H	264	1
67426	8	H	264	1
67434	3	H	264	1
67442	8	H	264	1
67450	3	H	264	1
67468	8	H	264	1
67476	3	H	264	1
67484	8	H	264	1
67492	3	H	264	1
67509	8	H	264	2
67517	3	H	264	2
67533	3	H	264	2
67659	0	D	800	4
67663	7	D	800	4
67773	3	H	264	4
67794	8	D	367	1
67799	3	H	264	5
67812	9	D	367	1
67814	3	H	263	2
67818	1	D	367	1
67819	8	D	367	1
67822	8	H	264	6
67830	3	H	264	6
67843	3	D	558	4
67844	0	D	558	4
67845	7	D	558	4
67846	4	D	558	4
67847	1	D	558	4
67848	8	D	558	4
67849	5	D	558	2
67850	1	D	558	2
67851	8	D	558	2
67852	5	D	558	2
67853	2	D	558	2
67854	9	D	558	2
67855	6	D	558	2
67856	3	D	558	2
67857	0	D	558	6
67858	7	D	558	6
67859	4	D	558	6
67860	0	D	558	6
67861	7	D	559	4
67862	4	D	559	4
67863	1	D	559	4
67864	8	D	559	4
67865	5	D	559	4
67866	2	D	559	2
67867	9	D	559	2
67999	7	D	367	1
68015	3	D	367	2
68049	8	D	367	1
68145	7	D	658	7
68154	9	D	540	1
68157	0	D	665	6
68235	5	D	490	3
68237	9	D	490	3
68261	4	D	852	4
68276	8	D	784	4
68301	7	D	367	2
68304	8	D	367	4
68312	3	D	368	1
68315	4	D	367	4
68316	1	D	368	1
68424	3	D	171	11
68425	0	D	171	10
68450	2	H	537	1
68464	9	D	849	7
68482	3	D	638	2
68614	8	D	166	6

Stock No.	Barcode Chck Digit	Dealer Code	Cat. Page	Seq. No.
68615	5	D	166	5
68675	9	D	718	5
68703	9	D	151	9
68733	6	D	656	6
68845	6	D	539	2
68854	8	P	500	2
68856	2	D	82	8
68857	9	D	82	8
68883	8	D	529	1
68884	5	D	529	1
68885	2	D	529	1
68886	9	D	529	2
68887	6	D	529	5
68888	3	D	529	5
68889	0	D	529	6
68890	6	D	529	3
68891	3	D	529	3
68892	0	D	529	4
68893	7	D	529	4
68894	4	D	530	4
68913	2	D	660	1
68921	7	D	660	1
69009	1	D	787	9
69010	7	D	787	4
69042	8	D	781	4
69051	0	H	260	2
69099	2	D	82	8
69122	7	P	356	3
69123	4	D	356	3
69170	8	D	527	1
69171	5	D	527	1
69172	2	D	527	1
69173	9	D	527	2
69174	6	D	527	6
69176	0	D	527	6
69177	7	D	527	4
69178	4	D	527	4
69179	1	D	527	4
69180	7	D	527	3
69181	4	D	527	3
69183	8	D	528	1
69184	5	D	528	2
69187	6	D	184	3
69193	7	D	769	4
69203	3	D	769	5
69207	1	D	197	4
69211	8	D	552	1
69212	5	D	552	1
69213	2	D	552	1
69214	9	D	552	1
69215	6	D	552	1
69216	3	D	552	2
69217	0	D	552	2
69218	7	D	552	2
69219	4	D	552	2
69220	0	D	552	2
69221	7	D	552	3
69222	4	D	552	3
69223	1	D	552	3
69224	8	D	552	4
69225	5	D	552	4
69226	2	D	552	4
69227	9	D	552	5
69228	6	D	552	5
69229	3	D	552	5
69230	9	D	552	6
69231	6	D	552	6
69232	3	D	552	6
69233	0	D	552	7
69234	7	D	553	1
69249	1	P	393	7
69252	1	P	218	3
69264	4	D	529	3
69265	1	D	530	3
69285	9	D	532	3
69286	6	D	532	4
69287	3	D	532	5
69288	0	D	528	3
69289	7	D	530	5
69292	7	D	641	6
69300	9	D	537	7
69301	6	P	865	3
69305	4	D	641	8
69306	1	D	641	8
69307	8	D	454	1
69309	2	D	317	6
69335	1	D	673	5
69337	5	P	275	2
69356	6	P	347	2
69472	3	D	567	3
69489	1	D	447	8
69490	7	D	447	10
69550	8	D	739	2
69554	6	D	739	3
69563	8	D	739	6
69574	4	H	685	2
69575	1	H	685	2
69576	8	H	686	3
69580	5	D	740	4
69619	2	D	626	8
69643	7	D	626	7
69644	4	D	626	7
69645	1	D	626	7
69663	5	P	95	2
69674	1	D	245	9
69690	1	P	378	1
69721	2	D	182	5
69723	6	D	184	4
69724	3	D	184	6
69730	4	D	184	1
69731	1	D	658	1
69774	8	D	658	1
69782	3	D	427	1
69923	0	D	176	3
69924	7	D	176	2
69933	9	D	753	2
69941	4	D	541	2
69943	8	D	540	3
71090	4	P	313	1
71091	1	P	315	2
71092	8	P	314	3
71093	5	P	314	2
71094	2	P	314	1
71095	9	P	315	1
71106	2	P	319	1
71111	6	D	743	5
71114	7	D	743	4
71145	1	D	774	2
71151	2	P	312	1
71155	0	D	528	4
71172	7	D	184	5
71205	2	P	172	3
71208	3	P	186	2
71260	1	H	729	6
71269	4	D	600	8
71285	4	D	753	2
71353	0	D	186	2
71392	9	D	141	1
71393	6	D	141	1
71420	9	D	664	4
71421	6	D	664	3
71462	9	D	184	9
71544	2	D	82	3
71552	7	D	82	3
71826	9	D	451	3
71833	7	D	69	1
71837	5	P	300	3
71877	1	D	448	3
71883	2	D	69	2
71908	2	D	69	2
71916	7	D	69	2
71919	8	D	451	3
71924	2	D	69	2
71927	3	D	664	4
71937	2	D	447	5
71940	2	D	69	2
71951	8	D	447	5
71969	3	D	433	3
71971	6	D	433	3
71972	3	D	433	3
71974	7	D	433	3
71982	2	D	433	3
72020	0	D	596	3
72027	9	D	596	10
72028	6	D	596	10
72029	3	D	596	10
72041	5	D	602	4
72053	8	H	760	1
72063	7	H	760	1
72080	4	H	760	1
72089	7	H	760	1
72097	2	H	760	1
72104	7	H	760	1
72112	2	H	760	1
72120	7	H	760	1
72144	3	D	593	6
72145	0	D	593	5
72146	7	H	760	1
72154	2	H	760	1
72156	6	H	760	1
72157	3	H	760	1
72158	0	H	760	1
72162	7	H	760	1
72165	8	H	762	1
72166	5	H	762	1
72167	2	H	762	1
72169	6	H	762	1
72170	2	D	67	7
72172	6	D	545	2
72188	7	D	69	3
72198	6	H	762	1
72203	7	H	762	1
72225	9	H	759	1
72228	0	D	140	7
72230	3	D	448	10
72231	0	D	448	10
72232	7	D	448	10
72233	4	D	448	10
72237	2	H	759	1
72245	7	H	697	2
72352	2	H	759	1
72360	7	H	759	1
72376	8	D	659	5
72395	9	H	759	1
72439	0	H	759	1
72440	6	H	759	1
72441	3	H	759	1
72442	0	H	762	1
72444	4	H	762	1
72445	1	H	762	1
72446	8	H	761	1
72447	5	H	761	1
72448	2	H	761	1
72449	9	H	761	1
72450	5	H	761	1
72451	2	H	761	1
72454	3	H	761	1
72458	1	H	761	1
72463	5	H	761	1
72534	2	H	761	1
72542	7	H	761	1
72598	4	H	762	1
72600	4	H	761	1
72623	3	P	97	1
72662	2	H	761	1
72714	8	P	97	2
72716	2	D	454	6
72721	6	H	761	1
72791	9	D	81	4
72792	6	D	81	4
72793	3	D	81	4
72794	0	D	81	4
72795	7	D	81	4
72796	4	D	81	4
72849	7	H	697	1
72869	5	H	760	1
72870	1	H	760	1
72878	7	D	195	3
72890	9	H	760	1
72891	6	D	150	2
72892	3	D	443	1
72893	0	D	443	1
72913	5	H	760	1
72915	9	H	759	1
72916	6	H	760	1
72920	3	H	499	3
72921	0	H	498	5
72924	1	D	499	5
72925	8	D	499	4
72930	2	D	756	3
72932	6	D	755	2
72934	0	H	762	1
72935	7	H	762	1
72936	4	H	762	1
72937	1	H	762	1
72970	8	H	497	7
72971	5	H	497	6
72972	2	H	497	6
72973	9	H	497	4
72975	3	H	498	3
72976	0	H	498	2
72977	7	H	498	2
72999	9	H	497	5
73019	3	H	761	1
73035	3	D	87	4
73047	6	D	87	8
73069	8	D	755	6
73085	8	H	760	1
73102	2	H	760	1
73104	6	H	760	1
73157	2	H	760	1
73158	9	H	760	1

Stock No.	Barcode Chck Digit	Dealer Code	Cat. Page	Seq. No.
73159	6	H	762	1
73160	2	H	762	1
73161	9	H	762	1
73163	3	H	762	1
73164	0	H	761	1
73165	7	H	761	1
73171	8	D	381	3
73186	2	D	676	5
73201	2	H	761	1
73203	6	D	592	8
73213	5	H	761	1
73221	0	H	761	1
73263	0	H	761	1
73291	3	P	173	5
73355	2	H	729	5
73507	5	D	489	1
73508	2	D	489	2
73522	8	D	449	8
73523	5	D	449	8
73524	2	D	449	8
73525	9	D	449	8
73526	6	D	449	8
73716	1	D	539	2
73728	4	D	823	2
73729	1	D	823	3
73732	1	H	742	4
73742	0	H	742	4
73743	7	D	750	5
73745	1	D	544	6
73752	9	D	750	4
73803	8	D	190	4
73845	8	P	163	2
73860	1	D	197	2
73863	2	D	607	9
73897	7	D	158	1
73960	8	D	158	1
73962	2	D	672	2
73973	8	D	158	1
74019	2	D	158	1
74029	1	D	158	1
74035	2	D	158	1
74051	2	D	158	1
74118	2	D	641	1
74231	8	D	158	1
74289	9	D	169	6
74307	0	D	739	1
74314	8	P	157	1
74316	2	P	181	2
74317	9	D	181	3
74318	6	D	181	4
74319	3	D	181	4
74320	9	D	181	4
74328	5	P	319	2
74329	2	P	319	2
74330	8	P	319	2
74331	5	P	319	2
74333	9	P	319	2
74334	6	P	319	2
74335	3	P	319	2
74342	1	P	319	2
74343	8	P	319	2
74344	5	P	319	2
74345	2	P	319	2
74346	9	P	319	2
74348	3	P	319	2
74352	0	D	169	1
74354	4	D	367	1
74533	3	D	169	2
74534	0	P	137	2
74601	9	D	347	3
74697	2	D	627	4
74712	2	D	601	7
74839	6	P	174	1
74881	5	D	450	4
74910	2	D	828	2
75009	2	D	159	4
75012	2	D	343	1
75032	0	D	670	8
75042	9	D	730	7
75045	0	D	719	2
75047	4	H	113	1
75048	1	H	113	2
75065	8	D	576	3
75070	2	D	738	4
75071	9	D	738	4
75073	3	D	738	4
75077	1	H	700	1
75078	8	H	700	1
75079	5	H	700	1
75080	1	H	700	1
75081	8	H	700	1
75082	5	H	700	2
75083	2	H	700	2
75084	9	H	700	2
75086	3	H	700	2
75087	0	H	700	2
75088	7	H	700	3
75089	4	H	700	3
75090	0	H	700	3
75091	7	H	700	3
75092	4	H	700	3
75093	1	H	700	4
75094	8	H	700	4
75095	5	H	700	4
75096	2	H	700	4
75097	9	H	700	4
75101	3	D	738	4
75102	0	D	738	3
75105	1	D	738	3
75106	8	D	738	3
75107	5	D	738	3
75111	2	D	739	8
75112	9	D	739	7
75115	0	D	738	1
75123	5	D	738	1
75127	3	D	738	1
75165	5	P	286	4
75168	6	H	724	2
75169	3	H	724	4
75170	9	D	93	4
75173	0	H	724	3
75175	4	H	724	6
75182	2	H	724	1
75186	0	P	862	3
75188	4	P	862	4
75212	6	P	867	1
75220	1	P	867	3
75226	3	P	867	4
75246	1	D	738	1
75252	2	D	794	5
75280	5	D	452	4
75281	2	D	452	2
75282	9	D	452	2
75285	0	D	591	6
75286	7	D	452	2
75290	4	D	452	1
75291	1	P	867	2
75292	8	D	452	1
75294	2	D	452	1
75298	0	D	605	3
75299	7	D	605	3
75300	0	D	605	3
75301	7	D	605	3
75305	5	D	162	6
75330	7	D	443	4
75331	4	D	443	4
75332	1	D	443	4
75333	8	D	443	4
75334	5	D	443	4
75335	2	D	443	4
75336	9	D	443	4
75337	6	D	443	4
75338	3	D	443	4
75339	0	D	443	4
75340	6	D	443	4
75341	3	D	443	4
75342	0	D	443	4
75343	7	D	443	4
75344	4	D	443	4
75345	1	D	443	4
75346	8	D	443	4
75347	5	D	443	4
75349	9	D	443	4
75350	5	D	443	4
75351	2	D	443	4
75352	9	D	443	4
75353	6	D	443	4
75354	3	H	703	5
75355	0	H	703	5
75357	4	H	701	6
75359	8	H	693	2
75360	4	D	443	4
75362	8	D	443	4
75365	9	D	555	7
75389	5	D	552	5
75397	0	D	575	3
75442	7	P	368	4
75443	4	P	368	3
75513	4	D	734	4
75549	3	D	575	3
75552	3	D	672	1
75587	5	D	575	3
75609	4	D	183	6
75610	0	D	286	6
75611	7	D	286	6
75612	4	D	286	6
75613	1	D	286	6
75614	8	D	286	6
75615	5	D	286	6
75616	2	D	286	6
75617	9	D	286	6
75618	6	D	286	6
75619	3	D	286	6
75620	9	D	286	6
75621	6	D	286	6
75622	3	D	286	5
75623	0	D	286	5
75625	4	D	286	5
75626	1	D	286	5
75627	8	D	286	5
75628	5	D	286	5
75737	4	P	404	4
75778	7	H	700	7
75880	7	D	605	4
75881	4	D	605	4
75882	1	D	605	4
75968	2	D	69	1
75976	7	D	67	6
76023	7	D	436	4
76024	4	D	436	4
76025	1	D	436	4
76026	8	D	436	4
76032	9	D	436	3
76033	6	D	436	3
76034	3	D	436	3
76035	0	D	436	3
76036	7	D	436	3
76037	4	D	436	3
76038	1	D	436	3
76039	8	D	436	3
76040	4	D	436	3
76041	1	D	436	3
76042	8	D	436	7
76043	5	D	436	7
76044	2	D	436	7
76108	1	D	196	4
76109	8	D	614	2
76171	5	P	180	1
76211	8	P	344	1
76222	4	D	845	1
76228	6	D	845	1
76230	9	D	845	5
76231	6	D	845	4
76232	3	D	845	6
76233	0	D	845	3
76234	7	D	846	2
76379	5	D	600	11
76452	5	D	451	3
76456	3	D	451	3
76465	5	D	451	3
76466	2	D	451	3
76467	9	D	451	3
76468	6	D	451	3
76481	5	D	629	6
76482	2	D	197	3
76485	3	D	451	3
76490	7	P	403	3
76592	8	P	319	1
76593	5	P	319	1
76713	7	D	321	7
76714	4	D	321	6
76728	1	D	354	3
76729	8	D	354	3
76730	4	D	354	3
76731	1	D	343	3
76732	8	D	354	3
76738	0	D	354	3
76739	7	D	354	3
76740	3	D	354	3
76741	0	D	343	3
76742	7	D	354	3
76762	5	D	838	5
76763	2	D	841	3
76765	6	D	823	4
76770	0	D	781	1
76774	8	D	823	6
76797	7	H	701	3
76940	7	H	883	4
76942	1	H	883	6
76981	0	D	302	5
76982	7	D	302	5
76984	1	D	451	9

Stock No.	Barcode Chck Digit	Dealer Code	Cat. Page	Seq. No.
77004	5	H	687	1
77017	5	D	676	1
77020	5	P	504	1
77056	4	P	172	2
77057	1	P	238	1
77091	5	D	539	3
77142	4	D	426	5
77143	1	D	426	6
77144	8	D	426	7
77145	5	D	426	5
77167	7	D	322	6
77168	4	D	322	6
77169	1	D	322	6
77171	4	D	323	1
77172	1	D	323	1
77173	8	D	323	2
77174	5	D	323	3
77175	2	D	323	1
77176	9	D	323	1
77177	6	D	323	1
77178	3	D	323	1
77179	0	D	323	1
77180	6	D	323	4
77253	7	H	701	1
77572	9	D	495	1
77584	2	D	236	8
77586	6	D	495	3
77589	7	D	495	2
77592	7	D	236	9
77607	8	D	600	6
77990	1	P	96	4
77991	8	P	96	1
77992	5	P	96	2
77993	2	P	96	3
78084	6	D	600	13
78202	4	D	600	14
78203	1	D	600	7
78428	8	H	688	6
78430	1	H	728	1
78432	5	D	594	8
78433	2	H	696	4
78440	0	D	771	11
78453	0	D	598	1
78456	1	P	345	2
78474	5	D	673	6
78475	2	D	673	6
78476	9	D	673	6
78588	9	D	229	6
78589	6	D	664	1
78590	2	D	664	1
78591	9	D	664	1
78592	6	D	664	2
78597	1	P	861	4
78610	7	P	208	2
78611	4	P	221	4
78612	1	P	205	1
78614	5	D	596	4
78615	2	D	596	4
78639	8	P	94	5
78641	1	P	94	6
78642	8	P	94	7
78643	5	D	843	2
78665	7	D	154	4
78772	2	D	663	5
78773	9	D	663	1
78774	6	D	663	2
78775	3	D	663	3
78776	0	D	663	4
78779	1	P	378	4
78780	7	P	378	5
78785	2	P	483	2
78787	6	P	483	2
78897	2	D	353	6
78912	2	D	353	6
78915	3	D	656	1
78916	0	D	656	1
78917	7	D	656	1
78918	4	D	656	1
78919	1	D	656	1
78920	7	D	353	6
78921	4	D	656	1
78922	1	D	656	1
78924	5	D	573	1
78925	2	D	574	1
78954	2	D	353	6
78996	2	D	353	7
79005	0	D	139	2
79016	6	D	345	2
79019	7	D	353	7
79035	7	D	353	7
79051	7	D	353	7
79173	6	H	703	6
79197	2	D	614	3
79198	9	D	614	5
79199	6	D	614	8
79200	9	D	614	7
79201	6	D	613	1
79202	3	D	615	4
79203	0	H	613	2
79204	7	H	613	3
79205	4	H	613	4
79356	3	D	425	1
79359	4	P	364	1
79579	6	D	739	4
79894	0	P	388	1
79899	5	P	359	1
79901	5	P	359	2
79906	5	P	357	4
80140	4	H	258	6
80142	8	H	262	6
80201	2	D	590	5
80215	9	D	718	3
80218	0	D	615	5
80219	7	D	615	5
80264	7	H	688	2
80272	2	H	688	2
80295	1	H	261	3
80305	7	H	693	1
80313	2	H	693	1
80321	7	H	693	6
80620	1	D	854	6
80628	7	P	867	1
80629	4	P	867	1
80664	5	D	451	2
80665	2	D	451	1
80719	2	D	381	4
80720	8	D	381	4
80727	7	D	139	4
80756	7	D	609	1
80797	0	D	573	8
80799	4	D	609	1
80801	4	D	645	5
80803	8	H	680	3
80805	2	P	500	1
80808	3	P	180	2
80844	1	D	609	1
80857	1	D	737	2
80858	8	D	737	2
80859	5	D	609	2
80872	4	P	172	1
80874	8	D	636	2
80878	6	D	637	1
80880	9	P	865	1
80883	0	D	318	3
80884	7	D	318	3
80885	4	D	318	3
80886	1	D	318	3
80899	1	H	80	1
80900	4	H	80	2
80901	1	P	180	2
80902	8	P	180	2
80903	5	P	180	2
80906	6	P	180	2
80917	2	H	701	2
80925	7	H	701	2
80946	2	P	363	2
80947	9	P	363	1
80956	1	P	382	2
80962	2	D	774	1
80964	6	D	774	1
80965	3	D	774	1
80966	0	D	774	1
80980	6	D	424	1
80991	2	D	424	3
80999	8	P	175	3
81006	2	H	700	6
81014	7	H	700	7
81018	5	P	326	4
81022	2	H	701	1
81027	7	P	327	3
81030	7	H	701	1
81033	8	P	330	2
81034	5	D	229	1
81036	9	D	229	1
81037	6	D	229	1
81038	3	D	229	1
81065	9	D	598	2
81068	0	D	426	2
81077	2	P	404	2
81078	9	D	657	5
81088	8	D	828	2
81095	6	D	657	5
81108	3	D	766	5
81109	0	D	766	6
81110	6	D	766	7
81111	3	D	766	4
81113	7	D	657	6
81114	4	D	657	6
81115	1	D	766	3
81118	2	D	766	2
81119	9	D	766	1
81124	3	D	657	6
81147	2	D	531	6
81163	2	P	137	4
81164	9	P	137	3
81189	2	H	703	4
81199	1	D	544	5
81200	4	D	714	6
81204	2	H	681	1
81211	0	D	714	2
81212	7	H	681	1
81213	4	D	714	3
81214	1	D	714	4
81215	8	D	714	5
81218	9	D	714	8
81221	9	D	714	7
81222	6	D	714	7
81223	3	D	714	7
81230	1	D	714	7
81231	8	D	714	9
81233	2	D	715	1
81234	9	D	715	2
81235	6	D	715	3
81237	0	D	715	4
81238	7	H	681	4
81241	7	D	715	6
81242	4	D	715	5
81243	1	D	715	5
81246	2	H	681	5
81254	7	H	682	2
81255	4	D	715	5
81256	1	D	715	7
81262	2	H	682	2
81263	9	D	715	8
81281	3	D	715	9
81288	2	D	757	3
81289	9	D	757	2
81290	5	D	757	1
81292	9	D	757	4
81293	6	D	757	4
81294	3	D	568	4
81295	0	D	304	6
81296	7	D	304	5
81297	4	D	304	4
81299	8	D	304	7
81300	1	D	304	7
81314	8	D	716	5
81315	5	P	173	3
81324	7	D	657	6
81328	5	D	657	6
81425	1	D	530	1
81428	2	D	597	6
81429	9	D	597	6
81430	5	D	597	6
81431	2	D	595	11
81432	9	D	595	11
81433	6	D	597	4
81434	3	D	597	4
81435	0	D	597	4
81436	7	D	597	2
81440	4	D	595	9
81443	5	D	595	9
81508	1	P	299	3
81519	7	D	574	5
81564	7	P	863	1
81565	4	P	863	2
81642	2	D	320	2
81645	3	P	206	1
81646	0	P	206	2
81650	7	D	320	3
81705	4	D	657	5
81707	8	P	802	3
81709	2	H	693	4
81710	8	P	277	1
81711	5	P	277	5
81716	0	D	440	1
81718	4	D	440	2
81719	1	D	440	3
81721	4	D	440	4
81722	1	D	440	9
81723	8	D	440	10
81724	5	D	440	5

Stock No.	Barcode Chck Digit	Dealer Code	Cat. Page	Seq. No.
81725	2	D	440	11
81726	9	D	440	6
81727	6	D	440	7
81728	3	D	440	8
81729	0	D	440	12
81730	6	D	441	1
81731	3	D	441	2
81732	0	D	441	3
81734	4	D	441	4
81735	1	D	441	5
81736	8	D	441	6
81743	6	D	83	5
81762	7	D	549	1
81763	4	D	549	3
81905	8	P	181	1
81906	5	P	201	1
81914	0	D	536	1
82104	4	P	868	3
82107	5	D	717	4
82125	9	P	242	3
82129	7	P	242	2
82130	3	P	242	2
82131	0	D	197	7
82134	1	D	795	9
82136	5	H	31	4
82139	6	D	50	3
82140	2	D	50	3
82142	6	D	50	3
82143	3	D	50	1
82144	0	D	50	1
82148	8	D	714	1
82149	5	D	714	6
82151	8	P	242	2
82194	5	D	636	3
82195	2	D	636	4
82196	9	D	636	3
82197	6	D	636	4
82198	3	D	636	5
82199	0	D	637	2
82200	3	D	637	2
82201	0	D	635	1
82202	7	D	635	2
82203	4	D	635	1
82204	1	D	635	2
82205	8	D	636	1
82266	9	D	755	3
82329	1	D	320	7
82330	7	D	320	8
82361	1	P	187	5
82384	0	D	670	7
82386	4	D	429	4
82387	1	D	579	11
82391	8	D	429	1
82392	5	D	429	2
82393	2	D	429	3
82394	9	D	429	5
82396	3	D	580	4
82397	0	D	93	2
82398	7	D	432	1
82399	4	D	93	3
82400	7	D	430	1
82401	4	D	430	2
82402	1	D	430	3
82404	5	D	430	4
82405	2	D	430	5
82406	9	D	93	1
82407	6	D	428	8
82408	3	D	428	8
82409	0	D	428	8
82410	6	D	428	9
82411	3	D	428	9
82415	1	D	738	1
82429	8	H	731	5
82430	4	D	598	7
82432	8	D	661	8
82435	9	D	605	6
82437	3	D	605	6
82440	3	D	605	6
82441	0	P	224	2
82446	5	P	224	2
82447	2	D	604	1
82448	9	D	754	1
82449	6	D	754	2
82450	2	D	754	3
82453	3	D	754	4
82454	0	D	756	1
82456	4	P	173	7
82457	1	P	173	6
82458	8	P	224	2
82459	5	D	798	1
82460	1	D	798	2
82461	8	P	224	2
82462	5	D	854	5
82463	2	D	854	7
82464	9	D	855	1
82465	6	D	604	1
82466	3	P	224	2
82467	0	D	854	8
82468	7	D	855	2
82469	4	D	855	2
82470	0	D	798	3
82471	7	P	754	7
82472	4	P	754	5
82473	1	P	754	8
82474	8	D	754	6
82475	5	P	224	1
82477	9	D	751	1
82478	6	D	751	1
82480	9	D	751	4
82481	6	D	751	4
82482	3	D	752	1
82483	0	D	752	1
82484	7	D	322	1
82485	4	D	322	1
82486	1	D	752	2
82487	8	D	752	7
82488	5	D	752	7
82489	2	D	752	6
82490	8	D	649	7
82491	5	D	649	7
82492	2	D	649	7
82493	9	D	649	7
82494	6	D	649	7
82495	3	D	649	8
82496	0	D	649	5
82497	7	D	649	5
82498	4	D	649	5
82499	1	D	649	5
82500	4	D	649	5
82501	1	D	649	5
82502	8	D	649	6
82503	5	D	649	3
82504	2	D	649	3
82505	9	D	649	3
82506	6	D	649	3
82507	3	D	649	3
82508	0	D	649	3
82509	7	D	649	4
82510	3	D	649	1
82511	0	D	649	1
82512	7	D	649	1
82513	4	D	649	1
82514	1	D	649	2
82515	8	D	650	7
82517	2	D	650	5
82518	9	D	650	8
82519	6	D	650	9
82520	2	D	654	4
82522	6	D	650	6
82523	3	D	650	1
82525	7	D	651	2
82527	1	D	651	2
82528	8	D	651	3
82529	5	D	651	3
82530	1	D	651	3
82531	8	D	651	3
82532	5	D	651	4
82533	2	D	651	4
82534	9	D	651	1
82535	6	D	651	1
82536	3	D	651	3
82537	0	D	651	3
82538	7	D	651	7
82539	4	D	651	8
82540	0	D	651	9
82541	7	D	651	5
82542	4	D	651	5
82543	1	D	652	7
82544	8	D	652	5
82545	5	D	652	8
82546	2	D	651	6
82547	9	D	652	1
82548	6	D	652	1
82549	3	D	652	2
82550	9	D	652	2
82551	6	D	652	4
82552	3	D	652	3
82553	0	D	652	3
82554	7	D	650	2
82555	4	D	650	2
82556	1	D	650	4
82557	8	D	650	3
82558	5	D	650	3
82561	5	D	751	6
82562	2	D	751	6
82563	9	D	751	5
82564	6	D	751	5
82565	3	D	752	3
82566	0	D	752	3
82567	7	D	752	5
82569	1	D	752	5
82570	7	P	356	1
82571	4	P	356	2
82572	1	P	356	1
82574	5	H	704	1
82575	2	H	695	3
82576	9	H	692	2
82577	6	D	618	4
82579	0	D	446	6
82580	6	D	446	6
82581	3	D	446	6
82583	7	D	798	4
82591	2	D	743	3
82595	0	D	191	8
82599	8	P	224	1
82602	5	D	744	5
82603	2	D	744	5
82604	9	D	744	5
82608	7	D	744	7
82609	4	D	744	7
82612	4	D	191	5
82613	1	P	224	1
82614	8	D	191	5
82616	2	D	835	9
82618	6	D	835	8
82620	9	D	835	6
82622	3	D	835	6
82623	0	D	835	6
82625	4	D	835	5
82626	1	D	835	5
82627	8	D	835	5
82631	5	P	616	7
82632	2	P	616	6
82634	6	D	437	8
82636	0	H	725	1
82637	7	H	725	2
82639	1	H	725	3
82640	7	D	618	5
82646	9	D	753	1
82648	3	D	362	5
82649	0	D	753	1
82650	6	D	753	8
82651	3	D	753	7
82652	0	H	733	3
82653	7	H	733	3
82654	4	H	733	3
82655	1	H	733	4
82656	8	H	733	4
82657	5	H	733	4
82658	2	D	647	7
82660	5	D	647	7
82662	9	D	647	7
82664	3	D	647	7
82666	7	D	647	7
82667	4	D	647	6
82668	1	D	647	6
82669	8	D	647	6
82670	4	D	647	6
82671	1	D	647	10
82672	8	D	647	8
82673	5	D	647	9
82677	3	D	644	3
82678	0	D	183	8
82682	7	D	606	2
82683	4	D	606	2
82686	5	D	606	1
82687	2	D	606	1
82689	6	D	189	7
82690	2	D	189	6
82691	9	D	606	5
82692	6	D	189	8
82693	3	D	189	5
82694	0	D	189	4
82699	5	D	362	5
82701	5	P	297	1
82702	2	D	170	7
82703	9	D	170	7
82709	1	D	648	7
82710	7	D	648	4
82711	4	D	654	5
82712	1	D	651	1
82715	2	D	651	1

Stock No.	Barcode Chck Digit	Dealer Code	Cat. Page	Seq. No.
82716	9	D	651	8
82717	6	D	651	2
82718	3	D	651	2
82721	3	D	744	5
82748	0	D	744	6
82749	7	D	744	6
82750	3	D	745	4
82751	0	D	744	5
82753	4	D	606	5
82754	1	P	839	1
82755	8	P	722	2
82756	5	P	354	1
82757	2	D	644	9
82758	9	D	644	9
82760	2	D	644	9
82765	7	P	860	2
82768	8	D	199	6
82773	2	D	625	7
82774	9	D	625	7
82775	6	D	625	7
82776	3	D	625	7
82777	0	D	625	8
82778	7	P	839	3
82788	6	D	644	5
82805	0	D	734	9
82806	7	D	648	5
82807	4	D	604	5
82808	1	D	604	5
82809	8	D	604	5
82813	5	D	604	6
82815	9	D	604	6
82816	6	D	604	6
82817	3	D	605	1
82818	0	D	605	1
82819	7	D	605	1
82823	4	D	605	2
82824	1	D	605	2
82831	9	D	444	4
82833	3	D	590	8
82835	7	D	590	7
82836	4	D	593	3
82846	3	H	730	2
82898	2	H	703	1
82899	9	D	838	4
82957	6	P	187	6
82972	9	H	72	3
82979	8	H	72	1
82981	1	H	72	2
83033	6	D	72	5
83059	6	D	72	5
83061	9	D	72	5
83089	3	H	65	7
83090	9	H	65	8
83092	3	H	66	3
83096	1	H	66	4
83098	5	H	67	3
83112	8	D	644	9
83135	7	D	638	4
83161	6	P	180	2
83162	3	P	180	2
83163	0	P	180	2
83164	7	P	180	2
83165	4	P	180	2
83166	1	P	180	2
83167	8	P	180	2
83168	5	P	180	2
83169	2	P	180	2
83170	8	P	180	2
83171	5	P	180	2
83172	2	P	180	2
83173	9	P	180	2
83174	6	P	180	2
83271	2	D	66	6
83272	9	H	68	1
83277	4	D	626	5
83278	1	D	626	5
83279	8	H	68	2
83280	4	H	68	3
83281	1	H	68	4
83282	8	H	70	1
83283	5	H	70	2
83285	9	D	626	5
83286	6	D	626	5
83288	0	D	626	5
83291	0	D	626	5
83293	4	D	626	5
83317	7	P	97	3
83351	1	D	626	6
83374	0	D	644	9
83378	8	P	242	1
83402	0	P	316	4
83403	7	P	312	2
83405	1	P	372	1
83406	8	P	372	2
83407	5	P	372	3
83414	3	P	373	2
83419	8	P	360	1
83420	4	P	346	1
83421	1	P	346	5
83422	8	P	295	2
83423	5	P	295	3
83426	6	P	296	2
83427	3	P	296	1
83429	7	P	296	4
83431	0	P	294	2
83432	7	D	579	3
83436	5	D	593	4
83439	6	P	97	3
83440	2	P	504	5
83460	0	D	625	5
83461	7	D	625	5
83463	1	D	833	8
83464	8	D	833	9
83480	8	D	618	1
83486	0	D	439	1
83488	4	D	439	1
83489	1	D	439	1
83490	7	D	605	5
83491	4	D	439	1
83493	8	D	439	1
83494	5	D	605	5
83496	9	D	439	1
83497	6	D	439	1
83499	0	D	439	1
83500	3	D	439	1
83501	0	D	439	1
83502	7	D	439	1
83503	4	D	439	1
83506	5	D	439	1
83527	0	D	368	3
83528	7	D	368	3
83529	4	D	368	3
83530	0	D	368	3
83532	4	D	368	3
83533	1	D	368	3
83534	8	D	368	3
83548	5	D	368	4
83550	8	D	368	4
83551	5	D	368	4
83552	2	D	368	4
83553	9	D	368	4
83554	6	D	368	4
83555	3	D	368	4
83556	0	D	368	4
83557	7	D	368	4
83558	4	D	368	4
83559	1	D	89	1
83561	4	D	89	2
83562	1	D	89	3
83564	5	D	577	7
83565	2	D	577	6
83566	9	D	92	1
83567	6	D	92	2
83568	3	P	401	6
83584	3	P	402	3
83586	7	P	402	1
83594	2	P	406	2
83605	5	P	406	3
83607	9	P	406	1
83611	6	P	411	3
83612	3	P	411	4
83628	4	P	409	1
83629	1	D	604	2
83630	7	D	604	2
83631	4	D	604	2
83633	8	D	604	4
83635	2	P	143	6
83636	9	D	604	3
83637	6	P	411	2
83638	3	P	411	1
83644	4	P	412	3
83648	2	P	414	1
83649	9	D	604	3
83650	5	P	414	2
83653	6	P	407	4
83657	4	P	417	5
83659	8	P	417	1
83660	4	P	417	4
83661	1	P	417	3
83677	2	P	358	2
83678	9	P	358	3
83703	8	P	372	1
83704	5	P	372	1
83705	2	P	372	1
83706	9	P	372	1
83707	6	P	372	1
83708	3	P	372	1
83709	0	P	372	1
83710	6	P	372	1
83711	3	P	372	1
83713	7	P	372	1
83714	4	D	645	3
83716	8	P	168	2
83717	5	P	168	1
83721	2	D	556	3
83724	3	P	504	4
83726	7	D	806	4
83727	4	D	806	3
83728	1	D	806	2
83729	8	D	806	1
83730	4	D	807	1
83731	1	D	807	3
83732	8	D	807	5
83734	2	D	807	8
83735	9	D	807	6
83736	6	P	296	3
83738	0	P	290	1
83739	7	D	808	10
83740	3	D	808	11
83741	0	D	807	4
83742	7	D	807	2
83743	4	D	808	1
83744	1	D	808	2
83745	8	P	280	2
83746	5	D	808	4
83747	2	D	808	6
83748	9	D	808	3
83749	6	D	808	5
83750	2	D	808	8
83751	9	D	808	7
83752	6	D	808	9
83753	3	D	810	1
83754	0	D	810	2
83755	7	D	810	3
83756	4	D	810	4
83757	1	D	810	5
83758	8	D	810	6
83759	5	D	811	1
83760	1	D	811	2
83761	8	D	811	3
83762	5	D	811	7
83763	2	D	811	4
83764	9	D	811	5
83765	6	D	811	6
83766	3	D	812	1
83767	0	D	812	4
83768	7	D	812	5
83769	4	P	288	5
83770	0	D	812	7
83771	7	D	812	2
83772	4	D	812	3
83773	1	D	812	6
83774	8	D	812	8
83775	5	D	812	9
83776	2	D	814	9
83793	9	D	615	3
83794	6	D	615	3
83795	3	D	615	3
83796	0	D	615	3
83797	7	D	615	3
83798	4	D	615	3
83799	1	D	615	3
83800	4	D	615	3
83801	1	D	615	3
83802	8	D	615	3
83803	5	D	614	6
83804	2	D	614	6
83805	9	D	614	6
83806	6	D	614	6
83807	3	D	614	6
83808	0	D	614	6
83809	7	D	614	6
83810	3	D	614	6
83811	0	P	283	6
83812	7	D	614	6
83813	4	D	614	6
83815	8	D	446	10
83816	5	D	347	5
83818	9	P	374	1
83819	6	P	374	2
83820	2	P	374	1
83821	9	P	374	2

Stock No.	Barcode Chck Digit	Dealer Code	Cat. Page	Seq. No.
83822	6	P	374	1
83823	3	P	374	2
83824	0	P	374	1
83842	4	D	837	5
83860	8	D	351	3
83861	5	D	351	3
83862	2	D	351	3
83863	9	D	351	3
83864	6	D	351	3
83865	3	D	448	6
83867	7	D	448	6
83868	4	D	448	6
83888	2	H	688	2
83942	1	P	285	2
83953	7	P	287	4
83961	2	P	283	3
83964	3	P	279	4
83966	7	P	733	1
83969	8	D	822	3
83970	4	D	822	4
83971	1	D	816	7
83972	8	D	819	1
83973	5	D	822	5
83974	2	D	822	6
83975	9	D	824	8
83978	0	D	829	4
83979	7	D	825	2
83980	3	D	825	1
83981	0	D	826	6
83982	7	D	618	6
83983	4	P	839	4
83984	1	D	852	6
83985	8	P	295	1
83986	5	D	852	6
83988	9	D	815	1
83990	2	D	815	2
83991	9	D	815	3
83992	6	D	815	4
83993	3	D	815	5
83994	0	D	822	7
83996	4	P	506	3
83997	1	P	506	2
83998	8	P	506	1
83999	5	D	244	12
84050	2	D	823	5
84120	2	P	280	5
84121	9	P	283	2
84122	6	P	281	2
84123	3	P	284	4
84124	0	P	287	2
84125	7	P	285	5
84126	4	P	281	5
84128	8	P	279	2
84129	5	P	294	1
84130	1	P	291	3
84131	8	P	290	5
84149	3	D	162	5
84155	4	D	162	5
84293	3	D	854	3
84294	0	D	854	4
84296	4	D	854	4
84430	2	D	828	3
84434	0	P	416	4
84441	8	D	533	2
84442	5	D	533	2
84443	2	D	533	2
84444	9	D	533	3
84445	6	D	533	3
84446	3	D	533	3
84447	0	D	533	1
84448	7	D	533	1
84449	4	D	533	1
84451	7	D	437	6
84456	2	D	603	5
84464	7	D	603	5
84480	7	D	603	3
84498	2	D	603	3
84646	7	D	77	2
84654	2	D	77	2
84705	1	P	730	1
84706	8	P	866	1
84708	2	P	357	1
84711	2	D	190	2
84712	9	D	190	1
84713	6	P	355	1
84714	3	P	355	2
84715	0	P	355	3
84717	4	P	355	1
84718	1	P	355	2
84719	8	P	355	3
84720	4	H	742	1
84721	1	H	742	1
84722	8	H	742	1
84723	5	H	742	1
84724	2	H	742	2
84725	9	H	742	2
84726	6	H	742	2
84727	3	H	742	2
84729	7	H	742	3
84730	3	H	742	3
84731	0	H	742	3
84732	7	H	742	3
84737	2	D	77	1
84738	9	D	600	10
84745	7	D	77	1
84749	5	P	839	2
84752	5	D	730	1
84753	2	D	77	1
84754	9	D	730	1
84755	6	D	730	1
84756	3	P	866	1
84757	0	P	866	1
84758	7	P	866	1
84759	4	P	866	1
84761	7	D	77	1
84779	2	D	77	1
84787	7	D	77	1
84798	3	H	725	6
84799	0	H	725	7
85068	6	D	197	1
85125	6	D	54	1
85188	1	D	821	1
85210	9	D	598	4
85211	6	D	345	2
85213	0	D	346	1
85214	7	D	166	3
85354	0	D	663	7
85355	7	D	663	7
85356	4	D	663	7
85357	1	D	663	7
85525	4	D	234	4
85526	1	D	234	4
85527	8	D	234	4
85528	5	D	234	4
85529	2	D	234	4
85530	8	D	234	4
85531	5	D	234	4
85532	2	D	234	4
85533	9	D	234	4
85534	6	D	234	4
85535	3	D	234	4
85536	0	D	234	4
85537	7	D	234	4
85538	4	D	234	4
85539	1	D	234	4
85540	7	D	234	4
85541	4	D	234	4
85569	8	P	318	3
85629	9	P	221	6
85630	5	D	660	7
85631	2	D	655	2
85632	9	D	834	2
85633	6	P	500	3
85634	3	P	733	1
85644	2	P	164	2
85654	1	D	245	7
85655	8	P	502	1
85656	5	P	227	5
85662	6	D	654	3
85665	7	D	733	7
85666	4	D	733	7
85670	1	P	501	1
85673	2	P	501	2
85675	6	P	501	3
85743	2	P	485	1
85751	7	H	497	1
85937	5	D	324	2
85939	9	H	76	6
85940	5	H	76	7
85941	2	H	748	3
85942	9	H	748	3
85943	6	H	748	3
85944	3	H	748	3
85945	0	H	748	3
85946	7	H	748	3
85947	4	H	748	3
85948	1	H	748	3
85949	8	H	748	3
85950	4	H	747	2
85951	1	H	747	2
85952	8	H	747	2
85953	5	H	747	2
85954	2	H	747	2
85955	9	H	747	2
85956	6	H	747	3
85957	3	H	747	3
85958	0	H	747	3
85959	7	H	747	3
85960	3	H	747	3
85961	0	H	747	3
85962	7	H	747	3
85963	4	H	747	3
85964	1	H	747	3
85965	8	H	747	1
85967	2	H	747	1
85968	9	H	747	1
85969	6	H	747	1
85970	2	H	747	1
85971	9	H	747	1
85972	6	H	748	4
85973	3	H	748	4
85974	0	H	748	4
85975	7	H	748	4
85976	4	H	748	4
85977	1	H	748	4
85978	8	H	748	1
85979	5	H	748	1
85980	1	H	748	1
85981	8	H	748	1
85982	5	H	748	1
85983	2	H	748	1
85984	9	H	748	2
85985	6	H	748	2
85986	3	H	748	2
85987	0	H	748	2
85988	7	H	748	2
85989	4	H	748	2
85995	5	D	663	7
85996	2	D	663	7
85997	9	D	663	7
85998	6	D	663	7
85999	3	D	663	7
86000	5	D	663	7
86001	2	D	663	7
86002	9	D	663	7
86003	6	D	663	7
86004	3	D	663	7
86005	0	D	663	7
86006	7	D	663	7
86013	5	D	526	2
86062	3	D	720	7
86671	7	P	486	6
86672	4	P	486	5
86673	1	P	486	4
86674	8	P	486	3
86675	5	P	486	2
86685	4	P	369	1
86920	6	D	720	1
86921	3	D	720	2
86928	2	P	388	4
86958	9	P	388	5
87059	2	P	382	3
87088	2	P	383	1
87153	7	H	704	5
87161	2	H	705	1
87358	6	H	495	4
87359	3	H	495	4
87375	3	D	789	3
87380	7	D	663	5
87382	1	D	663	2
87680	8	P	380	1
87801	7	H	696	6
87806	2	D	423	9
87961	8	P	378	2
87962	5	P	378	3
88145	1	H	688	3
88146	8	H	702	2
88147	5	H	702	2
88148	2	H	703	3
88150	5	H	703	3
88153	6	H	685	4
88192	5	D	639	1
88213	7	D	606	3
88215	1	D	606	3
88216	8	D	606	3
88217	5	D	606	4
88230	4	D	629	9
88231	1	D	629	10
88237	3	D	645	10
88293	9	D	537	5
88592	3	D	624	4
88598	5	D	82	5

Stock No.	Barcode Chck Digit	Dealer Code	Cat. Page	Seq. No.
88601	2	D	82	4
88602	9	D	82	4
88603	6	D	82	4
88604	3	D	82	4
88605	0	D	627	1
88608	1	D	552	8
88618	0	D	735	3
88621	0	D	187	3
88626	5	D	415	4
88629	6	D	592	5
88631	9	D	735	1
88633	3	H	727	4
88635	7	D	735	1
88636	4	D	153	7
88640	1	D	740	3
88789	7	D	816	1
88790	3	D	816	2
88791	0	D	816	3
88792	7	D	816	4
88793	4	D	816	5
88794	1	D	816	6
88795	8	D	817	1
88796	5	D	817	2
88797	2	D	817	6
88798	9	D	817	3
88799	6	D	817	5
88801	6	D	817	4
88803	0	D	818	6
88804	7	D	818	7
88805	4	D	818	1
88806	1	D	818	2
88807	8	D	818	3
88808	5	D	818	4
88809	2	D	818	5
88810	8	H	684	7
88904	4	P	484	1
88912	9	P	350	1
88979	2	H	696	2
88988	4	D	671	1
89124	5	D	537	3
89126	9	D	537	4
89200	6	D	199	1
89201	3	D	199	4
89209	9	H	496	5
89301	0	D	870	4
89312	6	D	797	3
89324	9	D	626	2
89325	6	D	626	2
89326	3	D	626	2
89327	0	D	626	2
89328	7	D	626	2
89330	0	D	626	2
89331	7	D	626	2
89425	3	P	399	3
89433	8	P	399	6
89437	6	P	399	5
89451	2	P	398	1
89459	8	P	398	2
89470	3	D	490	3
89477	2	P	398	3
89482	6	P	399	1
89512	0	P	397	3
89518	2	P	397	2
89519	9	P	396	3
89520	5	P	396	4
89521	2	P	397	4
89522	9	P	399	2
89523	6	P	396	1
89524	3	P	396	5
89525	0	D	237	2
89526	7	D	237	2
89527	4	D	237	2
89558	8	H	27	2
89711	7	D	716	7
89712	4	D	716	9
89713	1	D	716	9
89714	8	D	631	2
89716	2	D	435	2
89719	3	D	631	6
89721	6	D	661	2
89726	1	D	626	4
89756	8	P	510	2
89762	9	D	631	5
89765	0	H	143	7
89767	4	D	150	6
89791	9	D	162	1
89792	6	D	183	5
89793	3	P	161	6
89839	8	D	645	2
89914	2	D	645	4
89940	1	D	645	4
89993	7	D	443	2
89996	8	D	437	5
89997	5	D	437	5
89998	2	D	437	5
90000	8	D	437	5
90001	5	D	437	5
90002	2	D	718	4
90003	9	D	659	3
90012	1	D	656	3
90026	8	D	656	3
90029	9	D	656	3
90061	9	D	454	4
90079	4	D	719	10
90083	1	D	719	11
90084	8	D	665	5
90085	5	D	665	5
90086	2	D	665	4
90403	7	P	396	2
90409	9	P	506	6
90417	4	P	506	5
90420	4	P	506	4
90862	2	D	443	3
92283	3	H	266	4
92291	8	H	266	4
92308	3	H	266	4
92316	8	H	266	3
92324	3	H	266	3
92332	8	H	266	3
92340	3	H	266	3
92451	6	D	451	7
92485	1	D	451	8
92526	1	D	428	4
93241	2	D	69	1
93259	7	D	69	1
93267	2	D	69	1
93481	2	D	69	5
93499	7	D	69	5
94268	8	D	591	8
94269	5	P	147	2
94802	4	P	340	3
94803	1	P	338	3
95043	0	P	338	1
95092	8	P	338	2
95301	1	P	340	2
95314	1	P	340	1
97533	4	P	391	4
97776	5	P	373	3
97992	9	D	664	6
97993	6	D	664	6
97994	3	D	664	6
98885	3	D	518	1
98886	0	D	519	1
98887	7	D	520	1
98888	4	D	521	1

KEY TO DRAPER TOOLS
DEALER CODES

Every product has a unique code shown in these index pages.

The code system is as follows:

D = Draper products **H** = Clothing, footwear and Knipex **P** = Power and other selected workshop products

A

Abrasive Drum Set 450
Abrasive Pads
Polycarbide 286,451
Acetylene Hoses 324
Adaptors
16A to 13A 456
Air Line Adaptors 304-306,308
Long Reach 147
Plug 454
Screwdriver 428,579
SDS+ 427
Travel 454
Adhesive Felt Pads 789
Adhesive Spreader and Grouter 644
Adhesive Spreading Trowels 716
Adhesives and Sealants
Bearing Fit, D641 192,617
Brake and Air Line Seal, D572 193
Bush and Sleeve Retainer, D638 192,617
Epoxy Structural Adhesive, D2012 193,617
Flexible Gasket, D515 193,617
Flexible Gasket, D518 193,617
Heavy Duty Spray Adhesive 786
Hydraulic Seal, D542 192,617
Multi Gasket, D574 193,617
Nut Lock, D243 192,617
Plastic Weld, D3294 193,617
Stud Lock, D270 192,617
Super Glue 193
Thread lock, D222 192,617
Adjustable Wrenches 82,656
Aerosols 196,320,614,786
Air Hoses
"Whip" 302
Recoil 302
Retractable 302
Straight 303
Air Hose Reels 302
Air Line Hoses 303
Air Tools
Air Blow Guns 297
Air Brush Kits 299
Air Caulking Guns 300
Air Compressors 274-278
Air Compressors, Mini 175,278
Air Couplings 304-308
Air Filter/Regulator/Lubricator Units 309
Air Flow Regulator 304
Air Grease Guns 300
Air Hammers 290
Air Impact Wrenches 295
Air Inflators 174,207,300-301
Air Line Couplings/Fittings 304-308
Air Lubricator Units 309
Air Paraffin/Washing Gun 300
Air Ratchets 281-282,296
Air Regulator Units 309
Air Riveters 291,547
Air Sand Blasting Kit 299
Air Shears 291
Air Tool Connection Kits 302-303
Air Tool Kits 294, 296, 299
Air Underbody Coating Guns 300
Alternator Pulley Tool Kits 229
Analyser
Alternator 140
Battery 140
Angle Grinders 406
Angle Screwdrivers 574
Angular Torque Gauge 93
Anti-Foam Filters 368
Anti-Freeze Testers 161
Anti-Spatter Welding Spray 320
Anvil 623
Aprons .....
Cotton 756
Leather 322,756
Arbors
Carbide Grit 434
Diamond Core Bits 427
Hole Saws 434
Arc Welders 312-314
Ash Vacuum Cleaner 366
Assortments
Circlip 195,781
E-Clips 195,781
Fuses - Automotive 195
Nail and Pin 781
O-Ring 194
R-Clip 195
Roll Pins 195
Split Pin 195
Spring 195
Terminal 543
ATV Lifts 209
Auger Bits 436
Automatic Wire Strippers 541
Automotive Circuit Testers 140
Automotive Tachometer 139
Awls 629
Axe Shafts 598,711,833
Axes 829
Axle Stands 218-219

B

Back Supports 756
Backing Pads 287,446
Bag (or wire) Twister 836
Bags
Bucket 497
Cloth 368
Cool 495
Dry 495
Dust 367
Nylon 368
Paper 368
Tool 495-497
Ball Joint Pullers/Separators 164
Ball Pein Hammers 595,602
Bandsaws
Metal Cutting 342-343
Wood Cutting 354-355
Barbecue Covers 845
Barrel Pumps 232
Barrier Tapes 787
Bars
Demolition 734
Digging 734
Pry 153,734
Wrecking 734
Basin Wrenches 656
Batteries 96,138-139,174,182,207,301,666-669,671-672,740,766-771,803
Battery
D20 392
Battery Booster Cables 188
Battery Chargers 247-251
Battery Chargers/Starters 187,246-248,250
Battery Hydrometers 251
Battery Load Testers 251
Battery Tester 137,669,771
Battery, PJ996 767
Beacons 775
Beam Clamps 224
Bearing (blind) Removal Tool 228
Bearing and Seal Driver Sets 229
Bearing Fit (D641) 192,617
Bearing Pullers 228
Belt and Disc Sanders 351
Belt Linisher 337
Belts, Sanding 284
Bench Drills 340
Bench Grinders 345-347,352
Bench Morticer 353
Bench Presses, Hydraulic 227
Bench Vices 622
Bench/Seat Covers 845
Bevel, Adjustable 630
Bicycle Lights 769
Bicycle Locks 676,802
Bicycle Tools 675-676
Biscuit Jointer 411
Biscuits for Biscuit Jointer 442
Bit Holders 89,428-429,575,579-580
Bit Holding Sockets 54,428,574
Bits
Assorted 431
Draper TX-STAR® 89-90
Hexagon 54-55
Impact 64,432,574-575
Mechanic's 83
Screwdriver 575-576
Security 93,431,582
Insert - DRAPER 83,327,330,578-579
PZ TYPE 579
Router 443
Socket 261
Blades
Air Body Saw 291
Automatic Wire Stripper 541
Bandsaw 354,442
Bow Saws 828
Circular T.C.T. 438
Coping Saws 638
Floor Scrapers 735
Fretsaw, hand 638
Fretsaw, power 442
Grouting Tools 643
Hacksaws 640-641,643
Jigsaw 440-441
Junior Hacksaws 641
Knife 592
Mitre Saw, hand 639
Multirasps 629
Nibbler (hand) 545
Oscillating Multi-Tool 416,453
Padsaw 638
Petrol Mowers 857
Planer Thicknesser 360
Plastic Pipe/Moulding Cutter 658
Pruning Saws 828
Reciprocating Saws 442
Retractable Knives 593
Rubber Hose and Pipe Cutter 162,658
Scrapers 183,648
Tile or Rod Saw 643
Trimming Knives 528,592-593,694
Tubing Cutters 171,658
Windscreen Removal 183
Bleeding
Brakes 173
Clutch 173

Blind Bearing Removal Tool ... 228
Bobbin Sanders ... 352
Body Repair Kits ... 182
Boiler Suits ... 756
Bolsters
  Brick ... 599-600,712-713
  Carpet Laying ... 655
  Electrician's ... 599-600,712-713
  Mason's ... 599,712
Bolt Cutter Jaws ... 539
Bolt Cutters ... 215,539,690-691
Bonded Windscreen Wire ... 184
Booster Cables ... 188
Booster Pumps ... 379,880
Boots, Wellington ... 748
Border Shears ... 825
Bore Gauge ... 609
Bottle Jacks ... 218
Bow Saws ... 828
Box Spanners ... 81
Box Wrench ... 659
Boxes, Tool ... 484,486
Braces for Tool Pouches ... 499
Braces, Carpenter's ... 632
Brackets ... 853
Brad Nails ... 292
Bradawl ... 629
Brake Adjusting Wrenches ... 171
Brake and Clutch Cleaner ... 196,786
Brake and Headlight Hooks ... 171,182
Brake Bleeder, Pump Action ... 173
Brake Bleeding Kit Adaptor ... 172
Brake Bleeding Kits ... 171-172
Brake Caliper Tools ... 169
Brake Caliper Wind Back Tools ... 168-169
Brake Cleaning ... 190,196
Brake Fluid Extractors ... 172-173
Brake Fluid Testers ... 172
Brake Hose Clamp ... 171
Brake Lining Thickness Gauge ... 171
Brake Pad Keys ... 171
Brake Pipe Fittings ... 170,194
Brake Pipe Flaring Tool Kits ... 170
Brake Pipe Straighteners ... 170
Brake Piston Pliers, Motorcycle ... 185
Brake Piston Tools ... 168,185
Brake Service Tools ... 168-169
Brass Tap ... 722,847
Breakers ... 404
Brick and Block Lifting Tongs ... 718
Brick Bolsters ... 599-600,712-713
Brick Jointer Trowel ... 715
Brick Lines ... 720
Bricklayers Hammers ... 596,709
Broom Brackets ... 736,793
Broom Handles ... 736,792,795
Broom Head Brackets ... 736,793
Broom Head Support Stay ... 736,793
Brooms ... 735-736,792,794,837
Brush Cutters ... 865
Brushes
  Brass and Nylon Wire ... 151
  Brass Fill ... 790
  Decarbonizing ... 445
  Engine Cleaning ... 241
  File Cleaning ... 621
  for Vacuum Cleaners ... 366-368
  General Purpose, Wire ... 320,791
  Hand ... 736,793
  Hollow Cup ... 445
  Nylon Fill ... 790
  Parts Cleaning ... 207,241
  Paving ... 837
  Scrub ... 791,794
  Scrubbing ... 736,793
  Sets ... 791
  Spark Plug Cleaning ... 151
  Stainless Steel Fill ... 790
  Tar ... 736,792
  Wire ... 320,445,790-791
Buckets ... 497,717,721,795,838
Budding Knives ... 823
Bulb Planters ... 837
Bump Cap ... 753
Bungee Cargo Net ... 199
Bush and Sleeve Retainer (D638) ... 192,617

C

C Cramps ... 625
Cabinets
  Flammable Liquid ... 492
Cable Access Kits ... 662
Cable Cutters ... 539,695
Cable Knife ... 528,684
Cable Laying Shovels ... 726
Cable Reels ... 455,871
Cable Shears ... 527
Cable Sheath Stripper ... 540
Cable Stripper ... 540-541,694
Cable Ties ... 789,844
Calipers
  Caliper Gauges ... 607
  Dial ... 609
  Digital ... 609
  Spring ... 611
  Vernier ... 607,609
Camshaft Kits ... 148
Camshaft Locking Tools ... 149
Car Boot Liner ... 494
Car Creepers ... 201
Car Front Wing Covers ... 185
Car Radio Removal Kits ... 183
Car Ramp Extensions ... 220
Car Ramps ... 220
Carbide Grit Arbor ... 434
Carburettor and Injector Cleaner ... 196,786
Carpenter's Awls ... 629
Carpenter's Bevels ... 630
Carpenter's Brace ... 632
Carpenter's Framing Square ... 631
Carpenter's Marking Gauge ... 630
Carpenter's Marking/Mortice Gauge ... 630
Carpenter's Pencil Kit ... 632
Carpenter's Pencil Sharpener ... 632
Carpenter's Pencils ... 632
Carpenter's Pincers ... 545,628,704
Carpenter's Try Squares ... 630
Carpenter's Workbenches ... 504
Carpet Laying Bolsters ... 655
Carpet Protective Film ... 645
Carpet Stretcher ... 654
Cartridge Filters ... 368
Carving Tool Set with Stone ... 673
Cash Boxes ... 804
Castors ... 782-784
Caulking Guns, Air ... 300
Caulking Guns, Hand ... 655
Cement Mixers ... 723
Centre Punches ... 601,603
Chain Cleaning Kit ... 185
Chain Lever Hoists ... 224
Chain Splitters ... 185
Chain Wrench ... 236
Chainsaw
  Boots ... 748,864
  Jackets ... 742,864
  Trousers ... 742,864
  Chainsaws ... 862-863
Chair Stack Covers ... 846
Chalk Lines ... 719-720
Chamois Leathers ... 197,796
Chests, Tool ... 486
Chiminea Covers ... 845
Chisel and Punch Sets ... 601-602
Chisels
  "Pound Thru" ... 626
  Air Hammer ... 290
  Bevel Edge and Set ... 627
  Brick ... 599,712
  Cold ... 600,713
  Cold, Flat ... 601
  Cold, Octagonal ... 599,601,712
  Hammer - SDS+ ... 426
  Mortice, for Bench Morticer ... 353
  Plugging ... 599-600,712-713
  Scutch Holding ... 600,713
  SDS+ ... 426
  Splitting ... 601
  Wood ... 626
  Woodturning ... 362,441
  Wrecking Knife ... 627
Chop Saws ... 344
Chucks
  Chuck Guards ... 341
  Chuck Keys ... 451
  Drills ... 452
  Hand Drills ... 632
  Screw ... 362
Circlip Assortments ... 195,781
Circlip Pliers ... 271,700
Circuit Tester ... 140
Circuit Testers ... 140
Circular Saw
  D20 ... 389
  Storm Force® ... 408
Clamp Meters ... 138,667
Claw Hammers ... 594,707
Cleaning Caddy ... 794
Cleaning Cloths ... 197,796
Clic and Clic-R Hose Clamp Tool ... 162
Clothing, Protective ... 756
Club Hammers ... 595,597,708,710
Clutch Tools ... 157
Coil Spring Compressors ... 166
Coil-on-Plug Puller ... 159
Cold Chisels ... 599-601,712-713
Cold Galvanizing Compound ... 786
Collets
  Air Angle Die Grinders ... 288,296
  TIG Welding Torches ... 317
Combi Drill
  D20 ... 388
  Storm Force® ... 402
Combination Spanners
  DRAPER ... 76-79

ELORA ... 265-267,270
Combination Squares ... 630-631
Combined Roller Cabinet ... 133,481
Combined Tool Chest and Roller Cabinets ... 123,471
Combustion Leak Detector Fluid ... 160
Combustion Leak Detector Kit ... 160
Compass Saw ... 638
Compost Tumbler ... 843
Compression Test Kits ... 146
Compressors
- Air ... 274-277
- Air, Oil-Free ... 277-278
- Coil Spring ... 166
- Mini (air) ... 278
- Valve Spring ... 149

Contractor's Forks ... 726
Contractor's Saw ... 357
Contractor's Storage Boxes ... 483
Converter
- MMA to MIG ... 317

Cool Bags ... 495
Cooling System Vacuum Purge and Refill Kit ... 160
Coping Saws ... 638
Copper/Rawhide Faced Hammers ... 596,709
Cordless Air Compressor ... 175
Cordless Power Tools
- Drills ... 396,400
- Grass Trimmers ... 867
- Grease Guns ... 242
- Hammer Drills ... 400-401
- Hedge Trimmers ... 867
- Impact Wrenches ... 333,379,451,880
- Screwdrivers ... 401

Corrosion Assessment Tool ... 182
Cramps
- 'C' ... 625
- Quick Action ... 624
- Sash ... 624
- Crimp Terminal Assortment ... 543
- Crimping and Wire Stripping Kit ... 542
- Crimping Tools ... 251,541-543,696
- Crocodile Clips for Multimeters ... 669
- Crop Sprayers ... 333,450,856
- Cross Pein Pin Hammers ... 595,708
- Crow Bars ... 734,831
- Crow Foot Spanners ... 81
- Cultivator/Tiller ... 869
- Petrol ... 869
- Cultivator/Tillers ... 869
- Cultivators ... 808
- Garden ... 807,811
- Hand ... 813-815,817-818,820
- Curtain, Welding ... 322
- Spring ... 625

Cutters
- Brush, Petrol ... 865
- Cable ... 539,682,695
- Centre - KNIPEX ... 688-689
- Concrete Wire - KNIPEX ... 691
- Copper/Aluminium - DRAPER ... 539
- Diagonal Side ... 527,529,531-532,534-535
- Diagonal Side - KNIPEX ... 687-688,694
- Diagonal Side, Insulated - DRAPER ... 527,679
- Diagonal Side, Insulated - KNIPEX ... 679-680,682-683
- Draper Expert Ergo Plus® ... 524
- End - DRAPER ... 535
- Glass ... 643
- Hinge Hole ... 428,632
- Hole ... 428,435,632
- Packaging ... 593,788
- Plastic Pipe/Moulding ... 658
- Plastic/Vinyl Pipe ... 658,704
- Plug ... 423
- Ribbon Cable - KNIPEX ... 694
- Rubber Hose ... 658
- Rubber Hose and Pipe ... 162,658
- Spot Weld ... 322
- Taper ... 423
- Tile ... 642
- Tubing ... 171,658
- TwinForce - KNIPEX ... 689
- Wire Rope ... 539
- X Cut- KNIPEX ... 682,688

Cutting Discs
- INOX ... 444
- Metal ... 287,444
- Multi Purpose ... 444
- Stone ... 444

Cutting Guard ... 406
Cutting Mat ... 673
Cutting Torch ... 324
Cutting Wheels ... 287,344,444
CV Boot Tools ... 167
CV Joint Tools ... 164
Cycle Tools ... 676,769
Cylinder Head Stand Kit ... 150
Cylinder Hone ... 150
Cylinder Leakage Kits ... 147

D

Dead Blow Hammer ... 595,708
Deburring and Chamfering Tool Set ... 616
Deep Impact Sockets ... 65-67
Degreaser ... 196
Delivery Tubes ... 244
Demolition Bars ... 734
Detectors
- Combined Metal, Voltage and Stud ... 671
- Damp ... 671
- Metal and Voltage ... 671

Diagnostic Tools
- Fault Code Readers ... 136
- Probe ... 137
- Test Leads ... 138

Dial Calipers ... 609
Dial Test Indicators ... 610-611
Diamond Blades ... 439
Diamond Core Bit Arbors ... 427
Diamond Core Bits ... 427
Dibber ... 837
Die Grinders, Air ... 296
Die Holders ... 614
Die Nut Set ... 614
Dies, Circular ... 614
Diesel Injector Puller ... 158
Diesel Priming Pump ... 230
Digging Bars ... 731,734,831
Digging Hoe ... 834
Digging Spades - VDE ... 724
Digital Angle Finder ... 739
Disc Brake Locks ... 802
Disc Sander ... 350
Discs
- Abrasive, Polycarbide ... 451
- Sanding ... 351,448

Dismantling Knife ... 684
Dismantling Tool ... 695
Displays of....
- Adhesives ... 786
- Barbecue Covers ... 845
- Batteries, AA-type ... 771
- Batteries, AAA-type ... 771
- Batteries, C-type ... 771
- Batteries, D-type ... 771
- Batteries, Dry Cell, Assorted ... 771
- Bench/Seat Covers ... 845
- Bolsters and Cold Chisels ... 600,713
- Brake and Clutch Cleaner ... 196,786
- Carburettor and Injector Cleaner ... 196,786
- Chair Stack Covers ... 846
- Cold Galvanizing Compound ... 786
- Degreaser ... 196
- Demolition Bars ... 734
- Drain Blasters ... 660
- Easy Find Secateurs ... 822
- End Cutters - KNIPEX ... 693
- Garden Twine ... 844
- Graffiti Remover ... 786
- Hand Forks, Gardening ... 819
- Hand Saws ... 634
- Hand Trowels, Gardening ... 819
- Ink and Gum Remover ... 786
- Insulation Tape, Rolls of ... 665
- Kneeler/Seats ... 841
- Kneelers ... 844
- Knives ... 591
- Metal Cutting Lubricant ... 614,786
- Moisture Dispersant ... 196,786
- Outdoor Table Covers ... 845
- Patio Set Covers ... 845-846
- Pipe Cutters ... 658
- Pliers, Soft Grip ... 531
- Pliers, Waterpump 'Alligator®' - KNIPEX ... 703
- Pliers, Waterpump 'Cobra®' - KNIPEX ... 702
- Rotary Line/Parasol Covers ... 845
- Router Bits ... 443
- Safety Spectacles ... 750
- Screwdriver & Bit Sets ... 576
- Screwdrivers, 865 Range ... 568
- Screwdrivers, Precision ... 572-573
- Silicone Lubricant ... 786
- Spirit Levels ... 739
- Swing Seat/Hammock Covers ... 846
- Torches ... 770
- Tubing Cutters ... 658
- Wire Wheel Brushes ... 445
- Wood Chisels ... 626

Disposable Coverall ... 756
Distance Estimators ... 671,740
Dividers, Spring ... 611
Dollies (Wheel) ... 220
Door Closers ... 781
Door Lifters ... 655
Door Panel Removal Tool ... 183
Double Sided Tape ... 787
Dovetail Saw ... 637
Drain Cleaner ... 660
Drain Pans ... 185,237
Drain Plug Keys and Sets ... 234-235
Drain Plug Wrench ... 234
Drain Rod Sets ... 660
Drain Unblocker ... 660
Drainage Shovels ... 726
Draper Black Box® ... 483
Draw Hoe ... 811
Drawer Organisers ... 489-490
Dressmaking Shears ... 672
Drift (for Diamond Core Bits) ... 427
Drill Grinding Attachment ... 423
Drill Press Vices ... 341,623
Drill Stand ... 452

Drills
Bench ... 341
Floor Standing ... 339
Hammer ... 402-404
Hand ... 632
Pilot ... 434
Drip Trays ... 237,758
Drum Cradle ... 758
Dry Bags ... 495
Dry Cell Batteries ... 771
Dry Stone Grinding Wheels ... 345
Drywall Dimpler Set ... 579
Drywall Hammers ... 596,709
Dual Action Clamps ... 624
Duct Tape ... 787-788
Dust Bags, Paper ... 368
Dust Bins ... 842
Dust Extractor Accessories ... 364
Dust Extractors ... 363-365
Dust Masks ... 322,751-752
Dust Sheets ... 645
Dutch Hoe ... 807,811
Drill Bits
Auger ... 436
Countersink ... 428,632
Diamond Core ... 427
Drill and Accessory Kits ... 424
Drill Bits ... 422,425,437
Flat Wood ... 437
HSS, Cobalt ... 421
HSS, Titanium ... 421
HSS, Twist ... 421-423
Imperial ... 422
Masonry ... 425-426
Masonry and Sets ... 424
Pilot, for Hole Saws ... 434
Repair ... 615
SDS+ ... 426
Tile and Glass ... 423,642
Twist Drill ... 615
Wood ... 423,437

E

E-Clip Assortment ... 195,781
Ear Defenders ... 753
Ear Plugs ... 754
Earthing Tape ... 665
Elastic Straps ... 199,332,450
Electrician's
Scissors ... 540, 695
Bolsters ... 600,713
Draw Tape ... 662,670
Pocket Knife ... 590,665
Electricity Generators ... 382
Electrode Holders ... 322
Electrodes, Arc Welding ... 322
Emergency Hammer ... 188
End Cutters
DRAPER ... 535
KNIPEX ... 693
Engine Cranes ... 222
Engine Transmission Stand ... 223
Engine/Gearbox Support ... 223
Engineer's Squares ... 612
Engraver Tip ... 672
Engravers ... 672
EOBD Memory Saver ... 139
Epoxy Structural Adhesive (D2012) ... 193,617
Ergo Plus®
Pliers ... 524-526
Screwdrivers ... 549,551
EVA Insert Trays
1/2 Drawer ... 99,101-106,108,110
1/4 Drawer ... 99,101-102,104,106-110,112
1/4 Drawer Infill Trays ... 113
3/4 Drawer ... 111
Full Drawer 99-100,102-103,105-106,109,111-112
Full Drawer Infill Trays ... 113
Expanding Foam Gun ... 655
Extension Bars
1/2" Square Drive ... 61
1/4" Square Drive ... 59
3/4" Square Drive ... 61
3/8" Square Drive ... 60
Chromed - ELORA ... 257-258,261-262,264
Impact - DRAPER ... 64-65,67,69-70
VDE ... 39
Wobble ... 59-61
Extension Cables
230V ... 456
110V ... 457
16A ... 456
Extension Leads ... 454
Extension Poles ... 646,648,653,791,794
Extension Tubes for Vacuum Cleaners ... 366-367
Extractor Kits
Bearing, Seal and Bushes ... 229
Extractors, Dust ... 365
Eye Protection ... 749
Eye Wash Refill ... 757
Eye Wash Station ... 757
Eyelet/Grommet Kit ... 733
Eyelets for Hole Punch ... 545,674

F

Face Masks ... 321,751
Face Plate ... 362
Faceshield ... 362,753
Fault Code Readers ... 136, 137
Feeler Gauges ... 152
Fencing
Post Auger ... 730,832
Post Rammer ... 730,832
Wire Tensioning Tool ... 730,832
Hammer ... 598,711,730,833
Spades ... 731,831
Files
Carbide Grit ... 643
Chainsaw ... 620,864
Diamond Needle Set ... 618
Engineers & Sets ... 619,621
Flat ... 619,621,628
Garden Tool ... 620,836
Half Round ... 619
Hand ... 619
Handles for ... 620
Handles, Swiss ... 618
Needle & Sets ... 618
Round ... 620-621
Saw ... 620
Square ... 621
Three Square ... 621
Tiling ... 643
Warding & Sets ... 621
Filling Knives ... 182,647
Filters
Anti-Foam ... 366-368
Cartridge ... 367-368
Dust Masks ... 751
HEPA ... 368
Mask ... 751
Nylon ... 366
Washable ... 368
Fire Safety
Blankets ... 763
Extinguisher Stands ... 763
Extinguishers ... 763
First Aid ... 332, 450, 757
Fixed Blade Knives ... 591
Fixings Assortments ... 781
Flammable Liquid Storage Cabinets
Cabinets ... 492
Stands ... 492
Flap Discs
Zirconium Oxide ... 451
Flap Wheels ... 451
Flare Nut Spanners ... 269
Flare Nut Wrench ... 171
Flashback Arrestors ... 323
Flexible Funnel ... 245
Flexible Gasket ... 193,617
Flexible Handles
Draper ... 63
ELORA ... 261-262
Flicker Machine ... 717
Flint Lighters ... 324
Floats, all types ... 644,716
Flood Lights ... 778
Floor Scrapers ... 735
Floor Squeegee ... 736,793
Floor Standing Drills ... 338
Flooring Tie Down Straps ... 625
Fluid Extractors ... 173,238
Fluid Pumps ... 230
Fluid Transfer ... 231
Flywheel Puller ... 158
Foam Mat ... 201
Fold Flat Sack Trucks ... 500
Folding Knives ... 592
Folding Rules ... 607
Foot Plate for Ground Breaker ... 732,830
Foot Pumps ... 175
Foot Valve Strainers ... 381,882
Footwear
Boots ... 747-748
Rigger Boots ... 748
Shoes ... 747
Forestry Helmet ... 753,864
Forks
Contractor's ... 726
Fork ... 810
Fork and Spade Sets ... 809,816,818
Fork and Trowel Sets ... 809,818-819
Gardening ... 806,813-814,816,818-820,834
Potato ... 834
Weeding ... 808
Four in One Garden Tool ... 866
Frame Packers ... 719
Framing Square ... 631
Fretsaws
Hand ... 638
Power ... 357
Fuel and Air Con' Disconnection Set ... 262
Fuel Cans ... 189
Fuel Filter Spanners ... 159
Funnels ... 245
Fuses for Starter/Chargers ... 247-249

G

Garden
- Bench/Seat Covers ... 845
- Blowers ... 868
- Bulb Planters ... 837
- Caddy ... 843
- Carts ... 733,840,853
- Cultivators (Hand) ... 811-814,817-818,820
- Fork and Spade Sets ... 809,818
- Fork and Trowel Sets ... 809,818-819
- Forks ... 808, 810, 813-814, 816 ,818-820
- Gardening Sets ... 809, 812, 814, 815, 819
- Hoes ... 813,820
- Hose Reels ... 312,852-853
- Hoses ... 722,852
- Kneelers ... 841
- Lawn Aerator ... 837
- Lawn Edgers ... 817
- Lawn Mowers ... 857
- Lawn Rakes ... 817,820
- Lawn Scarifiers ... 860
- Leaf Collectors ... 838
- Log Mauls ... 829
- Lopper and Secateur Set ... 826
- Loppers ... 821,825-826
- Multi Tools ... 819,865
- Pruners ... 821
- Rakes ... 811, 813, 817, 820, 838
- Scissors ... 823
- Secateurs ... 823
- Shears ... 824,826
- Shovels ... 729,834
- Shredders ... 870
- Sieves ... 837
- Spades ... 810, 813, 816, 820
- Spray Guns ... 849
- Sweeper ... 839
- Tidy ... 843
- Tool Cart ... 841
- Transplanting Trowels ... 814
- Trowels ... 814,818-820
- Weed Control Matting ... 844
- Weeders ... 814

Gas Bottle Keys ... 324

Gas Bottle Regulators ... 323

Gas Torches, Soldering ... 663

Gasket Scrapers ... 153

Gauges
- Bore ... 609
- Caliper ... 607
- Carpenter's Marking ... 630
- Carpenter's Marking/Mortice ... 630
- Feeler ... 152
- Paint Thickness ... 182
- Profile ... 631
- Tappet ... 152
- Telescopic ... 609
- Tyre Pressure ... 176
- Tyre Tread Depth ... 176

Gauntlets ... 745

Gazebos ... 883

General Purpose Levels ... 739

General Purpose Trowels ... 716

Generation 2 Kit ... 163

Generators ... 382-383

Gimlets ... 630

Glass Cutters ... 643

Glass Lifters, Suction ... 184,719

Glass Nibbling Pliers ... 704

Glasspaper Sheets ... 646

Gloves
- Chainsaw ... 743,864
- Cut Resistant ... 191,743,835
- Fingerless ... 191,744
- Framers ... 743
- Gardening ... 744,820,835
- Industrial/Work ... 745
- Latex ... 191,744,746,835
- Leather ... 744
- Mechanic's ... 191,744
- Nitrile ... 191,746
- Nylon ... 745
- Riggers ... 744,835
- Screen Touch ... 744
- Vinyl ... 746
- Welding ... 322,745
- Work Gloves ... 743

Glow Plug Adaptor Kits ... 147

Glow Plug Tester ... 137

Glue Guns ... 415

Glue Sticks ... 415

Graffiti Remover ... 786

Grass Shears ... 825

Grass Trimmer
- Electric ... 866
- Grass Trimmers ... 867

Grease Connector ... 244

Grease Feeders ... 242

Grease Gun Unblocker ... 243

Grease Guns ... 242-243,300

Grease Nipples ... 244

Grinders
- Bench ... 345-347
- D20 ... 391
- Wet & Dry ... 345

Grinding Discs ... 444

Grinding Point Sets ... 446,452

Grinding Wheel Dresser ... 347

Grinding Wheels ... 287,345-347,445

Ground Breakers ... 732,830

Grout Float ... 644

Grout Rakes ... 643

Grout Remover ... 643

Grouting Sets ... 644

Guide Drills ... 427

Guide Rods (for Diamond Core Bits) ... 427

H

Hacking Knife ... 590

Hacksaws
- Hand ... 640
- Junior ... 641
- Insulated ... 684

Hammer Drill
- SDS Max ... 404
- SDS+ ... 403
- Hammer Drills ... 402

Hammer Loops ... 499

Hammer Shafts ... 598,711

Hammer Tackers ... 589

Hammer Wedges ... 710

Hammers
- Air ... 290
- Ball Pein ... 595,602
- Bricklayers ... 596,709
- Claw ... 594,707
- Club ... 595,597,708,710
- Copper/Rawhide Faced ... 596,709
- Cross Pein Pin ... 595,708
- Dead Blow ... 595,708
- Drywall ... 596,709
- Emergency ... 188
- Joiners (or Warrington) ... 595,708
- Pin ... 595
- Scutch ... 596,709
- Shafts ... 598,711
- Sledge ... 597,710
- Slide ... 182
- Soft Faced ... 596,709
- Tack ... 595,708
- Wedges ... 710
- Welders ... 320

Hammers and Chisels ... 597,710

Hand Axes ... 829

Hand Drills ... 632

Hand Forks ... 812,815

Hand Taps ... 615

Hand Trowels ... 812,815

Hand Vices ... 622

Hand Weeders ... 812

Hand-Held Countersink Bit ... 632

Handsaws ... 634-637

Hanging Basket 'Up Down' Chain ... 854

Hard Floor Protective Film ... 645

Hard Graft, Brake and Clutch Cleaner ... 190,196

Hard Graft, Parts Washing Fluid ... 190,241

Hazard Warning Tape ... 787

Head Lamps ... 768
- COB ... 768
- Cree ... 768

Heel Bars ... 734

Heat Shrink Tubing ... 195

Heaters ... 326

Heavy Duty Strapping Tape ... 788

Hedge Trimmers ... 860-867

Hedge Trimming Attachment ... 866

Helmets ... 321,753

Helping Hand Brackets ... 674

HEPA Filters ... 368

Hexagon Bits & Sets ... 577

Hexagon Keys & Sets ... 86,583-587

HGV Wheel Chocks ... 220

Hi-Vis Clothing
- Jackets ... 742
- Trousers ... 742
- Waste Coats ... 742

Hitch Lock ... 802

Hobby Vice ... 622

Hoes ... 807,813,817,820

Hog Ring Pliers ... 183,733

Hog Rings ... 183,733

Hole Punches
- DRAPER ... 545,674
- KNIPEX ... 705
- Revolving ... 545,674

Hole Saw Arbors ... 434

Hole Saws
- Bi-Metal ... 433
- Cobolt ... 433
- Display Units ... 433
- Kits ... 435
- Tungsten Carbide ... 433

Hollow Punches ... 603

Honing Guide ... 627

Hook On Connector ... 244

Hook Wrenches ... 82

Hose Accessory Set ... 847

Hose Clamps ... 162,381,882

Hose Clip Driver ... 162

Hose Connectors ... 848

Hose Fittings
Adaptor 381,882
Brass 722,847
Plastic 381,882
Hose Reels, Garden 312,852-853
Hoses
Acetylene 324
Air 303
Garden 312,722,852-853
Layflat 381,882
Oxygen 324
Propane 324
Rigid 381,882
Solid Wall Suction 379,381,880
Vacuum Cleaners 366-368
Hoses Reels 853
Hot Air Guns 414,647
HSS Drill Bits 420,422
Hub Nut Puller 229
Hub Nut Sockets 141
Hydraulic Connectors 244
Hydraulic Floor Press 226
Hydraulic Oil 194,217
Hydraulic Puller 229

I

Ignition Spanners 78,269
Immersion Heater Key/Wrench 659
Impact Driver 64-71,141,388,396,400
Wrenches
Air 279-280
Cordless 333,379,451,880
D20 388
Impact Wrench 279-280,295
Storm Force® 397, 400
Incinerators 842
Induction Heater 180,318
Induction Heater Coils 180,318
Induction Heater Coolant 180,318
Injector Noid Kit 139
Injector Remover Adaptors 158
Injector Remover Tool 158
Ink and Gum Remover 786
Insert Bits
Cross Slot 578
Draper TX-STAR® 83,89-91,578
Draper TX-STAR® - 5 Lobe 91
Draper TX-STAR® Plus 90-91
Draper TX-STAR® Security 90-91
Hexagonal 54-55,578
Lobe 91
Plain Slot 578
PZ Type 578
Ribe® 92
Spline 92
Insertion Kits 229
Inspection Lamps
COB LED 773
D20 391
SMD 774
Torches 773
Inspection Mirrors 156
Insulated Contractor's Tools
Crowbars 725
Digging Spade 724
Forks 724
Post Hole Diggers 725,831
Shovels 724
Utility Shovel 725
Insulated Pliers
DRAPER 527-528,553
KNIPEX 680,682-683
Insulated Screwdrivers 528,550,552-554
Insulation Tape 665
Interchangeable Socket - ELORA 263
Inverter Welders 316
Inverters (Electrical) 200

J

Jack
Pneumatic 212-213
Scissor 218
Transmission 221
Trolley 214-217
Jackets
Chainsaw 742,864
Jaws
Bolt Cutters 215,539
Soft (for Vices) 622
Soft, for DRAPER Waterpump Pliers 657
Jewellers Eye Glass 673
Jigsaw Blades 440-441
Jigsaws 410
Joiners (or Warrington) Hammers 595,708
Jump Starter/Charger 187,251
Junction Boxes, 110V 457
Junior Hacksaws 641,684

K

Key Cabinets 804
Key Fob Tester 139
Key Sets
Draper TX-STAR® 86-87
Tamperproof 86
Key Tag Assortment 804
Keys
Blanks, padlocks 800,802
Chuck 451
Draper TX-STAR® 86-87,583
Hexagon 583-587
Immersion Heater 659
Manhole 661
Radiator 661
Spoke 675
Stop Cock, Combination 661
Utility 661
Kickstools 502
Knee Pads 755,836
Kneeler and Seat 841
Kneelers 755,844
Knipex
Circlip Pliers 701
Cobra 702
Cobra Waterpump Pliers 702
Concrete Nippers 693
Cutters 689
Dismantling Pliers 681
Pliers 680,683,692-693
Precision Circlip Pliers 700
VDE Pliers 681
Wire Stripper 696
Knives
Blades 592
Cable, 'S' Range - KNIPEX 684
Dismantling - KNIPEX 684
Dual Edge, Pocket 590
Electrician's, Pocket 590,665
Fixed Blade 591
Folding 592
Hacking 590
Lead 590
Modelling 673
Pocket 590,665
Pruning 590,823
Retractable 593
Sheepfoot, Pocket 590
Shoe 590
Taping 717
Trimming 591
Wrecking 627

L

Ladder Accessories
Car Roof Clamp Set 507
Lock 507
Stand Off 507
Ladders
Aluminium 507-508
Fibreglass 506
Multi-Purpose 505
Lambda Sensor Sockets 141,143
Lamps
Head 768
Inspection 774
Laptop/Tool Cases 496
Laser Levels 740
Latex Gloves 191,744
Lathes
Metal 342
Wood 361-362
Lawn Aerators 837,839
Lawn Edgers 807,811,813,817
Lawn Mowers 839,857-859
Lawn Rakes 811,817,820,860
Lawn Rollers 839
Lawn Scarifiers 860
Lead Dressing Tool 718
Lead Knife 590
Leaf and Square Tool 719
Leaf Collectors 838
Letter Stamps 602
Levels
General Purpose 739
Laser 740
Opti-Vision™ 737
Side View™ 738-739
Post 730,740,832
Lever Action Pump 232
Lifters, Suction 184,719
Lights
Bicycle 769
Safety, L.E.D 769
Line Marker Spray Paint 786
Line Pins 719-720
Line Trimmer 865
Lines
Brick 720
Chalk 719-720
Ranging 836
Liquid PTFE 193
Load Slings 225
Lockers 492
Locking Wheel Nut Socket Set 71,178
Locks, Hitch 802
Lockwire Twisting Pliers 537
Log Splitting Head 828
Log Splitting Mauls 829
Log Stand 863
Long 'T' Handled Forks 818
Long 'T' Handled Trowels 818

Loppers ... 821,825-826

M

M14 to SDS Adaptors ... 405,717
Magnetic Holders ... 154,320,482
Magnetic Hook Set ... 154,482
Magnetic Parts Bowl ... 155,241
Magnetic Parts Trays ... 155
Magnetic Pick Up Tools ... 156
Magnetic Stands ... 611
Magnetic Storage Holder ... 154,482
Magnetic Tool Holder ... 154,482
Magnetic Tool Trays ... 154,482
Magnifiers ... 673
Mains Testers ... 670
Mallets ... 181, 596, 598, 627, 709, 711
Manhole Keys ... 661
Manure Forks ... 834
Marker Paint ... 786
Marking/Mortice Gauge ... 630
Masking Tape ... 196,645,788
Masks
  Dust ... 751
  Welding ... 321
Masonry Drill Bits ... 425-426
Masonry Saws ... 638
Masons Bolster ... 600,713
Mattock Shafts ... 598,711,833
Mattocks ... 598,711,833
Measuring Jugs ... 244
Measuring Set ... 610
Measuring Tapes ... 604-606
Measuring Wheel ... 606
Mechanic's Creepers ... 201
Mechanic's Gloves ... 191,744
Mechanic's Stethoscope ... 150
Megakits ... 520-521
Memory Saver ... 139
Metal Bandsaws ... 342-343
Metal Cutting Lubricant ... 614,786
Moisture Meter ... 671
Microfibre Cloths ... 197,796
Micrometers ... 610
MIG 'Helper' Pliers ... 320,538
MIG Welders ... 314-315
MIG Wire ... 323
Mill Drill Accessories ... 337
Mill Drills ... 337
Mini Grinder
  Storm Force® ... 401
Mini Hook and Pick Set ... 153
Mini Saws ... 641
Mitre Boxes ... 639
Mitre Saws ... 358-359, 639
Mixer Paddles ... 653,717
Mixing Board ... 721
Mixing Bottle for Two Stroke Fuel ... 864
Mixing Paddles ... 405
MMA Kits ... 317
Mobile Tool Chests ... 485
Modeller's Tool Kits ... 673
Moisture Dispersant ... 196,786
Moisture Meter ... 671
Mop Buckets ... 795
Mop Handles ... 795
Mop Heads ... 794-795
Mortar Raker ... 718
Mortice Chisels and Bits ... 353
Morticer, Wood ... 353
Motorcycle Lifts ... 209-211
Motorcycle Locks ... 802
Motorcycle Maintenance Tools ... 185,188,209-211
Multi Gasket (D574) ... 193,617
Multi Tool ... 417
Multi-Sharpener ... 823
Multimeter Accessories ... 138,666
Multimeters ... 136,138,666-669
Multirasps ... 629

N

Nail and Pin Assortments ... 781
Nailsets ... 602-603
Needle Files ... 618
Needle Scaler ... 290
Nibbler, hand ... 545
Nippers, Concreting/Steel Fixers ... 693
Nippers, Electronic
  DRAPER ... 535
  KNIPEX ... 697
Non-Return Valves ... 379,880
Number Stamps ... 602
Nut and Bolt Remover Sets ... 58,178
Nut Lock (D243) ... 192,617
Nut Spinners ... 81,567,569,575
Nut Splitters ... 154

O

O Ring Pullers ... 153
Obstruction Spanners ... 80
Offset Handles ... 62,258,261
Oil (for Compressors) ... 276
Oil Cans ... 244
Oil Drain Pans ... 185,237
Oil Drainer ... 238
Oil Extractors ... 173,238
Oil Filter Cap Sockets ... 233-234
Oil Filter Sockets ... 233
Oil Filter Wrenches ... 236
Oil Pressure Test Kits ... 146
Oil Suction Gun ... 231,243
Oil Sump Plug Repair Kit ... 234
Oil, Hydraulic ... 194,217
Oiler, Air Tools ... 304
Oils
  Cutting Oils ... 343
  Neat Oil ... 343
  Oil (for Air Tools) ... 304
Open End Spanners ... 78,80-81,267-268
Organisers ... 484-485,487,489-490
Oscillating Multi-Tool Blades ... 416,453
Oscillating Multi-Tools ... 390, 416
Oscillating Sprinklers ... 851
Outdoor Table Covers ... 845
Output Elbows ... 379,880
Overalls ... 756
Overshoe Covers ... 756
Oxygen Hoses ... 324

P

Packing Tape ... 787
Packing Tape Dispensers ... 788
Paddle Mixers ... 405,653,717
Padlocks ... 799-802
Padsaws ... 638
Paint Brushes ... 649-650
Paint Roller Sleeves ... 651-652
Paint Roller Trays ... 651-652
Paint Rollers ... 651-652
Paint Scuttles and Kettles ... 654
Paint Thickness Gauge ... 182
Pallet Truck ... 502
Panel Lifters ... 655
Panhead Screw and Nut Assortment ... 781
Parallel Pin Punches ... 601
Parasol Cover ... 845
Parts Washers ... 241
Parts Washing Fluid ... 190,241
Patio Cleaner ... 373,837,873
Patio Set Covers ... 845-846
Patio Weeders ... 811-812
Paving Brushes ... 837
PCL Air Line Adaptors ... 305-306
PCL Air Line Fittings ... 304-308
PDR (Paintless Dent Removal) Kit ... 181
PDR Reflection Line Board ... 181
Pencil Kit ... 632
Pencil Sharpener ... 632
Pencils, Carpenter's ... 632
Petrol Blowers ... 868
Petrol Garden Tools ... 857,865,868
Petrol Mowers ... 857
Petrol Powered Pumps ... 380,881
Petrol Pumps ... 380,881
Pick Axe Head ... 598,711,833
Pick Axe Shaft ... 598,711,833
Pick Up Tools ... 156,789
Pillar Drills
  Bench ... 341
Pilot Drills
  Hole Saws ... 434
  Masonry ... 434
Pin Hammers ... 595
Pin Punches, Long Taper ... 601
Pin Setting Tool ... 630
Pincers
  Carpenter's - DRAPER ... 545,628
  Carpenter's - KNIPEX ... 704
Pipe and Sink Cleaner ... 660
Pipe Bending Springs ... 660
Pipe Cleaner and Deburrer ... 659
Pipe Cutters ... 162,657-658,704
Pipe Flaring Tool Kit ... 170
Pipe Threading Kits ... 659
Pipe Wrenches ... 656
Piston Ring Compressors
  DRAPER ... 150
  ELORA ... 271
PJ996 Battery ... 767
Planer/Thicknessers ... 360
Planers ... 411
Planes ... 628
Plasma Cutters ... 318
Plasterboard Saws ... 638
Plasterer's Bucket ... 717,721
Plasterer's Darby ... 716
Plasterer's Featheredge ... 716
Plasterer's Hawks ... 716
Plasterer's Leaf and Square Tool ... 719
Plasterer's Trowel and Square Tool ... 719

Plasterers Hawk 716
Plastering Floats 716
Plastering Scarifier 717
Plastic Weld (D3294) 193,617
Platform Dollies 502
Platform Trolleys 502
Pliers
- Automotive 139
- Brake Spring 171
- Circlip 271
- Compound Action 530
- DRAPER - Bent Nose 529,532,534-535
- DRAPER - Circlip 536
- DRAPER - Combination 529,531-532,534
- DRAPER - Combination, High Leverage 529
- DRAPER - Combination, Insulated 527
- DRAPER - Diagonal Side 525,532
- DRAPER - Draper Expert Ergo Plus® 524-526
- DRAPER - End Cutting 530,532,534-535
- DRAPER - Fencing 537,730,832
- DRAPER - Flat Nose 534-535
- DRAPER - Hog Ring 183,733
- DRAPER - Hose Clamp 162
- DRAPER - Long Nose 529,531-532,534-535
- DRAPER - Long Nose, Insulated 527
- DRAPER - Long Nose, Long Reach 532
- DRAPER - Mini 534-535
- DRAPER - Motorcycle Brake Piston 185
- DRAPER - Ratchet Hose Clamp 161
- DRAPER - Self Grip types 320,537-538
- DRAPER - Sets 528,530-532,534
- DRAPER - Tile Cutting 643
- DRAPER - Waterpump 531,533
- DRAPER - Waterpump, Insulated 528
- DRAPER - Waterpump, Soft Jaws 657
- DRAPER - Wheel Weight 177,207
- DRAPER - Wire Stripping 530
- DRAPER - Wire Stripping, Insulated 528
- DRAPER - Wire Twisting 537
- Draper Expert Ergo Plus® 525-526
- Electricians 530
- ELORA - Circlip 271
- ELORA - Self Grip types 271
- Jewellers Snips 544
- KNIPEX - Angled Long Nose 686-687
- KNIPEX - Cable Cutters 679,682,692,695
- KNIPEX - Cable Shears 692
- KNIPEX - Circlip 700-701
- KNIPEX - Coaxial Cable Stripping 695
- KNIPEX - Combination 685
- KNIPEX - Combination, 'S' Range 683
- KNIPEX - Combination, High Leverage, VDE 681
- KNIPEX - Combination, Insulated 678
- KNIPEX - Combination, VDE 681
- KNIPEX - Crimping 696
- KNIPEX - Duck Bill 694
- KNIPEX - Electrician's 687
- KNIPEX - Electrician's Universal 680-681,686
- KNIPEX - Electronics 697-699
- KNIPEX - End Cutting 693
- KNIPEX - Flat Nose Assembly 694
- KNIPEX - Flat Nose, Insulated 679
- KNIPEX - Glass Nibbling 704
- KNIPEX - Gripping, 'S' Range 683
- KNIPEX - Hose Clamp 704
- KNIPEX - Long Nose 686
- KNIPEX - Long Nose, 'S' Range 683
- KNIPEX - Long Nose, Insulated 678
- KNIPEX - Long Nose, VDE 681
- KNIPEX - Needle Nose 687
- KNIPEX - Plier Assembly Pack 687
- KNIPEX - Ribbon Cable 694
- KNIPEX - Round Nose, Insulated 679
- KNIPEX - Self Grip types 705
- KNIPEX - Sets 687
- KNIPEX - Slip Joint Spanner 704
- KNIPEX - Watchmakers 694
- KNIPEX - Waterpump, 'Alligator®' 703
- KNIPEX - Waterpump, 'Cobra®' 682,701-703
- KNIPEX - Waterpump, Automatic 702
- KNIPEX - Waterpump, Insulated, Alligator® 680
- KNIPEX - Waterpump, VDE 'Alligator®' 683
- KNIPEX - Waterpump, VDE 'Cobra®' 680
- KNIPEX - Wire Stripping 689
- KNIPEX - Wrench 704
- MIG 320,538
- Plier Sets 531
- Precision Circlip 700
- Scotch Lok® 543
- Side Cutters 530

Plug Cutting Set 423
Plugging Chisels 600,713
Plumb Bobs 719
Plunge Saw 408-409
Pneumatic Jacks 213
Pocket Knives 590,665
Pocket Torch 766
Polesaw and Hedge Trimmer 861
Polisher
- Storm Force® 401
- Polishers 407
- D20 391

Polishing Bonnets 447
Polishing Sponge 447
Post Hole Diggers 725,731,831
Post Levels 730,740,832
Potato Forks 834
Potting Scoops 808
Power Mixers 405
Power Packs 187
Power Splitters 110V 457
Precision Lubricator 244
Precision Screwdrivers 572-573
Presses, Hydraulic Bench 227
Pressure Sprayer 173
Pressure Washer Accessories 372-373,872-873
Pressure Washers 372-374,872-874
Propane Adaptors 330-331
Propane Hoses 324
Protective Clothing 742,864
Protective Sleeve 743,835
Protractors 612
Pruning Knives 590,823
Pruning Saws 827-828
Pry Bar/Nail Pullers 734
Pry Bars 153
Pullers
- Ball Joint 164
- Dent, Suction 184
- Flywheel 158
- Hydraulic 229
- Insert Bearing 228
- Reversible 228

Pulley Tool Kits 229
Pumps
- Adaptor 232
- Air 231
- Barrel 232
- Bicycle 676
- Booster 379,880
- Diesel Fuel/Water Transfer 230-231
- Diesel Priming 230
- Diesel Transfer 230
- Dirty Water 377-378,878
- Drill Powered 452
- Drum 232
- Foot 175
- Fountain 876
- Grease 242
- Multi-Purpose 230
- Petrol Powered 380,881
- Rotary 232
- Siphon (hand) 231-232
- Submersible 376-378,876-879
- Surface Mounted 379,880
- Trash 380,881
- Water Butt 378,879

Punch Down Tool 670
Punches
- Centre 603
- Hollow 603
- Long Taper 601
- Octagonal Centre 601
- Parallel Pin 603

Putty Knives 647

Q

Quick Action Cramps 624

R

R-Clip Assortment 195
Radiator Keys 661
Radiator Pressure Test Kit 160
Rain Suits 742
Rakes
- Garden 807,813,817
- Landscaping 729,834
- Lawn 807,813,817,820,838
- Leaf 838
- Tarmac 729
- Young Gardener 820

Ramps
- Car 220
- Car, Extension 220

Ranging Line 720,836
Rasps 621,628
Ratchet Hose Clamp Pliers 161
Ratchet Power Puller 186
Ratchet Screwdrivers 556
Ratchet Tie Down Straps 198
Ratcheting Spanners 73-74, 75
Ratchets
- 'Go Through' 40,57
- 1" Square Drive 264
- 1/2" Square Drive 56-57,260
- 1/4" Square Drive 56-57,257
- 3/4" Square Drive 57,262
- 3/8" Square Drive 56-57,258
- Air 281-282
- Cordless 400
- ELORA 257-258,260,262,264
- Extending 57
- Repair Kits - DRAPER 95
- Repair Kits - ELORA 258,260,262-263
- VDE 39

RCD Adaptor 454,870
Re-Threading Tools 616,662
Rear Axle Bush Tools 163
Rear Trailing Arm Bush Tools 164
Rechargeable Worklights 776
Reciprocating Saws 400,409
Recovery Winch 186
Recovery Winch Safety Blanket 186
Reducing Bushes 438

Refractometer 159,161
Relay Test Lead Kit 662
Repair Putty 193,617
Retaining Spring for Air Hammers 290
Retractable Knives 593
Reversible Blade Screwdrivers 572,574
Reversible Spanners 74
Ribe® Key Set 87
Ring Spanners
  DRAPER 78,80
  ELORA 268-269
Riveters
  Air 291,547
  Hand 546-547
  Lazy Tong 546
  Long Arm 546
  Spare Jaws 546-547
Rivets
  Blind 547
  Washers 547
Rod Saw 643
Roll Pin Assortment 195
Roller Cabinets .. 123,126,128-132,471,474,476-480
Roller Stands 344
Roller Tables 344
Roofer's Square 631
Rope 789
Rope Cutters 692
Rotary Line Cover 845
Round Mouth Shovel 726
Router Bits 443
Routers 411
Rubber Mallets 596,598,709,711,833
Rules 607

S

Sack Trucks 500-501
Safes 803
Safety Boots
  100% Non-Metallic 748
  Chukka 747
  Nubuck 747-748
  Rigger 748
  Waterproof 748
Safety Footwear 748,864
Safety Glasses 749-750
Safety Goggles 749
Safety Grip Tape 787
Safety Harness 754,864
Safety Helmets 753
Safety Karabiner 754
Safety Restraint Lanyard 754
Safety Shoes 747-748
Safety Spectacles 749-750
Sanders
  1/4 Sheet 412
  1/3 Sheet 412
  1/2 Sheet 412
  Belt 413
  Belt and Disc 351
  Bobbin 352
  D20 390
  Disc 350
  Draper 412
  Orbital 399
  Radial 646
  Random Orbit 412
  Tri-Base (Detail) 413
  Tri-Palm 413
Sanding Belts 284
Sanding Blocks 646
Sanding Discs 286,350-351,448,646
Sanding Sleeves 352
Sanding Sponges 646
Sash Cramps 624
Saws
  Band 342
  Bow 828
  Chop 344
  Compass 638
  Coping 638
  Dovetail 637
  Floorboard 634
  Fret, hand 638
  Fret, power 357
  Hacksaws 640-641
  Hand 633-634,637
  Hole 433,435
  Masonry 638
  Mini 641
  Mitre, Hand 639
  Pad 638
  Plasterboard 638
  Pruning 827-828
  Pull saw 637
  Table 356
  Tenon 634
  Tile or Rod 643
  Tool Box 634
  Venom 635,637
Scaffolder's Spanner 81
Scissor Jacks 208,218
Scissors
  Electrician 695
  Garden 823
  Household 672
Sewing 672
Scrapers 153,183,647-648
Scrapers, detail 153
Scrapers, floor 735
Scrapers, garden 731,832
Scrapers, Window 648
Scratch Awl 629
Scratch Float 717
Screw Extractor Sets 616
Screwdriver & Bit Sets .. 64, 432, 572, 574, 575, 577
Screwdriver Sets ..84-85,108-109,270,526,528,549-554,556-557,559,561,563,565-566,568-569,571-574,576-577
Screwdriver/Socket Sets 577
Screwdrivers
  'Pound Thru' 84,555,557,566
  186 Series, Cabinet Pattern 570-571
  865 PZ Type 567
  865 Series, Soft Grip 84,567-569,576
  870 Series, Mechanic's 558-559
  939 Series, Mechanic's 562-563
  952 Series 554
  952 Series, Insulated 554
  955 Series, Soft Grip 555
  960 Series, Insulated 528,552-553
  965 Series, Insulated 550
  970 Series, General Purpose 85,560-561
  975 Series 566
  976 Series, Engineers 84,564-565
  980 Series, 'Pound Thru' 572
  990 Series, Engineers 572
  995 Series 93,556
  995 Series, Soft Grip 84,555
  996 Series, Soft Grip 557
  Angle 574,577
  Draper TX-STAR® 84,564,569
  Draper TX-STAR® Security 84,567,569
  Ergo Plus® 549,551
  Expert Ergo Plus® 551
  Extra Long 555,561
  Impact 574
  Insulated - DRAPER 552,554
  Interchangeable Blades 550
  Precision 572-573
  Ratchet 576-577
  Ratcheting 576
  Reversible Blade 572,574
  Screwholding Set 563
  Stainless Steel - ELORA 270
  Torque 93,549,556
  VDE 549,551
Screwholding Screwdriver Set 563
Screwpitch Gauges 611
Scribers 612
Scutch Hammers 596,709
Scutches 600,713
Scythe Stones 836
SDS+ Drill
  D20 389
  Draper 403
SDS+ Drill Bits 420
Seal Puller 153
Sealant (D515) 193,617
Sealant (D518) 193,617
Sealant (D542) Hydraulic Seal 192,617
Sealant (D572) 193
Sealant Tools 644
Seat Covers 185
Seat/Bench Cover 845
Secateurs
  Anvil 821-823
  Bypass 821-822
  Curved 823
  Pruning 821
  Straight 823
Self-Tapping Screw Assortment 781
Sewing Scissors 672
Shackle Locks 801
Sharpening Stones 627
Shears
  360° 824
  Cable - DRAPER 540
  Cable - KNIPEX 692,694
  Dressmaking 672
  Garden 824,826
  Hedge 824
  Tinmans 544
  Topiary 823
Shed Brushes 650,844
Sheepfoot Pocket Knife 590
Shelving Extension Units 493
Shelving Units 493-494
Shoe Knife 590
Shot Blasting 240
Shot Blasting 240
Shovels
  Builder's 728-729,834
  Contractor's 726-728,832
  Folding 186,729
  Insulated 724-725
  Mini 728
  Polypropylene 729,834
Signs
  Fire Equipment 760,762
  Hazard Signs 759
  Mandatory Signs 760
  Prohibition Signs 762

Safety Signs ... 760-761
Silicone Lubricant ... 786
Silicone Removal/Smoothing ... 644
Silicone Sealant Remover ... 644
Sink Plunger ... 660
Siphon Pumps, hand ... 231
Site lights ... 776-777
Site Plugs ... 456, 457
Site Transformers ... 458
Sledge Hammer Shafts ... 598,711
Sledge Hammer Wedges ... 710
Sledge Hammers ... 597,710
Slide Hammer ... 182
Sliding T Bars
DRAPER ... 62
ELORA ... 257-258,261-262,264
Slogging Wrenches ... 81
Smoothing Lute/Spazzle ... 729,834
Soaker Hose ... 852
Socket ... 51
Socket Adaptors ... 66,69
Socket Bar Carrier ... 58
Socket Bits
Draper TX-STAR® ... 89-90
Hexagonal ... 54-55
Socket Box Template ... 662
Socket Converters ... 58,65,428
Chromed - ELORA ... 257-258,261,263-264
Impact - DRAPER ... 65,67,69
Socket Retaining Bars ... 58
Socket Sets
1/4" ... 21-24,35-37,41-42,44,47,253
3/8" ... 26-27,35-37,41-42,45,48,65,67,253
1/2" ... 28-31,35-37,41,43,46,49,66-67,83,254-255
3/4" ... 32-33,68,255-256
1" ... 34,68,70,256
Draper TX-STAR® ... 88
ELORA ... 253-256
Lambda Sensor ... 143
VDE ... 38
Vortex ... 40
Socket Testers ... 669
Socket Trays ...
Magnetic ... 59
Socket/Coupler for Site Transformers ... 457
Sockets
1/2" Square Drive ... 43,50-53,88
1/4" Square Drive ... 50-52,88
3/4" Square Drive ... 52
3/8" Square Drive ... 25,38,50-51,53,55,88
ADblue ... 234
Axle Hub Nuts ... 142
Axle Lock Nuts ... 142
Axle Nuts ... 142
Ball Joint ... 141
Chromed ... 259
Deep, Chromed ... 45,50-52,259
Deep, Impact ... 65-66
Diesel Injector ... 141
Draper TX-STAR® ... 88
Drive Shaft ... 141
Filter ... 234
Front Hub Nuts ... 142
Hub Nuts ... 141
Impact ... 64-67,69-70,141,143
Impact, Deep ... 64,66,69-70,141
Lock Nut ... 142-143
Oil Filter Cap ... 233
Rear Hub Nuts ... 142
Rings, Impact Sockets ... 69-70
Spark Plug ... 53,151
Splitter ... 456
VDE ... 39
Wheel Nut ... 72,179
Wheel Shaft Cover ... 143
Sockets - 110V ... 457
Sockets - 16A ... 456
Sockets - 230V ... 456
Sockets - 32A ... 456
Sockets - ELORA
Chromed ... 257-259,262,264
Deep, Chromed ... 257
Screwdriver ... 257-258,263
Soft Faced Hammers ... 596,709
Soldering Products
Gas Torches ... 663
Irons ... 663-664
Kits ... 664
Mat ... 664
Solder ... 664
Solder Sucker ... 664
Stand ... 664
Tips ... 663-664
Space Heaters
Diesel/Kerosene ... 326-328
Propane ... 329-331
Spades
Contractor's ... 726-728,731,831
Gardening ... 806,810,813,816,820
Spanner Sets
Combination ... 75
Imperial ... 76,80
Metric ... 80
Spanners - DRAPER
Box ... 81
Combination ... 76-79
Crow Foot ... 81
Flare Nut ... 77,171
Half Moon (Obstruction) ... 80
Ignition ... 78
Obstruction ... 80
Open End ... 78,80-81
Podger ... 81
Ratchet Ring ... 75
Ratcheting ... 73-75, 265
Ratcheting, Flexible Head ... 74
Reversible ... 74
Ring ... 78,80
S-Type ... 80
Scaffolder's ... 81
Spanners - ELORA
Combination ... 265-267
Flare Nut ... 269
Ignition ... 269
Open End ... 267-268
Ratcheting ... 265
Ring ... 268-269
Spare Grommets ... 733
Spark Plug Repair ... 151
Spark Plug Wrenches ... 151
Spazzle ... 729,834
Speed Braces ... 258,261
Speed Clamps ... 624
Spill Pallets ... 758
Spill Trays ... 758
Spindle Key for Motorcycles ... 185
Spindle Moulder ... 360
Spinklers ... 851
Spinner Handles
DRAPER ... 55
ELORA ... 257-258
Spirit Levels
General Purpose ... 737-739
Laser ... 740
Line Level ... 739
Mini Levels ... 739
Opti-Vision™ ... 737
Side View ... 738
Spline Bit Sets ... 71,92
Spoke Key ... 675
Spokeshave ... 628
Sponges ... 197,447,794
Spot/Crop Sprayers ... 333,450,856
Spray Bottle ... 854
Spray Guns
Airless ... 415
Watering ... 197,849
Spray Kit ... 850
Sprayers
Boom ... 856
Bottle ... 854
Crop/Boom ... 856
Crop/Spot ... 333,450,856
EPDM ... 798,855
FPM ... 173
Garden ... 849
Pressure ... 854-855
Refillable ... 173
Vehicle ... 197,797
Spring Assortment ... 195
Spring Clamps ... 625
Spring Compressors ... 165, 166
Square Mouth Shovels ... 726
Squares
Combination ... 630-631
Engineers ... 612
Folding ... 631
Roofer's ... 631
Tee ... 631
Try and Mitre ... 630
Squeegees
Floor ... 736,793
Telescopic ... 197,797
Washer Blade ... 197,796-797
Stands
Bandsaws ... 355
Belt Linisher ... 337
Bench Grinders ... 347
Table Saw ... 356
Staple Remover ... 589
Stapler/Nailer
D20 ... 390
Stapler/Nailer, electric ... 415
Staplers
Air ... 293
Hand ... 588
Staplers/Tackers, hand ... 588
Staples ... 293,588-589
Staples for air tools ... 293
Staples, White ... 588-589
Steel Rules ... 607
Step Drill Bits ... 423
Step Ladders ... 508
Step Stools ... 502
Stop Cock Key ... 661
Storage Bags ... 737, 738
Storage Boxes ... 491
Storage Cabinet Stand ... 492
Storage Cabinets ... 490,492
Storage Units ... 491
Storm Force
10.8V Battery Charger ... 400-401

10.8V Li-ion Battery 400-401
Airless Spray Gun 415
Angle Grinders 406
Biscuit Jointers 411
Cordless Drills 396,400
Cordless Hammer Drills 396,400
Cordless Impact Driver 20V 396
Cordless Impact Drivers 10.8V 400
Cordless Ratchets 400
Cordless Reciprocating Saws 400
Cordless Screwdrivers 401
Glue Guns 415
Hammer Drills 402
Hot Air Guns 414,647
Oscillating Multi-Tools 416
Planers 411
Plunge Saws 409
Polishers 407
Reciprocating Saws 409
Routers 411
Sanders 413
Stapler/Nailers 415
Straight Edges 653
Stud Extractors 53
Stud Lock (D270) 192,617
Stud Welders 319
Submersible Pumps 376-378,876-879
Super Glue 193
Super Knips
DRAPER 535
KNIPEX 697
Surface Mounted Pumps 379,880
Surveyors Tapes 606
Suspension Tools 167
Swing Seat/Hammock Covers 846
Swivel Bases for Bench Vices 622
Synthetic Grit 299

T

T Squares 631
Table Covers 845
Table Saws 356
Tack Hammer 595,708
Tack Lifter 630
Tackers 588-589
Tailstock Chuck and Arbor Set 362
Tamperproof Keys 86
Tap (Water) Reseating Tool 659
Tap and Die Sets 112,613-614
Tap and Drill Set 615
Tap and Holder Set 615
Tap Wrenches 615
Taper Mouth Shovels 726
Tapes
Barrier 787
Double Sided 787
Duct 787-788
Hazard Warning 787
Insulation 665
Masking 196,645,788
Measuring 605-606
Packing 787
PTFE 659,788
Safety Grip 787
Tappet Gauge 152
Taps, Hand 614
Tarmac Rakes 729
Tarmac Tamper 731
Tarpaulins 733,846
Telescopic Gauge 609
Telescopic Rods 645,718
Telescopic Spring Compressor 166
Telescopic Tree Pruners 827
Telescopic Washing Brushes 197,797
Tenon Saws 637
Tension Gauge 137
Test Leads 137,662
Testers
Automotive 140
Battery, Bulb, Fuse and Continuity Tester . 669,771
EGR 137
H.T. System 139
Mains 670
Multi-Tester, Electrical 670
Petrol Engine Compression 147
Relay 670
Socket 669
Thermo-Viscous Fan Nut Wrenches 161
Thermometer, infrared 139
Thread Insert Refill Packs 616
Thread Lock (D222) 192,617
Thread Recovery Tools 616
Thread Repair (Recovery) Tools 616
Thread Restorers 151,616
Three Tier Trolleys 488
Tie Down Ratchets 198
Tie Down Straps 198
TIG Welders 317
Tile Cutting Machines 642
Tile Saws, hand 643
Tile Spacers 644
Tilers Buckets 644
Tiling Files 643
Tiller 837
Timing Kits, Diesel and Petrol 158
Timing Lights 139
Tin Snips 544
Tipping Cart 733,840
Tool Bags 495-497
Tool Box Saws 634
Tool Boxes 483-484,486-487,489
Tool Cabinets 114-115,117-119,122,462-463,465-467,470
Tool Cases 485
Tool Chests 114-115,117-119,121,123,125-126,128-132,462-463,465-467,469,471,473-474,476-480,486
Tool Holders 499
Tool Kits
DRAPER 37
Electricians 509-510
Modeller's 673
Plumbers 509
Valeting 509
Workshop 511-518
Tool Lanyards 754
Tool Pouches 498-499
Tool Rolls 498
Torch 767
Cree 772
Hand 772
LED 772
Pocket 770
Storm Force® 401
Workshop Engineers 519
Torch Stands - Welding 323
Torches
Aluminium 766
COB LED 773
LED (CREE) 766-767
Torches 773
UV 773
Wind Up 770
Torque Multiplier 143
Torque Screwdrivers 93,549,556
Torque Wrenches
1/4" Square Drive 56,94,96-97
3/8" Square Drive 56,94-97
1/2" Square Drive 56,93-97
3/4" Square Drive 94-95
Push Through 97
Tote Bags 497
Tote trays 485,488,794
Tow Ropes 187
Towing Braces 187
Toyota Oil Filter Replacement Tool 233
Track Rod Adjusting Tools 167
Trailing Arm Bush Tools 163
Transplanting Trowels 812,814-815,818
Trash Pump 380,881
Tree Pruners 827
Trestles 503
Trim Removal Tools 183
Trimmer 865
Trimming Knives 590-593
Triple Car Lighter Socket Plug 200
Trolley Jacks 215-217
Trolleys, Workshop 333,378,450,488,879
Trousers
Chainsaw 742,864
High Visibility 742
Trowels
Adhesive 714-716
Adhesive Spreading 716
Brick 714
Brick Jointer 715
Bucket 714-715
Corner 715
Flooring 714-715
Garden 812,814-815,818
Gardening 808,814,818-820
Gauging 714, 715
General Purpose 716
Hand 819
Long 'T' Handled 818
Long Handle Garden Trowel 812
Plastering 715
Pointing 714, 715
Transplanting 808
Try and Mitre Square 630
Try Squares 630
Tube Benders 659
Tube Lights 778
Tubing Cutters 162,171,658,704
Tweezers and Sets 674,684
Twin/Triple Leg Pullers 228
Two Stroke Oil 864
Two Tier Trolleys 333,378,450,488,879
TX-STAR® 87
'T' Handle Keys and Set 86
Bit Sets 84
Drivers 85,561,563
Drivers, Tamperproof 85,561,563
Impact Socket Bits 71
Key Sets 86-87,583
Keys 86-87
Security Key Sets 87
Socket Bits 90
Tamperproof 86
Tamperproof, keys 87

Tying Wire, Garden 844
Tyre Changers 205-207
Tyre Inflators 174,207,301
Tyre Levers
DRAPER 177,207
ELORA 271
Tyre Pressure Gauges 176
Tyre Service Kits 176
Tyre Tread Depth Gauges 176
Tyre Valve Tools 176,207

U

Ultrasonic Cleaning Tanks 239
Universal Joints
1/4" 58,64
3/8" 58,65,258
1/2" 58,67,261
3/4" 58,69
1" 70
Universal Press Block 227
Universal Snips 544
Up Down Chain 854
USB Adaptors 392
Utility Service Keys 661,705
Utility Shovel 725

V

Vacuum Cleaner Accessories 364,366-368
Vacuum Cleaners
Ash 366
Garden 868
Hand Held 366
M Class 369
M-Class 369
Wet and Dry 366-369
Vacuum Flasks 797,883
Vacuum Pumps 148
Vacuum Test Kits 148
Vacuum Vice 622
Valeting, Car Wash Mitten 197,796
Valve Grinders 150
Valve Spring Compressors 149
VDE Fully Insulated Pliers 524-528,680-682
VDE Screwdrivers 549-550
VDE Socket Sets 38
Vehicle Bodywork 181
Vehicle Lift 208
Vehicle Support Stand 221
Vehicle Warning Triangles 188
Vehicle Washer Jet Cleaner 184
Venom Handsaws 637
Vernier Calipers 609
Vibration Absorber Mat 347
Vices
Bench 622
Drill Press 341,623
Engineers 622
Hand 622
Hobby 622
Vacuum 622
Woodworking 623
Voltage Testers 140,669-670

W

Wall Chaser 405
Wall Storage Units 491
Wallpaper Brushes 654
Wallpaper Seam Rollers 654
Wallpaper Shears 654,672
Wallpaper Steamer 414,647
Warning Signs 759-762,795
Warning Triangles 188
Washable Filters 368
Washer Blade 197,796
Washers (for rivets) 547
Waste Bag 733,843
Water Butt Pump 378,879
Water Containers 188,797,883
Water Hose Connectors 847-848
Water Pumps 377,877
Water Timers 850
Watering
Garden Hose Reels 851, 852, 853
Garden Sprayers 855
Garden Sprinklers 851
Watering Cans 842,854
Watering Spray Guns 849, 850
Waterpump Pliers 533,657,702
Weed Control Matting 844
Weeders 807-808,814,818
Weeding Fork 812
Welder Accessories 317
Welders
Arc 312-313
Inverter 316
Mig 315
Stud 319
TIG 316-317,332,450
Welding
Accessories, TIG 317
Curtain 322
Cutting Attachments 324
Electrode Holders 322
Electrodes (Rods) 322
Flashback Arrestors 323
Flint Cup Lighter 324
Flint Gun 324
Gas Bottle Keys 324
Gas Bottle Regulators 323
Gas Mixers 324
Hammer 320
Helmets 321
Inverters 316,332,450
Lens for Helmets 321
Masks 321
MMA Kits 317
Nozzle Cleaners 324
Nozzles 324
Shanks 324
Shrouds 324
Tips 324
Torch Stands 323
Wire 323
Welding Clamps 320
Welding Consumables 319
Welding Helmet 321
Wet & Dry Bench Grinder 345
Wet & Dry Vacuum Cleaners 368
Wet & Dry Vacuum Cleaners, Accessories 369
Wheel Aligner 204
Wheel Balancer 206
Wheel Bearing Service Kits 163
Wheel Chocks 220
Wheel Dollies 220,502
Wheel Nut Sockets 71-72,178-179
Wheel Nut Wrenches 177
Wheelbarrows 722,839-840
Wheels
Cutting 287,344,444
Grinding 287,345-347,445
Pneumatic 722,784,840
Solid Rubber 784,839
Whetstone Grinding Wheels 345
Whetstones 627
Winch/Hoist 186
Wind Back Tools 168
Window Scrapers 183,648
Windscreen Tools 183-184
Wipes 190,796
Wire Brushes 151,320,790-791,837
Wire Piercing Guide Clip 138
Wire Rope (for Wire Rope Hoists) 186
Wire Rope Cutters 692
Wire Strippers
Draper 138,526,528,530,540-542,590,665
ErgoStrip 695
Knipex 679,682,689,696
Wire Twisting Pliers 537
Wire Wool 446,654
Wiring Tacker 588
Wood Chisels 626
Wood Drill Bits 423
Wood Lathes 361
Wood Morticer 353
Woodwork Set 630
Woodworking Vices 623
Work Platforms 506
Work Stool 200
Workbenches 504-505
Workflooring PE 758
Worklamps
COB LED 776
Worklights 770
Wrecking Bars 734
Wrecking Knife 627
Wrenches - DRAPER
Adjustable 82,656
Air 280
Basin 656
Brake Adjusting 171
Chain 236
Drain Plug 234
Flare Nut 171
Hook 82
Immersion Heater 659
Oil Filter 236
Pipe 656
Slogging 81
Spark Plug 151
Strap 236
T Handle 81
Tap 615
Thermo-Viscous Fan Nut 161
Torque 93-96
Wheel Nut 177
Wrenches - ELORA
Pipe 271
Strap 271

Y

Yard Broom 735,792

WARRANTY

TERMS AND CONDITIONS

CONDITION OF THE GOODS AND WARRANTY

(i) The Seller warrants that on delivery, and for a period from the date of delivery as specified in the manufacturer's guarantee period below (the warranty period), the goods shall:

(a) conform in all material respects with their description and any applicable specification, and

(b) be free from material defects in design, material and workmanship.

The terms implied by sections 13 to 15 of the Sale of Goods Act 1979 are, to the fullest extent permitted by law, excluded from the contract. Buyers must ensure that goods are suitable for the purpose intended.

(ii) Subject to (iii) below, if the Buyer gives notice in writing to the Seller during the warranty period within a reasonable time of discovery that some or all of the goods do not comply with the warranty set out above, and the Buyer (if asked to do so by the Seller) returns such goods to the Seller's place of business at the Buyer's cost, the Seller must be given a reasonable opportunity of examining such goods. The Seller shall, at its option, repair or replace the defective goods, or refund the price of the defective goods in full. The remedies set out in this paragraph shall be the Buyer's sole remedies for any breach of the warranty in (i) above and any other claim in relation to the condition of the goods.

(iii) The Seller shall not be liable for the goods' failure to comply with the warranty set out above if:

(a) the defect arises because of a failure to follow the Seller's instructions as to the storage, commissioning, installation, use and maintenance of the goods or (if there are no instructions) good trade practice regarding the same; or

(b) the Buyer alters or repairs such goods without the written consent of the Seller; or

(c) the defect arises as a result of fair wear and tear, wilful damage, negligence, or abnormal storage or working conditions; or

(d) the goods differ from their description or specification as a result of changes made to ensure they comply with applicable statutory or regulatory requirements or continuous improvement.

WARRANTIES (FROM DATE OF FIRST USER PURCHASE)

(i) Draper Tools offers the following manufacturer's warranties to end users that purchase goods from the Buyer:

PRODUCT TYPE	PARTS	LABOUR
Air Tools (excluding Draper Expert Quality Air Tools and compressors)	6 Months	6 Months
Draper Expert Quality Air Tools, pressure washers, compressors, submersible water pumps, welding machines, space heaters, petrol power tools, generators, battery chargers, hydraulic products	12 Months	12 Months
Honda and Briggs & Stratton petrol engines	24 Months	24 Months
All other power tools*	24 Months	12 Months
All tools hired to third parties	3 Months	3 Months
All other hand tools described in this catalogue are offered with a LIFETIME WARRANTY.		

*We offer a free 3 year warranty on Draper Expert hand held power tools. Registration is required. For further information, please see www.drapertools.com/corporate-policies/extended-warranty.

This warranty does not apply to normal wear and tear the product undergoes in its lifetime, or damage caused by misuse, careless or unsafe handling. Exclusions to LIFETIME WARRANTY include but are not limited to consumable products (ie; drill bits, abrasive wheels, sanding sheets, batteries, PPE and clothing etc), Hex, RIBE® and Draper TX-STAR bits, hinged joint extension handles. Repair kits will be issued for most ratchets. Torque wrench testing and re-calibration must be carried out on a regular basis to ensure accuracy.

(ii) Any power tool described above and considered faulty must be returned to our warranty department at Draper Tools Limited, Hursley Road, Chandler's Ford, Eastleigh, Hampshire, SO53 1YF. To arrange collection, please contact +44 (0)23 8049 4041 or +44 (0)23 8049 4046. Alternatively, it may be returned to our nearest authorised warranty repair agent if so directed by your Draper Tools representative. If the tool is found to be faulty, it will be replaced or repaired at the Seller's discretion free of charge, or a full credit will be given.

(iii) Any other tool considered faulty must be returned to Draper Tools at the address given above with a written statement confirming the fault. If the tool is found to be faulty, it will be replaced or repaired at the Seller's discretion free of charge, or a full credit will be given.

(iv) These warranties do not apply to normal wear and tear, nor any damage caused by misuse, careless or unsafe handling, alterations, accident, or repairs attempted other than by authorised Draper warranty repair agents. These warranties are in place of any other warranty expressed or implied and variations of such warranties are not permitted, but your statutory rights are not affected.

(v) The warranties in this clause do not apply to the Buyer.

LIMITATION OF LIABILITY

(i) Nothing in these Terms of Business shall limit or exclude the Seller's liability for:

(a) death or personal injury caused by its negligence, or the negligence of its employees, agents or subcontractors (as applicable);

(b) fraud or fraudulent misrepresentation;

(c) breach of the terms implied by section 12 of the Sale of Goods Act 1979;

(d) defective products under the Consumer Protection Act 1987; or

(e) any matter in respect of which it would be unlawful for the Seller to exclude or restrict liability.

(ii) Subject to (i) above, the Seller shall under no circumstances whatsoever be liable to the Buyer, whether in contract, tort (including negligence), breach of statutory duty, or otherwise, for any loss of profit, or any indirect or consequential loss arising under, or in connection with, the contract governed by these Terms of Business. The Seller's total liability to the Buyer in respect of all other losses arising under, or in connection with such contract, whether in contract, tort (including negligence), breach of statutory duty, or otherwise, shall in no circumstances exceed the price of the goods.

TRADEMARKS

Draper TX-STAR products are compatible with †Torx fixing systems.

†Torx is the registered trademark of Acument Intellectual Properties LLC

Draper PZ TYPE products are compatible with *Pozidriv®/ Supadriv® fixing systems.

*Pozidriv®/Supadriv® are registered trademarks of Trifast Plc



DRAPER TOOLS LIMITED,
Hursley Road, Chandler's Ford, Eastleigh,
Hampshire, SO53 1YF. U.K.

Product Helpline tel: +44 (0) 23 8049 4344
Switchboard tel: +44 (0) 23 8026 6355

FOLLOW US ON

drapertools.com